Available from

Superintendent of Documents
U.S. Government Printing Office
Post Office Box 37082
Washington, D.C. 20013-7082

A year's subscription consists of 12 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

Title List of Documents Made Publicly Available

November 1-30, 1987

Date Published: January 1988

Division of Publications Services
Office of Administration and Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555

CONTENTS

Preface v
Arrangement of Items by Docket Number ix
Alphabetic Arrangement of Docket Items by Facility Name xv
Docketed Items 1
 Domestic Licensing of Source Material — Docket 40 1
 Domestic Licensing of Production and Utilization Facilities — Docket 50 6
 Domestic Licensing of Special Nuclear Material — Docket 70 195
 Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 198
 Licensing of Independent Spent Fuel Storage — Docket 72 202
Nondocketed Items 203
 10 CFR — Commission Meeting Records 203
 ACRS — Advisory Committee on Reactor Safeguards 203
 ADVCM — NRC Advisory Committee 203
 COMMISSION — NRC Commissioners 203
 CONTRACT — NRC Contracts and Modifications 204
 FOIA — Freedom of Information Act Requests and Releases 207
 GEN TECH IS — Generic Technical Issues 214
 I&E — Inspection and Enforcement 215
 NUREG — NUREG Reports and Related Correspondence 216
 ORG — Correspondence with Other Organizations 221
 PR — Proposed Rule 222
 PROJ — Projects - Predocket Licensing 225
 PT21 — Noncompliance Reports and Related Correspondence 225
 QA999 — Quality Assurance Inspections 226
 REGGD — Regulatory Guides 227
 REVIEW GRP — NRC Research Review Groups 228
 SECY — Position Papers Before the Commission 228
 STATE PROG — State Programs 228
 TOPREP — Vendor Reports and Related Correspondence 229
 WASTE MGT — Nuclear Waste Management 231
 XPORTLIC — Export and Import Licenses 232
Personal Author Index 235
Corporate Source Index 255
Report Number Index 273
Cross Reference of Enclosures to Principal Documents 275
Appendix A — Definitions of Docket 50 Categories A-1
Appendix B — Definitions of Nondocketed Categories B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material.


DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are:

A. Application/construction stage documents and correspondence
B. Utility Preliminary Safety Analysis Report (PSAR), amendments
C. Utility Environmental Report (ER), amendments and correspondence
D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), and correspondence
E. NRC Safety Evaluation Report (SER), supplements and correspondence
F. Security, medical, emergency and fire-protection plans
G. Adjudicatory correspondence
H. General correspondence
I. Financial information
J. Insurance and indemnity information
K. Utility Final Safety Analysis Report (FSAR) and amendments
L. Limited work authorization and related correspondence
M. Antitrust correspondence
N. Antitrust hearing transcripts
O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
P. Operating license stage documents and correspondence
Q. Inspection reports, IE Bulletins and correspondence
R. Periodic operating reports and related correspondence
S. Reportable occurrences. LERs and related correspondence
T. Hearing transcripts on non-antitrust matters
U. Congressional/executive correspondence
V. Licensing operators and related correspondence

Appendix A sets forth those categories and [illegible]
in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are:



1. NRC/PDR Document category (see Appendix A).
2. NRC Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Corporate, agency or nonindividual source.
6. Date of document described.
7. Recipient of document and NRC or corporate affiliation.
8. Pages in this document.
9. This five-digit number is the NRC 48X microfiche designation.
10. The three-digit portion of this entry is the number of the frame on which this document starts.
11. The five-digit portion of this entry is the number of the frame on which this document ends.
12. The three-digit portion of this entry is the number of the frame on which this document ends.
13. If this space is blank, the document is available to the public only in the NRC Public Document Room, 1717 H St., N.W., Washington, D.C. 20555. If this space is filled, it gives other sources for copies of the document. The entry may be "Available at NRC" for sale; "Available at NTIS"; or "Available at GPO."

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:


10CFR—Commission Meeting Records
ACRS—Advisory Committee on Reactor Safeguards
COMMISSION—NRC Commissioners
CONTRACT—NRC Contracts and Modifications
DISCLOSURE—Financial Disclosure Information
FOIA—Freedom of Information Act Requests and Releases
GEN TECH IS—Generic Technical Issues

ORG—Correspondence with Other Organizations
PR—Proposed Rule
PRM—Petition for Rulemaking
PROJ—Projects—Predocket Licensing
PT21—Noncompliance Reports and Related Correspondence
QA999—Quality Assurance Inspections
REGGD—Regulatory Guides
RES—Research and Technical Assistance Reports
REVIEW GRP—NRC Research Review Groups
RM—Rulemakings
SECY—Position Papers Before the Commission
STATE PROG—State Programs
TOPREP—Vendor Reports and Related Correspondence
WASH—Regulatory Publications—Pre-NUREG Series
WASTE MGT—Nuclear Waste Management
WASTE RES—Waste Management Research Reports
XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are:

(1) NUREG—NUREG Reports and Related Correspondence



1. Nondocket category
2. NRC Accession Number (year, month, day, and sequence number of item)
3. NRC Report Number
4. Title and description of information contained in the document
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency or other nonindividual source.
7. Contract or financial (FIN) number (if any). If the document has a secondary report number, it will appear following this entry.
8. Secondary report number assigned by originator.
9. Date of document described.
10. NRC organizational recipient.
11. Pages in document.
12. All NUREG-series documents are available for purchase at NRC. Information on ordering documents is given below. All NUREG-series documents are also available at NTIS. Information on ordering from NTIS is also given below.
13. Price for which NRC sells the documents.

15. This three-digit portion of the entry is

16. This five-digit number is the microfiche on which this document ends.

17. This three-digit number is the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for NRC is:
 Director
 Division of Publications Services
 U.S. Nuclear Regulatory Commission
 Washington, D.C. 20555

 To place orders, send check or money order, payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling (301) 492-9530.

2. The address for NTIS is:
 National Technical Information Service
 Springfield, Virginia 22161

 To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express credit cards; supply the charge card number when placing your order.

3. The address for the PDR is:
 1717 H Street, N.W.
 Washington, D.C. 20555

 To place orders, either write to the NRC PDR or call (202) 634-3274. When ordering document listed in this publication, please identify the Document Accession Number for each citation. Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

Domestic Licensing of Source Material - Docket 40

40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-1162	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	1
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	1
40-2061	KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	1
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	1
40-2917	AVCO CORP., STAMFORD, CT	1
40-3392	ALLIED CHEMICAL CORP., MORRISTOWN, NJ	1
40-3453	ATLAS MINERALS, INC., DENVER, CO	1
40-4492	AMERICAN NUCLEAR CORP., CASPAR, WY	1
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	1
40-6659	GETTY OIL/PETROTOMICS CO., SHIRLEY BASIN, WY	2
40-7102	SHIELDALLOY CORP., NEWFIELD, NJ	2
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	2
40-8027	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	2
40-8064	EXXON MINERALS CO., USA, HOUSTON, TX	3
40-8084	RIO ALGOM CORP., MOAB, UT	3
40-8102	EXXON CO., USA, HOUSTON, TX	3
40-8406	PESSES CO., SOLON, OH	3
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3
40-8502	MALAPAI RESOURCES CO., PHOENIX, AZ	3
40-8610	STEPAN CHEMICAL CO., MAYWOOD, NJ	3
40-8681	UMETCO MINERALS CORP., GRAND JUNCTION, CO	4
40-8684	MALAPAI RESOURCES CO., CASPER, WY	4
40-8698	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	4
40-8714	CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	4
40-8752	PINAL MINERALS & MINING, LTD., MIAMI, AZ	4
40-8768	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	4
40-8794	MOLYCORP, INC., LOS ANGELES, CA	4
40-8829	FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	4
40-8857	EVEREST MINERALS CORP., CONVERSE COUNTY, WY	
40-8902	ANACONDA CO., GRANTS, NM	
40-8903	HOMESTAKE MINING CO., GRANTS, NM	
40-8904	BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	
40-8905	KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	
40-8907	UNITED NUCLEAR CORP., SANTA FE, NM	
40-8911	MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	
40-8913	UNITED NUCLEAR CORP., GALLUP, NM	
40-8914	ENERGY, DEPT. OF, SCOVILLE, ID	
40-8926	ALTAIR RESOURCES, INC., CASPER, WY	
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	

Domestic Licensing of Production and Utilization Facilities - Docket 50

50-3	INDIAN POINT STATION, UNIT I
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR
50-6	BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR
50-22	WESTINGHOUSE TEST REACTOR
50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)
50-29	YANKEE-ROWE NUCLEAR POWER STATION
50-59	TEXAS A&M UNIV. RESEARCH REACTOR
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR
50-72	UNIV. OF UTAH RESEARCH REACTOR
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR
50-83	UNIV OF FLORIDA TRAINING REACTOR
50-87	WESTINGHOUSE CRITICAL EXPERIMENT
50-89	GENERAL ATOMIC CO.
50-97	CORNELL UNIV. ZERO POWER REACTOR
50-112	UNIV. OF OKLAHOMA RESEARCH REACTOR
50-113	UNIV. OF ARIZONA RESEARCH REACTOR

	REACTOR	
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	10
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	10
50-150	OHIO STATE UNIV. RESEARCH REACTOR	10
50-155	BIG ROCK POINT NUCLEAR PLANT	10
50-157	CORNELL UNIV. RESEARCH REACTOR	11
50-163	GA TECHNOLOGIES	12
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	12
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	12
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	12
50-184	NATIONAL BUREAU OF STANDARDS REACTOR	12
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	12
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	13
50-192	UNIV. OF TEXAS RESEARCH REACTOR	13
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	13
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	13
50-201	WEST VALLEY REPROCESSING PLANT	13
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	13
50-213	HADDAM NECK PLANT	14
50-219	OYSTER CREEK NUCLEAR POWER PLANT	15
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	17
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	18
50-243	OREGON STATE UNIV. RESEARCH REACTOR	19
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	19
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	20
50-247	INDIAN POINT STATION, UNIT 2	21
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	22
50-250	TURKEY POINT PLANT, UNIT 3	24
50-251	TURKEY POINT PLANT, UNIT 4	26
50-252	UNIV. OF NEW MEXICO RESEARCH REACTOR	27
50-254	QUAD-CITIES STATION, UNIT 1	27
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	3
50-261	H.B. ROBINSON PLANT, UNIT 2	3
50-262	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	3
50-263	MONTICELLO NUCLEAR GENERATING PLANT	3
50-265	QUAD-CITIES STATION, UNIT 2	3
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	3
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	3
50-269	OCONEE NUCLEAR STATION, UNIT 1	3
50-270	OCONEE NUCLEAR STATION, UNIT 2	
50-271	VERMONT YANKEE NUCLEAR POWER STATION	
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	
50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	
50-280	SURRY POWER STATION, UNIT 1	
50-281	SURRY POWER STATION, UNIT 2	
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	
50-284	IDAHO STATE UNIV. RESEARCH REACTOR	
50-285	FORT CALHOUN STATION, UNIT 1	
50-286	INDIAN POINT STATION, UNIT 3	
50-287	OCONEE NUCLEAR STATION, UNIT 3	
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	
50-295	ZION NUCLEAR POWER STATION, UNIT 1	
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	
50-298	COOPER NUCLEAR STATION	
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	
50-304	ZION NUCLEAR POWER STATION, UNIT 2	

Docket	Name	Page
50-305	KEWAUNEE NUCLEAR POWER PLANT	71
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	71
50-309	MAINE YANKEE ATOMIC POWER PLANT	72
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	73
50-312	RANCHO SECO NUCLEAR GENERATING STATION	74
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	76
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	78
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	79
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	80
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	81
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	82
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	83
50-322	SHOREHAM NUCLEAR POWER STATION	85
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	87
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	89
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	90
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	91
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	91
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	94
50-329	MIDLAND PLANT, UNIT 1	97
50-330	MIDLAND PLANT, UNIT 2	97
50-331	DUANE ARNOLD ENERGY CENTER	98
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	99
50-334	BEAVER VALLEY POWER STATION, UNIT 1	99
50-335	ST. LUCIE PLANT, UNIT 1	101
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	102
50-338	NORTH ANNA POWER STATION, UNIT 1	104
50-339	NORTH ANNA POWER STATION, UNIT 2	105
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	106
50-344	TROJAN NUCLEAR PLANT	108
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	110
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	111
50-352	LIMERICK GENERATING STATION, UNIT 1	113
50-353	LIMERICK GENERATING STATION, UNIT 2	11
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	11
50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	11
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	11
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	11
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	11
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	12
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	12
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	12
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	12
50-373	LASALLE COUNTY STATION, UNIT 1	12
50-374	LASALLE COUNTY STATION, UNIT 2	12
50-382	WATERFORD GENERATING STATION, UNIT 3	12
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	12
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	13
50-389	ST. LUCIE PLANT, UNIT 2	13
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	13
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	13
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	13
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	13
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	13
50-407	UNIV. OF UTAH RESEARCH REACTOR	13
50-409	LA CROSSE BOILING WATER REACTOR	13
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	13
50-412	BEAVER VALLEY POWER STATION, UNIT 2	14
50-413	CATAWBA NUCLEAR STATION, UNIT 1	14
50-414	CATAWBA NUCLEAR STATION, UNIT 2	14
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	14
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	14
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	14
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	14
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	15

STN-50-437	FLOATING NUCLEAR PLANT	152
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	152
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	153
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	154
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	155
50-443	SEABROOK NUCLEAR STATION, UNIT 1	156
50-444	SEABROOK NUCLEAR STATION, UNIT 2	159
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	162
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	169
STN-50-447	GESSAR-238	175
STN-50-454	BYRON STATION, UNIT 1	175
STN-50-455	BYRON STATION, UNIT 2	176
STN-50-456	BRAIDWOOD STATION, UNIT 1	177
STN-50-457	BRAIDWOOD STATION, UNIT 2	179
50-458	RIVER BEND STATION, UNIT 1	180
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	181
50-461	CLINTON POWER STATION, UNIT 1	182
STN-50-482	WOLF CREEK GENERATING STATION	182
STN-50-483	CALLAWAY PLANT, UNIT 1	185
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	186
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	188
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	189
50-522	SKAGIT NUCLEAR POWER PROJECT, UNIT 1	189
50-523	SKAGIT NUCLEAR POWER PROJECT, UNIT 2	189
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	189
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	191
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	193
50-537	CLINCH RIVER BREEDER REACTOR	194
STN-50-546	MARBLE HILL NUCLEAR STATION, UNIT 1	194
STN-50-547	MARBLE HILL NUCLEAR STATION, UNIT 2	194
50-601	RESAR SP/90	194
50-602	UNIV. OF TEXAS RESEARCH REACTOR	195

Domestic Licensing of Special Nuclear Material - Docket 70

70-0008	BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA
70-0036	COMBUSTION ENGINEERING, INC., WINDSOR, CT
70-0135	BABCOCK & WILCOX CO., APOLLO, PA
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN
70-0364	BABCOCK & WILCOX CO., APOLLO, PA
70-0371	UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT
70-0687	CINTICHEM, INC., TUXEDO, NY
70-0734	GA TECHNOLOGIES, INC., SAN DIEGO, CA
70-0820	UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, RI
70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA
70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA
70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC
70-1143	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA
70-1151	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC
70-1201	BABCOCK & WILCOX CO., LYNCHBURG, VA
70-1257	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA
70-1359	IRT CORP., SAN DIEGO, CA
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA
70-2951	MANHATTAN COLLEGE, BRONX, NY
70-3041	INTERNATIONAL FREIGHT FORWARDERS, INC., ATLANTA, GA

Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71

71-0370	AMERSHAM CORP.
71-0484	NEBRASKA PUBLIC POWER DISTRICT
71-0485	WASHINGTON PUBLIC POWER SUPPLY SYSTEM
71-0486	INTEC INSPECTION, INC.
71-0518	ULTRA TECHNOLOGY, INC.
71-0551	SIEMENS MEDICAL SYS, INC.
71-0578	FLORIDA, UNIV. OF, GAINSVILLE

71-0607 MORRISON KNUDSEN CO. 198
71-0632 QUALITY ENERGY SERVICES & TESTS CORP. 198
71-0636 PIPING SPECIALISTS, INC. 198
71-0637 WESTERN STRESS, INC. 198
71-0638 WESTINGHOUSE ELECTRIC CORP. 198
71-0639 WOS TESTING CO., INC. 199
71-0640 PUBLIC SERVICE CO. OF INDIANA 199
71-0642 RTS TECHNOLOGY, INC. 199
71-0645 HOUSTON LIGHTING & POWER 199
71-4909 MODEL: GE-21PF-1, GENERAL ELECTRIC CO. 199
71-5450 MODEL: RCC, -1, -2, -3, -4, WESTINGHOUSE ELECTRIC CORP. 199
71-5580 MODEL: S5W POWER UNIT, ENERGY, DEPT. OF 199
71-5757 MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF 199
71-5830 MODEL: SNAP 21, NAVY, DEPT. OF 199
71-6003 MODEL: M-130, ENERGY, DEPT. OF 199
71-6142 MODEL: BETTIS WASTE, ENERGY, DEPT. OF 199
71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC. 199
71-6406 MODEL: NONE, ENERGY, DEPT. OF 199
71-6441 MODEL: D2G POWER UNIT, ENERGY, DEPT. OF 199
71-6717 MODEL: 6717-B, GAMMA INDUSTRIES, INC. 199
71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP. 199
71-9021 MODEL: 750, TECH/OPS, INC. 199
71-9022 MODEL: CE-250-2, COMBUSTION ENGINEERING, INC. 200
71-9023 MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP. 200
71-9028 MODEL: 684 & 684E, TECH/OPS, INC. 200
71-9032 MODEL: 650, TECH/OPS, INC. 200
71-9033 MODEL: 660 & 660E, TECH/OPS, INC. 200
71-9035 MODEL: 680 & 680E, TECH/OPS, INC. 200
71-9044 MODEL: GE-1600, GENERAL ELECTRIC CO. 200
71-9053 MODEL: 683, TECH/OPS, INC. 200
71-9070 MODEL: N-55, NUCLEAR PACKAGING, INC. 200
71-9080 MODEL: HN-600 & NUPAC 100, WESTINGHOUSE-HITTMAN NUCLEAR 200
71-9098 MODEL: UCC-20WC-2 & 2A, CINTICHEM, INC. 200
71-9102 MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC. 200
71-9103 MODEL: NLI-6502, NUCLEAR ASSURANCE CORP. 200
71-9107 MODEL: 771, TECH/OPS, INC. 200
71-9119 MODEL: BAPL 5910 BRDCG, ENERGY, DEPT. OF 200
71-9126 MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC. 201
71-9127 MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC. 201
71-9128 MODEL: C-8, GAMMA INDUSTRIES, INC. 201
71-9135 MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC. 201
71-9141 MODEL: 900, TECH/OPS, INC. 201
71-9143 MODEL: 920, TECH/OPS, INC. 201
71-9147 MODEL: 850, TECH/OPS, INC. 201
71-9183 MODEL: NAC-1, NUCLEAR ASSURANCE CORP. 201
71-9200 MODEL: 125-B, ENERGY, DEPT. OF 201
71-9212 MODEL: 72-B, NUCLEAR PACKAGING, INC. 201
71-9215 MODEL: NPI-20WC-6 MKII, NEUTRON PRODUCTS, INC. 201
71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC. 201
71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP. 201
71-9783 MODEL: S5W ITR, ENERGY, DEPT. OF 201
71-9784 MODEL: LWBR NEW FUEL, ENERGY, DEPT. OF 201
71-9786 MODEL: S3G, ENERGY, DEPT., OF 202
71-9788 MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF 202
71-9789 MODEL: A1W-3, ENERGY, DEPT. OF 202
71-9790 MODEL: A1W-3, ENERGY, DEPT. OF 202
71-9791 MODEL: PWR-2, ENERGY, DEPT. OF 202
71-9860 MODEL: DT-14A, ENERGY, DEPT. OF 202

Licensing of Independent Spent Fuel Storage - Docket 72

72-0002 VIRGINIA ELECTRIC & POWER CO. 202
72-0003 CAROLINA POWER & LIGHT CO. 202

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Domestic Licensing of Source Material - Docket 40		
ALLIED CHEMICAL CORP., MORRISTOWN, NJ	40-3392	1
ALTAIR RESOURCES, INC., CASPER, WY	40-8926	6
AMERICAN NUCLEAR CORP., CASPAR, WY	40-4492	1
ANACONDA CO., GRANTS, NM	40-8902	5
ATLAS MINERALS, INC., DENVER, CO	40-3453	1
AVCO CORP., STAMFORD, CT	40-2917	1
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3
BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	40-8904	5
CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	40-8714	4
ENERGY, DEPT. OF, SCOVILLE, ID	40-8914	6
EVEREST MINERALS CORP., CONVERSE COUNTY, WY	40-8857	5
EXXON CO., USA, HOUSTON, TX	40-8102	3
EXXON MINERALS CO., USA, HOUSTON, TX	40-8064	3
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	2
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	6
FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	40-8829	4
GETTY OIL/PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	2
HOMESTAKE MINING CO., GRANTS, NM	40-8903	5
KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	40-2061	1
KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	40-8905	5
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8027	2
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8768	4
MALAPAI RESOURCES CO., CASPER, WY	40-8684	4
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8502	3
MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	40-8911	6
MOLYCORP, INC., LOS ANGELES, CA	40-8794	4
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	1
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	1
PESSES CO., SOLON, OH	40-8406	3
PINAL MINERALS & MINING, LTD., MIAMI, AZ	40-8752	4
PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	40-8698	4
RIO ALGOM CORP., MOAB, UT	40-8084	3
SHIELDALLOY CORP., NEWFIELD, NJ	40-7102	
STEPAN CHEMICAL CO., MAYWOOD, NJ	40-8610	
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	
UMETCO MINERALS CORP., GRAND JUNCTION, CO	40-8681	
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	
UNITED NUCLEAR CORP., GALLUP, NM	40-8913	
UNITED NUCLEAR CORP., SANTA FE, NM	40-8907	
WESTERN NUCLEAR, INC., JEFFREY CITY, WY	40-1162	
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	14
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	15
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	7
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	12
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	1
BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR	50-6	
BEAVER VALLEY POWER STATION, UNIT 1	50-334	9
BEAVER VALLEY POWER STATION, UNIT 2	50-412	14
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	15
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	15
BIG ROCK POINT NUCLEAR PLANT	50-155	1
BRAIDWOOD STATION, UNIT 1	STN-50-456	17
BRAIDWOOD STATION, UNIT 2	STN-50-457	17
BRIGHAM YOUNG UNIV. RESEARCH REACTOR	50-262	3
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	3
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	3
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	6
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	9
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	8
BYRON STATION, UNIT 1	STN-50-454	17
BYRON STATION, UNIT 2	STN-50-455	17
CALLAWAY PLANT, UNIT 1	STN-50-483	18
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	4
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	4

CATAWBA NUCLEAR STATION, UNIT 1	50-413	142
CATAWBA NUCLEAR STATION, UNIT 2	50-414	144
CLINCH RIVER BREEDER REACTOR	50-537	194
CLINTON POWER STATION, UNIT 1	50-461	182
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	162
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	169
COOPER NUCLEAR STATION	50-298	65
CORNELL UNIV. RESEARCH REACTOR	50-157	11
CORNELL UNIV. ZERO POWER REACTOR	50-97	9
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	68
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	110
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	45
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	87
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	78
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	79
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	7
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	18
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	22
DUANE ARNOLD ENERGY CENTER	50-331	98
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	83
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	121
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	106
FLOATING NUCLEAR PLANT	STN-50-437	152
FORT CALHOUN STATION, UNIT 1	50-285	53
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	37
GA TECHNOLOGIES	50-163	12
GENERAL ATOMIC CO.	50-89	9
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	9
GESSAR-238	STN-50-447	175
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	146
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	147
H.B. ROBINSON PLANT, UNIT 2	50-261	33
HADDAM NECK PLANT	50-213	14
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	115
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	10
IDAHO STATE UNIV. RESEARCH REACTOR	50-284	53
INDIAN POINT STATION, UNIT 1	50-3	6
INDIAN POINT STATION, UNIT 2	50-247	1
INDIAN POINT STATION, UNIT 3	50-286	5
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	9
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	11
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	11
KANSAS STATE UNIV. RESEARCH REACTOR	50-188	1
KEWAUNEE NUCLEAR POWER PLANT	50-305	7
LA CROSSE BOILING WATER REACTOR	50-409	13
LASALLE COUNTY STATION, UNIT 1	50-373	12
LASALLE COUNTY STATION, UNIT 2	50-374	12
LIMERICK GENERATING STATION, UNIT 1	50-352	11
LIMERICK GENERATING STATION, UNIT 2	50-353	11
MAINE YANKEE ATOMIC POWER PLANT	50-309	7
MANHATTAN COLLEGE RESEARCH REACTOR	50-199	
MARBLE HILL NUCLEAR STATION, UNIT 1	STN-50-546	19
MARBLE HILL NUCLEAR STATION, UNIT 2	STN-50-547	19
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	
MIDLAND PLANT, UNIT 1	50-329	
MIDLAND PLANT, UNIT 2	50-330	
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	10
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	14
MONTICELLO NUCLEAR GENERATING PLANT	50-263	
NATIONAL BUREAU OF STANDARDS REACTOR	50-184	
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	13
NORTH ANNA POWER STATION, UNIT 1	50-338	10
NORTH ANNA POWER STATION, UNIT 2	50-339	10
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	6
OCONEE NUCLEAR STATION, UNIT 1	50-269	3
OCONEE NUCLEAR STATION, UNIT 2	50-270	4
OCONEE NUCLEAR STATION, UNIT 3	50-287	5
OHIO STATE UNIV. RESEARCH REACTOR	50-150	
OREGON STATE UNIV. RESEARCH REACTOR	50-243	
OYSTER CREEK NUCLEAR POWER PLANT	50-219	
PALISADES NUCLEAR PLANT	50-255	2

PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	189
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	191
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	193
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	12
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	47
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	49
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	7
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	154
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	155
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	59
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	36
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	66
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	52
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	71
QUAD-CITIES STATION, UNIT 1	50-254	27
QUAD-CITIES STATION, UNIT 2	50-265	36
RANCHO SECO NUCLEAR GENERATING STATION	50-312	74
RESAR SP/90	50-601	194
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	13
RIVER BEND STATION, UNIT 1	50-458	180
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	19
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	43
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	73
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	13
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	117
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	118
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10
SEABROOK NUCLEAR STATION, UNIT 1	50-443	156
SEABROOK NUCLEAR STATION, UNIT 2	50-444	159
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	91
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	94
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	137
SHOREHAM NUCLEAR POWER STATION	50-322	86
SKAGIT NUCLEAR POWER PROJECT, UNIT 1	50-522	189
SKAGIT NUCLEAR POWER PROJECT, UNIT 2	50-523	189
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	1
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	1
ST. LUCIE PLANT, UNIT 1	50-335	1
ST. LUCIE PLANT, UNIT 2	50-389	1
SURRY POWER STATION, UNIT 1	50-280	
SURRY POWER STATION, UNIT 2	50-281	
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	1
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	1
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	
TEXAS A&M UNIV. RESEARCH REACTOR	50-59	
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	
TROJAN NUCLEAR PLANT	50-344	1
TURKEY POINT PLANT, UNIT 3	50-250	
TURKEY POINT PLANT, UNIT 4	50-251	
U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	
UNIV. OF ARIZONA RESEARCH REACTOR	50-113	
UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	
UNIV. OF FLORIDA TRAINING REACTOR	50-83	
UNIV. OF MARYLAND RESEARCH REACTOR	50-166	
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	
UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	
UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	
UNIV. OF OKLAHOMA RESEARCH REACTOR	50-112	
UNIV. OF TEXAS RESEARCH REACTOR	50-192	
UNIV. OF TEXAS RESEARCH REACTOR	50-602	1
UNIV. OF UTAH RESEARCH REACTOR	50-72	
UNIV. OF UTAH RESEARCH REACTOR	50-407	1
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	
VERMONT YANKEE NUCLEAR POWER STATION	50-271	
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	1
WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	
WATERFORD GENERATING STATION, UNIT 3	50-382	1
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	1
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	1
WEST VALLEY REPROCESSING PLANT	50-201	

WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	125
WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	116
WOLF CREEK GENERATING STATION	STN-50-482	182
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	181
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	137
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	189
YANKEE-ROWE NUCLEAR POWER STATION	50-29	8
ZION NUCLEAR POWER STATION, UNIT 1	50-295	62
ZION NUCLEAR POWER STATION, UNIT 2	50-304	70

Domestic Licensing of Special Nuclear Material - Docket 70

ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	70-1257	198
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	195
BABCOCK & WILCOX CO., APOLLO, PA	70-0364	196
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	196
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-1201	198
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	195
BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH	70-0008	195
CINTICHEM, INC., TUXEDO, NY	70-0687	196
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-0036	195
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	197
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	197
GA TECHNOLOGIES, INC., SAN DIEGO, CA	70-0734	196
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	197
INTERNATIONAL FREIGHT FORWARDERS, INC., ATLANTA, GA	70-3041	198
IRT CORP., SAN DIEGO, CA	70-1359	198
MANHATTAN COLLEGE, BRONX, NY	70-2951	198
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	197
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	195
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	198
UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	70-0371	196
UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, RI	70-0820	196
WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	70-1151	197
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1143	197

AMERSHAM CORP.	71-0370	19
FLORIDA, UNIV. OF, GAINSVILLE	71-0578	19
HOUSTON LIGHTING & POWER	71-0645	19
INTEC INSPECTION, INC.	71-0486	19
MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	71-9127	20
MODEL: 125-B, ENERGY, DEPT. OF	71-9200	20
MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	71-9126	20
MODEL: 650, TECH/OPS, INC.	71-9032	20
MODEL: 660 & 660E, TECH/OPS, INC.	71-9033	20
MODEL: 6717-B, GAMMA INDUSTRIES, INC.	71-6717	19
MODEL: 680 & 680E, TECH/OPS, INC.	71-9035	20
MODEL: 683, TECH/OPS, INC.	71-9053	20
MODEL: 684 & 684E, TECH/OPS, INC.	71-9028	20
MODEL: 72-B, NUCLEAR PACKAGING, INC.	71-9212	20
MODEL: 750, TECH/OPS, INC.	71-9021	19
MODEL: 771, TECH/OPS, INC.	71-9107	20
MODEL: 850, TECH/OPS, INC.	71-9147	20
MODEL: 900, TECH/OPS, INC.	71-9141	20
MODEL: 920, TECH/OPS, INC.	71-9143	20
MODEL: A1W-3, ENERGY, DEPT. OF	71-9790	20
MODEL: A1W-3, ENERGY, DEPT. OF	71-9789	20
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	20
MODEL: BAPL 5910 BRDCG, ENERGY, DEPT. OF	71-9119	20
MODEL: BETTIS WASTE, ENERGY, DEPT. OF	71-6142	19
MODEL: C-8, GAMMA INDUSTRIES, INC.	71-9128	20
MODEL: CE-250-2, COMBUSTION ENGINEERING, INC.	71-9022	20
MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	71-9135	20
MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	20
MODEL: D2G POWER UNIT, ENERGY, DEPT. OF	71-6441	19
MODEL: DT-14A, ENERGY, DEPT. OF	71-9860	20
MODEL: GE-1600, GENERAL ELECTRIC CO.	71-9044	20
MODEL: GE-21PF-1, GENERAL ELECTRIC CO.	71-4909	19
MODEL: HN-600 & NUPAC 100, WESTINGHOUSE-HITTMAN NUCLEAR	71-9080	20
MODEL: LWBR NEW FUEL, ENERGY, DEPT. OF	71-9784	20
MODEL: M-130, ENERGY, DEPT. OF	71-6003	19

MODEL: N-55, NUCLEAR PACKAGING, INC. 71-9070 200

MODEL: NAC-1, NUCLEAR ASSURANCE CORP. 71-9183 201

MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP. 71-9010 199

MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP. 71-9023 200

MODEL: NLI-6502, NUCLEAR ASSURANCE CORP. 71-9103 200

MODEL: NONE, ENERGY, DEPT. OF 71-6406 199

MODEL: NPI-20WC-6 MKII, NEUTRON PRODUCTS, INC. 71-9215 201

MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC. 71-9102 200

MODEL: PWR-2, ENERGY, DEPT. OF 71-9791 202

MODEL: RCC, -1, -2, -3, -4, WESTINGHOUSE ELECTRIC CORP. 71-5450 199

MODEL: S3G, ENERGY, DEPT., OF 71-9786 202

MODEL: S5W ITR, ENERGY, DEPT. OF 71-9783 201

MODEL: S5W POWER UNIT, ENERGY, DEPT. OF 71-5580 199

MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF 71-9788 202

MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF 71-5757 199

MODEL: SNAP 21, NAVY, DEPT. OF 71-5830 199

MODEL: UCC-20WC-2 & 2A, CINTICHEM, INC. 71-9098 20

MODEL: UNC-2901, COMBUSTION ENGINEERING, INC. 71-6294 19

MORRISON KNUDSEN CO. 71-0607 19

NEBRASKA PUBLIC POWER DISTRICT 71-0484 19

PIPING SPECIALISTS, INC. 71-0636 19

PUBLIC SERVICE CO. OF INDIANA 71-0640 19

QUALITY ENERGY SERVICES & TESTS CORP. 71-0632 19

RTS TECHNOLOGY, INC. 71-0642 19

SIEMENS MEDICAL SYS, INC. 71-0551 19

ULTRA TECHNOLOGY, INC. 71-0518 19

WASHINGTON PUBLIC POWER SUPPLY SYSTEM 71-0485 19

WESTERN STRESS, INC. 71-0637 19

WESTINGHOUSE ELECTRIC CORP. 71-0638 19

WOS TESTING CO., INC. 71-0639 19

Licensing of Independent Spent Fuel Storage - Docket 72

CAROLINA POWER & LIGHT CO. 72-0003 20

VIRGINIA ELECTRIC & POWER CO. 72-0002 20

DOCKETED ITEMS

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

8711160213 "A-9 Collection Drip Sys Quarterly Rept for 3rd Quarter for 1987," per reporting requirements of Permit GPC-84-598,W/ 871022 ltr.
LYONS,P.J. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/09/30. GARLAND,W.L. Wyoming, State of. 26pp. 43370:062-43370:087.

8711170046 Explains reasons for retaining Well EW-3 as one of pair of background wells,per 870902 ltr requesting deletion of well from Condition 35 to License SUA-648 Related info encl.
LYONS,P.J. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/10/06. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 7pp. 43373:060-43373:066.

8711030097 Supplis 870701 memo re addl review of groundwater aspects of Umetco gas hills proposals to place Riverton UMTRAP tailings in A-9 pit.Potential for contamination of surrounding groundwater not significant based on cover design & const.
GRACE,S.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/14. Uranium Recovery Field Ofc, R4. 7pp. 43264:058-43264:062.

DOCKET 40-1162 WESTERN NUCLEAR, INC., JEFFREY CITY, WY

8711030006 Forwards preliminary analytical results of groundwater sampling performed at Split Rock Mill site on 870725-30 in Wells 17,18,19 & 23.Water quality in Wells 17 & 18 remains within same water quality classification since cessation.
BAKER,S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 87/08/11. PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 6pp. 43262:083-43262:088.

8711160210 Forwards author 870910 & S Ingle 870918 memos which contain several concerns re reclamation plan.
MOXLEY,M. Wyoming, State of. 87/10/13. BAKER,S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 4pp. 43370:142-43370:145.

8711160191 Responds to NRC 870902 ltr re licensee actions taken concerning accidental ingestion of U tailings by subcontractor.Statements by licensee & contractor & evaluation of exposure to radionuclides encl.
BAKER,S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 87/10/15. MARTIN,R.D. Region 4, Ofc of the Director. 35pp. 43370:104-43370:138.

8711030142 Ack receipt of reclamation plan submitted w/870630 ltr.Encl 1 comments on concepts not addressed in design package & items needing clarification.Encl 2 outlines info needed to address 10CFR40,App A.Final plan expected by 880301.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/20. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 5pp. 43263:140-43263:144.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

8711160258 Responds to NRC ltr re violations noted in Insp Rept 40-1341/87-01.Corrective actions:notice describing License SUA-816 posted & petroleum-like substance seeping from Edgemont site collected & contained onsite.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/05. SMITH,R.D. Uranium Recovery Field Ofc, R4. 3pp. 43369:346-43369:348.

8711160168 Requests extension of 30 days for submittal of info requested in 870922 ltr re groundwater monitoring per 40CFR192.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/23. SMITH,R.D. Uranium Recovery Field Ofc, R4. 1p. 43363:335-43363:335.

8711200257 Advises that util 871023 request for extension to submit data for 40CFR192 groundwater program acceptable.Response time extended to 871123.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/30. Tennessee Valley Authority. 1p. 43414:343-43414:343.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL

8711040086 Notice of filing.* Certifies that encl city of West Chicago,IL response to Commission 870911 order filed w/NRC Ofc of Secretary by Federal Express on 871027.
* West Chicago, IL. * Kelsey, B.R. #487 4703. 87/10/27. 1p. 43255:005-43255:023.

--8711040159 Comments of city of West Chicago in response to order of 870911.* Commission urged to allow State of IL requested amend to agreement & dismiss instant issue as moot or order independent analyses of waste matls.W/Certificate of Svc.
KELSEY,B.R. West Chicago, IL. KELSEY,B.R. Kelsey, B.R. 87/10/27. Commissioners. 16pp. 43255:006-43255:023.

8711040091 Brief of State of IL.* Commission should decide that radiologically contaminated matls in Kress Creek area properly classified as "Section 11e.(2) byproduct matls" *& jurisdiction remains with NRC.Certificate of Svc encl.*
SISUL,J.J. Illinois, State of. #467 4738. 87/10/28. Commissioners. 12pp. 43253:283-43253:295.

8711040099 Response brief of NRC Staff.* Commission should confirm that offsite contaminated matls properly classified as source matl & find that regulatory authority over contaminated matls relinquished to State of IL.W/Certificate of Svc.
LEWIS,S.H. Assistant General Counsel for Hearings. #487 4720. 87/10/28. Commissioners. 71pp. 43253:015-43253:085.

8711170036 Notice of appearance. Certificate of Svc encl.*
SISUL,J.J. Illinois, State of. #467 4808. 87/11/06. 3pp. 43367:019-43367:021.

8711190077 Reply brief of Kerr-McGee Chemical Corp.* Commission should conclude that offsite matls in West Chicago fall properly within jurisdiction of NRC.Supporting documentation & Certificate of Svc encl.
MESERVE,R.A. Kerr-McGee Chemical Corp (subs. of Kerr-McGee Corp.). MESERVE,R.A. Covington & Burling. #487 4855. 87/11/12. Commissioners. 71pp 43393:222-43393:289.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

8710060198 Forwards revised pages to semiannual effluent monitoring rept re License SUA-672 for Jan-June 1987.Revs include data not available from vendor lab at time original rept filed.
HARDGROVE,T.W. Pathfinder Mines Corp. 87/09/21. Uranium Recovery Field Ofc, R4. 1p. 43177:011-43177:014.

--8710270163 Revised pages to "Semiannual Effluent Monitoring Rept,Jan- June 1987." * Pathfinder Mines Corp. 87/06/30. 3pp. 43177:012-43177:014.

8711060004 Application for amend to License SUA-672,modifying airborne radiation sampling programs as listed.Fee pa'd
HARDGROVE,T.W. Pathfinder Mines Corp. 87/10/06. Uranium Recovery Field Ofc, R4. 5pp. 43311:099-43311:103.

DOCKET 40-2917 AVCO CORP., STAMFORD, CT

8711230409 Forwards Special Insp Rept 40-2917/87-02 on 870701 & refers to 870713 telcon between JS Fleming & CT Oberg.No violations noted.
WHITE,J.R. Region 1, Ofc of the Director. 87/11/20. CHESS,J. AVCO Corp. 2pp 43424:267-43424:273.

--8711230422 Insp Rept 40-2917/87-02 on 870701.No violations noted.Major areas inspected.licensee info to vendors & contractors necessary to examine concerns re proper identification of components containing thorium alloys.
OBERG,C.T., WHITE,J.R. Region 1, Ofc of the Director. 87/11/02. 5pp. 43424:269-43424:273.

DOCKET 40-3392 ALLIED CHEMICAL CORP., MORRISTOWN, NJ

8711040264 Application for amend to License SUB-526,changing corporate name from Allied Corp to Allied-Signal,Inc.Fee pa'd.
BISHOP,J.C. Allied-Signal Corp. 87/10/14. PENNINGTON,S. Office of Nuclear Material Safety & Safeguards,Director. 16pp. 43278:272-43278:287.

8711230028 Trip rept of Canadian Atomic Energy Control Board (AECB) 871005-07 visit to NMSS & facility to compare UF6 conversion licensing.NRC & AECB staff will inform each other of safety & environ concerns re conversion of plants
PENNINGTON,W.S. Fuel Cycle Safety Branch. 87/11/18. Fuel Cycle Safety Branch. 3pp. 43416:124-43416:126.

8711250211 Requests listed addl info re 870826 application for amend to License SUB-526.Draft branch technical position encl.W/o encl.
PENNINGTON,W.S. Fuel Cycle Safety Branch. 87/11/19. YATES,R.W. Allied Chemical Corp. 2pp. 43461:339-43461:340.

DOCKET 40-3453 ATLAS MINERALS, INC., DENVER, CO

8711030106 Forwards "Required Containers & Preservation Techniques" & analytical results of NRC mill sampling of tailings impoundment.Sampling will verify potential existence of families of hazardous constituents in tailings impoundment.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Atlas Corp. 13pp. 43264:077-43264:089.

8711200336 Forwards all documents re renewal of License SUA-917 for Atlas Corp Moab Mill.Chronology of surety issue that ultimately resulted in NRC denial of Atlas request for renewal also encl.W/o encl.
PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/29. FRYE,J.H. Atomic Safety and Licensing Board Panel. 1p. 43414:291-43414:291.

8711230132 Advises that request for copy of telegram ref in 870909 ltr to J Dark cannot *be provided at present.*
PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/29. BLUBAUGH,R. Atlas Corp. 1p. 43425:308-43425:308.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPAR, WY

8711030003 Ack receipt of 870915 ltr re pending reclamation plan amend. Reclamation plan meets 1,000-yr criterion for long-term stability.Detailed comments on revised cost estimates encl.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/14. ANDRUS,N. American Nuclear Corp. 6pp. 43264:238-43264:243.

8711160308 Forwards response to NRC comments on licensee 870915 recalculation of reclamation & decommissioning costs associated w/License SUA-667.Licensee will accept NRC default values design mods for long-term stability.
ANDRUS,N.J. American Nuclear Corp. 87/10/23. SMITH,R.D. Uranium Recovery Field Ofc, R4. 11pp. 43369:317-43369:327.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

8711030185 *Submits review of semiannual environ monitoring data for Pathfinder Shirley Basin Mill for First Half 1987. Lower limits of detection appropriate.Rept appears acceptable & no further action necessary.*
HEYER,R S ; PETTENGILL,H J. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 4pp. 43262:341-43262:344.

DOCKET 40-6659 GETTY OIL/PETROTOMICS CO., SHIRLEY BASIN, WY

8711090044 Forwards Amend 20 to License SUA-551,revising License Condition 46 re radiological survey & site cleanup. Recontouring of low-grade ore storage pile reviewed & considered complete
SMITH,R D. Uranium Recovery Field Ofc, R4. 87/09/10. Petrotomics Co. (formerly Getty/Petrotomics Co.) 2pp. 43323:319-43323:347.

--8711090056 Amend 20 to License SUA-551 for Petrotomics Co,revising License Condition 46 re possession of U waste tailings generated by licensee milling operations.
SMITH,R D. Uranium Recovery Field Ofc, R4. 87/09/10. 6pp. 43323:321-43323:326.

--8711090075 Informs that Petrotomics Co completed cleanup of contaminated areas adjacent to restricted area & tailings impoundment,per License Condition 46 of License SUA-551. Cleaning process completed on 861126.
KONWINSKI,G.R ; HAWKINS,E F. Uranium Recovery Field Ofc, R4. 87/09/09. Uranium Recovery Field Ofc, R4. 3pp. 43323:345-43323:347.

8711170072 Forwards data on tailings pond piezometers & technical evaluation for 1987,per License Condition 31.
PFAFF,S J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 87/10/09.
HAWKINS,E F. Uranium Recovery Field Ofc, R4. 30pp. 43375:001-43375:030.

8711030183 Submits results of review of annual technical evaluation of embankment performance for Petrotomics Mill Freeboard requirements maintained at all times,although large decreases in water levels indicated over short period.
KONWINSKI,G R ; HAWKINS,E F. Uranium Recovery Field Ofc, R4. 87/10/19. Uranium Recovery Field Ofc, R4. 2pp. 43262:338-43262:339.

8711170166 Application for amend to License SUA-551,Condition 41 re environ & effluent monitoring program.Listed items revised. Revised program encl.Fee paid
PFAFF,S J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 87/10/26. HAWKINS,E. Uranium Recovery Field Ofc, R4. 7pp. 43385:208-43385:214.

DOCKET 40-7102 SHIELDALLOY CORP., NEWFIELD, NJ

8711120112 Requests response to encl comments & questions re 850619 application for renewal of License SMB-743 within 90 days W/o draft guide on preparing applications.
PENNINGTON,W.S. Fuel Cycle Safety Branch. 87/11/05. MORGENSTERN,M. Metallurg. Inc. (formerly Shield Alloy Corp.). 6pp. 43350:024-43350:029.

8711230133 Submits items of interest re fuel cycle accident analysis, 871117 tour of Shieldalloy facility & acquisition of Sequoyah Fuels Corp stock.
ROUSE,L C. Fuel Cycle Safety Branch. 87/11/18. THOMPSON,H L. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43425:309-43425:310.

8711230138 Trip rept of 871019 visit w/Region I to licensee facility at Newfield,NJ re license renewal process & insp.
PENNINGTON,W.S. Fuel Cycle Safety Branch. 87/11/16. Fuel Cycle Safety Branch. 2pp. 43426:314-43426:315.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

8711240195 Forwards revised application for renewal of License SMB-911, revised radiation safety manual & response to 870921 request for addl info to allow NRC to proceed w/renewal process.
CARLILE,T.S. Fansteel Metals (subs. of Fansteel, Inc.). 87/11/03.
PENNINGTON,W.S. Fuel Cycle Safety Branch. 1p. 43445:158-43445:303.

--8711240203 Revised application for amend to License SMB-911,authorizing possession of small percentage of quantities of low grade source matl contained in certain columbium & tantalum raw matl processed by plant.
DUGGAN,J.G. Fansteel Metals (subs. of Fansteel, Inc.). 87/10/16. 38pp. 43445:160-43445:197.

--8711240208 Revised "Radiation Safety Manual." Response to NRC questions also encl.
PANTLE,T., SCENTER,G., YOUNG,L. Fansteel Metals (subs. of Fansteel, Inc.). 87/11/02. 112pp. 43445:198-43445:303.

DOCKET 40-8027 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8711040143 Appeals denial of FOIA request for items listed in encl App E & F.
RUSSELL,L.R. Turley, W., PC. 87/08/19. MARTIN,R.D. Region 4, Ofc of the Director.
MARTIN,R.D. Ofc of the Executive Director for Operations. 1p. 43278:242-43278:250.

8711040066 Memorandum & order.* Licensee filed another status rept on 871016,indicating that all necessary approvals obtained for Quivira to process sludges & listed amount of sludges shipped offsite.Proceeding dismissed.
FRYE,J.H. Atomic Safety and Licensing Board Panel. #487 4696. 87/10/27. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 5pp. 43254:322-43254:326.

8711040161 Responds to 870819 appeal re denial of FOIA request for documents re Kerr-McGee Sequoyah & Gore facilities.Records listed on encl App E & F will continue to be partially & totally withheld (ref FOIA Exemptions 6 & 4,respectively).
STELLO,V. Division of Rules & Records (Post 870413). 87/11/02. RUSSELL,L.R. Turley, W., PC. 4pp. 43278:251-43278:254.

8711110050 Presiding officer order dismissing Sequoyah Fuels solid waste disposal proceeding.* *Licensee no longer requires Commission authorization for onsite disposal of* solid radwastes.Related correspondence.
MURRAY,J.P. Office of the General Counsel. #487 4780. 87/11/02. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. MARTIN,R.D. Region 4, Ofc of the Director. 6pp. 43332:197-43332:142.

8711110056 Partial response to FOIA request for documents re event at plant.Forwards documents listed in App B & C.Documents also available in PDR.App D documents partially withheld & App E records withheld (ref FOIA Exemptions 6,7 & 5,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. TAYLOR,J. Dallas Times Herald, Dallas, TX. 8pp. 43346:199-43347:057.

--8703200064 Discusses Ofc of Investigations Rept 4-86-005 re restart of facility.No regulatory action required.Analysis of rept will not be prepared since matter referred to DOJ.
LIEBERMAN,J. Assistant General Counsel for Enforcement. 87/02/06. DENTON,H R. Office of Nuclear Reactor Regulation, Director (851125-870411). TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). MARTIN,R. Region 4, Ofc of the Director. 1p. 43346:348-43346:348.

--8711110144 Requests copies of interview statements & repts as generated re ongoing investigation of facility.
TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 86/07/23.
HAYES,B B. Office of Investigations. 1p. 43346:328-43346:328.

--8711110148 Forwards errata sheet & informs that only change is deletion of word *"frequently" from second line of Point 4 on Page 4. Related info encl.*
TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 86/09/02.
REHM,T. Ofc of the Executive Director for Operations. MAUSSHARDT,D.G. Office of Nuclear Material Safety & Safeguards,Director. PARLER,W.C. Commissioners. 12pp. *43346:330-43346:341.*

--8711110150 Lists documents reviewed by DOJ to determine whether or not release would interfere w/potential actions.Related info encl.
BEACH,A.B. Enforcement Staff, IE (Pre 870413). 86/10/26. *Enforcement Staff,* IE (Pre 870413). 2pp. 43347:002-43347:003.

--8711110153 Informs that NRC will review exhibits resulting from interviews w/Sequoyah Fuels Corp operators & supervisors. NRC also confirms 860930 telcon.
KEARNEY,M.S. NRC - No Detailed Affiliation Given. 86/09/30. HUTCHISON,W.D. Office of Investigations. 1p. 43346:342-43346:342.

--8711110154 Forwards Pages 27-32 to JC Brewer testimony given on 860109 before Kerr-McGee Internal investigation team.W/o encl. Related info encl.
WACKERLY,P. Kerr-McGee Corp. 86/12/09. LEWIS,D. Investigation Br,Div of Fuel Facilities,Materials & Safeguards,IE (Pre 830103). 2pp. 43347:005-43347:006.

--8711110156 Submits rept of investigation re suspected intentional violations of Sequoyah Fuels facility procedures,suspected falsification of required records.
HAYES,B.B. Investigation Br,Div of Fuel Facilities,Materials & Safeguards,IE (Pre 830103). 87/01/14. MARTIN,R.D. Region 4, Ofc of the Director. 3pp. 43347:008-*43347:010.*

--8711110157 Forwards relevant pages of pleading filed by Native Americans for Clean Environ (NACE) in facility UF6 to UF4 proceeding in which NACE requests staff to *produce certain documents.*
RUTBERG,J. Hearing Branch 2. 86/12/22. FORTUNA,R A. Office of Investigations.
BANGART,R.L. Region 4, Ofc of the Director. PARTLOW,J.G. Ofc of Inspection & Enforcement, Director (820201-870413). 2pp. 43347:011-43347:012.

--8711110158 Forwards rept of investigation for whatever action DOJ deems appropriate.
HAYES,B.B. Office of Investigations. 87/01/14. TOENSING,V. Justice, Dept of, Attorney General, Office of. 3pp. 43346:343-43346:345.

--8711110160 Native Americans for Clean Environ response to NRC Staff rept on implications of accident,request for order from presiding officer directing production of documents & addl complaints.
IKARD,J.A. Ikard, J. 86/12/22. Atomic Safety and Licensing Board Panel. 4pp. 43347:013-43347:016.

--8711110161 Forwards Ofc of Investigations Rept of Investigations 4-86-005,which has been sanitized of info re individuals granted confidential status.
HAYES,B.B. Office of Investigations. 87/07/17. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43347:017-43347:017.

--8711110164 *Expresses confidence that NRC will respond to Congressman Markey request for NRC Ofc of Investigations draft rept into matl false statements re operation* of Kerr-McGee Sequoyah facility in fashion consistent w/individuals rights.
MOORHEAD,C J. House of Rep. 86/10/17. ZECH,L.W. Commissioners. 1p. *43346:358-43346:358.*

--8711110165 Requests preparation of sanatized version of Investigation Rept 4-86-005 re Sequoyah Fuels facility.Enforcement Action EA-87-108 being developed as result of subj rept & DOJ declination to prosecute matter.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/06/19. HAYES,B.B. Office of Investigations. 1p. 43346:359-43346:359.

--8711110166 Discusses Ofc of Investigations rept re util accident. Recognizes adverse implications that premature release of rept could have on possible civil & criminal action.
MARKEY,E.J. House of Rep. 86/10/17. ZECH,L.W. Commissioners. 1p. 43347:019-43347:057.

--8711110169 Forwards incomplete draft Ofc of Investigations rept, including associated exhibits re alleged matl false statements by Kerr-McGee Sequoyah Fuels Corp employees.W/o encl.
KAMMERER,C. Office of Congressional Affairs. 86/10/17. MARKEY,E.J. House of Rep., Energy & Commerce. 1p. 43347:001-43347:001.

--8711110170 Forwards Investigation Rept 4-86-005 re Kerr-Mcgee Corp Sequoyah facility.Independent review may be required.
STELLO,V. Ofc of the Executive Director for Operations. 87/01/21. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 43346:360-43346:360.

--8711120040 Notice.Evidentiary hearing in Sequoyah Fuels facility proceeding will begin 870112 until 0116 if necessary.
FRYE,J.H. Atomic Safety and Licensing Appeal Panel. 87/01/02. 1p. 43347:007-43347:007.

8711120080 Partial response to FOIA request for documents re facility. Forwards Apps F & G documents.Documents also in PDR.App G document partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 4pp. 43348:006-43348:017.

8711190352 Responds to NRC 871019 ltr re vendor response to notice of violations & proposed imposition of civil penalty & response to order to show cause.Sworn affidavits affirming extent of supervisor training encl.Meeting rel in 870901 ltr awaited.
RANDOLPH,J.G. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/11/13. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 6pp. 43401:305-43401:316.

--8711190359 Rev 2 to "Coordination & Review Procedure for Info to be Submitted to NRC."
RANDOLPH,J.G. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/10/27. 6pp. 43401:311-43401:316.

8711200295 Forwards Insp Rept 40-8027/87-11 on 871013-16.No violations or deviations noted
FISHER,W.L. Region 4, Ofc of the Director. 87/11/16. STAUTER,J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 2pp. 43417:006-43417:016.

--8711200306 Insp Rept 40-8027/87-11 on 871013-16.No violations or deviations noted.Major areas inspected:environ protection program,including mgt controls,QC of analytical measurements & allegations of unsafe or improper practices.
SPITZBERG,D.B., EVERETT,R.J. Region 4, Ofc of the Director. 87/11/04. 8pp. 43417:008-43417:015.

8711230133 Submits items of interest re fuel cycle accident analysis, 871117 tour of Shieldalloy facility & acquisition of Sequoyah Fuels Corp stock.
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/18. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43426:309-43426:310.

DOCKET 40-8064 EXXON MINERALS CO., USA, HOUSTON, TX

8711030229 Advises that License SUA-1064 amended by revising Condition 29 to read as stated,per 870310 request re restoration of groundwater in situ leach mine.Amend 13 to license encl.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/10/19. RANGE,D. Exxon Corp. 2pp. 43264:191-43264:208.

--8711030242 *Amend 13 to License SUA-1064 for Exxon Corp,detailing License Condition 29.*
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/10/19. 7pp. 43264:193-43264:208.

DOCKET 40-8084 RIO ALGOM CORP., MOAB, UT

8711090322 Forwards Amend 12 to License SUA-1119,revising License Condition 35 as listed re processing of waste matl.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/09. LAWTON,M.D. Rio Algom Corp. 2pp. 43338:172-43338:200.

--8711090338 Amend 12 to License SUA-1119 for Rio Algom Mining Corp, authorizing possession & use of unlimited amount of natural U.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/09. 13pp. 43338:174-43338:196.

--8711090357 Recommends that Source License SUA-1119 be amended to authorize processing of alternate feed matl from Unical-Molycorp by revising Condition 35
SHOPENN,N.M., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/09/08. Uranium Recovery Field Ofc, R4. 4pp. 43338:197-43338:200.

8711030137 Discusses review of *seminannual environ monitoring rept data for Rio* Algom Mining Corp for first half of 1987.Data now being reported in quarterly format.Review of data reveals no areas of concern & hence no licensing action necessary.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 3pp. 43258:266-43258:268.

8711030170 Forwards results of water samples taken from tailings impoundment to verify potential existence of families of hazardous constituents.ORNL lab analyses encl.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Rio Algom Corp. 13pp. 43264:254-43264:266.

DOCKET 40-8102 EXXON CO., USA, HOUSTON, TX

8711160302 *Forwards technical evaluation & piezometer graphs for Highland tailings* embankment,per License Condition 39.
RANGE,D.M. Exxon Corp. 87/10/15. Uranium Recovery Field Ofc, R4. 24pp. 43363:337-43363:360.

8711230065 Discusses Exxon 871015 *annual technical evaluation of performance of* tailings impoundment at Highland U Mill. Evaluation deemed adequate.No further licensing action necessary.
KONWINSKI,G.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Uranium Recovery Field Ofc, R4. 2pp. 43416:197-43416:198.

DOCKET 40-8406 PESSES CO., SOLON, OH

8711300005 FOIA request for five categories of documents re Pesses Co (METCO Site).License STB-1254.
PHILLIPS,J.L. J.L. Phillips Investigative Services. 87/10/26. NRC - No Detailed Affiliation Given. 1p. 43463:181-43463:181.

8711030299 FOIA request for SECY-81-576.
PHILLIPS,J.L. J.L. Phillips Investigative Services. 87/10/28. Office of Administration & Resources Management, Director (Post 870413). 1p. 43268:299-43268:299.

8711300006 Partial response to FOIA request for five categories of documents re Pesses Co (METCO Site),License STB-1254. Forwards documents listed in App B Apps A & B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/24. PHILLIPS,J.L. J.L. Phillips Investigative Services. 3pp. 43463:182-43463:268.

--8711300011 *Forwards "Guidelines for Decontamination of Facilities & Equipment Prior* to Release For Unrestricted Use or Termination of Licenses For Byproduct,Source or Special Nuclear Matl."
KINNEMAN,J.D. Region 1, Ofc of the Director. 85/09/04. WILSON,R.W. Dollar Savings. 1p. 43463:185-43463:186.

--8711300013 Forwards J Yuskos rept outlining results of visit to METCOA site.
MCDONALD,D.J. Pennsylvania, Commonwealth of. 85/11/14. LOHAUS,P.H. Region 1, Ofc of the Director. 7pp. 43463:195-43463:201.

--8711300015 Requests that inspector visit *former Pesses facility in Solon,Ohio to make* preliminary survey for thorium in bldg,on surrounding grounds & in soil to resolve problems presented by Pesses Co property in Pulaski,Pennsylvania.
JOYNER,J.H. Region 1, Ofc of the Director. 86/03/21. AXELSON,W. Region 3, Ofc of the Director. 1p. 43463:202-43463:202.

--8711300016 Insp Repts 40-8406/85-01 & 30-19410/85-01 on 851009.Major areas inspected:assessment of procedures to restrict access to areas where radioactive matls located & observation of general condition of site,storage containers & facilities.
SCOVILL,V.R., KINNEMAN,J.D. Region 1, Ofc of the Director. 86/03/31. 3pp. 43463:203-43463:205.

--8711300017 Amend 2 to License STB-1254 for Pesses Co,amending license in entirety.
GUINN,P.R. Materials Licensing Branch. 81/08/14. 4pp. 43463:206-43463:209.

--8711300018 Requests addl info in support of 800820 application for renewal of License STB-1254,including detailed info re procedures for burial of licensed matl.
GUINN,P.R. Materials Licensing Branch. 81/08/14. PESSES,M. Pesses Co. 1p. 43463:210-43463:268.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

8711030032 Discusses review of Ferrett Exploration Co quarterly rept for Crow Butte U project for Apr-June 1987.No significant changes or trends identified.No further action required.
GONZALES,R.O., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/09/24. Uranium Recovery Field Ofc, R4. 3pp. 43263:314-43263:319.

8711030049 Discusses review of Bear Creek U Co 10CFR40.65 environ monitoring rept & personnel monitoring for First & Second Quarters 1987.Evaluation of data adequate & exposures maintained ALARA.No further action required
KONWINSKI,G.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/09/24. Uranium Recovery Field Ofc, R4. 4pp. 43264:233-43264:236.

8711030037 *Advises that land use within 5 miles of restricted area boundary remains as* described in June 1982 environ rept.No new private residences or potable water wells constructed since environ rept.Grazing remains primary use of land.
BLOSSOM,J.N. Bear Creek Uranium Co. 87/09/29. JACOBY,D. Uranium Recovery Field Ofc, R4. 1p. 43263:321-43263:321.

8711030118 Discusses Bear Creek U Co 870929 submittal of annual land use survey for mill as required by License Condition 21 of License SUA-1310.Land use within 8 km radius of mill unchanged since submittal of 820830 environ rept.
JACOBY,D.L., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/14. Uranium Recovery Field Ofc, R4. 2pp. 43263:125-43263:126.

8711160263 Responds to violations noted in Insp Rept 40-8452/87-01. Corrective actions:all future environ repts submitted to NRC will be in format described in Attachment 2 to License SUA-1310.Full compliance will be achieved by 871019.
CHASE,G. Bear Creek Uranium Co. 87/10/19. PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 1p. 43370:014-43370:014.

8711170055 Notifies that established pH & selenium threshold values for point of compliance Well MW-12 exceeded,per Condition 47 of License SUA-1310.Sampling parameters requested to satisfy addl 40CFR192/10CFR40 requirements
CHASE,G. Bear Creek Uranium Co. 87/10/19. JACOBY,D. Uranium Recovery Field Ofc, R4. 2pp. 43385:242-43385:243.

8711200400 Informs that based on NRC finding that pH values in Well MW-12 exceed 6.8 std unit threshold value,NRC expects compliance monitoring program proposal *within timeframe discussed in License Condition 47(E).*
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/26. Bear Creek Uranium Co. 1p. 43416:001-43416:001.

8711200262 Ack receipt of 871019 ltr in response to 871013 notice of violation.
PETTENGILL,H. Uranium Recovery Field Ofc, R4. 87/10/28. CHASE,G. Bear Creek Uranium Co. 1p. 43414:346-43414:346.

DOCKET 40-8502 MALAPAI RESOURCES CO., PHOENIX, AZ

8711200397 Forwards bonding info re Malapai Resources Co Permit 476,per request.
POLTRONE,R. Wyoming, State of. 87/07/23. ROSE,H. Uranium Recovery Field Ofc, R4. 10pp. 43416:350-43416:360.

8711160266 "Discharge Monitoring Rept for 870701-0930." W/871028 ltrs.
WICHERS,D.L. Malapai Resources Co. 87/09/30. WAGNER,J. Wyoming, State of. 4pp. 43369:313-43369:316.

8711160185 Forwards proposed mod to NPDES permit for Irigaray Mine.Mod consists of addl discharge point for purpose of restoration activities at 5i7 test site.
WICHERS,D.L. Malapai Resources Co. 87/10/27. KONWINSKI,G.R. Uranium Recovery Field Ofc, R4. 20pp. 43371:219-43371:238.

DOCKET 40-8610 STEPAN CHEMICAL CO., MAYWOOD, NJ

8711120110 Forwards Amend 3 to License STC-1333,authorizing Stepan Chemical Co to possess thorium tailings buried on property. Matls will remain in place & will be monitored by licensee until initiation of program to decontaminate pits.
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/05. O'BRIEN,J.G. Stepan Chemical Co. 1p. 43348:211-43348:264.

-8711120120 Amend 3 to License STC-1333 for Stepan Chemical Co, authorizing possession of thorium tailings buried on property.
ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/11/05. 2pp. 43348:212-43348:213

-8711120126 SER supporting Amend 3 to License STC-1333.
SHUM,E.Y. Fuel Cycle Safety Branch. 87/11/05. 6pp. 43348:214-43348:264.

DOCKET 40-8681 UMETCO MINERALS CORP., GRAND JUNCTION, CO

8711030018 Informs that during period Oct 1986 - Sept 1987 433,440 lbs U-308 sent to British Nuclear Fuels,per 10CFR40.64(b).
SCHIERMAN,S.L. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/09/28. GARCIA,P. Uranium Recovery Field Ofc, R4. 1p. 43264:101-43264:101.

8711030143 Requests hearing re Amend 8 to License SUA-1358.Licensee does not agree w/usage of pH compliance std of 6.8 for acidic leach U recovery operations.
JONES,R. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/10/06. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 1p. 43263:152-43263:152.

8711030101 Forwards results of NRC/ORNL analysis of water samples from licensee tailings impoundment.Data may be used to determine existence of hazardous constituents in groundwater.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 13pp. 43264:064-43264:076.

8711230085 Ack receipt of 871104 ltr requesting 60-day delay in implementing License Condition 48(E) of License SUA-1358. Request granted.Proposed mods to requirements of license condition should be submitted within 30 days.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/11/06. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 1p. 43416:206-43416:206.

DOCKET 40-8684 MALAPAI RESOURCES CO., CASPER, WY

8711230399 Forwards "Quarterly Operations Rept,Jul-Sept 1987 for Irigaray Mine Site."
BROWN,K.J., WICHERS,D.L. Malapai Resources Co. 87/10/30. GIURGEVICH,B. Wyoming, State of. 1p. 43428:267-43429:092.

-8711230427 "Quarterly Operations Rept Jul-Sept 1987 for Irigaray Mine Site."
* Malapai Resources Co. 87/10/30. 185pp. 43428:268-43429:092.

8711170002 "Willow Creek R&D Wellfield Groundwater Quality Concentrations Baseline,Post-Mining,Restoration & Stability Phases," for Apr-Aug 1987.Graph of total dissolved solids concentrations encl.
* Malapai Resources Co. 87/08/31. 2pp. 43372:151-43372:152.

8711230252 "Discharge Monitoring Rept for Third Quarter 1987." W/871028 ltr.
WICHERS,D.L. Malapai Resources Co. 87/09/30. WAGNER,J. Wyoming, State of. 4pp. 43425:303-43425:306.

8711170229 Forwards annual insp of Willow Creek R&D site,conducted on 870730,for info.
WICHERS,D.L. Malapai Resources Co. 87/10/27. GRACE,S.R. Uranium Recovery Field Ofc, R4. 10pp. 43385:309-43385:318.

8711050186 Informs that encl application for amend to License SUA-1337 requires amend & fee,per 10CFR170.
GRACE,S.R. Uranium Recovery Field Ofc, R4. 87/10/29. HOLLOWAY,C.J. License Fee Management Branch. 1p. 43299:174-43299:276.

-8711050194 Application for amend to License SUA-1337,reflecting attainment of stability monitoring period & deleting all operational requirements.Rept, "Malapi Resources Co,Aquifer Restoration Efforts & Results.." encl.Fee paid.
WICHERS,D.L. Malapai Resources Co. 87/10/26. GRACE,S.R. Uranium Recovery Field Ofc, R4. 5pp. 43299:175-43299:179.

-8711050197 "Malapi Resources Co Aquifer Restoration Efforts & Results, Willow Creek R&D,Christensen Ranch,WY."
* Malapai Resources Co. 87/10/26. 97pp. 43299:180-43299:276.

8711200377 Reviews Fourth Quarter 1987 operations rept for Willow Creek R&D,per 870731 submittal re License Condition 2.No uncorrected problems or significant trends identified.All applicable data within applicable limits.
GRACE,S.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/30. Uranium Recovery Field Ofc, R4. 2pp. 43415:338-43415:339.

8711230357 Forwards "Fifth Quarterly Operations Rept,Jul-Sept 1987" & "Third Semiannual Alara Audit,Apr-Sept 1987" for Willow Creek R&D project under License SUA-1337.
BROWN,K.J., WICHERS,D.L. Malapai Resources Co. 87/10/30. GRACE,S. Uranium Recovery Field Ofc, R4. 2pp. 43428:079-43428:144.

-8711230367 "Fifth Quarterly Operations Rept,Jul-Sept 1987 for Willow Creek R&D Project."
* Malapai Resources Co. 87/09/30. 50pp. 43428:081-43428:130.

8711230386 "Third Semiannual ALARA Audit Apr-Sept 1987 for Willow Creek R&D Project."
* Malapai Resources Co. 87/09/30. 14pp. 43428:131-43428:144.

8711240201 Requests review & comments on restoration rept on Willow Creek R&D titled, "Malapai Resources Co Aquifies Restoration Efforts & Results," by 871120.
HOGG,S. Wyoming, State of. 87/11/03. MOONEY,G., STROHMAN,J., INGLE,S. Wyoming, State of. 1p. 43445:304-43445:304.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO

8711230128 Responds to 870916 ltr re Amend 3 to License SUA-1371. License Condition 33E does not allow for resampling to confirm analytical results.Inclusion of listed statement in License Condition 33E would solve subj problem.
SAVIGNAC,N. Savignac, N. 87/10/07. SMITH,R.D. Uranium Recovery Field Ofc, R4. 2pp. 43425:200-43425:204.

8711160312 Advises that licensee intends to construct temporary evaporation pond in tailings impoundment.Pond will be lined w/plastic & will allow evaporation to take place 24 h/day rather than only when sprinkler sys operates.
SAVIGNAC,N. Savignac, N. 87/10/23. SMITH,R.D. Uranium Recovery Field Ofc, R4. 1p. 43370:035-43370:035.

8711230164 Ack receipt of 871007 ltr from N Savignac re Amend 3 to License SUA-1371.Addl data required to adequately answer points raised in ltr.Recommends that sampling,preservation & analytical techniques used at site be reviewed.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/30. Plateau Resources, Ltd. 2pp. 43425:360-43425:361.

DOCKET 40-8714 CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH

8711170244 Quarterly rept for Jul-Sept 1987 for Collins Draw Project status & environ & radiation monitoring.Related info encl.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 87/10/12. SMITH,R.D. Uranium Recovery Field Ofc, R4. 21pp. 43385:319-43385:339.

8711170004 Forwards WAMCO Lab analysis rept on 11 post-H2S injection groundwater stability samples collected from Well Field B on 870908.Authorization requested from State of WY Dept of Environ Quality to implement stability monitoring program.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 87/10/19. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 4pp. 43373:249-43373:252.

8711030113 Discusses quarterly rept for Third Quarter 1987.Facility remained shut down during quarter.Activities at site limited to radiation & environ monitoring as well as groundwater restoration activities.
KONWINSKI,G.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Uranium Recovery Field Ofc, R4. 2pp. 43263:118-43263:119.

8711170178 Application for amend to License SUA-1352,rescinding radiation monitoring program & quarterly reporting requirements for project.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 87/10/26. SMITH,R.D. Uranium Recovery Field Ofc, R4. 3pp. 43385:275-43385:277.

8711230268 Provides corrected data for samples collected from Wells 237 & 276,per 871019 submittal of analysis rept on 11 post H2S injection groundwater stability samples collected from Well Field B on 870908.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 87/11/02. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. CLARKIN,K. Wyoming, State of. 1p. 43425:317-43425:317.

DOCKET 40-8752 PINAL MINERALS & MINING, LTD., MIAMI, AZ

8711060278 Forwards Decommissioning,Decontamination & Reclamation Insp Rept 40-8752/87-01 on 870721-22.No violations or deviations noted.
PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/09/10. CLARY,T. Pinal Minerals & Mining, Ltd. 1p. 43310:354-43310:356.

-8711060286 Insp Rept 40-8752/87-01 on 870721-22.No violations or deviations noted.Major areas inspected:independent measurements & soil sampling,review of survey records & observations by inspector prior to termination of license.
SHOPENN,N.M., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/09/10. 2pp. 43310:355-43310:356.

DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8711160225 Forwards addl data re Bill Smith mine water treatment settling ponds.Amount of barium sulfate from in situ leach (ISL) has not changed but percentage due to ISL operation revised to 1.8%.
FREEMAN,M.D. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/10/20. GRACE,S. Uranium Recovery Field Ofc, R4. 3pp. 43370:059-43370:061.

8711230008 Discusses licensee O-Sand/O-Sand Second Quarter 1987 environ monitoring rept.All data other than discharge water within applicable limits.No further action necessary.
GRACE,S.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/29. Uranium Recovery Field Ofc, R4. 4pp. 43416:070-43416:073.

8711230144 Forwards "Quarterly Rept - Third Quarter 1987 O-Sand In Situ U R&D Project,Converse County,WY," per Condition 52 of License SUA-1387.Rept final quarterly rept for O-Sand pilot as pilot deleted from license.
FREEMAN,M.D. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/11/06. HAWKINS,E., GRACE,S. Uranium Recovery Field Ofc, R4. 2pp. 43426:009-43426:049.

-8711230153 "Quarterly Rept - Third Quarter 1987 for O-Sand In Situ U R&D Project,Converse County,WY."
* Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/09/30. 39pp. 43426:011-43426:049.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

8711040198 Forwards "Environ Rept for Molycorp,Inc York Plant," per 870722 request.
DOUGLASS,S.J. Molycorp, Inc. (subs. of Union Oil of California). 87/10/21. LAROCHE,G. Fuel Cycle Safety Branch. 1p. 43279:336-43280:079.

-8711040201 "Environ Rept for Molycorp,Inc York Plant."
* Molycorp, Inc. (subs. of Union Oil of California). 87/10/07. 103pp. 43279:337-43280:079.

DOCKET 40-8829 FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE

8711030032 Discusses review of Ferrett Exploration Co quarterly rept for Crow Butte U project for Apr-June 1987.No significant changes or trends identified.No further action required.
GONZALES,R.O., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/09/24. Uranium Recovery Field Ofc, R4. 3pp. 43263:314-43263:319.

--8711030039 Discusses Ferret Exploration Co semiannual ALARA rept for Crow Butte R&D project for Jan-June 1987.Radiation protection program acceptable.ALARA concept being incorporatd inradiation safety program.No action required.
GONZALES,R.O., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/09/24. Uranium Recovery Field Ofc, R4. 3pp. 43263:317-43263:319.

8711030204 Forwards results from 870826 split samples taken from five wells of Wellfield 2.Of 160 restoration values specified for five wells,158 have been met.UIC permit application expected by end of Oct 1987.
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 87/10/02. RINGENBERG,J. Nebraska, State of. 8pp. 43264:117-43264:124.

8711160227 Informs that Ferret-Nebraska had break in pitless adaptor unit on Injection Well PT-13 on 871007.Break in pitless resulted in estimated spill of less than 20 gallons of injection water.Top of pitless unit repaired.
KNODE,R. Ferret Exploration Company of Nebraska, Inc. 87/10/13. GONZALES,R. Uranium Recovery Field Ofc, R4. 1p. 43369:343-43369:343.

8711030022 Advises of issuance of Amend 15 to License SUA-1441,revising Conditions 19 & 21,requiring licensee to maintain min freeboard & sufficient reserve capacity,respectively.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/10/19. Ferret Exploration Company of Nebraska, Inc. 2pp. 43264:102-43264:116.

--8711030025 Amend 15 to License SUA-1441 for Ferret Exploration Co of Nebraska,Inc,authorizing possession & use of 18,180 kg natural U for in situ U mining & U recovery from pregnant lixiviant at listed location.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/10/19. 8pp. 43264:104-43264:116.

8711030057 Recommends that License SUA-1441 be amended to change Conditions 19 & 20 as listed based on review of licensee 870818,27 & 09-21 submittals re reduction in freeboard requirement.
GONZALES,R.O. Uranium Recovery Field Ofc, R4. 87/10/19. Uranium Recovery Field Ofc, R4. 4pp. 43264:282-43264:285.

8711230003 Discusses licensee 861211 rept of calculated exposure of individual to soluble U in excess of 10CFR20.103 weekly limits.Actual overexposure did not occur.Licensee took all appropriate actions & no further action necessary.
GONZALES,R., OLSEN,T., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Uranium Recovery Field Ofc, R4. 3pp. 43416:043-43416:045.

8711230052 Ack receipt of 871013 ltr informing of 871007 break in pitless adaptor on Injection Well PT-3,per License Condition 24 of License SUA-1441.Licensee actions considered proper & responsive.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/29. Ferret Exploration Company of Nebraska, Inc. 1p. 43416:189-43416:189.

DOCKET 40-8857 EVEREST MINERALS CORP., CONVERSE COUNTY, WY

8711030547 Application for amend to License SUA-1511,amending License Conditions 38 re baseline water quality data,providing results of sand mining unit hydrologic test & methods for production & injection well integrity testing.Fee paid.
MORZENTI,S.P. Everest Minerals Corp. 87/10/07. OLSEN,T.T. Uranium Recovery Field Ofc, R4. 4pp. 43258:292-43258:295.

8711160268 Application for amend to License SUA-1511,revising License Condition 39 re requirement to perform & document aquifer pump test & deleting Part B since satisfied by 871087 submittal of hydrologic testing proposal.
MORZENTI,S.P. Everest Minerals Corp. 87/10/16. OLSEN,T.T. Uranium Recovery Field Ofc, R4. 1p. 43370:149-43370:149.

8711230093 Forwards baseline vegetation study for Highland U Project, per Special Permit Condition 3.W/o encl.
MORZENTI,S.P. Everest Minerals Corp. 87/11/02. SPEARS,R. Wyoming, State of. 1p. 43425:357-43425:357.

DOCKET 40-8902 ANACONDA CO., GRANTS, NM

8711060275 Informs that when NRC rules re protection of groundwater at active mills become effective,NRC will expect application from licensee requesting amend to license to incorporate essential features of detection monitoring sys.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/16. BERGSTROM,P. Anaconda Co. (div. of Atlantic Richfield Co.). 3pp. 43310:016-43310:018.

8711160274 Notifies that Anaconda Co has started geotechnical test cover over tailings slime area at Bluewater mill site. M Bollenbacher represents subcontractor Dames & *Moore re radiation protection.Prof profile encl.*
PATEL,N. Atlantic Richfield Co. (ARCO). 87/10/07. ROSE,H. Uranium Recovery Field Ofc, R4. 3pp. 43370:095-43370:097.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

8711060287 Informs that application for amend to license,incorporating essential features of detection monitoring sys,will be necessary when mods to 10CFR40,incorporating EPA requirements,issued.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/16. KENNEDY,E. Homestake Mining Co. 3pp. 43310:357-43310:359.

8711030014 Discusses review of semiannual environ monitoring data for Homestake Mining Co for First Half 1987.Concludes lower limit of detection appropriate.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 3pp. 43264:094-43264:096.

DOCKET 40-8904 BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE

8711030012 Approves renewal of Discharge Plan DP-150 for L-Bar U tailings facility.Approval subj to listed conditions, including installation of addl monitoring wells no later than 871231.
MITZELFELT,R. New Mexico, State of. 87/10/02. SCHURTZ,G.D. Kennecott Corp. 5pp. 43262:214-43262:218.

8711030107 Requests whether NRC wishes licensee to incorporate groundwater plan review in "new plan" discussed at 870730 meeting covering various tailings-related aspects of L-Bar reclamation plan.
ANDREWS,R.K. Kennecott Corp. 87/10/02. PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 2pp. 43264:090-43264:091.

8711030086 Responds to recipient questions & concerns re Kennecott L-Bar U mill site & clarifies NRC position re mill reclamation & decommissioning.New reclamation plan not required.Facility voluntarily submitting revised plan.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/09. CHESTNUT,P.C. Chestnut, P.C. 3pp. 43264:050-43264:052.

8711160301 Forwards moisture contents,radon emanation coefficients & radium contents on L-Bar tailings samples & chemical analyses of tailings salt samples,per 870730 meeting w/NRC.
ANDREWS,R.K. Kennecott Corp. 87/10/12. PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 12pp. 43370:023-43370:034.

8711160311 Provides results of first pond vol runs,showing vol decrease over last seven months.Work continuing on computer water budget model re renewal of Discharge Plan DP-150.Reporting of water budget results expected by end of month.
SCHURTZ,G.D. Kennecott Corp. 87/10/15. LEWIS,G. New Mexico, State of. 1p. 43370:098-43370:098.

8711170062 Forwards first 1987 semiannual groundwater monitoring rept for L-Bar U Mine.W/o encl.
SCHURTZ,G.D. Kennecott Corp. 87/10/16. LEWIS,G. New Mexico, State of. 1p. 43375:061-43375:061.

8711030129 Forwards analytical results from NRC water samples taken from tailings impoundment to verify potential existence of families of hazardous constituents.Data may be used to determine existence of hazardous ground water constituents.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/21. Kennecott Corp. 13pp. 43263:127-43263:139.

8711230141 Forwards correspondence re Kennecott L-Bar millsite per agreement w/ Ceballeta Land Grant.
GRACE,S. Uranium Recovery Field Ofc, R4. 87/10/29. ROMERO,E. Ceballeta, NM. 1p. 43426:145-43426:174.

8711190001 Application for amend to License SUA-1472,changing licensee to BP America & amending License Conditions 27 & 28.Fee paid.
GRISAK,G.E. INTERA Technologies, Inc. 87/11/03. PETTENGILL,H. NRC - No Detailed Affiliation Given. 2pp. 43395:038-43395:041.

--8711190004 Identifies site contractor for L-Bar project as INTERA Technologies & authorizes INTERA to provide direct representation to NRC on behalf of BP America.
LAGRAFF,M.B. BP America, Inc. 87/11/02. PETTENGILL,H. NRC - No Detailed Affiliation Given. 2pp. 43395:040-43395:041.

8711230204 Forwards Intera 871104 & 06 submittals re Kennecott L-Bar millsite,per agreement w/Ceballeta Land Grant.W/o encls.
GRACE,S. Uranium Recovery Field Ofc, R4. 87/11/10. ROBINSON,P. Southwest Research and Information Center. 1p. 43425:316-43425:316.

8711230076 Advises that 871106 application for amend to License SUA-1472 reviewed by Uranium Field Ofc.Application classified in Fee Category 2E.
GRACE,S.R. NRC - No Detailed Affiliation Given. 87/11/12. HOLLOWAY,C.J. License Fee Management Branch. 1p. 43426:152-43426:160.

--8711230086 Application for amend to License SUA-1472,providing for Phase II groundwater hydrology investigation for environ monitoring program.Fee paid.W/one oversize figure.
GRISAK,G.E. INTERA Technologies, Inc. 87/11/06. GRACE,S. Region 4, Ofc of the Director. 8pp. 43426:153-43426:160.

DOCKET 40-8905 KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK

8711170022 Forwards "Update of Groundwater Monitoring of Bedrock at Ambrosia Lake Facility," per 870707 meeting re Discharge Plan DP-189.
STAUTER,J.C. Quivira Mining Co. 87/10/13. MORGAN,T. New Mexico, State of. 1p. 43371:324-43372:150.

--8711170034 "Update of Groundwater Monitoring of Bedrock at Ambrosia Lake Facility." W/four oversize encls.
GANUS,W.J. Kerr-McGee Corp. 87/09/30. 200pp. 43371:325-43372:150.

8711090001 Informs that when NRC mods to 10CFR40 re protection of groundwater becomes effective in 2-3 months,application for amend to license to reflect mods will be required from licensee.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/16. STAUTER,J.C. Quivira Mining Co. 3pp. 43315:092-43315:094.

8711090053 Recommends issuance of Amend 4 to License SUA-1473, incorporating radiation safety program,deleting Condition 18 & revising Conditions 10,21 & 27.
GARCIA,P.J., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/09/17. Uranium Recovery Field Ofc, R4. 14pp. 43324:012-43324:025.

8711060210 Recommends that License SUA-1473 be amended to authorize processing of calcium fluoride sludge from Gore facility by modifying License Condition 31 to read as stated,per licensee 870806 request.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/09/16. Uranium *Recovery Field Ofc, R4. 4pp. 43310:339-43310:342.*

8711090070 Amends License SUA-1473 by deleting Condition 18 & revising Conditions 10,21 & 27 re U ore processing & implementation of interim stabilization program for tailings areas.Amend 4 to license encl.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/16. STAUTER,J.C. Quivira Mining Co. 3pp. 43324:026-43324:042.

--8711090081 Amend 4 to License SUA-1473 for Quivira Mining Co, authorizing use of U in Ambrosia Lake facility & implementation of interim stabilization program for tailings areas.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/18. 10pp. 43324:029-43324:042.

8711050246 Forwards revised pages to Section 7,App A to Ambrosia Lake Mill Tailings stabilization rept for NRC approval,per 870601 meeting R Gonzales concerns re stability of tailings & cover addressed Fee paid.
CLEVELAND,J E. Quivira Mining Co. 87/09/21. GARCIA,P. Uranium Recovery Field Ofc, R4. 1p. 43299:278-43300:012.

--8711050249 Remits fee for 870921 request for amend to tailings stabilization plan,per NRC 871009 ltr.
STAUTER,J.C. Quivira Mining Co. 87/10/26. WEISS,D. NRC - No Detailed Affiliation Given. 1p. 43299:279-43299:279.

--8711050256 Requests fee for 870921 application for amend to License SUA-1473,per 10CFR170.31,Revised pages to licensee tailings stabilization rept encl.
WEISS,D. License Fee Management Branch. 87/10/09. CLEVELAND,J.E. Quivira Mining Co. 90pp. 43299:280-43300:012.

8711060205 Forwards Amend 5 to License SUA-1473,authorizing processing of calcium fluoride generated during yellowcake purification process at Sequoyah Fuels Corp Gore,OK facility by modifying License Condition 31.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/21. STAUTER,J.C. Quivira Mining Co. 1p. 43310:327-43310:337.

--8711060221 Amend 5 to License SUA-1473 for Quivira Mining Co,modifying License Condition 31 to authorize processing of calcium fluoride generated during yellowcake purification process at Sequoyah Fuels Corp Gore,OK facility.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/21. 10pp. 43310:328-43310:337.

8711160200 Informs that renewal of Discharge Plan DP-362 for old stope leaching approved.Approval does not relieve licensee of liability in case of pollution of surface or groundwater.
MITZELFELT,R. New Mexico, State of. 87/10/15. CLEVELAND,J E. Quivira Mining Co. 3pp. 43370:139-43370:141.

8711030232 Discusses review of semiannual environ monitoring rept for Quivira Mining Co Abrosia Lake Mill for Second Half 1986, submitted on 870227.Lower limits of detection appropriate & no further action deemed necessary.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 3pp. 43264:209-43264:211.

8711230176 Discusses closure of case on groundwater monitoring repts for Quivira mill site submitted to State of NM & NRC for review.Case considered closed.
GRACE,S.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/30. Uranium Recovery Field Ofc, R4. 1p. 43428:239-43428:239.

8711230080 Discusses semiannual environ monitoring rept for Ambrosia Lake Mill submitted on 870827.Staff review indicates that environ monitoring performed per requirements of license as transferred from State of NM.No further action necessary.
GARCIA,P.J., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/11/04. Uranium Recovery Field Ofc, R4. 3pp. 43416:203-43416:205.

DOCKET 40-8907 UNITED NUCLEAR CORP., SANTA FE, NM

8711060196 Discusses NRC proposed rule 10CFR40 incorporating EPA requirements contained in Subparts D & E of 40CFR192 concerning ground water protection.Rule will require detection monitoring program when specified by license.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/16. VELASQUEZ,J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 3pp. 43310:009-43310:011.

8710290090 Forwards lab results for water samples collected during wk of 870714.
SHUEY,C. Southwest Research and Information Center. 87/09/17. PETTENGILL,H., GARCIA,P. Uranium Recovery Field Ofc, R4. 1p. 43208:341-43208:346.

--8710070237 "Lab Results for Water Samples Collected in July 1987."
* Southwest Research and Information Center. 87/07/31. 5pp. 43208:342-43208:346.

8711030310 Discusses review of United Nuclear Corp effluent monitoring rept for Churchrock Mill for 870108-0701,submitted on 870827.Rept does not appear to contain all environ monitoring data generated at site.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 2pp. 43259:354-43259:355.

8711170057 "EPA Comments on United Nuclear Corp Reclamation Plan." W/ related encl.
* Environmental Protection Agency. 87/10/20. 21pp. 43375:040-43375:060.

DOCKET 40-8911 MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO

8711230403 Requests assistance in arranging informal meeting w/local Crownpoint,NM officials to review Mobil Mining & Milling Co U in situ leach project.Meeting should be scheduled for early Dec to prevent any undue delays.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/29. ANALLA,J. Interior, Dept. of, Bureau of Indian Affairs. 2pp. 43428:077-43428:078.

8711240216 Provides some background info about Crownpoint project as well as requested map.Background info consists of brochure prepared by Mobil Oil Corp on in situ leaching & introductory pages from discharge plan of project.
REBUCK,E.C. New Mexico, State of. 87/11/03. BERBER,W. Interior, Dept. of, Bureau of Indian Affairs. 3pp. 43445:305-43445:307.

DOCKET 40-8913 UNITED NUCLEAR CORP., GALLUP, NM

8711060265 Forwards,for review & agreement,draft upgraded License SUA-1481.License will replace former License SUA-1082. Written response confirming total agreement or providing suggested changes for NRC to consider requested by 870925.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 87/09/10. VELASQUEZ,J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 6pp. 43310:347-43310:352.

DOCKET 40-8914 ENERGY, DEPT. OF, SCOVILLE, ID

8711030104 Summary of 870915 meeting w/Hecla Mining Co in Denver,CO re cleanup of site.Company committed to submit proposed work plan,to include listed items,within 30 days from 870917.List of attendees encl.
HEYER,R.S. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 3pp. 43263:120-43263:122.

DOCKET 40-8926 ALTAIR RESOURCES, INC., CASPER, WY

8711160313 Advises that on 871005 all source matl (yellowcake) shipped from site leaving 0 0 kg inventory.Advisement re continued forwarding of annual source matl inventory rept requested.
CATCHPOLE,G.J. Altair Resources, Inc. 87/10/13. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p. 43371:240-43371:240.

8711160314 Summarizes 871007 telcon re 871005 shipment of yellowcake from project site.Closeout rept containing third quarter radiation data & present condition & status of facility will replace ALARA audit for Third Quarter 1987.
CATCHPOLE,G.J. Altair Resources, Inc. 87/10/13. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p. 43371:239-43371:239.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

8711060014 Forwards application for source matl license for Crow Butte commercial facility,including environ rept.Fee paid.
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 87/10/07. GONZALES,R. Uranium Recovery Field Ofc, R4. 2pp. 43297:028-43299:159.

--8711060025 Application for source matl license,authorizing operation of commercial scale U in situ leach facility to produce U3O8 which will be sold as reactor fuel.W/six oversize drawings.
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 87/10/07. 850pp. 43297:030-43299:159.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030210 Forwards public version of revised pages to Book 2 of emergency procedures document,including App A, "Emergency Roster" & App B, "Con Ed Medical Dept,Consultants & Agencies." W/871029 release memo.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/15. Document Control Branch (Document Control Desk). 3pp. 43245:246-43245:319.

--8711030216 Public version of revised pages to Book 2 of emergency procedures document,including App A, "Emergency Roster" & App B, "Con Ed Medical Dept,Consultants & Agencies." Revised Book 1 procedures also encl.
* Consolidated Edison Co. of New York, Inc. 87/10/15. 71pp. 43245:249-43245:319.

8711050111 Forwards "Suppl to Post-Exercise Assessment,Version 2, 861110-1203 Remedial Exercise of Radiolgical Emergency Preparedness Plans of Westchester,Rockland & Orange Counties," including corrected tables.
KRIMM,R.W. Federal Emergency Management Agency. 87/10/26. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43291:248-43292:039.

--8711060007 "Suppl to Post-Exercise Assessment,Version 2,861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties."
* Federal Emergency Management Agency. 87/09/16. 151pp. 43291:249-43292:039.

8711130342 Ack receipt of util 861208 ltr transmitting proposed amend to plant physical security plan.Comments on physical security plan changes re miscellaneous amends & search requirements encl.Response requested within 30 days.
SLOSSON,M.M. Project Directorate I-1. 87/11/05. SELMAN,M. Consolidated Edison Co. of New York, Inc. 4pp. 43360:179-43360:182.

P. Operating license stage documents & correspondence

8711090153 Advises that util 871022 ltr,describing results of investigation into anonymous 871016 allegation re fitness for duty program,including drug use among onsite contractor personnel,reviewed.No further action currently needed.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/03. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43313:309-43313:310.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 117pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06 Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

8711060258 Forwards annual operating rept for Jul 1986 - June 1987,per Tech Spec 6.6.1,including changes applicable to 10CFR50.59. Thirty-second annual progress rept included as suppl info.
HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 87/10/26 Document Control Branch (Document Control Desk). 1p. 43307:103-43307:190.

8711060262 "Penn State Breazeale Reactor,Annual Operating Rept,FY 86-87."
* Pennsylvania State Univ., University Park, PA. 87/06/30. 7pp. 43307:104-43307:110.

8711060268 "Thirty-Second Annual Progress Rept,Penn State Breazeale Reactor,Jul 1986 - June 1987."
VOTH,M.H., TOTENBIER,R.E., FLINCHBAUGH,T. Pennsylvania State Univ., University Park, PA. 87/06/30. 72pp. 43307:111-43307:190.

V. Operator Examinations

8711240240 Forwards revised requalification program for Commission review & approval per 10CFR55.59(c).Plan follows ANSI/ANS-15.4-1977(N380),Section 6.1(2)(a),where biennial written test used in lieu of preplanned lecture series.
HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 87/10/21. Document Control Branch (Document Control Desk). 2pp. 43431:298-43431:304.

8711240256 Rev to "Operator & Senior Operator Requalification Program."
* Pennsylvania State Univ., University Park, PA. 87/10/21. 5pp. 43431:300-43431:304.

DOCKET 50-6 BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR

O. Inspection reports, IE Bulletins & correspondence

8711160172 Forwards Safety Insp Repts 50-006/87-03 & 70-0008/87-03 on 871019-23.No violations identified.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/10. MADIA,W.J. Battelle Memorial Institute. 2pp. 43368:262-43368:269

8711160188 Health & Safety Insp Repts 50-006/87-03 & 70-0008/87-03 on 871019-23.No noncompliances noted.Major areas inspected: nuclear criticality safety,radiation protection,spent fuel handling & mgt & organization control.
FRANCE,G.M., GREGER,L.R. Region 3, Ofc of the Director. 87/11/09. 6pp. 43368:264-43368:269.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

E. Security, medical, emergency & fire protection plans

8711060236 Rev 2 to Emergency Plan Implementing Procedure EPIP 300-18, "Determination of Extent of Core Damage Under Accident Conditions." W/revised Index.
* Commonwealth Edison Co. 87/10/30. 21pp. 43308:287-43308:307.

8711130003 Rev 1 to Procedure EPIP 200-8, "Operation During Earthquake Conditions (Primary Responsibility - Operations Director)."
* Commonwealth Edison Co. 87/10/31. 7pp. 43350:162-43350:168.

8711100109 Forwards request for addl info re 861126 application for amend to physical security plan in response to miscellaneous amends & search requirements.Requests response within 60 days of receipt of ltr.
GROTENHUIS,M. Project Directorate III-2. ERICKSON,P.B. Standardization & Non-Power Reactor Project Directorate. 87/11/02. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43340:030-43340:033.

8711300269 Rev 8 to Emergency Plan Implementing Procedure EPIP 100-C1, "Station Director (Checklist of Initial Generating Station Emergency Plan Responsibilities)."
* Commonwealth Edison Co. 87/11/30. 12pp. 43465:093-43465:104.

L. Operating license stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160198 Ack receipt of Allegation RIII-87-A-0138 in which alleger expressed concern re plant fuel pool.Util requested to address procedures or practices in place to assure integrity of fuel racks in fuel pool & concrete structure.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/10. REED,C. Commonwealth Edison Co. 1p. 43366:236-43366:236.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-058, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 117pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06 Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711060143 Forwards biweekly status rept from resident staff at plant for 871009-23.
RING,M.A. Region 3, Ofc of the Director. 87/11/01. NORELIUS,C.E. Region 3, Ofc of the Director. 4pp. 43303:213-43303:216.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8711090155 Responds to violations noted in Insp Rept 50-020/86-01. Emergency plan & procedure pages requiring mod to reflect action taken to resolve Item 86-01-02 encl.
BERNARD,J.A., CLARK,L. Nuclear Reactor Laboratory. 87/11/05. Document Control Branch (Document Control Desk). 7pp. 43313:312-43313:318.

O. Inspection reports, IE Bulletins & correspondence

8711090155 Responds to violations noted in Insp Rept 50-020/86-01. Emergency plan & procedure pages requiring mod to reflect action taken to resolve Item 86-01-02 encl.
BERNARD,J.A., CLARK,L. Nuclear Reactor Laboratory. 87/11/05. Document Control Branch (Document Control Desk). 7pp. 43313:312-43313:318.

S. Reportable occurrences, LERs & related correspondence

8711250203 RO 50-20/1987-2:on 871110,improper performance of reactor reshim resulted in excessive power rise.Caused by operator error.Operator suspended from all licensed duties pending further review of circumstances & disciplinary measures.
KWOK,K.S., BERNARD,J.A., CLARK,L. Nuclear Reactor Laboratory. 87/11/19. Document Control Branch (Document Control Desk). 4pp. 43460:223-43460:226.

DOCKET 50-22 WESTINGHOUSE TEST REACTOR

O. Inspection reports, IE Bulletins & correspondence

8711100374 "Annual Insp of Retired Westinghouse Test Reactor for 1987." W/871104 ltr.
NARDI,A.J. Westinghouse Electric Corp. 87/12/31. 7pp. 43343:322-43343:328.

8711100374 "Annual Insp of Retired Westinghouse Test Reactor for 1987." W/871104 ltr.
NARDI,A.J. Westinghouse Electric Corp. 87/12/31. 7pp. 43343:322-43343:328.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

Q. Inspection reports, IE Bulletins & correspondence

8711170209 Forwards Exam Rept 50-027/OL-87-01 on 871006-07.Exam administered to facility member applying for reactor operator license to operate TRIGA Test Reactor facilities.
PATE,R.J. Reg'on 5, Ofc of the Director. 87/11/02. WILSON,W.E. Washington State Univ., Pullman, WA. 2pp. 43385:028-43385:088.

--8711170214 Exam Rept 50-027/OL-87-01 on 871006-07.Exam results:one reactor operator candidate failed both oral & written exams.
MORRILL,P.J., ELIN,J.O. Region 5, Ofc of the Director. 87/10/28. 49pp. 43385:030-43385:088.

V. Operator Examinations

8711170209 Forwards Exam Rept 50-027/OL-87-01 on 871006-07.Exam administered to facility member applying for reactor operator license to operate TRIGA Test Reactor facilities.
PATE,R.J. Region 5, Ofc of the Director. 87/11/02. WILSON,W.E. Washington State Univ., Pullman, WA. 2pp. 43385:028-43385:088.

--8711170214 Exam Rept 50-027/OL-87-01 on 871006-07.Exam results:one reactor operator candidate failed both oral & written exams.
MORRILL,P.J., ELIN,J.O. Region 5, Ofc of the Director. 87/10/28. 49pp. 43385:030-43385:088.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8711030346 Errata to Change 15 to emergency plan.
* Yankee Atomic Electric Co. 87/01/31. 289pp. 43245:320-43246:248.

P. Operating license stage documents & correspondence

8711020468 Forwards response to 870723 request for addl info on performance testing & design of pressurizer safety & relief valves,per NUREG-0737,Item II.D.1.W/two oversize drawings.
PAPANIC,G. Yankee Atomic Electric Co. 87/10/27. FAIRTILE,M.B. Project Directorate I-3. 57pp. 43238:046-43238:102.

8711020420 Forwards evaluation of open item re vapor container column- to-shell connection for simultaneous application of dead, ambient thermal,LOCA pressure & temp & three-directional NRC spectra loads,per NRC 870716 request.Connection adequate.
PAPANIC,G. Yankee Atomic Electric Co. 87/10/28. FAIRTILE,M. Project Directorate I-3. 9pp. 43236:291-43236:299.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43259:021.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711100071 Advises that util commits to incorporate applicable components of safe shutdown sys into inservice testing program concurrent w/schedules to seismically upgrade plant through 1990 & to revise Section XI program by 1991.
PAPANIC,G. Yankee Atomic Electric Co. 87/11/02. FAIRTILE,M.B. Project Directorate I-3. 1p. 43333:290-43333:290.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170117 Submits evaluation of potential fuel pellet tolerance deviation for Cycle 18 & 19 reload fuel.Deviation bounded by selected uncertainty factors &/or assumptions.
PAPANIC,G. Yankee Atomic Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43361:022-43361:023.

8711300144 Discusses methodology for treating seismic anchor motions in evaluation of shutdown sys piping at plant for NRC concurrence,per NUREG/CR-0098 & SEP Topic III-6.Criteria will be revised & commitments will proceed upon concurrence.
PAPANIC,G. Yankee Atomic Electric Co. 87/11/23. FAIRTILE,M. Project Directorate I-3. 2pp. 43471:068-43471:069.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

Electric Co. 2pp. 43234:153-43234:190.

--8711020234 Insp Rept 50-029/87-06 on 870427-0720.No violations noted. Three inadequacies noted.Major areas inspected:licensee action on previous findings,operational safety verification & radiological controls.
ELSASSER,T. Region 1, Ofc of the Director. 87/10/23. 36pp. 43234:155-43234:190.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711170249 Monthly operating rept for Oct 1987.W/871106 ltr.
WHIPPLE,S., HEIDER,L.H. Yankee Atomic Electric Co. 87/10/31. 6pp. 43384:217-43384:222.

S. Reportable occurrences, LERs & related correspondence

8711130217 PNO-II-87-077:Chem-Nuclear Sys,Inc reported small liquid leak from facility radwaste shipment when parked at truck stop near Winchester,VA.Chem-Nuclear dispatched survey crew by aircraft.Shipment will be returned to licensee.
POTTER,J. Region 2, Ofc of the Director. 87/11/04. 1p. 43357:360-43357:360.

DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020413 Confirms that JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety effective on 871025 to replace R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. PEDDICORD,K.L. Texas A&M Univ., College Station, TX. 2pp. 43234:091-43234:092.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711020310 EN-87-090:on 871026,notice of violation & proposed imposition of civil penalty in amount of $2,500 will be issued to licensee based on several violations,including failure to perform surveys to identify high radiation area.
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/10/21. 1p. 43236:033-43236:033.

8711130331 Discusses insp 50-062/87-03 on 870706-08 & 16-17 & forwards notice of violation & imposition of civil penalty.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. STARKE,E.A. Virginia, Univ. of, Charlottesville, VA. 5pp. 43361:104-43361:111.

--8711130350 Notice of violation & proposed imposition of civil penalty in amount of $2,500.Noncompliance noted:licensee failed to make surveys necessary to identify high radiation area in neutron radiography facility & to post signs properly.
* Region 2, Ofc of the Director. 87/10/26. 3pp. 43361:109-43361:111.

8711300143 Forwards responses to notice of violation & proposed imposition of civil penalty from Insp Rept 50-062/87-03. Mitigation of civil penalty to zero requested.
STARKE,E.A. Virginia, Univ. of, Charlottesville, VA. 87/11/18. Ofc of Enforcement (Post 870413). 2pp. 43467:293-43467:320.

--8711300160 Responds to NRC notice of violation & proposed imposition of civil penalty from Insp Rept 50-062/87-03.Corrective actions:licensee posted & controlled access to interior of blockhouse & special survey of area performed.
MULDER,R.U., COPCUTT,B.G. Virginia, Univ. of, Charlottesville, VA. 87/11/11. Ofc of Enforcement (Post 870413). 26pp. 43467:295-43467:320.

DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020340 Informs that,effective 871025,JL Pellet will replace R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. BROPHY,J.J. Utah, Univ. of, Salt Lake City, UT. 2pp. 43235:203-43235:204.

Q. Inspection reports, IE Bulletins & correspondence

8711130287 Forwards Insp Repts 50-072/87-01 & 50-407/87-01 on 871008-09.No violations or deviations noted.
YANDELL,L.A. Region 4, Ofc of the Director. 87/11/10. BROPHY,J.J. Utah, Univ. of, Salt Lake City, UT. 2pp. 43357:001-43357:009.

--8711130298 Insp Repts 50-072/87-01 & 50-407/87-01 on 871008-09.No violations or deviations noted.Major areas inspected: corrective actions re violations & deviations identified in Insp Repts 50-072/86-01 & 50-407/86-01.
CHANEY,H., MURRAY,B. Region 4, Ofc of the Director. 87/11/06. 7pp. 43357:003-43357:009.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711090220 Ack receipt of 871021 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-073/87-01.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/02. DARMITZEL,R.W. General Electric Co. 1p. 43313:207-43313:211.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711190278 Forwards Insp Rept 50-083/87-04 on 871019-22.No violations or deviations noted.
HEROT,A.R. Region 2, Ofc of the Director. 87/11/13. TULENKO,J.S. Florida, Univ. of, Gainesville, FL. 2pp. 43399:326-43399:334.

--8711190286 Insp Rept 50-083/87-04 on 871019-22.No violations or deviations noted.Major areas inspected:biennial insp of Class II research reactors.
BURNETT,P.T., JAPE,F. Region 2, Ofc of the Director. 87/11/10. 7pp. 43399:328-43399:334.

DOCKET 50-87 WESTINGHOUSE CRITICAL EXPERIMENT

F. Security, medical, emergency & fire protection plans

8711230001 Forwards addl info re health physics responsibilities for dismantling of facility,per J Minns request.
SACKSCHEWSKY,R. Westinghouse Electric Corp. 87/11/11. MICHAELS,T.S. NRC - No Detailed Affiliation Given. 11pp. 43418:126-43418:136.

P. Operating license stage documents & correspondence

8711230196 Forwards info re radiological status of matls & sources maintained at nuclear test reactor facility,per J Minns request.
SACKSCHEWSKY,R. Westinghouse Electric Corp. 87/11/03. MICHAELS,T.S. NRC - No Detailed Affiliation Given. 17pp. 43423:071-43423:087.

DOCKET 50-89 GENERAL ATOMIC CO.

S. Reportable occurrences, LERs & related correspondence

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P., CILLIS,M., WAGNER,W. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

V. Operator Examinations

8711100285 Informs that written senior operator licensing exams scheduled for 871214.Facility mgt responsible for providing adequate space & facilities for exams. "Requirements for Administration of Written Exams" encl.
PATE,R.J. Region 5, Ofc of the Director. 87/11/03. ASMUSSEN,K. GA Technologies, Inc./General Atomic Co. 3pp. 43335:045-43335:047.

DOCKET 50-97 CORNELL UNIV. ZERO POWER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711040169 Forwards Safety Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Required annual exam of licensed operators not performed for one operator.Licensee should review available administrative sys outside Ward Lab.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29. STREETT,W.B. Cornell Univ., Ithaca, NY. 3pp. 43289:157-43289:166.

--8711040177 Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Major areas inspected:operation & records of reactors.Problems continued re licensed operator requalification exams & annual operations audit.Annual audit needed to be upgraded.
MEYER,G.W., PERRY,N.S., JOHNSON,J.R. Region 1, Ofc of the Director. 87/10/28. 7pp. 43289:160-43289:166.

V. Operator Examinations

8711040169 Forwards Safety Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Required annual exam of licensed operators not performed for one operator.Licensee should review available administrative sys outside Ward Lab.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29. STREETT,W.B. Cornell Univ., Ithaca, NY. 3pp. 43289:157-43289:166.

--8711040177 Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Major areas inspected:operation & records of reactors.Problems continued re licensed operator requalification exams & annual operations audit.Annual audit needed to be upgraded.
MEYER,G.W., PERRY,N.S., JOHNSON,J.R. Region 1, Ofc of the Director. 87/10/28. 7pp. 43289:160-43289:166.

DOCKET 50-112 UNIV. OF OKLAHOMA RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020255 Informs that J Pellet replacing R Cooley as Section Chief of Operator Licensing Section in Div of Reactor Safety, effective 871025.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. EGLE,D.M. Oklahoma, Univ. of, Norman, OK. 2pp. 43234:213-43234:215.

8711250009 Forwards updated Tech Specs for OU AGN 211-P reactor per conversation w/NRC.Requests that facility be exempt from 10CFR50.54 (R) since no critical operations will be allowed & exempt from maintaining requalification program.
JENSEN,C.M. Oklahoma, Univ. of, Norman, OK. 87/11/19. MICHAELS,T. NRC - No Detailed Affiliation Given. 1p. 43459:076-43459:086.

--8711250011 Proposed Tech Specs for Reactor Model AGN-211P (S.N. 102).
* Oklahoma, Univ. of, Norman, OK. 87/11/19. 11pp. 43459:076-43459:086.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711020351 Forwards Exam Rept 50-113/OL-87-01 of exam administered on 870922-24.
PATE,R.J. Region 5, Ofc of the Director. 87/10/23. SEALE,R.L. Arizona, Univ. of, Tucson, AZ. 2pp. 43235:337-43236:028.

--8711020361 Exam Rept 50-113/OL-87-01 on 870922-24.Exam results:three reactor operator candidates passed both written & oral exams.One reactor operator candidate failed written exam & passed oral exam.Written exam & answer key encl.
JOHNSTON,G.W., ELIN,J.O. Region 5, Ofc of the Director. 87/10/20. 50pp. 43235:339-43236:028.

V. Operator Examinations

8711020351 Forwards Exam Rept 50-113/OL-87-01 of exam administered on 870922-24.
PATE,R.J. Region 5, Ofc of the Director. 87/10/23. SEALE,R.L. Arizona, Univ. of, Tucson, AZ. 2pp. 43235:337-43236:028.

--8711020361 Exam Rept 50-113/OL-87-01 on 870922-24.Exam results:three reactor operator candidates passed both written & oral exams.One reactor operator candidate failed written exam & passed oral exam.Written exam & answer key encl.
JOHNSTON,G.W., ELIN,J.O. Region 5, Ofc of the Director. 87/10/20. 50pp. 43235:339-43236:028.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

Q. Inspection reports, IE Bulletins & correspondence

8711300271 Forwards Safety Insp Rept 50-123/87-01 on 871028-30 & notice of violation.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/24. WARNER,D. Missouri, Univ. of, Rolla, MO. 3pp. 43471:082-43471:098.

--8711300273 Notice of violation from Insp on 871028-30.Violation noted: individuals routinely bypass frisker station area when leaving bay area & occasionally eat,drink or smoke in bay area.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/24. 1p. 43471:085-43471:085.

--8711300276 Insp Rept 50-123/87-01 on 871028-30.Violations noted.Major areas inspected:operations,radiation protection & radwaste mgt program including,records,logs & organization & licensee response to selected IE info notices.
SLAWINSKI,W.J., GREGER,L.R. Region 3, Ofc of the Director. 87/11/23. 13pp. 43471:086-43471:098.

V. Operator Examinations

8711300271 Forwards Safety Insp Rept 50-123/87-01 on 871028-30 & notice of violation.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/24. WARNER,D. Missouri, Univ. of, Rolla, MO. 3pp. 43471:082-43471:098.

--8711300276 Insp Rept 50-123/87-01 on 871028-30 Violations noted Major areas inspected operations,radiation protection & radwaste mgt program including,records,logs & organization & licensee response to selected IE info notices. SLAWINSKI,W.J., GREGER,L.R. Region 3, Ofc of the Director. 87/11/23. 13pp. 43471:088-43471:098

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020402 Confirms that JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety effective on 871025 to replace R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. RICHARDSON,H.H. Texas A&M Univ., College Station, TX. 2pp. 43237:008-43237:009.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

J. Insurance & Indemnity Information

8711050055 Forwards Endorsement 25 to MAELU Policy NF-103 & Endorsement 55 to NELIA Policy NF-228.
LOCKE,R.F. Pacific Gas & Electric Co. 87/10/26. SALTZMAN,J. NRC - No Detailed Affiliation Given. 3pp. 43302:039-43302:041.

P. Operating license stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 4Epp. 43402:001-43402:046.

8711230242 Forwards Rev 3 to proposed Tech Specs for SAFSTOR.Revs reflect util 870821 response to NRC request for addl info.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 53pp. 43421:172-43421:224.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
Ofc of Inspection & Enforcement, Director (B20201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(B50212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060137 Forwards Insp Rept 50-133/87-05 on 870928-1001.No violations noted.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/10/23. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43303:204-43303:212.

--8711060144 Insp Rept 50-133/87-05 on 870928-1001.No violations or deviations noted.Major areas inspected:actions on previous insp findings,radiological confirmatory measurements, radiological environ monitoring & review of licensee repts.
HOOKER,C.A., YUHAS,G.P. Region 5, Ofc of the Director. 87/10/19. 7pp. 43303:206-43303:212.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

H. General correspondence

8711300060 Lists concerns re dismantling of facility.Present fence will allow larger restricted area when time comes for dismantling.
ELDER,J.H. Concerned Citizens for SNEC Safety. 87/11/10. ADAMS,A. NRC - No Detailed Affiliation Given. 3pp. 43473:117-43473:119.

S. Reportable occurrences, LERs & related correspondence

8711160150 RO.on 870915,during third quarterly insp of 1987,collection of water in containment vessel sump noted.Caused by condensation from inside containment vessel.Periodic monitoring,removal & disposal of water planned.
HEWARD,R.W. Saxton Nuclear Experimental Corp. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43368:218-43368:220.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8711300059 Forwards Safety Insp Rept 50-150/87-04 on 871102-05.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/20. TZAGOURNIS,M. Ohio State Univ., Columbus, OH. 2pp. 43469:333-43469:346.

--8711300072 Insp Rept 50-150/87-04 on 871102-05.No violations noted. Major areas inspected:records,logs,organization,review & audit functions,requalification training,procedures, surveillance & maint,emergency planning & deviations.
RIDGWAY,K.R., GILL,C.F., GREGER,L.R. Region 3, Ofc of the Director. 87/11/19. 12pp. 43469:335-43469:346.

Q. Inspection reports, IE Bulletins & correspondence

8711020414 Forwards Exam Rept 50-150/OLS-87-01 of exam administered on 871007-08.
HEHL,C.W. Region 3, Ofc of the Director. 87/10/27. TZAGOURNIS,M. Ohio State Univ., Columbus, OH. 2pp. 43236:312-43236:360.

--8711020421 Exam Rept 50-150/OLS-87-01 on 871007-08.Exam results: two reactor operator candidates passed.
HARE,E.A., BURDICK,T.M. Region 3, Ofc of the Director. 87/10/22. 46pp. 43236:314-43236:360.

8711300059 Forwards Safety Insp Rept 50-150/87-04 on 871102-05.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/20. TZAGOURNIS,M. Ohio State Univ., Columbus, OH. 2pp. 43469:333-43469:346.

--8711300072 Insp Rept 50-150/87-04 on 871102-05.No violations noted. Major areas inspected:records,logs,organization,review & audit functions,requalification training,procedures, surveillance & maint,emergency planning & deviations.
RIDGWAY,K.R., GILL,C.F., GREGER,L.R. Region 3, Ofc of the Director. 87/11/19. 12pp. 43469:335-43469:346.

V. Operator Examinations

8711020414 Forwards Exam Rept 50-150/OLS-87-01 of exam administered on 871007-08.
HEHL,C.W. Region 3, Ofc of the Director. 87/10/27. TZAGOURNIS,M. Ohio State Univ., Columbus, OH. 2pp. 43236:312-43236:360.

--8711020421 Exam Rept 50-150/OLS-87-01 on 871007-08.Exam results: two reactor operator candidates passed.
HARE,E.A., BURDICK,T.M. Region 3, Ofc of the Director. 87/10/22. 46pp. 43236:314-43236:360.

8711300059 Forwards Safety Insp Rept 50-150/87-04 on 871102-05.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/20. TZAGOURNIS,M. Ohio State Univ., Columbus, OH. 2pp. 43469:333-43469:346.

--8711300072 Insp Rept 50-150/87-04 on 871102-05.No violations noted. Major areas inspected:records,logs,organization,review & audit functions,requalification training,procedures, surveillance & maint,emergency planning & deviations.
RIDGWAY,K.R., GILL,C.F., GREGER,L.R. Region 3, Ofc of the Director. 87/11/19. 12pp. 43469:335-43469:346.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8711160105 Forwards Safety Insp Rept 50-155/87-23 on 870809-1019.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/29. BUCKMAN,F.W. Consumers Power Co. 2pp. 43366:059-43366:068.

--8711160109 Insp Rept 50-155/87-23 on 870829-1019.No violations noted. Major areas inspected:licensee actions on previous insp findings,operational safety,maint & surveillance operations, emergency preparedness,LERs & security.
JACKIW,I.N. Region 3, Ofc of the Director. 87/10/29. 8pp. 43366:061-43366:068.

8711060274 Forwards Special Allegation Review Insp Rept 50-155/87-24 on 870519-1014.No violations identified.
HIND,J.A. Region 3, Ofc of the Director. 87/10/30. BUCKMAN,F.W. Consumers Power Co. 4pp. 43303:114-43303:117.

-8711060279 Special Allegation Review Insp Rept 50-155/87-24 on 870519- 1014.No violations noted.Major areas inspected:named individual allegedly convicted of possession of controlled substance.Details withheld (ref 10CFR73.21).
PIRTLE,G.L. Region 3, Ofc of the Director. 87/10/30. 2pp. 43303:116-43303:117.

8711090029 Forwards response to 870827 request for addl info re Rev 13 to security plan.Encl withheld (ref 10CFR73.21).
FRISCH,R.R. Consumers Power Co 87/11/02. Document Control Branch (Document Control Desk). 1p. 43315:018-43315.018.

8711110113 Forwards comments on util 861202 proposed amend to plant physical security plan for response within 30 days Addl info & revs required prior to NRC approval.
HALL,J.R. Project Directorate III-1. 87/11/05. BERRY,K.W. Consumers Power Co. 4pp. 43347:336-43347:339.

8711240170 Revised emergency plan implementing procedures,including Rev 99 to EPIP-4G, "On-Call Dose Assessor," Rev 99 to EPIP-4J, "Technical Support Ctr/Operations Support Ctr Data Recorders" & Rev 99 to EPIP-4P, "Emergency Operations...."
HOBE,M.A. Consumers Power Co. 87/11/10. 15pp. 43432.021-43432:035.

8711200248 Forwards FEMA 871019 ltr & associated exercise evaluations re offsite portion of plant emergency preparedness exercise on 870407.No deficiencies noted Areas requiring corrective actions noted on county level.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/17. BUCKMAN,F.W. Consumers Power Co. 2pp. 43417:045-43417:046.

-8710230331 Requests that encl memo & FEMA rept re plant exercise be forwarded to licensee.No deficiencies noted.Areas requiring corrective actions on county level observed & approved schedule of corrective actions included in rept.W/o rept.
MATTHEWS,D B. Emergency Preparedness Branch. 87/10/19. HIND,J.A. Region 3, Ofc of the Director. 1p. 43417:047-43417:101.

8711300065 Forwards Enforcement Conference Rept 50-155/87-27 on 871021.
HIND,J.A. Region 3, Ofc of the Director. 87/11/20. BUCKMAN,F.W. Consumers Power Co. 1p. 43470.070-43470:073.

-8711300071 Enforcement Conference Rept 50-155/87-27 on 871021.Major areas discussed:enforcement options pertaining to apparent violation of licensee security plan re vital area physical barrier.
MADEDA,T.J., MALLETT,B.S. Region 3, Ofc of the Director. 87/11/20. 3pp. 43470:071-43470.073.

P. Operating license stage documents & correspondence

8711030456 Forwards Rev 6 to "QA Program Description for Operational Nuclear Power Plants" & lists of affected pages & change matrices for Revs 6 & 7 of QA program description.
FRISCH,R.R. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 25pp. 43250:038-43250:150.

-8711030464 Rev 4 to "QA Program Description for Operational Nuclear Power Plants."
MCCORMICK,W.T., REYNOLDS,J.W., HOWELL,S.H. Consumers Power Co. 87/06/25. 86pp. 43250.083-43250:150.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402.046.

8711160164 Forwards application for amend to License DPR-6,changing Tech Specs administratively to reflect features & terminology used w/new out-of-core power range nuclear instrumentation.Licensing topical repts encl.Fee paid.
BERRY,K.W. Consumers Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43366:081-43366:198.

-8711160195 Application for amend to License DPR-6,changing Tech Specs administratively to reflect features & terminology used w/ new out-of-core power range nuclear instrumentation.
BUCKMAN,F.W. Consumers Power Co. 87/11/09. 6pp. 43366:082-43366.087.

-8711160224 Proposed Tech Spec Figure 5.1 & Sections 6.1,6.2,6.3 & 7.3, making administrative changes to reflect features & terminology used w/new out-of-core power range nuclear instrumentation.Power range monitor sys description encl.
* Consumers Power Co. 87/11/09. 16pp. 43366:088-43366:102.

-8711160246 "Nuclear Measurement Analysis & Control Logarithmic Radiation Monitor (NUMAC-LRM)," licensing topical rept.
REIGEL,D.W., ROBARE,D.J. General Electric Co. NEDO-30883-A. 87/01/31. 62pp. 43366:103-43366:164.

-8711160260 "Nuclear Measurement Analysis & Control DC Wide Range Monitor (NUMAC-DCWRM)," licensing summary.
REIGEL,D.W., ROBARE,D.J. General Electric Co. NEDO-31399. 87/04/30. 34pp. 43366:165-43366:198.

8711190325 Submits results of util review of EPRI BWR chemistry guidelines for applicability to plant.Listed tables in Chapter 3 will be incorporated into plant procedures during next applicability review cycle.
FRISCH,R.R. Consumers Power Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43401:333-43401:335.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711160105 Forwards Safety Insp Rept 50-155/87-23 on 870809-1019.No violations noted
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/29. BUCKMAN,F.W. Consumers Power Co 2pp. 43366:059-43366:068.

-8711160109 Insp Rept 50-155/87-23 on 870829-1019.No violations noted. Major areas inspected:licensee actions on previous insp findings,operational safety,maint & surveillance operations, emergency preparedness,LERs & security.
JACKIW,I.N. Region 3, Ofc of the Director. 87/10/29. 6pp. 43366:061-43366:068.

8711060274 Forwards Special Allegation Review Insp Rept 50-155/87-24 on 870519-1014.No violations identified.
HIND,J.A. Region 3, Ofc of the Director. 87/10/30. BUCKMAN,F.W. Consumers Power Co. 4pp. 43303:114-43303:117.

-8711060279 Special Allegation Review Insp Rept 50-155/87-24 on 870519- 1014.No violations noted.Major areas inspected:named individual allegedly convicted of possession of controlled substance.Details withheld (ref 10CFR73.21).
PIRTLE,G.L. Region 3, Ofc of the Director. 87/10/30. 2pp. 43303:116-43303:117.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170128 Forwards Rev 1 to "Big Rock Point IGSCC Insp Program." Addl review determined that seven welds not previously listed partially susceptible to IGSCC All addl welds branch connected to stainless steel pipe.
FRISCH,R.R. Consumers Power Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43375:235-43375:244.

-8711170132 Rev 1 to "Big Rock Point IGSCC Insp Program."
* Consumers Power Co. 87/11/13. 9pp. 43376:236-43376:244.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300065 Forwards Enforcement Conference Rept 50-155/87-27 on 871021.
HIND,J.A. Region 3, Ofc of the Director. 87/11/20. BUCKMAN,F.W. Consumers Power Co. 1p. 43470.070-43470:073.

-8711300071 Enforcement Conference Rept 50-155/87-27 on 871021.Major areas discussed:enforcement options pertaining to apparent violation of licensee security plan re vital area physical barrier.
MADEDA,T.J., MALLETT,B.S. Region 3, Ofc of the Director. 87/11/20. 3pp. 43470:071-43470:073.

S. Reportable occurrences, LERs & related correspondence

8711300245 LER 87-003-03:on 870127 & 0601,three primary safety relief valves indicated consistently high initial as-found setpoints.Caused by bonding effect of lapping compound. Valves rebuilt & retested on 871112.W/871124 ltr.
ALEXANDER,R.J., FRISCH,R.R. Consumers Power Co. 87/11/24. 10pp. 43472:243-43472:252.

DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711040169 Forwards Safety Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Required annual exam of licensed operators not performed for one operator.Licensee should review available administrative sys outside Ward Lab.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29. STREETT,W.B. Cornell Univ., Ithaca, NY. 3pp. 43289:157-43289:166.

-8711040177 Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Major areas inspected:operation & records of reactors.Problems continued re licensed operator requalification exams & annual operations audit.Annual audit needed to be upgraded.
MEYER,G.W., PERRY,N.S., JOHNSON,J.R. Region 1, Ofc of the Director. 87/10/28. 7pp. 43289:160-43289:166.

8711040169 Forwards Safety Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Required annual exam of licensed operators not performed for one operator.Licensee shou'd review available adm.nistrative sys outside Ward Lab.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29 STREETT,W.B. Cornell Univ., Ithaca, NY. 3pp. 43289:157-43289:166

-8711040177 Insp Repts 50-157/87-01 & 50-097/87-01 on 870923-24.Major areas inspected:operation & records of reactors.Problems continued re licensed operator requalification exams & annual operations aud t.Annual audit needed to be upgraded.
MEYER,G.W. Region 1, Ofc of the Director. 87/10/28. 7pp. 43289:160-43289:166.

DOCKET 50-163 GA TECHNOLOGIES

S. Reportable occurrences, LERs & related correspondence

8711300159 PNO-V-87-076.on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely effected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:284-43466:285.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711130169 Forwards Exam Rept 50-166/87-04OL of exam administered on 870908-11.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/06. DIETER,G.E. Maryland, Univ. of, College Park, MD. 2pp. 43356:189-43356:279.

-8711130181 Exam Rept 50-166/87-04OL on 870908-11.Exam results:all four senior reactor operator & two reactor operator candidates passed written exams & operating tests & received licenses.
TURNER,R.L., NORRIS,B.S., KELLER,R.M. Region 1, Ofc of the Director. 87/10/20. 89pp. 43356:191-43356:279.

V. Operator Examinations

8711130169 Forwards Exam Rept 50-166/87-04OL of exam administered on 870908-11.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/06. DIETER,G.E. Maryland, Univ. of, College Park, MD. 2pp. 43356:189-43356:279.

-8711130161 Exam Rept 50-166/87-04OL on 870908-11.Exam results:all four senior reactor operator & two reactor operator candidates passed written exams & operating tests & received licenses.
TURNER,R.L., NORRIS,B.S., KELLER,R.M. Region 1, Ofc of the Director. 87/10/20. 89pp. 43356:191-43356:279.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

V. Operator Examinations

8711300118 Informs that reactor operator & senior reactor operator written & operating exams scheduled for wk of 880222.Encl ref matl requirements for exams should be submitted by 871222 in order for NRC to meet schedule.Related info encl.
KELLER,R.M. Region 1, Ofc of the Director. 87/11/24. IRVING,G. Armed Forces Radiobiological Research Institute. 10pp. 43465:045-43465:054.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues exists that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

-8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160306 Requests that listed discharge point for treated radwaste be added to NPDES permit.Discharge point inadvertently omitted in 810702 NPDES permit reapplication due to confusion over regulatory authority.Permit Page 2d encl.
WILLSEY,W.B. Philadelphia Electric Co. 87/11/09. CORRIVEAU,E. Pennsylvania, Commonwealth of. 4pp. 43369:214-43369:217.

8711240001 Summarizes various documents delivered to NRC on 871013 & 30 & 1106 to assist in preparation for operational assessment of selected plant operating crews,per NRC 870921 request.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/17. GALLO,R. Region 4, Ofc of the Director. 2pp. 43437:286-43437:287.

plan submitted per NRC order shutting down plant on 870331.Comments forwarded to util for consideration in revising plan.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/19. BACUS,C. Pennsylvania, Commonwealth of. 2pp. 43419:255-43419:256.

S. Reportable occurrences, LERs & related correspondence

8711050159 NPDES noncompliance notification:on 870911 & 24,total phosphorus of samples for Discharge Point 501 exceeded monthly average permit limit.Caused by sewage treatment plant inability to reduce phosphorus below permit limit.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:246-43291:247.

8711050175 NPDES noncompliance notification:on 870911 & 24,biochemical oxygen demand of two samples from Discharge Point 501 exceeded monthly average permit limit.Caused by excessive carryover from clarifiers.Solids passed through sys reduced.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:222-43291:223.

DOCKET 50-184 NATIONAL BUREAU OF STANDARDS REACTOR

F. Security, medical, emergency & fire protection plans

8711130179 Forwards Safety Insp Rept 50-184/87-03 on 870908-11.No violations identified.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. CARTER,R.S. Commerce, Dept. of, National Bureau of Standards. 2pp. 43359:326-43359:332.

-8711130186 Emergency Preparedness Insp Rept 50-184/87-03 on 870908-11. No violations noted.Major areas inspected:facility operations,notifications,communications equipment & training.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 5pp. 43359:328-43359:332.

Q. Inspection reports, IE Bulletins & correspondence

8711130179 Forwards Safety Insp Rept 50-184/87-03 on 870908-11.No violations identified.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. CARTER,R.S. Commerce, Dept. of, National Bureau of Standards. 2pp. 43359:326-43359:332.

-8711130186 Emergency Preparedness Insp Rept 50-184/87-03 on 870908-11. No violations noted.Major areas inspected:facility operations,notifications,communications equipment & training.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 5pp. 43359:328-43359:332.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

8711020317 Responds to NRC 870903 ltr re violations noted in insp rept. Corrective actions:Emergency Equipment Maint Procedure SEP-8 revised to properly reflect desired & required inventories. Procedure encl.
MCKIBBEN,J.C., ALGER,D.M. Missouri, Univ. of, Columbia, MO. 87/10/02. PATTERSON,J.P. Region 3, Ofc of the Director. 3pp. 43238:131-43238:136.

-8711030068 Revised Procedure SEP-8, "Emergency Equipment Maint Procedure."
* Missouri, Univ. of, Columbia, MO. 87/10/02. 3pp. 43238:134-43238:136.

P. Operating license stage documents & correspondence

8711090090 Forwards info re radioactive spent fuel shipments from Univ of Missouri research reactor.Info withheld (ref 10CFR73.21).
* Missouri, Univ. of, Columbia, MO. 87/10/13. NRC - No Detailed Affiliation Given. 1p. 43324:045-43324:045.

8711100019 Informs that evaluation of high hand exposure distributed w/personal/proprietary info on one page.Removal of info from files requested.Page w/proprietary info encl.W/o encl.
ADAMS,A. Standardization & Non-Power Reactor Project Directorate. 87/11/03. LANHAM,D.H. Document Control Branch (Document Control Desk). 2pp. 43339:331-43339:332.

Q. Inspection reports, IE Bulletins & correspondence

8711020317 Responds to NRC 870903 ltr re violations noted in insp rept. Corrective actions:Emergency Equipment Maint Procedure SEP-8 revised to properly reflect desired & required inventories. Procedure encl.
MCKIBBEN,J.C., ALGER,D.M. Missouri, Univ. of, Columbia, MO. 87/10/02. PATTERSON,J.P. Region 3, Ofc of the Director. 3pp. 43238:131-43238:136.

-8711030068 Revised Procedure SEP-8, "Emergency Equipment Maint Procedure."
* Missouri, Univ. of, Columbia, MO. 87/10/02. 3pp. 43238:134-43238:136.

8711020239 EN-87-092:on or about 871028,notice of violation & proposed imposition of civil penalty in amount of $5,000 will be issued to licensee.Action based on violation involving extremity overexposure,failure to train & evaluate people.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/10/23. 1p. 43234:199-43234:199.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020249 Informs that J Pellet replacing R Cooley as Section Chief of Operators Licensing Section in Div of Reactors Safety, effective 871025.
CALLAN,L J. Region 4, Ofc of the Director. 87/10/26. FAW,R.E. Kansas State Univ., Manhattan, KS. 1p. 43234:206-43234:207.

DOCKET 50-192 UNIV. OF TEXAS RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020282 Informs that effective 871025,JL Pellet will replace R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L J. Region 4, Ofc of the Director. 87/10/26. KLEIN,D.E Texas, Univ. of, Austin, TX. 2pp. 43236:068-43236:069.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

F. Security, medical, emergency & fire protection plans

8711190119 Responds to NRC 871027 ltr re Amend 15 to License R-95.EPZ will not be modified during const & after completion of Ctr for Atmospheric Chemistry Studies bldg.Provisions made to notify workers during const in event of emergency.
DIMEGLIO,A.F. Rhode Island, State of. 87/11/09. MICHAELS,T. Standardization & Non-Power Reactor Project Directorate. 2pp. 43398:021-43398:022.

P. Operating license stage documents & correspondence

8711040260 Forwards Amend 15 to License R-95 & safety evaluation. Amend redefines restricted area to include reactor bldg & adjacent ofc lab wing only & to exclude 3-acre area known as Nuclear Science Ctr.
MICHAELS,T.S. Standardization & Non-Power Reactor Project Directorate. 87/10/27. DIMEGLIO,A.F. Rhode Island, State of. 3pp. 43279:054-43279:063.

-8711040267 Amend 15 to License R-95,changing Tech Specs to redefine restricted area to include reactor bldg & adjacent ofc lab wing only & to exclude 3-acre area known as Nuclear Science Ctr.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/10/27. 5pp. 43279:057-43279:061.

-8711040270 Safety evaluation supporting Amend 15 to License R-95.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 2pp. 43279:062-43279:063.

8711190119 Responds to NRC 871027 ltr re Amend 15 to License R-95.EPZ will not be modified during const & after completion of Ctr for Atmospheric Chemistry Studies bldg.Provisions made to notify workers during const in event of emergency.
DIMEGLIO,A.F. Rhode Island, State of. 87/11/09. MICHAELS,T. Standardization & Non-Power Reactor Project Directorate. 2pp. 43398:021-43398:022.

8711200081 Forwards Amend 15 to License R-95 & licensee 871109 ltr contesting NRC recommendation that Ctr for Atmospheric Chemistry Studies should be included in EPZ.Licensee need not expand zone.Corroborating memo requested.W/o encls.
MICHAELS,T.S. Standardization & Non-Power Reactor Project Directorate. 87/11/16. MATTHEWS,D.B. Emergency Preparedness Branch. 2pp. 43408:071-43408:072.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8711200157 Forwards Safeguards Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. BERLIN,R.E. Manhattan College, Riverdale, NY. 2pp, 43402:347-43402:351.

-8711200165 Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08. Licensee in compliance.Major areas inspected:nuclear matl control & accounting & physical security,including organization & operation,inventory,records & repts.
DELLA-RATTA,A., SCHULINGKAMP,C., KEIMIG,R.R. Region 1, Ofc of the Director. 87/11/13. 3pp. 43402:349-43402:351.

Q. Inspection reports, IE Bulletins & correspondence

8711200157 Forwards Safeguards Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. BERLIN,R.E. Manhattan College, Riverdale, NY. 2pp. 43402:347-43402:351.

-8711200165 Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08. Licensee in compliance.Major areas inspected:nuclear matl control & accounting & physical security,including organization & operation,inventory,records & repts.
DELLA-RATTA,A., SCHULINGKAMP,C., KEIMIG,R.R. Region 1, Ofc of the Director. 87/11/13. 3pp. 43402:349-43402:351.

DOCKET 50-201 WEST VALLEY REPROCESSING PLANT

P. Operating license stage documents & correspondence

8711040321 Forwards USGS Water-Resources Investigation Repts 85-4308, "Simulation of Ground Water Flow Near Nuclear Fuel...," 85-4309, "Surface Water Hydrology of Western New York..." & 85-4145, "Geohydrologic Conditions at Nuclear Fuels...."
COSTANZI,F.A. Waste Management Branch. 87/10/01. ROUSE,L. Fuel Cycle Safety Branch. 2pp. 43279:074-43279:242.

-8711040327 "Simulation of Groundwater Flow Near Nuclear Fuel Reprocessing Facility at Western New York Nuclear Svc Ctr, Cattaraugus County,NY." W/one oversize drawing.
YAGER,R.M. Interior, Dept of, Geological Survey. 85-4308. 87/12/31. NRC - No Detailed Affiliat on Given. 67pp. 43279:076-43279:142.

-8711040369 "Surface Water Hydrology of Western New York Nuclear Svc Ctr,Cattaraugus County,NY."
KAPPEL,W.M., HARDING,W.E. Interior, Dept. of, Geological Survey. 85-4309. 87/12/31. NRC - No Detailed Affiliation Given. 43pp. 43279:143-43279:184.

-8711040374 "Geohydrologic Conditions at Nuclear Fuels Reprocessing Plant & Waste Mgt Facilities at Western New York Nuclear Svc Ctr Cattaraugus County,NY." W/one oversize drawing.
BERGERON,M.P., KAPPEL,W.M., YAGER,R.M. Interior, Dept of, Geological Survey. 85-4145. 87/12/31. NRC - No Detailed Affiliation Given. 58pp. 43279:185-43279:242.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711170292 Change 1 to "County of Orange Incident Response Plan for San Onofre Nuclear Generating Station."
* Orange County, CA. 87/11/04. 552pp. 43381:096-43382:260.

8711240009 Informs that review of 870611 transmittal of most recent rev to emergency plan completo Based on util implementation of changes described in 871014 ltr & listed changes discussed in 871028 telcon,emergency plan acceptable.
FISH,R.F. Region 5, Ofc of the Director. 87/11/16. BASKIN,K P. Southern California Edison Co. 2pp. 43437:351-43437:357.

-8711240017 Responds to NRC 870730 telcon questions re 870515 Rev 2 to plant emergency plan.Requirement that NRC be notified immediately after state & local agencies will be incorporated into next rev.
MEDFORD,M.O. Southern California Edison Co. 87/10/14. PRENDERGAST,K. Region 5, Ofc of the Director. 6pp. 43437:353-43437:357.

8711250032 Revised emergency plan implementing procedures,including Temporary Change Notice 2-5 to Rev 2 to S0123-VIII-0.301, "Offsite/Onsite Communications Test" & Temporary Change Notice 0-6 to Rev 0 to S0123-VIII-0.302.W/871117 ltr.
* Southern California Edison Co. 87/11/17. 200pp. 43457:078-43457:295.

P. Operating license stage documents & correspondence

8711030321 Forwards Amend Application 144 to License DPR-13,consisting of Proposed Change 168,revising Tech Spec 4.16 re deletion of insp requirements & Proposed Change 172 revising Tech Specs 3.1.4 & adding Tech Spec 4.1.13 re leakage Fee paid.
BASKIN,K.P. Southern California Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43251:034-43251:103.

-8711030328 Amend Application 144 to License DPR-13,consisting of Proposed Change 168,revising Tech Spec 4.16 re deletion of special insp requirements & Proposed Change 172,revising Tech Spec 3.1.4 & adding Tech Spec 4.1.13 re leakage.
BASKIN,K.P. Southern California Edison Co. 87/10/30. 9pp. 43251:036-43251:044.

-8711030333 Proposed Changes 168 & 172 to Tech Specs 4.16,3.1.4 & 4.1.13 re special insp requirements & leakage.
* Southern California Edison Co. 87/10/30. 59pp. 43251:045-43251:103.

8711040031 Requests addl justification or clarification re review of 870831 Change Notice 21 to QA Program SCE-1-A,including organizations responsible for review & approval of plans & procedures if not QA.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/30. BASKIN,K.P. Southern California Edison Co. 2pp. 43290:166-43290:167.

8711040265 Responds to appeal re denial of FOIA request for documents concerning individual allegations from 1983 to present re San Onofre seismic design.Three documents withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 2pp. 43279:065-43279:066.

8711100341 Forwards fifth edition of Integrated Implementation schedule in response to NRC request for semiannual updates of backfit schedules.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 7pp. 43333:342-43333:348.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090370 Requests fee for 870825 application for approval of corporate restructuring which will result in creation of holding company for plant.
DIGGS,R.M. License Fee Management Branch. 87/11/05. BASKIN,K.T. Southern California Edison Co. 1p. 43324:066-43324:066.

8711190183 Submits info outlining extent of plant mods necessary to implement on-line testing,including estimated cost,per NRC 870720 request for addl info re Generic Ltr 83-28,Item 4.5.3.Existing reactor trip sys acceptable.
MEDFORD,M.O. Southern California Edison Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43400:142-43400:143.

8711240036 Forwards meeting agenda documenting agreements made at 870925 meeting re resolution of remaining items on SEP Topics III-2 & III-4.A & providing completed responses to remaining items.
MEDFORD,M.O. Southern California Edison Co. 87/11/18. Document Control Branch (Document Control Desk). 27pp. 43437:312-43437:338.

8711230218 Forwards design descriptions for mods to auxiliary feedwater sys,steam/feedwater flow mismatch trip & main feedwater isolation & revised auxiliary feedwater transient analysis, per util 871106 commitment
MEDFORD,M.O. Southern California Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 67pp. 43419:286-43419:352.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consol.dated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040239 FOIA request for documents & all records generated in connection w/all NRC insps or investigations on allegations raised by L Penzes from 1983 to present re San Onofre seismic design.
BAUMAN,L. Government Accountability Project. 87/07/09. NRC - No Detailed Affiliation Given. 3pp. 43279:067-43279:069.

8711030251 Forwards SALP performance summary,reflecting improved performance in some areas,especially plant operations & maint.Reduction in number of plant trips & other occurrences noted
BASKIN,K.P. Southern California Edison Co. 87/10/26. MARTIN,J.B. Region 5, Ofc of the Director. 8pp. 43251:349-43252:004.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030321 Forwards Amend Application 144 to License DPR-13,consisting of Proposed Change 168,revising Tech Spec 4.16 re deletion of insp requirements & Proposed Change 172 revising Tech Specs 3.1.4 & adding Tech Spec 4.1.13 re leakage Fee paid.
BASKIN,K.P. Southern California Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43251:034-43251:103.

--8711030328 Amend Application 144 to License DPR-13,consisting of Proposed Change 168,revising Tech Spec 4.16 re deletion of special insp requirements & Proposed Change 172,revising Tech Spec 3.1.4 & adding Tech Spec 4.1.13 re leakage.
BASKIN,K.P. Southern California Edison Co. 87/10/30. 9pp. 43251:036-43251:044.

--8711030333 Proposed Changes 168 & 172 to Tech Specs 4.16,3.1.4 & 4.1.13 re special insp requirements & leakage.
* Southern California Edison Co. 87/10/30. 59pp. 43251:045-43251:103.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711190318 Forwards Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/05. BASKIN,K.P. Southern California Edison Co. *2pp. 43401:341-43401:357.*

--8711190326 Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations or deviations noted.Major areas inspected:operations program,including operational safety verification,plant trips & events & LERs.
HUEY,F.R., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director. 87/11/03. 16pp. 43401:343-43401:357.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190089 Forwards Insp Repts 50-206/87-25,50-361/87-25 & 50-362/87-27 on *870914-18 & 1005-08 & notice of violation.*
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/06. BASKIN,K.P. Southern California Edison Co. 2pp. 43396:195-43396:208.

--8711190098 Notice of violation from insp on 870914-18 & 1005-08. Violation noted:radiation area approx 15 ft by 25 ft within radwaste bldg Room 335B-C w/ measurable dose rates not posted w/sign bearing radiation caution symbol & required words.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/06. 1p. 43396:187-43396:197.

--8711190107 Insp Repts 50-206/87-25,50-361/87-25 & 50-362/87-27 on 870914-18 & 1005-08.Violation noted:Major areas inspected: licensee action on items of *noncompliance,unresolved & open items,allegation followup* & listed insp procedures.
RUSSELL,J.E., CICOTTE,G.R., YUHAS,G.P. Region 5, Ofc of the Director. 87/11/05. 11pp. 43396:198-43396:208.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment *(Post 870411). 87/11/16.* Consolidated Edison Co. of New York, Inc. 113pp. 43404:178-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190090 Monthly operating rept for Oct 1987.W/871113 ltr.
SIACOR,E.R., MORGAN,H.E. Southern California Edison Co. 87/10/31. 7pp. 43396:238-43396:244

S. Reportable occurrences, LERs & related correspondence

8711100361 Part 21 & deficiency rept re air pressure regulators on Imo Delaval,Inc standby diesel generators.Regulators not installed on diesel generators or in stock or on order. Bellofram Type 50 & 60 air regulators included in program.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43334:344-43334:345.

8711100271 Forwards "ESF Single Failure Analysis,San Onofre Nuclear Generating *Station,Unit 1," final rept,per 871016 ltr. Analysis performed per NRC 860923 ltr* re failure of PT-459 on 860730.
MEDFORD,M.O. Southern California Edison Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43336:107-43336:068.

--8711100274 "ESF Single Failure Analysis,San Onofre Nuclear Generating Station,Unit 1."
* Southern California Edison Co. 87/11/30. 680pp. 43336:109-43336:068.

8711100358 LER 87-016-00:on 871007,determined that engineered safety sys design failed to meet single criteria.Caused by newly identified time-dependent single failure susceptibility. Special operator training provided.W/871106 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/06. 5pp. 43343:347-43343:351.

8711300046 LER 87-005-01:on 870324,nuclear instrumentation sys power range Channel 1207 declared inoperable.Channel placed in trip condition.On 870428 & 29,Channel 1207 automatically reset from trip to inoperable condition.W/871119 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/19. 4pp. 43473:048-43473:052.

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely affected.Effects on other locations noted
JOHNSON,P., CILLIS,M., WAGNER,W. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

V. Operator Examinations

8711110005 Requests util to furnish ref matl listed in Attachment 1 by 871113 to meet schedule for 871214 written reactor operator licensing exam.Attachment 2 re facilities for exam & rules & guidance that will be in effect *during exam also encl.*
PATE,R.J. Region 5, Ofc of the Director. 87/11/03. RAY,H. Southern California Edison Co. 6pp. 43345:245-43345:250.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

8711050098 Forwards Insp Rept 50-213/87-25 on 870826-1008.Util 870918 ltr advising NRC of decision to discontinue convening separate plant operations review committee meetings for review of plant design change records ack & acceptable.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/10/28. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 2pp. 43295:327-43295:359.

--8711050105 Safety Rept 50-213/87-25 on 870826-1008.No violations noted. One unresolved item identified.Major areas inspected:plant outage activities,radiation proctection,fire protection, security & licensee events.
MCCABE,E.C. Region 1, Ofc of the Director. 87/10/26. 31pp. 43295:329-43295:359.

8711060077 Rev 9 to Emergency Plan Implementing Procedure EPIP 1.5-24, "Manager of Communications." W/871102 ltr.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 87/11/02. 12pp. 43308:242-43308:253.

8711170250 Temporary Procedure Change 87-551 to Rev 4 to Emergency Plan Implementing Procedure EPIP 1.5-48, "Control Room Data Coordinator." W/871112 ltr.
MROCZKA,E.J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 87/11/12. 3pp. 43381:086-43381:088.

8711240140 Forwards addl info re miscellaneous amends/search requirements for amend to physical security plan,per NRC 871005 request.Encl withheld (ref 10CFR2.790).
MROCZKA,E.J., SEARS,C.F. Connecticut Yankee Atomic Power Co. 87/11/17. Document Control Branch (Document Control Desk). 1p. 43459:180-43459:180.

8711300123 Advises that 870901 Rev 15 to physical security plan consistent w/*provisions of 10CFR50.54(p) & acceptable.*
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/20. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 3pp. 43466:356-43466:358.

H. General correspondence

8711100006 Responds to S Sztaba 870910 ltr expressing concerns re safe operation of State of CT nuclear power plants.Plants in state not rated among most troublesome in nation.Licensee performance monitored in publicly available SALP repts.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. DODD,C.J. Senate. 7pp. 43459:266-43459:276.

--8711100012 Forwards S Sztaba 870910 ltr re safety of State of CT nuclear power plants,for response.
DODD,C.J. Senate. 87/09/21. KAMMERER,C NRC - No Detailed Affiliation Given 3pp. 43459:273-43459:275.

8711090330 Informs of organizational change affecting distribution lists for correspondence from NRC.RW Bishop no longer employed as corporate secretary & should be removed from list
MROCZKA,E J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. MROCZKA,E J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 87/11/06 Document Control Branch (Document Control Desk). 2pp. 43321:131-43321:132.

P. Operating license stage documents & correspondence

8711020151 Ack receipt of invoices G0029,G0063,G0064 & G0065 for first quarterly installment of 1988 annual fee,per 10CFR171. Understands that fee will be wire-transferred on 871030 in payment of invoices
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E J. Northeast Nuclear Energy Co (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/26. Document Control Branch (Document Control Desk). 8pp. 43233:306-43233:313.

8711030214 Forwards marked-up updated listing of safety issues mgt sys Points relevant to approach in updating listing listed.
MROCZKA,E J. Connecticut Yankee Atomic Power Co. 87/10/27. Document Control Branch (Document Control Desk). 20pp. 43255:282-43255:301.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711250109 Forwards Amend 97 to License DPR-61 & safety evaluation. Amend supports operation of plant for Cycle 15 & reflects major efforts in upgrading design-basis accident analyses & reformatting Tech Specs per Westinghouse STS.
AKSTULEWICZ,F. Integrated Safety Assessment Project Directorate. 87/11/12. MROCZKA,E J. Connecticut Yankee Atomic Power Co. 4pp. 43462:013-43462:145.

--8711250112 Amend 97 to License DPR-61,supporting operation of plant for Cycle 15 & reflecting major efforts in upgrading design-basis accident analyses & in reformatting Tech Specs as part of conversion to Westinghouse STS.
BOYLE,M.L. Integrated Safety Assessment Project Directorate. 87/11/12. 106pp. 43462:017-43462:123.

--8711250114 Safety evaluation supporting Amend 97 to License DPR-61.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/12. 22pp. 43462:124-43462:145.

8711200146 Forwards response to NRC topic evaluations status of integrated safety assessment program topics & review of draft NUREG-1185 Attachment A provides discussion on scope, evaluation & prioritization of each topic
MROCZKA,E J. Connecticut Yankee Atomic Power Co. 87/11/13. Document Control Branch (Document Control Desk). 51pp. 43417:147-43417:197.

8711240098 Application for amend to License DPR-61,revising Tech Spec 3.12 re addition of operability requirements on offsite & onsite power sources w/limiting conditions for operation & time requirements for corrective actions.Fee paid.
MROCZKA,E J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43431:311-43431:323.

--8711240106 Proposed Tech Spec 3.12 adding operability requirements on offsite & onsite power sources w/limiting conditions for operation & time requirements for corrective actions
* Connecticut Yankee Atomic Power Co. 87/11/17. 8pp. 43431:316-43431:323.

8711230142 Forwards addl info re NUSCO-151, "Haddam Neck Plant Reanalysis of Non-LOCA Design Basis Accidents," per NRC 871015 request.Responses to questions from 870630 meeting & revised pages for NUSCO-151 also encl.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 87/11/19. Document Control Branch (Document Control Desk). 51pp. 43418:289-43418:339.

8711230307 Application for amend to License DPR-61,modifying calibr requirements for power range nuclear instrumentation when plant operated at steady-state reduced power & channels adjusted to provide enhanced overpower protection.Fee paid.
MROCZKA,E J. Connecticut Yankee Atomic Power Co. 87/11/19. Document Control Branch (Document Control Desk). 4pp. 43419:128-43419:134.

--8711230310 Proposed Tech Specs,modifying calibr requirements for power range nuclear instrumentation when plant operated at steady- state reduced power & channels adjusted to provide enhanced overpower protection.
* Connecticut Yankee Atomic Power Co. 87/11/19. 3pp. 43419:132-43419:134.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020114 Forwards safety evaluation of util 870825 & 0923 requests for relief from performance of sys hydrostatic test of svc water sys & reactor coolant pump seal water return sys. Relief from Section XI of ASME Code granted.
THOMAS,C.O. Integrated Safety Assessment Project Directorate. 87/10/26. MROCZKA,E J. Connecticut Yankee Atomic Power Co. 2pp. 43240:058-43240:063.

--8711020141 Safety evaluation supporting util 870825 & 0923 requests for relief from inservice insp requirements for hydrostatic testing of svc water sys.Requests granted.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 4pp. 43240:060-43240:063.

8711050100 Confirms dates of 871116-20 for NRC 10CFR50.49 equipment qualification insp at plant site,per 871020 telcon.Insp will include listed items.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/27. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 3pp. 43292:106-43292:108.

8711050098 Forwards Insp Rept 50-213/87-25 on 870826-1008.Util 870918 ltr advising NRC of decision to discontinue convening separate plant operations review committee meetings for review of plant design change records ack & acceptable.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/10/28. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 2pp. 43295:327-43295:359.

--8711050105 Safety Rept 50-213/87-25 on 870826-1008.No violations noted. One unresolved item identified.Major areas inspected:plant outage activities,radiation proctection,fire protection, security & licensee events.
MCCABE,E.C. Region 1, Ofc of the Director. 87/10/26. 31pp. 43295:328-43295:359.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges- Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 6pp. 43324:138-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp 43355:003-43355:119.

8711060040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190103 Monthly operating rept for Oct 1987.W/871115 ltr.
WALL,K.C., MILLER,D.B. Connecticut Yankee Atomic Power Co. 87-10. 87/10/31. 10pp. 43396:172-43396:181.

S. Reportable occurrences, LERs & related correspondence

8711090376 LER 87-016-00:on 871009,failure to rept two instances of pressurizer code safety valves not meeting lift setpoint tolerances discovered.Caused by misinterpretation of Tech Specs.Tech Specs will be clarified.W/871106 ltr.
L'HEUREUX,P.F., MILLER,D.B. Connecticut Yankee Atomic Power Co. 87/11/06. 5pp. 43321:169-43321:173.

8711180031 PNS-I-87-018:on 871112,handgun detected in duffle bag of contract security guard.Guard denied access to plant & suspended pending further investigation.Plant security personnel confirmed that guard was licensed to carry gun.
BAILEY,R., KEIMIG,R. Region 1, Ofc of the Director. 87/11/13. 1p. 43391:317-43391:317.

8711240285 LER 87-017-00:on 871023,fire watch left post before svc water pump water curtain sys returned to svc.Caused by personnel error.Review of incident for lessons learned & upgrades to station training program performed.W/871119 ltr.
EGER,W., MILLER,D.B. Connecticut Yankee Atomic Power Co. 87/11/19. 6pp. 43442:077-43442:081.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8711100343 Forwards new proposed security plan incorporating addl commitments & clarifications,per NRC 870904 ltr.Plan identifies how util will comply w/miscellaneous amends & search requirements.Plan withheld (ref 10CFR73.21).
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 87/10/22. Document Control Branch (Document Control Desk). 1p. 43334:343-43334:343.

P. Operating license stage documents & correspondence

8711250157 FOIA request for listed documents,including encls from NRC 870831 ltr requesting addl info on GPU Topical Repts TR-033 & TR-040 & encl to NRC meeting summary dtd 870819 re SPDS.
GRABER,L. NUS Corp. 87/10/20. Division of Rules & Records (Post 870413). 1p. 43461:304-43461:304.

8711030317 Discusses util proposed methodology to develop new seismic floor response spectra for facility,per 870903 meeting. Methodology acceptable provided that listed qualifications met.
DROMERICK,A.W. Project Directorate I-4. 87/10/27. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 43259:356-43259:358.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp 43402:001-43402:046

8711130188 Responds to NRC 861128 ltr requesting that util address provisions for monitoring low water level in intake canal re svc water pump suction elevation.Util believes existent procedures can cope w/low or high water levels.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/06. Document Control Branch (Document Control Desk) 2pp 43359:312-43359:313.

8711160070 Forwards Amend 118 to License DPR-16 & safety evaluation. Amend changes Tech Spec 4.3-G to include requirement for leak testing after each primary coolant sys pressure isolation valve movement.
DROMERICK,A.W. Project Directorate I-4. 87/11/06. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp 2pp. 43362:140-43362:147.

--8711160073 Amend 118 to License DPR-16,changing Tech Spec 4.3-G to include requirement for leak testing after each primary coolant sys pressure isolation valve movement.
STOLZ,J.F. Project Directorate I-4. 87/11/06 4pp 43362:142-43362:145.

--8711160079 Safety evaluation supporting Amend 118 to License DPR-16.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 2pp. 43362:146-43362:147.

8711200106 Forwards safety evaluation re 870911 violation of Safety Limit 2.1.E of Tech Specs that occurred when two sets of recirculation loop valves fully open.Safety significance of event low due to adequate core cooling.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 4pp. 43408:109-43408:158.

--8711200110 Safety evaluation re safety limit violation on 870911.Safety significance considered low due to adequate core cooling & low decay heat levels.Basis for conclusion elaborated in encl Insp Rept 50-219/87-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 3pp. 43408:113-43408:149.

--8711200114 Forwards Augmented Insp Team Insp Rept 50-219/87-29 on 870911-17.Issues resulting from insp including possible enforcement action will be subj for future correspondence.
KANE,W.F. Region 1, Ofc of the Director. 87/09/28. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 2pp. 43408:116-43408:117.

--8711200120 Insp Rept 50-219/87-29 on 870911-17.Violation noted:Major areas inspected:technical issues re reported violation of Safety Limit 2.1.E on 870911.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/09/25. 32pp. 43408:118-43408:149.

--8711200127 Directs recipient to perform insp of causes,safety implications & associated operator actions during radioactive coolant spill & actions taken resulting in safety limit violation on 870911.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/09/15. KANE,W.F. Region 1, Ofc of the Director. 3pp. 43408:150-43408:154.

--8711200132 Advises that author authorized to release all plant equipment to be maintained as found by Condition 2 of Confirmatory Action Ltr 87-12.Conditions no longer needed to analyze event.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/09/14. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 43408:155-43408:158.

8711200004 Forwards request for addl info re various submittals describing & analyzing electrical isolation between reactor protection sys & nonsafety sys,per SEP Topic VII-1.A. Response requested by 871215.
DROMERICK,A.W. Project Directorate I-4. 87/11/10. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 43407:121-43407:123.

8711190328 Provides supplemental info re Tech Spec Change Request 157 proposed rev to bases of Section 3.5 to permit access to trunnion room for insp & maint activities,per NRC questions. Request isolates room from secondary containment boundary.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/11. Document Control Branch (Document Control Desk). 2pp. 43401:331-43401:332.

8711180020 Forwards response to 870831 request for addl info re Reload Topical Repts 033 & 040.
WILSON,R.F. General Public Utilities Corp. - GPU Service Corp. 87/11/12. Document Control Branch (Document Control Desk). 45pp. 43395:119-43395:163.

8711200162 Notification of 871113 meeting w/util in Bethesda,MD to discuss matters re drywell corrosion problem.W/o stated meeting agenda.
DROMERICK,A.W. Project Directorate I-4. 87/11/13. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43416:012-43416:014.

8711250162 Final response to FOIA request for documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/20. GRABER,L. NUS Corp. 2pp. 43461:305-43461:318.

--8711250165 Package consisting of requests for addl info re GPU Topical Repts TR-033, "Methods for Generation of Core Kinetics Data for Retran-02" & TR-040, "Steady-State & Quasi-Steady-State Methods Used in Analysis...." SPDS meeting summary encl.
* Division of Rules & Records (Post 870413). 87/11/20. 12pp. 43461:307-43461:318.

8711300077 Forwards util technical functions safety/environ determination & 10CFR50.59 review confirming condition of drywell above sand entrenchment region.One oversize drawing also encl.
WILSON,R.F. General Public Utilities Corp. - GPU Service Corp. 87/11/20. STOLZ,J. Project Directorate I-4. 120pp. 43470:164-43470:282.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711050001 Forwards Insp Rept 50-219/87-30 on 870928-1002.No violations noted.
ANDERSON,C.J. Region 1, Ofc of the Director. 87/10/28. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 43302:134-43302:142.

--8711050002 Insp Rept 50-219/87-30 on 870928-1002.No violations or deviations noted.Major areas inspected:open items.
WINTERS,R.W., STROSNIDER,J. Region 1, Ofc of the Director. 87/10/19. 7pp. 43302:136-43302:142.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100317 EN-87-098.on or about 871105,confirmatory order will be issued to util based on 870911 safety limit violation.Order confirms util commitment to remove personnel involved from licensed duties & to provide NRC w/copy of investigation.
LIEBERMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/04. 1p. 43344:245-43344:246.

8711060114 Forwards confirmatory order confirming commitments made to NRC in various ltrs re events associated w/violation of safety limit at plant on 870911 & subsequent destruction of sequence of alarm tapes.
TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 87/11/05. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 1p. 43303:239-43303:245.

8711060125 Order modifying license to prohibit any member of operating Shift B involved in 870911 incident from performing licensed duties & directing licensee to provide Region I w/ investigation rept.
TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 87/11/05. General Public Utilities Corp. - GPU Service Corp. 6pp. 43303:240-43303:245.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711200106 Forwards safety evaluation re 870911 violation of Safety Limit 2.1.E of Tech Specs that occurred when two sets of recirculation loop valves fully open Safety significance of event low due to adequate core cooling.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 4pp. 43408:109-43408:158.

--8711200110 Safety evaluation re safety limit violation on 870911.Safety significance considered low due to adequate core cooling & low decay heat levels.Basis for conclusion elaborated in encl Insp Rept 50-219/87-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 3pp. 43408:113-43408:149.

--8711200114 Forwards Augmented Insp Team Insp Rept 50-219/87-29 on 870911-17.Issues resulting from insp including possible enforcement action will be subj for future correspondence.
KANE,W.F. Region 1, Ofc of the Director. 87/09/28. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 2pp. 43408:116-43408:117.

--8711200120 Insp Rept 50-219/87-29 on 870911-17.Violation noted:Major areas inspected:technical issues re reported violation of Safety Limit 2.1.E on 870911.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/09/25. 32pp. 43408:118-43408:149.

--8711200127 Directs recipient to perform insp of causes,safety implications & associated operator actions during radioactive coolant spill & actions taken resulting in safety limit violation on 870911.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/09/15. KANE,W.F. Region 1, Ofc of the Director. 3pp. 43408:150-43408:154.

8711180040 Forwards Integrated Performance Assessment Team Insp Rept 50-219/87-24 on 870810-21.Response detailing evaluation of insp team findings re ALARA program & administrative controls for plant engineering requested within 45 days.
KANE,W.F. Region 1, Ofc of the Director. 87/11/09. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 43391:057-43391:112.

--8711180049 Integrated Performance Assessment Team Insp Rept 50-219/87-24 on 870810-21.No violations noted.Major areas inspected:operations,maint,surveillance radiation control & onsite engineering support.
BLOUGH,A.R., BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/10/29. 52pp. 43391:061-43391:112.

8711180136 Forwards Insp Rept 50-219/87-28 on 870928-1002 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/10. FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 43391:340-43391:352.

--8711180143 Notice of violation from insp on 870928-1002.Violation noted:validity of previous calibr tests of installed plant equipment & acceptability of equipment not being evaluated for controlled test equipment discrepancy.
* Region 1, Ofc of the Director. 87/11/10. 1p. 43391:342-43391:342.

--8711180148 Insp Rept 50-219/87-28 on 870928-1002.Violations noted. Major areas inspected:nonlicensed staff training,including observation of work activities,training progress & QA/QC interface w/training.
OLIVEIRA,W., BLUMBERG,N. Region 1, Ofc of the Director. 87/11/02. 9pp. 43391:343-43391:352

8711190328 Provides supplemental info re Tech Spec Change Request 157 proposed rev to bases of Section 3.5 to permit access to trunnion room for insp & maint activities,per NRC questions. Request isolates room from secondary containment boundary.
FIEDLER,P.B. General Public Utilities Corp - GPU Service Corp. 87/11/11. Document Control Branch (Document Control Desk). 2pp. 43401:331-43401:332.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16 Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:286.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314

R. Periodic operating reports & related correspondence

8711160282 "Effluent Release Rept for Jan-June 1987." W/870831 ltr.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/08/30.
RUSSELL,W.T. Region 1, Ofc of the Director 87pp. 43369:101-43369:187.

8711050231 "Nuclear Safety & Compliance Committee Semiannual Rept 7 for Apr-Sept 1987." W/871102 ltr.
LANEY,R.V., HUMPHREYS,L.L., WITZIG,W.F. General Public Utilities Corp. - GPU Service Corp. 87/09/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 43292:040-43292:057.

S. Reportable occurrences, LERs & related correspondence

8711100292 Special Rept 87-06:on 870928-30,fire barrier penetration seals identified as not meeting acceptance criteria.Cause not stated.Fire watch established immediately.Fire barrier seals will be restored to functional status by 871030.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43330:200-43330:201.

8711130224 Forwards Rev 1 to LER 87-030.Event date incorrectly reported in two places on LER due to administrative oversight.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/05. Document Control Branch (Document Control Desk). 1p. 43357:331-43357:334.

--8711130211 LER 87-030-01:on 860422,primary & secondary containments isolated & standby gas treatment sys initiated due to voltage transient from lightning insulator failure.Caused by automatic bus transfer exceeding relay dropout time.
MCGRANE,J.P. General Public Utilities Corp. - GPU Service Corp. 87/11/05. 3pp. 43357:332-43357:334.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711130079 LER 87-037-00:on 871009,monthly calculations of dose due to radioiodine & particulates in gaseous effluents not performed for Jul & Aug 1987.Caused by personnel error due to inadequate training.Calculations completed.W/871106 ltr.
LEITMAN,L.W., FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/06. 4pp. 43354:028-43354:031.

8711190262 LER 87-039-00:on 871014,discovered that signal circuit from lockout relay not in compliance w/App R.Caused by design deficiency.Action taken to modify circuitry at Relay 86ID-X to comply w/10CFR50,App R criteria.W/871112 ltr.
LEITMAN,L.W., FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 4pp. 43401:043-43401:046.

8711230445 LER 87-036-00:on 871013,four workers entered locked high radiation area w/o min radiation monitoring equipment required by procedure & station Tech Specs Caused by personnel error & procedural noncompliance.W/871113 ltr.
GALANTO,J., FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/13. 5pp. 43421:287-43421:291.

8711230233 LER 87-040-00:on 871016,torus oxygen sample line isolation valves logic determined not to meet single failure criteria, per NRC GDC.Caused by design deficiency.Mod to valves will be made & standing order & procedure issued.W/871116 ltr.
LEITMAN,L.W., FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/16. 4pp. 43424:092-43424:095.

8711230396 PNO-I-87-109:on 871118,NRC informed by licensee mgt that large majority of members of Intl Brotherhood of Electrical Workers voted to reject contract offer.Picket lines may be set up at midnight.Criticality anticipated by early 871119.
COWGILL,C., BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/11/19. 1p. 43419:001-43419:001.

8711250231 Special Rept 87-07:on 871020,nonfunctional thermo lag fire barrier not restored to functional status within 7 days per Tech Spec 3.12.E.Caused by constraints imposed by increased maint activities.Fire watch established.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43460:166-43460:167.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711020193 Ack receipt of 861202 proposed amend to security plan re miscellaneous amends & search requirements.Response to comments requested within 30 days.
HAUGHEY,M. Project Directorate I-1. 87/10/20. MANGAN,C.V. Niagara Mohawk Power Corp. 4pp. 43239:210-43239:213.

8711130092 Advises that scheduled completion date of Oct 1987 for updating fire hazard analysis,per 870630 ltr,has been extended to Dec 1987.Addl time necessary to convert document to format consistent w/Branch Technical Position 9.5.1.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43355:128-43355:128.

8711180059 Forwards Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30.Violations noted will be discussed at enforcement conference.Concerns re adequacy of site operations review committee & addl Tech Spec violations also noted.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/10. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43391:132-43391:149.

--8711180069 Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30. Violations noted:Major areas inspected:staff on activities, licensee actions on previously identified items,safety sys walkdowns,physical security reviews & allegation followup.
JOHNSON,J.R. Region 2, Ofc of the Director. 87/11/09. 16pp. 43391:134-43391:149.

8711300180 Forwards addl info & revs to facility site security & safeguards contingency plan per 10CFR50.54(p).Implementation schedule also encl.Encls withheld (ref 10CFR73.21).
BERATTA,J.P. Niagara Mohawk Power Corp. 87/11/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43471.034-43471.034.

I. Financial information

8711160151 Forwards annual certified statement for 1986,consolidated balance sheet & statement of earnings for 9 months ending 870930 & 12 months ending 870930,1 yr internal cash flow projection & JW Powers narrative statement re cash flow.
RUSHMORE,J.W. Niagara Mohawk Power Corp. 87/11/10. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 43365:040-43365:085

P. Operating license stage documents & correspondence

8711100353 Responds to two questions in NRC 870820 ltr re quality of spent fuel racks fabricated by US Tool & Die Co & predecessor.Racks installed in 1983 fabricated under US Tool Co QA/QC control program.Program reviewed by util.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/10/26. Document Control Branch (Document Control Desk). 2pp. 43335:282-43335:283.

8711040020 Notification of 871117 meeting w/util in Bethesda,MD to discuss licensing issues.
HAUGHEY,M.F. Project Directorate I-1. 87/10/29. CAPRA,R.A. Project Directorate I-1. 3pp. 43280:083-43280:085.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190136 Forwards response to NRC 871031 request for review of tabulation of status of implementation of generic regulatory required improvements for facility.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/16. Document Control Branch (Document Control Desk). 13pp. 43398:001-43398:013.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040338 Forwards update,per util 870917 commitment in response to Insp Repts 50-220/86-23 & 50-410/86-59.W/o encl.
BERATTA,J.P. Niagara Mohawk Power Corp. 87/10/10. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43290.056-43290.056.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711040372 Forwards Insp Repts 50-220/87-18 & 50-410/87-37 on 870831-1004 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43273:298-43273:312.

--8711040376 Notice of violation from insp on 870831-1004.Violation noted:13 high/low pressure interface valves required to be disabled per FSAR Table 9B.5-1,energized during normal operation at approx 40% rated power.
* Region 1, Ofc of the Director. 87/10/29. 1p. 43273:300-43273:300.

--8711040379 Insp Repts 50-220/87-18 & 50-410/87-37 on 870831-1004. Violations noted:Major areas inspected:station activities including Unit 1 power operations & Unit 2 power ascension testing & licensee action on previously identified items.
JOHNSON,J.R. Region 1, Ofc of the Director. 87/10/29. 12pp. 43273:301-43273:312.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339

8711090239 Forwards Safety Insp Repts 50-220/87-20 & 50-410/87-36 on 870914-18 No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05 MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43321:120 43321:128.

--8711090255 Safety Insp Repts 50-220/87-20 & 50-410/87-36 on 870914-18. No violations or deviations noted.Major areas inspected: radwaste & transportation activities,includ ng mgt control, shipments of radwastes,training,procedures & QC.
DAVIDSON,B.S., PASCIAK,W.J. Region 1, Ofc of the Director. 87/11/02. 7pp 43321:122-43321:128.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06 Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp 43397:142-43397:257.

8711130034 Responds to violations noted in Insp Repts 50-220/87-13 & 50-410/87-29.Corrective actions:diesel generators wiped down regularly until seepages problem corrected.Response to IE Bulletins 79-27 & 80-25 also provided.
LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/06. Document Control Branch (Document Control Desk). 5pp. 43361:082-43361:086

8711180059 Forwards Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30.Violations noted will be discussed at enforcement conference.Concerns re adequacy of site operations review committee & addl Tech Spec violations also noted.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/10. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43391:132-43391:149.

--8711180069 Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30. Violations noted.Major areas inspected:station activities, licensee actions on previously identified items,safety sys walkdowns,physical security reviews & allegation followup.
JOHNSON,J.R. Region 2, Ofc of the Director. 87/11/09. 16pp. 43391:134-43391:149.

8711160226 Responds to violations noted in Insp Rept 50-220/87-17. Corrective actions,memo stressing importance of immediately accounting personnel w/positive whole body counts,performing intake calculations & notifying supervisors distributed.
LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/11. Document Control Branch (Document Control Desk). 3pp. 43365:014-43365:016

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated,Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250177 Forwards Equipment Qualification Insp Rept 50-220/86-05 on 860414-18 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/19 MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43459:181-43459:183.

--8711250184 Notice of violation from insp on 860414-18.Violation noted: qualification of Kerite cables & Model HTK power cable wired to Limitorque valve actuator not established at time of insp.
* Region 1, Ofc of the Director. 87/11/19. 1p. 43459:183-43459:183.

R. Periodic operating reports & related correspondence

8711160240 Forwards monthly operating rept for Oct 1987 & narrative rept of operating experience for Sept 1987.W/o narrative rept of operating experience.
LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43368:248-43368:253

--8711160257 Monthly operating rept for Oct 1987.
ROMAN,L. Niagara Mohawk Power Corp. 87/10/31. 5pp. 43368:249-43368:253.

S. Reportable occurrences, LERs & related correspondence

8711180052 Informs that util 871013 notification of event (Licensee Occurrence Rept 87-05) should be logged as 24 h event.
BERATTA,J.P. Niagara Mohawk Power Corp. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43391:131-43391:131.

8711190085 LER 87-014-00,on 871016,malfunction of turbine control sys occurred causing reactor scram.Caused by failure of electrical pressure regulator servo-valve due to binding of internal components.Servo-valve replaced.W/871116 ltr.
MAZZAFERRO,P., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/16. 7pp. 43396:210-43396:216.

8711190280 LER 87-015-00:on 871017,unit experienced full reactor scram, actuation of turbine trip signal & actuation of HPCI mode of logic.Caused by spurious actuation of intermediate-range monitor circuit due to noise.Scram reset.W/871116 ltr.
MAZZAFERRO,P., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/16 6pp. 43401:038-43401:042.

8711240162 LER 87-016-00:on 871019,full reactor scram,turbine trip signal actuation & HPCI actuation occurred.Caused by spurious actuation of intermediate range monitor trip due to noise.Noise problem investigated.W/871118 ltr.
MAZZAFERRO,P., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/18. 4pp. 43442:033-43442:037.

8711240221 LER 87-017-00:on 871020,section of raw water to core spray intertie piping not hydrostatically tested discovered.Caused by engineering design error.Piping reclassified to proper design pressure & temp.W/871119 ltr.
MAZZAFERRO,P., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/19. 6pp 43431:244-43431:249.

8711240196 LER 87-018-00:on 871022,instructor noticed that 115 kV power failure special operating procedure not included in index. Caused by personnel error.Controlled copy of procedure obtained & inserted into master file.W/871120 ltr.
MAZZAFERRO,P., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 5pp 43444:132-43444:136.

8711240223 LER 87-019-00:on 871021,areas in Battery & Battery Board Rooms 11 & 12 w/unprotected openings between rated ceiling & floor assemblies & nonrated wa discovered.Caused by personnel error.Fire watch patrol established W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20 10pp 43431:234-43431:243.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711240109 Responds to open items noted in NRC 870916 interim SER re pump & valve inservice testing program.Revised inservice testing program will be submitted in First Quarter 1988. Relief Requests PR-1,PR-1A,VR-22 & VR-16 encl.
SILADY,J.A. Commonwealth Edison Co. 87/11/17. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 43432:001-43432:008.

F. Security, medical, emergency & fire protection plans

8711030272 Forwards Rev 20 to plant security plan.Rev addresses vital area description changes requested by Region III safeguards inspector & administrative changes.Rev withheld (ref 10CFR73.21).
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43252:307-43252:307.

8711060236 Rev 2 to Emergency Plan Implementing Procedure EPIP 300-18, "Determination of Extent of Core Damage Under Accident Conditions." W/revised index.
* Commonwealth Edison Co. 87/10/30. 21pp. 43308:287-43308:307.

8711130003 Rev 1 to Procedure EPIP 200-8, "Operation During Earthquake Conditions (Primary Responsibility - Operations Director)."
* Commonwealth Edison Co. 87/10/31. 7pp. 43350:162-43350:168.

8711100109 Forwards request for addl info re 861126 application for amend to physical security plan in response to miscellaneous amends & search requirements.Requests response within 60 days of receipt of ltr.
GROTENHUIS,M. Project Directorate III-2. ERICKSON,P.B. Standardization & Non-Power Reactor Project Directorate. 87/11/02. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43340:030-43340:033.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711300269 Rev 8 to Emergency Plan Implementing Procedure EPIP 100-C1, "Station Director (Checklist of Initial Generating Station Emergency Plan Responsibilities)."
* Commonwealth Edison Co. 87/11/30. 12pp. 43465:093-43465:104.

P. Operating license stage documents & correspondence

8711030524 Repts status of program to resolve apparent discrepancies found between as-built & as-analyzed condition of certain Mark I torus attached piping at Dresden Units 2 & 3 & Quad Cities Units 1 & 2,per 870622 commitment.
JOHNSON,I.M. Commonwealth Edison Co. 87/10/23. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 43260:223-43260:225.

8711130244 Forwards response to NRC Technical Evaluation Rept EGG-NTA-7762 re conformance of facility to Reg Guide 1.97, Rev 2.
SILADY,J.A. Commonwealth Edison Co. 87/10/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 43355:283-43355:298.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190370 Forwards safety evaluation re util 831101 response to Generic Ltr 83-28,Item 2.1 (Part 1) re equipment classification.Response acceptable.
GROTENHUIS,M. Project Directorate III-2. 87/11/09. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 43404:341-43404:356.

--8711190371 Safety evaluation supporting util 831101 response to Generic Ltr 83-28,Item 2.1 (Part 1), "Equipment Classification."
* NRC - No Detailed Affiliation Given. 87/11/09. 2pp. 43404:343-43404:356.

8711190125 Forwards addl info re surveillance exam in reactor bldg basements to determine if water draining from expansion gap through other paths,per util 870511 response to Generic Ltr 87-05.
MORGAN,W.E. Commonwealth Edison Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43397:093-43397:097.

8711190191 Forwards description of allegations received & identity of some personnel allegedly involved in fitness for duty issue. Results of review & investigation should be submitted within 45 days of ltr receipt.Encl withheld (ref 10CFR2.790).
HIND,J.A. Region 3, Ofc of the Director. 87/11/13. Commonwealth Edison Co. 2pp. 43400:123-43400:124.

8711250091 Forwards request for addl info re 831101 response to Generic Ltr 83-28,Item 2.2,Part 1 re equipment classification.Util should provide info requested within 60 days of ltr date or provide schedule for submittal of info.
MULLER,D.R Project Directorate III-2 87/11/20. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43462:284-43462:287.

8711250268 Forwards safety evaluation accepting util 830815 & 870109 responses to Open Issues 4.2.4.1 & 4.2.4.2 re reactor protection sys control sys & process computer,respectively, to integrated plant safety assessment rept,Topic VII-1 A.
MULLER,D.R Project Directorate III-2. 87/11/20. BUTTERFIELD,L Commonwealth Edison Co. 4pp. 43463:013-43463:016.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E L. Dir of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711090295 Responds to NRC 870727 ltr re violations noted in Safety Insp Rept 50-237/87-06 & 50-249/87-11 on 870114-0717. Corrective actions:main frame structural steel connections inspected & stiffening plate welded to channel
TURBAK,M.S Commonwealth Edison Co. 87/09/24. DAVIS,A.B. Region 3, Ofc of the Director. 7pp. 43313:240-43313:247.

--8711090317 Documents 870819 telcon re 30-day extension for response to Insp Rpts 50-237/87-06 & 50-249/87-11 due to level of activity caused by ongoing diagnostic & augmented insp team feedwater transient evaluations.
JOHNSON,J M. Commonwealth Edison Co. 87/09/20. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43313:247-43313:247.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Rpts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions clerical personnel sent to finish filing procedures.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8711020419 Advises that commitments noted in Confirmatory Action Ltr CAL-RIII/87-01 re recovery program for licensed operator requalification program met.Insp results sent in Insp Repts 50-237/87-32 & 50-249/87-31.Confirmatory action ltr closed.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/27. REED,C Commonwealth Edison Co. 1p. 43236:300-43236:311.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160177 Forwards Insp Repts 50-237/87-26 & 50-249/87-25 on 870724-1022 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/12. REED,C. Commonwealth Edison Co. 2pp. 43369:017-43369:036.

--8711160192 Notice of violation from insp on 870724-1022.Violation noted:on 870818 Unit 2 reactor mode switch in "Run" position at 94% power level w/one APRM downscale/intermediate range hi-hi inoperable trip function (IRM-15/APRM-5).
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/12. 1p. 43369:019-43369:019.

--8711160203 Insp Repts 50-237/87-26 & 50-249/87-25 on 870724-1022. Violations noted:Major areas inspected:previous insp items, operational safety verification,followup of events,monthly maint observation & monthly surveillance observation.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 19pp. 43369:020-43369:038.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200153 Monthly operating rept for Oct 1987.W/871105 ltr.
MAXWELL,D.C., EENIGENBURG,E. Commonwealth Edison Co. 87/10/31. 28pp.

8711060143 Forwards biweekly status rept from resident staff at plant for 871009-23.
RING,M A. Region 3, Ofc of the Director. 87/11/01. NORELIUS,C E. Region 3, Ofc of the Director. 4pp. 43303:213-43303:216.

S. Reportable occurrences, LERs & related correspondence

8711060078 LER 87-031-00:on 871003,unplannned reactor bldg ventilation isolation & standby gas treatment sys auto start occurred. Caused by irradiated metal on fuel cask.Cask pad & areas in refuel pools will be inspected.W/871026 ltr.
BOYAR,J.W., EENIGENBURG,E. Commonwealth Edison Co. 87/10/26. 5pp. 43308:230-43308:234

8711040331 LER 87-029-00 on 871001,HPCI sys conservatively declared inoperable as result of steam leak in turbine shaft seal. Cause unknown Seal area observed for leakage during three startups W/871027 ltr.
LIZALEK,J., EENIGENBURG,E Commonwealth Edison Co. 87/10/27. 5pp. 43285:348-43285:353

8711200029 LER 87-034-00,on 871016,discovered that nonconservative core thermal power calculation due to inadequate calibr procedure,Rosemount feedwater flow transmitters recalibr & listed procedures to be revised W/871104 ltr.
WAGNER,M., EENIGENBURG,E. Commonwealth Edison Co. 87/11/04. 5pp 43410:156-43410:162.

8711230158 LER 87-032-00 on 871020,primary containment Group I isolation & reactor scram occurred.Caused by vibration of main steam line low pressure switch isolators installed to make switches less susceptible to vibration.W/871020 ltr.
WHALEN,R J., EENIGENBURG,E. Commonwealth Edison Co. 87/11/05. 5pp. 43418:115-43418:119.

8711200112 LER 87-019-01:on 860811,reactor scram occurred from main turbine trip on high water level Caused by personnel error. Event will be reviewed w/all operators & Action Item Record 12-87-10 issued to BWR engineering dept.W/871105 ltr.
JACKSON,R., EENIGENBURG,E. Commonwealth Edison Co. 87/11/07. 3pp 43402:321-43402:323.

8711200143 Forwards LER 87-001-01,providing results of addl ultrasonic exams performed on piping welds as result of indications reported in original rept
EENIGENBURG,E. Commonwealth Edison Co. 87/11/07. Document Control Branch (Document Control Desk). 1p 43408:225-43408:229.

--8711190311 LER 87-001-01:on 870102,ultrasonic testing showed through wall indications on weld PD5-D20.On 870121,circumferential indication through wall of RWCU sys 8 weld 8-12 discovered. Caused by IGSCC.Evaluation performed & welds repaired.
KOTRICH,E.J. Commonwealth Edison Co. 87/11/07. 4pp. 43408:226-43408:229.

8711190249 LER 87-030-00,on 871013 & 16,main steam valve setpoints found outside Tech Spec 4.6.E limits.Caused by mishandling of valves during transport & setpoint drift.Valves will be overhauled,retested,reset & procedure improved W/871113 ltr.
FLAHERTY,J.M., EENIGENBURG,E. Commonwealth Edison Co. 87/11/13. 5pp. 43401:056-43401:080.

V. Operator Examinations

8711020419 Advises that commitments noted in Confirmatory Action Ltr CAL-RIII/87-01 re recovery program for licensed operator requalification program met.Insp results sent in Insp Repts 50-237/87-32 & 50-249/87-31 Confirmatory action ltr closed.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/27. REED,C. Commonwealth Edison Co. 1p. 43236:300-43236:311.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8711230379 Forwards completely rewritten physical security plan designed to consolidate amends to existing plan into single document.Clarifying info re rewritten plan & specific changes encl.Encls withheld (ref 10CFR2.790).
JOHNSON,A G. Oregon State Univ., Corvallis, OR. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43424:216-43424:217.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711040367 "Emergency Preparedness Exercise Manual:1987 Plume Exposure Emergency Preparedness Exercise & Addendum For NY State Ingestion Pathway Exercise."
* Rochester Gas & Electric Corp. 87/10/25. 371pp. 43288:125-43288:135.

8711300033 "Ginna Station 1987 Plume Exposure Emergency Preparedness Exercise & Addendum for New York State Ingestion Pathway Exercise."
* Rochester Gas & Electric Corp. 87/10/31. 449pp. 43468:001-43469:172.

8711090170 Forwards Insp Rept 50-244/87-24 on 871026-29.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05 KOBER,R.W. Rochester Gas & Electric Corp. 2pp. 43313:321-43313:326.

--8711090171 Insp Rept 50-244/87-24 on 871026-29.No violations noted. Major areas inspected:licensee annual emergency exercise performed on 871027.
CONKLIN,C., FOX,J., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/02. 6pp 43313:323-43313:328.

8711170120 Forwards Rev 14 to Emergency Plan Implementing Procedure SC-420, "Estimating Offsite Doses," Rev 16 to "Nuclear Offsite Response Procedures Manual" & revised "Nuclear Emergency Info Plan" from emergency plan for plant.
KOBER,R.W. Rochester Gas & Electric Corp. 87/11/09. STAHLE,C. Office of Nuclear

--8711170182 Rev 14 to Emergency Plan Implementing Procedure SC-420, "Estimating Offsite Doses" & Rev 16 to "Emergency Response Offsite Response Procedures." MEYER,T.A Rochester Gas & Electric Corp 87/11/09. 50pp 43375:164-43375 213

--8711170223 Rev to "Nuclear Emergency Info Plan" from emergency plan for Ginna Nuclear Station.
NACY,G. Rochester Gas & Electric Corp. 87/10/15. 21pp. 43375:214-43375 234.

P. Operating license stage documents & correspondence

8711030007 Forwards Amend 24 to License DPR-18 & safety evaluation. Amend revises requirements of Tech Specs re definition of operability.
STAHLE,C. Project Directorate I-3. 87/10/27. KOBER,R.W. Rochester Gas & Electric Corp. 4pp. 43262:135-43262 212.

--8711030008 Amend 24 to License DPR-18,revising Tech Specs re definition of operability.
ROONEY,V.L. Project Directorate I-3 87/10/27. 66pp 43262:139-43262 205.

--8711030009 Safety evaluation supporting Amend 24 to License DPR-18.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 7pp. 43262:206-43262 212.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 87/11/04 Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240119 Forwards numbered pages of Attachment 1 to RW Kober 870611 response to Generic Ltr 87-06 re periodic verification of leak tight integrity of pressure isolation valves.Encl replaces original Attachment 1 in entirety.
KOBER,R.W. Rochester Gas & Electric Corp. 87/11/13. STAHLE,C. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 43430:081-43430:090.

8711300235 Forwards Rev 1 to "Steam Generator Hydraulic Snubber Replacement Program," clarifying matl & correcting typos from 871103 version.
KOBER,R.W. Rochester Gas & Electric Corp. 87/11/20. STAHLE,C. Document Control Branch (Document Control Desk). 1p. 43467:172-43467:219.

--8711300245 Rev 1 to "Steam Generator Hydraulic Snubber Replacement Program."
* Rochester Gas & Electric Corp 87/10/31. 47pp. 43467:173-43467:219.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413) 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030100 Responds to violations noted in Insp Rept 50-244/87-23. Corrective actions:de fuse discrepancies reevaluated & documentation of safety impact expanded in form of design analysis.
KOBER,R.W. Rochester Gas & Electric Corp. 87/10/21. RUSSELL,W.T. Region 1, Ofc of the Director. 4pp. 43260:173-43260:176.

8710300116 Forwards Insp Rept 50-244/87-20 on 870823-1003.No violations noted.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/10/22. KOBER,R.W. Rochester Gas & Electric Corp. 2pp. 43233:314-43233:324.

--8711020051 Insp Rept 50-244/87-20 on 870823-1003.No violations noted. Major areas inspected:licensee action on previous findings, plant operations,operational safety verification,plant maint,surveillance & review of periodic & special repts.
COWGILL,C.J. Region 1, Ofc of the Director. 87/10/22. 8pp. 43233:316-43233:324.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090170 Forwards Insp Rept 50-244/87-24 on 871026-29.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. KOBER,R.W. Rochester Gas & Electric Corp. 2pp. 43313:321-43313:328.

--8711090171 Insp Rept 50-244/87-24 on 871026-29.No violations noted. Major areas inspected:licensee annual emergency exercise performed on 871027.
CONKLIN,C., FOX,J., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/02. 6pp. 43313:323-43313:328.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:178-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300042 Forwards Insp Rept 50-244/87-26 on 871007-16.No violations noted.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/11/24. KOBER,R.W. Rochester Gas & Electric Corp 2pp. 43470:058-43470:065.

--8711300052 Insp Rept 50-244/87-26 on 871007-16.No violations noted. Major areas inspected:QA annual review,including records program,document control program,onsite review committee & personnel changes.
COWGILL,C.J. Region 1, Ofc of the Director. 87/11/20. 8pp. 43470:060-43470:065.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711230443 Revised emergency plan implementing procedures,including Rev 1 to EPIP Form 4201-16, "MP2 Steam Line Monitor" & Rev 0,Change 2 to EPIP Form 4606-1, "EOF ED/G Operability Test." W/871116 ltr.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/16. 9pp. 43421:311-43421:320.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-15,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 2pp. 43421:163-43421:171.

H. General correspondence

8711090330 Informs of organizational change affecting distribution lists for correspondence from NRC.RW Bishop no longer employed as corporate secretary & should be removed from list.
MROCZKA,E.J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43321:131-43321:132.

P. Operating license stage documents & correspondence

8711020151 Ack receipt of invoices G0029,G0063,G0064 & G0065 for first quarterly installment of 1988 annual fee,per 10CFR171. Understands that fee will be wire-transferred on 871030 in payment of invoices.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/26. Document Control Branch (Document Control Desk). 8pp. 43233:306-43233:313.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020313 Responds to NRC 870924 ltr re violations noted in Insp Rept 50-245/87-21.Corrective actions:discussion held between instrumentation & control dept supervisory personnel & technicians to improve performance.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/23. WIGGINS,J.T. Region 1, Ofc of the Director. 4pp. 43232:340-43232:343.

8711020099 Forwards safety evaluation supporting licensee 870730 & 0814 submittals re IGSCC insp & repair conducted during 1987 refueling outage.Plan for insp &/or mod to recirculation sys requested 3 months before start of next refueling outage.
BOYLE,M.L. Integrated Safety Assessment Project Directorate. 87/10/26. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43239:139-43239:144.

--8711020104 Safety evaluation supporting licensee 870730 & 0814 submittals re IGSCC insp & repair conducted during 1987 refueling outage.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 4pp. 43239:141-43239:144.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100378 Responds to violations noted in Insp Repts 50-245/86-06 & 50-336/86-06 on 860324-27.Corrective actions:training program developed & implemented & radioactive matls handling personnel will be trained by 871231.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/04. Document Control Branch (Document Control Desk). 3pp. 43335:220-43335.222.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17 Consolidated Edison Co. of New York, Inc. 120pp. 43487.001-43487:121.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-15,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43421:163-43421:171.

8711240032 Forwards Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.No violations identified.Thirteen previously identified items closed during insp.Three items requiring addl info & review discussed in rept.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43444:046-43444.060.

--8711240037 Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.Major areas inspected.followup of items previously identified re capability for post-accident sampling.Concern re technical review level noted.
WEADOCK,A., SHANBAKY,M. Region 1, Ofc of the Director. 87/11/12. 13pp. 43444.048-43444:060.

8711240193 Informs that util will extend inservice insp & testing program for second 10-yr interval by one yr,per Subarticle IWA-2400.New completion date for interval will be completion date for 1991 refueling outage scheduled for May 1991.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:137-43444:137.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250170 Forwards Insp Repts 50-245/87-17 & 50-336/87-15 on 870715-17 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/19. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43459:356-43460:007.

--8711250172 Notice of violation from Insp on 870715-17.Violations noted: licensee not able to provide documentation to establish qualification by test or analysis of GE SIS wire used in Valves 2-SI-651,2-CH-501 & 2-SI-644.
* Region 1, Ofc of the Director. 87/11/19. 2pp. 43459:358-43459.359.

--8711250178 Insp Repts 50-245/87-17 & 50-336/87-15 on 870715-17. Violations & one unresolved item noted.Major areas inspected.followup of equipment qualification findings identified in Insp Repts 50-245/85-30 & 50-336/85-35.
KOSHY,T., PAOLINO,R., ANDERSON,C. Region 1, Ofc of the Director. 87/11/17. 9pp. 43459:360-43460.007.

R. Periodic operating reports & related correspondence

8711160104 Monthly operating rept for Oct 1987.W/871110 ltr.
NEWBURGH,G., SCACE,S.E. Northeast Utilities. SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/10/31. 5pp. 43366:069-43366:073.

S. Reportable occurrences, LERs & related correspondence

8711040219 LER 87-006-02:on 860206,valve 1-MS-1D open limit switch failed to reset following valve closure & valve 1-MS-2D failed to operate.Caused by limit switch failure & dirt in valve.Valves repaired W/871029 ltr.
SUMMA,J.A., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/10/29. 6pp. 43290:012-43290:016.

8711160019 LER 87-041-00:on 871016,discovered design change implemented during recent refueling outage,requiring Tech Spec change, did not receive prior NRC approval.NRC notified & license amend request submitted on 871020,W/871113 ltr.
MURPHY,K.E., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/11/13. 4pp. 43395:116-43395:118.

8711250191 LER 87-016-02:on 870606,during refueling outage,addl isolation valves did not meet local leak rate test (LLRT) requirement,per Tech Spec 4.7.1.2.e.LLRT requirement satisfactorily retested subsequent to repair.W/871119 ltr.
GEORGIAN,L., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). *SCACE,S.E. Northeast Utilities. 87/11/19. 7pp. 43460:037-43460.043.*

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030210 Forwards public version of revised pages to Book 2 of emergency procedures document,including App A, "Emergency Roster" & App B, "Con Ed Medical Dept,Consultants & Agencies." W/871029 release memo.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/15. Document Control Branch (Document Control Desk). 3pp. 43245:246-43245:319.

--8711030216 Public version of revised pages to Book 2 of emergency procedures document,including App A, "Emergency Roster" & App B, "Con Ed Medical Dept,Consultants & Agencies." Revised Book 1 procedures also encl.
* Consolidated Edison Co. of New York, Inc. 87/10/15. 71pp 43245:249-43245:319.

8711050111 Forwards "Suppl to Post-Exercise Assessment,Version 2, 861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties," including corrected tables.
KRIMM,R.W. Federal Emergency Management Agency. 87/10/26. CONGEL,F.J Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43291:248-43292:039.

--8711060007 "Suppl to Post-Exercise Assessment,Version 2,861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties."
* Federal Emergency Management Agency. 87/09/16 151pp. 43291:249-43292.039.

8711050275 Forwards rev to emergency action level (EAL) tables per util 870710 response to Insp Rept 50-247/87-14.Revs incorporate NRC comments re interaction of EAL w/Emergency Procedure IP-1007, "Determination of Magnitude of Release..."
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/29. Document Control Branch (Document Control Desk). 11pp. 43284:064-43284.074.

8711130342 Ack receipt of util 861208 ltr transmitting proposed amend to plant physical security plan.Comments on physical security plan changes re miscellaneous amends & search requirements encl.Response requested within 30 days.
SLOSSON,M.M. Project Directorate I-1. 87/11/05. SELMAN,M. Consolidated Edison Co. of New York, Inc. 4pp. 43360.179-43360:182.

P. Operating license stage documents & correspondence

8710220407 Forwards "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept in response to IE Info Notice 84-91.Data *appears to be climatically representative & of high quality.*
SLOSSON,M.M. Project Directorate I-1. 87/10/14. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43132:289-43132:313.

8711030347 Advises that util 871013 request to withdraw 860724 application for amend to License DPR-26 re hurricane alert, granted.
SLOSSON,M.M. Project Directorate I-1. 87/10/29. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43250.034-43259.035.

8711030442 Forwards Amend 126 to License DPR-26 & safety evaluation. Amend revises Tech Specs to limit use of containment purge & vent isolation valves during power operations & clarifies requirements re containment isolation action statements.
SLOSSON,M.M. Project Directorate I-1. 87/10/29. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43280.348-43280.350.

--8711030446 Amend 126 to License DPR-26,revising Tech Specs to limit use of containment purge & vent isolation valves during power operations & clarifying requirements re containment isolation action statements.
CAPRA,R.A. Project Directorate I-1. 87/10/29. 6pp. 43280.348-43280.353.

--8711030447 Safety evaluation supporting Amend 126 to License DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/29. 5pp 43280:354-43280:358.

8711090263 Forwards addl info supporting util 870116 & 860731 submittals re NRC questions on ATWS mitigation sys actuation circuitry & design of isolation devices for safety assessment sys/SPDS.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/02. Document Control Branch (Document Control Desk). 297pp. 43311:229-43312:165.

8711090153 Advises that util 871022 ltr,describing results of investigation into anonymous 871016 allegation re fitness for duty program,including drug use among onsite contractor personnel,reviewed.No further action currently needed.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/03. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43313.309-43313:310.

8711130218 Advises that funds transferred on 871103 to NRC as first installment of FY88 annual fee for operation of facility. Payment made under protest w/full reservation of rights.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/03. Document Control Branch (Document Control Desk). 1p. 43355:310-43355:310.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402.001-43402.046.

8711160077 Advises that matter re requested addl info concerning Item 4.2 (Parts 3 & 4) of Generic Ltr 83-28 will be referred to Westinghouse Owners Group Tech Specs Subcommittee.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/05. Document Control Branch (Document Control Desk). 1p. 43364:228-43364:228.

8711160133 Confirms 871102 & 03 telcons re allegation concerning replacement of main electrical generator.Understands that util evaluated concerns & will provide details of review to senior resident inspector for NRC review of subj issues.
SWETLAND,P.D. Region 1, Ofc of the Director. 87/11/12. SELMAN,M. Consolidated *Edison Co. of New York, Inc. 2pp. 43391:283-43391:284.*

8711200069 Forwards Amend 127 to License DPR-26 & safety evaluation. Amend revises Tech Specs to allow containment integrated leak rate test duration of less than 24 h,as described in Rev 1 to Bechtel Power Corp Topical Rept BN-TOP-1.
SLOSSON,M.M. Project Directorate I-1. 87/11/16. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43414:330-43414:336.

--8711200071 Amend 127 to License DPR-26,revising Tech Specs to allow containment integrated leak rate test duration of less than 24 h,per Rev 1 to Bechtel Power Corp Topical Rept BN-TOP-1.
CAPRA,R.A. Project Directorate I-1. 87/11/16. 5pp. 43414:332-43414:336.

--8711200074 Safety evaluation supporting Amend 127 to License DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 2pp. 43414:337-43414:338.

8711240279 Forwards Amend 128 to License DPR-26 & safety evaluation. Amend revises Tech Specs to permit RHR pumps to remain operable during performance of safety injection test.
SLOSSON,M.M. Project Directorate I-1. 87/11/18. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43446:100-43446:107.

--8711240287 Amend 128 to License DPR-26,revising Tech Specs to permit RHR pumps to remain operable during performance of safety injection test.
CAPRA,R.A. Project Directorate I-1. 87/11/18. 4pp. 43446:102-43446:105.

--8711240289 Safety evaluation supporting Amend 128 to License DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/18. 2pp. 43446:106-43446:107.

8711250038 Forwards Amend 129 to License DPR-26 & safety evaluation. Amend revises Tech Specs to incorporate commitment to inservice insp & testing program & periodic updating. Issuance of amend applied for by 830829 ltr eliminated.
SLOSSON,M.M. Project Directorate I-1. 87/11/18. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43449:065-43449:075.

--8711250060 Amend 129 to License DPR-26,revising Tech Specs to incorporate commitment to inservice insp & testing program & periodic updating.
CAPRA,R.A. Project Directorate I-1. 87/11/18. 7pp. 43449:067-43449:073.

--8711250063 Safety evaluation supporting Amend 129 to License DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/18. 2pp. 43449:074-43449:075.

C. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710220407 Forwards "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept,in response to IE Info Notice 84-91.Data appears to be climatically representative & of high quality.
SLOSSON,M.M. Project Directorate I-1. 87/10/14. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43132:289-43132:313.

--8709090378 "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept.
ANDREWS,G.L. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/05/31. NRC - No Detailed Affiliation Given. 23pp. 43132:291-43132:313.

8711030120 Forwards Insp Rept 50-247/87-25 on 870901-1005 & notice of violation.Ack receipt of 870915 revised response to violation cited in Insp Rept 50-247/87-01.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/28. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43246:257-43247:010.

--8711030134 Notice of violation from Insp on 870901-1005.Violation noted:In Sept 1987,procedures not in place to implement & document channel checks required by Tech Spec Table 4.2.1.
* Region 1, Ofc of the Director. 87/10/28. 2pp. 43246:359-43246:360.

--8711030147 Insp Rept 50-247/87-25 on 870901-1005.Violations noted. Major areas inspected:licensee actions on previously identified insp findings,operations,maint,surveillance & review of periodic & special repts.
SWETLAND,P. Region 1, Ofc of the Director. 87/10/27. 10pp. 43247:001-43247:010.

8711040037 Forwards Relief Request 27,supplementing 10-yr interval inservice insp program for second insp interval Jul 1984 - June 1994.Fee paid
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/28. Document Control Branch (Document Control Desk). 3pp. 43290:163-43290:165.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711050275 Forwards rev to emergency action level (EAL) tables per util 870710 response to Insp Rept 50-247/87-14.Revs incorporate NRC comments re interaction of EAL w/Emergency Procedure IP-1007, "Determination of Magnitude of Release ..."
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/29. Document Control Branch (Document Control Desk). 11pp. 43284:064-43284:074.

8711050144 Confirms listed suppl info,clarifications & corrections to 870720 submittal,including fact that insp program will utilize state-of-the-art digital data analysis techniques.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43291:081-43291:082.

8711200291 Partially revised response to NRC 870105 ltr re violations noted in Insp Rept 50-247/86-28 on 861014-1121.Original response submitted on 870204.Rev documents specific actions taken w/original response submitted.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/10/30. KANE,W.F. Region 1, Ofc of the Director. 3pp. 43410:075-43410:077.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711130207 Forwards Insp Rept 50-247/87-23 on 870817-21 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/04. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43356:285-43356:286.

--8711130213 Notice of violation from Insp on 870817-21.Violation noted:documents used to support qualification of Raychem Model STICKY,SCL,TSC & WCS cable splices found not to contain sufficient evidence to demonstrate qualification.
* Region 1, Ofc of the Director. 87/11/04. 1p. 43356:287-43356:287.

--8711130239 Insp Rept 50-247/87-23 on 870817-21.Violations noted:Major areas inspected:Raychem cable splices to determine if licensee adequately addressed concerns of IE Info Notice 86-053.
CHEUNG,L.S., ANDERSON,C.J. Region 1, Ofc of the Director. 87/11/03. 9pp. 43356:288-43356:296.

8711160256 Forwards Relief Request 28 supplementing second 10-yr interval inservice insp program for review & approval.Relief requested due to presence of high radiation fields emanating from pressurizer interior.Fee paid.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/04. Document Control Branch (Document Control Desk). 3pp. 43371:213-43371:215.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170165 Forwards Relief Request 26 re second 10-yr interval inservice insp program demonstrating impracticality of requirements of sections of ASME Section XI to emergency & temporary repairs & providing alternatives.Fee paid.
SELMAN,M.R. Consolidated Edison Co. of New York, Inc. 87/11/09. Document Control Branch (Document Control Desk). 5pp. 43381:061-43381:065.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:286.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711250038 Forwards Amend 129 to License DPR-26 & safety evaluation. Amend revises Tech Specs to incorporate commitment to inservice insp & testing program & periodic updating. Issuance of amend applied for by 830829 ltr eliminated.
SLOSSON,M.M. Project Directorate I-1. 87/11/18. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43449:065-43449:075.

--8711250060 Amend 129 to License DPR-26,revising Tech Specs to incorporate commitment to inservice insp & testing program & periodic updating.
CAPRA,R.A. Project Directorate I-1. 87/11/18. 7pp. 43449:067-43449:073.

--8711250063 Safety evaluation supporting Amend 129 to License DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/18. 2pp. 43449:074-43449:075.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711250041 Grants requests for relief from certain inservice insp program ASME Code requirements for second 10-yr interval until next refueling outage following 1987 outage,when detailed NRC review complete.
CAPRA,R.A. Project Directorate I-1. 87/11/19. SELMAN,M. Commonwealth Edison Co. 3pp. 43462:281-43462:283.

E. Reportable occurrences, LERs & related correspondence

8711160236 LER 87-010-00:on 871008,containment noble gas radioactivity level momentarily elevated.Caused by momentary release of pressure from reactor vessel during Conoseal connector maint.Evaluation of design changes underway.W/871109 ltr.
ELLWANGER,J.R., SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/07. 4pp. 43365:021-43365:024.

8711170137 LER 87-011-00:on 871009,two svc water pumps failed ASME Section XI surveillance test.Caused by damage due to vortexing.Changes to pump mails & repair methods under evaluation.W/871109 ltr.
GOEBEL,J., SELMAN,M. Consolidated Edison Co. of New York, Inc. 87/11/09. 5pp. 43385:001-43385:005.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711240109 Responds to open items noted in NRC 870916 interim SER re pump & valve inservice testing program.Revised inservice testing program will be submitted in First Quarter 1988. Relief Requests PR-1,PR-1A,VR-22 & VR-16 encl.
SILADY,J A Commonwealth Edison Co. 87/11/17. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 43432:001-43432:008.

F. Security, medical, emergency & fire protection plans

8711030272 Forwards Rev 20 to plant security plan.Rev addresses vital area description changes requested by Region III safeguards inspector & administrative changes.Rev withheld (ref 10CFR73.21).
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43252:307-43252:307.

8711060236 Rev 2 to Emergency Plan Implementing Procedure EPIP 300-18, "Determination of Extent of Core Damage Under Accident Conditions." W/revised Index.
* Commonwealth Edison Co. 87/10/30. 21pp. 43308:287-43308:307.

8711130003 Rev 1 to Procedure EPIP 200-8, "Operation During Earthquake Conditions (Primary Responsibility - Operations Director)."
* Commonwealth Edison Co. 87/10/31. 7pp. 43350:162-43350:168.

8711100109 Forwards request for addl info re 861126 application for amend to physical security plan in response to miscellaneous amends & search requirements.Requests response within 60 days of receipt of ltr.
GROTENHUIS,M. Project Directorate III-2. ERICKSON,P.B. Standardization & Non-Power Reactor Project Directorate. 87/11/02. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43340:030-43340:033.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk) 1p. 43383:357-43383:357.

8711300269 Rev 8 to Emergency Plan Implementing Procedure EPIP 100-C1, "Station Director (Checklist of Initial Generating Station Emergency Plan Responsibilities)."
* Commonwealth Edison Co. 87/11/30. 12pp. 43465:093-43465:104.

P. Operating license stage documents & correspondence

8711030524 Repts status of program to resolve apparent discrepancies found between as-built & as-analyzed condition of certain Mark I torus attached piping at Dresden Units 2 & 3 & Quad Cities Units 1 & 2,per 870622 commitment.
JOHNSON,I.M. Commonwealth Edison Co. 87/10/23. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 43260:223-43260:225.

8711130244 Forwards response to NRC Technical Evaluation Rept EGG-NTA-7762 re conformance of facility to Reg Guide 1.97, Rev 2.
SILADY,J.A. Commonwealth Edison Co. 87/10/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 43355:283-43355:298.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190370 Forwards safety evaluation re util 831101 response to Generic Ltr 83-28,Item 2.1 (Part 1) re equipment classification.Response acceptable.
GROTENHUIS,M. Project Directorate III-2. 87/11/09. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 43404:341-43404:356.

--8711190371 Safety evaluation supporting util 831101 response to Generic Ltr 83-28,Item 2.1 (Part 1), "Equipment Classification."
* NRC - No Detailed Affiliation Given. 87/11/09. 2pp. 43404:343-43404:356.

8711190125 Forwards addl info re surveillance exam in reactor bldg basements to determine if water draining from expansion gap through other paths,per util 870511 response to Generic Ltr 87-05.
MORGAN,W.E. Commonwealth Edison Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43397:093-43397:097.

8711190191 Forwards description of allegations received & identity of some personnel allegedly involved in fitness for duty issue. Results of review & investigation should be submitted within 45 days of ltr receipt.Encl withheld (ref 10CFR2.790).
HIND,J.A. Region 3, Ofc of the Director. 87/11/13. Commonwealth Edison Co. 2pp. 43400:123-43400:124

8711250091 Forwards request for addl info re 831101 response to Generic Ltr 83-28,Item 2.2,Part 1 re equipment classification.Util should provide info requested within 60 days of ltr date or provide schedule for submittal of info.
MULLER,D.R. Project Directorate III-2. 87/11/20. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43462:284-43462:287.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - *Interim Rept.*"
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711090295 Responds to NRC 870727 ltr re violations noted in Safety Insp Rept 50-237/87-06 & 50-249/87-11 on 870114-0717. Corrective actions:main frame structural steel connections inspected & stiffening plate welded to channel.
TURBAK,M.S. Commonwealth Edison Co. 87/09/24. DAVIS,A.B. Region 3, Ofc of the Director. 7pp. 43313:240-43313:247.

-8711090317 Documents 870819 telcon re 30-day extension for response to Insp Repts 50-237/87-06 & 50-249/87-11 due to level of activity caused by ongoing diagnostic & augmented insp team feedwater transient evaluations.
JOHNSON,I.M. Commonwealth Edison Co. 87/08/20. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43313:247-43313:247.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Repts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions: clerical personnel sent to finish filing procedures.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8711250065 Forwards IGSSC insp plan for Winter 1988 outage,per Generic Ltr 84-11.NRC concurrence requested by 871215.
SILADY,J.A. Commonwealth Edison Co. 87/10/15 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43457:028-43457:031.

8711020224 Provides revised info in response to safety sys outage mod insp design phase re 250 volt battery sizing calculation. Page 2-38 of response encl.
JOHNSON,I.M. Commonwealth Edison Co. 87/10/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 43234:147-43234:152

8711020419 Advises that commitments noted in Confirmatory Action Ltr CAL-RIII/87-01 re recovery program for licensed operator requalification program met insp results sent in Insp Repts 50-237/87-32 & 50-249/87-31.Confirmatory action ltr closed.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/27. REED,C. Commonwealth Edison Co. 1p. 43236:300-43236:311.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co of New York, Inc 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160177 Forwards Insp Repts 50-237/87-26 & 50-249/87-25 on 870724-1022 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/12. REED,C. Commonwealth Edison Co. 2pp. 43369:017-43369:038.

-8711160192 Notice of violation from Insp on 870724-1022.Violation noted:on 870818 Unit 2 reactor mode switch in "Run" position at 94% power level w/one APRM downscale/intermediate range hi-hi inoperable trip function (IRM-15/APRM-5).
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/12. 1p. 43369:019-43369:019.

-8711160203 Insp Repts 50-237/87-26 & 50-249/87-25 on 870724-1022. Violations noted:Major areas inspected:previous insp items, operational safety verification,followup of events,monthly maint observation & monthly surveillance observation.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 19pp. 43369:020-43369:038.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

***8711120027** NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.*
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711060143 Forwards biweekly status rept from resident staff at plant for 871009-23.
RING,M.A. Region 3, Ofc of the Director. 87/11/01. NORELIUS,C.E. Region 3, Ofc of the Director. 4pp. 43303:213-43303:216.

S. Reportable occurrences, LERs & related correspondence

8711030125 LER 87-018-00,on 870930,fire protection procedure incorrectly classified in surveillance program.Caused by procedural deficiency.Surveillance program changed to require performance on 18-month interval.W/871026 ltr.
WHALEN,R.J., EENIGENBURG,E. Commonwealth Edison Co. 87/10/26. 4pp. 43255:330-43255:333.

V. Operator Examinations

8711020419 Advises that commitments noted in Confirmatory Action Ltr CAL-RIII/87-01 re recovery program for licensed operator requalification program met.Insp results sent in Insp Repts 50-237/87-32 & 50-249/87-31.Confirmatory action ltr closed.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/27. REED,C. Commonwealth Edison Co. 1p. 43236:300-43236:311.

8711060177 Ack receipt of response to NRC 870728 notice of violation & proposed imposition of civil penalty.Violations remain as presented.Order imposing civil monetary penalty in amount of $75,000,resulting from security program violations,encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413) 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43308:309-43308:314.

8711130055 Forwards Insp Repts 50-250/87-42 & 50-251/87-42 on 870928- 1002 & notice of violation.Reply unnecessary since corrective actions to prevent recurrence completed.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43354:199-43354:211.

--8711130072 Notice of violation from insp on 870928-1002.Violation noted:fire pump tested on 851007 & again on 851203,thus exceeding max time between surveillances of 45 days by 12 days.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 1p. 43354:201-43354:201.

--8711130075 Insp Repts 50-250/87-42 & 50-251/87-42 on 870928-1002. Violations noted:Major areas inspected:fire protection/ prevention & followup on previously identified insp items.
HARRIS,J.R., CONLON,T.E. Region 2, Ofc of the Director. 87/10/29. 10pp. 43354:202-43354:211.

8711160267 Emergency Procedure EP 20101, "Duties of Emergency Coordinator." W/ 871110 ltr.
WOODY,C.O. Florida Power & Light Co. 87/11/10. 63pp. 43369:227-43369:293.

8711170217 Forwards response in form of corrected page changes,Rev 12, to physical security plan per NRC 871005 ltr.Response withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43385:027-43385:027.

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

8711240312 Forwards 871028 enforcement conference summary re new & continuing programmatic problems associated w/physical security program noted in Insp Repts 50-250/87-38 & 50-251/87-38.Summary withheld (ref 10CFR2.790(d) & 73.21).
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43442:145-43442:146.

8711240308 Revised emergency plan implementing procedures,including HP-92, "Emergency Radiation Team Response - Offsite" & HP-91, "Emergency Radiation Team Response - Onsite."
WOODY,C.O. Florida Power & Light Co. 87/11/20. 21pp. 43442:293-43442:313

G. Adjudicatory correspondence

8711040186 Intervenor motion for extension of time to file intervenor proposed finding of fact & conclusions of law.* Requests extension until 871112.Certificate of Svc encl.
LORION,J. Center for Nuclear Responsibility. #487 4735. 87/10/29. Atomic Safety and Licensing Board Panel. 4pp. 43254:033-43254:036.

8711110091 Memorandum & order.* Affirms Board 870623 memo & order terminating proceeding on util application for amends to license.Served on 871105.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4762. 87/11/04. Florida Power & Light Co. 5pp. 43333:010-43333:014.

8711110112 Order.Extends time until 871112 for Commission to act to review 84-504-07 LA.Served on 871105.
LAZO,R.M. Atomic Safety and Licensing Board Panel. #487 4763. 87/11/04. 2pp. 43334:130-43334:131.

P. Operating license stage documents & correspondence

8711020408 Forwards responses to chemistry survey concerning feedwater & condensate sys.Daily chemistry records retrieved from microfilm & averaged to determine yearly values.Effort required five man-wks.
WOODY,C.O. Florida Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 7pp. 43234:079-43234:085.

8711040120 Forwards Procedure 0-ADM-019, "Mgt On Shift," per NRC 871019 order.Augmented mgt on shift program initiated on 871024.Util understands that no further order associated restrictions prevent plant from entering Mode 2 startup.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43290:261-43290:277.

--8711040125 Procedure 0-ADM-019, "Mgt On Shift."
* Florida Power & Light Co. 87/10/26. 16pp. 43290:262-43290:277.

8711050220 Forwards safety evaluation re reactor vessel surveillance program analysis of Capsule V.Method of analysis & results acceptable.Integrated analysis of all withdrawn capsule surveillance data should be provided & program revised.
MCDONALD,D.G. Project Directorate II-2. 87/10/30. WOODY,C.O. Florida Power & Light Co. 5pp. 43301:082-43301:093.

--8711050223 Safety evaluation supporting util 860829 & 870226 submittals re reactor vessel matl surveillance program analysis of Capsule V.Rept acceptable.Future use of info & data requires systematic error evaluation to support analysis & results.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 7pp. 43301:087-43301:093.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

--8711130201 Procedure 0-ADM-019, "Mgt On Shift (MOS)," weekly summary rept for wk starting 871024.
* Florida Power & Light Co. 87/10/24. 103pp. 43356:082-43356:184.

8711200188 Summary of 871020-22 meetings w/util re conversion of Tech Specs to format & content of STS for Westinghouse PWRs (NUREG-0452).List of attendees encl.
MCDONALD,D.G. Project Directorate II-2. 87/11/06. Project Directorate II-2. 4pp. 43414:339-43414:342.

8711130150 Informs of rev to Inservice test program to provide for testing certain safety injection valves at cold shutdown when RCS depressurized & vented & during each refueling outage.Revised relief request Bases 3,4 & 8 encl.
WOODY,C.O. Florida Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43356:075-43356:077.

8711200189 Forwards "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987," containing correct baseline schedules for forthcoming integrated license amends.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:261-43417:288.

--8711200230 "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987."
* Florida Power & Light Co. 87/11/30. 27pp. 43417:262-43417:288.

8711230323 Confirms 871110 telcon re 871124 site mgt meeting to discuss independent audit described in Order EA-87-085.Proposed agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 3pp. 43424:098-43424:100.

8711240199 Forwards response to NRC questions raised in 870922 telcon re util ATWS submittal.Issues discussed include conceptual design,isolators,uninterruptible power supply & frequency of end-to-end testing.
WOODY,C.O. Florida Power & Light Co. 87/11/19. Document Control Branch (Document Control Desk). 4pp. 43430:282-43430:285.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response.IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020009 Forwards Insp Repts 50-250/87-39 & 50-251/87-39 on 870824- 0921 notice of violation.
REYES,L.A. Region 2, Ofc of the Director. 87/10/26. WOODY,C.O. Florida Power & Light Co. 2pp. 43226:254-43226:279.

--8711020027 Notice of violation from insp on 870824-0921.Violations noted:failure to properly implement maint procedures for safeguards circuitry fuse control & failure to implement post-maint functional test.
REYES,L.A. Region 2, Ofc of the Director. 87/10/26. 2pp. 43226:256-43226:257.

--8711020036 Insp Repts 50-250/87-39 & 50-251/87-39 on 870824-0921. Violation noted:Major areas inspected:backshift insp,annual & monthly surveillances,maint observations & reviews,ESFs, operational safety,plant events & refueling startup.
BREWER,D.R., MACDONALD,J.B., WILSON,B. Region 2, Ofc of the Director. 87/10/23. 22pp. 43226:258-43226:279.

8711130200 Ack receipt of 871012 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-250/87-35 & 50-251/87-35.
REYES,L.A. Region 2, Ofc of the Director. 87/10/27. WOODY,C.O. Florida Power & Light Co. 1p. 43356:041-43356:041.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030551 Responds to violations noted in Insp Repts 50-250/87-36 & 50-251/87-36.Corrective actions:Procedures 3/4-OP-036.1, "Preparation for Refueling Activities & 3/4-OP-040.3, "Refueling Preshuffle in Spent Fuel Pit" revised.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43260:229-43260:232.

8711040350 Forwards supplemental response to IE Bulletin 80-11 in response to request for addl info made in Insp Repts 50-250/87-21 & 50-251/87-21.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43290:020-43290:022

8711060165 Informs of util intent to use ASME Boiler & Pressure Vessel Code Case N-237-2, "Hydrostatic Testing of Internal Piping, Section III,Div 1,Classes 2 & 3" in second 10-yr insp intervals,per Reg Guide 1.84.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:226-43303:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation in BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/0 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711060177 Ack receipt of response to NRC 870728 notice of violation & proposed imposition of civil penalty.Violations remain as presented.Order imposing civil monetary penalty in amount of $75,000,resulting from security program violations,encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43308:309-43308:314.

-8711090078 Order imposing civil monetary penalty in amount of $75,000.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. Florida Power & Light Co 4pp. 43308:311-43308:314.

8711090035 EN-87-060A:on 871105,order imposing civil penalty in amount of $75,000 issued to licensee based on two violations re access control & search.NRC concluded that violation did occur following review of util 870826 response.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. 1p. 43314:356-43314:356.

8711130055 Forwards Insp Repts 50-250/87-42 & 50-251/87-42 on 870928- 1002 & notice of violation.Reply unnecessary since corrective actions to prevent recurrence completed.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43354:199-43354:211.

-8711130072 Notice of violation from Insp on 870928-1002.Violation noted:fire pump tested on 851007 & again on 851203,thus exceeding max time between surveillances of 45 days by 12 days.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 1p. 43354:201-43354:201.

-8711130075 Insp Repts 50-250/87-42 & 50-251/87-42 on 870928-1002. Violations noted:Major areas inspected:fire protection/ prevention & followup on previously identified insp items.
HARRIS,J.R., CONLON,T.E. Region 2, Ofc of the Director. 87/10/29. 10pp. 43354:202-43354:211.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

8711170276 Responds to violations noted in Insp Repts 50-250/87-41 & 50-251/87-41.Corrective actions:startup dept organized to be responsible for sys acceptance walkdowns & testing.
WOODY,C.O. Florida Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 3pp. 43365:204-43365:206.

8711190279 Forwards Insp Repts 50-250/87-43 & 50-251/87-43 on 870921-1019 & notice of violation.
REYES,L.A. Region 2, Ofc of the Director. 87/11/12. WOODY,C.O. Florida Power & Light Co. 2pp. 43401:061-43401:080.

-8711190283 Notice of violation from Insp on 870921-1019.Violation noted:nuclear operator manipulated thermostat for heat tracing circuit Number 8 & failed to submit plant work order to have electrical maint check heat tracing thermostat.
REYES,L.A. Region 2, Ofc of the Director. 87/11/12. 2pp. 43401:063-43401:064.

-8711190285 Insp Repts 50-250/87-43 & 50-251/87-43 on 870921-1019. Violation & one unresolved item noted.Major areas inspected: backshift insp in areas of annual & monthly surveillance, maint observations & reviews,ESFs & operational safety.
BREWER,D.R., MACDONALD,J.B., MCELHINNEY,T.F. Region 2, Ofc of the Director. 87/11/04. 16pp. 43401:065-43401:080.

8711200111 Forwards revised response to violations noted in Insp Repts 50-250/87-41 & 50-251/87-41,per util 871112 ltr.Rev corrects inaccurate dates provided in Section 5 of original response. Mods performed in 1981-82 tested on 870902.
WOODY,C.O. Florida Power & Light Co. 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43413:358-43413:360.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190296 Revises response to violation Example E.2 from Insp Repts 50-250/86-33 & 50-251/86-33.AP 0103.32 re reactor cold shutdown conditions reviewed & revised to clarify requirements for RHR loop operability.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43402:240-43402:242.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230161 Ack receipt of 871030 response to notice of violation from Insp Repts 50-250/87-15,50-251/87-15,50-250/87-36 & 50-251/87-36.
STOHR,J.P. Region 2, Ofc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 1p. 43419:138-43419:138.

8711240116 Responds to NRC 871019 notice of violation & forwards payment for proposed civil penalty from listed insp repts. Addl long-term corrective actions will be provided in response to order.
WOODY,C.O. Florida Power & Light Co. 87/11/18. Ofc of Enforcement (Post 870413). 10pp. 43431:109-43431:118.

8711240312 Forwards 871028 enforcement conference summary re new & continuing programmatic problems associated w/physical security program noted in Insp Repts 50-250/87-38 & 50-251/87-38.Summary withheld (ref 10CFR2.790(d) & 73.21).
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43442:145-43442:146.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250226 Remits payment for NRC 871105 order imposing civil penalty, per Enforcement Action 87-098.
WOODY,C.O. Florida Power & Light Co. 87/11/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43460:030-43460:030

R. Periodic operating reports & related correspondence

8711020374 Forwards Sept 1987 progress summary of select sys assessment.Responsibility of mgt & coordination of performance enhancement project activities assigned to JK Hays as result of reassignment.
WOODY,C.O. Florida Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:229-43236:230.

8711230444 Monthly operating repts for Oct 1987.W/871116 ltr.
GRANT,N.W., WOODY,C.O. Florida Power & Light Co. 87/10/31. 19pp. 43421:292-43421:310.

8711160241 Forwards select sys assessment progress summary for Oct 1987.
WOODY,C.O. Florida Power & Light Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43369:001-43369:002.

8711190176 Forwards summary of mgt-on-shift repts,per NRC 871029 order.
WOODY,C.O. Florida Power & Light Co. 87/11/12. GRACE,J.N. Region 2, Ofc of the Director. 88pp. 43396:248-43396:335.

8711200337 Forwards biweekly status rept discussing recent operating events & performance trends for 871008-30.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. WOODY,C.O. Florida Power & Light Co. 6pp. 43410:036-43410:040.

8711240028 Forwards summary of mgt-on-shift repts weekly rept for wk of 871109-16,per Commission 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/11/18. GRACE,J.N. Region 2, Ofc of the Director. 97pp. 43440:267-43440:353.

8711300248 Forwards mgt-on-shift weekly rept for 871116-23,per NRC 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/11/25. GRACE,J.N. Region 2, Ofc of the Director. 94pp. 43472:149-43472:242.

S. Reportable occurrences, LERs & related correspondence

8711040136 LER 87-027-00:on 870930,containment vent isolation logic actuated due to radiation monitor increase above setpoint. Caused by transport of contaminated filter through auxiliary bldg.Procedures revised to prevent recurrence.W/871030 ltr.
WAGER,V.B., WOODY,C.O. Florida Power & Light Co. 87/10/30. 4pp. 43290:211-43290:214.

8711060016 LER 87-026-00:on 871002,discovered that hydrogen recombiner line inadequately tested after piping mod.Caused by deletion of requirement for testing in Administrative Site Procedure ASP-2.Recombiner line tested & ASP-2 revised.W/871102 ltr.
WAGER,V., WOODY,C.O. Florida Power & Light Co. 87/11/02. 4pp. 43308:268-43308:271.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711100307 Special rept:several impairments incurred during alternate shutdown mods,including impairments opened prior to Nov & stayed open for longer than required per Tech Specs. Compensatory measures continue.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43344:266-43344:268.

8711190181 LER 87-028-00:on 871015,discovered that required Tech Spec surveillance of control rod positions missed during peak shift on 870912.Caused by personnel error.Personnel counseled.Logs being reviewed for improvement.W/871116 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 87/11/16. 4pp. 43400:138-43400:141.

8711200078 LER 87-029-00:on 871015,determined that waste gas sys operated in configuration not described in FSAR.Caused by inadequate procedural rev.Procedure 3/4-OP-47.1 revised to ensure that valve 4527 closed.W/871116 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 87/11/16. 4pp. 43405:351-43405:354.

8711300254 LER 87-030-00:on 871027,determined that existing min recirculation design configuration for RHR sys potentially inadequate.Recirculation flow path for RHR pumps original design of plant.Mods developed.W/871123 ltr.
HART,R.D., WOODY,C.O. Florida Power & Light Co. 87/11/23. 5pp. 43472:132-43472:136.

V. Operator Examinations

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

8711060177 Ack receipt of response to NRC 870728 notice of violation & proposed imposition of civil penalty.Violations remain as presented.Order imposing civil monetary penalty in amount of $75,000,resulting from security program violations,encl
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43308:309-43308:314.

8711130055 Forwards Insp Repts 50-250/87-42 & 50-251/87-42 on 870928- 1002 & notice of violation.Reply unnecessary since corrective actions to prevent recurrence completed
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43354:199-43354:211.

--8711130072 Notice of violation from insp on 870928-1002.Violation noted:fire pump tested on 851007 & again on 851203,thus exceeding max time between surveillances of 45 days by 12 days
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 1p. 43354:201-43354:201.

--8711130075 Insp Repts 50-250/87-42 & 50-251/87-42 on 870928-1002. Violations noted:Major areas inspected:fire protection/ prevention & followup on previously identified insp items.
HARRIS,J.R. Region 2, Ofc of the Director. 87/10/23. 10pp. 43354:202-43354:211.

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

8711160267 Emergency Procedure EP 20101, "Duties of Emergency Coordinator." W/ 871110 ltr.
WOODY,C.O. Florida Power & Light Co. 87/11/10. 63pp. 43369:227-43369:293.

8711170217 Forwards response in form of corrected page changes,Rev 12, to physical security plan,per NRC 871005 ltr.Response withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43385:027-43385:027.

8711240312 Forwards 871028 enforcement conference summary re new & continuing programmatic problems associated w/physical security program noted in Insp Repts 50-250/87-38 & 50-251/87-38.Summary withheld (ref 10CFR2.790(d) & 73.21).
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43442:145-43442:146.

8711240308 Revised emergency plan implementing procedures,including HP-92, "Emergency Radiation Team Response - Offsite" & HP-91, "Emergency Radiation Team Response - Onsite."
WOODY,C.O. Florida Power & Light Co. 87/11/20. 21pp. 43442:293-43442:313.

G. Adjudicatory correspondence

8711040186 Intervenor motion for extension of time to file intervenor proposed finding of fact & conclusions of law.* Requests extension until 871112.Certificate of Svc encl.
LORION,J. Center for Nuclear Responsibility. #487 4735. 87/10/29. Atomic Safety and Licensing Board Panel. 4pp. 43254:033-43254:036.

8711110091 Memorandum & order.* Affirms Board 870623 memo & order terminating proceeding on util application for amends to license.Served on 871105.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4762. 87/11/04. Florida Power & Light Co. 5pp. 43333:010-43333:014.

8711110112 Order.Extends time until 871112 for Commission to act to review 84-504-07 LA.Served on 871105.
LAZO,R.M. Atomic Safety and Licensing Board Panel. #487 4763. 87/11/04. 2pp. 43334:130-43334:131.

P. Operating license stage documents & correspondence

8711020408 Forwards responses to chemistry survey concerning feedwater & condensate sys.Daily chemistry records retrieved from microfilm & averaged to determine yearly values.Effort required five man-wks.
WOODY,C.O. Florida Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 7pp. 43234:078-43234:085.

8711040120 Forwards Procedure 0-ADM-019, "Mgt On Shift," per NRC 871019 order.Augmented mgt on shift program initiated on 871024.Util understands that no further order associated restrictions prevent plant from entering Mode 2 startup.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43290:281-43290:277.

--8711040125 Procedure 0-ADM-019, "Mgt On Shift."
* Florida Power & Light Co. 87/10/26. 16pp. 43290:262-43290:277.

8711050220 Forwards safety evaluation re reactor vessel surveillance program analysis of Capsule V.Method of analysis & results acceptable.Integrated analysis of all withdrawn capsule surveillance data should be provided & program revised.
MCDONALD,D.G. Project Directorate II-2. 87/10/30. WOODY,C.O. Florida Power & Light Co. [illegible]301.082-43301:093.

supporting util 860829 & 870226 submittals re reactor
am analysis of Capsule V.Rept acceptable.Future use of
error evaluation to support analysis & results.
[illegible] Director (Post 870411). 87/10/30. 7pp.

ear power plants re policy

87/11/04. Consolidated

8711130177 Forwards Procedure 0-ADM-019, "Mgt On Shift (MOS)," weekly summary rept for wk starting 871024,per NRC 871019 order. Program will continue until review of results of independent appraisal program completed.
WOODY,C.O. Florida Power & Light Co. 87/11/04. GRACE,J.N. Region 2, Ofc of the Director. 1p. 43356:081-43356:184.

--8711130201 Procedure 0-ADM-019, "Mgt On Shift (MOS)," weekly summary rept for wk starting 871024.
* Florida Power & Light Co. 87/10/24. 103pp. 43356:082-43356:184.

8711200188 Summary of 871020-22 meetings w/util re conversion of Tech Specs to format & content of STS for Westinghouse PWRs (NUREG-0452).List of attendees encl.
MCDONALD,D.G. Project Directorate II-2. 87/11/06. Project Directorate II-2. 4pp. 43414:339-43414:342.

8711130150 Informs of rev to inservice test program to provide for testing certain safety injection valves at cold shutdown when RCS depressurized & vented & during each refueling outage.Revised relief request Bases 3,4 & 8 encl.
WOODY,C.O. Florida Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43356:075-43356:077.

8711200189 Forwards "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987," containing correct baseline schedules for forthcoming integrated license amends.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:261-43417:288.

--8711200230 "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987."
* Florida Power & Light Co. 87/11/30. 27pp. 43417:262-43417:288.

8711230323 Confirms 871110 telcon re 871124 site mgt meeting to discuss independent audit described in Order EA-87-085.Proposed agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 3pp. 43424:098-43424:100.

8711240199 Forwards response to NRC questions raised in 870922 telcon re util ATWS submittal.Issues discussed include conceptual design,isolators,uninterruptible power supply & frequency of end-to-end testing.
WOODY,C.O. Florida Power & Light Co. 87/11/19. Document Control Branch (Document Control Desk). 4pp. 43430:282-43430:286.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020009 Forwards Insp Repts 50-250/87-39 & 50-251/87-39 on 870824- 0921 & notice of violation.
REYES,L.A. Region 2, Ofc of the Director. 87/10/26. WOODY,C.O. Florida Power & Light Co. 2pp. 43226:254-43226:279.

--8711020027 Notice of violation from insp on 870824-0921.Violations noted:failure to properly implement maint procedures for safeguards circuitry fuse control & failure to implement post-maint functional test.
REYES,L.A. Region 2, Ofc of the Director. 87/10/26. 2pp. 43226:256-43226:257.

--8711020036 Insp Repts 50-250/87-39 & 50-251/87-39 on 870824-0921. Violations noted:Major areas inspected:backshift insp,annual & monthly surveillances,maint observations & reviews,ESFs, operational safety,plant events & refueling startup.
BREWER,D.R., MACDONALD,J.B., WILSON,S. Region 2, Ofc of the Director. 87/10/23. 22pp. 43226:258-43226:279.

8711130200 Ack receipt of 871012 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-250/87-35 & 50-251/87-35.
REYES,L.A. Region 2, Ofc of the Director. 87/10/27. WOODY,C.O. Florida Power & Light Co. 1p. 43356:041-43356:041.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030551 Responds to violations noted in Insp Repts 50-250/87-36 & 50-251/87-36.Corrective actions:Procedures 3/4-OP-038.1, "Preparation for Refueling Activities" & 3/4-OP-040.3, "Refueling Preshuffle in Spent Fuel Pit" revised.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43260:228-43260:232.

8711040350 Forwards supplemental response to IE Bulletin 80-11 in response to request for addl info made in Insp Repts 50-250/87-21 & 50-251/87-21.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43290:020-43290:022.

8711060156 Informs of util intent to use ASME Boiler & Pressure Vessel Code Case N-237-2, "Hydrostatic Testing of Internal Piping, Section III,Div I,Classes 2 & 3" for second 10-yr insp intervals,per Reg Guide 1.84.
WOODY,C.O. Florida Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:226-43303:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711060177 Ack receipt of response to NRC 870728 notice of violation & proposed imposition of civil penalty.Violations remain as presented.Order imposing civil monetary penalty in amount of $75,000,resulting from security program violations,encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43308:309-43308:314.

-8711090078 Order imposing civil monetary penalty in amount of $75,000.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. Florida Power & Light Co. 4pp. 43308:311-43308:314.

8711090035 EN-87-060A:on 871105,order imposing civil penalty in amount of $75,000 issued to licensee based on two violations re access control & search.NRC concluded that violation did occur following review of util 870826 response.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/05. 1p. 43314:356-43314:356.

8711130055 Forwards Insp Repts 50-250/87-42 & 50-251/87-42 on 870928- 1002 & notice of violation.Reply unnecessary since corrective actions to prevent recurrence completed.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. WOODY,C.O. Florida Power & Light Co. 2pp. 43354:199-43354:211.

-8711130072 Notice of violation from insp on 870928-1002.Violation noted:fire pump tested on 851007 & again on 851203,thus exceeding max time between surveillances of 45 days by 12 days.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 1p. 43354:201-43354:201.

-8711130075 Insp Repts 50-250/87-42 & 50-251/87-42 on 870928-1002. Violations noted Major areas inspected:fire protection/ prevention & followup on previously identified insp items.
HARRIS,J.R., CONLON,T.E. Region 2, Ofc of the Director. 87/10/29. 10pp. 43354:202-43354:211.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

8711170278 Responds to violations noted in Insp Repts 50-250/87-41 & 50-251/87-41.Corrective actions:startup dept organized to be responsible for sys acceptance walkdowns & testing.
WOODY,C.O. Florida Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 3pp. 43385:204-43385:208.

8711190279 Forwards Insp Repts 50-250/87-43 & 50-251/87-43 on 870921-1019 & notice of violation.
REYES,L.A. Region 2, Ofc of the Director. 87/11/12. WOODY,C.O. Florida Power & Light Co. 2pp. 43401:061-43401:080.

-8711190283 Notice of violation from insp on 870921-1019.Violation noted:nuclear operator manipulated thermostat for heat tracing circuit Number 8 & failed to submit plant work order to have electrical maint check heat tracing thermostat.
REYES,L.A. Region 2, Ofc of the Director. 87/11/12. 2pp. 43401:063-43401:064.

-8711190285 Insp Repts 50-250/87-43 & 50-251/87-43 on 870921-1019. Violation & one unresolved item noted.Major areas inspected: backshift insp in areas of annual & monthly surveillance, maint observations & reviews,ESFs & operational safety.
BREWER,D.R., MACDONALD,J.B., MCELHINNEY,T.F. Region 2, Ofc of the Director. 87/11/04. 16pp. 43401:065-43401:080.

8711200111 Forwards revised response to violations noted in Insp Repts 50-250/87-41 & 50-251/87-41,per util 871112 ltr.Rev corrects inaccurate dates provided in Section 5 of original response. Mods performed in 1981-82 tested on 870902.
WOODY,C.O. Florida Power & Light Co. 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43413:358-43413:360.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190296 Revises response to violation Example E.2 from Insp Repts 50-250/86-33 & 50-251/86-33.AP 0103.32 re reactor cold shutdown conditions reviewed & revised to clarify requirements for RHR loop operability.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43402:240-43402:242.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230161 Ack receipt of 871030 response to notice of violation from Insp Repts 50-250/87-15,50-251/87-15,50-250/87-36 & 50-251/87-36.
STOHR,J.P. Region 2, Ofc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 1p. 43419:138-43419:138.

8711240116 Responds to NRC 871019 notice of violation & forwards payment for proposed civil penalty from listed insp repts. Addl long-term corrective actions will be provided in response to order.
WOODY,C.O. Florida Power & Light Co. 87/11/18. Ofc of Enforcement (Post 870413). 10pp. 43431:109-43431:118.

8711240312 Forwards 871028 enforcement conference summary re new & continuing programmatic problems associated w/physical security program noted in Insp Repts 50-250/87-38 & 50-251/87-38.Summary withheld (ref 10CFR2.790(d) & 73.21).
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43442:145-43442:146.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250226 Remits payment for NRC 871105 order imposing civil penalty, per Enforcement Action 87-098.
WOODY,C.O. Florida Power & Light Co. 87/11/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43460.030-43460.030.

R. Periodic operating reports & related correspondence

8711020374 Forwards Sept 1987 progress summary of select sys assessment.Responsibility of mgt & coordination of performance enhancement project activities assigned to JK Hays as result of reassignment
WOODY,C.O. Florida Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:229-43236:230.

8711230444 Monthly operating repts for Oct 1987,W/871116 ltr.
GRANT,N.W., WOODY,C.O. Florida Power & Light Co. 87/10/31. 19pp. 43421:292-43421:310.

8711160241 Forwards select sys assessment progress summary for Oct 1987.
WOODY,C.O. Florida Power & Light Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43369.001-43369:002.

8711190176 Forwards summary of mgt-on-shift repts,per NRC 871029 order.
WOODY,C.O. Florida Power & Light Co. 87/11/12. GRACE,J.N. Region 2, Ofc of the Director. 88pp. 43396.248-43396:335.

8711200337 Forwards biweekly status rept discussing recent operating events & performance trends for 871008-30.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. WOODY,C.O. Florida Power & Light Co. 6pp. 43410:036-43410.040.

8711240028 Forwards summary of mgt-on-shift repts weekly rept for wk of 871109-16,per Commission 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/11/18. GRACE,J.N. Region 2, Ofc of the Director. 97pp. 43440.267-43440:353.

8711300248 Forwards mgt-on-shift weekly rept for 871116-23,per NRC 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/11/25. GRACE,J.N. Region 2, Ofc of the Director. 94pp. 43472:148-43472:242.

S. Reportable occurrences, LERs & related correspondence

8711130170 PNO-II-87-076:on 871021 & 25,voiding noted in vessel head regions.Caused by mispositioned manual valve in nitrogen vent line.Investigation continuing.
SCOTT,M. Region 2, Ofc of the Director. 87/10/28. 1p. 43357:269-43357:269.

8711170226 Summary of Operating Reactors Events Meeting 87-36 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711160102 LER 87-024-00:on 871008,temp for Boric Acid Heat Tracing Circuit Number 6 decreased below 145 F.Caused by cold flushing of crosstie line.Flushing of boric acid pump crosstie line stopped & sys alignment restored.W/871109 ltr.
WAGER,V., WOODY,C.O. Florida Power & Light Co. 87/11/09. 4pp. 43368:232-43368:235.

8711170113 LER 87-025-00:on 871012,containment vent & control room ventilation isolation actuated.Caused by high levels of Rb-88 in containment following unit shutdown.Containment activity level returned to normal.W/871112 ltr.
WAGER,V., WOODY,C.O. Florida Power & Light Co. 87/11/12. 4pp. 43381:024-43381:027.

V. Operator Examinations

8711130081 Forwards summary of 870730 meeting w/util re discussion of SALP Repts 50-250/87-19 & 50-251/87-19 & NRC response to util 870921 comments.Meeting slides also encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/06. WOODY,C.O. Florida Power & Light Co. 25pp. 43354:092-43354:116.

DOCKET 50-252 UNIV. OF NEW MEXICO RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020213 Confirms that JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,effective on 871025,to replace R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. WILLIAMS,F. New Mexico, Univ. of, Albuquerque, NM. 2pp. 43234:128-43234:129.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711050263 Ack receipt of util 861126 ltr transmitting proposed amend to plant physical security plan.Comments on physical security plan changes encl.Response requested within 60 days from receipt of ltr.
ROSS,T.M. Project Directorate III-2. 87/10/27. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43301:131-43301:134.

8711120064 Revised procedures,including Rev 2 to QEP 185-1, "Onsite Environ Director Implementing Procedure," Rev 1 to QEP 185-S1, "Environs Director Checklist" & Rev 1 to QEP 185-S2, "Environs Team Summary Record."
* Commonwealth Edison Co. 87/10/30. 12pp. 43350:091-43350:102

8711060183 Advises that 870818 Rev 7 & 870917 clarification to emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwealth Edison Co. 2pp. 43303:184-43303:185.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711240215 Revised station procedures,including Rev 28 to QEP 330-0, "Assessment Actions" & Rev 1 to QEP 330-14, "In-Plant Dose Rate Survey During Accident Conditions."
* Commonwealth Edison Co. 87/11/12. 7pp. 43442:026-43442:032.

8711250025 Revised procedures,consisting of Rev 37 to QEP 310-0, "Notification of Responsible Authorities" & Rev 21 to QEP 310-T3, "Prioritized Notification Listing."
* Commonwealth Edison Co. 87/11/30. 14pp. 43457:342-43457:355.

P. Operating license stage documents & correspondence

8711030524 Repts status of program to resolve apparent discrepancies found between as-built & as-analyzed condition of certain Mark I torus attached piping at Dresden Units 2 & 3 & Quad Cities Units 1 & 2,per 870622 commitment.
JOHNSON,J.M. Commonwealth Edison Co. 87/10/23. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 43260:223-43260:225.

8711120022 Forwards notice of consideration of issuance of amend to facility OL & opportunity for prior hearing filed w/Ofc of FR for publication.Amend revises license conditions & Tech Specs to provide for Cycle 10 operation.
MULLER,D.R. Project Directorate III-2. 87/10/30. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 43348:043-43348:054.

--8711120028 Notice of consideration of issuance of amend to facility OL & opportunity for prior hearing.Amend will revise certain license conditions & Tech Specs to provide for Cycle 10 operation of facility.
MULLER,D.R. Project Directorate III-2. 87/10/30. 6pp. 43348:045-43348:050.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090269 Documents 871103 meeting between util & NRC re discussion of NRR position on environ qualification of Simplex electrical cables at plant.G Holahan 870930 memo,util viewgraphs & attendee list encl.Util will be notified of review results.
MILLER,H.J. Region 3, Ofc of the Director. 87/11/06. REED,C. Commonwealth Edison Co. 2pp. 43322:179-43322:222.

--8710080027 Responds to 870715 request for NRR assistance to determine environ qualification status of cables mfg by SIMPLEX.Based on review,NRR concludes that adequate justification not provided to demonstrate environ qualification of cables.
HOLAHAN,G. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/09/30. MILLER,H.J. Region 3, Ofc of the Director. 38pp. 43322:181-43322:222.

8711170118 Application for amends to Licenses DPR-29 & DPR-30,revising Tech Specs re HPCI & RCIC steam line high flow indication. Fee paid.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43382:304-43382:314.

--8711170147 Proposed Tech Specs,revising HPCI & RCIC steam line high flow indication.
* Commonwealth Edison Co. 87/11/06. 9pp. 43382:306-43382:314.

8711190125 Forwards addl info re surveillance exam in reactor bldg basements to determine if water draining from expansion gap through other paths,per util 870511 response to Generic Ltr 87-05.
MORGAN,W.E. Commonwealth Edison Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43397:093-43397:097.

8711300083 Application for amend to License DPR-29,supplementing 860128 amend request re operation w/failed jet pump instrument line.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43467:349-43467:360.

--8711300093 Proposed Tech Specs re operation w/failed jet pump instrument line.
* Commonwealth Edison Co. 87/11/16. 10pp. 43467:351-43467:360.

8711240238 Application for amend to License DPR-29,supporting mods to standby liquid control sys being implemented to comply w/ 10CFR50.62 & correcting ref made to figure in Tech Specs deleted as result of proposed amend.Fee paid.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/17. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43442:014-43442:025.

--8711240250 Proposed Tech Specs supporting mods to standby liquid control sys being implemented to comply w/10CFR50.62 & correcting ref made to figure in Tech Specs deleted as result of proposed amend.
* Commonwealth Edison Co. 87/11/17. 10pp. 43442:016-43442:025.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020429 Forwards proposed IGSCC insp plan for Fall 1987,per Generic Ltr 84-11.Current plans call for outage to begin in mid-Sept & terminate in early Dec 1987.
JOHNSON,I.M. Commonwealth Edison Co. 87/06/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43235:068-43235:070.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870725). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200032 Discusses Confirmatory Action Ltr (CAL) RIII-86-07,Amend 1, dtd 861114,re recovery program for licensed operator requalification program.Util CAL commitments met,based on encl Insp Repts 50-254/87-29 & 50-265/87-29.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/16. REED,C. Commonwealth Edison Co. 1p. 43410:147-43410:157.

--8711200041 Safety Insp Repts 50-254/87-29 & 50-265/87-29 on 871019-21. No violations or deviations noted.Major areas inspected: Implementation of conditions of 861114 Amend 1 to Confirmatory Action Ltr CAL-RIII-86-07.
HASSE,R.A., HOPKINS,J.A., PHILLIPS,M.P. Region 3, Ofc of the Director. 87/11/04. 10pp. 43410:148-43410:157.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300069 Forwards Safety Insp Repts 50-254/87-26 & 50-265/87-25 on 870922-1105 & notice of violation.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/23. REED,C. Commonwealth Edison Co. 2pp. 43470:082-43470:093.

--8711300101 Notice of violation from insp on 870922-1105.Violation noted:precaution statement in procedure which stated that opening racking screw shutter on closed circuit breaker would trip breaker incorrect.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/23. 1p. 43470:084-43470:084.

--8711300113 Insp Repts 50-254/87-25 & 50-265/87-25 on 870922-1105. Violations noted:Major areas inspected:licensee implementation of Generic Ltr 85-06 re ATWS mitigation sys (25020) & onsite followup events.
WESTBERG,R.A., GARDNER,R.N. Region 3, Ofc of the Director. 87/11/23. 9pp. 43470:085-43470:093.

R. Periodic operating reports & related correspondence

8711170166 Forwards listing of facility changes,tests & experiments completed during Oct 1987,per 10CFR50.59.
ROBEY,R.A. Commonwealth Edison Co. 87/11/04. LIEBERMAN,J. NRC - No Detailed Affiliation Given. 2pp. 43381:059-43381:060.

V. Operator Examinations

8711200032 Discusses Confirmatory Action Ltr (CAL) RIII-86-07,Amend 1, dtd 861114,re recovery program for licensed operator requalification program.Util CAL commitments met,based on encl Insp Repts 50-254/87-29 & 50-265/87-29.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/16. REED,C. Commonwealth Edison Co. 1p. 43410:147-43410:157.

--8711200041 Safety Insp Repts 50-254/87-29 & 50-265/87-29 on 871019-21. No violations or deviations noted.Major areas inspected: Implementation of conditions of 861114 Amend 1 to Confirmatory Action Ltr CAL-RIII-86-07.
HASSE,R.A., HOPKINS,J.A., PHILLIPS,M.P. Region 3, Ofc of the Director. 87/11/04. 10pp. 43410:148-43410:157.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8711030250 Rev 3 to Attachment 1 to Emergency Implementation Procedure EI-6.10, "Offsite Dose Calculation-Straight Line Gaussian (Manual Method)."
* Consumers Power Co. 87/10/20. 8pp. 43252:005-43252:011.

8711030554 Rev 3 to Emergency Implementation Procedure EI-6.4, "Release/Potential Release Determination From Containment High-Range Monitors."
* Consumers Power Co. 87/10/21. 3pp. 43251:320-43251:322.

8711030074 Forwards Safety Insp Rept 50-255/87-24 on 870911-1005.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/22. BUCKMAN,F.W. Consumers Power Co. 2pp. 43255:231-43255:241.

--8711030087 Insp Rept 50-255/87-24 on 870911-1005.No violations or deviations noted.Major areas inspected:followup of previous insp findings,operational safety,maint,surveillance,physical security,radiological protection & reportable events.
BURGESS,B.L. Region 3, Ofc of the Director. 87/10/21. 9pp. 43255:233-43255:241.

8711020364 Comments on SALP 7 rept in response to 871001 SALP meeting. Plant operations expectations better defined & written into procedures & operators trained to meet new stds.
BUCKMAN,F.W. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 8pp. 43234:059-43234:067.

8711180027 Rev 2 to Attachment 2 to Procedure EI-15.2, "Quarterly Communications Drill Telephone Number Verifications."
* Consumers Power Co. 87/10/30. 3pp. 43391:285-43391:287.

8711180036 Rev 10 to Attachment 4 of Emergency Plan Implementing Procedure EI-3, "Emergency Support Contact List."
* Consumers Power Co 87/10/30. 2pp. 43391:338-43391:339.

8711180042 Rev 5 to Section 6 of site emergency plan Rev & approval summary & revised table of contents also encl.
BRUNET,J.R. Consumers Power Co. 87/11/02. 27pp. 43386:056-43386:082.

8711180056 Rev & approval summary sheet to Rev 4 to Section 3 of site emergency plan.
BRUNET,J.R. Consumers Power Co 87/11/02. 9pp. 43386:102-43386:110.

8711180087 Rev & approval summary sheet to Rev 3 to Section 1 of site emergency plan.
BRUNET,J.R. Consumers Power Co. 87/11/02. 9pp. 43391:183-43391:191.

8711180124 Rev 11 to Procedure EI-3, "Communications & Notifications."
BRUNET,J.R., DAWSON,M., KOZUP,C.S Consumers Power Co. 87/11/02. 11pp. 43395:057-43395:067.

8711170160 Documents verbal requests for addl response time to provide comments on proposed amend to fac l.ty physical security plan.Util to submit requested response by 871214.
JOHNSON,B.D. Consumers Power Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43383:030-43383:030.

8711230265 Forwards Safety Insp Rept 50-255/87-25 on 871006-1102.No violations or deviations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. BUCKMAN,F.W. Consumers Power Co. 2pp. 43424:079-43424:091.

--8711230275 Insp Rept 50-255/87-25 on 871006-1102.No violations or deviations noted.Major areas inspected:operational safety, maint,surveillance,physical security,radiological protection & ESFs walkdown.
BURGESS,B.L. Region 3, Ofc of the Director. 87/11/17. 11pp. 43424:081-43424:091.

8711230390 Forwards Safeguards Insp Rept 50-255/87-26 on 871019-23 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/18. BUCKMAN,F.W. Consumers Power Co. 2pp. 43423:058-43423:060.

--8711230405 Partially withheld Physical Security Insp Rept 50-255/87-26 on 871019-23 (ref 10CFR73.21).Violation noted.Major areas inspected:security plan/implementing procedures,mgt effectiveness,security organization & records & repts.
DROUIN,B , GALANTI,D.M., CREED,J.R. Region 3, Ofc of the Director. 87/11/10. 1p. 43423:060-43423:060.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711090278 Forwards Rev 3 to updated FSAR for Palisades Plant, reflecting removal of pressurizer heater load ctrs from safety injection sys,revised turbine valve test frequency & replacement of heat tracing on iodine removal sys piping.
BUCKMAN,F.W. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43319:030-43320:191.

--8711090308 Rev 3 to updated FSAR for Palisades Plant.W/112 oversize figures.
* Consumers Power Co 87/10/30. 518pp. 43319:034-43320:191.

P. Operating license stage documents & correspondence

8711030320 Forwards Amend 109 to License DPR-20 & safety evaluation. Amend changes Tech Specs for surveillance of containment prestressing sys.New surveillance consistent w/criteria of pending ASME Code,Section XI.
WAMBACH,T.V. Project Directorate III-1. 87/10/28. BERRY,K.W. Consumers Power Co. 2pp. 43258:317-43258:335.

--8711030325 Amend 109 to License DPR-20,changing Tech Specs for surveillance of containment prestressing sys.New surveillance consistant w/criteria of pending ASME Code, Section XI,Subsection IWL.
VIRGILIO,M.J. Project Directorate III-1. 87/10/28. 13pp. 43258:319-43258:331.

--8711030326 Safety evaluation supporting Amend 109 to License DPR-20.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. 4pp. 43258:332-43258:335.

8711030234 Forwards exceptions,clarifications & schedule changes & sys functional evaluation program update from 1986-1987 maint outage,per 870914 ltr in response to NRC confirmatory action ltr dtd 860521.
BUCKMAN,F.W. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 203pp. 43249:105-43250:037.

8711030456 Forwards Rev 6 to "QA Program Description for Operational Nuclear Power Plants" & lists of affected pages & change matrices for Revs 6 & 7 of QA program description.
FRISCH,R.R. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 25pp. 43250:038-43250:160.

--8711030464 Rev 4 to "QA Program Description for Operational Nuclear Power Plants."
MCCORMICK,W.T., REYNOLDS,J.W., HOWELL,S.H Consumers Power Co. 87/06/25. 86pp. 43250:063-43250:150.

8711050195 Forwards revised Tech Spec pages to Amend 108 to License DPR-20 due to reproduction error.Pages printed back-to-back causing pages to be out of sequence when inserted into Tech Specs
WAMBACH,T.V. Project Directorate III-1. 87/10/30 BERRY,K.T. Consumers Power Co. 2pp. 43300:353-43301:021.

--8711050284 Errata to Amend 108 to License DPR-20,consisting of corrected Tech Specs pages due to reproduction error.
* Project Directorate III-1. 87/10/30. 27pp. 43300:355-43301:021.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046

8711130060 Advises that revs to Tech Specs to include low temp overpressure protection requirements to prevent pressure/ temp curves from being exceeded will be submitted within 60 days.Intermediate & long-term plans expected by 871201
SMEDLEY,R.W. Consumers Power Co. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43354:212-43354:213.

8711100492 Submits rev to 871105 ltr re low temp overpressure protection.Changes to Items 1 & 2 allow lower setpoint to be used & facilitate setpoint change & Item 4 increases temp below which HPSI pump control fuses will be removed.
SMEDLEY,R.W. Consumers Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43344:320-43344:321

8711110007 Forwards Rev 1 to NUS-1721, "App I Analysis,Crystal River Nuclear Unit" & NUS-1729, "App I Analysis,Palisades Plant," for placement in Document Control Sys.
CUNNINGHAM,L.J. Radiation Protection Branch 87/11/09. SKOCZLAS,J.A. Document Control Branch (Document Control Desk) BAILEY,I.K. Records Services Branch. 1p. 43344:001-43344:208

--8711110008 Rev 1 to "App I Analysis,Crystal River Nuclear Unit."
ALBERSHEIM,S.R., CONWAY,T.W., DINUNNO,J.J. NUS Corp NUS-1721 R01. 76/05/31. 132pp. 43344:002-43344:133.

--8711110010 Forwards "App I Analysis,Palisades Plant," per 10CFR50 App I & proposed Tech Specs re design objectives & limiting conditions for operation ALARA for radioactive matl in light-water-cooled reactor effluents
BIXEL,D.A. Consumers Power Co 76/06/04. PURPLE,R.A Operating Reactors Branch 1 (Pre 800428). 1p. 43344:134-43344:208.

--8711110012 "App I Analysis,Palisades Plant."
ENGLEHART,R.W., CONWAY,T.W., DINUNNO,J.J. NUS Corp. NUS-1729. 76/05/31. 74pp. 43344:135-43344:208.

8711180083 Requests authorization to dispose of soil replace.Long-term solution to remove radwaste activities from area being included in 5-yr plan.Background,evaluation & survey results discussion & microshield code output encl Fee paid.
BORDINE,T.C. Consumers Power Co 87/11/12 Document Control Branch (Document Control Desk). 33pp. 43391:150-43391:182.

8711230410 Provides schedule for 1989 installation of block valves,per NRC request for addl info re past analysis supporting NURGE-0737,Item II.D.1 compliance of pressurizer block valves & PORV.
SMEDLEY,R.W. Consumers Power Co. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43424:265-43424:266.

8711230372 Submits util intermediate & long-term plans to revise plant low temp overpressure protection requirements.Util plans to schedule required mods & revise Tech Specs accordingly,if necessary.
SMEDLEY,R.W. Consumers Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43424:229-43424:230.

8711300134 Application for amend to License DPR-20,modifying 851121 proposed change to Tech Specs re operability & surveillance requirements for qualified core exit thermocouples to be consistent w/in-core calibr requirements.
BERRY,K.W. Consumers Power Co. 87/11/25. Document Control Branch (Document Control Desk). 6pp. 43465:059-43465:069

--8711300137 Proposed Tech Specs,modifying operability & surveillance requirements for qualified core exit thermocouples to be consistent w/in-core calibr requirements.
* Consumers Power Co. 87/11/25. 6pp. 43465:064-43465:069.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030074 Forwards Safety Insp Rept 50-255/87-24 on 870911-1005.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/22. BUCKMAN,F.W. Consumers Power Co. 2pp. 43255:231-43255:241.

--8711030087 Insp Rept 50-255/87-24 on 870911-1005.No violations or deviations noted.Major areas inspected:followup of previous insp findings,operational safety,maint,surveillance,physical security,radiological protection & reportable events.
BURGESS,B.L. Region 3, Ofc of the Director. 87/10/21. 9pp. 43255:233-43255:241.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020364 Comments on SALP 7 rept in response to 871001 SALP meeting. Plant operations expectations better defined & written into procedures & operators trained to meet new stds.
BUCKMAN,F.W. Consumers Power Co. 87/10/30. Document Control Branch (Document Control Desk). 8pp. 43234:059-43234:067.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160061 Forwards Insp Rept 50-255/87-21 on 870824-28.No violations noted.Comments re review of fitness for duty program requested within 60 days.
PARTLOW,J.G. Division of Reactor Inspection & Safeguards (Post 870411). 87/11/08. BUCKMAN,F.W. Consumers Power Co. 4pp. 43362:110-43362:127.

-8711160065 Special Insp Rept 50-255/87-21 on 870824-28.No violations noted.Major areas inspected:policies,procedures & practices of fitness for duty & employee assistant programs.
BUSH,L.L., MCPEEK,E.W. Division of Reactor Inspection & Safeguards (Post 870411). PIRTLE,G.L. Region 3, Ofc of the Director. 87/11/02. 14pp. 43362:114-43362:127.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230265 Forwards Safety Insp Rept 50-255/87-25 on 871006-1102.No violations or deviations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. BUCKMAN,F.W. Consumers Power Co. 2pp. 43424:079-43424:091.

-8711230275 Insp Rept 50-255/87-25 on 871008-1102.No violations or deviations noted.Major areas inspected:operational safety, maint,surveillance,physical security,radiological protection & ESFs walkdown.
BURGESS,B.L. Region 3, Ofc of the Director. 87/11/17. 11pp. 43424:081-43424:091.

8711230390 Forwards Safeguards Insp Rept 50-255/87-26 on 871019-23 & notice of violation.Notice of violation withheld (ref 10CFR73.21)
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/18. BUCKMAN,F.W. Consumers Power Co. 2pp. 43423:058-43423:060.

-8711230405 Partially withheld Physical Security Insp Rept 50-255/87-26 on 871019-23 (ref 10CFR73.21).Violation noted.Major areas inspected:security plan/implementing procedures,mgt effectiveness,security organization & records & repts.
DROUIN,B., GALANTI,D.M., CREED,J.R. Region 3, Ofc of the Director. 87/11/10. 1p. 43423:060-43423:060.

8711130008 Suppl 2 to NRC Info Notice 88-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160136 Forwards biweekly status rept for period 871010-24.Rept discusses plant status,facility operations summary,loss of shutdown cooling,outage activities,electrohydraulic control sys & NRC activities during period.
BURGESS,B.L. Region 3, Ofc of the Director. 87/10/30. NORELIUS,C.E. Region 3, Ofc of the Director. 6pp. 43366:199-43366:204.

8711200020 Monthly operating rept for Oct 1987.W/871106 ltr.
PACKARD,G.C., VANDENBERG,O. Consumers Power Co. 87/10/31. 5pp. 43410:163-43410:167.

8711230327 Forwards biweekly status rept for 871023-1106.
BURGESS,B.L. Region 3, Ofc of the Director. 87/11/18. NORELIUS,C.E. Region 3, Ofc of the Director. 5pp. 43424:068-43424:072.

S. Reportable occurrences, LERs & related correspondence

8711060135 LER 87-034-00:on 871002,normal range gas stack effluent & particulate stack effluent monitors found inoperable due to low flow condition.Caused by inadequate Tech Spec procedure. Alarm window will be modified.W/871102 ltr.
KOZUP,C.S., JOHNSON,B.D. Consumers Power Co. 87/11/02. 6pp. 43303:289-43303:293.

8711160202 PNO-III-87-140.on 871111,oiler on feedwater block valve exploded in turbine bldg,injuring two workers.One individual taken to local hosp & later transferred to Kalamazoo,MI hosp for surgery & second worker treated at plant.
BURGESS,B., GULDEMOND,W. Region 3, Ofc of the Director. 87/11/12. 1p. 43365:187-43365:187.

8711200181 LER 87-035-00:on 871015,LPSI pump P-67A manually secured from operation due to erratic discharge pressure & flow. Caused by improperly pla jumper.Review of requirements & controls on work planning process in progress 871116 ltr.
KOZUP,C.S., JOHNSON,B.D. Consumers Power Co. 87/11/16. 5pp. 43413:1 43413:143.

8711230415 LER 87-036-00:on 871019,waste gas decay tank released to atmosph after isolation on same day.Caused by data transposition error in completion of ta card.Procedure rev in progress.Trip function tested.W/871118 ltr.
KOZUP,C.S., KUEMIN,J.L. Consumers Power Co. 87/11/18. 5pp. 43424:2 43424:263.

8711240138 LER 87-037-00:on 871106,underground pipe in fire suppression water ruptured.Root cause under investigation.Ruptured pipe replaced.Personnel failed recognize all parts of plant to be affected due to misleading drawing.W/871120 KOZUP,C.S., JOHNSON,B.D. Consumers Power Co. 87/11/20. 3pp. 43431:2 43431:233.

8711300213 LER 87-038-00:on 871022,auxiliary operator had worked 28 h in 4 period,exceeding work hour limitations.Caused by operator unfamiliarity w/overt limitation criteria.Memo issued as part of required reading program.W/871123 ltr.
KOZUP,C.S., JOHNSON,B.D. Consumers Power Co. 87/11/23. 4pp. 43467:2 43467:281.

V. Operator Examinations

8711020364 Comments on SALP 7 rept in response to 871001 SALP meeting. P operations expectations better defined & written into procedures & operators trai to meet new stds.
BUCKMAN,F.W. Consumers Power Co. 87/10/30. Document Control Branch (Do ment Control Desk). 8pp. 43234:059-43234:067.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711100402 Immediate temporary change to Rev 0 to Emergency Plan Implementi Procedure EPIP-1, "Emergency Plan Classification Logic." W/871102 ltr.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. 8pp. 43336:050-43336:057.

8711130076 Ack receipt of radiological emergency plan exercise scenario packag scope & objectives for exercise scheduled for wk of 871102.Scenario package w provided to PDR following completion of exercise.
ZECH,G.G. Ofc of Special Projects. 87/11/03. WHITE,S.A. Tennessee Valley Au ity. 2pp. 43355:181-43355:182.

8711160037 Trip rept of 871028-29 site visit to attend presentation on restart testing J Watt to discuss differences between Sequoyah & Browns Ferry program Prog description presented by util encl.
STANG,J. Ofc of Special Projects. 87/11/09. ZWOLINSKI,J.A. Ofc of Spe Projects. 12pp. 43362:128-43362:139.

8711230425 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-269/87-25 870921-24.No violations or deviations noted.Attention invited to unresolved item id tified in insp rept.Encl withheld (ref 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Aut ity. 2pp. 43424:234-43424:235.

8711180134 Revised emergency plan implementing procedures,including Rev 1 to E 8, "Personnel Accountability & Evacuation," Rev 1 to EPIP-11, "Security & Acc Control" & Rev 1 to EPIP-13, Radiochemical Lab Procedure." W/871110 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 30pp. 43395:068-43395:097

8711240189 Revised central emergency control ctr implementing procedures,Inclu Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unu Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
ADKINS,T.E., GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 25pp. 43430:3 43430:321.

8711230187 Advises that Rev 34 to radiological security plan consistent w/provision 10CFR50.47 (b) & App E to 10CFR50.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Aut ity. 2pp. 43421:126-43421:127.

8711300162 Forwards response to JA Zwolinski 871008 ltr requesting addl info on cellaneous amends/search requirements re 861126 physical security/continge plan.Encl withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Bra (Document Control Desk). 2pp. 43466:292-43466:293.

8711300178 Forwards supplementary pages to Rev 8 to plant physical security/co gency plan per 871029 telcon between Region II & TVA.Pages withheld 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Bra (Document Control Desk). 2pp. 43471:035-43471:036.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.N concluded that no substantial health & safety issues that would warrant suspensio revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents. CUNTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711030337 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of Tech Spec Change 235 to add ASME Section XI pump & valve program definition & change applicable testing frequencies to ref definition.Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43250:179-43250:256.

--8711030340 Proposed Tech Spec Change 235,adding ASME Section IX pump & valve program definition & changing applicable testing frequencies to ref definition.Justification for proposed changes & other supporting info also encl.
* Tennessee Valley Authority. 87/10/27. 76pp. 43250:181-43250:256.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T., RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A., PETERS,A., RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Meggor Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G., JOYCE,J.W. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711200046 Trip rept of 871028-30 visit to plant site.
GEARS,G. Ofc of Special Projects. 87/11/10. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43408:032-43408:035.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:126.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711240197 Forwards addl info re NUREG-0737,Item II.E.4.1, "Dedicated Hydrogen Penetrations," per 870514 telcon.Vent portion of containment atmosphere dilution sys redundant & can withstand single failure due to alternate power supply.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43431:356-43431:360.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040189 Forwards revised inservice insp program (Surveillance Instruction SI 4.6.G),reflecting program enhancements & revised relief requests ISI-4,ISI-5 & ISI-8,per CE Murphy 800414 request.
GRIDLEY,R. Tennessee Valley Authority. 87/06/04. Document Control Branch (Document Control Desk). 2pp. 43284:075-43285:297.

--8711040230 Rev 0 to Surveillance Instruction SI 4.6.G, "Inservice Insp Program."
* Tennessee Valley Authority. 86/12/23. 581pp. 43284:077-43285:297.

8711020088 Confirms 871021 telcon re mgt meeting to be conducted on 871029 to discuss problems experienced w/radwaste & radwaste transportation.Proposed meeting agenda encl.
ZECH,G.G. Ofc of Special Projects. 87/10/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 43226:280-43226:282.

8711020292 Responds to NRC 870824 ltr re concerns noted in Insp Repts 50-259/87-22,50-260/87-22 & 50-296/87-22.Corrective actions: mod process strengthened to stress compliance ahead of production schedule & employee concern program established.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 7pp. 43236:111-43236:117.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/20. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060156 Responds to NRC 870527 request for addl info re planned upgrade to meet alarm assessment capabilities required by 10CFR73.55(h).Actual installation & const activities tentatively expected to be completed end of FY91.
GRIDLEY,R. Tennessee Valley Authority. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43308:322-43308:323.

8711130050 Forwards Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.
ZECH,G.G. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43354:184-43354:198.

--8711130058 Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.Major areas inspected previous enforcement matters,microbiologically induced corrosion investigation & inservice testing program.
GIRARD,E.H., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/14. 13pp. 43354:186-43354:198.

8711130084 Ack receipt of 871006 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-27, 50-260/87-27 & 50-296/87-27.Tech Spec change commitment considered as part of long-term corrective action program.
ZECH,G.G. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 1p. 43355:180-43355:180.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711230426 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-296/87-35 on 870921-24.No violations or deviations noted.Attention invited to unresolved item identified in insp rept.Encl withheld (rel 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43424:234-43424:235.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240068 Responds to NRC 870929 ltr re deviations noted in Insp Repts 50-259/87-30,50-260/87-30 & 50-296/87-30.Corrective actions: FSAR update procedures revised & periodic exams of population & land use will not be deleted from FSAR.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 6pp. 43431:094-43431:099.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300046 Forwards Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30 & notice of violation
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43473:016-43473:048.

--8711300054 Notice of violation from Insp on 870901-30.Violation noted: licensee failed to establish measures to assure NUREG-0737 requirements re containment high-range radiation monitoring sys correctly translated into specs & procedures.
ZECH,G.G. Ofc of Special Projects. 87/11/19. 3pp. 43473:019-43473:021.

--8711300062 Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30.Violations noted:Major areas inspected:operational safety,maint observation,surveillance testing observation, ROs,restart test program & info notice review.
PAULK,G.L., PATTERSON,C.A., BROOKS,C.A. Region 2, Ofc of the Director. 87/11/18. 25pp. 43473:022-43473:046.

8711300091 Submits status update & revised completion schedule for corrective actions identified in util response to violation from Insp Repts 50-259/87-14,50-260/87-14 & 50-296/87-14. List of commitments encl.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 3pp. 43467:103-43467:105.

R. Periodic operating reports & related correspondence

8711020365 Discharge monitoring rept for Sept 1987.
BROOKS,R.H. Tennessee Valley Authority. 87/09/30. 13pp. 43238:260-43238:272.

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

8711240262 Monthly operating repts for Oct 1987.W/871124 ltr.
CRAWFORD,J.D., WALKER,J. Tennessee Valley Authority. 87/10/31. 14pp. 43442:195-43442:227.

8711200085 Submits weekly schedule of TVA activities for wks of 871116 & 23.
KELLY,J.L. Ofc of Special Projects. 87/11/13. ZECH,G.G. Ofc of Special Projects. 4pp. 43408:073-43408:076.

8711240270 Forwards weekly schedule of TVA activities for wks of 871123 & 30.
KELLY,J.L. Ofc of Special Projects. 87/11/20. ZECH,G.G. Ofc of Special Projects. 4pp. 43446:096-43446:099.

S. Reportable occurrences, LERs & related correspondence

8711030396 LER 86-006-02:on 860116,unanalyzed condition involving tornado-missile protection for equipment in control bay vent towers identified.Caused by lack of design interface.Vent tower mods not required.W/871030 ltr.
JONES,S.B., WALKER,J.G. Tennessee Valley Authority. 87/09/18. 4pp. 43250:301-43250:304.

8711160163 LER 87-006-01:on 870302,discovered that routine flow rate surveillance on control room emergency ventilation Train B performed incorrectly night before.Caused by personnel error.Flow measured & correctly set.W/871106 ltr.
GORDON,A.W., WALKER,J.G. Tennessee Valley Authority. 87/10/02. 4pp. 43366:055-43366:058.

8711040192 LER 87-024-00:on 870930,unplanned RWCU isolation occurred. Caused by degraded electrical connections on temp switch. Isolation reset & sys returned to svc.Connections on temp switch repaired.W/871030 ltr.
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 87/10/30. 4pp. 43289:153-43289:156.

8711100342 LER 87-028-00:on 871008,unplanned containment isolations occurred.Caused by inadequate procedures.Radiation monitoring sys & alarm response procedures revised.W/871006 ltr.
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 87/11/06. 4pp. 43333:338-43333:341.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert..." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711100402 Immediate temporary change to Rev 0 to Emergency Plan Implementing Procedure EPIP-1, "Emergency Plan Classification Logic." W/871102 ltr.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. 8pp. 43336:050-43336:057.

8711130076 Ack receipt of radiological emergency plan exercise scenario package & scope & objectives for exercise scheduled for wk of 871102.Scenario package will be provided to NRR following completion of exercise.
ZECH,G.G. Ofc of Special Projects. 87/11/03. WHITE,S.A. Tennessee Valley Authority. 2pp. 43355:181-43355:182.

8711160037 Trip rept of 871028-29 site visit to attend presentation on restart testing w/ J Wall to discuss differences between Sequoyah & Browns Ferry program.Program description presented by util encl.
STANG,J. Ofc of Special Projects. 87/11/09. ZWOLINSKI,J.A. Ofc of Special Projects. 12pp. 43362:128-43362:139.

8711230425 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-296/87-25 on 870921-24.No violations or deviations noted.Attention invited to unresolved item identified in insp rept.Encl withheld (ref 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43424:234-43424:235.

8711180134 Revised emergency plan implementing procedures,including Rev 1 to EPIP-8, "Personnel Accountability & Evacuation," Rev 1 to EPIP-11, "Security & Access Control" & Rev 1 to EPIP-13, Radiochemical Lab Procedure." W/871110 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 30pp. 43395:068-43395:097.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty..." W/871110 ltr.
ADKINS,T.E., GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

8711230187 Advises that Rev 34 to radiological security plan consistent w/provisions of 10CFR50.47 (b) & App E to 10CFR50.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 2pp. 43421:126-43421:127.

8711300162 Forwards response to JA Zwolinski 871008 ltr requesting addl info on miscellaneous amends/search requirements re 861126 physical security/contingency plan.Encl withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43466:282-43466:283.

8711300178 Forwards supplementary pages to Rev 8 to plant physical security/contingency plan,per 871029 telcon between Region II & TVA.Pages withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43471:035-43471:036.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711030337 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of Tech Spec Change 235 to add ASME Section XI pump & valve program definition & change applicable testing frequencies to ref definition.Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43250:179-43250:256.

--8711030340 Proposed Tech Spec Change 235,adding ASME Section IX pump & valve program definition & changing applicable testing frequencies to ref definition.Justification for proposed changes & other supporting info also encl.
Tennessee Valley Authority. 87/10/27. 76pp. 43250:181-43250:256.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T., RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A., PETERS,A., RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711200046 Trip rept of 871028-30 visit to plant site.
GEARS,G. Ofc of Special Projects. 87/11/10. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43408:032-43408:035.

8711240163 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240178 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711240197 Forwards addl info re NUREG-0737,Item II.E.4.1, "Dedicated Hydrogen Penetrations," per 870514 telcon.Vent portion of containment atmosphere dilution sys redundant & can withstand single failure due to alternate power supply.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43431:356-43431:360.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp 43226:201-43226:205.

8305110473 IE Info Notice 83-38, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040189 Forwards revised inservice insp program (Surveillance Instruction SI 4.6.G),reflecting program enhancements & revised relief requests ISI-4,ISI-5 & ISI-8,per CE Murphy 800414 request.
GRIDLEY,R. Tennessee Valley Authority. 87/06/04. Document Control Branch (Document Control Desk). 2pp. 43284:075-43285:207.

--8711040230 Rev 0 to Surveillance Instruction SI 4.6.G, "Inservice Insp Program."
* Tennessee Valley Authority. 86/12/23. 581pp. 43284:077-43285:297.

8711020086 Confirms 871021 telcon re mgt meeting to be conducted on 871029 to discuss problems experienced w/radwaste & radwaste transportation.Proposed meeting agenda encl.
ZECH,G.G. Ofc of Special Projects. 87/10/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 43226:280-43226:282.

8711020292 Responds to NRC 870824 ltr re concerns noted in Insp Repts 50-259/87-22,50-260/87-22 & 50-296/87-22.Corrective actions: mod process strengthened to stress compliance ahead of production schedule & employee concern program established.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 7pp. 43236:111-43236:117.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060156 Responds to NRC 870527 request for addl info re planned upgrade to meet alarm assessment capabilities required by 10CFR73.55(h).Actual installation & const activities tentatively expected to be completed end of FY91.
GRIDLEY,R. Tennessee Valley Authority. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43308:322-43308:323.

8711130050 Forwards Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.
ZECH,G.G. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43354:184-43354:198.

--8711130058 Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.Major areas inspected:previous enforcement matters,microbiologically induced corrosion investigation & inservice testing program.
GIRARD,E.H., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/14. 13pp. 43354:186-43354:198.

8711130084 Ack receipt of 871006 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-27, 50-260/87-27 & 50-296/87-27,Tech Spec change commitment considered as part of long-term corrective action program.
ZECH,G.G. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 1p. 43355:180-43355:180.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711230425 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-296/87-35 on 870921-24.No violations or deviations noted.Attention invited to unresolved item identified in Insp rept.Encl withheld (ref 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43424:234-43424:235.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:178-43404:290.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240068 Responds to NRC 870929 ltr re deviations noted in Insp Repts 50-259/87-30,50-260/87-30 & 50-296/87-30.Corrective actions: FSAR update procedures revised & periodic exams of population & land use will not be deleted from FSAR.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 6pp. 43431:094-43431:099

8711130008 Suppl 2 to NRC Info Notice 86-106, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300046 Forwards Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30 & notice of violation.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43473:016-43473:048.

--8711300054 Notice of violation from Insp on 870901-30.Violation noted: licensee failed to establish measures to assure NUREG-0737 requirements re containment high-range radiation monitoring sys correctly translated into specs & procedures.
ZECH,G.G. Ofc of Special Projects. 87/11/19. 3pp. 43473:019-43473:021.

--8711300062 Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30.Violations noted:Major areas inspected:operational safety,maint observation,surveillance testing observation, ROs,restart test program & info notice review.
PAULK,G.L., PATTERSON,C.A., BROOKS,C.A. Region 2, Ofc of the Director. 87/11/18. 25pp. 43473:022-43473:046.

8711300091 Submits status update & revised completion schedule for corrective actions identified in util response to violation from Insp Repts 50-259/87-14,50-260/87-14 & 50-296/87-14. List of commitments encl.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 3pp. 43467:103-43467:105.

R. Periodic operating reports & related correspondence

8711020366 Discharge monitoring rept for Sept 1987.
BROOKS,R.H. Tennessee Valley Authority. 87/09/30. 13pp. 43236:260-43236:272.

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

8711240262 Monthly operating repts for Oct 1987.W/871124 ltr.
CRAWFORD,J.D., WALKER,J. Tennessee Valley Authority. 87/10/31. 14pp. 43442:195-43442:227.

8711200085 Submits weekly schedule of TVA activities for wks of 871116 & 23.
KELLY,J.L. Ofc of Special Projects. 87/11/13. ZECH,G.G. Ofc of Special Projects. 4pp. 43408:073-43408:076.

8711240270 Forwards weekly schedule of TVA activities for wks of 871123 & 30.
KELLY,J.L. Ofc of Special Projects. 87/11/20. ZECH,G.G. Ofc of Special Projects. 4pp. 43446:096-43446:099.

S. Reportable occurrences, LERs & related correspondence

8711040011 LER 87-007-01:on 870831,restart test determined that drywell control air primary containment isolation valve actuator failed to close on loss of motive air.Caused by personnel error.Solenoid valves replaced.W/871029 ltr.
JONES,S.B., WALKER,J.G. Tennessee Valley Authority. 87/10/29. 4pp. 43280:169-43280:172.

Y. Dry Cask Independent Spent Fuel Storage Installations

8711030497 Advises that 851014,22,1209,860113,30,0710,22,870102,08 & 0217 submittals of documents listed in encl re NUTECH drawings will be withheld (ref 10CFR2.790).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43280:302-43280:304.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030445 Forwards response to Insp Rept 50-261/87-26 Response withheld (ref 10CFR2.790(d) & 10CFR73.21).
UTLEY,E.E. Carolina Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43251:104-43251:104.

8711160072 Forwards Insp Rept 50-261/87-30 on 870911-1010.No violations or deviations noted.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/27. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43365:097-43365:118.

--8711160081 Insp Rept 50-261/87-30 on 870911-1010.No violations or deviations noted.Major areas inspected:Tech Spec compliance, including observance of any limiting conditions for operation,site security & emergency preparedness.
KRUG,H.E., LATTA,R.M., FREDRICKSON,P. Region 2, Ofc of the Director. 87/10/27. 20pp. 43365:099-43365:118.

8711090152 Forwards Insp Rept 50-261/87-32 on 870929-1002.No violations noted.
CLINE,W.E. Region 2, Ofc of the Director. 87/10/30. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43314:238-43314:240.

--8711090158 Partially withheld Insp Rept 50-261/87-32 on 870929-1002 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected:mgt effectiveness,including security program, security organization,records & repts & physical barriers.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/10/30. 1p. 43314:240-43314:240.

8711090019 Revised pages to Rev 2 to Plant Emergency Procedure PEP-403, "Radioactive Source Term Release Estimates Based on Portable Survey Instrument Results." W/871102 ltr.
RIECH,B.G., MORGAN,R.E. Carolina Power & Light Co. 87/11/02. 7pp. 43315:003-43315:009.

8711130154 Forwards Insp Rept 50-261/87-33 on 871005-09.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/06. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43357:042-43357:052.

--8711130158 Insp Rept 50-261/87-33 on 871005-09.No violations or deviations noted.Major areas inspected:fire prevention/ protection & followup on previously identified items.
WISEMAN,G.R., CONLON,T.E. Region 2, Ofc of the Director. 87/10/29. 9pp. 43357:044-43357:052.

8711160299 Rev 18 to Plant Emergency Procedure PEP-204, "Notification of Off-Duty Personnel." W/871111 ltr.
RIECH,B.G., MORGAN,R.E. Carolina Power & Light Co. 87/11/11. 21pp. 43366:338-43366:358.

8711200316 Discusses Safety Sys Functional Insp 50-261/87-06 on 870309-0415 & followup Insp Rept 50-261/87-17 on 870526-29 & forwards notice of violation & proposed imposition of civil penalty re failure to satisfy fire protection requirements.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. UTLEY,E.E. Carolina Power & Light Co. 4pp. 43417:222-43417:229.

--8711200319 Notice of violation & proposed imposition of civil penalty in amount of $50,000 from insps on 870309-0415 & 0526-29. Violation noted:failure to adequately establish,implement & maintain procedures for shutdown capability due to fire.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. 4pp. 43417:226-43417:229.

8711240036 Informs that NRC will be conducting safeguards regulatory effectiveness review scheduled for wk of 871207-11.Review assures that safeguards provide intended level of protection w/o compromising safety of operations.
STOHR,J.P. Region 2, Ofc of the Director. 87/11/18. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43444:073-43444:075.

8711200098 EN-87-100 on 871113,notice of violation & proposed imposition of civil penalty in amount of $50,000 will be issued based on licensee failure to establish & implement procedures for safe shutdown evolutions following fire.
MILANO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/19. 1p. 43410:168-43410:168.

H. General correspondence

8711200243 Requests that TA Baxter of Shaw,Pittman,Potts & Trowbridge be deleted from all NRC distribution lists & replaced w/ author name.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:036-43417:036.

P. Operating license stage documents & correspondence

8711060154 Forwards proprietary Rev 0 to EIP-QR-002, "Qualification Rept for Energy Inc Series SC993 Class 1E Single Channel Analog Encapsulated Isolator," per request re electrical isolation equipment Rept withheld (ref 10CFR2.790).
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 26pp. 43303:139-43303:164.

8711050206 Notification of 871110 meeting w/util in Bethesda,MD to discuss licensee second 10-yr inservice testing program.
ECCLESTON,K.T. Project Directorate II-1. 87/11/04. ADENSAM,E.G. Project Directorate II-1. 4pp. 43300:038-43300:041.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at
Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(
870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43
43226:207.

8711030445 Forwards response to Insp Rept 50-261/87-26.Response with
10CFR2.790(d) & 10CFR73.21).
UTLEY,E.E. Carolina Power & Light Co. 87/10/27. Document Control Branch
ment Control Desk). 1p. 43251:104-43251:104.

8711160072 Forwards Insp Rept 50-261/87-30 on 870911-1010.No violations
ations noted.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/27. UTLEY,E.E. Caro
& Light Co. 2pp. 43365:097-43365:118.

--8711160081 Insp Rept 50-261/87-30 on 870911-1010.No violations or
noted.Major areas inspected:Tech Spec compliance, including observance of
ing conditions for operation,site security & emergency preparedness.
KRUG,H.E., LATTA,R.M., FREDRICKSON,P. Region 2, Ofc of the Director. 8
20pp. 43365:099-43365:118.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Rec
dents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post
87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324

8711090152 Forwards Insp Rept 50-261/87-32 on 870929-1002.No violations n
CLINE,W.E. Region 2, Ofc of the Director. 87/10/30. UTLEY,E.E. Carolina
Light Co. 2pp. 43314:238-43314:240.

--8711090158 Partially withheld Insp Rept 50-261/87-32 on 870929-1
10CFR2.790 & 73.21).No violations noted.Major areas inspe
effectiveness,including security program, security organization,records & repts
cal barriers.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/10/30. 1p. 43
43314:240.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Insta
BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8
Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capab
Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8
Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determ
formance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8
Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130154 Forwards Insp Rept 50-261/87-33 on 871005-09.No violations
ations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/06. UTLEY,E.E. Carolina
Light Co. 2pp. 43357:042-43357:052.

--8711130158 Insp Rept 50-261/87-33 on 871005-09.No violations or
noted.Major areas inspected:fire prevention/ protection & followup on previo
ified items.
WISEMAN,G.R., CONLON,T.E. Region 2, Ofc of the Director. 87/10/
43357:044-43357:052.

8711190163 Advises that full compliance w/IE Bulletin 85-003,per 860730 ltr,w
layed because of need to adjust switch settings.Final rept will address ou
items & will be submitted by 880115.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/13. Document Contr
(Document Control Desk). 1p. 43397:277-43397:277.

8711200310 Responds to SALP Repts 50-261/87-22,50-324/87-19, 50-325/
Nov 1985 - June 1987 & 50-400/87-24 for Aug 1986 - June 1987.Issues
repts re util overall performance discussed.
UTLEY,E.E. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2,
Director. 50pp. 43412:276-43412:325.

8711200316 Discusses Safety Sys Functional Insp 50-261/87-06 on 870309
followup Insp Rept 50-261/87-17 on 870526-29 & forwards notice of violati
posed imposition of civil penalty re failure to satisfy fire protection requiremen
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. UTLEY,E.E. Carolina
Light Co. 4pp. 43417:222-43417:229.

--8711200319 Notice of violation & proposed imposition of civil penalty in a
$50,000 from insps on 870309-0415 & 0526-29. Violation noted:failure to a
establish,implement & maintain procedures for shutdown capability due to fir
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. 4pp. 43417:226-43417

8711090140 NRC Info Notice 87-058, "Continuous Communications Following
cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8
Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list en
ROSSI,C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressu
ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711200098 EN-87-100 on 871113,notice of violation & proposed imposition of
alty in amount of $50,000 will be issued based on licensee failure to estab
plement procedures for safe shutdown evolutions following fire.
MILANO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/1
43410:168-43410:168.

R. Periodic operating reports & related correspondence

8711090351 Monthly operating rept for Oct 1987.W/871106 ltr.
FRAZIER,V.E., MORGAN,R.E. Carolina Power & Light Co. 87/10/31. 4pp. 43322:080-43322:083

S. Reportable occurrences, LERs & related correspondence

8711020335 LER 87-025-00.on 870928,during scheduled test of reactor protection logic Train B,technician inadvertently tripped Train A reactor trip breaker.Caused by cognitive personnel error.Technician disciplined & event reviewed W/871027 ltr.
SAYRE,D., MORGAN,R.E. Carolina Power & Light Co. 87/10/27. 9pp. 43237:303-43237:311.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

V. Operator Examinations

8711020175 Notification of 871028 meeting w/util in Hartsville,SC to discuss requalification exam.
ECCLESTON,K. Project Directorate II-1. 87/10/27. ADENSAM,E.G. Project Directorate II-1. 1p. 43239:358-43239:359.

8711030470 Summary of 871028 meeting w/util at site re participation of util in pilot requalification exam program.Discussion paper, "Requirements & Procedures for Requalification Exams" & list of attendees encl.
HANNON,J.N. Operator Licensing Branch. 87/10/30. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 28pp. 43280:318-43280:345.

Y. Dry Cask Independent Spent Fuel Storage Installations

8711030497 Advises that 851014,22,1209,860113,30,0710,22,870102,08 & 0217 submittals of documents listed in encl re NUTECH drawings will be withheld (rel 10CFR2.790).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43280:302-43280:304.

DOCKET 50-262 BRIGHAM YOUNG UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020445 Advises that JL Pellot replacing R Cooley in position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,effective on 871025.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. TULLIS,F.L. Brigham Young Univ., Provo, UT. 2pp. 43237:209-43237:210.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

8711130234 Forwards Rev 10 to "Corporate Nuclear Emergency Plan," containing changes as result of annual internal review, update & certification of emergency plans & agreements.
FEY,F.L. Northern States Power Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43359:181-43359:268.

--8711130305 Rev 10 to "Corporate Nuclear Emergency Plan."
FEY,F.L., LARSON,C.E. Northern States Power Co. 87/11/09. 90pp. 43359:182-43359:268.

P. Operating license stage documents & correspondence

8711050149 Advises that NEDE-24050-2, "Suppl 2 to LOCA Analysis Rept for Monticello Nuclear Generating Plant" will be withheld per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954.
DILANNI,D.C. Project Directorate III-3. 87/10/29. MUSOLF,D.M. Northern States Power Co. 5pp. 43300:340-43300:344.

8711060227 Forwards Addendum 1 to "Monticello DCRDR Summary Rept," for review.Addendum provides resolution of remaining human engineering deficiencies,including annunciator sys,offgas sys & traversing in-core probe sys.
MUSOLF,D. Northern States Power Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:295-43303:329.

--8711090072 Addendum 1 to "Monticello DCRDR Summary Rept."
* Niagara Mohawk Power Corp. 87/09/30. 33pp. 43303:297-43303:329.

8711060264 Corrects & clarifies info provided in 870410 & 0928 ltrs re hydrogen water chemistry program info originally provided concerning hydrogen tank siting criteria incomplete re description of reactor bldg wall thickness.
MUSOLF,D. Northern States Power Co. 87/10/30. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43303:095-43303:096.

8711060269 Submits description of planned redesign of gas tray portion of post-accident sampling sys to eliminate gaseous iodine & particulate sampling capability for NRC review.
MUSOLF,D. Northern States Power Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:103-43303:104.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170056 Confirms util commitment as discussed w/H Li to modify Monticello alternate rod injection (ARI) sys & to provide two fuses in series for isolation of ARI sys from safety-related power source.
MUSOLF,D. Northern States Power Co. 87/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43382:282-43382:283

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020385 Forwards Safety Insp Rept 50-263/87-14 on 871015-16.No violations noted.
HARRISON,J.J. Region 3, Ofc of the Director. 87/10/27. LARSON,C.E. Northern States Power Co. 2pp. 43235:240-43235:255.

--8711020398 Safety Insp Rept 50-263/87-14 on 871015-16 No violations or deviations noted.Major areas inspected program for microfilming radiographs of piping sys welds.
WARD,K.D., DANIELSON,D.H. Region 3, Ofc of the Director. 87/10/27. 14pp. 43235:242-43235:255.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711100172 Forwards Safety Insp Rept 50-263/87-12 on 870825-1007.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/02. LARSON,C.E. Northern States Power Co. 2pp. 43324:340-43324:351.

--8711100175 Insp Rept 50-263/87-12 on 870825-1007.No violations or safety concerns noted.Major areas inspected,licensee action on previous insp findings,operational safety verification, surveillance,maint & LERs.
JACKIW,I.N. Region 3, Ofc of the Director. 87/10/30. 10pp. 43324:342-43324:351.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100369 Responds to notice of violation from Insp Rept 50-263/87-09 & requests mitigation of civil penalty proposed by NRC. Corrective actions:ground fault protection feature on all essential motor control ctr supply breakers defeated.
LARSON,C.E. Northern States Power Co. 87/11/04. Ofc of Enforcement (Post 870413). 7pp. 43343:328-43343:335.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160094 Monthly operating rept for Oct 1987.W/871109 ltr.
MYRABO,A.L., MUSOLF,D. Northern States Power Co. 87/10/31. 5pp. 43365:092-43365:096.

S. Reportable occurrences, LERs & related correspondence

8711170276 Part 21 rept re defective Limitorque SMB-00 dc motor operators.Initially reported on 871106.Defective motor operators will be returned to mfg for repair.
MUSOLF,D. Northern States Power Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43385:184-43385:187.

8711300161 LER 87-016-00.on 871030,reactor bldg ventilation isolation & standby gas treatment sys initiation occurred during routine refueling outage.Caused by procedural inadequacy.Fuse replaced & mod procedure revised.W/871125 ltr.
BAYLESS,R., MUSOLF,D. Northern States Power Co. 87/11/29. 3pp. 43466:296-43466:298.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711050263 Ack receipt of util 861126 ltr transmitting proposed amend to plant physical security plan.Comments on physical security plan changes encl.Response requested within 60 days from receipt of ltr.
ROSS,T.M. Project Directorate III-2. 87/10/27. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43301:131-43301:134.

8711120064 Revised procedures,including Rev 2 to QEP 185-1, "Onsite Environ Director Implementing Procedure," Rev 1 to QEP 185-S1, "Environs Director Checklist" & Rev 1 to QEP 185-S2, "Environs Team Summary Record."
* Commonwealth Edison Co. 87/10/30. 12pp. 43350:091-43350:102.

8711060183 Advises that 870818 Rev 7 & 870917 clarification to emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwealth Edison Co. 2pp. 43303:184-43303:185.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711240215 Revised station procedures,including Rev 28 to QEP 330-0, "Assessment Actions" & Rev 1 to QEP 330-14, "In-Plant Dose Rate Survey During Accident Conditions."
* Commonwealth Edison Co. 87/11/12. 7pp. 43442:026-43442:032.

8711250025 Revised procedures,consisting of Rev 37 to QEP 310-0, "Notification of Responsible Authorities" & Rev 21 to QEP 310-T3, "Prioritized Notification Listing"
* Commonwealth Edison Co. 87/11/30. 14pp. 43457:342-43457:355.

P. Operating license stage documents & correspondence

8711030524 Repts status of program to resolve apparent discrepancies found between as-built & as-analyzed condition of certain Mark I torus attached piping at Dresden Units 2 & 3 & Quad Cities Units 1 & 2,per 870622 commitment.
JOHNSON,I.M. Commonwealth Edison Co. 87/10/23. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 43260:223-43260:225.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090269 Documents 871103 meeting between util & NRC re discussion of NRR position on environ qualification of Simplex electrical cables at plant.G Holahan 870930 memo,util viewgraphs & attendee list encl.Util will be notified of review results.
MILLER,H.J. Region 3, Ofc of the Director. 87/11/06. REED,C. Commonwealth Edison Co. 2pp. 43322:179-43322:222.

--8710080027 Responds to 870715 request for NRR assistance to determine environ qualification status of cables mfg by SIMPLEX.Based on review,NRR concludes that adequate justification not provided to demonstrate environ qualification of cables.
HOLAHAN,G. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/09/30. MILLER,H.J. Region 3, Ofc of the Director. 36pp. 43322:181-43322:222.

8711170118 Application for amends to Licenses DPR-29 & DPR-30,revising Tech Specs re HPCI & RCIC steam line high flow indication. Fee paid.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43382:304-43382:314.

--8711170147 Proposed Tech Specs,revising HPCI & RCIC steam line high flow indication.
* Commonwealth Edison Co. 87/11/06. 9pp. 43382:306-43382:314.

8711190126 Forwards addl info re surveillance exam in reactor bldg basements to determine if water draining from expansion gap through other paths,per util 870511 response to Generic Ltr 87-05.
MORGAN,W.E. Commonwealth Edison Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43397:093-43397:097.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/18. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200032 Discusses Confirmatory Action Ltr (CAL) RIII-86-07,Amend 1 dtd 861114,re recovery program for licensed operator requalification program.Util CAL commitments met,based on encl Insp Repts 50-254/87-29 & 50-265/87-29.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/16. REED,C. Commonwealth Edison Co. 1p. 43410:147-43410:157.

--8711200041 Safety Insp Repts 50-254/87-29 & 50-265/87-29 on 871019-21. No violations or deviations noted.Major areas inspected: implementation of conditions of 861114 Amend 1 to Confirmatory Action Ltr CAL-RIII-86-07.
HASSE,R.A., HOPKINS,J.A., PHILLIPS,M.P. Region 3, Ofc of the Director. 87/11/04. 10pp. 43410:148-43410:157.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300089 Forwards Safety Insp Repts 50-254/87-25 & 50-265/87-25 on 870922-1105 & notice of violation.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/23. REED,C. Commonwealth Edison Co. 2pp. 43470:082-43470:093.

--8711300101 Notice of violation from Insp on 870922-1105.Violation noted procedure statement in procedure which stated that opening racking screw shutter on closed circuit breaker would trip breaker incorrect.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/23. 1p. 43470:084-43470:084.

--8711300113 Insp Repts 50-254/87-25 & 50-265/87-25 on 870922-1105. Violations noted.Major areas inspected:licensee implementation of Generic Ltr 85-06 re ATWS mitigation sys (25020) & onsite followup events.
WESTBERG,R.A., GARDNER,R.N. Region 3, Ofc of the Director. 87/11/23. 9pp. 43470:085-43470:093.

R. Periodic operating reports & related correspondence

8711170166 Forwards listing of facility changes,tests & experiments completed during Oct 1987,per 10CFR50.59.
ROBEY,R.A. Commonwealth Edison Co. 87/11/04. LIEBERMAN,J. NRC - No Detailed Affiliation Given. 2pp. 43381:059-43381:060.

V. Operator Examinations

8711200032 Discusses Confirmatory Action Ltr (CAL) RIII-86-07,Amend 1, dtd 861114,re recovery program for licensed operator requalification program.Util CAL commitments met,based on encl Insp Repts 50-254/87-29 & 50-265/87-29.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/16. REED,C. Commonwealth Edison Co. 1p. 43410:147-43410:157.

--8711200041 Safety Insp Repts 50-254/87-29 & 50-265/87-29 on 871019-21. No violations or deviations noted.Major areas inspected: implementation of conditions of 861114 Amend 1 to Confirmatory Action Ltr CAL-RIII-86-07.
HASSE,R.A. Region 3, Ofc of the Director. 87/11/04. 10pp. 43410:148-43410:157.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711100461 Forwards proprietary "Conduit Fire Protection Research Program," for review & acceptance for ref in licensing actions.Affidavit supporting request for proprietary treatment encl.Fee paid.Rept withheld (ref 10CFR2.790).
FAY,C.W. Wisconsin Electric Power Co. 87/11/04. Division of Engineering & Systems Technology (Post 870411). 10pp. 43336:092-43336:106.

8711160049 Requests description of how proposed dedicated shutdown capability for 4,160 volt switchgear room meets each requirement of 10CFR50,App R,Section III.L in order to complete review of 870415 ltr.
WAGNER,D.H. Project Directorate III-3. 87/11/10. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43362:046-43362:047.

8711160120 Forwards detailed response to concerns expressed in NRC 870505 draft safety evaluation,emergency operating procedures writers guide,verification procedure & training course outline.
FAY,C.W. Wisconsin Electric Power Co. 87/11/10. Document Control Branch (Document Control Desk). 16pp. 43365:281-43366:031.

--8711160159 Rev 5 to Procedure PBNP 4.19, "Emergency Operating Procedure Writers Guide."
* Wisconsin Electric Power Co. 86/06/07. 26pp. 43365:297-43365:322.

--8711160165 Rev 0 to Procedure P11.17, "Emergency Operating Procedures Verification Procedure,Point Beach Nuclear Plant,Units 1 & 2."
MALAMOUTH,T.G. Wisconsin Electric Power Co. 85/03/25. 21pp. 43365:323-43365:343.

--8711160170 Rev 3 to "Emergency Operating Procedures," training course syllabus.
* Wisconsin Electric Power Co. TRCR 31.0 R03. 87/01/21. 26pp. 43365:344-43366:009.

-8711160176 Rev 1 to Procedure EOP-0, "Reactor Trip or Safety Injection."
* Wisconsin Electric Power Co. 87/03/19. 22pp. 43366:010-43366:031.

8711230446 Forwards Safety Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43421:279-43421:286.

-8711230455 Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations or deviations noted.Major areas inspected:maint, operational safety,surveillance,physical security, radiological protection & outages.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/11/16. 6pp. 43421:281-43421:286.

P. Operating license stage documents & correspondence

8711030424 Advises that 870910 proposal to use five energy absorbers as replacements for seven hydraulic snubbers on main steam bypass line acceptable.Acceptance based on listed considerations.
WAGNER,D.H. Project Directorate III-3. 87/10/29. FAY,C.W. Wisconsin Electric Power Co. 3pp. 43256:256-43256:259.

8711030312 Application for amends to Licenses DPR-24 & DPR-27,allowing one-time extension to emergency diesel generator operability requirements of Tech Spec 15.3.7.B.1.e,Fee paid.
FAY,C.W. Wisconsin Electric Power Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43250:175-43250:178.

-8711030313 *Proposed Tech Specs* allowing one-time extension to emergency diesel generator operability requirements.
* Wisconsin Electric Power Co. 87/10/30. 1p. 43250:178-43250:178.

8711100103 Notifies of NRC/Scientific Applications Intl Corp 871130- 1204 audit of facility DCRDR & SPDS Agenda,attachments identifying DCRDR concerns & SAIC-87/3056, *"Technical Evaluation Rept for Wisconsin Electric Power Co...," encl.*
WAGNER,D.H. Project Directorate III-3. 87/11/02. FAY,C.W. Wisconsin Electric Power Co. 11pp. 43341:267-43341:307.

-8710200440 "Technical Evaluation Rept for Wisconsin Electric Power Co Point Beach Nuclear Plant,Units 1 & 2 SPDS SAR."
* *Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-82-098.* SAIC-87/3056. 87/10/16. NRC - No Detailed Affiliation Given. 10pp. 43341:298-43341:307.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711200293 Comments on proposed Rev 2 to Reg Guide 1.100 re seismic qualification of electrical & mechanical equipment for nuclear power plants.
FAY,C.W. Wisconsin Electric Power Co. 87/11/09. Rules & Procedures Branch. 2pp. 43410:071-43410:072.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

8711250027 Requests extension of 871201 deadline for submitting implementation schedule under Generic Ltr 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46."
FAY,C.W. Wisconsin Electric Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43457:297-43457:310.

-8711250062 Provides position on staff guidance identified in Generic Ltr 87-02, "Verification on Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46." Generic implementing procedure will be completed in 1988.
SMITH,N.P. Seismic Qualification Utility Group. 87/10/09. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 43457:299-43457:310.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). *83/06/17.* Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030365 Forwards Safety Insp Repts 50-266/87-19 & 50-301/87-19 on 870921-1013.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/10/28. FAY,C.W. Wisconsin Electric Power Co. 2pp. *43255:183-43255:195.*

-8711030381 Insp Repts 50-266/87-19 & 50-301/87-19 on 870921-1013.No violations or deviations noted.Major areas inspected: radiation protection & radwaste programs,including organization & mgt controls & audits & appraisals.
PAUL,R.A., GREGER,L.R. Region 3, Ofc of the Director. 87/10/28. 11pp. 43255:186-43255:195.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160013 Requests that 871116 ltr inadvertently included w/payment sent on 871112 for 871013 order imposing civil monetary penalty in amount of $500,000 be destroyed & encl 871112 ltr be substituted.
FAY,C.W. Wisconsin Electric Power Co. 87/11/13. Ofc of Enforcement (Post 870413). 1p. 43393:359-43393:361.

-8711160014 Remits payment of civil penalty in amount of $50,000,per NRC 871013 order imposing civil monetary penalty.
FAY,C.W. Wisconsin Electric Power Co. 87/11/12. Ofc of Enforcement (Post 870413) 2pp. 43393:360-43393:361.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. *Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.*

8711230446 Forwards Safety Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43421:279-43421:286.

-8711230455 Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations or deviations noted.Major areas inspected:maint, operational safety,surveillance,physical security, radiological protection & outages.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/11/16. 6pp. 43421:281-43421:286.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711130171 Monthly operating repts for Oct 1987,W/871109 ltr.
KRAUSE,C.W., FAY,C.W. Wisconsin Electric Power Co. 87/10/31. 9pp. 43355:329-43355:337.

S. Reportable occurrences, LERs & related correspondence

8711250097 Forwards licensee responses to 10CFR21 notification re potential violation of component cooling water containment isolation function,per 871106 request.
WIGGINTON,D.L. Project Directorate III-3. 87/11/16. CRAIG,J. Plant Systems Branch. 1p. 43449:001-43449:008.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

8711020378 Requests addl info re 871003 fire in turbine bldg.Schedule for full response should be provided at proposed meeting. Info requested includes evaluations of fire protection features,control room ventilation sys & hydraulic sys.
HEITNER,K.L. Project Directorate IV. 87/10/22. WILLIAMS,R.O. Public Service Co. of Colorado. 3pp. 43238:269-43238:281.

8711020503 Advises that correct ltr number for 871019 ltr re fire recovery plan should be P-87374 & not P-87347.
BREY,H.L. Public Service Co. of Colorado. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43238:043-43238:045.

8711020379 Forwards Augmented Insp Team Rept 50-267/87-26 on 871003-06. Insp Rept 50-267/87-28 will be issued to discuss emergency response aspects of turbine bldg fire event.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43235:277-43235:306.

-8711020397 Augmented Insp Team Rept 50-267/87-26 on 871003-06.Major areas inspected:fire that occurred in turbine bldg on 871002 & 03,including fire detection sys,licensing background,fire brigade response & control room smoke infiltration.
JAUDON,J.P., IRELAND,R.E., SKOW,M.E. Region 4, Ofc of the Director. 87/10/29. 27pp. 43235:279-43235:306.

8711130103 Forwards Insp Rept 50-267/87-22 on 870901-1017.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/09. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43354:277-43354:291.

*-8711130108 Insp Rept 50-267/87-22 on 870901-1017.*No violations or deviations noted.Major areas inspected:licensee action on LERs,monthly surveillance observation,ESF walkdown,fire protection,security & radiological protection.
FARRELL,R.E., MICHAUD,P.W., WESTERMAN,T.F. Region 4, Ofc of the Director. 87/11/03. 13pp. 43354:279-43354:291.

*8711160263 Forwards Insp Rept 50-267/87-28 on 871007-08 & notice of deviation.*Augmented insp team rept & insp verified that adequate steps taken in response to fire on 871002.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/12. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43369:218-43369:226.

--8711160272 Notice of deviation from insp on 871007-08 Deviation noted: failure to staff forward command post within time commitments.
* Region 4, Ofc of the Director. 87/11/12. 1p. 43369:220-43369:220.

--8711160278 Insp Rept 50-267/87-28 on 871007-08 Deviation noted:Major areas inspected:implementation of emergency plan & procedures in response to 871002 fire. BAIRD,J.B., FISHER,W.L., BANGART,R.L. Region 4, Ofc of the Director. 87/11/05. 6pp. 43369:221-43369:226.

8711200022 Advises that util 871015 request to delete fire protection Tech Specs premature.Util must have approved fire protection program & request amend to license containing license condition per Encl 3 to Generic Ltr 86-10.
HEITNER,K.L. Project Directorate IV. 87/11/12. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43407:030-43407:031.

8711200323 Forwards Rev 20 to physical security plan w/App B, "Security Training & Qualification Plan" & App C, "Safeguards Contingency Plan." Rev & apps withheld (ref 10CFR2.790(d) & 73.21).
WILLIAMS,R.O. Public Service Co. of Colorado. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43417:219-43417:221.

8711230431 Forwards Rev 20 to App A, "Security Plan for Protection, Receipt & Storage of SNM & Special Measures During Refueling Operation," to plant physical security plan for review & approval.Rev withheld (ref 10CFR2.790 & 73.21).
WILLIAMS,R.O. Public Service Co. of Colorado. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43423:047-43423:048.

8711300192 Forwards monthly status rept for Oct 1987 re turbine bldg fire that occurred during rept period.Monthly repts will continue until plant startup.
MARTIN,R.D. Region 4, Ofc of the Director. 87/11/17. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43467:271-43467:274.

H. General correspondence

8711130144 Notifies that FJ Borst assumed nuclear training manager position,effective on 871101.Communications & correspondence formerly sent to S Willford should be addressed to Borst.
WILLIAMS,R.O. Public Service Co. of Colorado. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43355:352-43355:352.

J. Insurance & Indemnity Information

8711190092 Advises that correct ltr number to 871015 ltr should be P-87362.Util requests that NRC destroy Ltr P-87381 dtd 871023 & replace w/encl Ltr P-87382.
BREY,H.L. Public Service Co. of Colorado. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43401:001-43401:004.

--8711190099 Forwards check in payment of invoice G0182 for indemnity fee re plant,per 10CFR140.7 & 140.21 E.
BREY,H.L. Public Service Co. of Colorado. 87/10/23. RODRIQUEZ,J.M. Document Control Branch (Document Control Desk). 3pp. 43401:002-43401:004.

P. Operating license stage documents & correspondence

8705080060 Requests FR publication of notice of issuance of Amend 53 to License DPR-34,changing Tech Spec 4.10.7 to reflect actual location of fire hose station elevation.
CALVO,J.A. Project Directorate IV. 87/05/05. NRC - No Detailed Affiliation Given. 1p. 43340:301-43340:301.

8711020325 Advises that,effective on 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43236:217-43236:218.

8711040052 Forwards description of program & enhancements underway at facility to ensure vendor interface established & maintained & that measures exist where interface not practicable per NRC 870320 & 0831 requests re Generic Ltr 83-28.
WILLIAMS,R.O. Public Service Co. of Colorado. 87/10/29. CALVO,J.A. Project Directorate IV. 4pp. 43290:151-43290:154.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711110126 Undated notification of 860328 daily highlight meeting w/ util in Platteville,CO to discuss facility equipment qualification program.
HEITNER,K.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/11. DENTON,H., HOUSTON,R., SHERON,B. NRC - No Detailed Affiliation Given. 3pp. 43342:356-43342:358.

8711170205 Forwards response to request for addl info re change to Interim Tech Spec 3/4.1.7, "Reactivity Change W/Temp." FSAR Section 3.8.3.1 will be revised at next annual update to be consistent w/other FSAR sections on reserve shutdown sys.
BREY,H.L. Public Service Co. of Colorado. 87/11/12. CALVO,J.A. Project Directorate IV. 6pp. 43385:098-43385:101.

8711200022 Advises that util 871015 request to delete fire protection Tech Specs premature.Util must have approved fire protection program & request amend to license containing license condition per Encl 3 to Generic Ltr 86-10.
HEITNER,K.L. Project Directorate IV. 87/11/12. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43407:030-43407:031.

8711200394 Notification of 871202-04 meetings w/util in Platteville,CO to discuss Tech Spec upgrade program,PPS setpoints & CRD instrumentation & temp requalification.List of requested meeting attendees & proposed agenda encl.
HEITNER,K.L. Project Directorate IV. 87/11/13. CALVO,J.A. Project Directorate IV. 7pp. 43415:340-43415:346.

8711230203 Forwards SER & technical evaluation rept re util response to Generic Ltr 83-28,Item 2.2 (Part 1), "Equipment Classification." Response acceptable.
HEITNER,K.L. Project Directorate IV. 87/11/13. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43428:242-43428:265.

--8711230211 Safety evaluation supporting util responses to Generic Ltr 83-28 Ite 2.2.1 re equipment classification programs for all safety-related components.
* NRC - No Detailed Affiliation Given. 87/11/13. 6pp. 43428:244-43428:265.

8711240214 Forwards addl info & redrafted Tech Specs re sys,subsystems & safety related cooling functions,in response to NRC 870417 & 0702 comments & agreements reached in 870825 & 26 meetings.
BREY,H.L. Public Service Co. of Colorado. 87/11/19. CALVO,J.A. Project Directorate IV. 125pp. 43432:142-43432:275.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety-Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(860221-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020379 Forwards Augmented Insp Team Rept 50-267/87-26 on 871003-08 Rept 50-267/87-28 will be issued to discuss emergency response aspects of turbine bldg fire event.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43235:277-43235:306.

--8711020397 Augmented Insp Team Rept 50-267/87-26 on 871003-08.Major areas inspected:fire that occurred in turbine bldg on 871002 & 03,including fire detection sys,licensing background,fire brigade response & control room smoke infiltration.
JAUDON,J.P., IRELAND,R.E., SKOW,M.E. Region 4, Ofc of the Director. 87/10/27. 27pp. 43235:279-43235:306.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/ Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:309.

8711090332 Ack receipt of 870929 ltr informing NRC of steps taken to correct deficiency noted in Insp Rept 50-267/87-19.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43313:267-43313:272.

8711090268 Ack receipt of 871005 response to NRC 870209 ltr re observations noted in Insp Rept 50-267/87-02.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43322:133-43322:136.

8711100207 Forwards Insp Rept 50-267/87-27 on 871005-09.Potential violation re training considered to be unresolved item per Commission policy statement on training qualification of nuclear power plant personnel.Attention to item warranted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43324:352-43324:361.

--8711100214 Insp Rept 50-267/87-27 on 871005-09.One potential violation noted.Major areas inspected:licensed operator requalification program & nonlicensed staff training.
JONES,W.B., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/27. 8pp. 43324:3 43324:361.

8711100233 Ack receipt of 871014 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-267/87-21.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43328:037-43328:038.

8711100259 Ack receipt of 871016 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-267/87-20.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43328:031-43328:032.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/ Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/ Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130103 Forwards Insp Rept 50-267/87-22 on 870901-1017.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/09. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43354:277-43354:291.

--8711130108 Insp Rept 50-267/87-22 on 870901-1017.No violations or deviations noted.Major areas inspected:licensee action on LERs,monthly surveillance observation,ESF walkdown,fire protection,security & radiological protection.
FARRELL,R.E., MICHAUD,P.W., WESTERMAN,T.F. Region 4, Ofc of the Director. 11/03. 13pp. 43354:279-43354:291.

8711160263 Forwards Insp Rept 50-267/87-28 on 871007-08 & notice of deviation.Augmented insp team rept & insp verified that adequate steps taken in response to fire on 871002.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/12. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43369:218-43369:226.

staff forward command post within time commitments.
* Region 4, Ofc of the Director. 87/11/12. 1p. 43369:220-43369:220.

--8711160278 Insp Rept 50-267/87-28 on 871007-08.Deviation noted:Major areas inspected:Implementation of emergency plan & procedures in response to 871002 fire.
BAIRD,J.B., FISHER,W.L., BANGART,R.L. Region 4, Ofc of the Director. 87/11/05. 6pp. 43369:221-43369:226.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-106, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200287 Monthly operating rept for Oct 1987.W/871116 ltr.
NOVACHEK,F.J., WILLIAMS,R.O. Public Service Co. of Colorado. 87/10/31. 9pp. 43410:117-43410:125.

S. Reportable occurrences, LERs & related correspondence

8711020359 LER 87-022-00:on 870929,Loop I shutdown actuation initiated by plant protective sys (PPS).Caused by failure of logic chip Z40 in PPS module CS-1A1.Module contg failed chip replaced w/operable spare module.W/871029 ltr.
JOSEPH,M.A., WILLIAMS,R.O. Public Service Co. of Colorado. 87/10/29. 6pp. 43236:057-43236:062.

8711060038 LER 87-023-00:on 871002,fire identified in turbine bldg. Caused by oil leaking from hydraulic valve onto exposed high temp steam line.Fire extinguished & hydraulic oil supply to leaking valve isolated.W/871102 ltr.
JOSEPH,M.A., WILLIAMS,R.O. Public Service Co. of Colorado. 87/11/01. 7pp. 43308:216-43308:222.

8711050242 Forwards util "Preliminary Rept on Impact of Fort St Vrain Oct 2 Fire," dtd 871030,for placement in PDR.
HEITNER,K.L. NRC - No Detailed Affiliation Given. 87/11/04. NRC - No Detailed Affiliation Given. 1p. 43300:066-43300:122.

--8711050247 "Preliminary Rept on Impact of Fort St Vrain 871002 Fire."
* Public Service Co. of Colorado. 87/10/30. 56pp. 43300:067-43300:122.

8711160235 LER 87-024-00:on 871009,10,11 & 14,reactor scram logic & alarm circuitry actuated on neutron flux rate of change high.Caused by electrical noise induction in wide range channels.Coil leads have been lifted.W/871109 ltr.
JOSEPH,M.A., WILLIAMS,R.O. Public Service Co. of Colorado. 87/11/08. 6pp. 43366:289-43366:293.

V. Operator Examinations

8711100207 Forwards Insp Rept 50-267/87-27 on 871005-09.Potential violation re training considered to be unresolved item per Commission policy statement on training & qualification of nuclear power plant personnel.Attention to item warranted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 43324:352-43324:361.

--8711100214 Insp Rept 50-267/87-27 on 871005-09.One potential violation noted.Major areas inspected:licensed operator requalification program & nonlicensed staff training.
JONES,W.B., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/27. 8pp. 43324:354-43324:361.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711130136 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130147 SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 41pp. 43357:135-43357:175.

8711160010 Advises that Rev 87-2 to emergency plan consistent w/provisions of 10CFR50.47(b) & App E & acceptable.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 1p. 43364:231-43364:231.

8711120131 Forwards Rev 87-3 to Vol A of emergency plan & Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43349:081-43349:296.

--8711120132 Rev 87-3 to Vol A of emergency plan.
TUCKMAN,M.S. Duke Power Co. 87/11/03. 35pp. 43349:085-43349:119.

--8711120082 Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.
TUCKMAN,M.S. Duke Power Co. 87/11/03. 181pp. 43349:120-43349:296.

8711130137 Forwards Rev 22 to security plan.Rev withheld (ref 10CFR73.21).
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43368:256-43368:256.

8711200371 Forwards Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43410:253-43410:265.

--8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.Major areas inspected:fire protection/prevention & seismic monitoring equipment.
HARRIS,J.R. Region 2, Ofc of the Director. 87/11/12. 11pp. 43410:255-43410:265.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:326.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R., POLLARD,R.D. Union of Concerned Scientists. 1p. 43392:095-43392:095.

H. General correspondence

8711170194 Requests that recipients change records to reflect new address in Rockville,MD.
* Babcock & Wilcox Co. 87/11/12. CROCKER,L.P. Project Directorate II-3. CARR,A.V. Duke Power Co. 3pp. 43384:232-43384:234.

P. Operating license stage documents & correspondence

8711090068 Forwards shipping schedule to inform of util intent to continue shipments of spent fuel from Oconee to McGuire Nuclear Station.Mode of transit will be truck-trailer & carrier by McGill.Encl withheld (ref 10CFR73.80).
HUDSON,F.G. Duke Power Co. 87/10/27. MCGUIRE,D. Region 2, Ofc of the Director. 1p. 43324:051-43324:051.

8711030158 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711130259 Ack receipt of 871015 ltr re 870806 plant confirmatory order.Concurs w/util intention to test & evaluate reactor bldg cooling unit & LPIS coolers following cleaning & then have coolers approved for full power operation.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/29. TUCKER,H.B. Duke Power Co. 1p. 43357:080-43357:080.

8711040286 Advises that 871002 ltr stating that util will implement only control of heavy loads Phase II commitments which util considers appropriate acceptable.
CROCKER,L.P. Project Directorate II-3. 87/11/02. TUCKER,H.B. Duke Power Co. 3pp. 43278:308-43278:310.

8711100237 Forwards SER & Technical Evaluation Rept EG&G-NTA-7332, accepting response to Item 2.2 Part 1,equipment classification program for all safety-related components. Item 2.2,Part 2,vendor interface,continues to be reviewed.
PASTIS,H.N. Project Directorate II-3. 87/11/04. TUCKER,H.B. Duke Power Co. 2pp. 43338:201-43338:225.

--8711100245 SER supporting NRC acceptance of licensee response to Generic Ltr 83-28,Item 2.2.1, "Equipment Classification Programs for All Safety-Related Components."
* Project Directorate II-3. 87/11/04. 7pp. 43338:203-43338:209.

--8711100251 "Conformance to Generic Ltr 83-28,Item 2.2.1,Equipment Classification for All Other Safety-Related Components: Oconee 1,2 & 3."
UDY,A.C. Idaho National Engineering Laboratory. FIN D-6001. EGG-NTA-7332. 87/07/31. 16pp. 43338:210-43338:225.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130279 Confirms that conditions of 870410 & 0806 confirmatory orders met & restrictions imposed by order lifted.Required approval for full power operation given to facility on 871105.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/05. TUCKER,H.B. Duke Power Co. 2pp. 43355:187-43355:188.

8711100295 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to Inservice testing program currently in preparation.Addl requests for relief from requirements of ASME Code listed. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:015-43333:176

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G , CHEA,K. Duke Power Co. 87/04/06. 160pp. 43333:017-43333:176.

8711190380 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 237pp. 43406:001-43406:237.

8711100126 Forwards SER accepting util response to Generic Ltr 83-28, Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components).EGG-NTA-7765, "Conformance to Item 2.1 (Part 2) of Generic Ltr..." also encl.Item 2.1 complete.
PASTIS,H.N. Project Directorate II-3. 87/11/11. TUCKER,H.B. Duke Power Co. 2pp. 43341:308-43341:320.

--8711100133 SER supporting licensee response to Generic Ltr 83-28,Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components).
* NRC - No Detailed Affiliation Given 87/11/11. 2pp. 43341:310-43341:311.

--8710200033 "Conformance to Item 2.1 (Part 2) of Generic Ltr 83-28 Reactor Trip Sys Vendor Interface Oconee 1,2 & 3."
FARMER,F.J. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN D-6001. EGG-NTA-7765. 87/08/31. NRC - No Detailed Affiliation Given. 9pp. 43341:312-43341:320.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50 54(a).W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

8711200138 Advises that complexity & significance of 870925 requests for relief from performing pressure testing of certain valves does not provide for review completion consistent w/ 871103 for Unit 1 or 880428 for Unit 2.
CROCKER,L.P. Project Directorate II-3. 87/11/16. TUCKER,H.B. Duke Power Co. 3pp. 43408:176-43408:178.

8711250149 Forwards Informal Rept EGG-NTA-7507, "Technical Evaluation Rept for Oconee Nuclear Station Units 1,2 & 3 Response to NRC,NRR Generic Ltr 83-37." Util not in conformance w/six listed action items.
PASTIS,H.N. Project Directorate II-3. 87/11/19. TUCKER,H.B. Duke Power Co. 4pp. 43461:264-43461:303.

8711300261 Informs of calibr problems associated w/reactor vessel head level monitor portion of inadequate core cooling sys. Unacceptable strng error found.Testing initiated to restore instrument strings to acceptable tolerance limits.
TUCKER,H.B. Duke Power Co. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43467:263-43467:265.

8711300099 Requests review & approval of util 870601 amend request. Proposed revs update LOCA limited max allowable linear heat rate to reflect NUREG-0630 cladding swelling & rupture models for LOCA analysis.
TUCKER,H.B. Duke Power Co. 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:101-43467:102.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response.IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26,Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130142 SALP Repts 50-413/87-26 & 50-414/87-26 for Oct 1985 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 40pp. 43357:095-43357:134.

--8711130147 SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 41pp. 43357:135-43357:175.

--8711130153 SALP Repts 50-369/87-29 & 50-370/87-29 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 39pp. 43357:176-43357:214.

8711130082 Forwards Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on 870928-1002 No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 2pp. 43354:228-43354:236.

--8711130102 Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on 870928-1002.No violations or deviations noted.Major areas inspected:reactor bldg tendon surveillance program,snubber surveillance program & IE Bulletin 80-11.
LENAHAN,J.J., JAPE,F. Region 2, Ofc of the Director. 87/10/27. 7pp. 43354:230-43354:236.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711050039 Forwards requests for relief from certain inservice insp testing,per ASME Boiler & Pressure Vessel Code,Section XI w/ addenda through Winter 1980,for review & approval for 871103 startup.Testing impractical following repair.
TUCKER,H.B. Duke Power Co. 87/10/29. Document Control Branch (Document Control Desk). 8pp. 43302:060-43302:067.

8711130222 Forwards Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on 870915-1019.No violations or deviations noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/10/29. TUCKER,H.B. Duke Power Co. 1p. 43357:335-43357:343.

--8711130227 Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on 870915-1019.No violations or deviations noted.Major areas inspected:operations,surveillance,maint,ESF lineups, followup of events & Unit 1 shutdown work in progress.
BRYANT,J.C., SKINNER,P.H., WERT,L.D. Region 2, Ofc of the Director. 87/10/28. 8pp. 43357:336-43357:343.

8711090125 Advises that response to 870930 notice of violation noted in Insp Repts 50-269/87-30,50-270/87-30 & 50-287/87-30 will be submitted by 871100 instead of 871030.
TUCKER,H.B. Duke Power Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43321:308-43321:308.

8711130068 Ack receipt of 870918 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/87-32, 50-270/87-32 & 50-287/87-32.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/03. TUCKER,H.B. Duke Power Co. 1p. 43354:050-43354:050.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100295 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to inservice testing program currently in preparation.Addl requests for relief from requirements of ASME Code listed. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:016-43333:176.

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G. Duke Power Co. 87/04/06. 160pp. 43333:017-43333:176.

8711120079 Responds to NRC ltr re violations noted in Insp Repts 50-269/87-30,50-270/87-30 & 50-287/87-30.Corrective actions: LPI & reactor bldg cooling unit coolers cleaned,tested & evaluated for support of full power operation.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43349:357-43349:359.

8711190212 Forwards Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on 871026-30.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43400:093-43400:104.

--8711190226 Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on 871026-30.No violations or deviations noted.Major areas inspected:radiation protection program including,previous enforcement matters,internal exposure control & surveys.
WRIGHT,F.N., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/06. 10pp. 43400:095-43400:104.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/18. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200371 Forwards Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23 No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43410:263-43410:265.

--8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.Major areas inspected:fire protection/prevention & seismic monitoring equipment.
HARRIS,J.A., CONLON,T.E. Region 2, Ofc of the Director. 87/11/12. 11pp. 43410:255-43410:265.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200376 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 17pp. 43417:016-43417:032.

S. Reportable occurrences, LERs & related correspondence

8711090268 Special rept:on 871026,degradation of more than one functional unit of emergency power switching logic from svc for testing resulted in violation of Tech Spec 3.7.2(b). Standby bus 1 returned to svc on 871028.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43322:155-43322:156.

8711170089 Advises that LER-87-006 re breach of containment integrity resulting in Tech Spec violation due by 871111 will be submitted by 871125.Rept in preparation.
TUCKER,H.B. Duke Power Co. 87/11/11. Document Control Branch (Document Control Desk). 1p. 43382:285-43382:285.

8711230137 Special rept:on 870908,discovered that standby shutdown facility (SSF) weekly instrument surveillance not performed on 870831 & 0907.Caused by personnel error.SSF instrument surveillance performed.
TUCKER,H.B. Duke Power Co. 87/11/17. Document Control Branch (Document Control Desk). 4pp. 43418:352-43418:355.

8711300036 LER 87-008-00:on 871012,direct pathway from containment to environ identified during fuel movement resulting in violation of Tech Specs.Caused by mgt deficiency in planning process.Fuel movement stopped.W/871125 ltr.
NORTH,P.J., TUCKER,H.B. Duke Power Co. 87/11/25. 11pp. 43469:295-43469:305.

8711300281 Advises LER 269/87-09,re degradation of more than one functional unit of emergency power switching logic for Units 2 & 3,in preparation & will be submitted by 871215. Incident originally discussed in special rept dtd 871102.
TUCKER,H.B. Duke Power Co. 87/11/26. Document Control Branch (Document Control Desk). 1p. 43471:076-43471:076.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130147 SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 41pp. 43357:135-43357:175.

8711160010 Advises that Rev 87-2 to emergency plan consistent w/provisions of 10CFR50.47(b) & App E & acceptable.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 1p. 43364:231-43364:231.

8711120131 Forwards Rev 87-3 to Vol A of emergency plan & Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43349:081-43349:296.

--8711120132 Rev 87-3 to Vol A of emergency plan.
TUCKMAN,M.S. Duke Power Co. 87/11/03. 35pp. 43349:085-43349:119.

--8711120062 *Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.*
TUCKMAN,M.S. Duke Power Co. 87/11/03. 181pp. 43349:120-43349:296.

8711160190 Forwards Rev 22 to security plan.Rev withheld (ref 10CFR73.21).
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43368:266-43368:266.

8711200371 Forwards Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43410:253-43410:265.

--8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.Major areas inspected:fire protection/prevention & seismic monitoring equipment.
HARRIS,J.R. Region 2, Ofc of the Director. 87/11/12. 11pp. 43410:265-43410:265.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R. Union of Concerned Scientists. 1p. 43392:095-43392:095.

H. General correspondence

8711170194 Requests that recipients change records to reflect new address in Rockville,MD.
* Babcock & Wilcox Co. 87/11/12. CROCKER,L.P. Project Directorate II-3. CARR,A.V. Duke Power Co. 3pp. 43384:232-43384:234.

P. Operating license stage documents & correspondence

8711090068 Forwards shipping schedule to inform of util intent to continue shipments of spent fuel from Oconee to McGuire Nuclear Station.Mode of transit will be truck-trailer & carrier by McGil.Encl withheld (ref 10CFR73.80).
HUDSON,F.G. Duke Power Co. 87/10/27. MCGUIRE,D. Region 2, Ofc of the Director. 1p. 43324:051-43324:051.

8711030166 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711040286 Advises that 871002 ltr stating that util will implement only control of heavy loads Phase II commitments which util considers appropriate acceptable.
CROCKER,L.P. Project Directorate II-3. 87/11/02. TUCKER,H.B. Duke Power Co. 3pp. 43278:308-43278:310.

8711100237 Forwards SER & Technical Evaluation Rept EG&G-NTA-7332, accepting response to Item 2.2 Part 1,equipment classification program for all safety-related components. Item 2.2,Part 2,vendor interface,continues to be reviewed.
PASTIS,H.N. Project Directorate II-3. 87/11/04. TUCKER,H.B. Duke Power Co. 2pp. 43338:201-43338:225.

--8711100245 SER supporting NRC acceptance of licensee response to Generic Ltr 83-28,Item 2.2.1, "Equipment Classification Programs for All Safety-Related Components."
* Project Directorate II-3. 87/11/04. 7pp. 43338:203-43338:209.

--8711100251 "Conformance to Generic Ltr 83-28,Item 2.2.1,Equipment Classification for All Other Safety-Related Components: Oconee 1,2 & 3."
UDY,A.C. Idaho National Engineering Laboratory. FIN D-6001. EGG-NTA-7332. 87/07/31. 16pp. 43338:210-43338:225.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100295 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to Inservice testing program currently in preparation.Addl requests for relief from requirements of ASME Code listed. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:015-43333:176.

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G., CHEA,K. Duke Power Co. 87/04/06. 160pp. 43333:017-43333:176.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711100126 Forwards SER accepting util response to Generic Ltr 83-28, Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components) EGG-NTA-7765, "Conformance to Item 2.1 (Part 2) of Generic Ltr..." also encl.Item 2.1 complete.
PASTIS,H.N. Project Directorate II-3. 87/11/11. TUCKER,H.B. Duke Power Co. 2pp. 43341:308-43341:320.

--8711100133 SER supporting licensee response to Generic Ltr 83-28,Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components).
* NRC - No Detailed Affiliation Given. 87/11/11. 2pp. 43341:310-43341:311.

--8710200033 "Conformance to Item 2.1 (Part 2) of Generic Ltr 83-28 Reactor Trip Sys Vendor Interface Oconee 1,2 & 3."
FARMER,F.J. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN D-6001. EGG-NTA-7765. 87/08/31. NRC - No Detailed Affiliation Given. 9pp. 43341:312-43341:320.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50.54(a).W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

***8711200138** Advises that complexity & significance of 870925 requests for relief from* performing pressure testing of certain valves does not provide for review completion consistent w/ 871103 for Unit 1 or 880428 for Unit 2.
CROCKER,L.P. Project Directorate II-3. 87/11/16. TUCKER,H.B. Duke Power Co. 3pp. 43408:176-43408:178.

8711250149 Forwards Informal Rept EGG-NTA-7607, "Technical Evaluation Rept for Oconee Nuclear Station Units 1,2 & 3 Response to NRC,NRR Generic Ltr 83-37." Util not in conformance w/six listed action items.
PASTIS,H.N. Project Directorate II-3. 87/11/19. TUCKER,H.B. Duke Power Co. 4pp. 43461:264-43461:303.

8711300099 Requests review & approval of util 870601 amend request. Proposed revs update LOCA limited max allowable linear heat rate to reflect NUREG-0630 cladding swelling & rupture models for LOCA analysis.
TUCKER,H.B. Duke Power Co. 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:101-43467:102.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp 43226:206-43226:207.

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26 Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130147 SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 41pp. 43357:135-43357:175.

8711130082 Forwards Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on 870928-1002.No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 2pp. 43354:228-43354:236.

--8711130102 Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on 870928-1002.No violations or deviations noted.Major areas inspected:reactor bldg tendon surveillance program,snubber surveillance program & IE Bulletin 80-11.
LENAHAN,J.J., JAPE,F. Region 2, Ofc of the Director. 87/10/27. 7pp. 43354:230-43354:236.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130222 Forwards Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on 870915-1019.No violations or deviations noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/10/29. TUCKER,H.B. Duke Power Co. 1p. 43357:335-43357:343.

--8711130227 Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on 870915-1019.No violations or deviations noted.Major areas inspected:operations,surveillance,maint,ESF lineups, followup of events & Unit 1 shutdown work in progress.
BRYANT,J.C., SKINNER,P.H., WERT,L.D. Region 2, Ofc of the Director. 87/10/28. 8pp 43357:336-43357:343.

8711090125 Advises that response to 870930 notice of violation noted in Insp Repts 50-269/87-30,50-270/87-30 & 50-287/87-30 will be submitted by 871109 instead of 871030.
TUCKER,H.B. Duke Power Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43321:308-43321:308.

8711130068 Ack receipt of 870918 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/87-32, 50-270/87-32 & 50-287/87-32.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/03. TUCKER,H.B. Duke Power Co. 1p. 43354:050-43354:050.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100295 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to Inservice testing program currently in preparation.Addl requests for relief from requirements of ASME Code listed. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:015-43333:176.

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G. Duke Power Co. 87/04/06. 150pp. 43333:017-43333:176.

8711120079 Responds to NRC ltr re violations noted in Insp Repts 50-269/87-30,50-270/87-30 & 50-287/87-30.Corrective actions: LPI & reactor bldg cooling unit coolers cleaned,tested & evaluated for support of full power operation.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43349:357-43349:359.

8711190212 Forwards Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on 871026-30.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43400:093-43400:104.

--8711190226 Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on 871026-30.No violations or deviations noted.Major areas inspected:radiation protection program including,previous enforcement matters,internal exposure control & surveys.
WRIGHT,F.N., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/06. 10pp. 43400:095-43400:104.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711030255 Revised emergency plan implementing procedures,including Rev 2 3503 re general emergency,Rev 11 to OP 3513 re evaluation of offsite rad conditions & Rev 4 to OP 3511 re offsite protective action recommendations.
PORTER,E.C. Yankee Atomic Electric Co. 87/10/21. 116pp. 43248:269-43248

8711040371 Ack receipt of 870921 ltr re two malfunctions of emergency response sys for facility EPZ.Spurious activation of siren does not constitute unusual does not result in notification of emergency response personnel.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/10/28. RYAN,H.W. Hinsd 4pp. 43278:236-43278:241.

--8711040377 Expresses concerns w/communication problem re State of NH e cy mgt agency pertaining to notification of two malfunctions of emergency r alarm sys at site. Investigation & written response needed.
RYAN,H.W., BONNETT,J.R., ROSPLOCH,C.A. Hinsdale, NH. 87/09/21. Corr ers. 2pp. 43278:240-43278:241.

8711060151 Errata to Rev 9 to Emergency Plan Implementing Procedure C "Post-Accident Sampling."
* Vermont Yankee Nuclear Power Corp. 87/11/02. 16pp. 43307:295-43307:3

8711230166 Rev 1 to "Vermont Yankee Nuclear Power Co Procedures Ge Package for Operational Emergency Procedures." W/ 871117 ltr.
MURPHY,A.P., PELLETIER,J., CAPSTICK,R.W. Vermont Yankee Nuclear Pow 87/11/17. ROONEY,V.L. Project Directorate I-3. 36pp. 43421:090-43421:125.

8711250265 Responds to 871014 ltr re concerns for adequacy of notification events to town of Hinsdale,NH. Response to Board of Selectmen for town of encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/19. GREGG, of Rep. 2pp. 43463:004-43463:012.

--8711250269 Ack receipt of 870921 ltr expressing concerns re two malfun emergency response alarm sys for plant EPZ & that Hinsdale emergency r personnel not properly notified.Corrective actions discussed.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/10/28. RYAN,H.W. New He State of. 4pp. 43463:008-43463:009.

--8711250270 Forwards Town of Hinsdale,NH Board of Selectmen 870921 ltr cerns over continued communication problems concerning notification of plan GREGG,J. House of Rep. 87/10/14. ZECH,L.W. Commissioners. 1p. 43 43463:012.

G. Adjudicatory correspondence

8711040075 Applicant answer to New England Coalition on Nuclear Pollution pe review of ALAB-876.* Petition should be denied.Certificate of Svc encl.
DIGNAN,T.G. Vermont Yankee Nuclear Power Corp. DIGNAN,T.G. Ropes #467 4736. 87/10/29. Commissioners. 6pp. 43254:306-43254:311.

8711170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp 43226:201-43226:205.

8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 23 No violations or deviations noted.Major areas inspected:fire protection/pr & seismic monitoring equipment.
HARRIS,J.R., CONLON,T.E. Region 2, Ofc of the Director. 87/11/12 43410:255-43410:265.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8 Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 8 Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200378 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 17pp. 43417:016-43

S. Reportable occurrences, LERs & related correspondence

8711090288 Special report on 871028,degradation of more than one functional emergency power switching logic from svc for testing resulted in violation Spec 3.7.2(b). Standby bus 1 returned to svc on 871028.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43322:155-43322:156.

8711230137 Special report on 870908,discovered that standby shutdown fea weekly instrument surveillance not performed on 870831 & 0907.Caused by p error.SSF instrument surveillance performed.
TUCKER,H.B. Duke Power Co. 87/11/17. Document Control Branch (Document Control Desk). 4pp. 43418:352-43418:355.

8711300281 Advises LER 269/87-09,re degradation of more than one functional emergency power switching logic for Units 2 & 3,in preparation & will be subm 871215. Incident originally discussed in special rept dtd 871102.
TUCKER,H.B. Duke Power Co. 87/11/26. Document Control Branch (Document Control Desk). 1p. 43471:076-43471:076.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8711040082 Applicant answer to petition for review of Commonwealth of MA ALAB-876.* Petit on should be denied.Certificate of Svc encl.
DIGNAN,T.G. Vermont Yankee Nuclear Power Corp. DIGNAN,T.G. Ropes & Gray. #487 4737. 87/10/29. Commissioners. 6pp. 43254:315-43254:320.

8711110059 Response of New England Coalition on Nuclear Pollution in opposition to applicant petition for review of ALAB-869.* Petition does not raise issue appropriate for Commission review & should be denied.Certificate of Svc encl.
WEISS,E.R. New England Coalition on Nuclear Pollution WEISS,E.R. Harmon & Weiss. #487 4768. 87/11/05. Commissioners. 12pp. 43332:213-43332:224.

8711110071 Answer of State of Vermont to applicants petition for review of ALAB-869.* State of Vermont urges that Commission deny applicant request for review of portion of ASLAB order that affirmed admission to Contention 1 in proceed ng.
MULLETT,D.J. Vermont, State of. #487 4774. 87/11/05. Commissioners. 2pp. 43334:123-43334:129.

-8711110075 State of Vermont answer to New England Coal tion on Nuclear Pollution & Commonwealth of MA petition for review of ALAB-876.* State of VT urges Commission to review & reverse ASLAB rejection of Contention 2.Certificate of Svc encl.
MULLETT,D.J. Vermont, State of. 87/11/05. Commissioners. 5pp. 43334:125-43334:129.

8711190052 Forwards answer of State of VT to petitions for review filed by New England Coalition on Nuclear Pollution & Commonwealth of MA & answer of State of VT to petition for review filed by applicant.W/Certificate of Svc.
MULLETT,D.J. Vermont, State of. #487 4854. 87/11/05. Office of the Secretary of the Commission. 4pp. 43392:167-43392:174.

-8711190055 Answer of State of VT to applicant petition for review of ALAB-869.* Petition for review re Contention 1 should be denied
MULLETT,D.J. Vermont, State of. 87/10/22. Commissioners. 2pp. 43392:171-43392:174.

8711110043 Commonwealth of Massachusetts answer to Vermont Yankee Nuclear Power Corp petition for review of ALAB-869.* Petition for review should be denied.Certificate of Svc encl
DEAN,G.B. Massachusetts, Commonwealth of. #487 4792. 87/11/06. Commissioners. 13pp. 43332:157-43332:169.

8711110046 NRC Staff answer in opposition to licensee petition for review of ALAB-876.* Commission should deny petition because ALAB-869 not shown to raise important question of public policy or procedure.Certificate of Svc encl.
WEISMAN,R.M. Assistant General Counsel for Enforcement. #487 4788. 87/11/06. Commissioners. 14pp 43332:143-43332:156.

8711110073 NRC Staff answer in opposition to Commonwealth of MA petition for review of ALAB-876.* Petition not properly filed.Commonwealth argument does not raise important question of law or policy.Certificate of Svc encl.
HODGDON,A.P. Assistant General Counsel for Hearings. #487 4790. 87/11/06. Commissioners. 14pp. 43332:111-43332:124.

8711110083 NRC Staff answer in opposition to New England Coalition on Nuclear Pollution petition for review of ALAB-876.* Petition not properly filed per 10CFR2.786.Certificate of Svc encl.
HODGDON,A.P. Assistant General Counsel for Hearings. #487 4789. 87/11/06. Commissioners. 14pp. 43332:311-43332:324.

8711170012 Forwards corrected title page to NRC 871106 brief, "NRC Staff Answer in Opposition to Licensee Petition for Review of ALAB-869."
WEISMAN,R.M. Assistant General Counsel for Enforcement. #487 4820. 87/11/10. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 43367:035-43367:036.

H. General correspondence

8711050106 Requests deletion of D Hunter & addition of J DeVincentis to appropriate copy lists.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 87/10/29. ROONEY,V.L. Project Directorate I-3. 1p. 43302:027-43302:027.

P. Operating license stage documents & correspondence

8711020174 Provides followup to 871021 telcon & 870901 ltr re containment safety.NRC continuing to develop resolution to issue of what improvements needed for BWR Mark I containments.Planning milestones listed.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. TARRANT,G.R. Vermont, State of. 2pp. 43239:206-43239:209.

8711060109 Forwards Pages 194 & 206 of Tech Specs,incorporating clarifications to Sections 6.2.A.1 & 6.5.C re 870428 application for amend to License DPR-28,consisting of Proposed Change 138,per 871029 discussion.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 87/11/02. ROONEY,V.L. Project Directorate I-3. 1p. 43303:232-43303:234.

-8711060110 Revised proposed Tech Specs Pages 194 & 206,incorporating clarifications to Sections 6.2.A.1 & 6.5.C.
* Vermont Yankee Nuclear Power Corp. 87/11/02. 2pp. 43303:233-43303:234.

8711090182 Forwards summary status of util position re each item for Generic Ltr 83-02 concerning NUREG-0737 Tech Spec requirements.Discussion of util continued position that Tech Specs for listed open items unwarranted also encl.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 87/11/03. ROONEY,V.L. Project Directorate I-3. 24pp. 43321:225-43321:248.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L Div of Emergency Preparedness & Engineering Response.IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp 43324:139-43324:227.

8711090105 Forwards supplemental info to assist in NRC final evaluation of inspected areas & suppls info in Insp Rept 50-271/87-19. Requests meeting to discuss similarity issue & application at plant.
MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 87/11/03. JOHNSTON,W.V. Region 1, Ofc of the Director. 18pp. 43311:141-43311:228

-8711090106 Technical Rept F-C3016, "Qualification Tests of Electrical Cables Simulated Reactor Containment Svc Conditions."
BOARDMAN,G.R., CARFAGNO,S.P., WITCHER,L.E. Franklin Institute. F-C3016. 71/06/30. 70pp. 43311:159-43311:228.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300047 Forwards info on regional insp re Mark I containment mods (USI A-7) conducted on 871005-09.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 87/11/23. VARELA,A.A. Region 1, Ofc of the Director. 96pp. 43469:176-43469:271.

R. Periodic operating reports & related correspondence

8711170254 Monthly operating rept for Oct 1987.W/871110 ltr.
WALLIN,G.A., MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 87/10/31. 6pp. 43381:089-43381:094.

S. Reportable occurrences, LERs & related correspondence

8711060013 LER 87-009-01:on 870818,main steam relief valve accumulator assembly C found to have seat leakage exceeding acceptance criteria.Caused by dirt/corrosion product on solenoid seat valve precluding proper closing of valve.W/871030 ltr.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 87/10/30. 7pp. 43308:255-43308:261.

8711060050 LER 87-007-01:on 870812,18 & 23,while performing Type C leak rate testing,several valves found w/seat leakage above Tech Spec requirements.On 870820,Type B & C leakage exceeded that allowed by 10CFR50,App J.Maint performed.W/871030 ltr.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 87/10/30. 7pp. 43308:235-43308:241.

8711050127 LER 87-016-00:on 871003,reactor scramed due to turbine control valve rapid opening & fast closure.Caused by turbine control oil sys malfunction.Turbine vendor utilized onsite to rebalance turbine oil pressure.W/871102 ltr.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 87/11/02. 4pp. 43292:102-43292:105.

8711100481 LER 87-008-01:on 870817,loss of normal power during shutdown occurred.Caused by routing of all sources of offsite power through one set of breakers while plant in outage. Precautions to be added to procedures.W/871104 ltr.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 87/11/04. 5pp. 43335:290-43335:294.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711020016 Rev 15 to event classification guide,including rev to table of contents,Rev 4 to Section II, "Cross Ref - Event to Requirement" & Rev 4 to Section 13, "Security

1009, "Emergency Response Callout Test Procedure." W/Rev 4 to table of contents.
BURGIN,D. Public Service Electric & Gas Co. of New Jersey. 87/11/06. 15pp. 43335:052-43335:066.

8711160204 Rev 2 to Artificial Island Emergency Plan Implementing Procedure EPIP 204S, "Emergency Response Callout/Personnel Recall." Table of contents encl.
* Public Service Electric & Gas Co. of New Jersey. 87/11/06. 31pp. 43365:156-43365:186.

8711230322 Rev 4 to Emergency Plan Implementing Procedure EPIP 1013, "Emergency Response Personnel Telephone List" & revised table of contents.
WINNER,G.L. Public Service Electric & Gas Co. of New Jersey. 87/11/17. 25pp. 43419:095-43419:120.

8711300209 Advises that 870903 temporary change to artificial island security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/20. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 43467:282-43467:285.

P. Operating license stage documents & correspondence

8711020050 Forwards operating ltr for IAEA surveillance interval of 870821-0921.Proposed Tech Spec change re deletion of Check Valve V453 from IST program justified.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/10/26. Document Control Branch (Document Control Desk). 7pp. 43239:131-43239:137.

8711020409 Application for amends to Licenses DPR-70 & DPR-75,adding reactor vessel level instrumentation sys to Tech Spec Tables Tables 3.3-11 & 4.3-11 & table notation pages associated w/ Tech Spec 3.3.3.7.Fee paid.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/10/29. Document Control Branch (Document Control Desk). 7pp. 43235:205-43235:227.

--8711020418 Proposed Tech Specs adding reactor vessel level instrumentation sys to Tech Spec Tables 3.3-11 & 4.3-11 & table notation pages associated w/Tech Spec 3.3.3.7,accident monitoring instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 87/10/29. 15pp. 43235:213-43235:227.

8711090150 Revised application for amends to Licenses DPR-70 & DPR-75, consisting of License Change Request LCR 86-11,adding provision to OL for units to indicate that requirements of NRC 830506 order terminated.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/03. Document Control Branch (Document Control Desk). 14pp. 43321:092-43321:105.

8711160217 Forwards rept documenting independent investigation of erroneous statement contained in 871016 ltr re 4 kV breaker coordination,per 871023 telcon.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/03. Document Control Branch (Document Control Desk). 8pp. 43366:248-43366:255.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190268 Requests that util provide written summary of findings to NRC following investigation into alleged intentional damage to safety-related equipment at plant,per 871029 telcon.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/13. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43401:010-43401:011.

8711240254 Forwards Amends 84 & 56 to Licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends change Tech Specs due to mod of reactor trip sys & ESFs response times to accommodate removal of resistance temp detectors bypass sys.
FISCHER,D.C. Project Directorate I-2. 87/11/16. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 3pp. 43446:001-43446:042.

--8711240263 Amends 84 & 56 to Licenses DPR-70 & DPR-75,respectively, changing Tech Specs due to mod of reactor trip sys & ESFs response times to accommodate removal of resistance temp detectors bypass sys
BUTLER,W.R. Project Directorate I-2. 87/11/16. 26pp. 43446:004-43446:029.

--8711240271 Safety evaluation supporting Amends 84 & 56 to Licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 13pp. 43446:030-43446:042.

8711200373 Notification of 871124 meeting w/util in Bethesda,MD to discuss assessment of potential for plant steam generators to have North Anna tube rupture problem.
FISCHER,D.C. Project Directorate I-2. 87/11/17. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 4pp. 43414:349-43414:352.

8711300067 Application for amends to Licenses DPR-70 & DPR-75,modifying Section 3/4 8.1.1 of facility Tech Specs to address changes to action statements & surveillance requirements suggested in NRC Generic Ltr 84-15.Fee paid.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/20. Document Control Branch (Document Control Desk). 11pp. 43470:125-43470:163.

--8711300080 Proposed Tech Specs re changes to action statements & surveillance requirements suggested in NRC Generic Ltr 84-15.
* Public Service Electric & Gas Co. of New Jersey. 87/11/20. 28pp 43470:136-43470:163.

8711300267 Advises that three tubes plugged in Steam Generator 13 on 871021,per Tech Spec Surveillance 4.4.5.5.a.Two tubes plugged due to tube wall loss in excess of 40%.Third tube plugged due to "antivibration bar" contact.
ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43471:110-43471:110.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BW Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(85C 870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:207.

8711020441 Forwards Safety Insp Rept 50-272/87-27 on 870921-25.No viola noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. MCNEILL,C.A. Pub c S ice Electric & Gas Co. of New Jersey. 2pp. 43235:045-43235:051.

--8711020451 Insp Rept 50-272/87-27 on 870921-25.No violations noted. Major a inspected:post-mod test program for forthcoming refueling outage,includ ng Eng ing Change (1EC) packages,mod test procedures & test specs.
VAN KESSEL,H.F., EAPEN,P.K. Region 1, Ofc of the Director. 87/10/20. 43235:047-43235:051.

8711030208 Forwards util exam review team findings re root cause of high exam fa rate,in response to Requalification Program Evaluation Repts 50-272/87-21(OL) & 311/87-26(OL).
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 87/10/28. ument Control Branch (Document Control Desk). 4pp. 43252:012-43252:015.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent dents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227

8711060249 Informs NRC of disposition of environ qualification of coolers.Engineering & plant betterment safety analysis group safety evaluation cluded that pump room cooler motors & associated components qualified in post dent environs.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/10/30. Docu Control Branch (Document Control Desk). 2pp. 43303:352-43303:353.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installatio BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capab ty Du Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11 Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine formance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11 Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711180029 Forwards Exam Repts 50-272/87-26OL & 50-311/87-26OL for exams ministered on 870915-17.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MCNEIL,C.A. Public Se Electric & Gas Co. of New Jersey. 2pp. 43386:350-43386:055.

--8711180035 Exam Repts 50-272/87-26OL & 50-311/87-26OL on 870915-17.E results:all four senior reactor operator candidates passed written & operating ex SILK,D., KELLER,R.M. Region 1, Ofc of the Director. 87/11/09. 64pp. 43386 43386.055.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Eme cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11 Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11 Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Bo ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/1 Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

S. Reportable occurrences, LERs & related correspondence

8711100502 LER 87-012-00:on 870930,Tech Spec 3.0.3 entered since inoperable dervoltage trip channel not placed in tripped condition within 1 h.Caused by equate relay dept procedures.Manual to be revised.W/871029 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87 29. 5pp. 43336:021-43336:025.

8711100379 LER 87-013-00:on 871002,reactor trip occurred on source range det high neutron flux,Channel N31.Caused by inadequate design.Detector & housing lated w/source range Channel N31 replaced.W/871030 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87 30. 4pp. 43335:216-43335:219.

8711170226 Summary of Operating Reactors Events Meeting 87-36 on 871103.L attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of ational Events Assessment (Post 870411). 20pp. 43385:216-43385:234.

8711170041 LER 87-014-00:on 871008,plastic shoe cover found wedged to block open locked high-radiation area door into unit.Caused by personnel error.Door closed & locked as required & memo issued re importance of adhering to controls.W/871109 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/11/09. 6pp. 43375:270-43375:274.

8711300284 LER 87-015-00:on 871023,fuel moved from core to spent fuel pool in support of refueling activities w/two of three diesel generators inoperable.Caused by personnel error. Disciplinary action taken.W/871020 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/11/20. 6pp. 43471:070-43471:076.

V. Operator Examinations

8711030208 Forwards util exam review team findings re root cause of high exam failure rate,in response to Requalification Program Evaluation Repts 50-272/87-21(OL) & 50-311/87-26(OL).
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43252:012-43252:015.

8711160029 Forwards Exam Repts 50-272/87-26OL & 50-311/87-26OL for exams administered on 870915-17.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MCNEIL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43365:350-43366:055.

--8711160035 Exam Repts 50-272/87-26OL & 50-311/87-26OL on 870915-17.Exam results:all four senior reactor operator candidates passed written & operating exams.
SILK,D., KELLER,R.M. Region 1, Ofc of the Director. 87/11/09. 64pp. 43365:352-43366:055.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711030287 Application for amend to License R-113 to exempt certain surveillance requirements & make corrections requested by NRR.Changes in requirements requested due to reactor being in shutdown pending installation of new tank liner.
MILLARD,H.T. Interior, Dept. of, Geological Survey. 87/10/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43252:267-43252:283.

--8711030288 Proposed Tech Specs exempting certain surveillance requirements & making corrections requested by NRR.
* Interior, Dept. of, Geological Survey. 87/10/21. 15pp. 43252:269-43252:283.

Q. Inspection reports, IE Bulletins & correspondence

8711250225 Forwards response to violations noted in Insp Rept 50-274/87-01.Encls withheld (ref 10CFR2.790(d)).
MILLARD,H.T. Interior, Dept. of, Geological Survey. 87/11/16. YANDELL,L.A. Region 4, Ofc of the Director. 1p. 43460:267-43460:267.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711090069 FOIA request for documents re Insp rpt in encl JB Martin B31201 ltr & BNL work as consultant to NRC re plant.
HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 87/09/14. NRC - No Detailed Affiliation Given. 4pp. 43323:291-43323:295.

--8711090073 Advises that NRC employees listed in encl will need unescorted access badges for all areas of facility for special insp during 831128-1210.Employees should be provided addl training in emergency response & security.W/o encl.
MARTIN,J.B. Region 5, Ofc of the Director. 83/12/01. SCHUYLER,J.O. Pacific Gas & Electric Co. 1p. 43323:295-43323:295.

8711020250 Forwards public version of revised emergency plan implementing procedures,including Rev 12 to EP G-3, "Notification of Offsite Organizations" & Rev 9 to EP EF-1, "Activation & Operation of...." W/871029 release memo.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/13. Document Control Branch (Document Control Desk). 5pp. 43238:262-43238:319.

--8711020258 Public version of revised emergency plan implementing procedures,including Rev 12 to EP G-3, "Notification of Offsite Organizations" & Rev 9 to EP EF-1, "Activation & Operation of Technical Support Ctr."
TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/13. 53pp. 43238:267-43238:319.

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan ref in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:294.

--8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233.

--8711060260 Forwards NRR input to SALP rept for licensing activities for Aug 1986 - Jul 1987.Util assigned Category 2 level w/no apparent trend in overall performance for functional area of licensing activities.
TRAMMELL,C.M. Project Directorate V. 87/09/02. KIRSCH,D.F. Region 5, Ofc of the Director. 11pp. 43307:284-43307:294.

8711090093 Forwards Insp Repts 50-275/87-34 & 50/323/87-34 on 870816-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43315:069-43315:081.

--8711090098 Insp Repts 50-275/87-34 & 52-323/87-34 on 870816-1003.No violations or deviations noted.Major areas inspected:plant operations,maint & surveillance activities,followup of onsite events & regional requests,LERs & physical security.
PADOVAN,L.M., JOHNSTON,K.E., NARBUT,P.P. Region 5, Ofc of the Director. 87/10/20. 11pp. 43315:071-43315:081.

8711160148 Forwards description of implementation schedule for miscellaneous amends & revised pages for Rev 16 to physical security plan & for Rev 2 to contingency plan,per NRC 870924 request.Schedule & revised pages withheld (ref 10CFR73.21).
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43366:224-43366:225.

8711240127 Forwards Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43430:044-43430:053.

--8711240131 Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.Major areas inspected:various vital areas & equipment in plant & followup of enforcement & open items.
BURDOIN,J.F., MENDONCA,M.M. Region 5, Ofc of the Director. 87/11/05. 8pp. 43430:046-43430:053.

8711250236 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE Government Accountability Project. 5pp. 43462:156-43462:280.

--8711250263 Forwards closing rept on Inquiry Q5-84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted matl also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

--8711250266 Partially deleted memo re 840323 telephonic rept to author concerning armed responders concerns w/possibility that response to security alarms in hot areas may be required.
SCHAEFER,D.W. NRC - No Detailed Affiliation Given. 84/03/23. NRC - No Detailed Affiliation Given. 1p. 43462:245-43462:245.

--8711250274 Partially deleted memo re telcon request for addl info concerning DW Schaefer 840323 memo concerning radiation protection training of security guards.
SCHUSTER,M.D. NRC - No Detailed Affiliation Given. 84/03/26. NRC - No Detailed Affiliation Given. 2pp. 43462:246-43462:247.

--8711250277 Partially deleted ltr discussing telcons & meetings in which concerns re security officers not receiving required training in radiation & respiratory protection at plant expressed.Partially deleted statement of concerns encl.
SCARANO,R.A. Region 5, Ofc of the Director. 84/04/12. Affiliation Not Assigned. 2pp. 43462:248-43462:249.

--8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:280.

G. Adjudicatory correspondence

8711040053 Informs that time provided within which Commission may act to review ALAB-873 expired.Commission declined review. Decision became final agency action on 871028.Served on 871102.
CHILK,S.J. Office of the Secretary of the Commission. #487 4726. 87/10/30. Office of the General Counsel. 1p. 43254:280-43254:280.

8711170030 Documents reconstitution of ASLAB for OL amend proceeding to consist of AS Rosenthal,CN Kohl & HA Wilber.Related correspondence.
ROSENTHAL,A.S. Atomic Safety and Licensing Appeal Panel. #487 4814. 87/11/12. Atomic Safety and Licensing Appeal Panel. 1p. 43368:133-43368:133.

8711190014 Reconstitution of ASLAB.* Notifies that chairman of ASLAP reconstituted ASLAB for OL amend proceeding.ASLAB for proceeding listed.Served on 871116.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4851. 87/11/12. 1p. 43392:094-43392:094.

8711240012 Informs that time provided by NRC regulations within which Commission may act to review ALAB-877 expired.Commission declined review.Decision became final agency action on 871117.Served on 871120.
CHILK,S.J. Office of the Secretary of the Commission. #487 4873. 87/11/20. Atomic Safety and Licensing Board Panel. 1p. 43423:199-43423:199.

J. Insurance & Indemnity Information

8711050055 Forwards Endorsement 25 to MAELU Policy MF-103 & Endorsement 55 to NELIA Policy NF-228.
LOCKE,R.F. Pacific Gas & Electric Co. 87/10/26. SALTZMAN,J. NRC - No Detailed Affiliation Given. 3pp. 43302:039-43302:041.

P. Operating license stage documents & correspondence

8711030094 Forwards plant-specific details for ATWS mitigating sys actuation circuitry (AMSAC),in response to NRC safety evaluation of WCAP-10858-A, "AMSAC Generic Design...." Util selected Option 1,steam generator low level logic design.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 22pp. 43252:028-43252:049.

8711030280 Forwards application for amends to Licenses DPR-80 & DPR-82, proposing exemption to Tech Spec 3.8.1.1 to allow swing diesel generator to be out of svc for 14 days for preventive maint & testing.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43260:001-43260:027.

--8711030284 Application for amends to Licenses DPR-80 & DPR-82,amending Tech Spec 3.8.1.1 for second refueling outage for Unit 1.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. 16pp. 43260:002-43260:024.

--8711030286 Proposed changes to Tech Spec 3.8.1.1 for second refueling outage for Unit 1.
* Pacific Gas & Electric Co. 87/10/30. 3pp. 43260:025-43260:027.

8711030403 Responds to 870928 request for extension of submittal date for summary technical rept re first reactor vessel surveillance capsule for plant.Extension to 880131 acceptable.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 5pp. 43259:048-43259:052.

8711030420 Forwards SER & Informal Technical Evaluation Rept EGG-NTA-7800, "Conformance to Generic Ltr 83-28 Item 2.2.1- Equipment Classification for All Other Safety-Related Components-Diablo Canyon 1 & 2." Util response acceptable.
TRAMMELL,C.M. Project Directorate V. 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43259:072-43259:098.

--8711030432 SER supporting util response to Generic Ltr 83-28,Item 2.2.1 re equipment classification programs for all safety-related components.
* NRC - No Detailed Affiliation Given. 87/10/30. 7pp. 43259:076-43259:081.

--8710150048 "Conformance to Generic Ltr 83-28 Item 2.2.1-Equipment Classification for All Other Safety-Related Components: Diablo Canyon 1 & 2," Informal technical evaluation rept.
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY,A.C. Idaho National Engineering Laboratory. FIN D-6001. EGG-NTA-7800. 87/09/30. NRC - No Detailed Affiliation Given. 17pp. 43259:082-43259:098.

8711030515 Forwards safety evaluation of util 860117 & 0407 submittals responding to PTS rule,10CFR50.61.Matl properties of reactor vessel beltline matls,fluence at inner surface of reactor vessel & calculated RT(PTS) acceptable.
TRAMMELL,C.M. Project Directorate V. 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 4pp. 43263:159-43263:167.

--8711030526 Safety evaluation supporting util 860117 & 0407 submittals responding to requirements of 10CFR50.61 re projected values of matl properties for fracture toughness requirements for protection against PTS events.Submittals acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 5pp. 43263:163-43263:167.

8711060187 Forwards payment for encl 871030 License Amend Request LAR 87-09.Check inadvertently left out of initial mailing. Fee paid.
* Pacific Gas & Electric Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43308.080-43308:109.

8711100279 Forwards Vols 1 & 2 to "DCRDR Supplemental Summary Rept." Rept provides description of human engineering discrepancy, priority rating,recommended corrections & proposed schedules for implementation of changes.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43325:001-43328:030.

--8711100286 "DCRDR Supplemental Summary Rept," Vols 1 & 2.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/31. 1,108pp. 43325:003-43328:030.

8711090080 Final response to FOIA request for documents App A documents available in PDR.No records located re Item 1 of request.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. HAMILN,J.B. Shaw, Pittman, Potts & Trowbridge. 3pp. 43323:296-43323:298.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100451 Forwards response to NRC 870929 request for addl info re util intention to remove RHR suction valve autoclosure interlock function.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43335:083-43335:085.

8711130141 Forwards addl info re Unit 2 boron injection tank (BIT) thermal relief valve,in response to NRC 871006 request.Info identifies util actions re monitoring of BIT thermal relief valve leakage prior to 871010 installation.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. Document Control Branch (Document Control Desk). 7pp. 43354:317-43354:323.

8711130321 Forwards info on long-term seismic program emplical ground motions data base,per NRC 870930 request.Updated computer diskettes will be provided for use.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. Document Control Branch (Document Control Desk). 9pp. 43361:131-43361:139.

8711160174 Forwards application for amend to License DPR-80,consisting of License Amend Request 87-10,to allow one-time temporary relief from surveillance requirements re turbine overspeed protection sys.Fee paid.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43365:119-43365:133.

--8711160181 Application for amend to License DPR-80,consisting of License Amend Request 87-10,revising Tech Specs to allow temporary exemption from surveillance requirements re turbine overspeed protection sys.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. 11pp. 43365:121-43365:131.

--8711160186 Proposed Tech Spec 4.3.4.1.2,reflecting revised surveillance requirements for turbine overspeed protection sys.
* Pacific Gas & Electric Co. 87/11/06. 2pp. 43365:132-43365:133.

8711110011 Ninth partial response to FOIA request for records,including notes of interview of K McMahon.Forwards App K documents. App K & L documents partially & completely withheld (ref FOIA Exemptions 6 & 7,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. DIXON, DEVINE Government Accountability Project. 4pp. 43346:138-43346:198.

--8711110017 Forwards partially withheld info documenting Wagner efforts in support of Allegation 99 re Bostrom-Bergen/Meddco Metals.
CANTER,H. Region 5, Ofc of the Director. 84/07/06. SHACKELTON,O. Office of Investigations. 33pp. 43346:143-43346:175.

--8711110029 Partially withheld comments re Bostrom-Bergen allegations made in 840118 ltr to JB Martin of NRC.Marked-up partially withheld 831213 sworn statement by GW Dossey & partially withheld 831227 interview of K McMahon also encl.
SHACKLETON,O.C. Office of Investigations. 84/01/28. Office of Investigations. 23pp. 43346:176-43346:198.

8711130348 Confirms oral authorization for one-time change to Tech Specs permitting deferment of surveillance requirement for exercising turbine valves.Change responds to util 871108 application for amend.
HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 87/11/09 SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43360:183-43360:185.

8711160206 Advises that Westinghouse Owners Group currently evaluating NRC concerns noted in 870904 request for addl info re Generic Ltr 83-28,Items 4.2.3 & 4.2.4 concerning life cycle testing & periodic replacement of reactor trip breakers.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43366:237-43366:237.

8711190072 Eleventh partial response to FOIA request for documents, including radiation & process monitor resume & qualification status.Encl App L documents partially withheld (ref FOIA Exemption 6).Documents in PDR & LPDR in San Luis Abispo,CA. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/16 GARDE & P. Government Accountability Project. 3pp. 43406:277-43406:325.

--8711190075 Partially deleted package consisting of info re ANSI N18.1-1971 qualification & radiation & process monitor resume & qualification status.
* Pacific Gas & Electric Co. 87/11/16. 44pp. 43406:282-43406:325.

8711240205 Advises NRC that listed documents re radiation protection & respiratory protection training of security officers nonproprietary & available for public disclosure.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/19. Document Control Branch (Document Control Desk). 1p. 43431:355-43431:355.

8711250236 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE Government Accountability Project. 5pp. 43462:156-43462:280.

--8711250247 Requests investigation of 840319 allegations of intimidation involving K Dukes,Bechtel const superintendent against two contractor employees
MARTIN,J.B. Region 5, Ofc of the Director. 84/03/28. SHACKLETON,O. Region 5 Ofc of the Director. 5pp. 43462:165-43462:171.

--8711250256 Discusses inquiry into 840322 allegations of threats & intimidation of QC inspectors by Bechtel supervisor at plant.Bechtel removed supervisor at util request.No further actions by region ofo necessary,based on util actions
MURPHY,D.D., ROBINSON,L.L. Office of Investigations. 84/06/15. SHACKLETON,O. Office of Investigations. 1p. 43462:172-43462:172.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response.IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711090069 FOIA request for documents re insp ref in encl JB Martin 831201 ltr & BNL work as consultant to NRC re plant.
HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 87/09/14. NRC - No Detailed Affiliation Given. 4pp. 43323:291-43323:295.

--8711090073 Advises that NRC employees listed in encl will need unescorted access badges for all areas of facility for special insp during 831128-1210.Employees should be provided addl training in emergency response & security.W/o encl.
MARTIN,J.B. Region 5, Ofc of the Director. 83/12/01. SCHUYLER,J.O. Pacific Gas & Electric Co. 1p. 43323:295-43323:295.

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan ref in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:294.

--8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233

--8708270170 Forwards DOE/INEL analysis of LER quality for facility during Aug 1986 - Jul 1987.Overall quality scored above industrial average.Quality of discussions of root cause, corrective actions & safety sys responses improved.
WILLIAMS,M.H. Trends & Patterns Analysis Branch. 87/08/20. KIRSCH,D.F. Region 5, Ofc of the Director. 50pp. 43307:234-43307:283.

--8711060260 Forwards NRR input to SALP rept for licensing activities for Aug 1986 - Jul 1987.Util assigned Category 2 level w/no apparent trend in overall performance for functional area of licensing activities.
TRAMMELL,C.M. Project Directorate V. 87/09/02. KIRSCH,D.F. Region 5, Ofc of the Director. 11pp. 43307:284-43307:294.

8711090093 Forwards Insp Repts 50-275/87-34 & 50/323/87-34 on 870816-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43315:069-43315:081.

--8711090098 Insp Repts 50-275/87-34 & 52-323/87-34 on 870816-1003.No violations or deviations noted.Major areas inspected:plant operations,maint & surveillance activities,followup of onsite events & regional requests,LERs & physical security
PADOVAN,L.M., JOHNSTON,K.E., NARBUT,P.P. Region 5, Ofc of the Director. 87/10/20. 11pp. 43315:071-43315:081.

8711020384 Ack receipt of 870924 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-275/87-28 & 50-323/87-28.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/23. SHIFFER,J.D. Pacific Gas & Electric Co. 1p. 43236:193-43236:196.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060277 Forwards Rev 6 to inservice insp & testing program plan, incorporating listed technical changes,including revising boundary drawings,sys pressure test summary & deleting & revising various relief requests.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43304:069-43305:060.

--8711060282 Rev 6 to inservice insp & testing program plan.
* Pacific Gas & Electric Co. 87/11/02. 351pp 43304:070-43305:060.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711240127 Forwards Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43430:044-43430:053.

--8711240131 Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.Major areas inspected:various vital areas & equipment in plant & followup of enforcement & open items.
BURDOIN,J.F., MENDONCA,M.M. Region 5, Ofc of the Director. 87/11/05. 8pp. 43430:046-43430:053.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250236 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE, DIXON Government Accountability Project. 5pp. 43462:168-43462:280.

--8711250263 Forwards closing rept on Inquiry 05-84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted matl also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

--8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:280.

--8711300009 Partially withheld ltr confirming NRC understanding of concerns re welding at plant,per 831104 telcon.Partially deleted statement of concerns encl.
KIRSCH,D.F. Region 5, Ofc of the Director. 83/11/08. Affiliation Not Assigned. 5pp. 43462:230-43462:244.

R. Periodic operating reports & related correspondence

8711160276 Monthly operating repts for Sept 1987.W/871009 ltr.
BEDESEM,P., TOWNSEND,J.D. Pacific Gas & Electric Co. 87/09/30. 9pp. 43369:304-43369:312.

8711240067 Monthly operating repts for Oct 1987.W/871113 ltr.
BEDESEM,P., TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/31. 9pp. 43431:100-43431:108.

8711300160 "Rept on Discharge Monitoring at Diablo Canyon Power Plant During Month of Oct 1987." W/871120 ltr.
TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/31. LEONARD,W. California, State of. 57pp. 43466:299-43466:355.

8711160216 Forwards "10CFR50.59 Annual Rept of Changes,Tests & Experiments 860323-870322." Rept same as reporting interval of annual FSAR update rev.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43364:332-43364:344.

--8711160220 "10CFR50.59 Annual Rept of Changes,Tests & Experiments 860323-870322."
* Pacific Gas & Electric Co. 87/03/22. 11pp. 43364:334-43364:344.

S. Reportable occurrences, LERs & related correspondence

8711090275 Special rept on 871004,high temp alarm setpoints exceeded in several 480 volt bus areas in Units 1 & 2 & battery areas in Unit 1 due to high ambient temps resulting from unusual weather pattern.Proper levels returned on 871006.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43322:137-43322:138.

8711100367 LER 87-016-00:on 871006,four shutdown control rods not fully withdrawn within 1 h as required by Tech Spec 3.1.3.5. Caused by fuse failure from unknown cause.Failed fuses sent offsite for analysis.W/871105 ltr.
HINDS,J.R., SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/05. 2pp. 43334:355-43334:356.

8711160175 PNO-V-87-074:on 871110,county inadvertently actuated emergency notification sys(sirens).Caused by wrong sequence being entered into sys while performing weekly silent test. Corrective action under investigation.
FISH,R., NARBUT,P. Region 5, Ofc of the Director. 87/11/10. 1p. 43368:261-43368:261.

8711230436 LER 87-019-00:on 871020,time interval requirement specified by Tech Specs 4.1.3.1.1 & 4.1.3.2 exceeded.Caused by personnel error & problem w/equipment/computer program.Suppl to rept will be issued after investigation.W/871119 ltr.
HUG,M.T., SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/19. 6pp. 43423:038-43423:043.

8711250212 LER 87-017-00:on 871022,automatic initiation of containment ventilation isolation sys occurred.Caused by electrical noise generated by voltage spike due to blown fuse on radiation monitor RM21.Monitor replaced.W/871120 ltr.
KELLY,W.J., SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/20. 5pp. 43460:031-43460:035.

V. Operator Examinations

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan rel in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:233.

--8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711090144 Forwards Safety Insp Repts 50-277/87-25 & 50-278/87-25 on 870829-1016.No violations noted.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43314:241-43314:274.

--8711090147 Insp Repts 50-277/87-25 & 50-278/87-25 on 870829-1016.No violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & surveillance testing.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/04. 32pp. 43314:243-43314:274.

8711300165 Forwards Safeguards Insp Repts 50-277/87-20 & 50-278/87-20 on 870828-0702.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/24. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43466:281-43466:290.

--8711300174 Physical Security Insp Repts 50-277/87-20 & 50-278/87-20 on 870828-0702.No violations noted.Major areas inspected:mgt effectiveness,security organization & followup of allegations.Certain info from allegations substantiated.
BAILEY,R.J., LANCASTER,W.K., KEIMIG,R.R. Region 1, Ofc of the Director. 87/10/29. 8pp. 43466:283-43466:290.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462:002.

--8711260144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711100196 Forwards addl info re plant commitment to excellence action plan,per NRC 870824 & 0911 requests & 870826 & 0914 meetings w/NRC & Commissioners,respectively.Submittal should be used to satisfy commitment to send rept of action plan progress.
AUSTIN,J.H. Philadelphia Electric Co. 87/09/28. RUSSELL,W.T. Region 1, Ofc of the Director. 384pp. 43328:085-43328:108.

8711040278 Forwards Governor Schaefer 871015 ltr re State of MD comments on commitment to excellence action plan,for info & use in revising plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/10/30. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43291:024-43291:034.

--8711040292 Forwards comments on facility commitment to excellence action plan,published by util on 870807.Primary concern to ensure that facility operated in manner to protect health & safety of public.Util should provide backup communications.
SCHAEFER,W.D. Maryland, State of. 87/10/15. RUSSELL,W.T. Region 1, Ofc of the Director. 9pp. 43291:026-43291:034.

8711060237 Forwards "Commitment to Excellence Action Plan Status Rept," per Section 4.13 2 of plan.Util 870928 response to NRC 870824 & 0911 ltrs used to satisfy requirements for first submittal.
AUSTIN,J.H. Philadelphia Electric Co. 87/10/30. RUSSELL,W.T. Region 1, Ofc of the Director. 2pp. 43303:330-43303:351.

--8711060241 "Commitment to Exellence Action Plan Status Rept."
* Philadelphia Electric Co. 87/10/28. 20pp. 43303:332-43303:351.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100328 Provides update re status of one-time vendor manual update program & maint procedure update program,per Generic Ltr 83-28,Items 3.1.1 & 3.1.2.Three remaining procedures to be updated completed prior to 860914,per 860723 commitment.
KEMPER,J.S. Philadelphia Electric Co. 87/11/05. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 2pp. 43330:247-43330:248.

8711130100 Requests response providing basis for employment action re WA Young in cases & description of any actions taken or planned to assure that personnel not discouraged from raising safety concerns,within 30 days.Related info encl.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/09. GALLAGHER,J.W. Philadelphia Electric Co. 20pp. 43354:241-43354:260.

8711160306 Requests that listed discharge point for treated radwaste be added to NPDES permit Discharge point inadvertently omitted in 810702 NPDES permit reapplication due to confusion over regulatory authority.Permit Page 2d encl.
WILLSEY,W.B. Philadelphia Electric Co. 87/11/09. CORRIVEAU,E. Pennsylvania, Commonwealth of. 4pp. 43369:214-43369:217.

8711240001 Summarizes various documents delivered to NRC on 871013 & 30 & 1106 to assist in preparation for operational assessment of selected plant operating crews,per NRC 870921 request.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/17. GALLO,R. Region 4, Ofc of the Director. 2pp. 43437:286-43437:287.

8711300002 Forwards revised Tech Spec 3.9.B.6.2.a,establishing 8 h time limit for implementing storage tank transfer,in support of util 870902 application for amend to Licenses DPR-44 & DPR-56,per NRC 870921 telcon request.
KEMPER,J.S. Philadelphia Electric Co. 87/11/18. BUTLER,W.R. Project Directorate I-2. 2pp. 43470:047-43470:050.

--8711300014 Revised proposed Tech Spec 3.9.B.6.2.a,establishing 8 h time limit for implementing storage tank transfer.
* Philadelphia Electric Co. 87/11/18. 2pp. 43470:049-43470:050.

8711230260 Ack receipt of review & comments on util commitment to excellence action plan submitted per NRC order shutting down plant on 870331.Comments forwarded to util for consideration in revising plan.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/19. BACUS,C. Pennsylvania, Commonwealth of. 2pp. 43419:255-43419:256.

8711230350 Forwards application for amends to Licenses DPR-44 & DPR-56, revising Tech Specs to reflect changes in licensee onsite & offsite organization.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43424:111-43424:181.

--8711230371 Application for amends to Licenses DPR-44 & DPR-56,revising Tech Specs to reflect organizational changes in corporate & onsite mgt of licensee nuclear operations,engineering,maint & other support activities.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/18. 47pp. 43424:112-43424:158.

--8711230381 Proposed Tech Specs,reflecting organizational changes in corporate & onsite mgt of licensee nuclear operations, engineering,maint & other support activities.
* Philadelphia Electric Co. 87/11/19. 22pp. 43424:159-43424:181.

8711300277 Forwards "Plan for Restart of Peach Bottom Atomic Power Station,Section I:Corporate Action." Plan represents dramatic change & will demonstrate dramatic improvement.
AUSTIN,J.H. Philadelphia Electric Co. 87/11/25. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43471:226-43471:348.

--8711300280 "Plan for Restart of Peach Bottom Atomic Power Station, Section I.Corporate Action."
* Philadelphia Electric Co. 87/11/25. 100pp. 43471:227-43471:348.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020497 Forwards Environ Qualification Team Insp Repts 50-277/87-18 & 50-278/87-18 on 870615-19.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43238:012-43238:030.

--8711020513 Insp Repts 50-277/87-18 & 50-278/87-18 on 870615-19.No noted.Major areas inspected:implementation of environ qualification progr tab'ishing & maintaining qualification of electrical equipment important to sa PAOLINO,R.J., ANDERSON,C.J. Region 1, Ofc of the Director. 87/10 43238:014-43238:030.

8711040164 Forwards Safety Insp Repts 50-277/87-23 & 50-278/87-23 on & notice of violation.Programmatic & technical bases for continued procure valve vendor requested with'n 30 days based on unresolved items.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. GALLAGHER, delphia Electric Co. 3pp. 43290:299-43290:320.

--8711040173 Notice of violation from insp on 870810-19.Violation noted: procured as quality assured & identified as acceptable for in-plant safety- although review did not justify items suitability for intended use.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43290:302-43290:302.

--8711040181 Insp Repts 50-277/87-23 & 50-278/87-23 on 870810-14 & 1 tions noted.Major areas inspected:implementation of QA pro procurement,mod control,document control & records.Effectiveness of qua tion reviewed.
NAPUDA,G., DEV,M., BLUMBERG,N. Region 1, Ofc of the Director. 87/1 43290:303-43290:320.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: R dents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Pos 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-433

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Ins BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090144 Forwards Safety Insp Repts 50-277/87-25 & 50-278/87-25 1016 No violations noted.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. GALLAGHER,J.W. Electric Co. 2pp. 43314:241-43314:274.

--8711090147 Insp Repts 50-277/87-25 & 50-278/87-25 on 870929-1016.N noted.Major areas inspected:operational safety, radiation protect security,control room activities,licensee events & surveillance testing.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 87/11. 43314:243-43314:274.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capab Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Dete formance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consol.dated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130274 Comments on SALP Repts 50-277/86-99 & 50-278/86-99 for May 1987.Key comments discussed at 871001 meeting restated & addl in GALLAGHER,J.W. Philadelphia Electric Co. 87/11/00. RUSSELL,W.T. Re of the Director. 10pp. 43357:026-43357:035.

8711090140 NRC Info Notice 87-058, "Continuous Communications Followin cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list e ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Press ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300165 Forwards Safeguards Insp Repts 50-277/87-20 & 50-278 870628-0702.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/24. GALLAGHER,J.W. Electric Co. 2pp. 43466:281-43466:290.

--8711300174 Physical Security Insp Repts 50-277/87-20 & 50-278/87-20 0702.No violations noted.Major areas inspected:mgt effectiveness,securi tion & followup of allegations.Certain info from allegations substantiated.
BAILEY,R.J., LANCASTER,W.K., KEIMIG,R.R. Region 1, Ofc of the Direc 29. 8pp. 43466:283-43466:290.

R. Periodic operating reports & related correspondence

8711050041 Forwards NRC Resident Ofc status rept for 871008-22, provid of plant & NRC insp activities.
LINVILLE,J.C. Region 1, Ofc of the Director. 87/10/28. KANE,W.F. Regio the Director. 5pp. 43302:055-43302:059.

8711200309 Monthly operating repts for Oct 1987.W/871116 ltr.
MIDDLETON,L.L., ALDEN,W.M. Philadelphia Electric Co. 87/10/31. 14pp. 43410:068.

8711130111 Forwards NRC Resident Ofc status rept for 871023-1105.
LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/09. KANE,W.F. Regio the Director. 4pp. 43355:353-43355:356.

8711250237 Submits periodic status rept of plant activities for 871105-19.
LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/20. KANE,W.F. Regio the Director. 5pp. 43460:151-43460:155.

S. Reportable occurrences, LERs & related correspondence

8711020161 Part 21 rept on QA controls re NDE records utilized by Eastern Testing & Insp,Inc during performance of NDE svcs at facility.Names of individuals informing NRC & identification of basic svcs containing defect provided.
GALLAGHER,J.W. Philadelphia Electric Co. 87/10/19. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43234:122-43234:127.

8711050159 NPDES noncompliance notification on 870911 & 24,total phosphorus of samples for Discharge Point 501 exceeded monthly average permit limit.Caused by sewage treatment plant inability to reduce phosphorus below permit limit.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:246-43291:247.

8711050175 NPDES noncompliance notification on 870911 & 24,biochemical oxygen demand of two samples from Discharge Point 501 exceeded monthly average permit limit Caused by excessive carryover from clarifiers Solids passed through sys reduced.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:222-43291:223.

8711060116 LER 87-022-00:on 870929,loss of HPCI occurred due to blown logic fuse.Probably caused by undervoltage relay on battery 2D charger.HPCI logic fuse replaced & static inverter placed on ac feed.W/871030 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/10/30. 5pp. 43308:170-43308:174.

8711230365 PNS-I-87-019:on 871118,nonspecific bomb threats received over plant internal telephone sys Steps to heighten security awareness among plant & security supervisors taken. Investigation initiated by licensee.
KEIMIG,R., JOYNER,J.H. Region 1, Ofc of the Director. 87/11/19. 2pp. 43424:232-43424:233.

8711300195 LER 87-007-02:on 870619,full scram signal generated by reactor protection sys logic.Caused by procedural deficiency & personnel error.Rev of intermediate range monitors postponed due to administrative problems.W/871123 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/11/23. 6pp. 43470:344-43470:349.

8711300259 LER 87-023-00:on 871014,HPCI sys disabled due to blown logic fuse.Cause unknown.Fuse replaced within 5 minutes.No addl corrective actions planned W/871124 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/11/24. 4pp. 43467:266-43467:269.

U. Congressional/Executive Correspondence

8711090221 Forwards,for info & use in revising commitment to excellence action plan,C Becas 871021 ltr forwarding Commonwealth of PA comments on excellence action plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/11/04. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43322:347-43322:353.

--8711090228 Forwards comments prepared by Peach Bottom working group on commitment to excellence plan.Commonwealth reserves right to comment on any future plan revs.
BACAS,C. Pennsylvania, Commonwealth of. 87/10/28. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43322:349-43322:353.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711090144 Forwards Safety Insp Repts 50-277/87-26 & 50-278/87-25 on 870829-1016.No violations noted.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43314:241-43314:274.

--8711090147 Insp Repts 50-277/87-25 & 50-278/87-25 on 870829-1016.No violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & surveillance testing.
WILLIAMS,J.H. Region 1, Ofc of the Director. 87/11/04. 32pp. 43314:243-43314:274.

8711300165 Forwards Safeguards Insp Repts 50-277/87-20 & 50-278/87-20 on 870628-0702.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/24. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43466:281-43466:290.

--8711300174 Physical Security Insp Repts 50-277/87-20 & 50-278/87-20 on 870628-0702.No violations noted.Major areas inspected:mgt effectiveness,security organization & followup of allegations.Certain info from allegations substantiated.
BAILEY,R.J. Region 1, Ofc of the Director. 87/10/29. 8pp. 43466:283-43466:290.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711100195 Forwards addl info re plant commitment to excellence action plan,per NRC 870824 & 0911 requests & 870826 & 0914 meetings w/NRC & Commissioners,respectively.Submittal should be used to satisfy commitment to send rept of action plan progress.
AUSTIN,J.H. Philadelphia Electric Co. 87/09/28. RUSSELL,W.T. Region 1, Ofc of the Director. 384pp. 43328:085-43329:108.

8711040278 Forwards Governor Schaefer 871015 ltr re State of MD comments on commitment to excellence action plan,for info & use in revising plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/10/30. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43291:024-43291:034.

--8711040292 Forwards comments on facility commitment to excellence action plan,published by util on 870807.Primary concern to ensure that facility operated in manner to protect health & safety of public.Util should provide backup communications.
SCHAEFER,W.D. Maryland, State of. 87/10/15. RUSSELL,W.T. Region 1, Ofc of the Director. 9pp. 43291:026-43291:034.

8711060237 Forwards "Commitment to Excellence Action Plan Status Rept," per Section 4.13.2 of plan.Util 870928 response to NRC 870824 & 0911 ltrs used to satisfy requirements for first submittal.
AUSTIN,J.H. Philadelphia Electric Co. 87/10/30. RUSSELL,W.T. Region 1, Ofc of the Director. 2pp. 43303:330-43303:351.

--8711060241 "Commitment to Exellence Action Plan Status Rept."
* Philadelphia Electric Co. 87/10/28. 20pp. 43303:332-43303:351.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100328 Provides update re status of one-time vendor manual update program & maint procedure update program,per Generic Ltr 83-28,Items 3.1.1 & 3.1.2.Three remaining procedures to be updated completed prior to 860914,per 860723 commitment.
KEMPER,J.S. Philadelphia Electric Co. 87/11/05. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 2pp. 43330:247-43330:248.

8711130100 Requests response providing basis for employment action re WA Young in cases & description of any actions taken or planned to assure that personnel not discouraged from raising safety concerns,within 30 days.Related info encl.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/09. GALLAGHER,J.W. Philadelphia Electric Co. 20pp. 43354:241-43354:260.

8711160306 Requests that listed discharge point for treated radwaste be added to NPDES permit.Discharge point inadvertently omitted in 810702 NPDES permit reapplication due to confusion over regulatory authority.Permit Page 2d encl.
WILLSEY,W.B. Philadelphia Electric Co. 87/11/09. CORRIVEAU,E. Pennsylvania, Commonwealth of. 4pp. 43369:214-43369:217.

8711240001 Summarizes various documents delivered to NRC on 871013 & 30 & 1106 to assist in preparation for operational assessment of selected plant operating crews,per NRC 870921 request.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/17. GALLO,R. Region 4, Ofc of the Director. 2pp. 43437:266-43437:267.

8711300002 Forwards revised Tech Spec 3.9.B.6.2.a,establishing 8 h time limit for implementing storage tank transfer,in support of util 870902 application for amend to Licenses DPR-44 & DPR-56,per NRC 870921 telcon request.
KEMPER,J.S. Philadelphia Electric Co. 87/11/18. BUTLER,W.R. Project Directorate I-2. 2pp. 43470:047-43470:050.

--8711300014 Revised proposed Tech Spec 3.9.B.6 2.a,establishing 8 h time limit for implementing storage tank transfer.
* Philadelphia Electric Co. 87/11/18. 2pp. 43470:049-43470:050.

8711230260 Ack receipt of review & comments on util commitment to excellence action plan submitted per NRC order shutting down plant on 870331.Comments forwarded to util for consideration in revising plan.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/19. BACUS,C. Pennsylvania, Commonwealth of. 2pp. 43419:265-43419:266.

8711230350 Forwards application for amends to Licenses DPR-44 & DPR-56, revising Tech Specs to reflect changes in licensee onsite & offsite organization.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43424:111-43424:181.

--8711230371 Application for amends to Licenses DPR-44 & DPR-56,revising Tech Specs to reflect organizational changes in corporate & onsite mgt of licensee nuclear operations,engineering,maint & other support activities.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/18. 47pp. 43424:112-43424:158.

--8711230381 Proposed Tech Specs,reflecting organizational changes in corporate & onsite mgt of licensee nuclear operations, engineering,maint & other support activities.
* Philadelphia Electric Co. 87/11/19. 22pp. 43424:159-43424:181.

8711300277 Forwards "Plan for Restart of Peach Bottom Atomic Power Station,Section I:Corporate Action." Plan represents dramatic change & will demonstrate dramatic improvement.
AUSTIN,J.H. Philadelphia Electric Co. 87/11/25. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43471:226-43471:348.

--8711300280 "Plan for Restart of Peach Bottom Atomic Power Station, Section I,Corporate Action."
* Philadelphia Electric Co. 87/11/25. 100pp. 43471:227-43471:348.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020497 Forwards Environ Qualification Team Insp Repts 50-277/87-18 & 50-278/87-18 on 870615-19.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43238:012-43238:030.

-8711020513 Insp Repts 50-277/87-18 & 50-278/87-18 on 870615-19.No violations noted.Major areas inspected:implementation of environ qualification program for establishing & maintaining qualification of electrical equipment important to safety.
PAOLINO,R.J., ANDERSON,C.J. Region 1, Ofc of the Director. 87/10/27. 17pp. 43238:014-43238:030.

8711040164 Forwards Safety Insp Repts 50-277/87-23 & 50-278/87-23 on 870810-19 & notice of violation.Programmatic & technical bases for continued procurements from valve vendor requested within 30 days based on unresolved items.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. GALLAGHER,J.W. Philadelphia Electric Co. 3pp. 43290:299-43290:320.

-8711040173 Notice of violation from insp on 870810-19.Violation noted: listed items procured as quality assured & identified as acceptable for in-plant safety-related use although review did not justify items suitability for intended use.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43290:302-43290:302.

-8711040181 Insp Repts 50-277/87-23 & 50-278/87-23 on 870810-14 & 17-19. Violations noted.Major areas inspected:implementation of QA program for procurement,mod control,document control & records.Effectiveness of quality verification reviewed.
NAPUDA,G., DEV,M., BLUMBERG,N. Region 1, Ofc of the Director. 87/10/28. 18pp. 43290:303-43290:320.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090144 Forwards Safety Insp Repts 50-277/87-25 & 50-278/87-25 on 870820-1016.No violations noted.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43314:241-43314:274.

-8711090147 Insp Repts 50-277/87-25 & 50-278/87-25 on 870820-1016.No violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & surveillance testing.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/04. 32pp. 43314:243-43314:274.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130274 Comments on SALP Repts 50-277/86-99 & 50-278/86-99 for Feb 1986 - May 1987.Key comments discussed at 871001 meeting restated & addl info provided.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/09. RUSSELL,W.T. Region 1, Ofc of the Director. 10pp. 43357:026-43357:035.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300165 Forwards Safeguards Insp Repts 50-277/87-20 & 50-278/87-20 on 870628-0702.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/24. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43466:281-43466:290.

-8711300174 Physical Security Insp Repts 50-277/87-20 & 50-278/87-20 on 870628-0702.No violations noted.Major areas inspected:mgt effectiveness,security organization & followup of allegations.Certain info from allegations substantiated.
BAILEY,R.J., LANCASTER,W.K., KEIMIG,R.R. Region 1, Ofc of the Director. 87/10/29. 8pp. 43466:283-43466:290.

R. Periodic operating reports & related correspondence

8711050041 Forwards NRC Resident Ofc status rept for 871008-22, providing overview of plant & NRC insp activities.
LINVILLE,J.C. Region 1, Ofc of the Director. 87/10/28. KANE,W.F. Region 1, Ofc of the Director. 5pp. 43302:055-43302:059.

8711200309 Monthly operating repts for Oct 1987.W/871116 ltr.
MIDDLETON,L.L., ALDEN,W.M. Philadelphia Electric Co. 87/10/31. 14pp. 43410:055-43410:068.

8711130111 Forwards NRC Resident Ofc status rept for 871023-1105.
LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/09. KANE,W.F. Region 1, Ofc of the Director. 4pp. 43356:353-43356:356.

S. Reportable occurrences, LERs & related correspondence

8711020161 Part 21 rept on QA controls re NDE records utilized by Eastern Testing Insp,Inc during performance of NDE svcs at facility.Names of individuals informed NRC & identification of basic svcs containing defect provided.
GALLAGHER,J.W. Philadelphia Electric Co. 87/10/19. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43234:122-43234:127.

8711050159 NPDES noncompliance notification:on 870911 & 24,total phosphorus samples for Discharge Point 501 exceeded monthly average permit limit.Caused by sewage treatment plant inability to reduce phosphorus below permit limit.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:246-43291:247.

8711050175 NPDES noncompliance notification:on 870911 & 24,biochemical oxygen demand of two samples from Discharge Point 501 exceeded monthly average permit limit.Caused by excessive carryover from clarifiers.Solids passed through sys reduced.
LEITCH,G.M. Philadelphia Electric Co. 87/10/28. Pennsylvania, Commonwealth of. 2pp. 43291:222-43291:223.

8711100417 LER 87-008-00:on 871005,containment isolation valves automatically closed.Caused by personnel error.Warning signs for compartment doors ordered. signs will be installed.W/871005 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/11/04. 6pp. 43336:03-43336:039.

8711180003 LER 87-009-00:on 871012,RHR shutdown cooling & LPCI isolation valve MO-3-10-25B closed unexpectedly during testing.Caused by deficient Procedure S 1.3-3.Procedure will be revised prior to startup.W/871112 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/11/12. 5pp. 43386:09-43386:096.

8711230366 PNS-I-87-019:on 871118,nonspecific bomb threats received over plant internal telephone sys.Steps to heighten security awareness among plant & security personnel taken. Investigation initiated by licensee.
KEIMIG,R., JOYNER,J.H. Region 1, Ofc of the Director. 87/11/19. 2pp. 43424:23-43424:233.

U. Congressional/Executive Correspondence

8711090221 Forwards,for info & use in revising commitment to excellence action plan, Bacas 871021 ltr forwarding Commonwealth of PA comments on excellence action plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/11/04. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43322:347-43322:353.

-8711090228 Forwards comments prepared by Peach Bottom working group on commitment to excellence plan.Commonwealth reserves right to comment on any future plan revs.
BACAS,C. Pennsylvania, Commonwealth of. 87/10/28. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43322:349-43322:353.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711200375 Forwards "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification," final rept.Recommends that util increase frequency of full cycle tests of alert & notification sys to once per month.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO Ofc of the Executive Director for Operations. 1p. 43411:130-43412:034.

-8711200381 "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification," final rept.
* Federal Emergency Management Agency. 87/09/30. 262pp. 43411:131-43412:0

8711060209 Revised emergency plan implementing procedures,including Rev 5 to EP 1.03, "Response to Alert," Rev 5 to EPIP-1.04, "Response to Site Area Emergency & Rev 9 to EPIP-3.02, "Activation of Technical Support Ctr." W/871102 ltr.
COSTELLO,J.B. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 167 43302:180-43302:336.

8711060235 Quarterly rev to "Corporate Emergency Response Plan Telephone Directory." W/871102 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 19 43302:161-43302:179.

8711130115 Forwards Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43357:221-43357:243.

-8711130122 Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations deviations noted.Major areas inspected: observation & evaluation of full scale emergency exercise.
GOODEN,A., DECKER,T.R. Region 2, Ofc of the Director. 87/10/29. 2 43357:223-43357:243.

8711200177 Forwards Rev 19 to plant physical security program.Rev withheld (10CFR73.21).
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/18. Docum Control Branch (Document Control Desk). 1p. 43405:356-43405:356.

P. Operating license stage documents & correspondence

8711090039 Forwards Rev 1 to SAR-VEPCO-005, "SPDS SAR for VEPCO NUP 0686 Computer Project,North Anna & Surry Nuclear Power Stations," reflecting

--8711090045 Rev 1 to "SPDS SAR for VEPCO NUREG-0696 Computer Project, North Anna & Surry Nuclear Power Stations"
HURT,W.L. Energy, Inc. SAR-VEPCO-005 R01. 87/09/28. 46pp. 43315:021-43315:066

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190131 Forwards addl info re util 870723 request for relief from ASME Section XI requirements for replacement of component cooling water & recirculation spray HXs,per WP Kleinsorge & C Patel 871008 telcon request.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43398:223-43398:225.

8711190250 Responds to 870921 request re "Completion of Review of NUREG-0737,Item II.D.1 - Safety & Relief Valve Testing for Units 1 & 2." Method developed & procedures will be revised to verify operability of pressurizer safety valves.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43400:330-43400:331.

8711250103 Forwards draft safety evaluation re fracture toughness requirements for protection against PTS events Facility meets 10CFR50.61 requirements for 40 CY of operation.
PATEL,C.P. Project Directorate II-2. 87/11/25. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 9pp. 43462:003-43462:011.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130228 Forwards Insp Repts 50-280/87-30 & 50-281/87-30 on 870928-1002 & notice of violation.Invites attention to unresolved item identified in rept to be pursued in future insps.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43355:259-43355:278.

--8711130250 Notice of violation from insp on 870928-1002.Violation noted:Inservice tests not performed as required by ASME B&PV Code Section XI to verify operational readiness of pumps & valves,whose function required for safety.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. 2pp. 43355:261-43355:262.

--8711130264 Insp Repts 50-280/87-30 & 50-281/87-30 on 870928-1002. Violations noted:Major areas inspected:licensee action on previous enforcement matters (92701B),inservice testing of pumps & valves (73756) & IE bulletins.
KLEINSORGE,W.P., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/20. 17pp. 43355:263-43355:279.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711050042 Responds to NRC 870929 ltr re violations noted in Insp Repts 50-280/87-26 & 50-281/87-26.Corrective actions:operation of valves affecting containment boundary,but not specifically listed in Tech Specs now require control by procedure.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/20. Document Control Branch (Document Control Desk). 5pp. 43302:050-43302:064.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711130115 Forwards Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43357:221-43357:243.

--8711130122 Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.Major areas inspected: observation & evaluation of full scale emergency exercise.
GOODEN,A., DECKER,T.R. Region 2, Ofc of the Director. 87/10/29. 21pp. 43357:223-43357:243.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160090 Forwards Insp Repts 50-280/87-31 & 50-281/87-31 on 871004-31.No violations or deviations noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/06. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43364:201-43364:212.

--8711160097 Insp Repts 50-280/87-31 & 50-281/87-31 on 871004-31.No violations or deviations noted.Major areas inspected: licensee action on previous enforcement matters,plant operations,plant maint & plant surveillance.
HOLLAND,W.E., NICHOLSON,L.E., CANTRELL,F.S. Region 2, Ofc of the Director. 87/11/06. 10pp. 43364:203-43364:212.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230160 Ack receipt of 871029 response to notice of violation from Insp Repts 50-280/87-26 & 50-281/87-26.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43418:120-43418:120.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300250 Responds to NRC 871028 ltr re violations noted in Insp Repts 50-280/87-30 & 50-281/87-30.Corrective actions:records mgt personnel reinstructed on importance of following procedures & removing & destroying outdated procedures.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/25. Document Control Branch (Document Control Desk). 6pp. 43470:338-43470:343.

R. Periodic operating reports & related correspondence

8711190318 Forwards monthly operating repts for Oct 1987 & corrected page to monthly operating rept for Sept 1987.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/16. Document Control Branch (Document Control Desk). 1p. 43402:182-43402:204.

--8711190329 Monthly operating repts for Oct 1987.
WARREN,L.A. Virginia Power (Virginia Electric & Power Co.). 87/10/31. 21pp. 43402:183-43402:203.

--8711190336 Corrected monthly operating rept for Sept 1987.
WARREN,L.A. Virginia Power (Virginia Electric & Power Co.). 87/09/30. 1p. 43402:204-43402:204.

S. Reportable occurrences, LERs & related correspondence

8711130208 LER 87-025-00:on 871008,RCS leakage rate test results of 4.06 gpm found in excess of Tech Specs 3.1.C.2 & 3.1.C.5. Caused by inadequate procedure & HX bypass valve leakage. Valve tightened & Procedure PT-10 revised.W/871106 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 87/11/05. 4pp. 43356:185-43356:188.

8711130071 LER 87-026-00:on 871018,main control room (MCR) ventilation isolated due to high voltage output on chlorine gas detector.Chemistry verified no chlorine gas in MCR & ventilation sys realigned.W/871106 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 87/11/06. 4pp. 43355:183-43355:186.

8711300050 LER 87-028-00:on 871021,reported that emergency diesel generators output breaker protection circuits contained instantaneous overcurrent tripping relays.Caused by design deficiency.Trip relay settings increased.W/871120 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 87/11/20. 4pp. 43470:066-43470:069.

8711300057 LER 87-027-00:on 871027,electrical short in Train A turbine bldg flood control panel caused spurious completion of flood protection circuit.Caused by leak on access manway of moisture separator reheater 1-MS-E-1B.W/871125 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 87/11/25. 4pp. 43469:348-43469:351.

Y. Dry Cask Independent Spent Fuel Storage Installations

8711030499 Informs that listed documents,marked as proprietary,will be withheld from public disclosure per 10CFR2.790.Licensee should notify NRC of change in basis for withholding info.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. BARNHART,V.J. General Nuclear Systems, Inc. 2pp. 43263:153-43263:154.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711200376 Forwards "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification," final rept.Recommends that util increase frequency of full cycle tests of alert & notification sys to once per month.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43411:130-43412:034.

--8711200381 "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification," final rept.
* Federal Emergency Management Agency. 87/09/30. 262pp. 43411:131-43412:034.

8711060209 Revised emergency plan implementing procedures,including Rev 5 to EPIP-1.03, "Response to Alert," Rev 5 to EPIP-1.04, "Response to Site Area Emergency," & Rev 9 to EPIP-3.02, "Activation of Technical Support Ctr." W/871102 ltr.
COSTELLO,J.B. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 157pp. 43302:180-43302:336.

8711060235 Quarterly rev to "Corporate Emergency Response Plan Telephone Directory." W/871102 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 19pp. 43302:161-43302:179.

8711130115 Forwards Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43357:221-43357:243.

--8711130122 Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.Major areas inspected: observation & evaluation of full scale emergency exercise.
GOODEN,A. Region 2, Ofc of the Director. 87/10/29. 21pp. 43357:223-43357:243.

8711200177 Forwards Rev 19 to plant physical security program.Rev withheld (ref 10CFR73.21).
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/16. Document Control Branch (Document Control Desk). 1p. 43405:355-43405:355.

P. Operating license stage documents & correspondence

8711090039 Forwards Rev 1 to SAR-VEPCO-005, "SPDS SAR for VEPCO NUREG-0696 Computer Project,North Anna & Surry Nuclear Power Stations," reflecting as-built sys,per util 861215 commitment.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:019-43315:068.

--8711090045 Rev 1 to "SPDS SAR for VEPCO NUREG-0696 Computer Project, North Anna & Surry Nuclear Power Stations."
HURT,W.L. Energy, Inc. SAR-VEPCO-005 R01. 87/08/28. 46pp. 43315:021-43315:066.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190131 Forwards addl info re util 870723 request for relief from ASME Section XI requirements for replacement of component cooling water & recirculation spray HXs,per WP Kleinsorge & C Patel 871008 telcon request.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43396:223-43396:225.

8711190250 Responds to 870921 request re "Completion of Review of NUREG-0737,Item II.D.1 - Safety & Relief Valve Testing for Units 1 & 2." Method developed & procedures will be revised to verify operability of pressurizer safety valves.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43400:330-43400:331.

8711250103 Forwards draft safety evaluation re fracture toughness requirements for protection against PTS events.Facility meets 10CFR50.61 requirements for 40 CY of operation.
PATEL,C.P. Project Directorate II-2. 87/11/25. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 9pp. 43462:003-43462:011.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130228 Forwards Insp Repts 50-280/87-30 & 50-281/87-30 on 870928-1002 & notice of violation.Invites attention to unresolved item identified in rept to be pursued in future insps.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43355:259-43355:279.

--8711130250 Notice of violation from insp on 870928-1002.Violation noted:Inservice tests not performed as required by ASME B&PV Code Section XI to verify operational readiness of pumps & valves,whose function required for safety.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/28. 2pp. 43355:261-43355:282.

--8711130264 Insp Repts 50-280/87-30 & 50-281/87-30 on 870928-1002. Violations noted:Major areas inspected:licensee action on previous enforcement matters (92701B),inservice testing of pumps & valves (73756) & IE bulletins.
KLEINSORGE,W.P., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/20. 17pp. 43355:263-43355:279.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:130-43324:227.

8711050042 Responds to NRC 870929 ltr re violations noted in Insp Repts 50-280/87-26 & 50-281/87-26.Corrective actions:operation of valves affecting containment boundary,but not specifically listed in Tech Specs now require control by procedure.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/29. Document Control Branch (Document Control Desk). 5pp. 43302:050-43302:054.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711130115 Forwards Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43357:221-43357:243.

--8711130122 Insp Repts 50-280/87-29 & 50-281/87-29 on 871007-09.No violations or deviations noted.Major areas inspected: observation & evaluation of full scale emergency exercise.
GOODEN,A., DECKER,T.R. Region 2, Ofc of the Director. 87/10/29. 21pp. 43357:223-43357:243.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160090 Forwards Insp Repts 50-280/87-31 & 50-281/87-31 on 871004-31.No violations or deviations noted.
BROWNLEE,W.L. Region 2, Ofc of the Director. 87/11/06. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43364:201-43364:212.

--8711160097 Insp Repts 50-280/87-31 & 50-281/87-31 on 871004-31.No violations or deviations noted.Major areas inspected: licensee action on previous enforcement matters,plant operations,plant maint & plant surveillance.
HOLLAND,W.E., NICHOLSON,L.E., CANTRELL,F.S. Region 2, Ofc of the Director. 87/11/06. 10pp. 43364:203-43364:212.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/11. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230160 Ack receipt of 871029 response to notice of violation from Insp Repts 50-280/87-26 & 50-281/87-26.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43418:120-43418:120.

8711130008 Suppl 2 to NRC Info Notice 86-106, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/09. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711230454 Ack receipt of 871008 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-281/86-36.Evaluation will be postponed until util submit technical basis by 880130,per request.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/20. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43421:225-43421:225.

8711300250 Responds to NRC 871028 ltr re violations noted in Insp Repts 50-280/87-30 & 50-281/87-30.Corrective actions:records mgt personnel reinstructed on importance of following procedures & removing & destroying outdated procedures.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/25. Document Control Branch (Document Control Desk). 6pp. 43470:338-43470:343.

R. Periodic operating reports & related correspondence

8711190316 Forwards monthly operating repts for Oct 1987 & corrected page to monthly operating rept for Sept 1987.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/16. Document Control Branch (Document Control Desk). 1p. 43402:182-43402:204.

--8711190329 Monthly operating repts for Oct 1987.
WARREN,L.A. Virginia Power (Virginia Electric & Power Co.). 87/10/31. 21pp. 43402:183-43402:203.

S. Reportable occurrences, LERs & related correspondence

8711200194 LER 87-005-00:on 871014 electrician inadvertently completed flood protection circuit causing two of four condenser circulating water inlet valves to close.Caused by personnel error.Procedure written for maint personnel.W/871113 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. 4pp. 43413:147-43413:160.

Y. Dry Cask Independent Spent Fuel Storage Installations

8711030499 Informs that listed documents,marked as proprietary,will be withheld from public disclosure per 10CFR2.790.Licensee should notify NRC of change in basis for withholding info.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. BARNHART,V.J. General Nuclear Systems, Inc. 2pp. 43263:153-43263:154.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711060082 Advises that 870902 Rev 7 to plant emergency plan consistent w/requirements of 10CFR50.54(q) & does not decrease effectiveness of emergency plan.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/02. LARSON,C.E. Northern States Power Co. 2pp. 43308:223-43308:224.

8711130234 Forwards Rev 10 to "Corporate Nuclear Emergency Plan," containing changes as result of annual internal review, update & certification of emergency plans & agreements.
FEY,F.L. Northern States Power Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43359:181-43359:268.

--8711130305 Rev 10 to "Corporate Nuclear Emergency Plan."
FEY,F.L., LARSON,C.E. Northern States Power Co. 87/11/09. 90pp. 43359:182-43359:268.

sions of 10CFR50.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/03. LARSON,C.E. Northern States Power Co. 2pp. 43417:145-43417:146.

H. General correspondence

8710190037 Requests NRC submittal of written statement giving formal approval of proposed fuel rod consolidation pilot project at plant.Recent info indicates that util will be allowed to perform 10CFR50.59 self-review.Assurances re safety needed.
ANDERSON,B. Minnesota Institute of Concern for Public Health. 87/09/24. DiIANNI,D.C. NRC - No Detailed Affiliation Given. 1p. 43076:195-43076:195.

P. Operating license stage documents & correspondence

8710190037 Requests NRC submittal of written statement giving formal approval of proposed fuel rod consolidation pilot project at plant.Recent info indicates that util will be allowed to perform 10CFR50.59 self-review.Assurances re safety needed.
ANDERSON,B. Minnesota Institute of Concern for Public Health. 87/09/24. DiIANNI,D.C. NRC - No Detailed Affiliation Given. 1p. 43076:195-43076:195.

8711100389 Forwards application for amends to Licenses DPR-42 & DPR-60, changing high flux,power range monitor,low setpoint.Fee paid.NSPNAD-8725, "Analysis of Revised Low Setpoint for High Flux,Power Range," also encl.
MUSOLF,D. Northern States Power Co. 87/11/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43335:148-43335:170.

-8711100392 Application for amends to Licenses DPR-42 & DPR-60,changing high flux,power range monitor,low setpoint.
MUSOLF,D. Northern States Power Co. 87/11/03. 3pp. 43335:151-43335:163.

-8711100441 Proposed Tech Spec 2.3-1, "Limiting Safety Sys Settings, Protective Instrumentation."
* Northern States Power Co. 87/11/03. 5pp. 43335:154-43335:158.

-8711100398 Rev 0 to "Analysis of Revised Low Setpoint for High Flux, Power Range."
MONTGOMERY,S.D., BONNEAU,C., ANDERSON,R.O. Northern States Power Co. NSPNAD-8725 R00. 87/11/03. 12pp. 43335:159-43335:170.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060307 Forwards errata to Rev 1 to ASME Code Section XI Inservice Insp & testing program manual.Errata corrects administrative errors recently found in 870812 submittal.
MUSOLF,D. Northern States Power Co. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43307:311-43307:360.

-8711060309 Errata to Rev 1 to ASME Code Section XI Inservice Insp & testing program manual,correcting administrative errors recently found in 870812 submittal.
* Northern States Power Co. 87/07/13. 51pp. 43307:312-43307:360.

8711090062 Forwards Safety Insp Repts 50-282/87-14 & 50-306/87-13 on 870823-1003.No violations noted.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/26. LARSON,C.E. Northern States Power Co. 2pp. 43314:050-43314:060.

-8711090083 Insp Repts 50-282/87-14 & 50-306/87-13 on 870823-1003.No violations noted.Major areas inspected:plant operational safety,maint,surveillances,ESF sys,cooling water sys difficulties,spent fuel pool activities & LER followup.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/10/20. 9pp. 43314:052-43314:060.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 88pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:009-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/18. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711100275 Monthly operating repts for Oct 1987.W/871106 ltr.
DUGSTAD,D., MUSOLF,D. Northern States Power Co. 87/10/31. 9pp. 43330:234-43330:242.

S. Reportable occurrences, LERs & related correspondence

8711300100 LER 87-007-00:on 870516,turbine-driven auxiliary feedwater pump inoperable.Caused by presence of mixture of sludge & broken clamshells in cooling water supply line.Foreign matl removed from all pumps.W/871124 ltr.
HUNSTAD,A.A., MUSOLF,D. Northern States Power Co. 87/11/24. 8pp. 43467:093-43467:100.

8711300253 LER 87-018-00:on 871028,Bus 15 voltage restoring scheme inoperable.Caused by relay specialist inadvertently touching lifted wire to stud connection on relay.Blown fuse replaced. Long-term actions under consideration.W/871124 ltr.
HUNSTAD,A.A., MUSOLF,D. Northern States Power Co. 87/11/24. 4pp. 43472:137-43472:140.

8711300142 LER 86-006-01:on 860908,diesel generator D1 & diesel cooling water pump declared inoperable simultaneously.Caused by leakage through fuel loader check valve & rupture of brass tubing,respectively.Valve & tubing replaced.W/871125 ltr.
HUNSTAD,A.A., MUSOLF,D. Northern States Power Co. 87/11/25. 5pp. 43467:125-43467:129.

V. Operator Examinations

8711030109 Ack receipt of MB Sellman comments on NRC implementation of requirements of 10CFR55 re administering requalification exam to reactor operators as result of 870910 meeting. Comments will be included in reevaluation of program.
ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 87/10/27. MUSOLF,D.M. Northern States Power Co. 2pp. 43264:092-43264:093.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020386 Confirms that JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety effective on 871025 to replace R.Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. HUTCHINSON,J. Idaho State Univ., Pocatello, ID. 2pp. 43236:191-43236:192.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8604160094 Discusses steps taken to comply w/commitments to perform mods underlying requests for exemptions from 10CFR50 App R. Installation of radiant energy shields completed during 1985 refueling outage.
ANDREWS,R.L. Omaha Public Power District. 86/04/09. THADANI,A.C. PWR Project Directorate 8. 4pp. 35562:221-35562:224.

8711100364 Revised "Radiological Emergency Response Plan." W/871103 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/10/15. 32pp. 43335:013-43335:044.

8711030469 Public version of revised emergency plan implementing procedures,including Rev 11 to EPIP-OSC-14, "Shift Supervisor/Site Director Actions" & Rev 6 to EPIP-OSC-15, "Control Room Communicator." W/871102 release memo.
ANDREWS,R.L. Omaha Public Power District. 87/10/21. Document Control Branch (Document Control Desk). 5pp. 43278:065-43278:104.

-8711030600 Public version of revised emergency plan implementing procedures,including Rev 11 to EPIP-OSC-14, "Shift Supervisor/Site Director Actions" & Rev 6 to EPIP-OSC-15, "Control Room Communicator."
* Omaha Public Power District. 87/10/21. 52pp. 43278:059-43278:104.

8711020507 Rev 14 to Emergency Plan Implementing Procedure EPIP-OSC-2, "Emergency Plan Activation & Notifications." W/871028 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/10/28. 5pp. 43238:038-43238:042.

8711100505 Revised emergency plan implementing procedures,including Rev 6 to EPIP-TSC-1-1, "Activation of Technical Support Ctr" & Rev 6 to EPIP-RR-11, "Emergency Recovery Organization Technical Support Ctr." W/871103 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/11/03. 61pp. 43335:320-43336:020.

8711200300 Advises that 871021 changes to emergency plan consistent w/provisions of 10CFR50.54(q) & App E to 10CFR50 & acceptable.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. ANDREWS,R.L. Omaha Public Power District. 2pp. 43417:259-43417:260.

identified & corrected.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. ANDREWS,R.L. Omaha Public Power District. 2pp. 43419:165-43419:254.

8711230277 Advises that 871103 revs to emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. ANDREWS,R.L. Omaha Public Power District. 2pp. 43419:159-43419:160.

8711230382 Revised emergency plan implementing procedures,including Revs 6 to EPIP-OSC-12, "Accidental Actuation of Early Warning Siren Sys" & EPIP-RR-17, "Emergency Recovery Organization Security & Administrative...." W/871118 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/11/18. 17pp. 43424:197-43424:215.

8711230375 Revised emergency plan implementing procedures,including Rev 9 to EPIP-EOF-3, "Emergency Operation Facility Emergency Instruments & Equipment" & Rev 2 to EPIP-RR-75, "Emergency Recovery Organization Site Representative...." W/ 871120 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/11/20. 17pp. 43419:031-43419:048.

8711240097 Revised "Radiological Emergency Response Plan for Fort Calhoun Station." W/871120 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/11/20. 87pp. 43430:091-43430:176.

P. Operating license stage documents & correspondence

8711110025 "Fort Calhoun Station Steam Generator Eddy Current Test Rept,1987 Refueling Outage." W/871105 ltr.
ANDREWS,R.L. Omaha Public Power District. 87/03/31. 10pp. 43345:264-43345:273.

8711020274 Forwards,on behalf of util,request for exemption per 10CFR50.12(a)(2)(v).Fee paid.
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. VOIGT,H.H. Nebraska Public Power District. VOIGT,H.H. Omaha Public Power District. 87/10/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43232:306-43232:314.

--8711020283 Request for exemption from requirements of 10CFR50.54.Util will not be able to comply w/requirements by effective date or within 60 days thereafter.
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. VOIGT,H.H. Nebraska Public Power District. VOIGT,H.H. Omaha Public Power District. 87/10/02. Commissioners. 6pp. 43232:307-43232:314.

8711020395 Forwards completed forms for radiation monitors at facility, per R Baer verbal request.
ANDREWS,R.L. Omaha Public Power District. 87/10/19. MARTIN,R.D. Region 4, Ofc of the Director. 5pp. 43237:020-43237:024.

8711020426 Advises that,effective on 871025,Jt. Pel'at will assume position of section chief of Operator Licensing Section in Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. ANDREWS,R.L. Omaha Public Power District. 2pp. 43236:289-43236:290.

8711200146 Requests application for withholding info re addition of Section 5.15, "Steam Generator Tube Rupture Event," be withdrawn.Info not deemed trade secret &/or privileged commercial info.
ANDREWS,R.L. Omaha Public Power District. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43599:031-43599:031.

8711100346 Forwards response to NRC questions re inservice test program (IST) for plant,per 871014-15 meeting & NRC 870824 request. Responses include items yet to be resolved & commitments to change existing IST program plan
ANDREWS,R.L. Omaha Public Power District. 87/10/30. Document Control Branch (Document Control Desk). 23pp. 43344:203-43344:203.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43259:021.

--86050600190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860818 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711050240 Notification of 871105 meeting w/util in Bethesda,MD to discuss corrective actions that assure safe plant operation as result of water in air instrument sys.
BOURNIA,A. Project Directorate IV. 87/11/02. CALVO,J.A. Project Directorate IV. 2pp. 43301:122-43301:123.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160054 Summary of 871105 meeting w/util in Bethesda,MD to discuss recent instances of water intrusion into instrument air sys at facility.List of attendees & presentation handouts encl
BOURNIA,A. Project Directorate IV. 87/11/09. Project Directorate IV. 62pp. 43362:048-43362:109.

8711230019 Summary of 871113 meeting w/util in Bethesda,MD to discuss recent instances of water intrusion into instrument air sys at facility.List of attendees & slides provided at meeting by licensee also encl
BOURNIA,A. Project Directorate IV. 87/11/13. Project Directorate IV. 25pp. 43416:090-43416:114.

8711240249 Summary of 871014 & 15 inservice testing program working meetings w/ util & EG&G at site to discuss questions & comments resulting from review of pump & valve inservice testing.List of attendees encl.
BOURNIA,A. Project Directorate IV. 87/11/16. Project Directorate IV. 24pp. 43445:330-43445:356.

Accumulators & Tubing," w/Refs 1,2,3,4 & 6. Seismic info re safety-related instrument air sys will be supplied on 871127.
ANDREWS,R.L. Omaha Public Power District. 87/11/20. CALVO,J.A. Project ate IV. 2pp. 43420:001-43420:319.

--8711230288 "Seismic Qualification of CQE Instrument Air Accumulators & T
* Omaha Public Power District. ES-87-40. 87/11/20. 300pp. 43420:003-434

8711240086 Provides summary of 871113 meeting w/NRC re instrument plant.Info from breakout discussions on inservice testing program & seismic also encl.
ANDREWS,R.L. Omaha Public Power District. 87/11/20. CALVO,J.A. Project ate IV. 65pp. 43430:190-43430:254.

8711300208 Provides schedule for completion of response to Generic Ltr 87 of RHR While RCS Partially Filled," dtd 870709.Response will be su 880315.
ANDREWS,R.L. Omaha Public Power District. 87/11/20. Document Cont (Document Control Desk). 1p. 43467:222-43467:222.

8711300037 Forwards progress update on equipment installation,including of util position on separation criteria & SPDS for each position,per Rev 2 to 1.97.
ANDREWS,R.L. Omaha Public Power District. 87/11/24. Document Cont (Document Control Desk). 23pp. 43469:272-43469:294.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Sa Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. ed Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response, 870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:207.

8711020120 Forwards Insp Rept 50-285/87-27 on 870923-1002.Enforcem ence scheduled for 871029 to discuss util understanding of violation re insp,reasons for occurrence & corrective actions.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/23. ANDREWS,R.L. Om Power District. 2pp. 43233:217-43233:223.

--8711020132 Insp Rept 50-285/87-27 on 870923-1002.One violation no areas inspected:instrument air sys.
HARRELL,P.H., REIS,T., WESTERMAN,T.F. Region 4, Ofc of the Director. 5pp. 43233:219-43233:223.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: I dents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Po 87/10/29. Consolidated Edison Co. of New York, Inc. 6pp. 43324:139-43

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit In BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711090205 Ack receipt of 870925 ltr informing NRC of steps taken to corre noted in Insp Rept 50-285/87-19.Reply responsive to eight deficiencies in CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. ANDREWS,R.L Public Power District. 2pp. 43321:321-43321:327.

8711100218 Informs that Insp 50-285/87-26 canceled.No insp rept will be iss CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. ANDREWS,R.L. Om Power District. 2pp. 43328:039-43328:040.

8711100355 Revised response to notice of violation from Insp Rept 50-28 870924 response.Rev re response to Violation B(4).Corrective actions:u areas of concern re quantitative vs qualitative acceptance criteria.
ANDREWS,R.L. Omaha Public Power District. 87/11/04. Document Con (Document Control Desk). 6pp. 43343:352-43343:359.

8711170138 Forwards viewgraphs clarifying info,maint performed on plant corrective actions re instrument air sys,per 871019 enforcement co Arlington,TX.
ANDREWS,R.L. Omaha Public Power District. 87/11/04. MARTIN,R.D. Re of the Director. 32pp. 43384:329-43384:360.

8711200334 Discusses 871015 enforcement conference w/NRC re violatio Insp Rept 50-285/87-21.Violation re failure to issue LER for unlocked d pared & submitted LER 87-026 re violation,per 871015 discussion.
ANDREWS,R.L. Omaha Public Power District. 87/11/04. BANGART,R. Re of the Director. 2pp. 43410:041-43410:042.

8711100166 Forwards summary of 871015 enforcement conference w/util re apparent violations noted in Insp Rept 50-285/87-21.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. ANDREWS,R.L. Om Power District. 4pp. 43330:192-43330:195.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capal Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Dete formance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711160245 Forwards Enforcement Conference Rept 50-285/87-27 on 871029. Conference re findings documented in Insp Rept 50-285/87-17 on 871023
MARTIN,R.D. Region 4, Ofc of the Director. 87/11/10. ANDREWS,R.L. Omaha Public Power District. 2pp. 43366:300-43366:333.

-8711160252 Enforcement Conference Rept 50-285/87-27 on 871029.Major areas discussed:concern of water entering instrument air sys.List of attendees & licensee presentations encl.
* Region 4, Ofc of the Director. 87/11/10. 25pp. 43366:302-43366.333.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487.001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250229 Updates response to NRC 870630 ltr re violations noted in Insp Rept 50-285/87-13.Corrective actions:listed training programs being tracked by OPTIM & training on AO procedures for loss of intrument air conducted.
ANDREWS,R.L. Omaha Public Power District. 87/11/19. Document Control Branch (Document Control Desk). 9pp. 43460:268-43460:276.

R. Periodic operating reports & related correspondence

8711230337 Monthly operating rept for Oct 1987.W/871113 ltr.
MATTHEWS,T.P., ANDREWS,R.L. Omaha Public Power District. 87/10/31. 7pp. 43419:073-43419:080.

S. Reportable occurrences, LERs & related correspondence

8701140166 Supplemental special rept updating situation re inoperative fire barriers noted in special rept dtd 860917.Fire barriers anticipated to be restored by 870301.Fire watch will be maintained until fire barriers restored.Part 21 related
ANDREWS,R.L. Omaha Public Power District. 87/01/07. Records Services Branch (Document Control Branch) (Pro 870120). 1p. 38270:068-38270.068.

8711020264 LER 87-026-00.on 871014 & 0909,doors to Rooms 11 & 5 in auxiliary bldg found unlocked by licensee & NRC, respectively.Cause not stated.Replacement &/or mod to door hardware & changes to procedure planned.W/871028 ltr.
ROACH,G.L., ANDREWS,R.L. Omaha Public Power District. 87/10/28. 4pp. 43237:270-43237:273.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385.215-43385:234.

8711100430 Revised notification of 871113 meeting w/util in Bethesda,MD to discuss corrective actions that assure safe plant operation as result of water in air instrument sys.
BOURNIA,A. Project Directorate IV. 87/11/06. CALVO,J.A. Project Directorate IV. 3pp. 43342:208-43342:208.

8711160100 LER 87-028-00.on 871008,discovered that special rept on fire barrier operability re barrier separating Fire Areas 41 & 42 rendered inoperable on 870310,not submitted.Caused by administrative oversight.W/871100 ltr.
MCIVOR,T.J., ANDREWS,R.L. Omaha Public Power District. 87/11/09. 3pp. 43364:001-43364:003.

8711160199 LER 87-027-00.on 871008,unplanned actuation of containment isolation actuation signal occurred.Caused by test switch inadvertently turning to test position prior to isolation of Channel B Sys reset & Test ST-ESF-2 revised.W/871109 ltr.
PHILLIPS,W.C., ANDREWS,R.L. Omaha Public Power District. 87/11/09. 3pp. 43369:045-43369:047.

8711300128 LER 87-033-00.on 870706,clarified water entered instrument air sys during surveillance test of diesel generator room dry pipe sprinkler sys.Caused by foreign matl preventing interfacing check valves from closing.W/871125 ltr.
MCIVOR,T.J., ANDREWS,R.L. Omaha Public Power District. 87/11/25. 6pp. 43472:352-43472:357.

V. Operator Examinations

8711090374 Notification of 871202 meeting w/util in Arlington,TX to discuss improvements in licensed operator requalification training program.
GAGLIARDO,J.E. Region 4, Ofc of the Director. 87/11/04. Region 4, Ofc of the Director. 2pp. 43313:279-43313:280.

8711130372 Requests util furnish approved matl requirements for reactor/senior reactor operator licensing exams,by 871207. Exams scheduled for 880208-10.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/09. ANDREWS,R.L. Omaha Public Power District. 7pp. 43359:340-43359:346.

8711250229 Updates response to NRC 870630 ltr re violations noted in Insp Rept 50-285/87-13.Corrective actions:listed training programs being tracked by OPTIM & training on AO procedures for loss of intrument air conducted.
ANDREWS,R.L. Omaha Public Power District. 87/11/19. Document Control Branch (Document Control Desk). 9pp. 43460:268-43460:276.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711050111 Forwards "Suppl to Post-Exercise Assessment,Version 2, 861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties," including corrected tables.
KRIMM,R.W. Federal Emergency Management Agency. 87/10/26. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43291:248-43292.039.

-8711060007 "Suppl to Post-Exercise Assessment,Version 2,861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties."
* Federal Emergency Management Agency. 87/09/16. 151pp. 43291:249-43292.039.

P. Operating license stage documents & correspondence

8710220407 Forwards "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept,in response to IE Info Notice 84-91.Data appears to be climatically representative & of high quality.
SLOSSON,M.M. Project Directorate I-1. 87/10/14. SELMAN,M. Consolidated Edison Co of New York, Inc. 2pp. 43132.289-43132:313.

-8709090376 "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept.
ANDREWS,G.L. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/05/31. NRC - No Detailed Affiliation Given. 23pp. 43132:291-43132:313.

8711100276 Forwards description & results of control room emergency lighting sys survey performed during Cycle 5/6 refueling outage,per 861218 commitment & NUREG-0700.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/02. Document Control Branch (Document Control Desk). 5pp. 43330:229-43330:233.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402.001-43402:046.

8711190343 Requests withdrawal of 831229 & 840907 applications for amend to License DPR-64.Commission Decision CLI-85-06,basis for withdrawal,did not support NRC rationale for requiring proposed changes.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43401:327-43401:328.

8711200051 Forwards Amend 79 to License DPR-64 & safety evaluation. Amend revises Tech Specs to clarify operation of fuel storage bldg emergency ventilation sys.
NEIGHBORS,J.D. Project Directorate I-1. 87/11/16. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 43408:036-43408.050.

-8711200057 Amend 79 to License DPR-64,revising Tech Specs to clarify operation of fuel storage bldg emergency ventilation sys.
CAPRA,R.A. Project Directorate I-1. 87/11/16. 9pp. 43408:039-43408:047.

-8711200061 Safety evaluation supporting Amend 79 to License DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 3pp. 43408:046-43408.050.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710220407 Forwards "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept,in response to IE Info Notice 84-91.Data appears to be climatically representative & of high quality.
SLOSSON,M.M. Project Directorate I-1. 87/10/14. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43132:289-43132:313.

-8709090378 "Technical Evaluation Rept of 1985 Meteorological Data From Indian Point Nuclear Power Plant," final rept.
ANDREWS,G.L. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/05/31. NRC - No Detailed Affiliation Given. 23pp. 43132:291-43132:313.

8711030224 Forwards Safety Sys Outage Mods Insp Rept 50-286/87-15 on 870615-26 & 0713-24.Significant weaknesses found in areas re adequacy of procedures,adherence to procedures & QA/QC overview of work activities.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/21. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 43264:131-43264:190.

-8711030228 Safety Sys Outage Mods Insp Rept 50-286/87-15 on 870615-26 & 0713-24.Weaknesses noted.Major areas inspected,selected mods & maint work activities.
KONKLIN,J.E., NORRHOLM,L.J., STEIN,S.R. Division of Reactor Inspection & Safeguards (Post 870411). 87/10/06. 55pp. 43264:136-43264:190.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost," Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711130165 Responds to violations noted in Insp Rept 50-286/87-09. Corrective actions:review of plant operating procedures to ensure addl refs to station operating procedures included will be completed by end of 1987.
JOSIGER,W.A. Niagara Mohawk Power Corp. 87/11/05. KANE,W.F. Region 1, Ofc of the Director. 6pp. 43355:344-43355:349.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711160060 Forwards "1987 Indian Point 3 Steam Generator Girth Weld 6 Insp Rept," per util 870505 ltr.Rept concludes that condition of steam generator girth welds unchanged from 1983 baseline & acceptable for continued plant operation
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43364:033-43364:169.

--8711160098 "1987 Indian Point 3 Steam Generator Girth Weld 6 Insp Rept."
* New York Power Authority (formerly Power Authority of the State of New York). 87/12/31. 125pp. 43364:035-43364:169.

8711190111 Responds to NRC 870908 ltr re weaknesses noted in Safety Sys Outage Mod Insp Rept 50-286/87-13.Corrective actions:control of design interface by reviewing & revising appropriate procedures as part of previously noted program.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/13. Document Control Branch (Document Control Desk). 70pp. 43396:096-43396:165.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/10. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/10. Consolidated Edison Co. of New York, Inc. 11pp. 43444:185-43444:314.

R. Periodic operating reports & related correspondence

8711190124 Monthly operating rept for Oct 1987.W/871102 ltr.
KELLY,L. JOSIGER,W.A. New York Power Authority (formerly Power Authority of the State of New York). 87/10/31. 7pp. 43398:014-43398:020.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26 Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130147 SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 41pp. 43357:135-43357:175.

8711160010 Advises that Rev 87-2 to emergency plan consistent w/provisions of 10CFR50.47(b) & App E & acceptable.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 1p. 43364:231-43364:231.

8711120131 Forwards Rev 87-3 to Vol A of emergency plan & Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43349:081-43349:296.

--8711120132 Rev 87-3 to Vol A of emergency plan.
TUCKMAN,M.S. Duke Power Co. 87/11/03. 35pp. 43349:085-43349:119.

--8711120082 Revs 87-5 & 87-6 to Vols B & C of emergency plan implementing procedures,respectively.
TUCKMAN,M.S. Duke Power Co. 87/11/03. 181pp. 43349:120-43349:296.

8711160190 Forwards Rev 22 to security plan Rev withheld (ref 10CFR73.21).
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43366:256-43366:256.

8711200371 Forwards Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43410:253-43410:265.

--8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.Major areas inspected:fire protection/prevention & seismic monitoring equipment.
HARRIS,J.R. Region 2, Ofc of the Director. 87/11/12. 11pp. 43410:255-43410:265.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870331 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 87/11/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 87/11/18. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:358-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 7pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. 11487 4047 87/11/18. WEISS,E.R. Union of Concerned Scientists. 1p. 43392:095-43392:096.

H. General correspondence

8711170194 Requests that recipients change records to reflect new address in Rockville,MD.
* Babcock & Wilcox Co. 87/11/12. CROCKER,L.P. Project Directorate II-3 CARRAW Duke Power Co. 3pp. 43384:232-43384:234.

P. Operating license stage documents & correspondence

8711090068 Forwards shipping schedule to inform of util intent to continue shipments of spent fuel from Oconee to McGuire Nuclear Station.Mode of transit will be truck trailer & carrier by McGil.Encl withheld (ref 10CFR73.80).
HUDSON,F.G. Duke Power Co. 87/10/27. MCGUIRE,D. Region 2, Ofc of the Director. 1p. 43324:051-43324:051.

8711030158 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711040286 Advises that 871002 ltr stating that util will implement only control of heavy loads Phase II commitments which util considers appropriate acceptable.
CROCKER,L.P. Project Directorate II-3. 87/11/02. TUCKER,H.B. Duke Power Co. 3pp. 43278:308-43278:310.

8711100237 Forwards SER & Technical Evaluation Rept EG&G-NTA-7332, accepting response to Item 2.2 Part 1,equipment classification program for all safety related components. Item 2.2,Part 2,vendor interface,continues to be reviewed.
PASTIS,H.N. Project Directorate II-3. 87/11/04. TUCKER,H.B. Duke Power Co. 2pp. 43338:201-43338:225.

--8711100245 SER supporting NRC acceptance of licensee response to Generic Ltr 83-28,Item 2.2.1, "Equipment Classification Programs for All Safety-Related Components."
* Project Directorate II-3. 87/11/04. 7pp. 43338:203-43338:209.

--8711100251 "Conformance to Generic Ltr 83-28,Item 2.2.1,Equipment Classification for All Other Safety-Related Components: Oconee 1,2 & 3."
UOY,A.C. Idaho National Engineering Laboratory, FIN D-6001. EGG-NTA-7332. 87/07/31. 16pp. 43338:210-43338:225.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100295 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to inservice testing program currently in preparation.Addl requests for relief from requirements of ASME Code listed. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:015-43333:176.

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G., CHEA,K. Duke Power Co. 87/04/06. 160pp. 43333:017-43333:176.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711100126 Forwards SER accepting util response to Generic Ltr 83-28, Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components) EGG-NTA-7765, "Conformance to Item 2.1 (Part 2) of Generic Ltr..." also encl.Item 2.1 complete.
PASTIS,H.N. Project Directorate II-3. 87/11/11. TUCKER,H.B. Duke Power Co. 2pp. 43341:308-43341:320.

--8711100133 SER supporting licensee response to Generic Ltr 83-28,Item 2.1 (Part 2) re vendor interface programs (reactor trip sys components).
* NRC - No Detailed Affiliation Given. 87/11/11. 2pp. 43341:310-43341:311.

Conformance to Item 2 1 (Part 2) of Generic Ltr 83-28 Reactor Trip Sys
ice Oconee 1,2 & 3."
EG&G Idaho, Inc. (subs of EG&G, Inc.). FIN D-6001. EGG-NTA-7765
IC - No Dota led Affiliation Given. 9pp 43341-312-43341:320.

scusses 870824 ltr transmitting Amend 11 of util top cal QA rept per
g) W/addition of I sted statement,QA program continues to meet requi-e-
FR50,App B & acceptable.
Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co
17-43401.318.

lvises that complexity & significance of 870925 requests for relief from
assure testing of certain valves does not provide for review completion
871103 for Unit 1 or 880428 for Unit 2.
P. Project Directorate II-3. 87/11/16. TUCKER,H.B. Duke Power Co
/6-43408.170.

irwards Informal Rept EGG-NTA-7507, "Technical Evaluation Rept for
ear Station Units 1,2 & 3 Response to NRC,NRR Generic Ltr 83-37." Util
nance w/six I sted action items
Project Directorate II-3. 87/11/19. TUCKER,H B. Duke Power Co. 4pp
461:303.

iquests review & approval of util 870601 amend request. Proposed revs
. limited max allowable linear heat rate to reflect NUREG-0630 cladding
ature models for LOCA analysis.
. Duke Power Co. 87/11/24. Document Control Branch (Document Con-
p. 43467:101-43467.102

eports, IE Bulletins & correspondence

Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief
Rs"
ection & Enforcement, Director (820201-870413). 80/12/19. Consol dat-
. of New York, Inc. 5pp. 43226:201-43226:205.

Info Notice 83-30, "Failure of Safety/Relief Valves to Open at BWRs -
Div of Emergency Preparedness & Engineering Response,IE(850212-
'06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-

orwards SALP Board Rpts 50-269/87-33,50-270/87-33, 50-287/87-
-29,50-370/87-29,50-413/87-26 & 50-414/87-26,Oconee & McGuire
Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
Region 2, Ofc of the Director 87/10/20. TUCKER,H.B. Duke Power Co.
93-43357:214.

SALP Repts 50-269/87-33,50-270/87-33 & 50-287/87-33 for Mar 1986 -

)fc of the Director. 87/10/20. 41pp. 43357:135-43357:176.

orwards Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on
No violations or deviations noted.
Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co.
28-43354:236.

Insp Repts 50-269/87-39,50-270/87-39 & 50-287/87-39 on 870928-
itions or deviations noted.Major areas inspected:reactor bldg tendon sur-
gram,snubber surveillance program & IE Bulletin 80-11.
)., JAPE,F. Region 2, Ofc of the Director. 87/10/27. 7pp. 43354:230-

RC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incl-
able Gauges Being Stolen or Lost." Svc list encl.
M,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729).
onsolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

orwards Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on
.No violations or deviations noted.
V.L. Region 2, Ofc of the Director. 87/10/29. TUCKER,H.B. Duke Power
7:335-43357:343.

Insp Repts 50-269/87-38,50-270/87-38 & 50-287/87-38 on 870916-
violations or deviations noted.Major areas
erations,surveillance,maint,ESF lineups, followup of events & Unit 1 shut-
progress.
., SKINNER,P.H., WERT,L.D. Region 2, Ofc of the Director. 87/10/28.
38-43357:343.

dvises that response to 870930 notice of violation noted in Insp Repts
),50-270/87-30 & 50-287/87-30 will be submitted by 871109 instead of

. *Duke Power Co. 87/10/30. Document Control Branch (Document Con-*
. 43321:308-43321:308.

ck receipt of 870918 ltr informing NRC of steps taken to correct violations
Repts 50-269/87-32, 50-270/87-32 & 50-287/87-32.
Region 2, Ofc of the Director. 87/11/03. TUCKER,H.B. Duke Power Co.
0-43364:050.

RC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at
" Svc list encl.
Division of Operational Events Assessment (Post 870411). 87/11/04.
Edison Co. of New York, Inc. 11pp. 43324:228-43324:338.

RC Info Notice 87-057, "Loss of Emergency Boration Capability Due to
Intrusion." Svc list encl.
Division of Operational Events Assessment (Post 870411). 87/11/06.
Edison Co. of New York, Inc. 11pp. 43355:003-43365:119.

RC Compliance Bulletin 87-002, "Fastener Testing to Determine Con-
Applicable Mail Specs." Svc list encl.
Division of Operational Events Assessment (Post 870411). 87/11/06.
Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711100285 Forwards Rev 13 to "Inservice Insp Program Manual." Rev 14 to inservice *testing program currently in preparation.Add requests for relief from requirements of* ASME Code I.sted. Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43333:015-43333.176.

--8711100297 Rev 13 to "Inservice Insp Program Manual."
ROHDE,K.G. Duke Power Co. 87/04/06. 150pp. 43333:017-43333.176

8711120079 Responds to NRC ltr re violations noted in Insp Repts 50-269/87-30,50-270/87-30 & 50-287/87-30.Corrective actions: LPI & reactor bldg cooling unit coolers cleaned,tested & evaluated for support of full power operation.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43349:357-43349:359.

8711190212 *Forwards Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on* 871026-30.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43400:093-43400.104

--8711190226 Insp Repts 50-269/87-42,50-270/87-42 & 50-287/87-42 on 871026-30.No violations or deviations noted.Major areas inspected:radiation protection program including,previous enforcement matters,internal exposure control & surveys
WRIGHT,F.N., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/06. 10pp 43400.095-43400.104.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. *Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.*

8711200371 Forwards Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43410:253-43410:265.

--8711200376 Insp Repts 50-269/87-41,50-270/87-41 & 50-287/87-41 on 871019-23.No violations or deviations noted.Major areas inspected:fire protection/prevention & seismic monitoring equipment.
HARRIS,J.R., CONLON,T.E. Region 2, Ofc of the Director. 87/11/12. 11pp. 43410:255-43410:265.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12Opp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19 Consolidated Edison Co. of New York, Inc. 11Opp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200378 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 17pp. 43417:016-43417:032.

S. Reportable occurrences, LERs & related correspondence

8711090286 Special rept on 871028,degradation of more than one functional unit of emergency power switching logic from svc for testing resulted in violation of Tech Spec 3.7.2(b). Standby bus 1 returned to svc on 871028.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43322:155-43322:156.

8711230137 Special rept on 870908,discovered that standby shutdown facility (SSF) weekly instrument surveillance not performed on 870831 & 0907.Caused by personnel error.SSF instrument surveillance performed.
TUCKER,H.B. Duke Power Co. 87/11/17. Document Control Branch (Document Control Desk). 4pp. 43418:352-43418:355.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711130127 Vols 1 & 2 of "1987 TMI Annual Exercise Scenario."
* General Public Utilities Corp. - GPU Service Corp. 87/10/19. 600pp. 43352:074-43354:027.

8711040185 Forwards Rev 9 to Vols 1 & 2 to "TMI-1 Fire Hazards Analysis Rept." Rev reflects methodology used to meet 10CFR50,App R, including revs as result of verification of as-built documentation.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43281:096-43284.063.

--8711040196 Rev 9 to Vols I & II to "TMI-1 Fire Hazards Analysis Rept."
* General Public Utilities Corp. - GPU Service Corp. 87/10/27. 1,046pp. 43281:098-43284:063.

8711040223 Forwards Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0811-14 & notice of violation.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/28. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43291:012-43291:023.

--8711040224 Notice of violation from Insp on 870720-24.Violation noted: util failed to *submit to NRC Revs 1-04 & 1-03 to plant emergency plan.*
* Region 1, Ofc of the Director. 87/10/28. 1p. 43291:014-43291:014.

--8711040225 Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0812-14.Violations noted.Major areas inspected:changes to emergency plan & procedures,readiness of emergency response facilities & shift staffing & augmentation.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/10/20. 9pp. 43291:016-43291:023.

8711090122 Forwards Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/03. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43323:002-43323:010.

--8711090131 Partially withheld Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14 (ref 10CFR73.21 & 2.790(a)).No noncompliance noted.Major areas inspected:security plan & implementing procedures & security organization & audits.
SMITH,G.C., LANCASTER,W., MADDEN,T. Region 1, Ofc of the Director. 87/10/19. 7pp. 43323:004-43323:010.

8711130012 Forwards Rev 24A to plant physical security plan re miscellaneous amends & search requirements,per NRC comments on util 861202 submittal.W/o encl
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43350:170-43350:170

8711190132 Rev 1 to Emergency Plan Implementing Procedure 6415-IMP-1300.09, "In-Plant Radiological Controls During Emergencies," canceling Temporary Change Notice 640-1300.87-385.
MARSHALL,W.J., BROWN,N.H., POTTS,W.E. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 12pp. 43400:235-43400:246.

8711230111 Rev 1 to Emergency Plan Implementing Procedure 6415-IMP-1300.09, "In-Plant Radiological Controls During Emergencies," updating Page 2 of Index.
MARSHALL,W.J., BROWN,N.H., POTTS,W.E. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 12pp. 43418:340-43418:351.

8711300200 Forwards Safety Insp Rept 50-289/87-16 on 871020-23.No violations noted.Util performance during annual emergency preparedness exercise demonstrated ability to implement emergency plan & emergency plan implementing procedures.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43472:119-43472:125

--8711300218 Insp Rept 50-289/87-16 on 871020-23.No violations noted. Major areas inspected:licensee full participation annual emergency preparedness exercise & training records for emergency response organization.Response actions adequate.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/16. 5pp. 43472:121-43472:125.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R. Union of Concerned Scientists. 1p. 43392:095-43392:095.

P. Operating license stage documents & correspondence

8711020462 Advises of plan to reconfigure main steam line rupture detection sys bypass indicating lamp.Work performed to enhance human factors design.Changes planned for completion by end of Cycle 8 refueling outage.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43234:107-43234:107.

8711030058 Requests NRC approval by 880115 of plant schedule to perform future containment integrated leak rate tests (ILRT) under normal ILRT schedule,per Tech Spec 4.4.1.1.5 & 10CFR50,App J.Update of util 870209 local leak rate results encl.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43255:242-43255:243.

--8711040093 App I "TMI-1 1987 Reactor Bldg Local Leak Rate Testing Rept, Updated-871009," for 861104-870318.
* General Public Utilities Corp. - GPU Service Corp. 87/10/09. 22pp. 43255:244-43255:265.

8711050180 Forwards response to NRC 870709 Generic Ltr 87-12 requesting info from licensee in order to assess safe operation of PWRs when RCS water level below top of reactor vessel.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/30. Document Control Branch (Document Control Desk). 10pp. 43291:230-43291:239.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130329 Forwards safety evaluation re elimination of dynamic effects of postulated primary loop pipe ruptures from design basis. Util proposal complies w/revised GDC-4.
EDISON,G.E. Project Directorate I-4. 87/11/05. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43360:171-43360:178.

--8711130333 Safety evaluation supporting util proposal re elimination of postulated primary loop pipe ruptures from design basis.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/05. 6pp. 43360:173-43360:178.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711120099 Forwards application for amend to License DPR-50,consisting of Tech Spec Change Request 173,removing radiological environ monitoring program from Tech Specs.Fee paid
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43349:297-43349:327.

--8711120146 Application for amend to License DPR-50,consisting of Tech Spec Change Request 173,removing radiological environ monitoring program from Tech Specs.Fee paid.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/09. 4pp. 43349:299-43349:302.

--8711120108 Proposed Tech Specs,consisting of Tech Spec Change Request 173,removing radiological environ monitoring program from Tech Specs.
* General Public Utilities Corp. - GPU Service Corp. 87/11/09. 8pp. 43349:303-43349:310.

--8711120113 "Radiological Environ Monitoring Program for TMI-1."
* General Public Utilities Corp. - GPU Service Corp. 87/11/09. 17pp. 43349:311-43349:327.

8711200014 Forwards request for addl info re 870728 submittal concerning radiological effluent Tech Specs.Response requested within 30 days of ltr receipt.
EDISON,G.E. Project Directorate I-4. 87/11/10. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 3pp. 43406:344-43406:346.

8711230248 Advises that source range neutron flux instrument NI-9 will be removed & replaced during 7R refueling outage.Evaluation of benefit of repairing detector will be made if outage occurs prior to scheduled refueling outage.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43419:258-43419:258.

8711240075 Forwards completed PWR erosion-corrosion questionnaire per NRC 870911 request from GE Edison to HD Hukill.Areas covered include erosion-corrosion experience,piping design & notes.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/18. Document Control Branch (Document Control Desk). 6pp. 43431:058-43431:062.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040223 Forwards Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0811-14 & notice of violation.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/28. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43291:012-43291:023.

--8711040224 Notice of violation from Insp on 870720-24.Violation noted: util failed to submit to NRC Revs 1-04 & 1-03 to plant emergency plan.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43291:014-43291:014.

--8711040225 Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0812-14.Violations noted.Major areas inspected:changes to emergency plan & procedures,readiness of emergency response facilities & shift staffing & augmentation
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/10/20. 9pp. 43291:015-43291:023.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060256 Forwards addl justification for reducing inservice testing check valve disassembly frequency,consisting of insp results summary for eight valves & justification for less frequent insps,per discussions in 861224 & 870219 ltrs.Fee paid.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/03. Document Control Branch (Document Control Desk). 9pp. 43303:118-43303:127.

8711090122 Forwards Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/03. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43323:002-43323:010.

--8711090131 Partially withheld Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14 (ref 10CFR73.21 & 2.790(a)).No noncompliance noted.Major areas inspected:security plan & implementing procedures & security organization & audits.
SMITH,G.C., LANCASTER,W., MADDEN,T. Region 1, Ofc of the Director. 87/10/19. 7pp. 43323:004-43323:010.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355.119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:267.

8711170220 Provides status of corrective actions taken as result of recommendations contained in SALP Rept 50-289/86-99. Attachment 1 provides details on corrective actions taken & Attachment 2 discusses activities taken.
CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 87/11/09. Document Control Branch (Document Control Desk). 13pp. 43385:012-43385.024.

8711180156 Ack receipt of 871012 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-289/87-07.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/10. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 1p. 43395:098-43395:099.

--8711180162 Responds to NRC 870501 ltr re violations noted in Insp Rept 50-289/87-07.Corrective actions:licensed operator requalification program has been revised to better clarify requirements for conducting evaluations at highest level.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/12. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43395:099-43395:099.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300200 Forwards Safety Insp Rept 50-289/87-16 on 871020-23.No violations noted.Util performance during annual emergency preparedness exercise demonstrated ability to implement emergency plan & emergency plan implementing procedures.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43472:119-43472:125.

--8711300219 Insp Rept 50-289/87-16 on 871020-23.No violations noted. Major areas inspected.licensee full participation annual emergency preparedness exercise & training records for emergency response organization.Response actions adequate.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/16. 5pp. 43472:121-43472:125.

R. Periodic operating reports & related correspondence

8711050231 "Nuclear Safety & Compliance Committee Semiannual Rept 7 for Apr-Sept 1987." W/871102 ltr.
LANEY,R.V., HUMPHREYS,L.L., WITZIG,W.F. General Public Utilities Corp. - GPU Service Corp. 87/09/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 43292:040-43292.057.

8711230192 Monthly operating rept for Oct 1987.W/871117 ltr.
SMYTH,C.W., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/31. 6pp. 43419:353-43419.358.

S. Reportable occurrences, LERs & related correspondence

8711020525 LER 87-009-00.on 870927,personnel discovered that liquid release monitor RM-L-6 in "DEFEAT" & did not automatically terminate release from tank A.Caused by personnel error. Defeat switch placed in "ENABLE." W/871027 ltr.
OTTO,S.M., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/27. 4pp. 43237:127-43237:130.

8711050103 LER 87-008-01:on 870916,turbine tripped on high moisture separator level followed by reactor trip.Caused by failure of nonsafety-related controller LC77E.High level trip delay relay replaced & controller repaired.W/871030 ltr.
RANDAZZO,J.A., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/30. 5pp. 43293:249-43293:253.

8711060045 LER 86-013-01:on 861107,failure declared on as-found reactor bldg integrated leak rate test.Caused by leakage from bldg purge exhaust valve interspace.Second test performed & resultant as-left bldg leak rate acceptable.W/871030 ltr.
RANDAZZO,J.A., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/30. 5pp. 43308:225-43308:229.

8711060113 LER 87-007-01:on 870625,during heatup of RCS,inadvertent actuation of reactor protection sys occurred on high pressure.Caused by operator error.Sys restored to normal high pressure trip setpoint.W/871102 ltr.
RANDAZZO,J.A., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/02. 4pp. 43303:235-43303:238.

8711060255 LER 87-004-01:on 870502,while performing power range calibr surveillance on reactor protection sys,reactor tripped on high RCS pressure.Caused by operator error.Procedures improved to provide addl verification.W/871103 ltr.
RANDAZZO,J.A., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/03. 4pp. 43303:165-43303:168.

V. Operator Examinations

8711180156 Ack receipt of 871012 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-289/87-07.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/10. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 1p. 43395:098-43395:099.

--8711180162 Responds to NRC 870501 ltr re violations noted in Insp Rept 50-289/87-07.Corrective actions:licensed operator requalification program has been revised to better clarify requirements for conducting evaluations at highest level.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/10/12. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43395:099-43395:099.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030300 FOIA request for documents re commitments made by util to NRC concerning improvements to plant hardware or procedures, per fire protection requirements of 10CFR50,App R.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43262:115-43262.116.

8710230006 Responds to recipient 870818 ltr requesting prevention of plant restart until previously identified mgt,reactor safety & emergency planning concerns satisfactorily addressed. Resolution of emergency planning issues required by FEMA.
ZECH,L.W. Commissioners. 87/10/09. BARRY,C.V. Massachusetts, Commonwealth of. 3pp. 43460:293-43460:299.

--8710230013 Urges Commission action validating findings of FEMA rept, "Self-Initiated Review & Interim Finding." Rept concludes util offsite plans inadequate to protect public health & safety.Public hearing prior to plant restart also requested.
BARRY,C.V. Massachusetts, Commonwealth of. 87/08/18. ZECH,L. Commissioners. 4pp. 43460:296-43460:299.

8711040061 Revised emergency plan implementing procedures,including Rev 6 to 5.7.3.3, "Sampling,Transport & Analyses of Effluent Iodines & Particulates From Main Stack Under Emergency Conditions" & Rev 7 to 5.7.3.4, "... Reactor Bldg Vent...."
* Boston Edison Co. 87/10/23. 52pp. 43290:084-43290:135.

8711020083 Forwards util comments on 870911 State of MA Civil Defense Agency & Ofc of Emergency Preparedness memo re Aug 1987 S&W study to identify potential shelters in EPZ coastal region.
VARLEY,R.A. Boston Edison Co. 87/10/26. BOULAU,R.J. Massachusetts, Commonwealth of. 17pp. 43233:199-43233:215.

8711030304 Partial response to FOIA request for documents re plant fire protection.Forwards App B documents.Apps A & B documents also available in PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43262:117-43262:131.

--8711030309 Discusses NRC Fire Protection Insp 86-36 on 861020-24, including degraded fire barriers,fire sys,medical exams on fire brigade members,quarterly drills/training & records.W/ 870429 "Fire Protection Documentation Index."
ZIEMIANSKI,E. Boston Edison Co. 86/10/29. OXSEN,A.L., BROSEE,N., LUTTON Boston Edison Co. 12pp. 43262:120-43262:131.

8711030467 Partial response to FOIA request for documents re plant. Forwards App B documents.App A & B documents available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43280:249-43280:277.

--8711030474 Summarizes status of staffing improvements in nuclear operations dept.Related info encl.
BIRD,R.G. Boston Edison Co. 87/03/01. MURLEY,T.E. Region 1, Ofc of the Director. 16pp. 43280:252-43280:267.

8711050150 Revised emergency plan implementing procedures,including Rev 11 to 5.6.1, "Medical Treatment," Rev 7 to 5.7.1.1, "Emergency Categories & Associated Emergency Action Levels" & Rev 9 to 5.7.1.5, "General Emergency."
* Boston Edison Co. 87/10/30. 135pp. 43291:083-43291:217.

8711050006 Responds to recipient ltr to S Chilk,expressing concerns re emergency preparedness for plant.NRC will not permit plant to resume operation until determination that health & safety of public can be protected.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/02. CHIN,B., KAUFMAN,M.A. Duxbury Council of Parent-Teacher Associations, Duxbury, MA. 5pp. 43301:139-43301:146.

--8711050009 Expresses concerns for safety of children attending Duxbury Public Schools in event of serious nuclear accident at plant.Concise & workable evacuation plan requested before plant reopened.Reduction in 10-mile EPZ opposed.
CHIN,B., KAUFMAN,M.A. Duxbury Council of Parent-Teacher Associations, Duxbury, MA. 87/05/01. CHILK,S. Commissioners. 3pp. 43301:144-43301:146.

8711100421 Rev 2 to Procedure 5.7.2.30, "Environ Emergency Team Coordinator."
ROBERTS,K.P. Boston Edison Co. 87/11/02. 7pp. 43335:134-43335:140.

8711100114 Requests fee for 871002 request for exemption from Section II.G.1.a of App R to 10CFR50 re fire protection features important to safe shutdown.
DIGGS,R.M. License Fee Management Branch. 87/11/05. BIRD,R.G. Boston Edison Co. 1p. 43340:034-43340.034.

8711180034 Rev 7 to Nuclear Operations Dept Procedure 5.7.2.4, "Operational Support Ctr."
* Boston Edison Co. 87/11/06. 13pp. 43391:325-43391:337.

8711160003 Final response to FOIA request.App C document re summary of 861124 meeting w/util in Plymouth,MA concerning licensee corrective action programs encl & available in PDR & LPDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43362:193-43362:322.

--8711160005 Agenda for 861124 meeting w/util to discuss operations, radiological,technical,maint & mgt svc status,containment enhancement design,organization & staffing,App R/fire protection & emergency planning.Viewgraphs

8711230376 Forwards Safety Insp Rept 50-293/87-34 on 870804-0914. Corrective actions in response to 1985 violation re failure to perform required post-maint testing of standby gas treatment sys adequate.Violation justified.
KANE,W. Region 1, Ofc of the Director. 87/11/18. BIRD,R.G. Boston Edison Co. 2pp. 43419:012-43419:030.

--8711230384 Insp Rept 50-293/87-34 on 870804-0914.No violations noted. Concerns stated Major areas inspected:plant operations, radiation protection,physical security,plant events,maint, surveillance,outage activities & repts to NRC.
BLOUGH,A. Region 1, Ofc of the Director. 87/11/06. 17pp. 43419:014-43419:030.

8711250012 Forwards Safety Insp Rept 50-293/87-48 on 871103-05 of emergency preparedness program.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/19. BIRD,R.G. Boston Edison Co. 2pp. 43459:087-43459:093.

--8711250013 Insp Rept 50-293/87-48 on 871103-05.No violations noted. Major areas inspected:changes to emergency preparedness program,licensee reviews/audits,organization & mgt control, training & open items from previous insp repts.
CONKLIN,C., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/13. 5pp. 43459:089-43459:093.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/09/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8711200341 "Friction Coefficients of Water-Lubricated Stainless Steels for Spent Fuel Rack Facility."
RABINOWICZ,E. Rabinowitz, E. 76/11/05. 25pp. 43416:337-43416:361.

8711020001 FOIA request for all records documenting util proposal to restart facility in May 1986 & NRC review & disposition of request.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:307-43240:308.

8711020230 FOIA request for all records re degradation of svc water piping at plant.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:001-43240:002.

8711030461 FOIA request for documents re NRC/util meeting in Nov 1986 concerning plant.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43280:247-43280:248.

8711060298 FOIA request for documents prepared for or by NUMARC.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43311:001-43311:002.

8711170001 FOIA request for documents on util commitments to NRC re improvements to facility hardware or procedures concerning ATWS,including original commitment,changes to commitment & when & how commitment met.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43373:253-43373:254.

8711200311 FOIA request for documents re installation & use of plant- specific nuclear power plant control room simulator.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43416:002-43416:003.

8711250126 FOIA request for records prepared by or for NUMARC re outage of facility.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43463:294-43463:295.

8710280274 Responds to 870928 invitation to participate in public forum on 871029.Region 1 plans to participate in meeting based on listed understanding.R Blough will be in contact w/recipient to work out addl details.
KANE,W.F. Region 1, Ofc of the Director. 87/10/21. VOGLER,D.J. Duxbury, MA. 3pp. 43278:105-43278:109.

--8711040019 Requests NRC participation in 871029 public forum to be held in Duxbury,MA re plant.Forums provide opportunity to discuss citizen concerns & questions re plant operation & emergency response.
VOGLER,D.J., DELANO,C.M., DOWD,P.A. Duxbury, MA. 87/09/28. ZECH,L. Commissioners. 2pp. 43278:108-43278:108.

--8711040022 Advises of inability to attend 871029 public forum on plant, due to prior commitment,in response to 870928 invitation. Invitation referred to V Stello to determine availability of NRC representatives to attend.
ZECH,L.W. Commissioners. 87/10/14. VOGLER,D.J., DELANO,C.M., DOWD,P.A. Duxbury, MA. 1p. 43278:109-43278:109.

8711020437 Discusses Murley 871016 response to 870930 ltr re overtime at plant.Util will investigate matter & provide rept to NRC. NRC review will not involve obtaining copies of all overtime documentation.
KANE,W.F. Region 1, Ofc of the Director. 87/10/23. SHIMSHAK,R. Massachusetts Public Interest Research Group. 2pp. 43234:096-43234:105.

--8711020442 Confirms 870930 conversation between util & NRC re overtime controls at plant.Results of evaluation requested within 20 days of date of ltr.
KANE,W.F. Region 1, Ofc of the Director. 87/10/08. BIRD,R.G. Boston Edison Co. 2pp. 43234:098-43234:105.

8711020020 Forwards Amend 107 to License DPR-35 & safety evaluation. Amend revises Tech Spec Table 4.2.4 to specify correct calibr frequency for reactor high pressure instrument channel.
WESSMAN,R.H. Project Directorate I-3. 87/10/28. BIRD,R.E. Boston Edison Co. 3pp. 43240:318-43240:327.

--8711020022 Amend 107 to License DPR-35,revising Tech Spec Table 4.2.A to specify correct calibr frequency for reactor high pressure instrument channel.
ROONEY,V. Project Directorate I-3. 87/10/28. 4pp. 43240:322-43240:326.

--8711020024 Safety evaluation supporting Amend 107 to License DPR-35.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. 2pp. 43240:326-43240:327.

8711030360 Forwards Amend 109 to License DPR-35 & safety evaluation. Amend revises Tech Specs to change pressure range required for HPCI & RCIC sys operation.
WESSMAN,R.H. Project Directorate I-3. 87/10/29. BIRD,R.E. Boston Edison Co. 4pp. 43258:138-43258:164.

--8711030389 Amend 109 to License DPR-35,revising Tech Specs to change pressure range required for HPCI & RCIC sys operation.
* Project Directorate I-3. 87/10/29. 8pp. 43258:142-43258:150.

--8711030391 Safety evaluation supporting Amend 109 to License DPR-35.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/29. 4pp. 43258:151-43258:154.

8711040038 Forwards Amend 108 to License DPR-35 & safety evaluation. Amend revises Tech Spec Table 3.2.B to clarify requirements for undervoltage relays.
WESSMAN,R.H. Project Directorate I-3. 87/10/29. BIRD,R.E. Boston Edison Co. 3pp. 43280:128-43280:141.

--8711040039 Amend 108 to License DPR-35,revising Tech Spec Table 3.2.B to clarify requirements for undervoltage relays.
ROONEY Project Directorate I-3. 87/10/29. 6pp. 43280:131-43280:136.

--8711040040 Safety evaluation supporting Amend 108 to License DPR-35.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/29. 5pp. 43280:137-43280:141.

8711030392 Partial response to FOIA request for documents re Confirmatory Action Ltr 86-10.Forwards App C documents.App B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 4pp. 43256:202-43258:136.

--8711030457 Provides addl info re Confirmatory Action Ltr 86-10 as committed in util 860829 response ltr.Revised safety evaluation clarifying intent & assumptions re controlled leak path in RHR sys encl.
LYOON,J.M. Boston Edison Co. 86/09/17. STROSNIDER,J. Region 1, Ofc of the Director. 8pp. 43256:208-43258:136.

8711030467 Partial response to FOIA request for documents re plant. Forwards App B documents.App A & B documents available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43280:248-43280:277.

--8711030474 Summarizes status of staffing improvements in nuclear operations dept.Related info encl.
BIRD,R.G. Boston Edison Co. 87/03/01. MURLEY,T.E. Region 1, Ofc of the Director. 16pp. 43280:252-43280:267.

--8711030483 Provides status of backlog reduction.Actions taken over recent months to reduce work backlog listed.Related info encl.
BIRD,R.G. Boston Edison Co. 87/03/01. MURLEY,T.E. Region 1, Ofc of the Director. 10pp. 43280:268-43280:277.

8711030493 Partial response to FOIA request for documents re analog trip sys.App B documents encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43262:244-43262:334.

--8711040035 Package consisting of Rev 0 to Safety Evaluation SE-1806 re analog trip sys for reactor protection sys & ECCS at plant, App C,Rev 0 to PDC-84-70, "Analog Trip Sys for Reactor Protection Sys & ECCS at Pilgrim Station" & 870917 ofc memo.
* Boston Edison Co. 85/03/29. 87pp. 43262:248-43262:334.

8711060142 Forwards update of NRC safety mgt issues sys (SIMS) in response to NRC 870924 ltr & 871013 telcon.Scheduled implementation completion dates based on current plans for restart & normal operation for 18-month operating cycle.
BIRD,R.G. Boston Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 22pp. 43308:001-43308:022.

8711060247 Supplts util 871002 addl info ltr w/discussion of design safety allowances for two types of components in reactor bldg closed cooling water sys.Description of term design safety allowance & max allowable hydrostatic pressures encl.
BIRD,R.G. Boston Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 6pp. 43303:356-43303:361.

8711060300 Partial response to FOIA request.Documents listed in App A available in PDR & also maintained in LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43311:003-43311:004.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160008 Partial response to FOIA request for documents.Forwards App G records.App F & G documents available in PDR & LPDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43362:323-43363:027.

--8711160012 Viewgraphs from 860519 meeting re util response to Confirmatory Action Ltr CAL-86-10,860612 "Program for Excellence" task force rept & facility operation.
* Boston Edison Co. 86/05/19. 60pp. 43362:329-43363:027.

Massachusetts, Commonwealth of. 2pp. 43362:193-43362:322.

--8711160005 Agenda for 861124 meeting w/util to discuss operations, radiological,technical,maint & mgt svc status,containment enhancement design,organization & staffing,App R/fire protection & emergency planning.Viewgraphs encl.
* NRC - No Detailed Affiliation Given. 86/11/24. NRC - No Detailed Affiliation Given. 126pp. 43362:197-43362:322.

8711160041 Responds to FOIA request for documents re Confirmatory Action Ltr CAL-86-10.App B documents available in PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43369:334-43369:337.

8711170003 Partial response to FOIA request for documentation re ATWS rule & Generic Ltr 83-28.Forwards App B documents.Apps A & B documents available at PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 11pp. 43373:255-43374:358.

--8711170005 Rev 1 to Procedure 3.M.1-1, "Preventive Maint."
* Boston Edison Co. 87/11/12. 2pp. 43373:266-43373:267.

--8711170006 Rev 2 to Procedure 3.M.1-1.2, "Electrical."
* Boston Edison Co. 78/09/05. 6pp. 43373:268-43373:279.

--8711170007 Rev 0 to Procedure TP 81-09, "Scram Air Header Depressurization."
* Boston Edison Co. 81/03/05. 6pp. 43373:280-43373:285.

--8711170008 Rev 0 to Temporary Procedure TP 81-13, "ATWS-ARI Auto Reset Time Delay Change Pilgrim Nuclear Power Station 1 On-Line."
* Boston Edison Co. 81/03/25. 5pp. 43373:286-43373:290.

--8711170010 Rev 0 to Procedure 2.2.126, "ATWS."
* Boston Edison Co. 82/04/28. 4pp. 43373:296-43373:304.

--8711170020 Rev 8 to Procedure 8 M.1-29, "ATWS Functional & Trip Unit Calibr Test."
* Boston Edison Co. 83/03/17. 11pp. 43373:305-43373:315.

--8711170032 Package of documents re util actions concerning ATWS, including purchase orders,correspondence w/GE,work instructions,field rev notices & maint requests.
* Boston Edison Co. 87/11/12. 325pp. 43373:316-43374:358.

8711170212 Forwards safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
WESSMAN,R.H. Project Directorate I-3. 87/11/13. BIRD,R.G. Boston Edison Co. 2pp. 43385:284-43385:287.

--8711170219 Safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 2pp. 43385:286-43385:287.

8711200344 Final response to FOIA request for documents.App B documents encl & available in PDR.App A documents also available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/18. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43416:004-43416:011.

--8711230074 Package consisting of viewgraphs re util simulator status, requalification plans for reactor operators/senior reactor operators prior to startup,training schedule & control of reactor operator/senior reactor operator overtime.
* Boston Edison Co. 87/11/18. 5pp. 43416:007-43416:011.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(860212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020003 Partial response to FOIA request for documentation re restart & util response to Confirmatory Action Ltr 86-10. App A documents available in PDR.App A Documents 1-13 also available in LPDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43240:309-43240:310.

8711040174 Forwards Insp Rept 50-293/87-40 on 870914-18 & notice of violation.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/26. BIRD,R.G. Boston Edison Co. 2pp. 43290:281-43290:298.

--8711040176 Notice of violation from insp on 870914-18.Violation noted:licensee failed to post notice of violation dtd 870824.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43290:283-43290:283.

--8711040184 Insp Rept 50-293/87-40 on 870914-18.Violations noted.Major areas inspected:licensee action on previous findings, organization & staffing,ALARA & radiological controls for drywell work during fuel movement.
NIMITZ,R.L., DRAGOUN,T., SHANBACKY,M. Region 1, Ofc of the Director. 87/10/26. 15pp. 43290:284-43290:298.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

Massachusetts, Commonwealth of. 3pp. 43262:117-43262:131.

--8711030309 Discusses NRC Fire Protection Insp 86-36 on 861020-24, including degraded fire barriers,fire sys,medical exams on fire brigade members,quarterly drills/training & records.W/ 870429 "Fire Protection Documentation Index."
ZIEMIANSKI,E. Boston Edison Co. 86/10/29. OXSEN,A L., BROSEE,N., LUTTON Boston Edison Co. 12pp. 43262:120-43262:131.

8711050119 Suppls util 870926 response to Insp Rept 50-293/87-30,870909 enforcement conference & 870930 mgt meeting.NRC should not issue notice of violation or escalate enforcement action re alleged airlock door violation.
BIRD,R G. Boston Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43292:113-43292:114.

8711090383 Forwards Safety Insp Rept 50-293/87-37 on 870817-21 & 0831-0904.Violations noted One unresolved item identified.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/03. BIRD,R G. Boston Edison Co. 2pp. 43313:281-43313:303.

--8711090387 Insp Rept 50-293/87-37 on 870817-21 & 0831-0904.No violations noted.Major areas inspected:review of license followup & corrective actions re several NRC previously identified items.
WOODARD,C., GREGG,H., CHEUNG,L. Region 1, Ofc of the Director. 87/10/28. 21pp. 43313:283-43313:303.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711090208 Updates info provided in 860925 ltr re inservice insp exams. NRC should note that insp discussed on 861212,when performed,will complete first insp period of second ten yr inservice insp interval.Supporting info encl.
BIRD,R.G. Boston Edison Co. 87/11/05. Document Control Branch (Document Control Desk). 9pp. 43313:197-43313:205.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711170003 Partial response to FOIA request for documentation re ATWS rule & Generic Ltr 83-28.Forwards App B documents.Apps A & B documents available at PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 11pp. 43373:255-43374:358.

--8711170009 Rev 3 to Procedure 3.M.3-6, "Insp & Overhaul of 480 Volt Load Ctr Breakers."
* Boston Edison Co. 81/06/05. 5pp. 43373:291-43373:295.

8711170212 Forwards safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
WESSMAN,R.H. Project Directorate I-3. 87/11/13. BIRD,R.G. Boston Edison Co. 2pp. 43385:284-43385:287.

--8711170219 Safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 2pp. 43385:286-43385:287.

8711170218 Requests extension of deadline to respond to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Plan for completing remaining test & providing final results listed.
BIRD,R.G. Boston Edison Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43385:025-43385:026.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711230366 Ack receipt of 870923 response to violations noted in Insp Rept 50-293/87-29 & NRC 870824 ltr.Corrective actions will be examined during future insp.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. BIRD,R.G. Boston Edison Co. 2pp. 43419:053-43419:058.

8711240083 Forwards Safety Insp Rept 50-293/87-41 on 870914-18.No violations observed.Steps taken to correct three of four violations noted in NRC 870310 ltr verified.Notice of violation from Insp Rept 50-293/87-04 withdrawn.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/17. BIRD,R.G. Boston Edison Co. 2pp. 43431:022-43431:038.

--8711240088 Insp Rept 50-293/87-41 on 870914-18.No violations or deviations noted.Major areas inspected:previous insp findings,surveillance testing & calibr program,measuring & test equipment,preoperational testing & QA/QC interfaces.
BISSETT,P., BRIGGS,L., EVANS,M. Region 1, Ofc of the Director. 87/10/19. 14pp. 43431:026-43431:038.

8711230376 Forwards Safety Insp Rept 50-293/87-34 on 870804-0914. Corrective actions in response to 1985 violation re failure to perform required post-maint testing of standby gas treatment sys adequate.Violation justified
KANE,W. Region 1, Ofc of the Director. 87/11/18. BIRD,R.G. Boston Edison Co. 2pp. 43419:012-43419:030.

--8711230384 Insp Rept 50-293/87-34 on 870804-0914.No violations noted. Concerns stated.Major areas inspected:plant operations, radiation protection,physical security,plant events,maint, surveillance,outage activities & repts to NRC.
BLOUGH,A. Region 1, Ofc of the Director. 87/11/06. 17pp. 43419:014-43419:030.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. *Consolidated Edison Co. of New York, Inc. 118pp. 43444:185-43444:314.*

8711250012 Forwards Safety Insp Rept 50-293/87-48 on 871103-05 of emergency preparedness program.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/19. BIRD,R.G. Boston Edison Co. 2pp. 43459:087-43459:093.

--8711250013 Insp Rept 50-293/87-48 on 871103-05.No violations noted. Major areas inspected:changes to emergency preparedness program,licensee reviews/audits,organization & mgt control, training & open items from previous insp repts.
CONKLIN,C., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/13. 6pp. 43459:069-43459:093.

R. Periodic operating reports & related correspondence

8711020334 "Marine Ecology Studies re Operation of Pilgrim Station, Semiannual Report 30,Jan-June 1987." W/871030 ltr.
ANDERSON,R.D., BIRD,R.G. Boston Edison Co. 87/06/30. 170pp. 43234:229-43235:038.

8711020406 Forwards facility biweekly status rept for 871008-21.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/10/27. WIGGINS,J.T. Region 1, Ofc of the Director. 6pp. 43237:001-43237:006.

8711230290 Monthly operating rept for Oct 1987.W/871114 ltr.
HAMILTON,P., BIRD,R.G. Boston Edison Co. 87/10/31. 7pp. 43421:063-43421:069.

8711300076 Forwards facility biweekly status rept for period 871105-18. Eight members of NRC Augmented Insp Team onsite to review sequence of events & licensee response to loss of offsite power incident on 871112.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/11/24. WIGGINS,J.T. Region 1, Ofc of the Director. 7pp. 43473:105-43473:111.

S. Reportable occurrences, LERs & related correspondence

8711090047 Partial response to FOIA request for documents,including PNO-I-86-028 re event at plant.Forwards App E documents.App D & E documents also available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43315:234-43315:243.

--8711090149 Package of handwritten excerpts from NRC *Headquarters Operations Officer* log re leakage past two isolation valves Reportable Event Numbers 04196 & 04198.
* NRC - No Detailed Affiliation Given. 86/04/12. 5pp. 43315:239-43315:243.

8711160035 PNO-I-87-104:on 871107 & 08,util identified potential breach of security vital area barrier & series of radiological problems.Ongoing maint & mod work onsite suspended.Licensee presently evaluating situation.
LYASH,J., BLOUGH,R. Region 1, Ofc of the Director. 87/11/09. 1p. 43364:186-43364:186.

8711180025 PNO-I-87-105:on 871112,plant experienced complete loss of offsite power.Cause associated w/switchyard icing due to adverse weather conditions.Licensee continuing to determine cause of loss of offsite power.Ice & salt being removed.
BLOUGH,R. Region 1, Ofc of the Director. 87/11/12. 2pp. 43391:359-43391:360.

8711180100 PNO-I-87-105A:as of 871112,offsite power remained unavailable to site.Personnel shutdown emergency diesel generator B due to problem w/transformer C,resulting in another shutdown cooling isolation.Switchyards sprayed.
BLOUGH,R. Region 1, Ofc of the Director. 87/11/12. 1p. 43395:051-43395:051.

8711180132 PNO-I-87-105B:on 871112,*offsite power reestablished to vital & nonvital* buses via backfeeding through main & auxiliary transformers after loss of power.Loss of power possibly caused by icing in switchyard.Switchyard sprayed.
WIGGINS,J., ABRAHAM,K. Region 1, Ofc of the Director. 87/11/13. 2pp. 43391:281-43391:282.

8711190134 PNO-I-87-106:NRC dispatched augmented insp team to facility to commence insp on 871115.Insp will focus on sequence of events & licensees response re 871112 loss of offsite power. Team expected onsite 871115-20.
WIGGINS,J. Region 1, Ofc of the Director. 87/11/13. 1p. 43397:092-43397:092.

8711190204 Confirmatory Action Ltr 87-16 re 871112 loss of offsite power at plant during adverse weather conditions.Augmented insp team will be sent to site on 871116 to evaluate potential vulnerability of plant to loss of power events.
KANE,W.F. Region 1, Ofc of the Director. 87/11/13. BIRD,R.G. Boston Edison Co. 2pp. 43400.110-43400:111.

8711200244 LER 87-007-00:on 871018,automatic actuation of reactor protection sys occurred.Caused by technician error.Mode switches for both APRMs immediately returned to "operate" position & further APRM test suspended.W/871113 ltr.
HAMILTON,P.J., BIRD,R.G. Boston Edison Co. 87/11/13. 4pp. 43417:037-43417:040.

8711230109 LER 87-008-00:*on 871015,unplanned isolation of RHR sys occurred due to* disconnected energized power supply lead to relay 16A-K28.Caused by personnel error.Electrical isolation tagout revised.W/871115 ltr.
ELLIS,D.W., BIRD,R.G. Boston Edison Co. 87/11/15. 4pp. 43417:298-43417:301.

8711300163 LER 87-010-00:on 870702,automatic actuation of reactor protection sys (RPS) occurred due to erratic operation & spurious trip of APRM.Possibly caused by disturbance of APRM cabling & connectors.RPS scram signal reset W/871120 ltr.
HAMILTON,P.J., BIRD,R.G. Boston Edison Co. 87/11/20. 4pp. 43471:063-43471:066.

8711300133 LER 87-009-00:on 871023,Failure & Malfunction Rept 87-600 written to document original design/const deficiency identified during review of conduit layout drawing E-343. Caused by deficiency in original plant design.W/871121 ltr.
HAMILTON,P.J., BIRD,R.G. Boston Edison Co. 87/11/21. 6pp. 43467:325-43467:329.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030550 Provides info to support finding that special circumstances exist,per rev to 10CFR50.12,concerning 840727 request for exemption from requirements of 10CFR50,App R.Implementation of listed mods would be extensive undertaking.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43255:347-43255:349.

8711240268 Station Procedure Change Request A87-579 to Emergency Plan Implementing Procedure EPIP 320-1, "Activation of Generating Station Emergency Plan Station Group."
RIECK,T. Commonwealth Edison Co. 87/11/04. 8pp. 43442:168-43442:185.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

P. Operating license stage documents & correspondence

8711040306 Advises that alleged valves purchased from specific vendor noted in CE Norelius 870728 ltr have not been used in past nor will be used in future.Purchase Order 310782 canceled & QA dept will evaluate future orders.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/22. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43291:041-43291:041.

8711030206 Notification of cancellation of 871105 meeting w/util in Bethesda,MD to discuss rescinding of 800229 confirmatory order.
NORRIS,J.A. Project Directorate III-2 87/10/26. MULLER,D.R. Project Directorate III-2. 2pp. 43264:125-43264:126.

8711020390 Supplemental application for amends to Licenses DPR-39 & DPR-48,revising Tech Specs to extend snubber insp period.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:179-43236:181.

--8711020400 Proposed Tech Specs,extending snubber insp period.
* Commonwealth Edison Co. 87/10/27. 1p. 43236:181-43236:181.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402.001-43402.046.

8711240142 Forwards listed documents in response to 870331 request for addl info re NUREG-0737,Item II.D.1, "Performance Testing of Relief & Safety Valves." Documents include, "AE Project Plan for Evaluation of..." & "Evaluation of Pressurizer...."
LEBLOND,P.C. Commonwealth Edison Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43429.093-43429:246.

--8711240147 "AE Project Plan for Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem."
WATSON,J.M., GAZICA,M.K. O'Donnell & Associates, Inc. 86/08/28. 23pp. 43429:095-43429:117.

--8711240161 "Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem Zion Station Unit 1 & 2 Phase I - Elastic Analysis."
RUCO,R.J., JONES,G.Z., GAZICA,M.N. O'Donnell & Associates, Inc. 86/02/28. 76pp. 43420:118-43429:194.

--8711240173 "Evaluation of Zion Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737."
RACO,R.J., ARMSTRONG,B.A. O'Donnell & Associates, Inc. 87/03/31. 53pp. 43429:195-43429:246.

8711240129 Requests that 871021 response to NRC 870723 questionnaire re erosion/corrosion experience in plant feedwater lines be corrected as indicated.
LEBLOND,P.C. Commonwealth Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43431:124-43431:124.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060105 Responds to 870917 ltr re violation noted in Insp Rept 50-295/87-17 & 50-*304/87-19.Corrective actions:statement will be added to Safeguards Actuation Per*formance Test PT-10 instructing immediate review of any valve failure.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/16. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 43303:228-43303:231.

8711020476 Forwards Insp Repts 50-295/87-21 & 50-304/87-22 on 870818-28.No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director. 87/10/26. REED,C. Commonwealth Edison Co. 2pp. 43234:108-43234:116.

--8711020489 Insp Repts 50-295/87-21 & 50-304/87-22 on 870818-28.No violations or deviations noted.Major areas inspected: allegation re work assignments.
HINDS,J.M. Region 3, Ofc of the Director. 87/10/26. 7pp. 43234:110-43234:116.

8711020390 Supplemental application for amends to Licenses DPR-39 & DPR-48,revising Tech Specs to extend snubber insp period.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:179-43236:181.

--8711020400 Proposed Tech Specs,extending snubber insp period.
* Commonwealth Edison Co. 87/10/27. 1p. 43236:181-43236:181.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020322 Forwards Safety Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026.Util will be notified by separate correspondence of NRC decision re enforcement action.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/29. REED,C. Commonwealth Edison Co. 2pp. 43234:028-43234:050.

--8711020338 Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026. Violations noted.Major areas inspected:RCS pressure isolation check valves,LERs & related licensing history & associated licensee practices.
HINDS,J.M. Region 3, Ofc of the Director. 87/10/27. 21pp. 43234:030-43234:050.

8711050007 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-295/87-05 & 50-304/87-05.Corrective actions:misinstalled relief dampers indentified & sealed & leak tight isolation of control room HVAC sys reviewed.Fee paid.
DELGEORGE,L.O. Commonwealth Edison Co. 87/10/30. LIEBERMAN,J. NRC - No Detailed Affiliation Given. 8pp. 43302:001-43302:008.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090314 Forwards Safety Insp Repts 50-295/87-29 & 50-304/87-30 on 871005-09.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/04. REED,C. Commonwealth Edison Co. 2pp. 43313:251-43313:266.

--8711090320 Insp Repts 50-295/87-29 & 50-304/87-30 on 871005-09.No violations or deviations noted.Major areas inspected: chemistry program,including procedures,organization & training & QA/QC program in lab.
HOLTZMAN,R.B., HOUSE,J.E., SCHUMACHER,M.C. Region 3, Ofc of the Director. 87/11/04. 14pp. 43313:253-43313:266.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160149 Monthly operating rept for Oct 1987.W/871107 ltr.
AUSTIN,G., PLIML,G.J. Commonwealth Edison Co. 87/10/31. 12pp. 43368:271-43368:282.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711100402 Immediate temporary change to Rev 0 to Emergency Plan Implementing Procedure EPIP-1, "Emergency Plan Classification Logic." W/871102 ltr.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. 8pp. 43336:050-43336:057.

8711130076 Ack receipt of radiological emergency plan exercise scenario package & scope & objectives for exercise scheduled for wk of 871102.Scenario package will be provided to PDR following completion of exercise.
ZECH,G.G. Ofc of Special Projects. 87/11/03. WHITE,S.A. Tennessee Valley Authority. 2pp. 43355:181-43355:182.

8711160037 Trip rept of 871028-29 site visit to attend presentation on restart testing w/ J Watt to discuss differences between Sequoyah & Browns Ferry program.Program description presented by util encl.
STANG,J. Ofc of Special Projects. 87/11/09. ZWOLINSKI,J.A. Ofc of Special Projects. 12pp. 43362:128-43362:139.

8711230426 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-289/87-25 on 870921-24.No violations or deviations noted.Attention invited to unresolved item identified in insp rept.Encl withheld (ref 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43424:234-43424:235.

8711180134 Revised emergency plan implementing procedures,including Rev 1 to EPIP-8, "Personnel Accountability & Evacuation," Rev 1 to EPIP-11, "Security & Access Control" & Rev 1 to EPIP-13, Radiochemical Lab Procedure." W/871110 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 30pp. 43395:068-43395:097.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
AOKINS,T.E., GRIDLEY,R.L. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

8711230187 Advises that Rev 34 to radiological security plan consistent w/provisions of 10CFR50.47 (b) & App E to 10CFR50.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 2pp. 43421:126-43421:127.

8711300162 Forwards response to JA Zwolinski 871008 ltr requesting addl info on miscellaneous amends/search requirements re 861126 physical security/contingency plan.Encl withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43466:292-43466:293.

8711300178 Forwards supplementary pages to Rev 8 to plant physical security/contingency plan,per 871029 telcon between Region II & TVA.Pages withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43471:035-43471:036.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners 2pp. 43462.001-43462.002.

P. Operating license stage documents & correspondence

8711020274 Forwards,on behalf of util,request for exemption per 10CFR50.12(a)(2)(v).Fee paid.
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. VOIGT,H.H. Nebraska Public Power District. VOIGT,H.H. Omaha Public Power District. 87/10/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43232:306-43232:314.

--8711020283 Request for exemption from requirements of 10CFR50.54.Util will not be able to comply w/requirements by effective date or within 60 days thereafter.
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. VOIGT,H.H. Nebraska Public Power District. VOIGT,H.H. Omaha Public Power District. 87/10/02. Commissioners. 8pp. 43232:307-43232:314.

8711030337 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of Tech Spec Change 235 to add ASME Section XI pump & valve program definition & change applicable testing frequencies to ref definition.Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43250:179-43250:256.

--8711030340 Proposed Tech Spec Change 235,adding ASME Section IX pump & valve program definition & changing applicable testing frequencies to ref definition.Justification for proposed changes & other supporting info also encl.
* Tennessee Valley Authority. 87/10/27. 76pp. 43250:181-43250:256.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T., RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A., PETERS,A., RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 64pp. 43247.070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R., MCNUTT,G.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 6pp. 43444:143-43444:160.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:161-43444:194.

8711200046 Trip rept of 871028-30 visit to plant site.
GEARS,G. Ofc of Special Projects. 87/11/10. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43408:032-43408:035.

8711240163 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240178 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240165 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711240197 Forwards addl info re NUREG-0737,Item II.E.4.1, "Dedicated Hydrogen Penetrations," per 870514 telcon.Vent portion of containment atmosphere dilution sys redundant & can withstand single failure due to alternate power supply.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43431:356-43431:360.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040189 Forwards revised Inservice Insp program (Surveillance Instruction SI 4.6.G),reflecting program enhancements & revised relief requests ISI-4,ISI-5 & ISI-8,per CE Murphy 800414 request.
GRIDLEY,R. Tennessee Valley Authority. 87/06/04. Document Control Branch (Document Control Desk). 2pp. 43284:075-43285:297.

--8711040230 Rev 0 to Surveillance Instruction SI 4.6.G, "Inservice Insp Program."
* Tennessee Valley Authority. 86/12/23. 581pp. 43284:077-43285:297.

8711020066 Confirms 871021 telcon re mgt meeting to be conducted on 871029 to discuss problems experienced w/radwaste & radwaste transportation.Proposed meeting agenda encl.
ZECH,G.G. Ofc of Special Projects. 87/10/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 43226:280-43226:282.

8711020292 Responds to NRC 870824 ltr re concerns noted in Insp Repts 50-259/87-22,50-260/87-22 & 50-296/87-22.Corrective actions: mod process strengthened to stress compliance ahead of production schedule & employee concern program established.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 7pp. 43236:111-43236:117.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,A.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060156 Responds to NRC 870527 request for addl info re planned upgrade to meet alarm assessment capabilities required by 10CFR73.55(h) Actual installation & const activities tentatively expected to be completed end of FY91.
GRIDLEY,R. Tennessee Valley Authority. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43308:322-43308:323.

8711130050 Forwards Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.
ZECH,G.G. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43354:184-43354:198.

--8711130058 Insp Repts 50-259/87-32,50-260/87-32 & 50-296/87-32 on 870914-18.No violations or deviations noted.Major areas inspected:previous enforcement matters,microbiologically induced corrosion investigation & inservice testing program.
GIRARD,E.H., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/14. 13pp. 43354:186-43354:198.

8711130084 Ack receipt of 871006 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-27, 50-260/87-27 & 50-296/87-27.Tech Spec change commitment considered as part of long-term corrective action program.
ZECH,G.G. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 1p. 43355:180-43355:180.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711230425 Forwards Insp Repts 50-259/87-35,50-260/87-35 & 50-296/87-35 on 870921-24.No violations or deviations noted.Attention invited to unresolved item identified in insp rept.Encl withheld (ref 10CFR2.790(d) & 10CFR73.12).
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43424:234-43424:235.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240068 Responds to NRC 870929 ltr re deviations noted in Insp Repts 50-259/87-30,50-260/87-30 & 50-296/87-30.Corrective actions: FSAR update procedures revised & periodic exams of population & land use will not be deleted from FSAR.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 6pp. 43431:094-43431:099.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300046 Forwards Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30 & notice of violation.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43473:016-43473:048.

--8711300054 Notice of violation from Insp on 870901-30.Violation noted: licensee failed to establish measures to assure NUREG-0737 requirements re containment high-range radiation monitoring sys correctly translated into specs & procedures.
ZECH,G.G. Ofc of Special Projects. 87/11/19. 3pp. 43473:019-43473:021.

--8711300062 Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30.Violations noted.Major areas inspected:operational safety,maint observation,surveillance testing observation, ROs,restart test program & info notice review.
PAULK,G.L., PATTERSON,C.A., BROOKS,C.A. Region 2, Ofc of the Director. 87/11/18. 25pp. 43473:022-43473:048.

8711300091 Submits status update & revised completion schedule for corrective actions identified in util response to violation from Insp Repts 50-259/87-14,50-260/87-14 & 50-296/87-14. List of commitments encl.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 3pp. 43467:103-43467:105.

R. Periodic operating reports & related correspondence

8711020365 Discharge monitoring rept for Sept 1987.
BROOKS,R.H. Tennessee Valley Authority. 87/09/30. 13pp. 43236:260-43236:272.

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

8711240262 Monthly operating repts for Oct 1987,W/871124 ltr.
CRAWFORD,J.D., WALKER,J. Tennessee Valley Authority. 87/10/31. 14pp. 43442:195-43442:227.

8711200085 Submits weekly schedule of TVA activities for wks of 871116 & 23.
KELLY,J.L. Ofc of Special Projects. 87/11/13. ZECH,G.G. Ofc of Special Projects. 4pp. 43408:073-43408:076.

8711240270 Forwards weekly schedule of TVA activities for wks of 871123 & 30.
KELLY,J.L. Ofc of Special Projects. 87/11/20. ZECH,G.G. Ofc of Special Projects. 4pp. 43446:096-43446:099.

S. Reportable occurrences, LERs & related correspondence

8711170298 LER 87-004-00:on 871013,diesel generator 3EB inadvertently started during preventative maint.Caused by governors being out of adjustment due to personnel error.Training will be given to electrical technicians.W/871112 ltr.
JONES,S.B., WALKER,J.G. Tennessee Valley Authority. 87/11/10. 3pp. 43384:080-43384:082.

8711200385 LER 87-005-00:on 871019,unplanned 3D diesel generator start occurred due to initiation of ESF.Caused by failure of two of three degraded voltage relays monitoring shutdown board. Relays replaced & logic tested.W/871118 ltr.
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 87/11/17. 3pp. 43410:250-43410:252.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8711160231 Responds to NRC 871009 ltr re violation noted in Insp Rept 50-297/87-03.Corrective actions:Procedure HP-40-1 reviewed & moddied to include case of unloading samples when reactor shutdown.
TURINSKY,P.J. North Carolina State Univ., Raleigh, NC. 87/11/06. COLLINS,D.M. Region 2, Ofc of the Director. 4pp. 43365:146-43365:149.

8711230172 Ack receipt of 871106 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-297/87-03.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/17. TURINSKY,P.J. North Carolina State Univ., Raleigh, NC. 1p. 43424:078-43424:078.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

8711020481 Requests meeting w/NRC Region IV security staff to discuss facility security upgrade project on 871113.Listing of attendees representing util & proposed agenda for meeting encl.Confirmation requested.
TREVORS,G.A. Nebraska Public Power District. 87/10/23. YANDELL,L. Region 4, Ofc of the Director. 2pp. 43235:162-43235:163.

8711100017 Forwards advance notification of spent nuclear fuel shipments.W/o encl.
PILANT,J.M. Nebraska Public Power District. 87/10/23. HILLMAN,C.R. Office of Nuclear Material Safety & Safeguards,Director. 1p. 43339:330-43339:330.

8711030351 Ack receipt of 870428 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-01.Addl info re psychological testing for supervisors requested as discussed w/M Hamm during 871022 telcon.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. TREVORS,G.A. Nebraska Public Power District. 2pp. 43255:357-43255:359.

8711110015 Rev 10 to Emergency Plan Implementing Procedure 5.7.10, "Personnel Assembly & Accountability." W/871102 ltr.
TREVORS,G.A. Nebraska Public Power District. 87/11/02. 11pp. 43345:252-43345:262.

8711250221 Forwards response to NRC 870909 comments on miscellaneous amends/search requirements.Proposed revs to pages of security plan changed to reflect NRC comments also encl. Encls withheld (rel 10CFR73.21).
TREVORS,G.A. Nebraska Public Power District. 87/11/03. Document Control Branch (Document Control Desk). 1p. 43460:261-43460:261.

8711090156 Forwards Insp Rept 50-298/87-25 on 871005-08.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. TREVORS,G.A. Nebraska Public Power District. 2pp. 43313:180-43313:188.

--8711090160 Insp Rept 50-298/87-25 on 871005-08.No violations or deviations noted.Major areas inspected:licensee implementation of emergency response plan & procedures during annual exercise.Six deficiencies identified.
TERC,N.M., FISHER,W.L. Region 4, Ofc of the Director. 87/10/29. 7pp. 43313:182-43313:188.

8711090166 Notification of 871113 meeting w/util in Arlington,TX to discuss plant security program updates.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. Region 4, Ofc of the Director. 1p. 43313:194-43313:194.

8711090358 Confirms arrangements for 871113 meeting at Region IV ofc to discuss util security upgrade project,per 871026 request.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. TREVORS,G.A. Nebraska Public Power District. 2pp. 43321:183-43321:186.

8711100334 Forwards FEMA 871015 memo to State of MO addressing FEMA findings from 871007 joint exercise of plant.Five deficiencies identified for state emergency mgt agency & Atchison County.FEMA requested remedial drill be conducted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/05. TREVORS,G.A. Nebraska Public Power District. 6pp. 43335:301-43335:306.

8711090347 Forwards Insp Rept 50-298/87-24 on 870901-1010.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/06. TREVORS,G.A. Nebraska Public Power District. 2pp. 43322:066-43322:079.

--8711090361 Insp Rept 50-298/87-24 on 870901-1010.No violations or deviations noted.Major areas inspected:actions on previous insp findings,IE bulletins,IE info notices,allegations,ESF walkdown,security,spent fuel shipments & operational safety.
PLETTNER,E.A., MULLIKIN,R.P., CONWAY,J.T. Region 4, Ofc of the Director. 87/11/02. 12pp. 43322:066-43322:079.

8711230430 Forwards Insp Rept 50-298/87-26 on 871011-31.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. TREVORS,G.A. Nebraska Public Power District. 2pp. 43423:049-43423:056.

--8711230441 Insp Rept 50-298/87-26 on 871011-31.No violations or deviations noted.Major areas inspected:monthly surveillance & maint observations,operational safety verification, radiological protection & security.
PLETTNER,E.A., BENNETT,W.B., MADSEN,G.L. Region 4, Ofc of the Director. 87/11/09. 6pp. 43423:051-43423:056.

8711240281 Rev 10 to Emergency Plan Implementing Procedure 5.7.21, "Emergency Equipment Inventory." W/871118 ltr.
HAIN,S. Nebraska Public Power District. 87/11/18. 28pp. 43442:082-43442:109.

H. General correspondence

8711030218 Informs that effective 871025,JL Pellet will assume position & duties of R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. TREVORS,G.A. Nebraska Public Power District. 2pp. 43255:350-43255:351.

P. Operating license stage documents & correspondence

8711020274 Forwards,on behalf of util,request for exemption per 10CFR50.12(a)(2)(v).Fee paid.
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. VOIGT,H.H. Nebraska Public Power District. VOIGT,H.H. Omaha Public Power District. 87/10/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43232:306-43232:314.

8711020344 Application for amend to License DPR-46,changing insp interval for diesel generators to conform w/mfg recommendations.Evaluation of change encl.Fee paid.
KUNCL,L.G. Nebraska Public Power District. 87/10/20. Document Control Branch (Document Control Desk). 6pp. 43237:025-43237:031.

--8711020346 Proposed Tech Spec Page 194,changing insp interval for diesel generators to conform w/mfg recommendations.
* Nebraska Public Power District. 87/10/20. 1p. 43237:031-43237:031.

8711030024 Application for amend to License DPR-46,consisting of Proposed Change 46,replacing U-235 loading limit for spent fuel storage pool w/infinite multiplication factor limit. Fee paid.
KUNCL,L.G. Nebraska Public Power District. 87/10/20. Document Control Branch (Document Control Desk). 9pp. 43252:050-43252:068.

--8711030028 Proposed Tech Specs replacing U-235 loading limit for spent fuel storage pool w/infinite multiplication factor limit & clarifying multiplication factor limit for new fuel storage vault.DJ Brager 870713 ltr encl.
* Nebraska Public Power District. 87/10/20. 11pp. 43252:059-43262:069.

8711030058 Forwards Amend 112 to License DPR-46 & safety evaluation. Amend changes Tech Specs to reflect recent mods to drywell pressure & temp monitoring instruments.
LONG,W.O. Project Directorate IV. 87/10/27. TREVORS,G.A. Nebraska Public Power District. 3pp. 43264:288-43264:296.

--8711030063 Amend 112 to License DPR-46,changing Tech Specs to reflect recent mods to drywell pressure & temp monitoring instruments.
CALVO,J.A. Project Directorate IV. 87/10/27. 6pp. 43264:289-43264:294.

--8711030064 Safety evaluation supporting Amend 112 to License DPR-46.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 2pp. 43264:295-43264:296.

8711090298 Application for amend to License DPR-46,changing Tech Specs to revise pressure-temp limits for heatup & cooldown,normal operation & pressure testing.Fee paid.
KUNCL,L.G. Nebraska Public Power District. 87/10/28. Document Control Branch (Document Control Desk). 12pp. 43322:090-43322:109.

--8711090312 Proposed Tech Specs,revising pressure-temp limits for heatup & cooldown,normal operation & pressure testing.
* Nebraska Public Power District. 87/10/28. 8pp. 43322:102-43322:109.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants,Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170141 Advises of potentially significant finding noted in recent QA audit conducted by util at DuBose Steel,Inc.Finding concerned alteration of certified matl test repts.Review identified no uses of steel in safety-related applications.
TREVORS,G.A. Nebraska Public Power District. 87/11/05. Region 4, Ofc of the Director. 4pp. 43364:319-43364:322.

8711170198 Responds to request for addl info re 1987 updated SAR. Fatigue usage equations developed to calculate usage factors based on number of cycles that actually occurred to critical components.
TREVORS,G.A. Nebraska Public Power District. 87/11/12. Document Control Branch (Document Control Desk). 5pp. 43385:111-43385:115.

8711240134 Forwards addl info re proposed standby liquid control sys mod to comply w/10CFR50.62 & Attachment A to NEDC 87-153, "Standby Liquid Control Sys Control Capacity Equivalency Rept," dtd 870721.Final configuration will be as indicated.
TREVORS,G.A. Nebraska Public Power District. 87/11/18. Document Control Branch (Document Control Desk). 6pp. 43430:340-43430:355.

--8711240141 Attachment A to "Standby Liquid Control Sys Control Capacity Equivalency Rept."
EARLE,R.T., CASEY,D.F. General Electric Co. NEDC 87-153 ATT A. 87/07/21. 10pp. 43430:346-43430:355.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - *Interim Rept.*"
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020344 Application for amend to License DPR-46,changing insp interval for diesel generators to conform w/mfg recommendations.Evaluation of change encl Fee paid.
KUNCL,L.G. Nebraska Public Power District. 87/10/20. Document Control Branch (Document Control Desk). 6pp. 43237:025-43237:031.

--8711020346 Proposed Tech Spec Page 194,changing insp interval for diesel generators to conform w/mfg recommendations.
* Nebraska Public Power District. 87/10/20. 1p. 43237:031-43237:031.

8711030122 Forwards Exam Rept 50-298/OL 87-02 of exam administered during wk of 870921.All candidates successfully completed exams & issued senior reactor operator licenses.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. TREVORS,G.A. Nebraska Public Power District. 2pp. 43260:233-43260:305.

--8711030128 Exam Rept 50-298/OL 87-02.Exam results:four senior reactor operator candidates passed all portions of exam.Exam encl.
WHITTEMORE,J.E., PELLET,J.L. Region 4, Ofc of the Director. 87/10/26. 49pp. 43260:235-43260:283.

--8711030402 Forwards comments on questions & answers associated w/exams administered on 870922-24.
KUNCL,L.G. Nebraska Public Power District. 87/09/30. WHITTEMORE,J.N. Region 4, Ofc of the Director. 22pp. 43260:284-43260:305.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 59pp. 43324:139-43324:227.

8711020477 Ack receipt of 870617 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-08.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. TREVORS,G.A. Nebraska Public Power District. 2pp. 43237:172-43237:176.

8711030351 Ack receipt of 870428 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-01.Addl info re psychological testing for supervisors requested as discussed w/M Hamm during 871022 telcon.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. TREVORS,G.A. Nebraska Public Power District. 2pp. 43255:357-43255:359.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090166 Forwards Insp Rept 50-298/87-25 on 871005-08.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. TREVORS,G.A. Nebraska Public Power District. 2pp. 43313:180-43313:186.

--8711090160 Insp Rept 50-298/87-25 on 871005-08.No violations or deviations noted.Major areas inspected:licensee implementation of emergency response plan & procedures during annual exercise.Six deficiencies identified.
TERC,N.M., FISHER,W.L. Region 4, Ofc of the Director. 87/10/29. 7pp. 43313:182-43313:188.

8711090343 Ack receipt of 871019 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-18.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. TREVORS,G.A. Nebraska Public Power District. 2pp. 43313:273-43313:274.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090347 Forwards Insp Rept 50-298/87-24 on 870901-1010.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/06. TREVORS,G.A. Nebraska Public Power District. 2pp. 43322:066-43322:079.

--8711090361 Insp Rept 50-298/87-24 on 870901-1010.No violations or deviations noted.Major areas inspected:actions on previous insp findings,IE bulletins,IE Info notices,allegations,ESF walkdown,security,spent fuel shipments & operational safety.
PLETTNER,E.A., MULLIKIN,R.P., CONWAY,J.T. Region 4, Ofc of the Director. 87/11/02. 12pp. 43322:068-43322:079.

8711170231 Ack receipt of 870827 & 1006 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-12.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/13. TREVORS,G.A. Nebraska Public Power District. 1p. 43381:082-43381:084.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230430 Forwards Insp Rept 50-298/87-26 on 871011-31.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. TREVORS,G.A. Nebraska Public Power District. 2pp. 43423:049-43423:056.

--8711230441 Insp Rept 50-298/87-26 on 871011-31.No violations or deviations noted.Major areas inspected:monthly surveillance & maint observations,operational safety verification, radiological protection & security.
PLETTNER,E.A., BENNETT,W.B., MADSEN,G.L. Region 4, Ofc of the Director. 87/11/09. 6pp. 43423:051-43423:056.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300222 Responds to violations noted in Safety Sys Functional Insp Rept 50-298/87-10.Corrective actions:special test procedure written to verify actual heat removal capabilities of essential HXs.
TREVORS,G.A. Nebraska Public Power District. 87/11/23. Document Control Branch (Document Control Desk). 19pp. 43472:005-43472:023.

R. Periodic operating reports & related correspondence

8711200354 Forwards errata to "Semiannual Radioactive Matl Release Rept for Jan-June 1987." Error resulted when 1987 data improperly transferred for word processing purposes & 1986 data inadvertently printed in place.
TREVORS,G.A. Nebraska Public Power District. 87/10/29. Document Control Branch (Document Control Desk). 18pp. 43413:101-43413:118.

--8711200360 Errata to "Semiannual Radioactive Matl Release Rept for Jan-June 1987," *consisting of corrected Tables 1-11,App C re calculated doses resulting from* exposure to radioactivity due to liquid & gaseous effluents.
* Nebraska Public Power District. 87/06/30. 16pp. 43413:102-43413:118.

8711160293 Monthly operating rept for Oct 1987.W/871109 ltr.
SCHEUERMAN,J.T., HORN,G.R. Nebraska Public Power District. 87/10/31. 5pp. 43369:103-43369:197.

V. Operator Examinations

8711030122 Forwards Exam Rept 50-298/OL 87-02 of exam administered during wk of 870921 All candidates successfully completed exams & issued senior reactor operator *licenses.*
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. TREVORS,G.A. Nebraska Public Power District. 2pp. 43260:233-43260:305.

--8711030128 Exam Rept 50-298/OL 87-02.Exam results:four senior reactor operator candidates passed all portions of exam.Exam encl.
WHITTEMORE,J.E., PELLET,J.L. Region 4, Ofc of the Director. 87/10/26. 49pp. 43260:235-43260:283.

--8711030402 Forwards comments on questions & answers associated w/exams administered on 870922-24.
KUNCL,L.G. Nebraska Public Power District. 87/09/30. WHITTEMORE,J.N. Region 4, Ofc of the Director. 22pp. 43260:284-43260:305.

8711040291 Informs that operator requalification program evaluation will not be performed during 1988 requalification cycle,due to suspension of evaluations by NRC on 870911 & listed factors.
GAGLIARDO,J.E. Region 4, Ofc of the Director. 87/11/02. HANNON,J.N. Operator Licensing Branch. 1p. 43291:037-43291:037.

8711200101 Notifies of written operator licensing exams scheduled on 880216 & operating exams scheduled 880217-19.Ref matl noted in Encl 1, "Ref Matl Requirements for Reactor/Senior Reactor Operator Licensing Exams," requested by 870810.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. TREVORS,G.A. Nebraska Public Power District. 8pp. 43405:343-43405:350.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711100461 Forwards proprietary "Conduit Fire Protection Research Program," for review & acceptance for ref in licensing actions.Affidavit supporting request for proprietary treatment encl.Fee paid.Rept withheld (ref 10CFR2.790).
FAY,C.W. Wisconsin Electric Power Co. 87/11/04. Division of Engineering & Systems Technology (Post 870411). 10pp. 43336:092-43336:106.

8711160049 Requests description of how proposed dedicated shutdown capability for 4,160 volt switchgear room meets each requirement of 10CFR50,App R,Section III.L,in order to complete review of 870415 ltr.
WAGNER,D.H. Project Directorate III-3. 87/11/10. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43362:046-43362:047.

8711160120 Forwards detailed response to concerns expressed in NRC 870505 draft safety evaluation,emergency operating procedures writers guide,verification procedure & training course outline.
FAY,C.W. Wisconsin Electric Power Co. 87/11/10. Document Control Branch (Document Control Desk). 16pp. 43365:281-43366:031.

--8711160159 Rev 5 to Procedure PBNP 4.19, "Emergency Operating Procedure Writers Guide."
* Wisconsin Electric Power Co. 85/06/07. 26pp. 43365:297-43365:322.

--8711160165 Rev 0 to Procedure P11.17, "Emergency Operating Procedures Verification Procedure,Point Beach Nuclear Plant,Units 1 & 2."
MALAMOUTH,T.G. Wisconsin Electric Power Co. 85/03/25. 21pp. 43365:323-43365:343.

--8711160170 Rev 3 to "Emergency Operating Procedures," training course syllabus.
* Wisconsin Electric Power Co. TRCR 31.0 R03. 87/01/21. 26pp. 43365:344-43366:009.

--8711160176 Rev 1 to Procedure EOP-0, "Reactor Trip or Safety Injection."
* Wisconsin Electric Power Co. 87/03/19. 22pp. 43366:010-43366:031.

8711230446 Forwards Safety Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43421:279-43421:286.

--8711230455 Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations or deviations noted.Major areas inspected:maint, operational safety,surveillance,physical security, radiological protection & outages.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/11/16. 6pp. 43421:281-43421:286.

P. Operating license stage documents & correspondence

8711030424 Advises that 870910 proposal to use five energy absorbers as replacements for seven hydraulic snubbers on main steam bypass line acceptable.Acceptance based on listed considerations.
WAGNER,D.H. Project Directorate III-3. 87/10/20. FAY,C.W. Wisconsin Electric Power Co. 3pp. 43258:256-43258:259.

8711030312 Application for amends to Licenses DPR-24 & DPR-27,allowing one-time extension to emergency diesel generator operability requirements of Tech Spec 16.3.7.B.1.e Fee paid.
FAY,C.W. Wisconsin Electric Power Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43250:175-43250:178.

--8711030313 Proposed Tech Specs allowing one-time extension to emergency diesel generator operability requirements.
* Wisconsin Electric Power Co. 87/10/30. 1p. 43260:178-43260:178.

8711100103 Notifies of NRC/Scientific Applications Intl Corp 871130- 1204 audit of facility DCRDR & SPDS.Agenda,attachments identifying DCRDR concerns & SAIC-87/3056, "Technical Evaluation Rept for Wisconsin Electric Power Co...," encl.
WAGNER,D.H. Project Directorate III-3. 87/11/02. FAY,C.W. Wisconsin Electric Power Co. 11pp. 43341:287-43341:307.

--8710200440 "Technical Evaluation Rept for Wisconsin Electric Power Co Point Beach Nuclear Plant,Units 1 & 2 SPDS SAR."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-82-096. SAIC-87/3056. 87/10/16. NRC - No Detailed Affiliation Given. 10pp. 43341:208-43341:307.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711200293 Comments on proposed Rev 2 to Reg Guide 1.100 re seismic qualification of electrical & mechanical equipment for nuclear power plants.
FAY,C.W. Wisconsin Electric Power Co. 87/11/09. Rules & Procedures Branch. 2pp. 43410:071-43410:072.

8711170139 Informs of results of evaluations performed to determine susceptibility of facility steam generator tubes to high cycle fatigue similar to failure at North Anna Unit 1 on 870715.Facility procedures adequate for event.
FAY,C.W. Wisconsin Electric Power Co. 87/11/11. Document Control Branch (Document Control Desk). 6pp. 43384:323-43384:328.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

8711250027 Requests extension of 871201 deadline for submitting implementation schedule under Generic Ltr 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46."
FAY,C.W. Wisconsin Electric Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43457:297-43457:310.

8711300233 Lists plant primary-to-secondary leakage monitoring program, per 871117 & 18 telcons re plant susceptibility to high cycle fatigue failure of steam generator tubes.Logic flow diagram also encl.
FAY,C.W. Wisconsin Electric Power Co. 87/11/20. Document Control Branch (Document Control Desk). 4pp. 43470:334-43470:337.

8711300219 Forwards Westinghouse nonproprietary WCAP-11672 & proprietary WCAP-11671, "Point Beach Unit 2 Steam Generator Tube..." Application for withholding proprietary rept encl. WCAP-11671 withheld (ref 10CFR2.790).
FAY,C.W. Wisconsin Electric Power Co. 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43471:126-43471:225.

--8711300227 Requests that proprietary rept entitled "Point Beach Unit 2 Steam Generator Tube Fatigue Presentation" be withheld from public disclosure (ref 10CFR2.790(b)(4)).Affidavit encl.
WIESEMANN,R.A. Westinghouse Electric Corp. 87/11/20. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 43471:130-43471:139.

--8711300232 Nonproprietary "Point Beach Unit 2 Steam Generator Tube Fatigue Presentation."
* Westinghouse Electric Corp. WCAP-11672. 87/11/30. 87pp. 43471:140-43471:225.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030517 EN-87-093:on 871028,notice of violation & proposed imposition of civil penalty in amount of $25,000 will be issued based on event in which both MSIVs rendered inoperable for approx 4 h w/reactor critical.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/10/28. 1p. 43251:271-43251:271.

8711030365 Forwards Safety Insp Repts 50-266/87-19 & 50-301/87-19 on 870921-1013.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/10/28. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43255:193-43255:195.

--8711030381 Insp Repts 50-266/87-19 & 50-301/87-19 on 870921-1013.No violations or deviations noted.Major areas inspected: radiation protection & radwaste programs,including organization & mgt controls & audits & appraisals.
PAUL,R.A., GREGER,L.R. Region 3, Ofc of the Director. 87/10/28. 11pp. 43255:185-43255:195.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030043 Forwards Safety Insp Rept 50-301/87-16 on 870819-28 & notice of violation & proposed imposition of civil penalty.NRC concerned that event not reported within 4 h as required. Time table for corrective actions requested.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/29. BRITT,R.W. Wisconsin Electric Power Co. 4pp. 43252:222-43252:234.

--8711030053 Notice of violation & proposed imposition of civil penalty in amount of $25,000.Violation noted:MSIVs could not close because dc control power removed from associated solenoids & event not reported within required 4 h.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/29. 3pp. 43252:226-43252:234.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711180013 Requests that 871116 ltr inadvertently included w/payment sent on 871112 for 871013 order imposing civil monetary penalty in amount of $500,000 be destroyed & encl 871112 ltr be substituted.
FAY,C.W. Wisconsin Electric Power Co. 87/11/13. Ofc of Enforcement (Post 870413). 1p. 43393:359-43393:361.

--8711180014 Remits payment of civil penalty in amount of $50,000,per NRC 871013 order imposing civil monetary penalty.
FAY,C.W. Wisconsin Electric Power Co. 87/11/12. Ofc of Enforcement (Post 870413). 2pp. 43393:360-43393:361.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200271 Forwards payment for 871029 notice of violation & proposed imposition of civil penalty in amount of $25,000 re events on 870817.Response to notice of violation will be provided under separate cover.
FAY,C.W. Wisconsin Electric Power Co. 87/11/16. Ofc of Enforcement (Post 870413). 1p. 43417:004-43417:004.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230446 Forwards Safety Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/17. FAY,C.W. Wisconsin Electric Power Co. 2pp. 43421:279-43421:286.

--8711230455 Insp Repts 50-266/87-20 & 50-301/87-20 on 871001-31.No violations or deviations noted.Major areas inspected:maint, operational safety,surveillance,physical security, radiological protection & outages.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/11/16. 6pp. 43421:281-43421:286.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300212 Responds to NRC 871028 ltr re violations noted in Insp Rept 50-301/87-16.Corrective actions:procedure for control of equipment isolation will be revised & training provided to personnel responsible for supervision.
FAY,C.W. Wisconsin Electric Power Co. 87/11/19. Document Control Branch (Document Control Desk). 7pp. 43470:327-43470:333.

R. Periodic operating reports & related correspondence

8711130171 Monthly operating repts for Oct 1987.W/871109 ltr.
KRAUSE,C.W., FAY,C.W. Wisconsin Electric Power Co. 87/10/31. 9pp. 43355:329-43355:337.

S. Reportable occurrences, LERs & related correspondence

8711170199 LER 87-004-00 degradation of steam generator tubes noted during eddy current exam conducted on 871008-22.One tube weld repaired.Remaining tubes left as found due to minimal leakage observed & hazards associated w/repair.W/871111 ltr.
FAY,C.W. Wisconsin Electric Power Co. 87/11/10. 8pp. 43365:103-43365:110.

8711250097 Forwards licensee responses to 10CFR21 notification re potential violation of component cooling water containment isolation function,per 871106 request.
WIGGINTON,D.L. Project Directorate III-3. 87/11/16. CRAIG,J. Plant Systems Branch. 1p. 43449:001-43449:008.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8711050251 Ack receipt of util 661202 ltr transmitting proposed amend to facility physical security plan.Comments on physical security plan changes (miscellaneous amends & search requirements) encl.
SILVER,H. Project Directorate II-2. 87/10/22. WILGUS,W.S. Florida Power Corp. (subs of Florida Progress Corp.). 3pp. 43301:124-43301:126.

8711180120 Rev 40 to Emergency Plan Implementing Procedure EM-206, "Emergency Plan Roster & Notification."
STEPHENSON,J.D. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/22. 22pp. 43391:206-43391:227.

8711130202 Advises that Rev 6 to radiological emergency response plan consistent w/ planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/28. WILGUS,W.S. Florida Power Corp (subs. of Florida Progress Corp.). 1p. 43356:297-43356:297.

8711180026 Revs to emergency plan implementing procedures,including Rev 6 to AP-770, "Emergency Diesel Generator Actuation" & Rev 13 to EM-307, "Sampling & Analysis of RCS,Reactor Bldg Sump & Miscellaneous Waste Storage Tank Under Accident Conditions."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/28. 62pp. 43395:164-43395:225.

8711130161 Confirms 871021 telcon between KR Wilson & BA Wilson re enforcement conference to be conducted on 871124 in Region II ofc to discuss recent health physics event as delineated in Insp Rept 50-302/87-35.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/29. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 1p. 43355:350-43355:350.

8711130262 Notification of 871124 meeting w/util in Region II ofc for enforcement conference re recent health physics events.
* Region 2, Ofc of the Director. 87/10/29. Region 2, Ofc of the Director. 1p. 43355:230-43355:230.

8711180115 Rev 3 to Procedure AR-801, "FSA Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/30. 14pp. 43391:192-43391:205.

8711180032 Revised emergency plan implementing procedures,including Rev 1 to AR-921, "Hydrogen Panel Annunciator Response" & Rev 1 to AR-956, "WDF Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/02. 7pp. 43391:318-43391:324.

8711180021 Revised emergency plan implementing procedures,including Rev 2 to AR-902, "DGB Annunciator Response" & Rev 2 to AR-901, "DGA Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/06. 15pp. 43393:337-43393:353.

8711180024 Revised procedures,including Rev 2 to AP-1072, "Turbine Generator Stator Temp" & Rev 0 to AR-959, "WDI Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/06. 5pp. 43393:354-43393:358.

8711230012 Forwards Insp Rept 50-302/87-37 on 871018-23.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/10. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43418:153-43418:156.

--8711230014 Partially withheld Insp Rept 50-302/87-37 on 871018-23 (ref 10CFR2.790(d) & 73.21).No violations noted.Major areas inspected:mgt effectiveness,records & repts,assessment aids & access control personnel,packages & vehicles.
THOMPSON,D.H., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/12. 1p. 43418.156-43418.156.

8711240137 Revised emergency plan implementing procedures,including Rev 7 to AR-303, "ESC Annunciator Response" & Rev 2 to AR-401, "PSA F Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs of Florida Progress Corp.). 87/11/12. 18pp. 43442:275-43442:292.

8711230241 Forwards Insp Rept 50-302/87-36 on 871020-21 & 1102 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/16. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43419:259-43419.266.

--8711230250 Notice of violation from Insp on 871020-21.Violation noted: emergency implementing procedures not properly maintained & implemented. "All Alarms Lost" condition occurred on 871014 & not classied as alert.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/16. 2pp. 43419:261-43419:262.

--8711230257 Insp Rept 50-302/87-36 on 871020-21 & 1102.Violation noted. Major areas inspected,licensee implementation of emergency plan on 871016 when emergency alert declared due to loss of offsite power.
SARTOR,W.M., DECKER,T.R. Region 2, Ofc of the Director. 87/11/13. 4pp. 43419.263-43419.266.

8711250132 Rev 5 to Emergency Plan Implementing Procedure AR-301, "ESA Annunciator Response."
* Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/17. 11pp. 43459:200-43459:210.

8711250133 Rev 5 to Emergency Plan Implementing Procedure AR-302, "ESB Annunciator Response."
* Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/17. 12pp. 43459:188-43459:199.

8711250015 Rev 4 to Procedure AR-304, "ESD Annunciator Response."
WITTMAN,R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/18. 11pp. 43459:117-43459.127.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462.002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462.001-43462.002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R., POLLARD,R.D. Union of Concerned Scientists. 1p. 43392.095-43392.095.

P. Operating license stage documents & correspondence

8711020494 Application for amend to License DPR-72,consisting of License Change Request 157,modifying Tech Specs re diesel generator loading.Requests license amend be treated as emergency so as not to extend shutdown.W/Certificate of Svc.
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/26. Document Control Branch (Document Control Desk). 8pp. 43235:077-43235:161.

--8711020496 Proposed Tech Specs re modifying diesel generator loading.
* Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/26. 3pp. 43235.086-43235.088.

--8711020498 "Emergency Diesel Generator Loading Evaluation."
* Florida Power Corp. (subs. of Florida Progress Corp.). * Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 87/10/23. 72pp. 43235:089-43235:161.

8711020094 Notification of 871105 meeting w/util & B&W in Rockville,MD to discuss diesel generator & raw water/CCW problems identified in OSTI.
HARLEY,S. Project Directorate II-2. 87/10/27. BERKOW,H.N. Project Directorate II-2. 3pp. 43240:054-43240:056.

8711030083 Application for amend to License DPR-72,consisting of Suppl 2 to Tech Spec Change Request 152 Suppl updates Fuel Cycle 7 design to reflect 465 -61/+10 EFPDs Cycle 8 length.Approval & implementation of change prior to Mode 4 entry requested.
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/27. Document Control Branch (Document Control Desk). 15pp. 43260:195-43260:210.

--8711030096 Proposed Tech Spec Page B 3/4 1-2,incorporating new boration sys analysis limits.
* Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/27. 1p. 43260:210-43260:210.

8711030514 Proposes that mod to low pressure injection/emergency feedwater pump circuitry not be installed.Discussions scheduled on 871105 awaited for final resolution.Fee for 871026 application for amend to License DPR-48 remitted.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43251:269-43251:270.

8711050023 Forwards corrected Certificate of Svc for Tech Spec Change Request 152,inadvertently identified as Tech Spec Change Request 157.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43302.089-43302:090.

8711040168 Forwards "Crystal River Unit 3 PRA." Util intends to use PRA model as tool to evaluate proposed & actual plant mods as well as other applications for risk impact to operation of facility.
WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43276:217-43276:240.

--8711040171 "Crystal River Unit 3 PRA."
* Florida Power Corp. (subs. of Florida Progress Corp.). * Science Applications International Corp (formerly Science Applications, Inc.). 87/07/31. 383pp. 43275:218-43276:240.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group
WILGUS,W.S. Florida Power Corp. (subs of Florida Progress Corp) 237pp. 43406:001-43406:237.

8711110007 Forwards Rev 1 to NUS-1721, "App I Analysis,Crystal River Nuclear Unit" & NUS-1728, "App I Analysis,Palisades Plant," for placement in Document Control Sys.
CUNNINGHAM,L.J. Radiation Protection Branch. 87/11/09. SKOCZLAS,J.A. Document Control Branch (Document Control Desk). BAILEY,J.K. Records Services Branch 1p. 43344:001-43344:208.

--8711110008 Rev 1 to "App I Analysis,Crystal River Nuclear Unit"
ALBERSHEIM,S.R., CONWAY,T.W., DINUNNO,J.J. NUS Corp. NUS-1721 R01. 76/05/31. 132pp. 43344:002-43344:133.

8711160127 Requests clarification of NRC interpretation of Section XI of ASME Boiler & Pressure Vessel Code statements requiring completion of tests & preservice exams prior to plant restart.W/one oversize drawing.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.) 87/11/09. Document Control Branch (Document Control Desk). 5pp. 43368:284-43368:293.

8711190293 Application for amend to License DPR-72,consisting of Rev 1 to Tech Spec Change Request 157,revising analysis calculations to modify Tech Specs re diesel generator loadings.Certificate of Svc encl.
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/16. Document Control Branch (Document Control Desk). 9pp. 43401:116-43401:228.

--8711190298 Proposed Tech Specs,revising analysis calculations to modify Tech Specs re diesel generator loading
* Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/16. 4pp. 43401:125-43401:128.

--8711190301 Rev 1 to "Emergency Diesel Generator Loading Evaluation."
* Florida Power Corp. (subs. of Florida Progress Corp.). * Gilbert/Commonwealth, Inc (formerly Gilbert Associates, Inc.). 87/11/13. 69pp. 43401:129-43401:197.

--8711190306 "Florida Power Corp Diesel Loading Evaluations."
ELLISON,R.H., PARECE,M.V. Babcock & Wilcox Co. 51-1170352-00. 87/10/30. 18pp 43401:198-43401:215.

--8711190310 Supplemental "Florida Power Corp Diesel Loading Evaluations."
ELLISON,R.H., PARECE,M.V. Babcock & Wilcox Co. 51-1170352-01. 87/11/13. 13pp. 43401:216-43401:228.

8711240089 Confirmation of action ltr re util commitments to make corrections to diesel generator loading,UHS max temp & svc water flow balance,per 871105 meeting in Rockville,MD.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/17. WILGUS,W.S. Florida Power Corp. (subs of Florida Progress Corp.). 2pp. 43430:188-43430:189.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8306110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 88pp. 43324:139-43324:227.

8711130161 Confirms 871021 telcon between KR Wilson & BA Wilson re enforcement conference to be conducted on 871124 in Region II ofc to discuss recent health physics event as delineated in Insp Rept 50-302/87-35.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/29. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 1p. 43355:350-43355:350.

8711130262 Notification of 871124 meeting w/util in Region II ofc for enforcement conference re recent health physics events.
* Region 2, Ofc of the Director. 87/10/29. Region 2, Ofc of the Director. 1p. 43355:230-43355:230.

8711130106 Forwards Insp Rept 50-302/87-33 on 871013-16.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/02. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43357:259-43357:265.

--8711130109 Insp Rept 50-302/87-33 on 871013-16.No violations or deviations noted.Major areas inspected:snubber surveillance program & reactor bldg tendon surveillance program.
LENAHAN,J.J., JAPE,F. Region 2, Ofc of the Director. 87/10/28. 5pp. 43357:261-43357:265.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43365:003-43365:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130226 Ack receipt of 871023 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-302/87-26
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/06. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 1p. 43357:330-43357:330.

8711130136 Revised response to NRC ltr re violations noted in Insp Rept 50-302/87-17 Corrective actions:extensive review to determine extent of util deficiencies for compliance to submitted program performed.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/09. Document Control Branch (Document Control Desk). 6pp. 43357:036-43357:041.

8711200145 Supplis response to violations noted in Insp Rept 50-302/87-17 Corrective actions:necessary actions will be taken to conform util to submitted program after review.Fuel ling in quest on disassembled for insp
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/09. Document Control Branch (Document Control Desk). 6pp. 43405:356-43405:361.

8711230012 Forwards Insp Rept 50-302/87-37 on 871018-23.No violations or deviations noted
CLINE,W.F. Region 2, Ofc of the Director. 87/11/10. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43418:153-43418:156.

--8711230014 Partially withheld Insp Rept 50-302/87-37 on 871018-23 (ref 10CFR2.790(a) & 73.21).No violations noted.Major areas inspected:mgt effectiveness,records & repts,assessment aids & access control personnel,packages & vehicles.
THOMPSON,D.H., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/12. 1p. 43418:156-43418:156.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190208 Forwards Insp Rept 50-302/87-35 on 871014-16.Violations noted in rept under consideration for escalated enforcement action.No notice of violation issued.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/16. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 43398:102-43398:114.

--8711190220 Insp Rept 50-302/87-35 on 871014-16.Violations noted:failure to lock,post barricade & issue radiation work permit to control access to high radiation area & failure to provide instructions to worker in restricted area
WEDDINGTON,R.E., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/16. 11pp 43398:104-43398:114.

8711230241 Forwards Insp Rept 50-302/87-36 on 871020-21 & 1102 & notice of violation
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/16. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43419:259-43419:260.

--8711230250 Notice of violation from Insp on 871020-21.Violation noted: emergency implementing procedures not properly maintained & implemented "All Alarms Lost" condition occurred on 871014 & not classified as alert.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/16. 2pp. 43419:261-43419:262.

--8711230257 Insp Rept 50-302/87-36 on 871020-21 & 1102.Violation noted Major areas inspected:licensee implementation of emergency plan on 871016 when emergency alert declared due to loss of offsite power.
SARTOR,W.M., DECKER,T.R. Region 2, Ofc of the Director. 87/11/13. 4pp. 43419:263-43419:266.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230417 Responds to violations noted in Insp Rept 50-302/87-30. Corrective actions:Valve RWV-109 closed as required by procedure & procedure will be revised to incorporate human factor improvements.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.) 87/11/18. Document Control Branch (Document Control Desk). 3pp. 43424:256-43424:258.

8711230442 Responds to violation noted in Insp Rept 50-302/87-29. Corrective actions:technician in question removed from respirator rept until documentation indicating medical qualification received.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/18. Document Control Branch (Document Control Desk). 3pp. 43421:321-43421:323.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711130265 Monthly operating rept for Oct 1987.W/871110 ltr.
STEWART,S.A., SIMPSON,E.C. Florida Power Corp (subs. of Florida Progress Corp.). 87/10/31. 5pp. 43355:225-43355:229.

S. Reportable occurrences, LERs & related correspondence

8711130367 PNO-II-87-076 on 871027,employee of Fluor Constructors, D Shirley,died after being severely burned in accident at facility switchyard.Fluor employees walked out on 871028 in sympathy of death.OSHA inspectors investigating accident.
CHRISTENSEN,H. Region 2, Ofc of the Director. 87/10/28. 1p. 43357:086-43357:086.

8711040140 LER 87-007-01:on 870420,discovered that engineered safeguards 480-volt buses not directly addressed in present design of degraded voltage protection relaying.Caused by design oversight.W/871029 ltr.
MOFFATT,L.W., SIMPSON,E.C. Florida Power Corp (subs. of Florida Progress Corp.). 87/10/29. 9pp 43290:202-43290:210.

8711100240 LER 87-023-00 on 870930,Mode 6 entered before neutron flux monitor audible indication in control room & containment re-energized as required by Tech Specs.Caused by defective procedures.Procedures revised.W/871104 ltr.
MOFFATT,L.W., SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/04. 4pp. 43328:093-43328:096.

8711100327 Special Rept 87-03:on 870927,during channel check of triaxial peak,monitor SI-005-MEI found inoperable.Cause undetermined.Replacement monitor to be installed after refueling & engineering design evaluation to be made.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43342:359-43342:360.

8711130293 LER 87-024-00:on 871008,unlicensed nuclear auxiliary operator exposed to radiation field of 55 rem//h in basement level of reactor bldg.Caused by lack of good method for early detection of water leakage.W/871109 ltr.
MOFFATT,L.W., SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/09. 6pp. 43357:298-43357:303.

8711190094 Requests 30-day extension until 871216 for submittal of LER 87-025 & Security Rept 87-S02-00.Significance of event requires more thorough investigation than already completed.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43400:219-43400:219.

8711190145 Part 21 rept re possibility of overload of emergency diesel generator during loss of offsite power & LOCA event. Initially reported on 871111.Design changes to ensure that total diesel load requirement below rating underway.
SAILER,W.F. Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 87/11/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43401:336-43401:337.

8711230206 Special Rept 87-04:Tech Spec 3.3.3.10 violated.Caused by removal of waste gas decay tank hydrogen & oxygen monitors from svc & not returned to operable status within 14 days. Monitors will remain out of svc until sys in use.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43422:253-43422:254.

V. Operator Examinations

8711230316 Informs that operator & senior operator replacement exams scheduled for wk of 871214 will be postponed until wk of 880111 due to region participation in pilot requalification program.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 1p. 43424:073-43424:073.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030550 Provides info to support finding that special circumstances exist,per rev to 10CFR50.12,concerning 840727 request for exemption from requirements of 10CFR50,App R.Implementation of listed mods would be extensive undertaking.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43255:347-43255:349.

8711240268 Station Procedure Change Request A87-579 to Emergency Plan Implementing Procedure EPIP 320-1, "Activation of Generating Station Emergency Plan Station Group."
RIECK,T. Commonwealth Edison Co. 87/11/04. 6pp. 43442:158-43442:165.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

P. Operating license stage documents & correspondence

8711040306 Advises that alleged valves purchased from specific vendor noted in CE Norelius 870728 ltr have not been used in past nor will be used in future.Purchase Order 310782 canceled & QA dept will evaluate future orders.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/22. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43291:041-43291:041.

8711030206 Notification of cancellation of 871105 meeting w/util in Bethesda,MD to discuss rescinding of 800229 confirmatory order.
NORRIS,J.A. Project Directorate III-2. 87/10/26. MULLER,D.R. Project Directorate III-2. 2pp. 43264:125-43264:126.

8711020390 Supplemental application for amends to Licenses DPR-39 & DPR-48,revising Tech Specs to extend snubber insp period.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:179-43236:181.

--8711020400 Proposed Tech Specs,extending snubber insp period.
* Commonwealth Edison Co. 87/10/27. 1p. 43236:181-43236:181.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240142 Forwards listed documents in response to 870331 request for addl info re NUREG-0737,Item II.D.1, "Performance Testing of Relief & Safety Valves." Documents include, "AE Project Plan for Evaluation of..." & "Evaluation of Pressurizer...."
LEBLOND,P.C. Commonwealth Edison Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43429:093-43429:246.

1240147 "AE Project Plan for Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem."
TSON,J.M., GAZICA,M.K. O'Donnell & Associates, Inc. 86/08/28. 23pp. 429:095-43429:117.

--8711240161 "Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem Zion Station Unit 1 & 2 Phase I - Elastic Analysis."
RUCO,R.J., JONES,G.Z., GAZICA,M.K. O'Donnell & Associates, Inc. 86/02/28. 76pp. 43429:118-43429:194.

--8711240173 "Evaluation of Zion Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737."
RACO,R.J., ARMSTRONG,B.A. O'Donnell & Associates, Inc. 87/03/31. 53pp. 43429:195-43429:246.

8711240129 Requests that 871021 response to NRC 870723 questionnaire re erosion/corrosion experience in plant feedwater lines be corrected as indicated.
LEBLOND,P.C. Commonwealth Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43431:124-43431:124.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43228:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060105 Responds to 870917 ltr re violation noted in Insp Rept 50-295/87-17 & 50-304/87-18.Corrective actions,statement will be added to Safeguards Actuation Performance Test PT-10 instructing immediate review of any valve failure.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/16. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 43303:228-43303:231.

8711020476 Forwards Insp Repts 50-295/87-21 & 50-304/87-22 on 870818-28.No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director. 87/10/26. REED,C. Commonwealth Edison Co. 2pp. 43234:108-43234:116.

--8711020489 Insp Repts 50-295/87-21 & 50-304/87-22 on 870818-28.No violations or deviations noted.Major areas inspected: allegation re work assignments.
HINDS,J.M. Region 3, Ofc of the Director. 87/10/26. 7pp. 43234:110-43234:116.

8711020390 Supplemental application for amends to Licenses DPR-39 & DPR-48,revising Tech Specs to extend snubber insp period.
LEBLOND,P.C. Commonwealth Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43236:179-43236:181.

--8711020400 Proposed Tech Specs,extending snubber insp period.
* Commonwealth Edison Co. 87/10/27. 1p. 43236:181-43236:181.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020322 Forwards Safety Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026.Util will be notified by separate correspondence of NRC decision re enforcement action.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/29. REED,C. Commonwealth Edison Co. 2pp. 43234:028-43234:050.

--8711020338 Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026. Violations noted.Major areas inspected:RCS pressure isolation check valves,LERs & related licensing history & associated licensee practices.
HINDS,J.M. Region 3, Ofc of the Director. 87/10/27. 21pp. 43234:030-43234:050.

8711050007 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-295/87-05 & 50-304/87-05.Corrective actions:misinstalled relief dampers indentified & sealed & leak tight isolation of control room HVAC sys reviewed.Fee paid.
DELGEORGE,L.O. Commonwealth Edison Co. 87/10/30. LIEBERMAN,J. NRC - No Detailed Affiliation Given. 8pp. 43302:001-43302:008.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090314 Forwards Safety Insp Repts 50-295/87-29 & 50-304/87-30 on 871005-09.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/04. REED,C. Commonwealth Edison Co. 2pp. 43313:251-43313:266.

--8711090320 Insp Repts 50-295/87-29 & 50-304/87-30 on 871005-09.No violations or deviations noted.Major areas inspected: chemistry program,including procedures,organization & training & QA/QC program in lab.
HOLTZMAN,R.B., HOUSE,J.E., SCHUMACHER,M.C. Region 3, Ofc of the Director. 87/11/04. 14pp. 43313:253-43313:266.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160149 Monthly operating rept for Oct 1987.W/871107 ltr.
AUSTIN,G., PLIML,G.J. Commonwealth Edison Co. 87/10/31. 12pp. 43368:271-43368:282.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8711030102 Advises that 871019 Rev 1 to plant industrial security manual,App C consistent w/provisions of 10CFR50.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/10/28. HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 43260:171-43260:172.

8711190151 Forwards Safety Insp Rept 50-305/87-18 on 871019-22.No violations noted.Weakness summary re dose projections encl.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/16. HINTZ,D.C. Wisconsin Public Service Corp. 3pp. 43397:285-43397:311.

--8711190156 Insp Rept 50-305/87-18 on 871019-22.No noncompliance, deficiencies or deviations noted.Major areas inspected: emergency preparedness exercise.Weakness noted.Objectives & scenario for exercise encl.
FOSTER,J., SMITH,M., PLOSKI,T. Region 3, Ofc of the Director. 87/11/13. 24pp. 43397:288-43397:311.

8711240200 Forwards Rev 14 to industrial security manual & Rev 7 to security force training & qualifications manual,per provisions of 10CFR50.54(p).Encls withheld (ref 10CFR73.21).
HINTZ,D.C. Wisconsin Public Service Corp. 87/11/17. Document Control Branch (Document Control Desk). 1p. 43442:179-43442:179.

8711300087 Advises that 871117 Rev 14 to plant industrial security manual & Rev 7 to security force training & qualifications manual consistent w/provisions of 10CFR60.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/24. HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 43467:106-43467:107.

P. Operating license stage documents & correspondence

8711020077 Forwards nonproprietary WCAP-11620 & proprietary WCAP-11619, "Addl Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee," for resolution of USI A-2.
HINTZ,D.C. Wisconsin Public Service Corp. 87/10/26. Document Control Branch (Document Control Desk). 3pp. 43226:214-43226:246.

--8711020085 Requests that proprietary WCAP-11619, "Addl Technical Basis for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee," be withheld from public disclosure per 10CFR2.790(b)(4).
WIESEMANN,R.A. Westinghouse Electric Corp. 87/10/16. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43226:217-43226:223.

--8711020090 Nonproprietary WCAP-11620, "Addl Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee."
ROARTY,D.H., LEE,Y.S., KIM,C.C. Westinghouse Electric Corp. WCAP-11620. 87/10/31. 26pp. 43226:224-43226:248.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090337 Notification of 871113 meeting w/util in Bethesda,MD to discuss util approach for steam generator snubber removal.
QUAY,T.R. Project Directorate III-3. 87/11/05. WIGGINTON,D.L. Project Directorate III-3. 2pp. 43324:052-43324:053.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

8711300114 Forwards Rev 1 to "Evaluation of RCS for Reduction of Steam Generator Support Snubbers," for review & approval to proceed w/hardware mods.NRC position that snubber reduction unrelated safety question opposed.Fee paid.
HINTZ,D.C. Wisconsin Public Service Corp. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:009-43467:044.

--8711300117 Rev 1 to "Evaluation of RCS for Reduction of Steam Generator Support Snubbers."
BHAMBRI,V.B., HIMLER,J.C., PATEL,R.B. Wisconsin Public Service Corp. 87/11/30. 34pp. 43467:011-43467:044.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190151 Forwards Safety Insp Rept 50-305/87-18 on 871019-22.No violations noted.Weakness summary re dose projections encl.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/16. HINTZ,D.C. Wisconsin Public Service Corp. 3pp. 43397:285-43397:311.

--8711190156 Insp Rept 50-305/87-18 on 871019-22.No noncompliance, deficiencies or deviations noted.Major areas inspected: emergency preparedness exercise.Weakness noted.Objectives & scenario for exercise encl.
FOSTER,J., SMITH,M., PLOSKI,T. Region 3, Ofc of the Director. 87/11/13. 24pp. 43397:288-43397:311.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300252 Forwards Safety Insp Rept 50-305/87-18 on 871001-1115.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/20. HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 43472:141-43472:147.

--8711300262 Insp Rept 50-305/87-18 on 871001-1115.No significant issues identified.Major areas inspected:operational safety,maint, surveillance,LERs & generic ltr followup.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/11/20. 5pp. 43472:143-43472:147.

R. Periodic operating reports & related correspondence

8711160122 Monthly operating rept for Oct 1987.W/871110 ltr.
RUITER,G.H., HINTZ,D.C. Wisconsin Public Service Corp. 87/10/31. 5pp. 43364:345-43364:349.

S. Reportable occurrences, LERs & related correspondence

8711020314 PNO-III-87-136:on 871024,dead body of female security officer employed by Burns,Inc found in home of second female security officer on duty.Cause not yet released.Licensee withdrew second security guard site access authorization.
CREED,J., MALLETT,B. Region 3, Ofc of the Director. 87/10/28. 1p. 43237:321-43237:321.

8711020246 PNO-III-87-136A:on 871024,female guard employed by facility found stabbed to death.Male security officer employed by facility will be charged w/first degree murder,site access authorization suspended since 871024.
CREED,J., MALLETT,B. Region 3, Ofc of the Director. 87/10/29. 1p. 43237:287-43237:287.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711250097 Forwards licensee responses to 10CFR21 notification re potential violation of component cooling water containment isolation function,per 871106 request.
WIGGINTON,D.L. Project Directorate III-3. 87/11/16. CRAIG,J. Plant Systems Branch. 1p. 43449:001-43449:008.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711060082 Advises that 870902 Rev 7 to plant emergency plan consistent w/requirements of 10CFR50.54(q) & does not decrease effectiveness of emergency plan.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/02. LARSON,C.E. Northern States Power Co. 2pp. 43308:223-43308:224.

8711130234 Forwards Rev 10 to "Corporate Nuclear Emergency Plan," containing changes as result of annual internal review, update & certification of emergency plans & agreements.
FEY,F.L. Northern States Power Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43359:181-43359:268.

--8711130305 Rev 10 to "Corporate Nuclear Emergency Plan."
FEY,F.L., LARSON,C.E. Northern States Power Co. 87/11/09. 90pp. 43359:182-43359:268.

8711200140 Advises that 871029 Rev 16 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/03. LARSON,C.E. Northern States Power Co. 2pp. 43417:145-43417:146.

H. General correspondence

8710190037 Requests NRC submittal of written statement giving formal approval of proposed fuel rod consolidation pilot project at plant.Recent info indicates that util will be allowed to perform 10CFR50.59 self-review.Assurances re safety needed.
ANDERSON,B. Minnesota Institute of Concern for Public Health. 87/09/24. DiIANNI,D.C. NRC - No Detailed Affiliation Given. 1p. 43076:195-43076:195.

P. Operating license stage documents & correspondence

8710190037 Requests NRC submittal of written statement giving formal approval of proposed fuel rod consolidation pilot project at plant.Recent info indicates that util will be allowed to perform 10CFR50.59 self-review.Assurances re safety needed.
ANDERSON,B. Minnesota Institute of Concern for Public Health. 87/09/24. DiIANNI,D.C. NRC - No Detailed Affiliation Given. 1p. 43076:195-43076:195.

8711100389 Forwards application for amends to Licenses DPR-42 & DPR-60, changing high flux,power range monitor,low setpoint.Fee paid.NSPNAD-8725, "Analysis of Revised Low Setpoint for High Flux,Power Range," also encl.
MUSOLF,D. Northern States Power Co. 87/11/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43335:148-43335:170.

--8711100392 Application for amends to Licenses DPR-42 & DPR-60,changing high flux,power range monitor,low setpoint.
MUSOLF,D. Northern States Power Co. 87/11/03. 3pp. 43335:151-43335:153.

--8711100441 Proposed Tech Spec 2.3-1, "Limiting Safety Sys Settings, Protective Instrumentation."
* Northern States Power Co. 87/11/03 5pp. 43335:154-43335:158.

--8711100398 Rev 0 to "Analysis of Revised Low Setpoint for High Flux, Power Range."
MONTGOMERY,S.D., BONNEAU,C., ANDERSON,R.O. Northern States Power Co. NSPNAD-8725 R00. 87/11/03. 12pp. 43335:159-43335:170.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp 43226:206-43226:207.

8711060307 Forwards errata to Rev 1 to ASME Code Section XI Inservice Insp & testing program manual.Errata corrects administrative errors recently found in 870812 submittal.
MUSOLF,D. Northern States Power Co. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43307:311-43307:360.

--8711060309 Errata to Rev 1 to ASME Code Section XI Inservice Insp & testing program manual,correcting administrative errors recently found in 870812 submittal.
* Northern States Power Co. 87/07/13. 51pp. 43307:312-43307:360.

8711090062 Forwards Safety Insp Repts 50-282/87-14 & 50-306/87-13 on 870823-1003.No violations noted.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/28. LARSON,C.E. Northern States Power Co. 2pp. 43314:050-43314:060.

--8711090063 Insp Repts 50-282/87-14 & 50-306/87-13 on 870823-1003.No violations noted.Major areas inspected:plant operational safety,maint,surveillances,ESF sys,cooling water sys difficulties,spent fuel pool activities & LER followup.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/10/20. 9pp. 43314:052-43314:060.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges- Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43387:142-43387:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711100275 Monthly operating repts for Oct 1987.W/871106 ltr.
DUGSTAD,D., MUSOLF,D. Northern States Power Co. 87/10/31. 9pp. 43330:234-43330:242.

V. Operator Examinations

8711030109 Ack receipt of MB Sollman comments on NRC implementation of requirements of 10CFR55 re administering requalification exam to reactor operators as result of 870910 meeting. Comments will be included in reevaluation of program.
ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 87/10/27. MUSOLF,D.M. Northern States Power Co. 2pp. 43264:092-43264:093.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

8711030069 Responds to NRC 870923 ltr re violations noted in Insp Rept 50-309/87-22.Corrective actions post-accident sampling sys drill completed,Procedure 2.50.23 revised to improve review of emergency drills & exercises & documentation reviewed.
WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/10/26. MARTIN,T.T. Region 1, Ofc of the Director. 4pp. 43255:142-43255:144.

8711040160 Forwards Insp Rept 50-309/87-24 on 870902-1005.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/01. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43290:184-43290:191.

--8711040165 Insp Rept 50-309/87-24 on 870902-1005.No violations noted. Major areas inspected:control room,accessible parts of plant structures,plant operations,radiation protection,physical security,plant operating records & maint & surveillance.
TRIPP,L.E. Region 1, Ofc of the Director. 87/10/28. 6pp. 43290:186-43290:191.

8711200211 Forwards response to 871009 ltr re violations noted in Insp Rept 50-309/87-15.Details withheld.
WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43408:231-43408:231.

P. Operating license stage documents & correspondence

8711040033 Responds to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Procedures will be developed for lowering coolant level in reactor vessel below top of loop piping. W/one oversize drawing.
RANDAZZA,J.B. Maine Yankee Atomic Power Co. 87/10/26. Document Control Branch (Document Control Desk). 15pp. 43286:001-43286:015.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,O.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030069 Responds to NRC 870923 ltr re violations noted in Insp Rept 50-309/87-22.Corrective actions:post-accident sampling sys drill completed,Procedure 2.50.23 revised to improve review of emergency drills & exercises & documentation reviewed. WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/10/26. MARTIN,T.T. Region 1, Ofc of the Director. 4pp. 43255:142-43255:144.

8711050011 Suppls response to NRC 870915 ltr re violations noted in NRC 870714 ltr.Corrective actions:radiation work permits corrected by specific survey meter required or technician job coverage barricade ajusted to less than 100 m/h. WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/10/26. Document Control Branch (Document Control Desk). 7pp. 43302:009-43302:015.

8711020522 Ack receipt of 870922 & 28 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 50-309/87-12. JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43237:131-43237:138.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711040160 Forwards Insp Rept 50-309/87-24 on 870902-1005.No violations noted. WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/01. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43290:184-43290:191.

--8711040165 Insp Rept 50-309/87-24 on 870902-1005.No violations noted. Major areas inspected:control room,accessible parts of plant structures,plant operations,radiation protection,physical security,plant operating records & maint & surveillance. TRIPP,L.E. Region 1, Ofc of the Director. 87/10/28. 6pp. 43290:186-43290:191.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090191 Forwards Safety Insp Rept 50-309/87-23 on 870921-25.No violations or deviations noted. MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43314:225-43314:237.

--8711090194 Safety Insp Rept 50-309/87-23 on 870921-25.No violations or deviations noted.Major areas inspected:solid radwaste processing preparation,packaging & shipping program, including mgt controls,QA/QC & radiochemistry. BICEHOUSE,H., PASCIAK,W. Region 1, Ofc of the Director. 87/11/03. 11pp. 43314:227-43314:237.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711060040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200171 Informs that submittal date for rept re status of program in response to IE Bulletin 85-003 delayed until approx 871201. Util originally committed to provide rept by 871116. WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:298-43417:298.

8711230294 Forwards Exam Rept 50-309/87-21OL administered on 870915-17. GALLO,R.M. Region 1, Ofc of the Director. 87/11/16. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43420:324-43421:058.

--8711230301 Exam Rept 50-309/87-21OL on 870915-17.Exam results:three of four senior reactor operator candidates passed exams & received licenses.Exam & answer key,facility comments & NRC response to comments encl. NORRIS,B.S., KELLER,R.M. Region 1, Ofc of the Director. 87/11/09. 93pp. 43420:326-43421:058.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200211 Forwards response to 871009 ltr re violations noted in Insp Rept 50-309/87-15.Details withheld. WHITTIER,G.D. Maine Yankee Atomic Power Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43408:231-43408:231.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250249 Forwards Insp Rept 50-309/87-16 on 870720-24 & notice of violation. JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/19. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43460:102-43460:129.

--8711250251 Notice of violation from insp on 870720-24.Violation noted: data of type test results could not be provided at time of insp to verify qualification of connectors used for thermocouple circuits. * Region 1, Ofc of the Director. 87/11/19. 1p. 43460:104-43460:104.

--8711250255 Insp Rept 50-309/87-16 on 870720-24.Violations noted:Major areas inspected:licensee implementation of program for establishing & maintaining qualification of electrical equipment within scope of 10CFR50.49. CHEUNG,L.S., DEV,M., ESELGROTH,P.W. Region 1, Ofc of the Director. 87/10/26. 25pp. 43460:105-43460:129.

V. Operator Examinations

8711230294 Forwards Exam Rept 50-309/87-21OL administered on 870915-17. GALLO,R.M. Region 1, Ofc of the Director. 87/11/16. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 43420:324-43421:058.

--8711230301 Exam Rept 50-309/87-21OL on 870915-17.Exam results:three of four senior reactor operator candidates passed exams & received licenses.Exam & answer key,facility comments & NRC response to comments encl. NORRIS,B.S., KELLER,R.M. Region 1, Ofc of the Director. 87/11/09. 93pp. 43420:326-43421:058.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020015 Rev 15 to event classification guide,including rev to table of contents,Rev 4 to Section II, "Cross Ref - Event to Requirement" & Rev 4 to Section 13, "Security Events." FAWCETT,D. Public Service Electric & Gas Co. of New Jersey. 87/10/20 42pp. 43293:132-43293:176.

8711050183 Advises that 870904 amends to Rev 0 to Artificial Island security plan & training & qualification plan consistent w/ provisions of 10CFR50.54(p) & acceptable w/exception of miscellaneous amends changes currently under review. MARTIN,T.T. Region 1, Ofc of the Director. 87/10/30. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 43292:097-43292:100.

8711100464 Rev 0 to Emergency Plan Administrative Implementing Procedure EPIP 1009, "Emergency Response Callout Test Procedure." W/Rev 4 to table of contents. BURGIN,D. Public Service Electric & Gas Co. of New Jersey. 87/11/06. 15pp. 43335:052-43335:066.

8711160204 Rev 2 to Artificial Island Emergency Plan Implementing Procedure EPIP 2045, "Emergency Response Callout/Personnel Recall." Table of contents encl. * Public Service Electric & Gas Co. of New Jersey. 87/11/06. 31pp. 43365:156-43365:186.

8711230322 Rev 4 to Emergency Plan Implementing Procedure EPIP 1013, "Emergency Response Personnel Telephone List" & revised table of contents. WINNER,G.L. Public Service Electric & Gas Co. of New Jersey. 87/11/17. 25pp. 43419:095-43419:120.

8711300209 Advises that 870903 temporary change to artificial island security plan consistent w/provisions of 10CFR50.54(p) & acceptable. MARTIN,T.T. Region 1, Ofc of the Director. 87/11/20 MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 43467:282-43467:285.

P. Operating license stage documents & correspondence

8711020409 Application for amends to Licenses DPR-70 & DPR-75,adding reactor vessel level instrumentation sys to Tech Spec Tables Tables 3.3-11 & 4.3-11 & table notation pages associated w/ Tech Spec 3.3.3.7.Fee paid. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/10/29. Document Control Branch (Document Control Desk). 7pp. 43235:205-43235:227.

--8711020418 Proposed Tech Specs adding reactor vessel level instrumentation sys to Tech Spec Tables 3.3-11 & 4.3-11 & table notation pages associated w/ Tech Spec 3.3.3.7,accident monitoring instrumentation. * Public Service Electric & Gas Co. of New Jersey. 87/10/29. 15pp. 43235:213-43235:227.

8711090160 Revised application for amends to Licenses DPR-70 & DPR-76, consisting of License Change Request LCR 86-11,adding provision to OL for units to indicate that requirements of NRC 830506 order terminated. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/03. Document Control Branch (Document Control Desk). 14pp. 43321:092-43321:105.

8711160217 Forwards rept documenting independent investigation of erroneous statement contained in 871016 ltr re 4 kV breaker coordination,per 871023 telcon. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/03. Document Control Branch (Document Control Desk). 8pp. 43366:248-43366:265.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711200155 Withdraws request for discretionary enforcement of Tech Spec Action Statement 3.8.1.1.a per util 871013 ltr.Util will perform necessary degassing of Number 1 station power transformer in mode requiring only one offsite power supply. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43417:205-43417:206.

8711240254 Forwards Amends 84 & 56 to Licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends change Tech Specs due to mod of reactor trip sys & ESFs response times to accommodate removal of resistance temp detectors bypass sys. FISCHER,D.C. Project Directorate I-2. 87/11/16. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 3pp. 43446:001-43446:042.

--8711240263 Amends 84 & 56 to Licenses DPR-70 & DPR-75,respectively, changing Tech Specs due to mod of reactor trip sys & ESFs response times to accommodate removal of resistance temp detectors bypass sys. BUTLER,W.R. Project Directorate I-2. 87/11/16. 26pp. 43446:004-43446:029.

--8711240271 Safety evaluation supporting Amends 84 & 56 to Licenses DPR-70 & DPR-75,respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 13pp. 43446:030-43446:042.

8711300067 Application for amends to Licenses DPR-70 & DPR-75,modifying Section 3/4 8.1.1 of facility Tech Specs to address changes to action statements & surveillance requirements suggested in NRC Generic Ltr 84-15 Fee paid.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/20. Document Control Branch (Document Control Desk). 11pp. 43470:125-43470:163.

--8711300080 Proposed Tech Specs re changes to action statements & surveillance requirements suggested in NRC Generic Ltr 84-15
* Public Service Electric & Gas Co. of New Jersey. 87/11/20. 28pp. 43470:136-43470:163.

8711300070 Advises that tubes plugged in facility Steam Generator 24 on 871111.Two plugged due to tube wall loss in excess of 40%. One plugged as conservative measure due to tube loss of 35%. Two others plugged due to cold leg tangent cracking
ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43473:116-43473:116.

O. Inspection reports, IE Bulletins & correspondence

8812170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030208 Forwards util exam review team findings re root cause of high exam failure rate,in response to Requalification Program Evaluation Repts 50-272/87-21(OL) & 50-311/87-26(OL).
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43252:012-43252:015

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060249 Informs NRC of disposition of environ qualification of room coolers.Engineering & plant betterment safety analysis group safety evaluation concluded that pump room cooler motors & associated components qualified in post-accident environs.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:352-43303:353.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43307:142-43307:257.

8711160029 Forwards Exam Repts 50-272/87-26OL & 50-311/87-26OL for exams administered on 870915-17.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MCNEIL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43395:350-43396:055.

--8711160035 Exam Repts 50-272/87-26OL & 50-311/87-26OL on 870915-17.Exam results:all four senior reactor operator candidates passed written & operating exams.
SILK,D. Region 1, Ofc of the Director. 87/11/09. 64pp. 43385:352-43386:055.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

S. Reportable occurrences, LERs & related correspondence

8711100316 LER 87-013-00:on 871002,discovered that prior month required Tech Spec Surveillance 4.8.1.1.3.e.2 not performed for diesel generator fuel oil transfer pump 22.Caused by inadequate procedural control W/871029 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/10/28. 5pp. 43335:195-43335:199.

8711100298 LER 87-012-00:on 870930,discovered that 6-inch curb not installed at entrance of auxiliary bldg sump tank room per design.Cause attributed to personnel error.Curb reinstalled & labeled.W/871030 ltr.
GRAY,M.K., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/10/30. 4pp. 43330:196-43330:199.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711300098 LER 87-014-00:on 871022,setpoint on diesel generator overcurrent protection relays discovered incorrect.Caused by inadequate documentation control.Relays corrected & electrical task force established.W/871119 ltr.
GRAY,M.K., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 87/11/19. 6pp. 43470:095-43470:100.

V. Operator Examinations

8711030208 Forwards util exam review team findings re root cause of high exam failure rate,in response to Requalification Program Evaluation Repts 50-272/87-21(OL) & 50-311/87-26(OL).
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43252:012-43252:015.

8711160029 Forwards Exam Repts 50-272/87-26OL & 50-311/87-26OL for exams administered on 870915-17.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MCNEIL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43395:350-43396:055.

--8711160035 Exam Repts 50-272/87-26OL & 50-311/87-26OL on 870915-17.Exam results:all four senior reactor operator candidates passed written & operating exams.
SILK,D. Region 1, Ofc of the Director. 87/11/09. 64pp. 43385:352-43386:055.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711030225 SAFETY EVALUATION REPORT RELATED TO THE RESTART OF RANCHO SECO NUCLEAR GENERATING STATION,UNIT 1 FOLLOWING THE EVENT OF DECEMBER 26,1985.Docket No. 50-312 (Sacramento Municipal Utility District)
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). NUREG-1266. 87/10/31. 199pp. 43256:001-43256:199.

F. Security, medical, emergency & fire protection plans

8711020371 Discusses commitments noted in JE Ward 870226 ltr re meteorological sys & program improvements intended for completion prior to restart.Util wishes to rescope approach to Item 5 of Attachment B to 870226 ltr.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/10/29. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 2pp. 43236:243-43236:244.

8711040360 Vol 2 to emergency plan.
* Sacramento Municipal Utility District. 87/11/01. 829pp. 43286:016-43286:124.

8711200199 Revised emergency plan implementing procedures,including Rev 2 to EPIP-5345, "Onsite Out-of-Plant Radiological Monitoring & Environ Sampling" & Rev 2 to EPIP-5350, "Offsite Radiological Monitoring & Environ Sampling."
MARTIN,D.W., COLOMBO,R.W. Sacramento Municipal Utility District. 87/11/01. 166pp. 43413:150-43413:314.

8711230432 Forwards Rev 0 to emergency plan & implementing procedures. Titles & numbering of procedures changed to assure consistency w/administrative procedures.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/11/04. FISH,R. Region 5, Ofc of the Director. 2pp. 43423:046-43423:046.

8711160201 Forwards summary of root cause investigations of cable issues per G Kalman 870814 ltr to GC Andognini.
CROLEY,B. Sacramento Municipal Utility District. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 13pp. 43369:048-43369:060.

8711160243 Discusses SPDS safety evaluation issues re fire protection, software validation & verification & electrical isolation. Listing of status of each issue & comparison of nonlinear data points in final acceptance test encl.
CROLEY,B. Sacramento Municipal Utility District. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 10pp. 43368:351-43368:360.

8711170287 Ack receipt of 871005 ltr providing addl info re notice of violation in Insp Rept 50-312/87-02,per 870824 request.Info documents actions that appear to assure prompt & complete transmittal of info between security & plant operations.
SCARANO,R.A. Region 5, Ofc of the Director. 87/11/12. ANDOGNINI,G.C. Sacramento Municipal Utility District. 1p. 43384:083-43384:086.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:358-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17.
WEISS,E.R. Union of Concerned Scientists 1p. 43392:095-43392:095.

H. General correspondence

8711160280 Requests change in recipient records to reflect listed author address in Rockville,MD.
* Babcock & Wilcox Co. 87/11/06. NRC - No Detailed Affiliation Given.
VINQUIST,G.K., KAPLAN,D.S. Sacramento Municipal Utility District. 2pp. 43371:217-43371:218.

P. Operating license stage documents & correspondence

8711030316 Forwards Amend 86 to License DPR-54 & safety evaluation. Amend revises Tech Specs 3.1.6, "Leakage" & 3.8, "Fuel Loading & Refueling" re requirements for monitoring airborne radioactivity inside containment.
KALMAN,G. Project Directorate V. 87/10/23. ANDOGNINI,G.C. Sacramento Municipal Utility District. 3pp. 43258:304-43258:316.

--8711030323 Amend 86 to License DPR-54,revising Tech Specs 3.1.6, "Leakage" & 3.8, "Fuel Loading & refueling" re requirements for monitoring airborne radioactivity inside containment.
KNIGHTON,G.W. Project Directorate V. 87/10/23. 6pp. 43258:307-43258:312.

--8711030327 Safety evaluation supporting Amend 86 to License DPR-54.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 4pp. 43258:313-43258:316.

8711030423 Forwards Amend 87 to License DPR-54 & safety evaluation. Amend revises Tech Specs to make numerous administrative changes to Tech Specs & bases.
KALMAN,G. Project Directorate V. 87/10/27. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43262:346-43263:100.

--8711030462 Amend 87 to License DPR-54,revising Tech Specs to make numerous administrative changes to Tech Specs & bases.
KNIGHTON,G.W. Project Directorate V. 87/10/27. 111pp. 43262:347-43263:097.

--8711030453 Safety evaluation supporting Amend 87 to License DPR-54.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 3pp. 43263:098-43263:100.

8711030516 Forwards Amend 88 to License DPR-54 & safety evaluation. Amend adds new Tech Spec 3.29, "Meteorological Monitoring Instrumentation," per 870629 application.
KALMAN,G. Project Directorate V. 87/10/27. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43280:287-43280:301.

--8711030536 Amend 88 to License DPR-54,adding new Tech Spec 3.29, "Meteorological Monitoring Instrumentation."
KNIGHTON,G.W. Project Directorate V. 87/10/27. 11pp. 43280:289-43280:299.

--8711030541 Safety evaluation supporting Amend 88 to License DPR-54.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 2pp. 43280:300-43280:301.

8711030188 Forwards response to 34 NRC concerns identified in 870611 meeting in Bethesda,MD re Tech Spec evaluation rept concerning proposed Amend 164.Proposed changes will be procedurally implemented prior to plant restart.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/10/29. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 6pp. 43252:016-43252:021.

8711050140 Submits addl info re 870514 Proposed Amend 168 to License DPR-54 concerning hydrogen purge sys,per telcon request. Operating procedure which will remain in effect during final disposition for hydrogen purge blowers developed.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/10/29. KALMAN,G. NRC - No Detailed Affiliation Given. 2pp. 43291:079-43291:080.

8711050161 Advises that no Tech Spec relief necessary to conduct tests on new emergency diesel generators & associated electrical distribution sys.Proposed test should be conducted under provisions of 10CFR50.59 w/o changing existing Tech Spec.
HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 87/10/30.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 3pp. 43301:154-43301:156.

8711100059 Forwards plant offsite dose calculation manual (ODCM),for review to support evaluation of Proposed Amend 156.Util will conduct independent third-party verification & validation of ODCM.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/10/30. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43333:184-43333:289.

--8711100165 Rev 4 to Procedure AP.310, "Offsite Dose Calculation Manual."
* Sacramento Municipal Utility District. 87/10/30. 105pp. 43333:185-43333:289.

8711100396 Forwards requested addl info re Proposed Amend 147 to License DPR-54 & plant electrical distribution sys.Single failure at Switch 52-4B202 has no safety impact.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/10/30. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 20pp. 43345:081-43345:100.

8711090206 Application for amend to License DPR-54,consisting of Proposed Amend 138,Rev 2,Suppl 1,adding non-licensed personnel to Tech Spec Table 6.2-1,limited representation to Tech Spec 6.5.2.5 & LERs to Tech Spec 6.6.2.6.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/02. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 2pp. 43322:357-43322:361.

--8711090210 Proposed Tech Spec Table 6.2-1, "Shift Crew Personnel & License Requirements" & Pages 6-7 & 6-8,adding non-licensed personnel,statement re limiting representation to minority of quorum & LERs,respectively.
* Sacramento Municipal Utility District. 87/11/02. 3pp. 43322:359-43322:361.

8711090245 Requests expedited interim approval of util updated inservice testing plan submitted in June 1987 to support plant restart.Concern that util will have to request addl relief requests if plan not approved discussed.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/02. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 2pp. 43322:241-43322:242.

8711050227 Forwards Amend 89 to License DPR-54 & safety evaluation. Amend deletes surveillance requirements associated w/upper dome air circulators in Tech Spec 4.5.2, "Reactor Bldg Cooling Sys."
KALMAN,G. Project Directorate V. 87/11/03. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43299:165-43299:173.

--8711050232 Amend 89 to License DPR-54,deleting surveillance requirements associated w/upper dome air circulators in Tech Spec 4.5.2, "Reactor Bldg Cooling Sys."
KNIGHTON,G.W. Project Directorate V. 87/11/03. 4pp. 43299:167-43299:170.

--8711050236 Safety evaluation supporting Amend 89 to License DPR-54.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/03. 3pp. 43299:171-43299:173.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170187 Forwards draft Integrated Control Sys Tuning Procedure STP.660, "Integrated Control Sys Tuning at Power." Submittal of procedure completes util response to request for addl info in NUREG-1286.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/05. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43384:255-43384:309.

--8711170188 Rev 1 to STP.660, "Integrated Control Sys Tuning at Power."
* Sacramento Municipal Utility District. 87/10/14. 54pp. 43384:258-43384:309.

8711170253 Supplemental application for Rev 2 to proposed Amend 152 to License DPR-54,revising Tech Specs re limiting conditions for operation of instrumentation sys.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/06. NRC - No Detailed Affiliation Given. 2pp. 43384:001-43384:006.

--8711170256 Proposed Tech Specs re limiting condition for operation of instrumentation sys.
* Sacramento Municipal Utility District. 87/11/06. 4pp. 43384:003-43384:006.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711160113 Forwards three pages inadvertently omitted from util 871030 response to NRC request for addl info re proposed Amend 147 to License DPR-54.
CROLEY,B. Sacramento Municipal Utility District. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 4pp. 43365:003-43365:006.

8711190155 Forwards Rev 1 to "Radiological Environ Monitoring Program Manual," for review to support proposed Amend 155 to License DPR-54.
COWARD,G.A. Sacramento Municipal Utility District. 87/11/11. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43396:337-43397:003.

--8711190161 Rev 1 to "Radiological Environ Monitoring Program Manual."
MARTIN,D.W., COLOMBO,R.W., WHITNEY,D.D. Sacramento Municipal Utility District. 87/11/10. 27pp. 43396:338-43397:003.

8711190086 Forwards radioactive liquid effluent sys description including P&ID,design criteria,instrumentation & control measures to support evaluation of proposed Amend 155.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/11/12. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 60pp. 43499:335-43400:023.

8711180037 Rev 0 to Special Test Procedure STP.961, "Loss of Offsite Power Test." W/871113 ltr.
BURKE,F., JONES,J.D., FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/13.
KALMAN,G. NRC - No Detailed Affiliation Given. 226pp. 43390:183-43391:056.

8711240209 Supplemental application for amend to License DPR-54, consisting of Suppl 2 to Rev 2 to Proposed Amend 147, concerning diesel generators.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/17. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 9pp. 43432:084-43432:141.

--8711240212 Proposed Tech Specs,consisting of Suppl 2 to Rev 2 to Proposed Amend 147,concerning diesel generators.
* Sacramento Municipal Utility District. 87/11/17. 47pp. 43432:093-43432:141.

8711260023 Forwards addl audit info re matrix of SPDS equipment vs qualification.Encl provides discussion of observations & action to be taken by util prior to power ascension. Attachment C lists remaining SPDS issues.
COWARD,G.A. Sacramento Municipal Utility District. 87/11/20. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 8pp. 43459:102-43459:109.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-26, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8306110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020411 Responds to NRC 870921 ltr re violations noted in Insp Rept 50-312/87-20.Corrective actions;Nonconforming Rept S-6790 initiated on 870624 to address affect of heat treating valve yoke.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 5pp. 43234:086-43234:090.

8711020475 Forwards B&W review of u'rasonic results of pressurizer support lugs,per util 870518 commitment in response to Insp Rept 50-312/87-03.Listed inconsistencies noted.Corrections will be in final rept,submitted 90 days after exam complete.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 10pp. 43237:177-43237:186.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130162 Forwards Insp Rept 50-312/87-34 on 871006-09.No violations noted.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/10/29. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43354:324-43354:338.

-8711130156 Insp Rept 50-312/87-34 on 871006-09.No violations or deviations noted.Major areas inspected:occupational exposures during extended outages;post-accident sampling sys & Allegation RV-87-A-0062.
CILLIS,M., YUHAS,G.P. Region 5, Ofc of the Director. 87/10/29. 13pp. 43354:326-43354:338.

8711100150 Forwards addl info re motor-operated valves refurb'shing & testing program,in response to NRC 870922 request for addl info re IE Bulletin 85-003.Response to Question 1 re core flood tank discharge valves will be provided within 15 days.
COWARD,G. Sacramento Municipal Utility District. 87/11/02. MARTIN,J.B. Region 5, Ofc of the Director. 6pp. 43330:202-43330:207.

8711190061 FOIA request for documents, including encl to NRC 870922 ltr requesting addl info on NRC Bulletin 85-003.
GRABER,L. NUS Corp. 87/11/03 Division of Rules & Records (Post 870413). 1p. 43395:044-43395:044.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100091 Provides summary of significant findings in advance of issuance of Insp Rept 50-312/87-29 to ensure that appropriate corrective actions factored into restart planning activities.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. ANDOGNINI,G.C. Sacramento Municipal Utility District. 6pp. 43340:020-43340:025.

8711130296 Confirms understanding of lead responsibilities for insps to assess operational readiness for plant startup & to monitor actual plant startup & rise to power.
HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 87/11/09. KIRSCH,D. Region 5, Ofc of the Director. PARTLOW,J. Division of Reactor Inspection & Safeguards (Post 870411). 2pp. 43356:037-43356:038.

8711240224 Forwards Insp Rept 50-312/87-32 on 870928-1002.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43431:279-43431:284.

-8711240226 Insp Rept 50-312/87-32 on 870928-1002.No violations or deviations noted.Major areas inspected:emergency operating procedures & QA audits.
CALDWELL,C.W., COE,D.H., KENNEDY,W.G. Region 5, Ofc of the Director. 87/11/09. 14pp. 43431:281-43431:294.

8711170123 Ack receipt of 871020 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-312/87-20. Corrective actions will be verified during future insp.
CHAFFEE,A.E. Region 5, Ofc of the Director. 87/11/12. ANDOGNINI,G.C. Sacramento Municipal Utility District. 1p. 43381:075-43381:080.

8711170287 Ack receipt of 871005 ltr providing addl info re notice of violation in Insp Rept 50-312/87-02,per 870624 request.Info documents actions that appear to assure prompt & complete transmittal of info between security & plant operations.
SCARANO,R.A. Region 5, Ofc of the Director. 87/11/12. ANDOGNINI,G.C. Sacramento Municipal Utility District. 1p. 43384:063-43384:066.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190050 Final response to FOIA request for document re addl info requested on NRC Bulletin 85-003.Forwards App A document. Document being placed in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/16. GRABER,L. NUS Corp. 2pp. 43395:045-43395:047.

-8711190056 Requests for addl info re review of responses to Action Item e of IE Bulletin 85-003.
* NRC - No Detailed Affiliation Given. 87/11/16. 1p. 43395:047-43395:047.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160021 Forwards update of 871026 PASS status rept summary for info. Rept reformatted into narrative which summarizes status of mods,testing procedures,training,maint & spare parts.
SHETLER,J.R. Sacramento Municipal Utility District. 87/10/30. MARTIN,J.B. Region 5, Ofc of the Director. 4pp. 43364:241-43364:244.

S. Reportable occurrences, LERs & related correspondence

8711090238 Special Rept 87-21:on 870929,deluge sys for Zone 81 not returned to operable status within 14 days.Caused by delay in required matl procurement.Fire watch established for inoperable sys per Tech Spec 3.14.3.2.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/10/29. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43313:216-43313:219.

8711090163 Special Rept 87-23:on 870910,util identified that CO2 Zones 53 & 54 not restored to svc within 14 days.Caused by opening doors to allow nitrogen dissipation due to plant maint. Firewatches established.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/03. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43313:319-43313:320.

8711130010 Special Rept 87-22:on 871013,listed CO2 zones not restored to operable status within 14 days as specified in Tech Spec Section 3.14.4.Firewatches established.Sys will be restored to operable status upon completion of maint by 871231.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/11/03. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43350:171-43350:172.

8711100072 PNS-V-87-004B:on 870616,Sacramento Narcotics Task Force arrested six persons involved in possession,sale & use of cocaine.Util clerk indicated transactions conducted in site parking lot or offsite,not at facility.
SCHAEFER,D., SCHUSTER,M. Region 5, Ofc of the Director. 87/11/05. 1p. 43330:187-43330:187.

8711160201 Forwards summary of root cause investigations of cable issues per G Ka'man 870814 ltr to GC Andognini.
CROLEY,B. Sacramento Municipal Utility District. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 13pp. 43369:048-43369:060.

8711160262 Confirms that 15% damping value used during design of cable tray supports in TDI diesel generator bldg,in response to request.
CROLEY,B. Sacramento Municipal Utility District. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43371:216-43371:216.

8711190259 Forwards safety evaluation supporting plant electrical distribution sys design (ref TDI diesel generators).Approval of design required before performance of loss of offsite power test.
KNIGHTON,G.W. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/10. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43404:291-43404:309.

-8711190265 Safety evaluation supporting util 861219 ltr & related submittals re design mods to emergency electrical distribution sys (ref TDI diesel generators).
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/10. 17pp. 43404:293-43404:309.

8711230433 PNO-V-87-076:on 871111,control room/technical support ctr essential HVAC sys Train B failed to start during planned testing.Licensee believes tampering occurred to cause miswiring.Plans for addressing tampering being formulated.
D'ANGELO,T., MILLER,L. Region 5, Ofc of the Director. 87/11/13. 1p. 43423:044-43423:044.

8711230220 LER 86-016-02:on 861003,decay heat sys (DHS) tripped causing HV-20002 to close.Caused by arc that occurred when personnel troubleshooting abnormal indication on panel H2SF8 for DHS. Lens clips will be repainted or replaced.W/871118 ltr.
LAVELY,P., ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/11/18. 6pp. 43419:280-43419:285.

8711240057 LER 87-036-01:on 870608,pipe supplying water for bearing cooling for reactor bldg spray pump B completely blocked. Caused by accumulation of rust & dirt via nuclear svc raw water sys.Water lines cleaned.W/871118 ltr.
LAVELY,P., ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/11/18. 6pp. 43442:269-43442:274.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

8711050189 Revised emergency plan implementing procedures,including Rev 8 to 1903.02, "Assignment of Plant Emergency Team/Group Members" & Rev 17 to 1903.60, "Emergency Supplies & Equipment."
* Arkansas Power & Light Co. 87/10/28. 14pp. 43293:200-43293:213.

8711020217 Forwards exemption request re Section III.G.2 of App R for level transmitters for new safety-grade condensate storage.
ENOS,J.T. Arkansas Power & Light Co. 87/10/29. CALVO,J.A. Project Directorate IV. 5pp. 43234:130-43234:134.

8711050188 Forwards Rev 12 to Arkansas Nuclear One industrial security plan.Changes do not decrease safeguards effectiveness of plan.Encl withheld (ref 10CFR73.21).
ENOS,J.T. Arkansas Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43291:240-43291:241.

8711190282 Rev 5 to Emergency Plan Implementing Procedure 1903.13, "Notification of Little Rock Corporate Official."
* Arkansas Power & Light Co. 87/11/09. 5pp. 43400:045-43400:049.

8711200393 Advises that 870930 changes to physical security plan consistent w/provisions of 10CFR50.54(p) & App E & acceptable.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43416:335-43416:336.

8711250200 Forwards "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.Deficiency re unsuccessful activation of Pope County emergency operations ctr identified.Emergency plan adequate. KRIMM,R.W. Federal Emergency Management Agency. 87/11/18. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43459:276-43459:355.

--8711250202 "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.
* Federal Emergency Management Agency. 87/09/15. 76pp. 43459:277-43459:355.

8711230360 Forwards Insp Repts 50-313/87-31 & 50-368/87-31 on 870921- 26 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:009-43419:011.

--8711230402 Partially withheld Insp Repts 50-313/87-31 & 50-368/87-31 on 870921-25 (ref 10CFR73.21).Violations noted.Major areas inspected:security plan & implementing procedures,security organization & security program.
CALDWELL,R.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/09. 1p. 43419:011-43419:011.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R., POLLARD,R.D. Union of Concerned Scientists. 1p. 43392:096-43392:095.

P. Operating license stage documents & correspondence

8711020508 Advises that,effective on 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section,Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43238:036-43238:037.

8711030265 Application for amend to License DPR-51,extending term of license to 40 yrs.Fee paid.
CAMPBELL,T.G. Arkansas Power & Light Co. 87/10/30. CALVO,J.A. Project Directorate IV. 30pp. 43252:314-43252:343.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 237pp. 43406:001-43406:237.

8711130334 Notification of 871117 & 18 meetings w/util & EG&G at site to discuss outstanding questions on 2nd 10-yr program on inservice testing of pumps & valves previously submitted to util.
DICK,G.F. Project Directorate IV. 87/11/09. CALVO,J.A. Project Directorate IV. 3pp. 43360:218-43360:220.

8711300223 Notification of 871201 mgt meeting w/util in Arlington,TX to discuss licensee initiatives.
JAUDON,J.P. Region 4, Ofc of the Director. 87/11/23. Region 4, Ofc of the Director. 1p. 43469:360-43469:360.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-26, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020329 Forwards Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No violations or deviation noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43233:326-43233:336.

--8711020433 Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No violations or deviations noted.Major areas inspected: verification of Reg Guide 1.97 conformance for Unit 2 & followup of previously identified items.
PICK,G.A., SEIDLE,W.C. Region 4, Ofc of the Director. 87/10/20. 7pp. 43233:327-43233:335

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030011 Forwards Insp Repts 50-313/87-30 & 50-368/87-30 on 870901-30 & notice of violation.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43252:173-43252:196.

--8711030013 Notice of violation from Insp on 870901-30.Violation noted: failure to have adequate lubrication schedules for safety-related pump couplings.
* Region 4, Ofc of the Director. 87/10/29. 2pp. 43252:175-43252:176

--8711030015 Insp Repts 50-313/87-30 & 50-368/86-30 on 870901-30. Violations noted:Major areas inspected:operational safety verification,maint,surveillance,followup on previously identified items & followup on allegation
JOHNSON,W.D., HARBUCK,C.C., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/19. 20pp. 43252:177-43252:196.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711060179 Forwards Insp Repts 50-313/87-23 & 50-368/87-23 on 870810- 21.No violations noted.Attention to identified areas of concern requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/05. CAMPBELL,G. Arkansas Power & Light Co. 3pp. 43309:348-43309:350.

--8711060184 Insp Repts 50-313/87-23 & 50-368/87-23 on 870810-21.No violations noted.Major areas inspected:plant mods of sys & components,maint,plant operations & corrective actions.
CORREIA,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). BOARDMAN,J. Region 4, Ofc of the Director. HAAG,R. Region 3, Ofc of the Director. 87/10/20. 14pp. 43309:351-43310:004.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170260 Ack receipt of 871019 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-15 & 50-368/87-15.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/13. CAMPBELL,G. Arkansas Power & Light Co. 1p. 43384:095-43384:098.

--8711170273 Responds to NRC 870815 ltr re violations in Insp Repts 50-313/87-15 & 50-368/87-15.Corrective actions:project structured to reconcile safety-related piping isometric & hanger drawings w/as-built plant conditions implemented.
LEVINE,J.M. Arkansas Power & Light Co. 87/10/19. CALLAN,L.J. Region 4, Ofc of the Director. 3pp. 43384:096-43384:098.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711230342 Ack receipt of 871030 ltr informing NRC of steps taken to correct violations & deviations noted in Insp Repts 50-313/87-14 & 50-368/87-14.Deviation B responsive to concerns raised.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/16. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:065-43419:072.

--8711230363 Responds to NRC 870930 ltr re violations & deviations noted in Insp Repts 50-313/87-14 & 50-368/87-14.Corrective actions:restrictions will be placed on five load capacities of elevations 372 & 386 ft.
LEVIN,J.M. Arkansas Power & Light Co. 87/10/30. CALLAN,L.J. Region 4, Ofc of the Director. 6pp. 43419:067-43419:072.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200126 Ack receipt of 870730 & 1001 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 50-313/86-01.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. CAMPBELL,G. Arkansas Power & Light Co. 1p. 43402:304-43402:320.

--8711200131 Forwards addl info re items discussed in util response to insp rept re safety sys functional insp conducted at plant during Jan 1986.
LEVINE,J.M. Arkansas Power & Light Co. 87/07/30. GAGLIARDO,J.E. Region 4, Ofc of the Director. 13pp. 43402:305-43402:320.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711230360 Forwards Insp Repts 50-313/87-31 & 50-368/87-31 on 870921- 25 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:009-43419:011.

--8711230402 Partially withheld Insp Repts 50-313/87-31 & 50-368/87-31 on 870921-25 (ref 10CFR73.21).Violations noted.Major areas inspected security plan & implementing procedures,security organization & security program.
CALDWELL,R.A., YANDELL,L.A Region 4, Ofc of the Director. 87/11/09. 1p. 43419.011-43419:011.

8711250238 Forwards Insp Repts 50-313/87-20 & 50-368/87-20 on 870720-24.No violations or deviations noted.Two unresolved items identified re corrective action program.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/20. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43460:160-43460:165.

--8711250243 Insp Repts 50-313/87-20 & 50-368/87-20 on 870720-24.No violations or deviations noted.Major areas inspected: licensee corrective action program.
BOARDMAN,J.R., SEIDLE,W.C Region 4, Ofc of the Director. 87/11/20. 4pp. 43460:102-43460:165.

S. Reportable occurrences, LERs & related correspondence

8711030343 LER 86-007-01:on 861221,pressurizer code safety valves declared inoperable due to incorrect set pressure.No root cause could be determined.Valves set pressure adjusted to Tech Specs requirements.W/871030 ltr.
ROGERS,P.C., LEVINE,J.M. Arkansas Power & Light Co. 87/10/30. 8pp 43250:353-43250:360

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030375 Forwards addl info re unrated hatches,combustible loadings & control room carpet,per 870622 telcon.Radiant flux rating of carpet corrected to 98 watts/cm2.W/ 12 oversize fire hazards analysis drawings,per 870901 telcon
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/16. Document Control Branch (Document Control Desk). 2pp. 43255:126-43255:141.

--8711030382 Releases drawings encl w/AEP:NRC:0692BE to NRC for info & use in connection w/NRC review of unrated hatches & postulated fire paths.Reproduction of documents as necessary also permitted.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/29. Document Control Branch (Document Control Desk). 11pp. 43255:128-43255:141.

8711020075 Forwards safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data.Revised Tech Specs should be in place prior to June 1988 completion date.
WIGGINTON,D.L. Project Directorate III-3. 87/10/22. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43240:178-43240:180.

--8711020080 Safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data upgrades.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 1p. 43240:180-43240:180.

8711160007 Cancellation of Emergency Plan Procedure PMP 2082 EPP.008, "Maps & Overlays."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. 5pp. 43386:097-43386:101.

8711300040 Requests approval of encl Rev 15 to modified amended security plan,clarifying vital equipment area,per DL Wigginton 870929 request.Fee paid.Rev withheld (ref 10CFR73.21(c)(2)).
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/25. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43473:053-43473:055.

P. Operating license stage documents & correspondence

8711020006 Notification of 871109 meeting w/util in Bethesda,MD to discuss testing requirements for new oil,periodic tank oil testing & oil tank cleaning.Meeting originally scheduled for 871103.
WIGGINTON,D.L. Project Directorate III-3. 87/10/19. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 2pp. 43240:311-43240:312.

8711020303 Forwards updated table of plant action items w/revised implementation dates.Requests correct TAC numbers for encl listed items to initiate cross-reference sys w/util AEP:NRC numbers.Reg Guide 1.97 schedule will be updated.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/27. MURLEY,T.E. NRC - No Detailed Affiliation Given. 11pp. 43237:322-43237:332.

8711030034 Advises that util will be using Westinghouse variable timer design to initiate ATWS mitigation sys actuation circuitry for facility,per Generic Ltr 83-28 & util 870615 ltr.Foxboro Spec 200 Micro Control Card N2CCA-S will be used.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/28. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43260:215-43260:221.

8711030539 Forwards info re plant Cycle 10 reload,including Westinghouse peaking factor limit rept for cycle & reload SER.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/28. MURLEY,T.E. Document Control Branch (Document Control Desk). 5pp. 43251:292-43251:317.

--8711030544 "Reload Safety Evaluation-DC Cook Nuclear Plant Unit 1 Cycle 10."
OZENIS,E.A., SKARITKA,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/08/31. 20pp. 43251:298-43251:317.

8711030294 Requests temporary ASME Code relief from testing containment spray HXs be granted until next outage of sufficient duration,Apr 1988 for Unit 1 & May 1988 for Unit 2,to allow testing.Fee paid
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/29. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 43252:245-43252:246.

8711030430 Forwards request for addl info re Generic Ltr 83-28,Item 4.2.Parts 3 & 4 concerning description of preventative maint & surveillance program for ensuring reliable reactor trip breaker operation to clarify 870813 ltr.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 4pp. 43256:252-43256:255.

8711030535 Notifies that changes to Tech Specs re revised inservice insp & testing program,requested in util 860703 ltr,not being pursued.Decision taken subsequent to discussions between util & NRC.Request may be revised & resubmitted.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43280:283-43280:284.

8711050198 Summary of 871027 meeting w/util,Advanced Nuclear Fuels & Kraftwerk Union re proposed program to reduce T-hot & pressure of RCS.Meeting agenda,attendee list & viewgraphs encl.
WIGGINTON,D.L. Project Directorate III-3. 87/10/30. Project Directorate III-3. 48pp. 43301.022-43301:069.

8711090253 Application for amends to Licenses DPR-58 & DPR-74,revising Tech Specs to include radioactivity releases generated from incineration of contaminated waste oil in plant auxiliary boiler sys.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 6pp. 43320:302-43320:349.

--8711090260 Proposed Tech Specs,including radioactivity releases generated from incineration of contaminated waste oil in plant auxiliary boiler sys under radiological effluents section.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/02. 9pp. 43320:307-43320:349.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.See list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170240 Forwards response to 870313 Generic Ltr 87-06, "Periodic Verification of Leak Tight Integrity of Pressure Isolation Valves." Encl lists 46 pressure isolation valves in each unit which ensure integrity of low pressure sys in RCS.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. MURLEY,T.E. Document Control Branch (Document Control Desk). 30pp. 43383:326-43383:355.

8711240218 Advises that current milk sampling program does not literally comply w/ applicable Tech Specs.Tech Spec change to clarify sampling locations will be submitted by 880131.
SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. DAVIS,A.B. NRC - No Detailed Affiliation Given. 10pp. 43432:074-43432:083.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

8711190120 Forwards executive summary of investigation,results of investigation & conclusions re integrity of containment operating deck hatches.Hatches would not fail during accident or earthquake.Noted improvements to covers made.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/13. MURLEY,T.E. Document Control Branch (Document Control Desk). 41pp. 43397:101-43397:141.

8711250095 Forwards SER re util response to TMI Item II.D.1, "Performance Testing of Relief & Safety Valve." Responses acceptable.
WIGGINTON,D.L. Project Directorate III-3. 87/11/17. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43448:336-43448:361.

--8711250106 SER re TMI Action Item II.D.1, "Relief & Safety Valve Testing."
* NRC - No Detailed Affiliation Given. FIN A-6492. 87/11/17. 24pp. 43448:338-43448:361.

8711240229 Forwards response to 870709 Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Util relying on work done by Westinghouse Owners Group to provide analysis & guidance as to procedural adjustments & safety analysis.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. MURLEY,T.E. Document Control Branch (Document Control Desk). 27pp. 43431:250-43431:276.

8711300066 Requests code relief extension for testing certain valves in inservice testing program & as alternative,proposes to test valves during next refueling outage or during intervening outages of sufficient duration.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43470:122-43470:124.

8711300124 Forwards five oversize drawings,in response to NRC 871106 request,showing layout of spent fuel pool ventilation sys equipment in support of review of util 870528 Tech Spec change request.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/23. MURLEY,T.E. Document Control Branch (Document Control Desk). 5pp. 43467:161-43467:165.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Otc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co of New York, Inc. 5pp 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(860212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030535 Notifies that changes to Tech Specs re revised inservice insp & testing program,requested in util 860703 ltr,not being pursued.Decision taken subsequent to discussions between util & NRC.Request may be revised & resubmitted.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43280:283-43280:284.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300187 Responds to NRC 871007 ltr re violations noted in Insp Repts 50-315/87-22 & 50-316/87-22.Corrective actions:procedures controlling supplier placement on qualified suppliers list revised to define what acceptable QA program is.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. DAVIS,A.B. Document Control Branch (Document Control Desk). 12pp. 43467:223-43467:234.

8711250190 Responds to NRC 871023 ltr re violations noted in Insp Repts 50-315/87-02 & 50-316/87-02.Corrective actions,supervisory personnel reminded of need to ensure that personnel complied w/radiation work permits.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/23. DAVIS,A.B. NRC - No Detailed Affiliation Given. 8pp. 43460:013-43460:020.

S. Reportable occurrences, LERs & related correspondence

8711030484 LER 86-020-01:on 851102,main steam safety valves discovered out of spec during surveillance testing.Caused by lack of procedural instructions.Safety valves setpoints reset. W/871029 ltr.
DROSTE,J.B., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/29. 6pp. 43262:070-43252:075.

8711190362 LER 87-021-00:on 871013,ESF actuation occurred due to feedwater flow/steam mismatch coincident w/low level on steam generator 11.Caused by failure of east main feedwater pump shaft driven oil pump.Bearings replaced.W/871112 ltr.
SAMPSON,J.R., SMITH,G.W. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. 6pp. 43401:047-43401:052.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030375 Forwards addl info re unrated hatches,combustible loadings & control room carpet,per 870622 telcon.Radiant flux rating of carpet corrected to 98 watts/cm2.W/ 12 oversize fire hazards analysis drawings,per 870901 telcon.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/16. Document Control Branch (Document Control Desk). 2pp. 43255:126-43255:141.

--8711030382 Releases drawings encl w/AEP:NRC:0692BE to NRC for info & use in connection w/NRC review of unrated hatches & postulated fire paths.Reproduction of documents as necessary also permitted.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/29. Document Control Branch (Document Control Desk). 11pp. 43255:126-43255:141.

8711020075 Forwards safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data.Revised Tech Specs should be in place prior to June 1988 completion date.
WIGGINTON,D.L. Project Directorate III-3. 87/10/22. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43240:178-43240:180.

--8711020080 Safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data upgrades.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 1p. 43240:180-43240:180.

8711180007 Cancellation of Emergency Plan Procedure PMP 2082 EPP.008, "Maps & Overlays."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. 5pp. 43386:097-43386:101.

8711230346 Responds to NRC 870929 ltr re proposed change to physical security plan for facility.Corrected Pages A-8,A-9,A-11 & A-12 to Rev 12 to physical security plan encl Pages withheld (ref 10CFR73.21).
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/18. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 43419:060-43419:061.

8711300040 Requests approval of encl Rev 15 to modified amended security plan,clarifying vital equipment area,per DL Wigginton 870929 request.Fee paid.Rev withheld (ref 10CFR73.21(c)(2)).
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/25. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43473:053-43473:055.

P. Operating license stage documents & correspondence

8711020006 Notification of 871109 meeting w/util in Bethesda,MD to discuss testing requirements for new oil,periodic tank oil testing & oil tank cleaning.Meeting originally scheduled for 871103.
WIGGINTON,D.L. Project Directorate III-3. 87/10/19. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 2pp. 43240:311-43240:312.

8711020303 Forwards updated table of plant action items w/revised implementation dates.Requests correct TAC numbers for encl listed items to initiate cross-reference sys w/util.AEP:NRC numbers.Reg Guide 1.97 schedule will be updated.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/27. MURLEY,T.E. NRC - No Detailed Affiliation Given. 11pp. 43237:322-43237:332.

8711030034 Advises that util will be using Westinghouse variable timer design to initiate ATWS mitigation sys actuation circuitry for facility,per Generic Ltr 83-28 & util 870615 ltr.Foxboro Spec 200 Micro Control Card N2CCA-S will be used.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/28. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43260:215-43260:221.

8711030472 Application for amend to License DPR-74,extending interval to perform certain Tech Spec-required surveillances until Unit 2 refueling outage scheduled for 880610.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/28. MURLEY,T.E. NRC - No Detailed Affiliation Given. 17pp. 43251:144-43251:160.

--8711030476 Proposed Tech Specs extending time to perform certain Tech Spec-required surveillances until Unit 2 refueling outage scheduled for 880610.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/28. 20pp. 43251:161-43251:180.

8711030294 Requests temporary ASME Code relief from testing containment spray HXs be granted until next outage of sufficient duration,Apr 1988 for Unit 1 & May 1988 for Unit 2,to allow testing.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/10/29. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 43252:245-43252:246.

8711030430 Forwards request for addl info re Generic Ltr 83-28,Item 4.2.Parts 3 & 4 concerning description of preventative maint & surveillance program for ensuring reliable reactor trip breaker operation to clarify 870813 ltr.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 4pp. 43258:252-43258:255.

8711030535 Notifies that changes to Tech Specs re revised inservice insp & testing program,requested in util 860703 ltr,not being pursued.Decision taken subsequent to discussions between util & NRC.Request may be revised & resubmitted.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43280:283-43280:284.

8711050198 Summary of 871027 meeting w/util,Advanced Nuclear Fuels & Kraftwerk Union re proposed program to reduce T-hot & pressure of RCS.Meeting agenda,attendee list & viewgraphs encl.
WIGGINTON,D.L. Project Directorate III-3. 87/10/30. Project Directorate III-3. 48pp. 43301:022-43301:069.

8711090253 Application for amends to Licenses DPR-58 & DPR-74,revising Tech Specs to include radioactivity releases generated from incineration of contaminated waste oil in plant auxiliary boiler sys.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 6pp. 43320:302-43320:349.

--8711090260 Proposed Tech Specs,including radioactivity releases generated from incineration of contaminated waste oil in plant auxiliary boiler sys under radiological effluents section.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/02. 9pp. 43320:307-43320:349.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170240 Forwards response to 870313 Generic Ltr 87-06, "Periodic Verification of Leak Tight Integrity of Pressure Isolation Valves." Encl lists 46 pressure isolation valves in each unit which ensure integrity of low pressure sys in RCS.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. MURLEY,T.E. Document Control Branch (Document Control Desk). 30pp. 43383:326-43383:355.

8711240218 Advises that current milk sampling program does not literally comply w/ applicable Tech Specs.Tech Spec change to clarify sampling locations will be submitted by 880131.
SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/12. DAVIS,A.B. NRC - No Detailed Affiliation Given. 10pp. 43432:074-43432:083.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance.
LYNCH,D. Project Directorate III-3 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310.

8711190120 Forwards executive summary of investigation,results of investigation & conclusions re integrity of containment operating deck hatches.Hatches would not fail during accident or earthquake.Noted improvements to covers made.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/13. MURLEY,T.E. Document Control Branch (Document Control Desk). 41pp. 43397:101-43397:141.

8711250095 Forwards SER re util response to TMI Item II D.1, "Performance Testing of Relief & Safety Valve." Responses acceptable.
WIGGINTON,D.L. Project Directorate III-3. 87/11/17. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43448:336-43448:361.

--8711250166 SER re TMI Action Item II D.1, "Relief & Safety Valve Testing."
* NRC - No Detailed Affiliation Given. FIN A-6402. 87/11/17. 24pp. 43448:338-43448:361.

8711240229 Forwards response to 870709 Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Util relying on work done by Westinghouse Owners Group to provide analysis & guidance as to procedural adjustments & safety analysis.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. MURLEY,T.E. Document Control Branch (Document Control Desk). 27pp. 43431:250-43431:276.

8711300088 Requests code relief extension for testing certain valves in inservice testing program & as alternative,proposes to test valves during next refueling outage or during intervening outages of sufficient duration.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. MURLEY,T.E. NRC - No Detailed Affiliation Given. 3pp. 43470:122-43470:124.

8711300124 Forwards five oversize drawings,in response to NRC 871106 request,showing layout of spent fuel pool ventilation sys equipment in support of review of util 870528 Tech Spec change request.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/23. MURLEY,T.E. Document Control Branch (Document Control Desk). 5pp. 43467:161-43467:165.

O. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030535 Notifies that changes to Tech Specs re revised inservice insp & testing program,requested in util 860703 ltr,not being pursued.Decision taken subsequent to discussions between util & NRC.Request may be revised & resubmitted.
WIGGINTON,D.L. Project Directorate III-3. 87/10/29. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43280:283-43280:284.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130299 Advises that util has understanding that extension to test plant motor-operated valves,per IE Bulletin 85-003,effective until 1988 refueling occurs,per 871104 telcon.Refueling scheduled for approx May-June 1988.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/10. MURLEY,T.E. NRC - No Detailed Affiliation Given. 1p. 43357:297-43357:297.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300187 Responds to NRC 871007 ltr re violations noted in Insp Repts 50-315/87-22 & 50-316/87-22.Corrective actions:procedures controlling supplier placement on qualified suppliers list revised to define what acceptable QA program is.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/20. DAVIS,A.B. Document Control Branch (Document Control Desk). 12pp. 43467:223-43467:234.

8711250190 Responds to NRC 871023 ltr re violations noted in Insp Repts 50-315/87-02 & 50-316/87-02.Corrective actions:supervisory personnel reminded of need to ensure that personnel complied w/radiation work permits.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/23. DAVIS,A.B. NRC - No Detailed Affiliation Given. 8pp. 43460:013-43460:020.

S. Reportable occurrences, LERs & related correspondence

8711130095 LER 87-011-00:on 871002,Train A safety injection signal occurred.Caused by personnel error.Safety injection signal reset,plant returned to pre-event status & personnel reminded to reevaluate when work exceeds scope.W/871102 ltr.
BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/02. 4pp. 43354:339-43354:342.

8711100429 LER 87-013-00:on 871010,reactor tripped due to turbine trip. Caused by bistable setpoint being set too conservatively due to setpoint calculation error.Setpoint recalculated & bistable calibr to correct value.W/871105 ltr.
BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/05. 5pp. 43344:238-43344:242.

8711110149 LER 87-012-00:on 871008,reactor trip breakers opened.Caused by personnel error due to lack of attention.Individual involved counseled.W/871105 ltr.
BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/05. 4pp. 43346:023-43346:026.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711300237 Revised emergency plan implementing procedures,including Rev 2 to Emergency Response Plan Implementing Procedure ERPIP 4.1.3.4, "Core Damage Assessment Using Hydrogen" & Rev 10 to technical support ctr floor plan.
* Baltimore Gas & Electric Co. 87/11/04. 27pp. 43472:297-43472:326.

8711300186 Revised emergency response plan implementation procedures, consisting of Change 5 to Rev 0 to Attachment 1 of ERPIP 4.1.8.4, "Wide-Range Noble Gas Monitor Sample Purge" & Change 2 to Rev 0 to ERPIP 4.1.8.5, "Emergency..."
* Baltimore Gas & Electric Co. 87/11/11. 16pp. 43467:045-43467:062.

8711190231 Revised emergency plan implementing procedures,including Rev 9 to Change 3 to ERPIP 4.1.14, "Dosimetry" & Rev 10 to Change 3 to ERPIP 4.8.1, "Emergency Work Permits."
* Baltimore Gas & Electric Co. 87/11/12. 29pp. 43400:293-43400:322.

8711190299 Rev 12 to Emergency Response Plan Implementation Procedure ERPIP B.1,Chapter 8, "Controlled Area Medical Treatment Room."
* Baltimore Gas & Electric Co. 87/11/12. 33pp. 43402:206-43402:239.

P. Operating license stage documents & correspondence

8711040319 Forwards GC Steinel & ED Goslin,of Westinghouse,861117 ltr to JP McVicker of BG&E re broken weld on pole shaft assembly of Westinghouse Circuit Breaker DS 206,per 871021 telcon request.
JOHNSON,W.J. Westinghouse Electric Corp. 87/10/22. HOOD,D. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43291:042-43291:045.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--86080060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711090219 Addresses specific concerns raised during 871030 telcon w/JT Wiggins re operability of Auxiliary Feedwater Pump 12. Justification for pump operability,actions & commitments to improve reliability & chronology of testing described.
LEMONS,J.R. Baltimore Gas & Electric Co. 87/11/02. Document Control Branch (Document Control Desk). 5pp. 43322:341-43322:345.

8711120020 Forwards Amends 128 & 110 to Licenses DPR-53 & DPR-69, respectively & safety evaluation.Amends change surveillance interval for listed Tech Specs surveillance requirements generally performed during refueling to 24 months.
MCNEIL,S.A. Project Directorate I-1. 87/11/03. TIERNAN,J.A. Baltimore Gas & Electric Co. 6pp. 43348:115-43348:209.

--8711120021 Amends 128 & 110 to Licenses DPR-53 & DPR-69,respectively, changing surveillance interval for listed Tech Specs surveillance requirements generally performed during refueling to 24 months.
CAPRA,R.A. Project Directorate I-1. 87/11/03. 61pp. 43348:121-43348:181.

--8711120031 Safety evaluation supporting Amends 128 & 110 to Licenses DPR-53 & DPR-69,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/03. 36pp. 43348:182-43348:209.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711200117 Requests addl info re proposed inservice testing program for safety-related pumps & valves,described in util 870226 ltr. Discussion of request for addl info at proposed Dec 1987 or Jan 1988 util/NRC inservice testing conference recommended
MCNEIL,S.A. Project Directorate I-1. 87/11/13. TIERNAN,J.A. Baltimore Gas & Electric Co. 17pp. 43408:169-43408:175.

8711180159 Forwards rept on bounding conditions for C-E design plants to show core protection based on given type of reactor coolant pump maint & preliminary dose assessment assumptions for loss of RHR,in response to Generic Ltr 87-12.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 7pp. 43397:278-43397:284.

8711180139 Requests that util remit fee not included w/870930 application providing addl info to NRR re main steam piping flaw at plant.
DIGGS,R.M. License Fee Management Branch. 87/11/18. TIERNAN,J.A. Baltimore Gas & Electric Co. 1p. 43394:318-43394:318.

8711300116 Informs of intention to maintain current aperture card printing capability & install addl printers in future on as-needed basis.Util will continue to ensure that safety- related activities performed w/only controlled drawings.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:334-43467:335.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept." *
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130056 Responds to one unresolved item re maint & calibr of safety- related analog instruments noted in Insp Repts 50-317/87-12 & 50-318/87-13.Corrective actions:master calibr data sheets will be revised to address addl safety-related instruments.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43355:357-43355:358.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-106, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711230269 Forwards monthly operating repts for Oct 1987.Rev 1 to monthly operating rept for Sept 1987 for Unit 2,adding current year-to-date & cumulative figures,also encl.
LEMONS,J.R. Baltimore Gas & Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43419:161-43419:172.

--8711230272 Rev 1 to monthly operating rept for Sept 1987.
BEHNKE,C. Baltimore Gas & Electric Co. 87/09/30. 1p. 43419:162-43419:162.

--8711230276 Monthly operating repts for Oct 1987.
BEHNKE,C. Baltimore Gas & Electric Co. 87/10/31. 10pp. 43419:163-43419:172.

S. Reportable occurrences, LERs & related correspondence

8711090130 PNO-I-87-102,on 871105,licensee commenced shutdown as result of degraded conditions in both steam-driven auxiliary feedwater pumps.Duration of shutdown to restore both pumps to operable condition unknown.
TRIPP,L., WIGGINS,J. Region 1, Ofc of the Director. 87/11/05. 2pp. 43314:322-43314:323.

8711130235 LER 87-014-00,on 871016,containment air lock door seal functional test not performed within 72 h after use.Caused by administrative oversight.Appropriate employees will be counseled.W/871106 ltr.
GILBERT,J.E., LEMONS,J.R. Baltimore Gas & Electric Co. 87/11/06. 4pp. 43356:298-43356:301.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711300237 Revised emergency plan implementing procedures,including Rev 2 to Emergency Response Plan Implementing Procedure ERPIP 4.1.3.4, "Core Damage Assessment Using Hydrogen" & Rev 10 to technical support ctr floor plan
* Baltimore Gas & Electric Co. 87/11/04. 27pp. 43472:297-43472:325.

8711300186 Revised emergency response plan implementation procedures, consisting of Change 5 to Rev 0 to Attachment 1 of ERPIP 4.1.8.4, "Wide Range Noble Gas Monitor Sample Purge" & Change 2 to Rev 0 to ERPIP 4.1.8.5, "Emergency...."
* Baltimore Gas & Electric Co. 87/11/11. 16pp. 43467:045-43467:062.

8711190231 Revised emergency plan implementing procedures,including Rev 9 to Change 3 to ERPIP 4.1.14, "Dosimetry" & Rev 10 to Change 3 to ERPIP 4.8.1, "Emergency Work Permits."
* Baltimore Gas & Electric Co. 87/11/12. 29pp. 43400:293-43400:322.

8711190299 Rev 12 to Emergency Response Plan Implementation Procedure ERPIP 8.1,Chapter 8, "Controlled Area Medical Treatment Room."
* Baltimore Gas & Electric Co. 87/11/12. 33pp. 43402:206-43402:239.

P. Operating license stage documents & correspondence

8711040319 Forwards GC Steinel & ED Goslin,of Westinghouse,861117 ltr to JP McVicker of BG&E re broken weld on pole shaft assembly of Westinghouse Circuit Breaker OS 206,per 871021 telcon request.
JOHNSON,W.J. Westinghouse Electric Corp. 87/10/22. HOOD,D. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43291:042-43291:045.

8711030481 Grants authorization as requested per util 871031 submittals to use Code Case N-416 in lieu of performing hydrostatic pressure test on Steam Generator 22 bottom blowdown line for sys repair/replacement,per 10CFR50.55a(a)(3).
CAPRA,R.A. Project Directorate I-1. 87/10/31. TIERNAN,J.A. Baltimore Gas & Electric Co. 4pp. 43280:313-43280:316.

8711090202 Advises that replaced section of 2-inch inservice insp Class 2 piping,discussed in 871031 ltr,consists of second & third elbows interior of containment for Steam Generator 22 bottom blowdown line.
LARRAGOITE,L.S. Baltimore Gas & Electric Co. 87/10/31. Document Control Branch (Document Control Desk). 1p. 43323:001-43323:001.

8711090303 Requests permission to use ASME Boiler & Pressure Vessel Code Case N-416.Code Case will be applied to replacement section of 2-inch Inservice Insp Class 2 piping steam generator blowdown sys.
LIPPOLD,W.J. Baltimore Gas & Electric Co. 87/10/31. Document Control Branch (Document Control Desk). 4pp. 43320:357-43320:360.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711120020 Forwards Amends 128 & 110 to Licenses DPR-53 & DPR-69, respectively & safety evaluation.Amends change surveillance interval for listed Tech Specs surveillance requirements generally performed during refueling to 24 months.
MCNEIL,S.A. Project Directorate I-1. 87/11/03. TIERNAN,J.A. Baltimore Gas & Electric Co. 6pp. 43348:115-43348:209.

--8711120021 Amends 128 & 110 to Licenses DPR-53 & DPR-69,respectively, changing surveillance interval for listed Tech Specs surveillance requirements generally performed during refueling to 24 months.
CAPRA,R.A. Project Directorate I-1. 87/11/03. 61pp. 43348:121-43348:181.

--8711120031 Safety evaluation supporting Amends 128 & 110 to Licenses DPR-53 & DPR-69,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/03. 36pp. 43348:182-43348:209.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180066 Advises of typo discovered in Table 2 of 870813 rept of startup testing for Cycle 8.Measured zero power isothermal temp coefficient reported as +.020 x10-4 delta rho/F & should be corrected to +0.20 x 10-4 delta rho/F.
MIKALIAKE,J. Baltimore Gas & Electric Co. 87/11/10. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43386:111-43386:111.

8711200117 Requests addl info re proposed inservice testing program for safety-related pumps & valves,described in util 870226 ltr. Discussion of request for addl info at proposed Dec 1987 or Jan 1988 util/NRC inservice testing conference recommended. MCNEIL,S.A. Project Directorate I-1. 87/11/13. TIERNAN,J.A. Baltimore Gas & Electric Co. 17pp. 43408:159-43408:175

8711190159 Forwards repl on bounding conditions for C-E design plants to show core protection based on given type of reactor coolant pump maint & preliminary dose assessment assumptions for loss of RHR,in response to Generic Ltr 87-12.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 7pp. 43397:278-43397:284.

8711300116 Informs of intention to maintain current aperture card printing capability & install addl printers in future on as-needed basis.Util will continue to ensure that safety- related activities performed w/only controlled drawings.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:334-43467:335.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130056 Responds to one unresolved item re maint & calbr of safety- related analog instruments noted in Insp Repts 50-317/87-12 & 50-318/87-13.Corrective actions:master calbr data sheets will be revised to address addl safety-related instruments.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43355:357-43355:358.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711230269 Forwards monthly operating repts for Oct 1987.Rev 1 to monthly operating rept for Sept 1987 for Unit 2,adding current year-to-date & cumulative figures,also encl.
LEMONS,J.R. Baltimore Gas & Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43419:161-43419:172.

-8711230272 Rev 1 to monthly operating rept for Sept 1987.
BEHNKE,C. Baltimore Gas & Electric Co. 87/09/30. 1p. 43419:162-43419:162.

-8711230276 Monthly operating repts for Oct 1987.
BEHNKE,C. Baltimore Gas & Electric Co. 87/10/31. 10pp. 43419:163-43419:172.

S. Reportable occurrences, LERs & related correspondence

8711160162 LER 87-007-00,on 871012,unplanned actuation of auxiliary feedwater actuation sys (AFAS) experienced.Caused by simultaneous deenergization of two AFAS sensor cabinets. New labels made to inform of cabinet locations.W/871111 ltr.
MIRANDA,A., LEMONS,J.R. Baltimore Gas & Electric Co. 87/11/11. 4pp. 43368:257-43368:260.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711130127 Vols 1 & 2 of "1987 TMI Annual Exercise Scenario."
* General Public Utilities Corp. - GPU Service Corp. 87/10/19. 600pp. 43352:074-43354:027.

8711040325 Page 10 to "Distribution List,Unit 2 Procedures,(Sorted by Distribution Point)."
* General Public Utilities Corp. - GPU Service Corp. 87/10/21. 2pp. 43291:049-43291:050.

8711020302 Temporary Change Notice 6420-1300-87-385 to Rev 1 to Emergency Preparedness Administrative Procedure 6420-ADM-1300.02, "Emergency Equipment Readiness."
WHITEHEAD,J.L. General Public Utilities Corp. - GPU Service Corp. 87/10/22. 42pp. 43237:228-43237:269.

8711040223 Forwards Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0811-14 & notice of violation.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/28. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43291:012-43291:023.

-8711040224 Notice of violation from Insp on 870720-24.Violation noted: util failed to submit to NRC Revs 1-04 & 1-03 to plant emergency plan.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43291:014-43291:014.

-8711040225 Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0812-14.Violations noted:Major areas inspected:changes to emergency plan & procedures,readiness of emergency response facilities & shift staffing & augmentation.
AMATO,C.G. Region 1, Ofc of the Director. 87/10/20. 9pp. 43291:015-43291:023.

8711090122 Forwards Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/03. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43323:002-43323:010.

-8711090131 Partially withheld Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14 (ref 10CFR73.21 & 2.790(a)).No noncompliance noted.Major areas inspected:security plan & implementing procedures & security organization & audits.
SMITH,G.C., KEIMIG,R.R. Region 1, Ofc of the Director. 87/10/19. 7pp. 43323:004-43323:010.

8711130012 Forwards Rev 24A to plant physical security plan re miscellaneous amends & search requirements,per NRC comments on util 861202 submittal.W/o encl.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43350:170-43350:170.

8711160205 Rev 2 to TMI-2 Emergency Preparedness Administrative Procedure 6420-ADM-1300.02, "Emergency Equipment Readiness."
TURNER,D.W., FRANK,F., HOLMES,R.O. General Public Utilities Corp. - GPU Service Corp. 87/11/09. 39pp. 43369:061-43369:100.

8711190132 Rev 1 to Emergency Plan Implementing Procedure 6415-IMP-1300.09, "In-Plant Radiological Controls During Emergencies," cancelling Temporary Change Notice 640-1300-87-385.
MARSHALL,W.J., BROWN,N.H., POTTS,W.E. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 12pp. 43400:235-43400:246.

8711230111 Rev 1 to Emergency Plan Implementing Procedure 6415-IMP-1300.09, "In-Plant Radiological Controls During Emergencies," updating Page 2 of Index.
MARSHALL,W.J., BROWN,N.H., POTTS,W.E. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 12pp. 43418:340-43418:351.

8711250076 Forwards Rev 2 to "TMI-2 Fire Protection Program Evaluation," reflecting mods consistent w/current unique shutdown condition.Proposed rev to Tech Specs will be submitted separately.Fee paid.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43456:188-43457:027.

-8711250081 Rev 2 to "TMI-2 Fire Protection Program Evaluation."
BARTH,R.P., LAWTON,J.D., O'CONNOR,T.A. General Public Utilities Corp. - GPU Service Corp. 87/11/12. 200pp. 43456:190-43457:027.

G. Adjudicatory correspondence

8711110064 Order (scheduling special prehearing conference).* Conference held in order to permit identification of key issues in proceeding & to consider intervention petitions to determine parties to proceeding.Served on 871105.
WOLFE,S.J., BRIGHT,G.O., PARIS,O.H. Atomic Safety and Licensing Board Panel. #487 4760. 87/11/03. 3pp. 43332:348-43332:350.

8711170044 Forwards joint motion for approval of settlement agreement & for termination of proceeding,per discussions between util & NRC in response to 871002 order.Svc list encl.
HICKEY,J.P. General Public Utilities Corp. - GPU Service Corp. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. #487 4810. 87/11/06. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 43367:012-43367:018.

-8711170054 Joint motion for approval of settlement agreement & for termination of proceeding.* Termination of proceeding should be granted.
JOHNSON,G.E. Assistant General Counsel for Hearings. HICKEY,J.P. General Public Utilities Corp. - GPU Service Corp. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 87/11/05. Atomic Safety and Licensing Board Panel. 1p. 43367:014-43367:014.

-8711170059 Settlement agreement.* Settlement will constitute bar to any future NRC proceeding or action involving same claims & allegations raised in NRC 850812 notice of violation.
JOHNSON,G.E. Assistant General Counsel for Hearings. HICKEY,J.P. General Public Utilities Corp. - GPU Service Corp. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 87/11/05. 4pp. 43367:015-43367:018.

8711190029 Memorandum & order (approving settlement agreement & terminating proceeding).* Proceeding terminated,per approval of encl 871105 agreement between NRC & GPU,settling Enforcement Action EA-84-137.Served on 871116.
SMITH,I.W. Atomic Safety and Licensing Board Panel. #487 4857. 87/11/12. Office of the General Counsel. 4pp. 43392:257-43392:260.

8711190030 Licensee response to suppl to petition for leave to intervene by Susquehanna Valley Alliance & TMI Alert.* Petition for hearing should be denied.Supporting documentation & Certificate of Svc encl.
BAXTER,T.A. General Public Utilities Corp. - GPU Service Corp. BAXTER,T.A. Shaw, Pittman, Potts & Trowbridge. #487 4858. 87/11/12. Atomic Safety and Licensing Board Panel. 61pp. 43392:196-43392:256.

8711240040 NRC Staff response to proposed contentions of Susquehanna Valley Alliance & TMI Alert.* Contentions 2 & 6 should be admitted as issues in proceeding.Contentions 1,3,4,5,7 & 8 should be rejected.W/Certificate of Svc.
LEWIS,S.H. Assistant General Counsel for Hearings. #487 4878. 87/11/16. Atomic Safety and Licensing Board Panel. 11pp. 43423:180-43423:190.

P. Operating license stage documents & correspondence

8711040199 Forwards application for amend to License DPR-73,consisting of revised Tech Spec Change Request 53 & Recovery Operations Plan Change Request 38,incorporating responses to five of six comments from NRC 870925 ltr.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/10/26. Document Control Branch (Document Control Desk). 2pp. 43289:206-43289:355.

--8711040370 Revised application for amend to License DPR-73,consisting of Tech Spec Change Request 53 & Recovery Operations Plan Change Request 38,incorporating responses to five of six comments in NRC 870925 ltr.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/10/26. 17pp. 43289:208-43289:224.

--8711040211 Proposed Tech Specs,incorporating five of six responses to NRC 870925 comments.
* General Public Utilities Corp. - GPU Service Corp. 87/10/26. 131pp. 43289:225-43289:355.

8711030050 Responds to util 871006 ltr requesting Commission ensurance that NRC will provide necessary staff resources to support both adjudicatory proceeding re disposal of accident- generated water & review & oversight of cleanup program.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. KINTNER,E.E. General Public Utilities Corp. - GPU Service Corp. 5pp. 43264:273-43264:277.

8711100294 Application for amend to License DPR-73,authorizing use of reactor bldg polar crane auxiliary hook for defueling related activities.Fee paid.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43334:357-43334:358.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160009 Forwards responses to NRC 870902 Comments 1,3,4,8,9,14,17 & 18 re environ evaluation for post-defueling monitored storage.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/05. Document Control Branch (Document Control Desk). 5pp. 43364:187-43364:191.

8711160016 Submits addl info re util proposal to place facility into post-defueling monitoring storage & listing of major employers within area.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/05. TRAVERS,W.D. TMI-2 Cleanup Project Directorate. 5pp. 43364:236-43364:240.

8711160146 Forwards revised application for amend to License DPR-73, consisting of Rev 2 to Tech Spec Change Request 53, incorporating responses to NRC Comment 6 & replaces relevant Tech Spec pages previously submitted.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43364:320-43364:321.

--8711160152 Revised application for amend to License DPR-73,consisting of Rev 2 to Tech Spec Change Request 53 incorporating responses to NRC Comment 6 & replacing relevant Tech Spec pages previously submitted.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/09. 4pp. 43364:322-43364:325.

--8711160155 Proposed Tech Specs consisting of Rev 2 to Tech Spec Change Request 53,incorporating responses to NRC Comment 6 & replacing relevant Tech Spec pages previously submitted.
* General Public Utilities Corp. - GPU Service Corp. 87/11/09. 6pp. 43364:326-43364:331.

8711250115 Discusses util 871104 proposal to use polar crane auxiliary hook for defueling.Concludes that proposed use of crane auxiliary hoist can be implemented w/o significant risk to health & safety of public.Proposal approved.W/svc list.
TRAVERS,W.D. TMI-2 Cleanup Project Directorate. 87/11/16. STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 3pp. 43462:288-43462:290.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030110 Responds to NRC 870921 ltr re violations noted in Insp Rept 50-320/87-09.Corrective actions:area of spill roped off, surveyed & decontaminated to level adequate to continue work & contractor personnel involved in event counseled.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/10/20. RUSSELL,W.T. Region 1, Ofc of the Director. 4pp. 43260:166-43260:169.

8711040223 Forwards Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0811-14 & notice of violation.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/28. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43291:012-43291:023.

--8711040224 Notice of violation from insp on 870720-24.Violation noted: util failed to submit to NRC Revs 1-04 & 1-03 to plant emergency plan.
* Region 1, Ofc of the Director. 87/10/28. 1p. 43291:014-43291:014.

--8711040225 Insp Repts 50-289/87-14 & 50-320/87-06 on 870720-24 & 0812-14.Violations noted.Major areas inspected:changes to emergency plan & procedures,readiness of emergency response facilities & shift staffing & augmentation.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/10/20. 9pp. 43291:016-43291:023.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711090122 Forwards Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/03. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 43323:002-43323:010.

--8711090131 Partially withheld Safeguards Insp Repts 50-289/87-15 & 50-320/87-11 on 870810-14 (ref 10CFR73.21 & 2.790(a)).No noncompliance noted.Major areas inspected:security plan & implementing procedures & security organization & audits.
SMITH,G.C., LANCASTER,W., MADDEN,T. Region 1, Ofc of the Director. 87/10/19. 7pp. 43323:004-43323:010.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711050231 "Nuclear Safety & Compliance Committee Semiannual Rept 7 for Apr-Sept 1987." W/871102 ltr.
LANEY,R.V., HUMPHREYS,L.L., WITZIG,W.F. General Public Utilities Corp. - GPU Service Corp. 87/09/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 43292:040-43292:057.

8711020208 Submits TMI-2 Cleanup Project Directorate status rept for 870928-1025 period.
TRAVERS,W.D. TMI-2 Cleanup Project Directorate. 87/10/26. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). SCHROEDER,F. Assistant Director for Region IV Reactors & Special Projects. 4pp. 43239:217-43239:220.

S. Reportable occurrences, LERs & related correspondence

8711100498 LER 87-010-00:on 870715,mod to EPICOR II ventilation sys radiation monitor resulted in sample flowrate monitor being changed.Caused by personnel error.Personnel counseled & surveillance procedures being reviewed.W/871104 ltr.
WELLS,R.D., STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 87/11/04. 6pp. 43335:295-43335:300.

8711190133 PNO-TMI-87-004:on 871026,improperly solidified shipment of Class B waste identified.Waste transported to Barnwell disposal site from facility.Corrective actions to be submitted to state no later than 871125.
COLLINS,D., MOSLAK,T., TRAVERS,W. Region 1, Ofc of the Director. 87/11/12. 1p. 43397:091-43397:091.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8005080081 Forwards request for addl info re safeguards contingency plan.Request for addl info withheld (ref 10CFR2.790).
IPPOLITO,T.A. Operating Reactors Branch 3 (Pre 800428). 80/04/15. WHITMER,C.F. Georgia Power Co. 2pp. 43355:001-43365:002.

8711300239 "Emergency Preparedness Dress Rehearsal Exercise,Sept 8,1983 for Edwin I.Hatch Nuclear Plant."
* Georgia Power Co. 83/09/08. 425pp. 43465:134-43466:280.

8711130180 Ack receipt of 871021 scenario/controller package for plant exercise scheduled for 871208.Annual exercise will be observed to assist in evaluation of capability of emergency response facilities to support emergency matters.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/29. O'REILLY,J.P. Georgia Power Co. 1p. 43355:208-43355:208.

8711090037 Advises that facility annual emergency preparedness exercise will be conducted on 881109.
GUCWA,L.T. Georgia Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:067-43315:068.

8711190178 Ack receipt of 871002 response to 870902 notice of violation re violations noted in Insp Repts 50-321/87-18 & 50-366/87-18.NRC concludes that Violation A (87-18-05) appropriately classified as Severity Level IV.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Power Co. 2pp. 43400:146-43400:147.

8711160189 Rev 0 to Emergency Implementing Procedure 63EP-EIP-069-OS, "Security Alert - Security Force," canceling & replacing procedure w/33SS-SEC-044-5S & 33SS-SEC-045-5S.W/871113 ltr.
GUCWA,L.T. Georgia Power Co. 87/11/13. 3pp. 43366:233-43366:235.

8711200345 Forwards Insp Repts 50-321/87-28 & 50-366/87-28 on 871026-30.No violations or deviations identified.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Power Co. 2pp. 43413:119-43413:121.

--8711200351 Partially withheld Physical Security Insp Repts 50-321/87-28 50-366/87-28 on 871026-30 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected:security organization,testing & maint & physical barriers.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/10. 1p. 43413:121-43413:121.

8711250214 Forwards proprietary amend to physical security plan revising previously submitted provisions for temporary unescorted access of outage personnel to protected vital areas.Encl withheld (ref 10CFR2.790 & 73.21).
GUCWA,L.T. Georgia Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43460:281-43460:282.

P. Operating license stage documents & correspondence

8207160399 Requests review of existing Tech Specs for containment purge & venting against encl sample.Changes needed within 60 days of receipt of ltr.
STOLZ,J.F. Operating Reactors Branch 4. 82/07/07. BECKHAM,J.T. Georgia Power Co. 14pp. 13888:006-13888:034.

8711020431 Trip rept of 821129 & 30 visits to Wyle Lab re review of set pressure testing of Target Rock safety/relief valves List of attendees,agenda & viewgraphs encl.
HAMMER,C.G. Mechanical Engineering Branch. 82/12/09. CHERNY,F.C. Mechanical Engineering Branch. 11pp. 43239:305-43239:316.

8610280555 Concurs w/NRC 860918 suggestion that util consider withdrawing 770830 proposed changes to Tech Specs re spent fuel cask handling.Cask handling will be addressed under Tech Spec improvement program.
GUCWA,L.T. Georgia Power Co. 86/10/20. MULLER,D. BWR Project Directorate 2. 1p. 38380:160-38380:160.

8704060264 Forwards safety evaluation & Franklin Research Ctr Rept TER-C5506-328, "Structural Evaluation of Vacuum Breakers (Mark I Containment Program)," per util 830609 & 860313 responses to Generic Ltr 83-08
RIVENBARK,G.W. BWR Project Directorate 2. 87/04/01. O'REILLY,J.P. Georgia Power Co. 3pp. 43239:226-43239:253.

--8711020236 Safety evaluation re analytical method used by licensee to evaluate critical stresses re Mark I containment program vacuum breakers adequate.Max stress in breakers less than 30% of code allowable.Existing design structually adequate.
* Office of Nuclear Reactor Regulation, Director (851125-870411). 87/04/01. 2pp. 43239:229-43239:253.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130276 Forwards revised Tech Spec pages to Amends 144 & 145 to License DPR-57 & Amend 80 to License NPF-5.Changes effective as of ltr date & will be implemented within 60 days of issuance.
CROCKER,L.P. Project Directorate II-3. 87/11/06. O'REILLY,J.P. Georgia Power Co. 3pp. 43356:029-43356:036.

--8711130282 Errata to Amends 144 & 145 to License DPR-57 & Amend 80 to License NPF-5,revising Tech Spec pages.
* Project Directorate II-3. 87/11/06. 5pp. 43356:032-43356:036.

8711160108 Forwards updated listing of items of correspondence w/NRC requiring written response,including items ready for closure & prioritization of six most outstanding submittals in terms of value to util.
GUCWA,L.T. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 6pp. 43369:011-43369:016.

8711200018 Forwards summary of NRC 871021-22 meetings w/util at plant site re questions raised during NRC preliminary review of proposed inservice testing program.Encl identifies NRC questions & comments & util responses.
CROCKER,L.P. Project Directorate II-3. 87/11/12. O'REILLY,J.P. Georgia Power Co. 44pp. 43406:347-43407:029.

Q. Inspection reports, IE Bulletins & correspondence

8711060215 Advises that submittal of second 40 month insp period plan rescheduled to 780801.Submittal date changed from 780601 due to unanticipated demand on available engineering manpower.
WHITMER,C.F. Georgia Power Co. 78/03/29. Office of Nuclear Reactor Regulation, Director. 2pp. 43350:001-43350:002.

8012170482 IE Bulletin 80-25, "Operating Problems W/*Target Rock Safety- Relief* Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(8502[illegible] *870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:20[illegible] 43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gaugos: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060280 Forwards response to 871008 ltr transmitting notice of violation from Ins Repts 50-321/87-22 & 50-366/87-22 on 870831-0904.Violation re inadequate spec f pressure switch denied.
GUCWA,L.T. Georgia Power Co. 87/10/30. Document Control Branch (Docume Control Desk). 5pp. 43303.090-43303:094.

8711130064 *Ack receipt of 871013 ltr informing NRC of steps taken to correct violation* noted in Insp Repts 50-321/87-21 & 50-366/87-21.Response meets requirements 10CFR2.201.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/03. O'REILLY,J.P. Georg Power Co. 1p. 43354:218-43354:218.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/0 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Duo Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/0 *Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.*

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/0 Consolidated Edison Co. of New York, Inc 116pp. 43397:142-43397:257.

8711190178 Ack receipt of 871002 response to 870902 notice of violation re violation noted in Insp Repts 50-321/87-18 & 50-366/87-18.NRC concludes that Violation (87-18-05) appropriately classified as Severity Level IV.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Pow Co. 2pp. 43400:146-43400:147.

8711190234 Ack receipt of 871030 ltr informing NRC of steps taken to correct violation *noted in Insp Repts 50-321/87-23 & 50-366/87-23.*
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/12. O'REILLY,J.P. Georg Power Co. 1p. 43400:329-43400:329.

8711200345 Forwards Insp Repts 50-321/87-28 & 50-366/87-28 on 871026-30.No vi lations or deviations identified.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Pow Co. 2pp. 43413:119-43413:121.

--8711200351 Partially withheld Physical Security Insp Repts 50-321/87-28 50-366/8 28 on 871026-30 (ref 10CFR2.790 & 73.21).No violations noted.Major are inspected:security organization,testing & maint & physical barriers.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/10. 1p. 43413:12 43413:121.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/1 Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/1 Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711230210 Forwards Insp Repts 50-321/87-27 & 50-366/87-27 on 871026-30 & notic of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. O'REILLY,J.P. Georgia Pow Co. 2pp. 43444:093-43444:111.

--8711230238 Notice of violation from insp on 871026-30.Violations noted: failure take suitable measurements to detect & evaluate airborne radioactivity hazards & fa ure to maintain control & account for SNM.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. 3pp. 43444:095-43444:09

--8711230253 Insp Repts 50-321/87-27 & 50-366/87-27 on 871026-30. Violation noted:Major areas inspected:radiation protection activities,organization & mg controls,training & qualifications & internal exposure control.
KUZO,G.B., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/18. 14pp. 43444:098 43444:111.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/1 Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160074 Monthly operating repts for Oct 1987.W/871106 ltr.
RICHARDSON,J.H., GUCWA,L.T. Georgia Power Co. 87/10/31. 13pp. 43365:027 43365:039.

S. Reportable occurrences, LERs & related correspondence

8711090268 *LER 86-043-01:On 861122,reactor scram occurred.Caused by failure o* thrust bearing scoop tube positioner due to normal wear.Circulation speed control checked.Bearing replaced & equipment calibr.W/871104 ltr.
BAKER,R.D., GUCWA,L.T. Georgia Power Co. 87/11/04. 7pp. 43313:226-43313:232

8711170233 LER 87-017-00:on 871008,plant operations personnel noticed water dripping from standby gas treatment sys (SGTS) filter train B drain.Caused by personnel errors.Carbon filter medium replaced & SGTS returned to operation.W/871109 ltr.
BAKER,R.D., GUCWA,L.T. Georgia Power Co. 87/11/09. 17pp. 43383:309-43383:325.

V. Operator Examinations

8711190171 Advises util that encl ref matl must be furnished by 871104 in order to meet written & oral reactor operator & senior operator licensing exams scheduled for wk of 880208.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. O'REILLY,J.P. Georgia Power Co. 10pp. 43400:209-43400:218.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8711170047 Staff requirements memo re Commission 871105 affirmation/ discussion & vote in Washington,DC on SECY-87-217 concerning review of ALAB-832 emergency planning issues.
CHILK,S.J. Office of the Secretary of the Commission. 87/11/12. PARLER,W.C. Office of the General Counsel. 1p. 43373:067-43373:067.

8711240056 Ack receipt of 870901 response to NRC 870804 ltr re violations noted in Insp Rept 50-322/87-08.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. LEONARD,J.D. Long Island Lighting Co. 5pp. 43430:277-43430:281.

--8711240066 Forwards proprietary response to violations noted in 870804 transmittal of Insp Rept 50-322/87-08.Encl withheld.
LEONARD,J.D. Long Island Lighting Co. 87/09/01. RUSSELL,W. Region 1, Ofc of the Director. 1p. 43430:281-43430:281.

G. Adjudicatory correspondence

8711040096 Motion for extension of time.* NRC Staff requests extension of time until 871106 to provide response to Licensing Board 871008 memo to parties re util request for approval to operate facility at 25% power.Certificate of Svc encl.
JOHNSON,G.E. Assistant General Counsel for Hearings. #487 4705. 87/10/26. Atomic Safety and Licensing Board Panel. 4pp. 43255:074-43255:077.

8711040081 Order.* Staff unopposed motion to extend time to respond to Board 871006 memorandum to parties on 25% power authorization granted.Served on 871029.
MARGULIES,M.B. Atomic Safety and Licensing Board Panel. #487 4697. 87/10/27. Office of the General Counsel. 1p. 43254:321-43254:321.

8711040117 Memorandum & order (ruling on applicant motion of 871005 for reconsideration & other relief).* Board denies util motion & alternative request to refer denial to Commission but grants expedited consideration of motion.Served on 871030.
MARGULIES,M.B., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. #487 4717. 87/10/29. Long Island Lighting Co. 21pp. 43254:210-43254:230.

8711040059 Order.* Motion requesting that date for filing briefs on issues in CLI-86-13 be extended until 871109 denied.Parties directed to suppl briefs filed on 871030.Served on 871102.
MARGULIES,M.B. Atomic Safety and Licensing Board Panel. #487 4724. 87/10/30. Office of the General Counsel. 2pp. 43254:312-43254:313.

8711040067 Motion for extension of time.* Requests that ASLB modify 871008 order to require briefings from parties on 871109 & replies on 871116.Certificate of Svc encl.
MCCLESKEY,J.N. Long Island Lighting Co. MCCLESKEY,J.N. Hunton & Williams. #487 4722. 87/10/30. Atomic Safety and Licensing Board Panel. 3pp. 43255:001-43255:003.

8711040084 NRC Staff response to Board memorandum requesting views of parties on matters to be decided on realism remand.* Board should adopt proposed schedule for prehearing & hearing phases of proceeding.Certificate of Svc encl.
JOHNSON,G.E. Assistant General Counsel for Hearings. #487 4723. 87/10/30. Atomic Safety and Licensing Board Panel. 19pp. 43254:327-43254:345.

8711040088 Suffolk County,State of NY & town of Southampton response to Boards memorandum to parties of 871008.* Responses address ASLB request that parties present views on matters to be heard & decided in proceeding.Certificate of Svc encl.
MCMURRAY,C.M. Suffolk County, NY. MCMURRAY,C.M. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #487 4725. 87/10/30. Atomic Safety and Licensing Board Panel. 17pp. 43255:024-43255:040.

8711040110 LILCO views on issues & schedule in realism remand.* Pleading does not take into account new amend to 10CFR50.47. LILCO will address effect of new rule in reply due on 871109.W/Certificate of Svc.
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hunton & Williams. #487 4721. 87/10/30. Atomic Safety and Licensing Board Panel. 20pp. 43254:139-43254:158.

8711110061 Forwards Sense 120 memorializing resolution requesting NRC to disclose documents in connection w/Shoreham evacuation, approved by majority vote on 871027 by Suffolk County Legislature.Served on 871105.
TAIBBI,E. Suffolk County, NY. #487 4761. 87/11/02. NRC - No Detailed Affiliation Given. 2pp. 43332:235-43332:236.

8711240048 Informs that public authorities in State of NY have not undertaken planning process re emergency evacuation & relief efforts in which Red Cross can participate.Removal of ref to Red Cross from util plan requested.Served on 871120.
OBERSTEBRINK,W. American Red Cross Nassau County Chapter, Mineola, NY. #487 4875. 87/11/02. DAVERIO,C.A. Long Island Lighting Co. 2pp. 43423:088-43423:089.

8711110040 Corrected order.* Board 871030 order should be corrected to show that time for notifying Board of dates agreed upon by parties for filing briefs changed from 871111 to 871109. Served on 871106.
MARGULIES,M.B. Atomic Safety and Licensing Board Panel. #487 4770. 87/11/05. 1p. 43332:170-43332:170.

8711110092 Memorandum & Order.* Appeal Boards decision in ALAB-832 admitting to Contentions 22.B & 22.C for hearing reversed & uphold decision that proceeding must be remanded licensing board for consideration of evacuation plan.Served on 871106.
CHILK,S.J. Office of the Secretary of the Commission. #487 4769. 87/11/05. 23pp. 43350:029-43350:052.

8711110070 NRC Staff response to Board memorandum requesting parties views on questions raised by LILCO 25% power authorization motion.* Board should direct that any proceeding go forward in accordance w/outlined procedures.W/Certificate of Svc.
JOHNSON,G.E. Assistant General Counsel for Hearings. #487 4787. 87/11/06. Atomic Safety and Licensing Board Panel. 22pp. 43332:259-43332:280.

8711110077 Views of Suffolk County,State of NY & town of Southampton in response to Licensing Board 871006 memorandum concerning LILCO request to operate at 25% power.* Certificate of Svc encl.
LETSCHE,K.J. Suffolk County, NY. LETSCHE,K.J. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #487 4795. 87/11/06. Atomic Safety and Licensing Board Panel. 22pp. 43332:281-43332:302.

8711110087 LILCO brief on 25% power questions.* Motion to operate at 25% power complete under 10CFR50.57(c).Ample grounds exist for granting motion & separate Licensing Board can productively consider motion.Certificate of Svc encl.
ZEUGIN,L.B. Long Island Lighting Co. #487 4793. 87/11/06. Atomic Safety and Licensing Board Panel. 18pp. 43332:351-43333:008.

8711110090 Lilco motion for summary disposition of WALK radio issue.* WPLR-FM agreed to replace WALK as trigger station in util emergency broadcast sys,therefore no litigable issue exists. Statements of matl fact & two oversize maps encl.
MATCHETT,S.D. Long Island Lighting Co. #487 4791. 87/11/06. Atomic Safety and Licensing Board Panel. 96pp. 43345:103-43345:201.

--8711110095 Affidavit of DM Crocker in support of LILCO motion for summary disposition of WALK radio issue.* Structure of util emergency broadcasting sys described.
CROCKER,D.M. Long Island Lighting Co. 87/11/06. 3pp. 43345:202-43345:204.

--8711110105 Affidavit of RE Dippell,in support of LILCO motion for summary disposition of reopened WALK radio issue.* Studies re coverage area of radio stations participating in util emergency broadcasting sys,discussed.
DIPPELL,R.E. Cohen & Dippell, P.C. 87/10/28. 2pp. 43345:205-43345:206.

--8711110111 Affidavit of WG Johnson in support of LILCO motion for summary disposition of WALK radio issue.* Results of survey of radio ownership within EPZ,discussed.Certificate of Svc encl.
JOHNSON,W.G. Campaign Research, Inc. 87/10/27. 4pp. 43345:207-43345:210.

8711110094 Memorandum & order (ruling on applicant motion for summary disposition of Contention 92).* Applicant motion granted since no genuine issue as to any matl fact exists.Served on 871109.
MARGULIES,M.B., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. #487 4794. 87/11/06. Long Island Lighting Co. 17pp. 43332:331-43332:347.

8711170046 Proposed joint briefing schedule on realism issues pursuant to ASLB 871030 order.* Mod of original directive requiring filing of responses to 871030 briefs by 871109 requested. Certificate of Svc encl.
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hunton & Williams. #487 4812. 87/11/06. 4pp. 43367:008-43367:011.

8711170027 Advises ASLBP,per 10CFR2.704(b),of decision to withdraw as Chairman of ASLB hearing emergency planning issues re plant due to personal health considerations.Served on 871110.
MARGULIES,M.B. Atomic Safety and Licensing Board Panel. #487 4807. 87/11/09. COTTER,B.P. Atomic Safety and Licensing Board Panel. 1p. 43367:023-43367:023.

8711170035 Order.* Schedule for filing briefs re Commission 871029 rule on CLI-86-13 remand proceeding re emergency planning detailed.Served on 871110.
MARGULIES,M.B. Atomic Safety and Licensing Board Panel. #487 4811. 87/11/09. 1p. 43367:022-43367:022.

8711170019 Suffolk County,State of NY & town of Southampton motion for summary rejection of summary disposition motion & for expedited consideration.* ASLB should take control of remand portion of proceeding.Certificate of Svc encl.
MCMURRAY,C.M. Suffolk County, NY. MCMURRAY,C.M. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #487 4821. 87/11/12. Atomic Safety and Licensing Board Panel. 16pp. 43368:168-43368:173.

8711170025 Requests that all parties in proceeding be solicited for views on selection of new ASLB chairman to replace Judge Margulies.Reasons for particular selection also requested.
BROWN,H.H. Suffolk County, NY. BROWN,H.H. Southampton, NY. BROWN,H.H. New York, State of. #487 4817. 87/11/12. COTTER,B.P. Atomic Safety and Licensing Board Panel. 2pp. 43367:006-43367:007.

8711240006 Submits town of Southampton Board resolution to support State of NY & Suffolk County legal action contesting NRC rule re participation in evacuation plans,per 871110 meeting.Served on 871119.
THOMMEN,K.H. Southampton, NY. #487 4876. 87/11/12. NRC - No Detailed Affiliation Given. 1p. 43423:198-43423:198.

8711170023 NRC Staff response to LILCO motion for summary disposition of Contention 25.C ("role conflict" of school bus drivers).* LILCO motion for summary disposition should be granted.W/ Certificate of Svc.
JOHNSON,G.E. Assistant General Counsel for Hearings. #487 4822. 87/11/13. Atomic Safety and Licensing Board Panel. 9pp. 43368:139-43368:147.

8711190003 Advises that Judge JP Gleason appointed as chairman in plant proceedings which Judge Margulies presided,in response to 871112 ltr.Served on 871116.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4845. 87/11/13. BROWN,H.H. Kirkpatrick & Lockhart. 1p. 43392:098-43392:098.

8711190013 Answer of Suffolk County,State of NY & town of Southampton to LILCO motion for summary disposition of Contention 25.C ("Role Conflict" of school bus drivers).* Util summary should be rejected.Statement of matl facts encl.
MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #487 4838. 87/11/13. Atomic Safety and Licensing Board Panel. 55pp. 43392:022-43392:093.

LETSCHE,K.J. Suffolk County, NY. LETSCHE,K.J. Kirkpatrick & Lockhart. 87/11/13. 9pp. 43392:085-43392:093

8711190019 *Notice of reconstitution of Board.* JP Gleason,chairman. JR Kline and FJ Shon,judges Served on 871116.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4844. 87/11/13. 2pp. 43392:326-43392:327.

8711190023 Order.* Suspension of new filings by any party for period of 30 days ordered by ASLB to provide new Chairman adequate opportunity to review record of *case Suspension will end on 871215* Served on 871117.
GLEASON,J.P. Atomic Safety and Licensing Board Panel. #487 4846. 87/11/16. Office of the General Counsel. 1p. 43392:285-43392:285.

8711190043 Order.* Intervenors 871112 request to toll time for responding to LILCO 871106 motion for summary disposition of WALK radio issue denied based on request lacking basis. Served on 871117.
GLEASON,J.P. Atomic Safety and Licensing Board Panel. #487 4841. 87/11/16. Suffolk County, NY. 2pp. 43392:133-43392:134.

8711240013 Reply of Suffolk County,State of NY & town of Southhampton to LILCO brief on 25% power questions.* Util motion blantantly disregards NRC substantive & procedural requirements & should be denied.Certificate of Svc encl.
LETSCHE,K.J. Suffolk County, NY. PALOMINO,F.G. New York, State of. LATHAM,S.B. South Hampton, NH. #487 4680. 87/11/16. Atomic Safety and Licensing Board Panel. 18pp. 43424:007-43424:024.

8711240023 LILCO reply brief on 25% power questions.* Intervenors & NRC responses do not materially advance ASLB analysis of LILCO motion to increase plant power due to insufficient challenges.Certificate of Svc encl.
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hunton & Williams. #487 4879. 87/11/16. Atomic Safety and Licensing Board Panel. 16pp. 43423:113-43423:128.

8711190060 Brief of Suffolk County,State of NY & town of Southampton on effect of Commission 871029 rule on CLI-86-13 remand proceeding.* Brief supplements 871030 response to Board 871008 memorandum to parties.W/Certificate of Svc.
MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #487 4839. 87/11/17. Atomic Safety and Licensing Board Panel. 12pp. 43393:303-43393:314.

8711240024 NRC Staff supplementary brief on impact of 871029 rule on CLI-86-13 remand proceeding.* ASLB should apply recent amend to 10CFR50.47(c)(1)(iii) in accordance w/stated views & NRC 871030 response.Certificate of Svc encl.
JOHNSON,G.E. Assistant General Counsel for Hearings. #487 4877. 87/11/17. Atomic Safety and Licensing Board Panel. 9pp. 43423:129-43423:138.

8711240025 Suffolk County,State of NY & town of Southampton motion for extension of time.* Extension until 871204 to file reply brief in CLI-86-13 remand proceeding requested W/Certificate of Svc.
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #487 4874. 87/11/18. Atomic Safety and Licensing Board Panel. 9pp. 43423:139-43423:147.

H. General correspondence

8711020011 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
BREAUX,J. Senate. 87/10/21. ZECH,L. Commissioners. 2pp. 43227:229-43227:230.

*8711020023 Forwards FJ Congel 871021 memo to RW Kramm of FEMA & Ross undat*ed comments,raising serious questions re NRC candor, openness & integrity of rule-making process on emergency planning.Response to listed questions requested.
MARKEY,E.J. House of Rep. 87/10/27. ZECH,L.W. Commissioners. 3pp. 43232:348-43232:354.

8711020450 Responds to 871023 ltr re proposed rule 10CFR50 & congressional ltrs re*ceived on morning of 871022 meeting. Commission stands behind 871021 ltr declar*ing process for proposed rule open.
ZECH,L.W. Commissioners. 87/10/27. ATKINS,C.G., MRAZEK,R.J., MAVROULES,N. House of Rep. 5pp. 43237:192-43237:206.

--8711020458 Renews 870922 request for Commission to keep public log of all written & verbal comments re draft emergency planning rule.Chronology of all communications since 871013 also requested.
MARKEY,E.J., ATKINS,C.G., MRAZEK,R.J. House of Rep. 87/10/23. ZECH,L.W. Commissioners. 2pp. 43237:205-43237:206.

8711230152 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
LAVALLE,K.P. New York, State of. 87/11/05. Commissioners. 2pp. 43418:121-43418:122.

8711200289 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
PAULSEN,P.C. Affiliation Not Assigned. 87/11/07. Docketing & Services Branch. 2pp. 43410:200-43410:203.

8711200234 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
ANDERSON,L.R. Affiliation Not Assigned. 87/11/09. ZECH,L. Commissioners. 1p. 43408:279-43408:279.

J. Insurance & Indemnity Information

8711300136 Forwards exemption request from 10CFR50.54(w),re min property insurance requirements,until plant granted license to operate.
LEONARD,J.D. Long Island Lighting Co. 87/11/23. Document Control Branch (Document Control Desk). 26pp. 43467:130-43467:155.

8711020246 Forwards Amend 8 to License NPF-36,changing Tech Specs re figures showing location of two meteorological towers. Safety evaluation also encl.
BUTLER,W.R. Project Directorate I-2. 87/10/19. LEONARD,J.D. Long Island Lighting Co. 4pp. 43240:032-43240:049.

--8711020259 Amend 8 to License NPF-36,changing Tech Specs re location of two meteorological towers.
BUTLER,W.R. Project Directorate I-2. 87/10/19. 12pp. 43240:036-43240:047.

--8711020272 Safety evaluation supporting Amend 8 to License NPF-36.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 2pp. 43240:048-43240:049.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190164 Forwards Suppl 8 to startup test rept for Aug-Sept 1987.No startup activities performed during rept period.
LEONARD,J.D. Long Island Lighting Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43397:262-43397:276.

--8711190167 Suppl 8 to "Startup Rept for Period 870801-1101."
SCALICE,J.A., STEIGER,W.E. Long Island Lighting Co. 87/11/11. 14pp. 43397:263-43397:276.

8711230062 Advises that svc list indicates distribution of meeting notices to counsel for Suffolk County,per 871023 request. Law firm already on svc list to receive documents re facility licensing activities.
LO,R. Project Directorate I-2. 87/11/18. MILLER,M.S. Kirkpatrick & Lockhart. 2pp. 43416:195-43416:196.

8711250239 Forwards signed agreement to terms necessary for util acquisition of COBRA-NC code.Requests that recipient begin necessary arrangements w/INEL for transmittal of current version of code & user manual to util.
LEONARD,J.D. Long Island Lighting Co. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:156-43460:158.

--8711250254 Ack receipt of ltr expressing interest in obtaining COBRA-NC computer code.NRC will transmit magnetic tape containing code & draft user manual provided util agrees to listed conditions.
SHOTKIN,L.M. Division of Reactor & Plant Systems (Post 870413). 87/09/28. PENNINO,D. Long Island Lighting Co. 2pp. 43460:157-43460:158.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-38, "Failure of Safety/Relief Valves to Open at BWRs Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850213-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020073 Ack receipt of 870930 ltr informing of NRC of steps taken to correct violations noted in Insp Rept 50-322/87-10.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/26. LEONARD,J.D. Long Island Lighting Co. 6pp. 43236:130-43236:140.

--8711020092 Responds to 870902 ltr re violations noted in Insp Rept 50-322/87-10.Corrective actions:two solenoid operated valve splices removed & replaced w/approved splices & electrical maint personnel instructed re proper requirements.
LEONARD,J.D. Long Island Lighting Co. 87/09/30. RUSSELL,W. Region 1, Ofc of the Director. 5pp. 43236:136-43236:140.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43365:003-43365:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:267.

8711100434 Submits addl info on util first 10-yr interval inservice insp program plan,per 870915 request.Plan will be revised to include encl relief requests for containment penetration head welds.
LEONARD,J.D. Long Island Lighting Co. 87/11/09. Document Control Branch (Document Control Desk). 18pp. 43344:331-43344:348.

8711240056 Ack receipt of 870901 response to NRC 870804 ltr re violations noted in Insp Rept 50-322/87-08.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. LEONARD,J.D. Long Island Lighting Co. 5pp. 43430:277-43430:281.

--8711240066 Forwards proprietary response to violations noted in 870804 transmittal of Insp Rept 50-322/87-08 Encl withheld.
LEONARD,J.D. Long Island Lighting Co 87/09/01. RUSSELL,W. Region 1, Ofc of the Director. 1p. 43430:281-43430:281.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16
Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17.
Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19.
Consolidated Edison Co. of New York, Inc. 118pp. 43444:195-43444:314.

S. Reportable occurrences, LERs & related correspondence

8711240078 LER 87-032-00:on 871002,nine pieces of equipment identified as using back-to-back Okonite insulated splices.Use of Okonite back-to-back splices does not *violate 10CFR50.49. Util enhancing qualification files for splices.W/871118 ltr.*
GRUNSEICH,R.W., STEIGER,W.E. Long Island Lighting Co 87/11/18. 4pp.
43431:044-43431:047.

8711260252 LER 87-031-00:on 871025,hourly fire watch patrol late by 20 minutes.Caused by personnel error.Individual counseled & ltr placed in personnel file.Foremen will discuss matter w/personnel.W/871120 ltr.
GRUNSEICH,R.W., STEIGER,W.E. Long Island Lighting Co. 87/11/20. 5pp.
43460:136-43460:140.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020250 Forwards public version of revised emergency plan Implementing *procedures,including Rev 12 to EP G-3, "Notification of Offsite Organizations" & Rev* 9 to EP EF-1, "Activation & Operation of...." W/871029 release memo.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/13. Document Control Branch (Document Control Desk). 5pp. 43238:282-43238:319.

--8711020258 Public version of revised emergency plan Implementing procedures,including Rev 12 to EP G-3, "Notification of Offsite Organizations" & Rev 9 to EP EF-1, "Activation & Operation of Technical Support Ctr."
TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/13. 53pp. 43238:267-43238:319.

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan ref in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:233.

--8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233.

--8711080260 Forwards NRR input to SALP rept for licensing activities for Aug 1986 - Jul 1987.Util assigned Category 2 level w/no apparent trend in overall performance for functional area of licensing activities.
TRAMMELL,C.M. Project Directorate V. 87/09/02. KIRSCH,D.F. Region 5, Ofc of the Director. 11pp. 43307:284-43307:294.

8711090093 Forwards Insp Repts 50-275/87-34 & 50/323/87-34 on 870816-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43315:069-43315:070.

--8711090098 Insp Repts 50-275/87-34 & 52-323/87-34 on 870816-1003.No violations or deviations noted.Major areas inspected:plant operations,maint & surveillance activities,followup of onsite events & regional requests,LERs & physical security.
PADOVAN,L.M. Region 5, Ofc of the Director. 87/10/20. 11pp. 43315:071-43315:081.

8711160148 Forwards description of implementation schedule for miscellaneous amends & revised pages for Rev 16 to physical security plan & for Rev 2 to contingency plan,per NRC 870924 request.Schedule & revised pages withheld (ref 10CFR73.21).
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43366:224-43366:225.

8711240127 Forwards Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43430:044-43430:053.

--8711240131 Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.Major areas inspected:various vital areas & equipment in plant & followup of enforcement & open items.
BURDOIN,J.F. Region 5, Ofc of the Director. 87/11/05. 8pp. 43430:046-43430:053.

8711250236 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE Government Accountability Project. 5pp. 43462:156-43462:280.

--8711250263 Forwards closing rept on Inquiry Q5-84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted mail also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

--8711250266 Partially deleted memo re 840323 telephonic rept to author concerning armed responders concerns w/possibility that response to security alarms in hot areas may be required.
SCHAEFER,D.W. NRC - No Detailed Affiliation Given. 84/03/23. NRC - No Detailed Affiliation Given. 1p. 43462:245-43462:245.

--8711250274 Partially deleted memo re telcon request for addl info concerning DW *Schaefer 840323* memo concerning radiation protection training of security guards.
SCHUSTER,M.D. NRC - No Detailed Affiliation Given. 84/03/26. NRC - No Detailed Affiliation Given. 2pp. 43462:246-43462:247.

--8711250277 Partially deleted ltr discussing telcons & meetings in which concerns re security officers not receiving required training in radiation & respiratory protection at plant expressed.Partially deleted statement of concerns encl
SCARANO,R.A. Region 5, Ofc of the Director. 84/04/12. Affiliation Not Assigned. 2pp.
43462:248-43462:249.

--8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:280.

G. Adjudicatory correspondence

8711040053 Informs that time provided within which Commission may act to review ALAB-873 expired.Commission declined review. Decision became final agency action on 871028.Served on 871102.
CHILK,S.J. Office of the Secretary of the Commission. #487 4726. 87/10/30. Office of the General Counsel. 1p. 43254:260-43254:260.

8711170030 Documents reconstitution of ASLAB for OL amend proceeding to consist of AS Rosenthal,CN Kohl & HA Wilber.Related correspondence.
ROSENTHAL,A.S. Atomic Safety and Licensing Appeal Panel. #487 4814. 87/11/12. Atomic Safety and Licensing Appeal Panel. 1p. 43368:133-43368:133.

8711190014 Reconstitution of ASLAB.* Notifies that chairman of ASLAP reconstituted ASLAB for OL amend proceeding.ASLAB for proceeding listed.Served on 871116.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4851. 87/11/12
1p. 43392:094-43392:094.

8711240012 Informs that time provided by NRC regulations within which Commission may act to review ALAB-877 expired.Commission declined review.Decision became final agency action on 871117.Served on 871120.
CHILK,S.J. Office of the Secretary of the Commission. #487 4873. 87/11/20. Atomic Safety and Licensing Board Panel. 1p. 43423:199-43423:199.

J. Insurance & Indemnity Information

8711050055 Forwards Endorsement 25 to MAELU Policy MF-103 & Endorsement 55 to NELIA Policy NF-228.
LOCKE,R.F. Pacific Gas & Electric Co. 87/10/26. SALTZMAN,J. NRC - No Detailed Affiliation Given. 3pp. 43302:039-43302:041.

P. Operating license stage documents & correspondence

8711030094 Forwards plant-specific details for ATWS mitigating sys actuation circuitry (AMSAC),in response to NRC safety evaluation of WCAP-10858-A, "AMSAC Generic Design...." Util selected Option 1,steam generator low level logic design.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 22pp. 43252:028-43252:049.

8711030280 Forwards application for amends to Licenses DPR-80 & DPR-82, proposing exemption to Tech Spec 3.8.1.1 to allow swing diesel generator to be out of svc for 14 days for preventive maint & testing.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43260:001-43260:027.

--8711030284 Application for amends to Licenses DPR-80 & DPR-82,amending Tech Spec 3.8.1.1 for second refueling outage for Unit 1.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/30. 16pp. 43260:002-43260:024.

--8711030286 Proposed changes to Tech Spec 3.8.1.1 for second refueling outage for Unit 1.
* Pacific Gas & Electric Co. 87/10/30. 3pp. 43260:025-43260:027.

8711030403 Responds to 870926 request for extension of submittal date for summary technical rept re first reactor vessel surveillance capsule for plant.Extension to 880131 acceptable.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 5pp. 43259:048-43259:052.

8711030420 Forwards SER & Informal Technical Evaluation Rept EGG-NTA-7800, "Conformance to Generic Ltr 83-28 Item 2.2.1- Equipment Classification for All Other Safety-Related Components:Diablo Canyon 1 & 2." Util response acceptable.
TRAMMELL,C.M. Project Directorate V. 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43259:072-43259:088.

--8711030432 SER supporting util response to Generic Ltr 83-28,Item 2.2.1 re equipment classification programs for all safety-related components.
* NRC - No Detailed Affiliation Given. 87/10/30. 7pp. 43259:075-43259:081.

--8710150048 "Conformance to Generic Ltr 83-28 Item 2.2.1-Equipment Classification for All Other Safety-Related Components: Diablo Canyon 1 & 2," informal technical evaluation rept.
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY,A.C. Idaho National Engineering Laboratory. FIN D-6001. EGG-NTA-7800. 87/09/30. NRC - No Detailed Affiliation Given. 17pp. 43259:082-43259:098.

8711030515 Forwards safety evaluation of util 860117 & 0407 submittals responding to PTS rule,10CFR50.61.Matl properties of reactor vessel beltline matls,fluence at inner surface of reactor vessel & calculated RT(PTS) acceptable.
TRAMMELL,C.M. Project Directorate V. 87/10/30. SHIFFER,J.D. Pacific Gas & Electric Co. 4pp. 43263:159-43263:167.

--8711030526 Safety evaluation supporting util 860117 & 0407 submittals responding to requirements of 10CFR50.61 re projected values of matl properties for fracture toughnes requirements for protection against PTS events.Submittals acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 6pp. 43263:163-43263:167.

8711060167 Forwards payment for encl 871030 License Amend Request LAR 87-09.Check inadvertently left out of initial mailing. Fee paid.
* Pacific Gas & Electric Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43308:080-43308:109.

8711100279 Forwards Vols 1 & 2 to "DCRDR Supplemental Summary Rept." Rept provides description of human engineering discrepancy, priority rating,recommended corrections & proposed schedules for implementation of changes.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43325:001-43326:030.

--8711100286 "DCRDR Supplemental Summary Rept," Vols 1 & 2.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/31. 1,108pp. 43325:003-43328:030.

8711090080 Final response to FOIA request for documents App A documents available in PDR.No records located re Item 1 of request.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. HAMILN,J.B. Shaw, Pittman, Potts & Trowbridge. 3pp. 43323:298-43323:298.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100451 Forwards response to NRC 870929 request for addl info re util intention to remove RHR suction valve autoclosure interlock function.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43335:083-43335:085.

8711130141 Forwards addl info re Unit 2 boron injection tank (BIT) thermal relief valve,in response to NRC 871006 request.Info identifies util actions re monitoring of BIT thermal relief valve leakage prior to B71010 installation.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. Document Control Branch (Document Control Desk). 7pp. 43354:317-43354:323.

8711130321 Forwards info on long-term seismic program empirical ground motions data base,per NRC 870930 request.Updated computer diskettes will be provided for use.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/06. Document Control Branch (Document Control Desk). 9pp. 43361:131-43361:139.

8711110011 Ninth partial response to FOIA request for records,including notes of interview of K McMahon.Forwards App K documents. App K & L documents partially & completely withheld (ref FOIA Exemptions 6 & 7,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. DIXON Government Accountability Project. 4pp. 43346:136-43346:198.

--8711110017 Forwards partially withheld info documenting Wagner efforts in support of Allegation 99 re Bostrom-Bergen/Meddco Metals.
CANTER,H. Region 5, Ofc of the Director. 84/07/06. SHACKELTON,O. Office of Investigations 33pp. 43346:143-43346:175.

--8711110029 Partially withheld comments re Bostrom-Bergen allegations made in 840118 ltr to JB Martin of NRC.Marked-up partially withheld 831213 sworn statement by GW Dossey & partially withheld 831227 interview of K McMahon also encl.
SHACKLETON,O.C. Office of Investigations. 84/01/28. Office of Investigations. 23pp. 43346:176-43346:198.

8711160206 Advises that Westinghouse Owners Group currently evaluating NRC concerns noted in 870904 request for addl info re Generic Ltr 83-28,Items 4.2.3 & 4.2.4 concerning life cycle testing & periodic replacement of reactor trip breakers.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43366:237-43366:237.

8711190072 Eleventh partial response to FOIA request for documents, including radiation & process monitor resume & qualification status.Encl App L documents partially withheld (ref FOIA Exemption 6).Documents in PDR & LPDR in San Lu's Abispo,CA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/16. GARDE,B.P. Government Accountability Project. 3pp. 43406:277-43406:325.

--8711190075 Partially deleted package consisting of info re ANSI N18.1- 1971 qualification & radiation & process monitor resume & qualification status.
* Pacific Gas & Electric Co. 87/11/16. 44pp. 43406:282-43406:325.

8711240205 Advises NRC that listed documents re radiation protection & respiratory protection training of security officers nonproprietary & available for public disclosure.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/19. Document Control Branch (Document Control Desk). 1p. 43431:355-43431:355.

8711250238 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE Government Accountability Project. 5pp. 43462:156-43462:280.

--8711250247 Requests investigation of 840319 allegations of intimidation involving K Dukes,Bechtel const superintendent against two contractor employees.
MARTIN,J.B. Region 5, Ofc of the Director. 84/03/28. SHACKLETON,O. Region 5, Ofc of the Director. 5pp. 43462:165-43462:171.

--8711250256 Discusses inquiry into 840322 allegations of threats & intimidation of QC inspectors by Bechtel supervisor at plant.Bechtel removed supervisor at util request.No further actions by region ofc necessary,based on util actions.
MURPHY,D.D. Office of Investigations. 84/06/15. SHACKLETON,O. Office of Investigations. 1p. 43462:172-43462:172.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711090069 FOIA request for documents re insp ref in encl JB Martin 831201 ltr & BNL work as consultant to NRC re plant.
HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 87/09/14. NRC - No Detailed Affiliation Given. 4pp. 43323:291-43323:295.

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan ref in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:294.

--8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233.

--8708270170 Forwards DOE/INEL analysis of LER quality for facility during Aug 1986 - Jul 1987.Overall quality scored above industrial average.Quality of discussions of root cause, corrective actions & safety sys responses improved.
WILLIAMS,M.H. Trends & Patterns Analysis Branch. 87/08/20. KIRSCH,D.F. Region 5, Ofc of the Director. 50pp. 43307:234-43307:283.

--8711060260 Forwards NRR input to SALP rept for licensing activities for Aug 1986 - *Jul 1987.Util assigned Category 2 level w/no apparent trend in overall performance* for functional area of licensing activities.
TRAMMELL,C.M. Project Directorate V. 87/09/02. KIRSCH,D.F. Region 5, Ofc of the Director. 11pp. 43307:284-43307:294.

8711090093 Forwards Insp Repts 50-275/87-34 & 50/323/87-34 on 870816-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43315:069-43315:081.

--8711090098 Insp Repts 50-275/87-34 & 52-323/87-34 on 870816-1003.No violations or deviations noted.Major areas inspected:plant operations,maint & surveillance activities,followup of onsite events & regional requests,LERs & physical security.
PADOVAN,L.M., JOHNSTON,K.E., NARBUT,P.P. Region 5, Ofc of the Director. 87/10/20. 11pp. 43315:071-43315:081.

8711020384 Ack receipt of 870924 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-275/87-28 & 50-323/87-28.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/23. SHIFFER,J.D. Pacific Gas & Electric Co. 1p. 43236:193-43236:198.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711240127 Forwards Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 43430:044-43430:053.

--8711240131 Insp Repts 50-275/87-37 & 50-323/87-37 on 871005-09.No violations or deviations noted.Major areas inspected:various vital areas & equipment in plant & followup of enforcement & open items.
BURDOIN,J.F., MENDONCA,M.M. Region 5, Ofc of the Director. 87/11/05. 8pp. 43430:046-43430:053.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250238 Seventh partial response to FOIA request.Forwards App O & P documents.App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE Government Accountability Project. 5pp. 43462:156-43462:280.

-8711250263 Forwards closing rept on inquiry Q5-84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted matl also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

-8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:280.

-8711300009 Partially withheld ltr confirming NRC understanding of concerns re welding at plant,per 831104 telcon.Partially deleted statement of concerns encl.
KIRSCH,D.F. Region 5, Ofc of the Director. 83/11/08. Affiliation Not Assigned. 5pp. 43462:230-43462:244.

8711300125 Forwards Rev 3 to "Inservice Insp & Testing Program Plan, First 10-Yr Insp Interval,Diablo Canyon Power Plant Unit 2," incorporating listed items,including revised Inservice Insp boundary drawings & sys pressure test summary.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/23. Document Control Branch (Document Control Desk). 3pp. 43489:125-43490:097.

-8711300130 Rev 3 to "Inservice Insp & Testing Program Plan,First 10-Yr Insp Interval,Diablo Canyon Power Plant Unit 2."
HILL,J.E., PENDLETON,C.N., FRANKS,O.K. Pacific Gas & Electric Co. 87/10/31. 300pp. 43489:126-43490:097.

R. Periodic operating reports & related correspondence

8711160276 Monthly operating repts for Sept 1987.W/871009 ltr.
BEDESEM,P., TOWNSEND,J.D. Pacific Gas & Electric Co. 87/09/30. 9pp. 43369:304-43369:312.

8711240067 Monthly operating repts for Oct 1987.W/871113 ltr.
BEDESEM,P., TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/31. 9pp. 43431:100-43431:108.

8711300160 "Rept on Discharge Monitoring at Diablo Canyon Power Plant During Month of Oct 1987." W/871120 ltr.
TOWNSEND,J.D. Pacific Gas & Electric Co. 87/10/31. LEONARD,W. California, State of. 57pp. 43466:299-43466:355.

8711160216 Forwards "10CFR50.59 Annual Rept of Changes,Tests & Experiments 860323-870322." Rept same as reporting interval of annual FSAR update rev.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43364:332-43364:344.

-8711160220 "10CFR50.59 Annual Rept of Changes,Tests & Experiments 860323-870322."
* Pacific Gas & Electric Co. 87/03/22. 11pp. 43364:334-43364:344.

S. Reportable occurrences, LERs & related correspondence

8711020438 LER 87-015-01:on 870714,main turbine trip,main feedwater pump trip & feedwater isolation valve closure occurred. Caused by operator inability to control steam generator level.Condenser steam dump sys repaired.W/871027 ltr.
HUG,M.T., SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/27. 5pp. 43237:221-43237:225.

8711020399 LER 87-005-01:on 870410,RHR flow interrupted when both trains became inoperable due to airbound RHR pumps.Caused by inadequate communications.Procedures OP A-2:II re draining of RCS & OP AP-16 re RHR flow loss revised.W/871029 ltr.
SISK,D.P., SHIFFER,J.D. Pacific Gas & Electric Co. 87/10/29. 9pp. 43237:011-43237:019.

8711090275 Special rept:on 871004,high temp alarm setpoints exceeded in several 480 volt bus areas in Units 1 & 2 & battery areas in Unit 1 due to high ambient temps resulting from unusual weather pattern.Proper levels returned on 871006.
SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43322:137-43322:138.

8711130105 PNO-V-87-073:on 871107,unit trip manually initiated.Caused by failure of motor-operated disconnect in main generator 25 kV isophase bus C.Repair & unit outage will take between 2 wks & 2 months,depending on availability of parts.
MENDONCA,M., NARBUT,P. Region 5, Ofc of the Director. 87/11/09. 1p. 43355:123-43355:123.

8711160169 LER 87-022-00:on 871012,fuel handling bldg ventilation sys shifted into iodine removal mode.Cause undetermined.Util will submit supplemental LER w/actions to prevent recurrence when cause determined.W/871110 ltr.
NELSON,T.A., SHIFFER,J.D. Pacific Gas & Electric Co. 87/11/10. 2pp. 43366:231-43366:232.

8711160175 PNO-V-87-074:on 871110,county inadvertently actuated emergency notification sys(sirens).Caused by wrong sequence being entered into sys while performing weekly silent test. Corrective action under investigation.
FISH,R., NARBUT,P. Region 5, Ofc of the Director. 87/11/10. 1p. 43366:261-43366:261.

V. Operator Examinations

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan ref in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:233.

-8711060222 SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.
* Region 5, Ofc of the Director. 87/09/09. 40pp. 43307:194-43307:233.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711300022 Forwards Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/06. UTLEY,E.E. Consumers Power Co. 2pp. 43467:344-43467:346.

-8711300025 Partially withheld Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07 (ref 10CFR2.790 & 73.21).Noncompliance noted.No deviations noted.Major areas inspected.overall nuclear matl accountability & control program & followup on loss of SNM.
TODD,G.A , MCALPINE,E.J. Region 2, Ofc of the Director. 87/11/08. 1p. 43467:346-43467:346.

8711200324 Rev 7 to Plant Emergency Procedure PEP-02.6.20, "Dose Projection Coordinator."
SMITH,J.J. Carolina Power & Light Co. 87/11/11. 5pp. 43410:045-43410:049.

8711230400 Revised emergency plan implementing procedures,including Rev 21 to Vol XIII to plant emergency procedure PEP-App A, "Emergency Response Resources" & Rev 12 to PEP 02.6.21, "Emergency Communicator."
SMITH,J. Carolina Power & Light Co. 87/11/13. 11pp. 43424:282-43424:292.

8711300079 Forwards revised emergency procedures,including Rev 12 to PEP-02.6.21, "Emergency Communicator," Rev 21 to PEP-App A, "Emergency Response Resources" & Rev 7 to PEP-02.6.20, "Dose Projection Coordinator."
DIETZ,C.R. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2, Ofc of the Director. 2pp. 43470:106-43470:121.

H. General correspondence

8711200243 Requests that TA Baxter of Shaw,Pittman,Potts & Trowbridge be deleted from all NRC distribution lists & replaced w/ author name.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:036-43417:036.

P. Operating license stage documents & correspondence

8711040263 FOIA request for plant PRA & related documentation.
SHOLLY,S.C. MHB Technical Associates. 87/10/15. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43278:044-43278:045.

8711130376 Requests mod of util 821029 plant improvement program re scope of surveillances because of strong control by line mgt.Sampling techniques for augmenting or decreasing scope & routine QA surveillance program will be used,w/NRC approval.
RICHEY,R.B. Carolina Power & Light Co. 87/10/26. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 43359:333-43359:335.

8711020054 Forwards Amends 113 & 140 to Licenses DPR-71 & DPR-62, respectively & safety evaluation.Amends change Tech Specs to add Fuel Type GE8 to list of fuels in core & remove limitations on max fuel enrichments.
SYLVESTER,E.D. Project Directorate II-1. 87/10/27. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43240:098-43240:129.

-8711020059 Amends 113 & 140 to Licenses DPR-71 & DPR-62,respectively, changing Tech Specs to add GE Fuel Type GE8 to list of fuels in core & remove limitations on max fuel enrichments in Tech Spec Sections 5.3.1 & 5.6.1.2.
ADENSAM,E.G. Project Directorate II-1. 87/10/27. 12pp. 43240:101-43240:112.

-8711020063 Safety evaluation supporting Amends 113 & 140 to Licenses DPR-71 & DPR-62,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 4pp. 43240:113-43240:129.

8711020198 Forwards notice of consideration of issuance of amend to License DPR-62 & opportunity for hearing.Amend revises Tech Specs to change surveillance requirements re anticipated transient w/o scram recirculation pump trip instrumentation.
SYLVESTER,E.D. Project Directorate II-1. 87/10/27. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43238:356-43238:360.

-8711020204 Notice of consideration of issuance of amend to License DPR-62 & proposed NSHC determination & opportunity for hearing.Amend revises Tech Specs to change surveillance requirements re anticipated transient w/o scram.
SYLVESTER,E.D. Project Directorate II-1. 87/10/27. 4pp. 43238:358-43238:360.

8711040284 Final response to FOIA request for plant PRA.Forwards App A document.App A document also placed in PDR.Util has not filed PRA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. SHOLLY,S.C. MHB Technical Associates. 1p. 43278:046-43278:064.

-8711040299 Forwards current integrated schedule for PRA activities at plant.All activities for Contract XT60000054 completed & no longer shown on schedule.Next status rept will be provided by 870410.
EMERSON,F.A. Carolina Power & Light Co. 87/03/19. HELME,R.E. Carolina Power & Light Co. 7pp. 43278:048-43278:064.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100039 Forwards corrections to Amends 112 & 139 to Licenses DPR-71 & DPR-62,respectively,adding changes to Page 3/4 3.41,Table 3.3.4-1 & Page 3/4 3-43a,Table 4.3.4-1 inadvertently omitted though previously implemented by Amends 96/121 & 102/132.
SYLVESTER,E.D. Project Directorate II-1. 87/11/05. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43339:001-43339:007.

--8711100066 Corrected Amends 112 & 139 to Licenses DPR-72 & DPR-71, *respectively,adding changes to Page 3/4 3-41,Table 3.3.4-1 & Page 3/4 3-43a,Table 4.3.4-1,previously implemented by Amends 96/121 & 102/132.*
* Project Directorate II-1. 87/11/05. 5pp. 43339:003-43339:007.

8711160297 Notification of 871113 meeting w/util & util contractors in Bethesda,MD to discuss plant PRA developed by util.
SYLVESTER,E.D. Project Directorate II-1. 87/11/13. NRC - No Detailed Affiliation Given. 3pp. 43370:151-43370:153.

8711170119 Requests that NRC reevaluate conclusion on acceptability of facility recirculation pump trip design based on info provided per 10CFR50.62.Commitment or schedule to upgrade sys will not be submitted until issue resolved.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/13. Document Control Branch (Document Control Desk). 7pp. 43382:261-43382:267.

8711200102 Notification of 871119 meeting w/util & util contractors in Bethesda,MD to discuss plant PRA developed by util.
SYLVESTER,E.D. Project Directorate II-1. 87/11/13. *MURLEY,T., SNIEZEK,J.,* MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43408:106-43408:108.

8711200226 Confirms arrangements for 871201 meeting w/NRC to discuss hydrogen water chemistry sys (HWC) installation at plant per 871104 conference call.Meeting will include review of results of preimplementation HWC test conducted in Dec 1986.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:140-43417:140.

8711230378 Application for amend to License DPR-62,replacing Instrument Tag TS-CR-863 in Item 2 of Tech Spec Tables 3.3.5.6-1, 3.3.5.6-2 & 4.3.5.6-1 w/TS-CIT-863-3.Fee paid.
EURY,L.W. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 7pp. 43424:216-43424:228.

--8711230387 Proposed Tech Specs replacing Instrument Tag TS-CR-863 in Item 2 of *Tech Spec Tables 3.3.5.6-1,3.3.5.6-2 & 4.3.5.6-1 w/TS-CIT-863-3.*
* Carolina Power & Light Co 87/11/18. 4pp. 43424:225-43424:228.

8711240248 Requests schedular relief from commitment to install open, failed-closed,direct-acting solenoid valve on all drywell instrument air headers penetrating primary containment,in order to install continuous nitrogen supply sys.
RICHEY,R.B. Carolina Power & Light Co. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43431:295-43431:297.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030543 Responds to violations noted in Insp Repts 50-324/87-30 & 50-325/87-30.Corrective actions,full review performed on Unit 2,Classes 2 & 3 hydrostatic pressure tests & listed period.c tests.
DIETZ,C.R. Carolina Power & Light Co. 87/10/29. Document Control Branch (Document Control Desk). 8pp. 43255:213-43255:220.

8711130192 Forwards Insp Repts 50-324/87-35 & 50-325/87-31 on 870901-30 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43356:046-43356:072.

--8711130203 Notice of violation from Insp on 870901-30.Violation noted: written surveillance procedures inadequately established.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. 1p. 43356:048-43356:048.

--8711130225 Safety Insp Repts 50-324/87-35 & 50-325/87-31 on 870901-30. Violation noted:Major areas inspected:previous enforcement matters,maint & surveillance observation,operational safety verification,onsite LER review & unresolved items.
RULAND,W.H., GARNER,L.W., FREDRICKSON,P. Region 2, Ofc of the Director. 87/10/29. 24pp. 43356:049-43356:072.

8710290234 NRC Info Notice 87-056, *"Improper Hydraulic Control Unit Installation at* BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711300022 Forwards Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director 87/11/06. UTLEY,E.E. Consumers Power Co. 2pp. 43467:344-43467:346.

--8711300025 Partially withheld Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07 (rel 10CFR2.790 & 73.21).Noncompliance noted:No deviations noted.Major areas inspected:overall nuclear matl accountability & control program & followup on loss of SNM.
TODD,G.A., MCALPINE,E.J. Region 2, Ofc of the Director. 87/11/08. 1p. 43467:346-43467:346.

8711200310 Responds to SALP Repts 50-261/87-22,50-324/87-19, 50-325/87-19 for Nov 1985 - June 1987 & 50-400/87-24 for Aug 1986 - June 1987.Issues noted in repts re util overall performance discussed.
UTLEY,E.E. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 43412:276-43412:325.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240018 Ack receipt of 871029 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/87-30 & 50-325/87-30.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/18. UTLEY,E.E. Carolina Power & Light Co. 1p. 43444:114-43444:114.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

*8711300173 Responds to violations noted in Insp Repts 50-324/87-35 & 50-325/87-*31.Corrective actions:Procedure PT-12.B revised on 871012 & will be further revised to include addl info & guidance re identification of temp control valves.
DIETZ,C.R. Carolina Power & Light Co. 87/11/25. Document Control Branch (Document Control Desk). 3pp. 43467:067-43467:069.

S. Reportable occurrences, LERs & related correspondence

8711130297 Part 21 rept & deficiency rept re defective GE CR205X series auxiliary contacts.Initially reported on 871027.Contacts for loads listed in Attachment 3 will be replaced on Unit 1 by 880701 & by 881101 on Unit 2.
DIETZ,C.R. Carolina Power & Light Co. 87/10/30. GRACE,J.N. Region 2, Ofc of the Director. 24pp. 43356:336-43356:359.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711300022 Forwards Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/06. UTLEY,E.E. Consumers Power Co. 2pp. 43467:344-43467:346.

--8711300025 Partially withheld Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07 (rel 10CFR2.790 & 73.21).Noncompliance noted.No deviations noted.Major areas inspected:overall nuclear matl accountability & control program & followup on loss of SNM.
TODD,G.A. Region 2, Ofc of the Director. 87/11/08. 1p. 43467:346-43467:346.

8711200324 Rev 7 to Plant Emergency Procedure PEP-02.6.20, "Dose Projection Coordinator."
SMITH,J.J. Carolina Power & Light Co. 87/11/11. 5pp. 43410:045-43410:049.

8711230400 Revised emergency plan implementing procedures,including Rev 21 to Vol XIII to plant emergency procedure PEP-App A, "Emergency Response Resources" & Rev 12 to PEP 02.6.21, "Emergency Communicator."
SMITH,J. Carolina Power & Light Co. 87/11/13. 11pp. 43424:282-43424:292.

8711300079 Forwards revised emergency procedures,including Rev 12 to PEP-02.6.21, "Emergency Communicator," Rev 21 to PEP-App A, "Emergency Response Resources" & Rev 7 to PEP-02.6.20, "Dose Projection Coordinator."
DIETZ,C.R. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2, Ofc of the Director. 2pp. 43470:106-43470:121.

H. General correspondence

8711200243 Requests that TA Baxter of Shaw,Pittman,Potts & Trowbridge be deleted from all NRC distribution lists & replaced w/ author name.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:036-43417:036.

P. Operating license stage documents & correspondence

8711040263 FOIA request for plant PRA & related documentation.
SHOLLY,S.C. MHB Technical Associates. 87/10/15. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43278:044-43278:045.

8711130376 Requests mod of util 821029 plant improvement program re scope of surveillances because of strong control by line mgt.Sampling techniques for augmenting or decreasing scope & routine QA surveillance program will be used,w/NRC approval.
RICHEY,R.B. Carolina Power & Light Co. 87/10/26. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 43359:333-43359:335.

8711020054 Forwards Amends 113 & 140 to Licenses DPR-71 & DPR-62, respectively & safety evaluation.Amends change Tech Specs to add Fuel Type GE6 to list of fuels in core & remove limitations on max fuel enrichments.
SYLVESTER,E.D. Project Directorate II-1. 87/10/27. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43240:098-43240:128.

--8711020069 Amends 113 & 140 to Licenses DPR-71 & DPR-62,respectively, changing Tech Specs to add GE Fuel Type GE8 to list of fuels in core & remove limitations on max fuel enrichments in Tech Spec Sections 5.3.1 & 5.6.1.2.
ADENSAM,E.G. Project Directorate II-1. 87/10/27. 12pp. 43240:101-43240:112.

--8711020063 Safety evaluation supporting Amends 113 & 140 to Licenses DPR-71 & DPR-62,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 87/10/27. 4pp. 43240:113-43240:129.

8711040284 Final response to FOIA request for plant PRA.Forwards App A document.App A document also placed in PDR.Util has not filed PRA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. SHOLLY,S.C. MHB Technical Associates. 1p. 43278:046-43278:054.

--8711040299 Forwards current Integrated schedule for PRA activities at plant.All activities for Contract XT60000054 completed & no longer shown on schedule.Next status rept will be provided by 870410.
EMERSON,F.A. Carolina Power & Light Co. 87/03/19. HELME,R.E. Carolina Power & Light Co. 7pp. 43278:048-43278:054.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100039 Forwards corrections to Amends 112 & 139 to Licenses DPR-71 & DPR-62,respectively,adding changes to Page 3/4 3.41,Table 3.3.4-1 & Page 3/4 3-43a,Table 4.3.4-1 inadvertently omitted though previously implemented by Amends 96/121 & 102/132.
SYLVESTER,E.D. Project Directorate II-1. 87/11/05. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43339:001-43339:007.

--8711100066 Corrected Amends 112 & 139 to Licenses DPR-72 & DPR-71, respectively,adding changes to Page 3/4 3.41,Table 3.3.4-1 & Page 3/4 3-43a,Table 4.3.4-1,previously implemented by Amends 96/121 & 102/132.
* Project Directorate II-1. 87/11/05. 5pp. 43339:003-43339:007.

8711160297 *Notification of 871113 meeting w/util & util contractors in Bethesda,MD to* discuss plant PRA developed by util.
SYLVESTER,E.D. Project Directorate II-1. 87/11/13. NRC - No Detailed Affiliation Given. 3pp. 43370:151-43370:153.

8711170119 Requests that NRC reevaluate conclusion on acceptability of facility recirculation pump trip design based on info provided,per 10CFR50.62.Commitment or schedule to upgrade sys will not be submitted until issue resolved.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/13. Document Control Branch (Document Control Desk). 7pp. 43382:261-43382:267.

8711200102 Notification of 871119 meeting w/util & util contractors in Bethesda,MD to discuss plant PRA developed by util.
SYLVESTER,E.D. Project Directorate II-1. 87/11/13. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43408:106-43408:108.

8711200226 Confirms arrangements for 871201 meeting w/NRC to discuss hydrogen water chemistry sys (HWC) installation at plant,per 871104 conference call.Meeting will include review of results of preimplementation HWC test conducted in Dec 1986.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:140-43417:140.

8711240248 Requests schedular relief from commitment to install open, failed-closed,direct-acting solenoid valve on all drywell instrument air headers penetrating primary containment,in order to install continuous nitrogen supply sys.
RICHEY,R.B. Carolina Power & Light Co. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43431:295-43431:297.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges- Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:130-43324:227.

8711030543 Responds to violations noted in Insp Repts 50-324/87-30 & 50-325/87-30.Corrective actions:full review performed on Unit 2,Classes 2 & 3 hydrostatic pressure tests & listed periodic tests.
DIETZ,C.R. Carolina Power & Light Co. 87/10/29. Document Control Branch (Document Control Desk). 8pp. 43255:213-43255:220.

8711130192 Forwards Insp Repts 50-324/87-35 & 50-325/87-31 on 870901- 30 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43356:046-43356:072.

--8711130203 Notice of violation from insp on 870901-30.Violation noted: written surveillance procedures inadequately established.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. 1p. 43356:048-43356:048.

--8711130225 Safety Insp Repts 50-324/87-35 & 50-325/87-31 on 870901-30. Violation noted:Major areas inspected:previous enforcement matters,maint & surveillance observation,operational safety verification,onsite LER review & unresolved items.
RULAND,W.H., GARNER,L.W., FREDRICKSON,P. Region 2, Ofc of the Director. 87/10/29. 24pp. 43356:049-43356:072.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711300022 Forwards Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07.No violations or deviations noted.
CLINE,W.C. Region 2, Ofc of the Director. 87/11/06. UTLEY,E.E. Consumers Power Co. 2pp. 43467:344-43467:346.

--8711300025 Partially withheld Insp Repts 50-324/87-37 & 50-325/87-38 on 871005-07 (ref 10CFR2.790 & 73.21).Noncompliance noted.No deviations noted.Major areas inspected overall nuclear matl accountability & control program & followup on loss of SNM.
TODD,G.A., MCALPINE,E.J. Region 2, Ofc of the Director. 87/11/06. 1p. 43467:346-43467:346.

8711160182 Forwards corrected pages to 870826 rept of plant inservice insps performed on 870213-0613.Corrections consist of changes to Form NIS-2 for Plant Mod 84-229 as ref on Page 8-1 of original rept.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 6pp. 43369:039-43369:044.

8711200310 Responds to SALP Repts 50-261/87-22,50-324/87-19, 50-325/87-19 for Nov 1985 - June 1987 & 50-400/87-24 for Aug 1986 - June 1987.Issues noted in repts re util overall performance discussed.
UTLEY,E.E. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 43412:276-43412:325.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711240018 Ack receipt of 871029 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/87-30 & 50-325/87-30.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/18. UTLEY,E.E. Carolina Power & Light Co. 1p. 43444:114-43444:114.

8711130009 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711300173 Responds to violations noted in Insp Repts 50-324/87-35 & 50-325/87-31.Corrective actions:Procedure PT-12.8 revised on 871012 & will be further revised to include addl info & guidance re identification of temp control valves.
DIETZ,C.R. Carolina Power & Light Co. 87/11/25. Document Control Branch (Document Control Desk). 3pp. 43467:067-43467:069.

S. Reportable occurrences, LERs & related correspondence

8711130297 Part 21 rept & deficiency rept re defective GE CR205X series auxiliary contacts.Initially reported on 871027.Contacts for loads listed in Attachment 3 will be replaced on Unit 1 by 880701 & by 881101 on Unit 2.
DIETZ,C.R. Carolina Power & Light Co. 87/10/30. GRACE,J.N. Region 2, Ofc of the Director. 24pp. 43356:336-43356:359.

DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR

S. Reportable occurrences, LERs & related correspondence

8711300169 PNO-V-87-076.on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert..." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711030513 *Forwards safety evaluation supporting util 870430 ltr justifying current con*figuration of electrical splices in annulus trays & 870901 response to NRC 870803 request for addl info.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43263:155-43263:156.

--8711030523 Safety evaluation concluding that splices within containment annulus consistent w/industry practice & therefore acceptable.
* Ofc of Special Projects. 87/10/30. 2pp. 43263:157-43263:158.

8711100401 Rev 12 to Emergency Plan Implementing Procedure IP-1, "Emergency Plan Classification Logic." W/871102 ltr & Rev 33 to implementing procedures Index.
WALKER,J.R., YOUNGBLOOD,T.H., GRIDLEY,R.L. Tennessee Valley Authority. 87/11/02. 9pp. 43345:005-43345:012.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty..." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

8711190261 Forwards Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905.No violations or deviations noted.Two unresolved items re implementation of commitments & adequacy of util seismic qualification program identified.
ZECH,G.G. Ofc of Special Projects. 87/11/12. WHITE,S.A. Tennessee Valley Authority. 2pp. 43399:300-43399:325.

--8711190289 Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905 No violations or deviations noted.Major areas inspected: operational safety verification,including operations performance,sys lineups,radiation protection & safeguards.
JENISON,K., MCCOY,F.R. Ofc of Special Projects. 87/11/02. 24pp. 43399:302-43399:325.

8711190123 Discusses compensatory measures initiated until design changes for diesel generator bldg sprinkler & standpipe sys fully implemented.Second water supply line to bldg will be completed 6 months after Unit 2,Cycle 3 refueling outage.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43397:098-43397:100.

8711240172 Summarizes 871020 telcon between NRC & util re two broken fillet welds on pole shaft assembly of circuit breaker that energizes emergency fire protection pumps for facility. Photographs attached to 870710 memo to NRC encl.
HOOD,D. Project Directorate II-3. 87/11/18. Project Directorate II-3. 7pp. 43445:151-43445:157.

8711300126 Forwards response to JA Zwolinski 871008 ltr requesting addl info on miscellaneous amends/search requirements ref in 861126 physical security/contingency plan.Encl withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43467:323-43467:324.

8711300260 Forwards supplementary summary pages for Rev 17 to physical security/contingency plan,per 871029 telcon.Pages provided as replacement to pages transmitted w/10CFR50.54(p) submittal on 870921.Pages withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43465:132-43465:133.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8710080441 Forwards response to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Response provides discussion on operation or planned operation of plants during partially filled RCS condition.
GRIDLEY,R. Tennessee Valley Authority. 87/10/02. Document Control Branch (Document Control Desk). 35pp. 43277:017-43277:070.

--8711040337 Rev 38 to Sys Operating Instruction SOI-68.1, "RCS."
BREWER,C.O. Tennessee Valley Authority. 87/08/24. 18pp. 43277:053-43277:070.

--8711040340 Rev 40 to Sys Operating Instruction SOI-74.1, "RHR Sys."
DEWEESE,C.E. Tennessee Valley Authority. 87/08/29. 12pp. 43277:071-43277:082.

--8711040345 Rev 4 to Surveillance Instruction SI-673, "RCS Level Verification Using Sight Glass or Tygon Hose."
ANTHONY,J.M. Tennessee Valley Authority. 87/09/15. 10pp. 43277:083-43277:092.

--8711040348 Rev 8 to Abnormal Operating Instruction AOI-14, "Loss of RHR Shutdown Cooling."
WALKER,J.R. Tennessee Valley Authority. 85/05/17. 149pp. 43277:093-43277:241.

--8711040352 "Sequoyah Nuclear Plant Steam Generator Reactor Coolant Spills of 870128 & 0201."
* Tennessee Valley Authority. I-87-01-SQN. 87/02/01. 38pp. 43277:242-43277:279.

8711020427 Remits fee for NRC review of one-time exemption to 2-yr frequency requirements for Type B & C testing for plants, per NRC 871014 ltr.
GRIDLEY,R. Tennessee Valley Authority. 87/10/20. DIGGS,R.M. Division of Accounting & Finance (Post 870413). 2pp. 43234:093-43234:094.

8711020184 Forwards Amends 61 & 53 to Licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends change Tech Spec Table 3.6-2,deleting refs to motor-operated valves w/ bypassed thermal overload devices.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/22. WHITE,S.A. Tennessee Valley Authority. 3pp. 43239:332-43239:355.

--8711020190 Amends 61 & 53 to Licenses DPR-77 & DPR-79,respectively, deleting three categories of motor-operated valves from Tech Spec Table 3.6-2.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/22. 17pp. 43239:335-43239:351.

--8711020194 Safety evaluation supporting Amends 61 & 53 to Licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 4pp. 43239:352-43239:355.

8711020064 Forwards safety evaluation supporting util 850816,860606, 1117,1212,870702 & 0814 requests for relief from inservice testing program for restart of plant w/four exceptions.ORNL technical evaluation rept also encl.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 43240:141-43240:177.

--8711020081 Safety evaluation supporting 21 relief requests,w/four exceptions,from ASME Boiler & Pressure Vessel Code,Section IX,re inservice testing program of pumps & valves.
* Ofc of Special Projects. 87/10/23. 3pp. 43240:144-43240:146.

--8711020102 "Requests for Relief,Pump & Valve Inservice Testing Program, Sequoyah Nuclear Plant,Units 1 & 2," technical evaluation rept.
MURPHY,G. Oak Ridge National Laboratory. FIN F-0001. 87/09/18. NRC - No Detailed Affiliation Given. 31pp. 43240:147-43240:177.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711030335 Informs that util did not complete commitment discussed in 870522 ltr re engineering change notice closeout & FSAR updates by scheduled date.Commitment late due to incorrect linkage to 870930 requirement for issuance of NEP-6.6.
GRIDLEY,R. Tennessee Valley Authority. 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43252:096-43252:097.

8711050214 Forwards Amends 62 & 54 to Licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends delete Limiting Condition for Operation 3.3.3.6, "Chlorine Detection Sys" & associated surveillance requirements & bases.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 4pp. 43300:042-43300:065.

--8711050219 Amends 62 & 54 to Licenses DPR-77 & DPR-79,respectively, deleting Limiting Condition for Operation 3.3.3.6, "Chlorine Detection Sys" & associated surveillance requirements & bases.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. 18pp. 43300:046-43300:063.

--8711050225 Safety evaluation supporting Amends 62 & 54 to Licenses DPR-77 & DPR-79,respectively.
* Ofc of Special Projects. 87/10/30. 2pp. 43300:064-43300:065.

8711030399 Forwards safety evaluation re util justification for calculated motor-driven auxiliary feedwater pump operability.Justification acceptable & procedures sufficient for Mode 3 w/o any decrease in plant safety.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 3pp. 43259:042-43259:047.

--8711030411 Safety evaluation supporting util justification for calculated motor-driven auxiliary feedwater pump operability.
* Ofc of Special Projects. 87/11/02. 3pp. 43259:046-43259:047.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G., JOYCE,J.W. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711170146 Application for amends to Licenses DPR-77 & DPR-79, consisting of Tech Spec Change 87-42,adding three active motor-operated valves to Table 3.6-2.Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43381:066-43381:074.

--8711170149 Proposed Tech Spec Change 87-42,adding three active motor- operated valves to Table 3.6-2.
* Tennessee Valley Authority. 87/11/10. 7pp. 43381:068-43381:074.

8711230221 Discusses cable test program developed by util to address staff concerns re cable installation practices,per NRC 870309 request.Based on results of tests conducted,util has adequately demonstrated integrity of cables in plant.
KEPPLER,J.G. Ofc of Special Projects. 87/11/13. WHITE,S.A. Tennessee Valley Authority. 3pp. 43426:006-43426:008.

8711190129 Forwards revised Table A reflecting addition of ERCW traveling screen wash pumps to inservice test program, associated requests for Relief PV-22 & list of commitments for review.SER addressing change requested
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 9pp. 43397:353-43397:361.

8711190174 Summarizes agreements reached during 870901 meeting & 871029 & 30 discussions w/NRC re document revs to Restart Criteria CEB-CI-21.89 for rigorous analysis piping.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43400:151-43400:153.

8711190223 Forwards addl info re plant fuse replacement program, associated w/Littlefuse Flas-5 fuse failures of Lots 2 & 3, per 871002 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 7pp. 43398:046-43398:101.

--8711190230 "Elevated Temp Test Rept & Mechanical Pull Test Rept for Littelfuse Flas 5,5 AMP Fuses Lot 2,3,4 & 6."
WORMSLEY,J.A., JONES,W.G., RAGSDALE,J.B. Tennessee Valley Authority. 87/10/13. 9pp. 43398:053-43398:061.

--8711190235 "Sequoyah Nuclear Plant Littlefuse Type Flas-05 Fuses Predicted Svc Life."
* Tennessee Valley Authority. SME-MET-87-901. 87/09/28. 30pp. 43398:062-43398:091.

--8711190237 "Temp Measurement Rept for Long-Term Current Test on Littlefuse,Flas-5,5 Amp Fuses."
WORMSLEY,J.A., JONES,W.G., RAGSDALE,J.B. Tennessee Valley Authority. 87/10/01. 10pp. 43398:092-43398:101.

8711200358 Application for amends to Licenses DPR-77 & DPR-79, consisting of Tech Spec Change 87-40,revising Tech Specs to change auxiliary feedwater suction pressure-low trip setpoint & allowable value for turbine-driven pump.Fee pa'd.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43410:268-43411:081.

--8711200369 Proposed Tech Specs,revising auxiliary feedwater suction pressure low trip setpoint & allowable value of Table 3.3-4 for turbine driven pump.Supporting documentation encl.
* Tennessee Valley Authority. 87/11/17. 150pp. 43410:270-43411:081.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & two engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711250026 Notification of 871124 meeting w/util in Bethesda,MD to discuss silicone rubber insulated cable at plant.
DONOHEW,J.N. Ofc of Special Projects. 87/11/19. RICHARDSON,S.D. Ofc of Special Projects. 3pp. 43448:308-43448:310.

8711240177 Forwards final results of cable test program for concerns identified in NRC technical evaluation rept & formally transmits special test instructions,raw data & associated conduit isometric sketches.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43440:023-43440:256.

--8711240184 Rev 0 to Special Test Instruction STI-31, "DC High Voltage Test for Selected 1E Cables W/Potential for Cable Pullby Damage Conduit MC1732B."
PURI,V.K. Tennessee Valley Authority. STI-31 R00. 87/07/22. 200pp. 43440:026-43440:256.

8711250136 Informs NRC that schedule for providing comments on LASL rept will be submitted after 871123 meeting,per JA Zwolinski 870827 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:186-43459:187.

8711100014 Trip rept of 871028-30 site visit to gather info from files to facilitate updating SIMS database.
KELLY,J.L. Ofc of Special Projects. 87/11/30. ZWOLINSKI,J.A. Ofc of Special Projects. 3pp. 43339:327-43339:329.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety-Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020523 Responds to observations identified during exit meeting in advance of receiving Insp Repts 50-327/87-31 & 50-328/87-31. Corrective actions:potential generic condition evaluation request sent to plants & evaluations still ongoing.
GRIDLEY,R. Tennessee Valley Authority. 87/10/27. Document Control Branch (Document Control Desk). 12pp. 43235:178-43235:190.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges- Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/28. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711040210 Forwards response to each unresolved item identified during integrated design insp of ERCW sys which must be resolved before restart of Unit 2 per 871009 request.Plant design sound & addl independent reviews not warranted.
WHITE,S.A. Tennessee Valley Authority. 87/10/29. KEPPLER,J.G. Ofc of Special Projects. 136pp. 43276:241-43277:016.

8711130231 Forwards summary of 870924 mgt meeting w/util to discuss concerns re utils handling of equipment operability problems & scope of corrective programs in response to violations noted in Insp Repts 50-327/87-50 & 50-328/87-50.
ZECH,G.G. Region 2, Ofc of the Director. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 7pp. 43355:299-43355:305.

8711160082 Ack receipt of 871009 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-37 & 50-328/87-37.
ZECH,G.G. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43365:086-43365:087.

8711130182 Forwards corrected cover ltr for Insp Repts 50-327/87-55 & 50-328/87-55 w/previously omitted issue date of 871014
ZECH,G.G. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 2pp. 43356:042-43356:045.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711050173 Advises that response to violations,unresolved items & weaknesses noted in Insp Repts 50-327/87-52 & 50-328/87-52 will be submitted by 871109.
GRIDLEY,R. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43292:101-43292:101.

8711100463 Responds to NRC 870929 ltr re violations noted in Insp Repts 50-327/87-60 & 50-328/87-50.Corrective actions:util implemented root cause analysis & adherence to procedures now required in Administrative Instruction A1-4.
SHELL,R.H. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 7pp. 43344:322-43344:328.

8711110026 Responds to NRC 871006 request for addl info re Insp Repts 50-327/87-44 & 50-328/87-44.Min wall calculations for pipe schedules revised & design criteria for detailed analysis of Category I piping sys revised.
SHELL,R.H. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 4pp. 43345:274-43345:277.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160139 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-327/87-56 & 50-328/87-56.Corrective actions:appropriate disciplinary measures given to personnel involved.
GRIDLEY,R. Tennessee Valley Authority. 87/11/06. Document Control Branch (Document Control Desk). 8pp. 43365:196-43365:203

8711200007 Forwards Integrated Design Insp Repts 50-327/87-48 & 50-328/87-48.Program weaknesses re technical adequacy of structural calculations discussed.Response to noted deficiencies & open items requested within 60 days.
EBNETER,S.D. Ofc of Special Projects. 87/11/06. WHITE,S.A. Tennessee Valley Authority. 5pp. 43407:127-43408:027.

--8711200044 Insp Repts 50-327/87-48 & 50-328/87-48 on 870708-0911. Deficiencies & unresolved items noted.Major areas inspected: quality of design activities,including mechanical sys & components & civil/structural & electrical power designs.
SHEWMAKER,R.E. Special Inspection Branch. IMBRO,E.V. Ofc of Special Projects 87/10/30. 266pp 43407:132-43408:027.

8711160234 Forwards Insp Repts 50-327/87-69 & 50-328/87-69 on 871019-21.No violations or deviations noted.
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43365:140-43365:145.

--8711160238 Insp Repts 50-327/87-69 & 50-328/87-69 on 871019-21.No violations or deviations noted.Major areas inspected:drawing control & vendor drawing control.
BELISLE,G.A., JULIAN,C.A. Region 2, Ofc of the Director. 87/11/05. 4pp. 43365:142-43365:145.

8711170102 Responds to NRC 870926 ltr re violations noted in Insp Repts 50-327/87-52 & 50-328/87-52.Corrective actions,walkdowns will be conducted for Unit 1 & future FSAR revs will require review for approval.Violation 87-52-03 denied.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 55pp. 43382:316-43383:010.

8711170154 Forwards revised response to Violations noted in Insp Repts 50-327/87-30 & 50-328/50-30.Statement explaining decisionmaking process in denying Violation 87-30-07 also encl.Corrective action ballooting will not be used in future.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 5pp. 43385:178-43385:182.

8711190281 Forwards Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905 No violations or deviations noted.Two unresolved items re implementation of commitments & adequacy of util seismic qualification program identified.
ZECH,G.G. Ofc of Special Projects 87/11/12. WHITE,S A. Tennessee Valley Authority. 2pp. 43399:300-43399:325.

-8711190289 Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905.No violations or deviations noted.Major areas inspected: operational safety verification,including operations performance,sys lineups,radiation protection & safeguards.
JENISON,K., MCCOY,F.R. Ofc of Special Projects 87/11/02. 24pp. 43399:302-43399:325.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711190260 Ack receipt of util 871023 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-36 & 50-328/87-36.Recently identified deficiency *in containment spray will be addressed separately.*
ZECH,G.G. Ofc of Special Projects. 87/11/16. WHITE,S.A. Tennessee Valley Authority. 2pp. 43401:034-43401:035.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711190207 Forwards Rev 9 to Surveillance Instruction SI-114.1, "ASME Section XI Inservice Insp Program." Changes due to ASME Section XI Code Classes 1,2 & 3 boundary reclassification effort.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43398:115-43399:298.

-8711190225 Rev 9 to Surveillance Instruction SI-114.1, "ASME Section XI Inservice Insp Program." Rev corrects deficiencies shown in CAQR CH5870006 & CH5870010,adds punchlist & incorporates ICF 87-708.
CRANE,E.D., NOBLES,L.M., EMRATH,R.M. Tennessee Valley Authority. 87/08/07. 500pp. 43398:118-43399:298.

8711130006 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250192 Requests extension of commitment date for issuance of procedure re interface guidelines,from *871120 to 1215. Procedure will be issued in response to Insp* Repts 50-327/87-27 & 50-328/87-27.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:217-43460:217.

8711250246 Informs that due date for response to request for addl info re Insp Repts 50-327/87-55 & 50-328/87-55 extended to 851125,per telcon w/F McCoy.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:141-43460:141.

R. Periodic operating reports & related correspondence

8711050125 "Investigation of Impact of Sequoyah Nuclear Plant on Dissolved Oxygen Levels in Chickamauga Reservoir," status rept for Apr-Sept 1987.W/871030 ltr.
BROOKS,R.H. Tennessee Valley Authority. 87/09/30. STEWART,P.L Tennessee, State of. 7pp. 43292:146-43292:152.

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

8711100356 Forwards schedule of util activities for wks of 871102 & 09.
KELLY,J.L. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43340:265-43340:266.

8711200085 Submits weekly schedule of TVA activities for wks of 871116 & 23.
KELLY,J.L. Ofc of Special Projects. 87/11/13. ZECH,G.G. Ofc of Special Projects. 4pp. 43408:073-43408:076.

8711240270 Forwards weekly schedule of TVA activities for wks of 871123 & 30.
KELLY,J.L. Ofc of Special Projects. 87/11/20. ZECH,G.G. Ofc of Special Projects. 4pp. 43446:096-43446:099.

S. Reportable occurrences, LERs & related correspondence

8711020197 Documents 871020 telcon w/util re Unit 2 circuit breaker pole shaft weld failure.
HOOD,D.S Project Directorate II-3. 87/10/23. Project Directorate II-3. 4pp. 43238:351-43238:355.

8711020356 LER 87-056-00:on 870926,diesel generator 2B-B inadvertently started due to personnel failure to render generator inoperable prior to pulling fuses.Caused by inadequate preplanning of work to be performed.W/871023 ltr.
NAIK,J A., NOBLES,L.M. Tennessee Valley Authority. 87/10/23. 4pp. 43236:284-43236:287.

8711020251 LER 87-046-00:on 870422,3 of 16 conductors considered worst- case vertical drop cables failed high-potential test Lab testing found silicone rubber cables more susceptable to impact damage.Root cause unknown.W/871026 ltr.
LONG,J.L., NOBLES,L.M. Tennessee Valley Authority. 87/10/26. 4pp. 43234:208-43234:212.

8711060253 Special Rept 87-14:on 871002,control room notified that Penetration Fire Barrier Breach Permits 5155,5156 & 5157 would not be closed within required 7-day duration of Tech Spec 3.7.12.Caused by time required to replace Door C-37.
NOBLES,L.M. Tennessee Valley Authority. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43303:169-43303:170.

8711130119 Special Rept 87-15:on 871006,fire breach permit for fire door exceeded 7-day limit allowed by Tech Spec.Caused by failure to complete required asbestos removal work by due date.Fire door restored to functional status.
NOBLES,L.M. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43357:219-43357:220.

8711170277 Special Rept 87-16:on 871008 & 19,fire beach permit for Fire Doors A-71 & A-72 exceeded 7 day Tech Spech limit.Caused by wet layup of containment spray HXs 2A & 2B work not being completed in 7 days.
NOBLES,L.M. Tennessee Valley Authority. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43364:082-43364:094.

8711190033 LER 87-045-00:on 871009,discovered that potential failure of non-class 1E speed switches could render safety grade ERCW inoperable.Caused by inadequate design control process in place at time ERCW traveling screens upgraded.W/871111 ltr.
KILGORE,B.E., NOBLES,L.M. Tennessee Valley Authority. 87/11/06. 4pp. 43395:323-43395:326.

8711200267 Special Rept 87-18:on 871015,five breached const sleeve seals exceeded 7 days allowed for nonfunctional fire barrier penetrations.Caused by managerial decision to open sleeve seals.Sleeve seals anticipated to be closed on 871219.
NOBLES,L.M. Tennessee Valley Authority. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43413:154-43413:155.

8711230193 LER 87-064-00:on 871013,five piping spool pieces used during Stage II flood preparation plan do not fit properly.Caused by piping orientation changes.Insp made.Spool pieces will be modified by 880101.W/871112 ltr.
NAIK,J.A., NOBLES,L.M. Tennessee Valley Authority. 87/11/12. 4pp. 43421:147-43421:150.

8711300088 LER 87-066-00:on 871022,*determined that component cooling water sys* (CCWS) pump seal leakage could deplete CCWS water inventory in 52 h following LOCA.Caused by lack of analysis on leakage rates.Procedures will be revised.W/871119 ltr.
MEADE,K.E., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43473:099-43473:102.

8711300107 LER 87-068-00:on 871027,discovered that Tech Spec surveillance interval exceeded due to data sheet missing from completed surveillance instruction.Caused by personnel error.Personnel counseled.Procedure revised.W/871119 ltr.
KILGORE,B.E., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43472.358-43472:361.

8711300119 LER 87-067-00:on 871027,monitor tank dilution flow not verified during liquid effluent release.Caused by trainee failure to follow procedure while performing batch release. Personnel involved counseled.W/871119 ltr.
KILGORE,B.E., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43465:055-43465:058.

8711300185 LER 87-044-01:on 870724,flooding effects of moderate energy line breaks not adequately analyzed.Caused by inadequate communication between analyst & sys engineer.Actions taken to minimize impact of energy line breaks.W/871119 ltr.
MEADE,K.E., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43469:355-43469:358.

8711300206 Special Rept 87-19:on 871025,discovered suspended ceiling in operations locker room damaged rendering fire barrier nonfunctional.Caused by employees stepping on ceiling.Roving fire watch established until ceiling repaired.
SMITH,S.J. Tennessee Valley Authority. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43471:360-43471:361.

8711300263 LER 87-070-00:on 871021,discovered voltage regulator problem on emergency diesel generator 2A-A.Caused by installation of defective component.Defective voltage regulator repaired.W/ 871120 ltr.
LONG,J.L., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43465:089-43465:092.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711030513 Forwards safety evaluation supporting util 870430 ltr justifying current configuration of electrical splices in annulus trays & 870901 response to NRC 870803 request for addl info.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43263:155-43263:156.

-8711030523 Safety evaluation concluding that splices within containment annulus consistent w/industry practice & therefore acceptable.
* Ofc of Special Projects. 87/10/30. 2pp. 43263:157-43263:158.

8711100401 Rev 12 to Emergency Plan Implementing Procedure IP-1, "Emergency Plan Classification Logic." W/871102 ltr & Rev 33 to Implementing procedures Index.
WALKER,J.R., YOUNGBLOOD,T.H., GRIDLEY,R.L. Tennessee Valley Authority. 87/11/02. 9pp. 43345:005-43345:012.

8711240169 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

8711190281 Forwards Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905.No violations or deviations noted.Two unresolved items re implementation of commitments & adequacy of util se.smic qualification program identified.
ZECH,G.G. Ofc of Special Projects. 87/11/12. WHITE,S A. Tennessee Valley Authority. 2pp. 43399:300-43399:325.

--8711190289 Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905 No violations or deviations noted.Major areas inspected: operational safety verification,including operations performance,sys lineups,radiation protection & safeguards.
JENISON,K. Ofc of Special Projects. 87/11/02. 24pp. 43399:302-43399.325.

8711190123 Discusses compensatory measures initiated until design changes for diesel generator bldg sprinkler & standpipe sys fully implemented.Second water supply line to bldg will be completed 6 months after Unit 2,Cycle 3 refueling outage.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43397:099-43397:100.

8711240172 Summarizes 871020 telcon between NRC & util re two broken fillet welds on pole shaft assembly of circuit breaker that energizes emergency fire protection pumps for facility. Photographs attached to 870710 memo to NRC encl.
HOOD,D. Project Directorate II-3. 87/11/18. Project Directorate II-3. 7pp. 43445:151-43445:157.

8711300126 Forwards response to JA Zwolinski 871008 ltr requesting addl info on miscellaneous amends/search requirements ref in 861126 physical security/contingency plan.Encl withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43467:323-43467:324.

8711300260 Forwards supplementary summary pages for Rev 17 to physical security/contingency plan,per 871029 telcon.Pages provided as replacement to pages transmitted w/10CFR50.54(p) submittal on 870021.Pages withheld (ref 10CFR73.21).
GRIDLEY,R.L. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43465:132-43465:133.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462.002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

P. Operating license stage documents & correspondence

8710080441 Forwards response to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Response provides discussion on operation or planned operation of plants during partially filled RCS condition
GRIDLEY,R. Tennessee Valley Authority. 87/10/02. Document Control Branch (Document Control Desk). 35pp. 43277:017-43277:070.

--8711040337 Rev 38 to Sys Operating Instruction SOI-68.1, "RCS."
BREWER,C.O. Tennessee Valley Authority. 87/06/24. 18pp. 43277:053-43277:070.

--8711040340 Rev 40 to Sys Operating Instruction SOI-74.1, "RHR Sys."
DEWEESE,C.E. Tennessee Valley Authority. 87/08/29. 12pp. 43277:071-43277:082.

--8711040345 Rev 4 to Surveillance Instruction SI-673, "RCS Level Verification Using Sight Glass or Tygon Hose."
ANTHONY,J.M. Tennessee Valley Authority. 87/09/15. 10pp. 43277:083-43277:092.

--8711040348 Rev 8 to Abnormal Operating Instruction AOI-14, "Loss of RHR Shutdown Cooling."
WALKER,J.R. Tennessee Valley Authority. 85/05/17. 149pp. 43277:093-43277:241.

--8711040352 "Sequoyah Nuclear Plant Steam Generator Reactor Coolant Spills of 870128 & 0201."
* Tennessee Valley Authority. I-87-01-SQN. 87/02/01. 38pp. 43277:242-43277:279.

8711020427 Remits fee for NRC review of one-time exemption to 2-yr frequency requirements for Type B & C testing for plants, per NRC 871014 ltr.
GRIDLEY,R. Tennessee Valley Authority. 87/10/20. DIGGS,R.M. Division of Accounting & Finance (Post 870413). 2pp. 43234:093-43234:094.

8711020184 Forwards Amends 61 & 53 to Licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends change Tech Spec Table 3.8-2,deleting refs to motor-operated valves w/ bypassed thermal overload devices.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/22. WHITE,S A. Tennessee Valley Authority. 3pp. 43239:332-43239:355.

--8711020190 Amends 61 & 53 to Licenses DPR-77 & DPR-79,respectively, deleting three categories of motor-operated valves from Tech Spec Table 3.8-2.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/22. 17pp. 43239:335-43239:351.

--8711020194 Safety evaluation supporting Amends 61 & 53 to Licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 4pp. 43239:352-43239:355.

8711020064 Forwards safety evaluation supporting util 850816,860606, 1117,1212,870702 & 0814 requests for relief from inservice testing program for restart of plant w/four exceptions.ORNL technical evaluation rept also encl.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 43240:141-43240:177.

--8711020081 Safety evaluation supporting 21 relief requests,w/four exceptions,from ASME Boiler & Pressure Vessel Code,Section-IX,re inservice testing program of pumps & valves.
* Ofc of Special Projects. 87/10/23. 3pp. 43240:144-43240:146.

--8711020102 "Requests for Relief,Pump & Valve Inservice Testing Program, Sequoyah Nuclear Plant,Units 1 & 2," technical evaluation rept.
MURPHY,G. Oak Ridge National Laboratory. FIN F-0001. 87/09/18. NRC - No Detailed Affiliation Given. 31pp. 43240:147-43240:177.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21600) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711030335 Informs that util did not complete commitment discussed in 870522 ltr re engineering change notice closeout & FSAR updates by scheduled date.Commitment late due to incorrect linkage to 870930 requirement for issuance of NEP-6.6.
GRIDLEY,R. Tennessee Valley Authority. 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43252.096-43252.097.

8711050214 Forwards Amends 62 & 54 to Licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends delete Limiting Condition for Operation 3.3.3.6, "Chlorine Detection Sys" & associated surveillance requirements & bases.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 4pp. 43300.042-43300:065.

--8711050219 Amends 62 & 54 to Licenses DPR-77 & DPR-79,respectively, deleting Limiting Condition for Operation 3 3.3.6, "Chlorine Detection Sys" & associated surveillance requirements & bases.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/10/30. 18pp. 43300.046-43300:063.

--8711050225 Safety evaluation supporting Amends 62 & 54 to Licenses DPR-77 & DPR-79,respectively.
* Ofc of Special Projects. 87/10/30. 2pp. 43300.064-43300.065.

8711030399 Forwards safety evaluation re util justification for calculated motor-driven auxiliary feedwater pump operability.Justification acceptable & procedures sufficient for Mode 3 w/o any decrease in plant safety.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 3pp. 43259:042-43259:047.

--8711030411 Safety evaluation supporting util justification for calculated motor-driven auxiliary feedwater pump operability.
* Ofc of Special Projects. 87/11/02. 3pp. 43259:045-43259.047.

8711100023 Forwards safety evaluation re util 871012 request that two- loop RHR sys be made inoperable for 24 h in Mode 5 to repair common valve.Request acceptable to render RHR sys inoperable for up to 24 h in Mode 5.
ZWOLINSKI,J.A. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 2pp. 43338:339-43338:346.

--8711100029 Safety evaluation supporting util request that RHR sys be inoperable for 24 h in Mode 5 in order to repair common valve.
* Ofc of Special Projects. 87/11/02. 6pp. 43338:341-43338:346.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G., JOYCE,J.W. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analys's inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711170145 Application for amends to Licenses DPR-77 & DPR-79, consisting of Tech Spec Change 87-42,adding three active motor-operated valves to Table 3.8-2.Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43381:066-43381:074.

--8711170149 Proposed Tech Spec Change 87-42,adding three active motor- operated valves to Table 3.8-2.
* Tennessee Valley Authority. 87/11/10. 7pp. 43381.068-43381:074.

8711230221 Discusses cable test program developed by util to address staff concerns re cable installation practices per NRC 870309 request. Based on results of tests conducted, util has adequately demonstrated integrity of cables in plant.
KEPPLER,J.G. Ofc of Special Projects. 87/11/13. WHITE,S.A. Tennessee Valley Authority. 3pp. 43426:006-43426:008.

8711190129 Forwards revised Table A reflecting addition of ERCW traveling screen wash pumps to inservice test program, associated requests for Relief PV-22 & list of commitments for review. SER addressing change requested.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 9pp. 43397:353-43397:361.

8711190174 Summarizes agreements reached during 870901 meeting & 871029 & 30 discussions w/NRC re document revs to Restart Criteria CEB-CI-21.89 for rigorous analysis piping.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43400:151-43400:153.

8711190223 Forwards addl info re plant fuse replacement program, associated w/Littelfuse Flas-5 fuse failures of Lots 2 & 3, per 871002 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 7pp. 43398:046-43398:101.

--8711190230 "Elevated Temp Test Rept & Mechanical Pull Test Rept for Littelfuse Flas 5.5 AMP Fuses Lot 2,3,4 & 6."
WORMSLEY,J.A., JONES,W.G., RAGSDALE,J.B. Tennessee Valley Authority. 87/10/13. 9pp. 43398:053-43398:061.

--8711190235 "Sequoyah Nuclear Plant Littlefuse Type Flas-05 Fuses Predicted Svc Life."
* Tennessee Valley Authority. SME-MET-87-901. 87/09/28. 30pp. 43398:062-43398:091.

--8711190237 "Temp Measurement Rept for Long-Term Current Test on Littlefuse,Flas-5,5 Amp Fuses."
WORMSLEY,J.A., JONES,W.G., RAGSDALE,J.B. Tennessee Valley Authority. 87/10/01. 10pp. 43398:092-43398:101.

8711200358 Application for amends to Licenses DPR-77 & DPR-79, consisting of Tech Spec Change 87-40,revising Tech Specs to change auxiliary feedwater suction pressure-low trip setpoint & allowable value for turbine-driven pump Fee paid.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43410:268-43411:081.

--8711200369 Proposed Tech Specs,revising auxiliary feedwater suction pressure low trip setpoint & allowable value of Table 3.3-4 for turbine driven pump.Supporting documentation encl.
* Tennessee Valley Authority. 87/11/17. 150pp. 43410:270-43411:081.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20600 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "Human Factors."
* Tennessee Valley Authority. 20600 R03. 87/11/10. 85pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711250028 Notification of 871124 meeting w/util in Bethesda,MD to discuss silicone rubber insulated cable at plant.
DONOHEW,J.N. Ofc of Special Projects. 87/11/19. RICHARDSON,S.D. Ofc of Special Projects. 3pp. 43448:308-43448:310.

8711240177 Forwards final results of cable test program for concerns identified in NRC technical evaluation rept & formally transmits special test instructions,raw data & associated conduit isometric sketches.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43440:023-43440:256.

--8711240184 Rev 0 to Special Test Instruction STI-31, "DC High Voltage Test for Selected 1E Cables W/Potential for Cable Pullby Damage Conduit MC1732B."
PURI,V.K. Tennessee Valley Authority. STI-31 R00. 87/07/22. 200pp. 43440:026-43440:256.

8711250136 Informs NRC that schedule for providing comments on LASL rept will be submitted after 871123 meeting,per JA Zwolinski 870827 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:186-43459:187.

8711100014 Trip rept of 871028-30 site visit to gather info from files to facilitate updating SIMS database.
KELLY,J.L. Ofc of Special Projects. 87/11/30. ZWOLINSKI,J.A. Ofc of Special Projects. 3pp. 43339:327-43339:329.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020523 Responds to observations identified during exit meeting in advance of receiving Insp Repts 50-327/87-31 & 50-328/87-31. Corrective actions:potential generic condition evaluation request sent to plants & evaluations still ongoing.
GRIDLEY,R. Tennessee Valley Authority. 87/10/27. Document Control Branch (Document Control Desk). 12pp. 43235:178-43235:190.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 6pp. 43324:139-43324:227.

8711040210 Forwards response to each unresolved item identified during integrated design insp of ERCW sys which must be resolved before restart of Unit 2,per 871009 request.Plant design sound & addl independent reviews not warranted.
WHITE,S.A. Tennessee Valley Authority. 87/10/28. KEPPLER,J.G. Ofc of Special Projects. 136pp. 43278:241-43277:016.

8711130231 Forwards summary of 870924 mgt meeting w/util to discuss concerns re utils handling of equipment operability problems & scope of corrective programs in response to violations noted in Insp Repts 50-327/87-50 & 50-328/87-50.
ZECH,G.G. Region 2, Ofc of the Director. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 7pp. 43355:299-43355:305.

8711160082 Ack receipt of 871009 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-37 & 50-328/87-37.
ZECH,G.G. Ofc of Special Projects. 87/10/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 43365:086-43365:087.

8711130182 Forwards corrected cover ltr for Insp Repts 50-327/87-55 & 50-328/87-55 w/previously omitted issue date of 871014.
ZECH,G.G. Ofc of Special Projects. 87/11/02. WHITE,S.A. Tennessee Valley Authority. 2pp. 43356:042-43356:046.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711050173 Advises that response to violations,unresolved items & weaknesses noted in Insp Repts 50-327/87-52 & 50-328/87-52 will be submitted by 871109.
GRIDLEY,R. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43292:101-43292:101.

8711100463 Responds to NRC 870929 ltr re violations noted in Insp Repts 50-327/87-50 & 50-328/87-50.Corrective actions:util implemented root cause analysis & adherence to procedures now required in Administrative Instruction AI-4.
SHELL,R.H. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 7pp. 43344:322-43344:328.

8711110026 Responds to NRC 871006 request for addl info re Insp Repts 50-327/87-44 & 50-328/87-44.Min wall calculations for pipe schedules revised & design criteria for detailed analysis of Category I piping sys revised.
SHELL,R.H. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 4pp. 43345:274-43345:277.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711160139 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-327/87-56 & 50-328/87-56.Corrective actions:appropriate disciplinary measures given to personnel involved.
GRIDLEY,R. Tennessee Valley Authority. 87/11/06. Document Control Branch (Document Control Desk). 8pp. 43365:196-43365:203.

8711200007 Forwards Integrated Design Insp Repts 50-327/87-48 & 50-328/87-48.Program weaknesses re technical adequacy of structural calculations discussed.Response to noted deficiencies & open items requested within 60 days.
EBNETER,S.D. Ofc of Special Projects. 87/11/06. WHITE,S.A. Tennessee Valley Authority. 5pp. 43407:127-43408:027.

--8711200044 Insp Repts 50-327/87-48 & 50-328/87-48 on 870708-0911. Deficiencies & unresolved items noted.Major areas inspected: quality of design activities,including mechanical sys & components & civil/structural & electrical power designs.
SHEWMAKER,R.E. Special Inspection Branch. IMBRO,E.V. Ofc of Special Projects. 87/10/30. 256pp. 43407:132-43408:027.

8711160234 Forwards Insp Repts 50-327/87-69 & 50-328/87-69 on 871019-21.No violations or deviations noted.
ZECH,G.G. Ofc of Special Projects. 87/11/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 43365:140-43365:145.

--8711160238 Insp Repts 50-327/87-69 & 50-328/87-69 on 871019-21.No violations or deviations noted.Major areas inspected:drawing control & vendor drawing control.
BELISLE,G.A., JULIAN,C.A. Region 2, Ofc of the Director. 87/11/05. 4pp. 43365:142-43365:145.

8711170102 Responds to NRC 870925 ltr re violations noted in Insp Repts 50-327/87-52 & 50-328/87-52.Corrective actions:walkdowns will be conducted for Unit 1 & future FSAR revs will require review for approval.Violation 87-52-03 denied.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 55pp. 43382:316-43383:010.

8711170154 Forwards revised response to Violations noted in Insp Repts 50-327/87-30 & 50-328/50-30.Statement explaining decisionmaking process in denying Violation 87-30-07 also encl.Corrective action:balloting will not be used in future.
GRIDLEY,R. Tennessee Valley Authority. 87/11/10. Document Control Branch (Document Control Desk). 5pp. 43385:178-43385:182.

8711190261 Forwards Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905.No violations or deviations noted.Two unresolved items re implementation of commitments & adequacy of util seismic qualification program identified.
ZECH,G.G. Ofc of Special Projects. 87/11/12. WHITE,S.A. Tennessee Valley Authority. 2pp. 43399:300-43399:325.

--8711190289 Insp Repts 50-327/87-54 & 50-328/87-54 on 870806-0905.No violations or deviations noted.Major areas inspected: operational safety verification,including operations performance,sys lineups,radiation protection & safeguards.
JENISON,K., MCCOY,F.R. Ofc of Special Projects. 87/11/02. 24pp. 43399:302-43399:325.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190260 Ack receipt of util 871023 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-36 & 50-328/87-36.Recently identified deficiency in containment spray will be addressed separately.
ZECH,G.G. Ofc of Special Projects. 87/11/16. WHITE,S.A. Tennessee Valley Authority. 2pp. 43401:034-43401:035.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711190207 Forwards Rev 9 to Surveillance Instruction SI-114.1, "ASME Section XI Inservice Insp Program." Changes due to ASME Section XI Code Classes 1,2 & 3 boundary reclassification effort.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43398:116-43399:298.

--8711190225 Rev 9 to Surveillance Instruction SI-114.1, "ASME Section XI Inservice Insp Program." Rev corrects deficiencies shown in CAQR CH5870008 & CH5870010,adds punchlist & incorporates ICF 87-708.
CRANE,E.D., NOBLES,L.M., EMRATH,R.M. Tennessee Valley Authority. 87/09/07. 500pp. 43398:118-43399:298.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250192 Requests extension of commitment date for issuance of procedure re interface guidelines,from 871120 to 1215. Procedure will be issued in response to Insp Repts 50-327/87-27 & 50-328/87-27.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:217-43460:217.

8711250246 Informs that due date for response to request for addl info re Insp Repts 50-327/87-55 & 50-328/87-55 extended to 851125,per telcon w/F McCoy.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:141-43460:141.

R. Periodic operating reports & related correspondence

8711050125 "Investigation of Impact of Sequoyah Nuclear Plant on Dissolved Oxygen Levels in Chickamauga Reservoir," status rept for Apr-Sept 1987.W/871030 ltr.
BROOKS,R.H. Tennessee Valley Authority. 87/09/30. STEWART,P.L. Tennessee, State of. 7pp. 43292:146-43292:152.

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

8711200085 Submits weekly schedule of TVA activities for wks of 871116 & 23.
KELLY,J.L. Ofc of Special Projects. 87/11/13. ZECH,G.G. Ofc of Special Projects. 4pp. 43408:073-43408:076.

8711240270 Forwards weekly schedule of TVA activities for wks of 871123 & 30.
KELLY,J.L. Ofc of Special Projects. 87/11/20. ZECH,G.G. Ofc of Special Projects. 4pp. 43446:096-43446:099.

S. Reportable occurrences, LERs & related correspondence

8711020197 Documents 871020 telcon w/util re Unit 2 circuit breaker pole shaft weld failure.
HOOD,D.S. Project Directorate II-3. 87/10/23. Project Directorate II-3. 4pp. 43238:351-43238:365.

8711170277 Special Rept 87-16:on 871008 & 19,fire beach permit for Fire Doors A-71 & A-72 exceeded 7 day Tech Spech limit.Caused by wet layup of containment spray HXs 2A & 2B work not being completed in 7 days.
NOBLES,L.M. Tennessee Valley Authority. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43384:092-43384:094.

8711200267 Special Rept 87-18:on 871015,five breached const sleeve seals exceeded 7 days allowed for nonfunctional fire barrier penetrations.Caused by managerial decision to open sleeve seals.Sleeve seals anticipated to be closed on 871219.
NOBLES,L.M. Tennessee Valley Authority. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43413:154-43413:155.

8711200315 LER 87-003-01:on 870130,five areas identified that d'd not receive ASME Section XI pressure test insp during first period of program.Caused by procedural error.All ASME Section XI procedures revised.W/871112 ltr.
MEADE,K.E., NOBLES,L.M. Tennessee Valley Authority. 87/11/12. 4pp. 43417:230-43417:233.

8711300206 Special Rept 87-19:on 871025,discovered suspended ceiling in operations locker room damaged rendering fire barrier nonfunctional.Caused by employees stepping on ceiling.Roving fire watch established until ceiling repaired.
SMITH,S.J. Tennessee Valley Authority. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43471:360-43471:361.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711060040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mall Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43356:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

8711040202 Forwards Security Plan Change 18 to security plan.Change does not decrease safeguards effectiveness of security plan. Change withheld (ref 10CFR73.21).
ROTHERT,W.C. Iowa Electric Light & Power Co. 87/10/26. Document Control Branch (Document Control Desk). 2pp. 43290:017-43290:018.

8711240113 Advises that 871026 Rev 18 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/10. ROTHERT,W.C. Iowa Electric Light & Power Co. 2pp. 43432:019-43432:020.

8711300221 Forwards Safety Insp Rept 50-331/87-29 on 871026-28.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/24. LIU,L. Iowa Electric Light & Power Co. 2pp. 43470:029-43470:046.

--8711300236 Insp Rept 50-331/87-29 on 871026-28.No violations, deficiencies or deviations noted.Major areas inspected: annual emergency preparedness exercise,involving observation of key functions & location during exercise.
PATTERSON,J.P., CHRISTOFFER,G., SNELL,W.G. Region 3, Ofc of the Director. 87/11/23. 16pp. 43470:031-43470:046.

P. Operating license stage documents & correspondence

8711040269 Forwards Amend 147 to License DPR-49 & safety evaluation. Amend changes Tech Specs directing operator in event where limiting condition for operation Tech Spec Section 3.5.H re maint of filled discharge piping cannot be met.
CAPPUCCI,A.J. Project Directorate III-1. 87/10/29. LIU,L. Iowa Electric Light & Power Co. 3pp. 43278:288-43278:298

--8711040277 Amend 147 to License DPR-49,changing Tech Specs directing operator action in event where limiting condition for operation Tech Spec Section 3.5.H re maint of filled discharge piping cannot be met.
VIRGILIO,M.J. Project Directorate III-1. 87/10/29. 5pp. 43278:291-43278:295.

--8711040285 Safety evaluation supporting Amend 147 to License DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/29. 3pp. 43278:296-43278:298.

8711100431 *Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy* statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170115 Offers no comments on utl 870226 request to amend License DPR-49,consisting of Change RTS-216,updating ATWS design basis.
HOUVENAGLE,T. Iowa, State of. 87/11/12. VIRGILIO,M.J. Project Directorate III-1. 1p. 43382:315-43382:315.

8711240265 Forwards Rev 15 to Surveillance Test Procedure 42G001, "Reactor High Pressure (RPT-ARI Trip) Instrument Functional Test/Calibr" & one oversize drawing,in response to NRC oral request for addl info re ATWS mods.
ROTHERT,W.C. Iowa Electric Light & Power Co. 87/11/13. MURLEY,T. NRC - No Detailed Affiliation Given. 4pp. 43433:086-43433:109.

--8711240277 Rev 15 to Surveillance Test Procedure 42G001, "Reactor High Pressure (RPT-ARI Trip) Instrument Functional Test/Calibr." W/one oversize drawing.
HOWARD,K.E., SCHMELZER,P. Iowa Electric Light & Power Co. 87/08/12. 20pp. 43433:090-43433:109.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 80pp. 43324:139-43324:227.

8711030086 Final response to FOIA request for records.App A & B documents available in PDR.App A documents encl.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. KEEGAN,M. Safe Energy Coalition of Michigan. 3pp. 43264:298-43264:311.

--8711030072 Submits daily staff notes for 870626.Staff will meet w/util on 870629 & independent oversight committee to review current status of facility & readiness to exceed current 50% power restriction.
STRASMA,J. Region 3, Ofc of the Director. 87/06/26. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:301-43264:303.

8710280234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711160144 Forwards Safety Insp Rept 50-331/87-26 on 870901-1019 & notice of violation.Description of actions to improve performance re vendor info requested.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/04. LIU,L. Iowa Electric Light & Power Co. 2pp. 43366:212-43366:223.

--8711160166 Notice of violation from insp on 870901-1019.Violation noted:replacement diaphragm for HPCI turbine oil tube pressure control valve not verified to meet required specs & warehouse issued inconsistent quality diaphragm.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/03. 1p. 43366:214-43366:214.

--8711160193 Insp Rept 50-331/87-26 on 870901-1019.Violations noted.Major areas inspected:licensee action on previous insp findings, operational safety,maint,surveillance,LERs,review & followup of vendor info & generic ltr followup.
JACKIW,I.N. Region 3, Ofc of the Director. 87/11/03. 9pp. 43366:215-43366:223.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170131 Responds to items of concern noted in Insp Rept 50-331/87-25 re util design control program.Corrective actions:engineers involved in Design Change Package DCP-1338 listed w/satisfactory qualifications.
ROTHERT,W.C. Iowa Electric Light & Power Co. 87/11/09. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 43382:286-43382:290.

8711160099 Forwards response to 870908 request re rating for quality programs & administrative controls declining from Category 2 to 3 at facility.Addl administrative changes on mgt reporting requirements for QA will be discussed.
GILBERT,R.A. Project Directorate III-1. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). MIRAGLIA,F. Associate Director for Projects (Post 870411). CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 1p. 43370:099-43370:103.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230388 Forwards Safety Insp Rept 50-331/87-31 on 871026-30.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/17. LIU,L. Iowa Electric Light & Power Co. 2pp. 43424:188-43424:198.

--8711230408 Insp Rept 50-331/87-31 on 871026-30.No violations or deviations noted.Major areas inspected:organization & mgt controls,training & qualifications,exposure controls,control of radioactive matl & contamination,surveys & monitoring.
GRANT,W.B., GREGER,L.R. Region 3, Ofc of the Director. 87/11/16. 7pp. 43424:190-43424:196.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300221 Forwards Safety Insp Rept 50-331/87-29 on 871026-28.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/24. LIU,L. Iowa Electric Light & Power Co. 2pp. 43470:029-43470:046.

--8711300236 Insp Rept 50-331/87-29 on 871026-28.No violations, deficiencies or deviations noted.Major areas inspected: annual emergency preparedness exercise,involving observation of key functions & location during exercise.
PATTERSON,J.P., CHRISTOFFER,G., SNELL,W.G. Region 3, Ofc of the Director. 87/11/23. 16pp. 43470:031-43470:046.

8711300258 Forwards Safety Insp Rept 50-331/87-28 on 870928-1023 & notice of deviation.Response to items of deviation noted should address listed items re commitment control program & should be submitted within 30 days of ltr receipt.
MILLER,H.J. Region 3, Ofc of the Director. 87/11/24. LIU,L. Iowa Electric Light & Power Co. 2pp. 43471:111-43471:122.

--8711300264 Notice of deviation from insp on 870928-1023.Deviation noted:licensee failed to implement task force recommendations re upgrade of identified sys to higher levels.
MILLER,H.J. Region 3, Ofc of the Director. 87/11/23. 1p. 43471:113-43471:113.

--8711300288 Safety Insp Rept 50-331/87-28 on 870928-1023.No violations noted.One deviation from commitment,one open item & one unresolved item noted.Major areas inspected:non-licensed staff training & qualifications & surveillance testing.
RESCHESKE,P.R., PHILLIPS,M.P. Region 3, Ofc of the Director. 87/11/23. 9pp 43471:114-43471:122.

R. Periodic operating reports & related correspondence

8711170185 Monthly operating rept for Oct 1987.W/871115 ltr
MILLER,L., HANNEN,R.L. Iowa Electric Light & Power Co. 87/10/31. 7pp 43384:311-43384:317.

8711090124 Submits semiannual rept for "Plan for Integrated Scheduling of Plant Mods for Duane Arnold Energy Ctr," summarizing progress in implementing Schedule A & B items current as of 871030.
ROTHERT,W.C. Iowa Electric Light & Power Co. 87/11/03. MURLEY,T. Document Control Branch (Document Control Desk). 8pp. 43314:324-43314:331.

S. Reportable occurrences, LERs & related correspondence

8711240313 LER 87-026-00 on 871019,RWCU isolation occurred on signal from RWCU nonregenerative HX outlet temp indicating switch. Caused by switch reaching end-of-life use.Switch replaced.W/ 871118 ltr.
THOMAS,B.N., HANNEN,R.L. Iowa Electric Light & Power Co. 87/11/18. 4pp 43442:147-43442:150.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8711030426 Revised emergency plan implementing procedures,including Rev 23 to EAP-17 re emergency organization staffing,Rev 10 to EAP-22 re operation & use of radio paging device & Rev 11 to SAP-3 re emergency communications testing.W/revised index.
* New York Power Authority (formerly Power Authority of the State of New York). 87/10/21. 28pp. 43251:001-43251:028.

8711020136 Forwards response to weaknesses indentified in appraisal of Radiation Protection & Chemistry Program Insp 50-333/87-18. Exempt position description of radiation protection supervisor revised.
CONVERSE,R.J. New York Power Authority (formerly Power Authority of the State of New York). 87/10/26. Document Control Branch (Document Control Desk). 25pp. 43233:280-43233:305.

8711200137 Rev 8 to Emergency Plan Implementing Procedure EAP-2, "Personnel Injury." W/table of contents.
* New York Power Authority (formerly Power Authority of the State of New York). 87/11/12. 30pp. 43402:267-43402:296.

8711240092 Forwards Rev 9 to plant security plan,in response to NRC 871014 request for addl info re util 861201 proposed amend to plan.Rev withheld (ref 10CFR2.790 & 73.21).
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43430:180-43430:181.

P. Operating license stage documents & correspondence

8711040178 Forwards Amend 113 to License DPR-59 & safety evaluation. Amend revises limits restricting operating pressures & temps to assure that brittle fracture of reactor vessel cannot occur & vessel integrity maintained.
ABELSON,H. Project Directorate I-1. 87/10/22. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 43281:018-43281:034.

--8711040244 Amend 113 to License DPR-59,changing Tech Specs to include revised limits that restrict operating pressures & temps to assure brittle fracture of reactor vessel cannot occur & vessel integrity maintained.
CAPRA,R.A. Project Directorate I-1. 87/10/22. 12pp. 43281:020-43281:031.

--8711040250 Safety evaluation supporting Amend 113 to License DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 3pp. 43281:032-43281:034.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160112 Advises that new & upgraded instrumentation described in util 841130 Reg Guide 1.97 implementation rept in response to Suppl 1 to NUREG-0737,installed during last two refueling outages.Revised description implementation plans encl.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/11/11. Document Control Branch (Document Control Desk). 7pp. 43364:008-43364:014.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020136 Forwards response to weaknesses indentified in appraisal of Radiation Protection & Chemistry Program Insp 50-333/87-18. Exempt position description of radiation protection supervisor revised.
CONVERSE,R.J. New York Power Authority (formerly Power Authority of the State of New York). 87/10/26. Document Control Branch (Document Control Desk). 25pp. 43233:280-43233:305.

8711030091 Forwards safety evaluation accepting util 850930,860827 & 1208 proposed inservice insp program plan for second 10-yr interval of operation & associated requests for relief,w/ exception of requests denied.INEL EGG-SD-7412 also encl.
CAPRA,R.A. Project Directorate I-1. 87/10/27. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 43245:182-43245:245.

--8711030103 Safety evaluation supporting util 850930,860827 & 1208 submittals of second 10-yr inservice insp program plan & associated relief requests from ASME Code insp requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 7pp 43245:184-43245:245.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges. Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729) 87/10/20. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100323 Responds to violations noted in Insp Rept 50-333/87-14. Corrective actions:Procedure EDP-28, "Review of Plant- Specific Qualification Repts," Implemented to improve consistency of facility equipment qualification files.
CONVERSE,R.J. New York Power Authority (formerly Power Authority of the State of New York). 87/11/05. Document Control Branch (Document Control Desk). 19pp. 43335:173-43335:191.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:267.

8711200082 Forwards Insp Rept 50-333/87-21 on 870901-1020 & notice of violation.Violations re failure to perform &/or document safety evaluations for plant mods & failure to adhere to procedure for securing scaffolding noted.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/13. CONVERSE,R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 43402:243-43402:264.

--8711200091 Notice of violation from Insp on 870901-1020.Violation noted:high vibration trip of Reactor A feed pump turbine disabled w/o written safety evaluation to determine that change does not involve unreviewed safety question.
* Region 1, Ofc of the Director. 87/11/13. 2pp. 43402:245-43402:246.

--8711200097 Insp Rept 50-333/87-21 on 870901-1020.Violations noted:Major areas inspected:LER review,operational safety verification, surveillance & maint observations,IE bulletin followup & review of periodic & special rpts.
JOHNSON,J.R. Region 1, Ofc of the Director. 87/11/10. 17pp. 43402:247-43402:264.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711100514 Monthly operating rept for Oct 1987.W/871104 ltr.
COOK,J., CONVERSE,R.J. New York Power Authority (formerly Power Authority of the State of New York). 87/10/31. 10pp. 43335:307-43335:316.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711190314 Notifies that State of WV 830920 submittal of state & local plans for radiological emergencies re plant acceptable. Adequacy of public alert & notification sys verified by FEMA on 851227.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43402:205-43402:205.

8711050129 Revised emergency preparedness plan implementing procedures, including Rev 2 to EPP/I-1, "Recognition & Classification of Emergency Conditions" & Rev 1 to EPP/I-2, "Unusual Event." W/871030 ltr.
LACEY,W.S., SIEBER,J.D. Duquesne Light Co. 87/10/30. 396pp. 43292:153-43293:188.

8711230448 Forwards Safety Insp Rept 50-334/87-15 on 870924-1029.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/17. SIEBER,J.D. Duquesne Light Co. 2pp. 43421:238-43421:252.

--8711230452 Insp Rept 50-334/87-15 on 870924-1029.No violations noted. Major areas inspected:license actions on previous insp findings,plant operations,physical security,radiological controls,fire protection & surveillance testing.
TRIPP,L.E. Region 1, Ofc of the Director. 87/11/16. 13pp. 43421:240-43421:252.

8711230200 Advises that 870817 Rev 1 to Issue 4 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/18. CAREY,J.J. Duquesne Light Co. 4pp. 43420:320-43420:323.

H. General correspondence

8711030005 Requests brief note expressing desire to remain on mailing lists.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. BURROWS,J.D. Ohio, State of. 1p. 43264:244-43264:244.

8711030027 Requests brief note expressing desire to remain on mailing list.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. Pennsylvania, Commonwealth of. 1p. 43264:097-43264:097.

8711030085 Requests response indicating desire to remain on NRC mailing list by 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. HEYDINGER,D.K. West Virginia, State of. 1p. 43264:049-43264:049.

8711030099 Requests response indicating desire to remain on NRC mailing list by 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. THOMAS,C.E. Thomas & Thomas. 1p. 43264:063-43264:063.

8711030179 Requests brief note expressing desire to remain on mailing list.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. BARDEE,M. Pennsylvania, Commonwealth of. 1p. 43264:272-43264:272.

8711030184 Advises that brief note should be sent to S Norris before 871120 if recipient desires to remain on NRC mailing list.
TAM,P.S. Project Directorate I-4. 87/10/29. EDGERLY,J.R. Pennsylvania Power Co. 1p. 43262:340-43262:340.

8711030186 Requests to be notified in writing of continued desire to remain on mailing list for facility correspondence.
TAM,P.S. Project Directorate I-4. 87/10/29. CARMICHAEL,W.F. Virginia, Commonwealth of. 1p. 43263:101-43263:101.

8711030307 Requests that brief note indicating continued desire,if any, to remain on NRC mailing list be forwarded to S Norris before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. FEIN,M. Pittsburgh, PA. 1p. 43259:351-43259:351.

J. Insurance & Indemnity Information

8711200258 Forwards payment of annual indemnity fee for 1-yr period from 871115-881114,per Invoice G0190.
VASSELLO,J.V. Duquesne Light Co. 87/11/12. NRC - No Detailed Affiliation Given. 1p. 43413:152-43413:152.

P. Operating license stage documents & correspondence

8711030292 Forwards response to 870910 request for addl info re changes to station batteries reflected in Tech Spec Change 137.Ltr also documents conference call w/ NRC on 871015.Requests NRC reevaluate previous submittal & approve Tech Spec changes.
SIEBER,J.D. Duquesne Light Co. 87/10/26. Document Control Branch (Document Control Desk). 12pp. 43262:247-43262:258.

8711030132 Forwards Amend 117 to License DPR-66 & safety evaluation. Amend changes Tech Specs to bring pump testing surveillance requirements to compliance w/10CFR50.55a(g)(4)(i) requirements & to conformance w/similar Unit 2 requirements.
TAM,P.S. Project Directorate I-4. 87/10/27. SIEBER,J.D. Duquesne Light Co. 2pp. 43258:269-43258:291.

--8711030144 Amend 117 to License DPR-66,changing Tech Specs to bring pump testing surveillance requirements to compliance w/10CFR 50.55a(g)(4)(i) & to conformance w/similar requirements in Unit 2.
STOLZ,J.F. Project Directorate I-4. 87/10/27. 18pp. 43258:271-43258:288.

--8711030150 Safety evaluation supporting Amend 117 to License DPR-66.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 3pp. 43258:289-43258:291.

8711100065 Forwards request for addl info & clarification re 870413 request for changes in Tech Specs related to monitors for waste gas decay tank.Response expected within 45 days of ltr receipt.
TAM,P.S. Project Directorate I-4. 87/11/04. SIEBER,J.D. Duquesne Light Co. 4pp. 43340:003-43340:006.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160023 Notification of 871120 site visit & meeting in Shippingport, PA re technical issues re licensee proposed plan to comply w/10CFR55.45,in particular,use of simulation facilities.
TAM,P. Project Directorate I-4. 87/11/09. STOLZ,J.F. Project Directorate I-4. 4pp. 43363:031-43363:034.

8711240108 Forwards proprietary & nonproprietary versions of Supplt 2 to WCAP-11317 & WCAP-11318,respectively,entitled, "Verification of Fracture Mechanics Analysis Techniques Used in Support..." WCAP-11317 withheld (ref 10CFR2.790).
SIEBER,J.D. Duquesne Light Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43459:128-43459:177.

--8711240204 Requests that proprietary Suppl 2 to WCAP-11317, "Verification of Fracture Mechanics Analysis Techniques Used in Support of Technical Justification for Eliminating Large Primary Loop Pipe Rupture...," be withheld per 10CFR2.790.
WIESEMANN,R.A. Westinghouse Electric Corp. 87/11/06. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43459:130-43459:136.

--8711240117 Nonproprietary Suppl 2 to "Verification of Fracture Mechanics Analysis Techniques Used in Support of Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Beaver Valley...."
WITT,F.J., PALUSAMY,S.S., SWAMY,S.A. Westinghouse Electric Corp. WCAP-11318 S02. 87/11/30. 42pp. 43459:137-43459:177.

8711240058 Forwards "Reload Safety Evaluation,Beaver Valley Nuclear Plant Unit 1 Cycle 7," documenting evaluation of Cycle 7 reload design,including affects of 10% steam generator tube plugging,upflow conversion & thimble plug removal.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43430:256-43430:274.

--8711240070 "Reload Safety Evaluation,Beaver Valley Nuclear Plant Unit 1 Cycle 7."
DZENIS,E.A. Westinghouse Electric Corp. 87/10/31. 18pp. 43430:256-43430:274.

8711240174 Forwards application for amend to License DPR-66,consisting of License Change Request 144,revising Tech Specs to change ESF response times provided in Table 3.3-5 to include time required for sequential operation of listed valves.Fee paid.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43444:118-43444:131.

--8711240178 Application for amend to License DPR-66,consisting of License Change Request 144,revising Tech Specs to change applicable ESF response times provided in Table 3.3-5 to include time for sequential operation of listed valves.
SIEBER,J.D. Duquesne Light Co. 87/11/13. 2pp. 43444:119-43444:120.

--8711240181 Proposed Tech Specs,revising applicable ESF response times provided in Table 3.3-5 to include that time required for sequential operation of the vol control tank & refueling water storage tank valves.
* Duquesne Light Co. 87/11/13. 11pp. 43444:121-43444:131.

8711240288 Forwards application for amend to License DPR-66,consisting of Proposed Change Request 142,revising RCS pressure isolation valve Spec 3.4.6.3 to reflect commitments in response to Generic Ltr 87-06.Fee paid.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43442:044-43442:054.

--8711240292 Application for amend to License DPR-66,revising Tech Specs re RCS pressure isolation valve in response to Generic Ltr 87-06.
SIEBER,J.D. Duquesne Light Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43442:046-43442:046.

--8711240294 Proposed Tech Spec re RCS pressure isolation valve.
* Duquesne Light Co. 87/11/12. 14pp. 43442:047-43442:054.

8711200361 Forwards Amend 118 to License DPR-66 & safety evaluation. Amend changes Tech Specs to accommodate replacement of Sostman resistance temp detectors (RTD) w/Rosemount RTDs in reactor protection sys.
TAM,P.S. Project Directorate I-4. 87/11/13. SIEBER,J.D. Duquesne Light Co. 2pp. 43415:328-43415:337.

--8711200365 Amend 118 to License DPR-66,changing Tech Specs to accommodate replacement of Sostman resistance temp detectors (RTD) w/Rosemount RTDs in reactor protection sys.
STOLZ,J.F. Project Directorate I-4. 87/11/13. 6pp. 43415:330-43415:335.

--8711200367 Safety evaluation supporting Amend 118 to License DPR-66.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 2pp. 43415:336-43415:337.

8711250088 Informs that proprietary WCAP-11462, "Overtemp & Overpower Delta-T Reactor Trip Setpoint Calculations for Beaver Valley Unit 1," will be withheld from public disclosure (ref 10CFR2.790),per 870612 request.
TAM,P.S. Project Directorate I-4. 87/11/13. SIEBER,J.D. Duquesne Light Co. 3pp. 43448:333-43448:335.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040200 Ack receipt of 870914 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-334/87-08OL.
GALLO,R.M. Region 1, Ofc of the Director. 87/10/28. SIEBER,J.D. Duquesne Light Co. 2pp. 43289:136-43289:141.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:138-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190356 Ack receipt of 871014 ltr informing NRC of intent to update NDE procedures used during inservice insps to requirements of ASME Section V,1983 Edition through Summer 1983 addenda. Request granted for first 10-yr inservice insps.
TAM,P.S. Project Directorate I-4. 87/11/13. SIEBER,J.D. Duquesne Light Co. 2pp. 43404:128-43404:129.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc 120pp. 43467:001-43467:121.

8711230448 Forwards Safety Insp Rept 50-334/87-15 on 870924-1029.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/17. SIEBER,J.D. Duquesne Light Co. 2pp. 43421:238-43421:252.

--8711230452 Insp Rept 50-334/87-15 on 870924-1029.No violations noted. Major areas inspected:license actions on previous insp findings,plant operations,physical security,radiological controls,fire protection & surveillance testing.
TRIPP,L.E. Region 1, Ofc of the Director. 87/11/16. 13pp. 43421:240-43421:252.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711040137 "NPDES Monthly Discharge Monitoring Rept for Sept 1987." W/871028 ltr.
DRUGA,R.J. Duquesne Light Co. 87/09/30. VARGA,S Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 43290:215-43290:235.

S. Reportable occurrences, LERs & related correspondence

8711130341 LER 87-017-00,on 871009,two damper penetrations found unsealed.Once per hour fire tours of cable tray mezzanine immediately initiated.Duct work/fire barrier joint sealed. W/871109 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/09. 5pp. 43359:354-43359:358.

8711300102 LER 87-018-00:on 871022,main filter bank & control room pressurization actuation occurred.Caused by inadequate design of plug,allowing contacts to touch ground.Operations personnel will review event.W/871123 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/23. 4pp. 43467:089-43467:092.

V. Operator Examinations

8711090190 Requests plans for meeting amended requirements of 10CFR55 re individuals identified as potential dual licensed operators in 871005 ltr.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/05. SIEBER,J.D. Duquesne Light Co. 3pp. 43313:338-43313:340.

8711190292 Withdraws facility certification accompanying D Held application for senior operator license on Unit 1,in response to NRC 871030 ltr.D Held performing licensed duties on Unit 2 & not participating in license retraining program.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43401:229-43401:229.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711040355 Forwards first monthly status rept of plans described in util 870924 ltr.Encl withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43290:019-43290:019.

8711200329 Forwards "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification." Recommends frequency of full-cycle tests be increased & addl test be performed.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43412:035-43412:276.

--8711200331 "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification."
* Federal Emergency Management Agency. 87/10/13. 236pp. 43412:036-43412:276.

8711190290 Forwards proprietary response to NRC 870930 ltr re proposed rev to plant physical security plan.Withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/11/05. Document Control Branch (Document Control Desk). 1p. 43399:299-43399:299.

8711130232 Responds to NRC ltr re exercise weaknesses noted in Insp Repts 50-335/87-19 & 50-389/87-18.Corrective actions:meeting planned w/state officials re possible time saving measures & emergency plan implementing procedures will be revised.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43359:281-43359:282.

8711230157 Forwards Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 2pp. 43423:020-43423:037.

--8711230162 Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031. Violations noted:Major areas inspected:Tech Spec compliance, operator performance,overall plant operations,QA practices, site security procedures & radiation control activities
CALENJAK,R.V., BIBB,H.E., WILSON,B. Region 2, Ofc of the Director. 87/11/17. 14pp. 43423:024-43423:037.

8711230286 Forwards Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43421:070-43421:083.

--8711230297 Notice of violation from Insp on 871026-30.Violation noted: failure to adhere to radiological control procedures for personnel contamination monitoring & for properly wearing protective clothing as required.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. 2pp. 43421:072-43421:073.

--8711230304 Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30. Violations noted:Major areas inspected:radiation protection, including external exposure control,internal exposure control & control of radioactive matl & contamination.
BASSETT,C.H., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/18. 10pp. 43421:074-43421:083.

8711300176 Forwards Physical Security Plan Change 11-5,returning equipment designations 10,12 & 26 to vital equipment list, per NRC 870909 request.Change withheld (ref 10CFR2.790).
WOODY,C.O. Florida Power & Light Co. 87/11/23. Document Control Branch (Document Control Desk). 1p. 43467:064-43467:064.

G. Adjudicatory correspondence

8711110068 Licensee answer in opposition to request for hearing.* Opposes C Rich 870930 request for public hearing re proposed amend to license to increase spent fuel storage capacity. W/notices of appearance of counsel & Certificate of Svc.
BAUSER,M.A. Florida Power & Light Co. BAUSER,M.A. Newman & Holtzinger, #487 4777. 87/11/04. Atomic Safety and Licensing Board Panel. 6pp. 43332:227-43332:234.

8711170011 NRC Staff response to ltr hearing request by C Rich.* Intervention should be denied unless Rich & other petitioners amend request to cure defects w/at least one admissible contention.Certificate of Svc encl.
YOUNG,M.A. Assistant General Counsel for Hearings. #487 4819. 87/11/09. Atomic Safety and Licensing Board Panel. 11pp. 43367:037-43367:047.

8711190048 Memorandum & order (conference call).* Util directed to meet w/C Rich to resolve concerns of Rich & other signatories to Rich 870930 ltr.Rich directed to file amended petition to intervene by 880115 if concerns unresolved.Served on 871116.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4853. 87/11/13. Office of the General Counsel. RICH,C Affiliation Not Assigned. 9pp. 43392:100-43392:108.

P. Operating license stage documents & correspondence

8711020232 Summary of 871002 meeting w/util in Bethesda,MD re licensee proposal to rerack spent fuel pool.List of meeting attendees & questions discussed at meeting encl.
TOURIGNY,E.G. Project Directorate II-2. 87/10/21. Project Directorate II-2. 27pp. 43240:005-43240:031.

8711030051 Requests addl info re util 870812 request to expand spent fuel pool storage capacity.Response requested within 30 days of ltr receipt.
TOURIGNY,E.G. Project Directorate II-2. 87/10/23. WOODY,C.O. Florida Power & Light Co. 4pp. 43264:278-43264:281.

8711050274 Forwards Amends 86 & 25 to Licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends change unit of reactivity,delete obsolete requirements & correct typos & administrative data.
TOURIGNY,E.G. Project Directorate II-2. 87/10/23. WOODY,C.O. Florida Power & Light Co. 3pp. 43300:123-43300:235.

--8711050277 Amends 86 & 25 to Licenses DPR-67 & NPF-16,respectively, changing unit of reactivity,deleting obsolete requirements, correcting typos & providing administrative data.
BERKOW,H.N. Project Directorate II-2. 87/10/23. 105pp. 43300:126-43300:230.

--8711050278 Safety evaluation supporting Amends 86 & 25 to Licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 5pp. 43300:231-43300:235.

8711050238 Forwards Amends 87 & 26 to Licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends change surveillance requirement dealing w/special test exception on shutdown margin.
TOURIGNY,E.G. Project Directorate II-2. 87/10/28. WOODY,C.O. Florida Power & Light Co. 2pp. 43301:109-43301:121.

--8711050248 Amends 87 & 26 to Licenses DPR-67 & NPF-16,respectively, changing surveillance requirement dealing w/special test exception on shutdown margin.
BERKOW,H.N. Project Directorate II-2. 87/10/28. 8pp. 43301:111-43301:118.

--8711050254 Safety evaluation supporting Amends 87 & 26 to Licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 3pp. 43301:119-43301:121.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711060289 Forwards EPA Region IV 870930 ltr to util providing final issuance of NPDES Permit FL0002208 & includes state certification of util application by State of FL.
WOODY,C.O. Florida Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 52pp. 43304:017-43304:069.

8711090376 Submits addl info to suppl util 861230 response to NRC safety evaluation which assessed conformance of plant to Reg Guide 1.97.Util does not intend to implement any changes to instrumentation monitoring variable during Jul 1988 outage.
WOODY,C.O. Florida Power & Light Co. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43321:141-43321:141.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100346 Forwards marked-up safety issues mgt sys plant data,in response to 870901 ltr requesting assistance in providing info re implementation of approved regulatory initiatives.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 28pp. 43333:310-43333:337.

8711100386 Responds to NRC 870610 request for addl info re TMI Item II.D.1 of NUREG-0737, "Performance Testing of Relief & Safety Valves." Remaining questions will be addressed by 880205.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 8pp. 43334:346-43334:353.

8711130184 Informs that response to Item 5 of Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled," will be submitted by 880229.
WOODY,C.O. Florida Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43356:284-43356:284.

8711200346 Application for amend to License DPR-67,changing Tech Specs re pump & valve program.NRC requested to approve amend by 860115 since first 10-yr insp interval ends 880211.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 4pp. 43413:057-43413:100.

--8711200348 Proposed changes to Tech Specs re pump & valve program.
* Florida Power & Light Co. 87/11/16. 39pp. 43413:061-43413:100.

8711230089 Notification of 871124 meeting w/util in Bethesda,MD to discuss licensee response to NRC questions re rerack of facility spent fuel pool.
TOURIGNY,E.G. Project Directorate II-2. 87/11/16. BERKOW,H.N. Project Directorate II-2. 4pp. 43416:199-43416:202.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130232 Responds to NRC ltr re exercise weaknesses noted in Insp Repts 50-335/87-19 & 50-389/87-18.Corrective actions,meeting planned w/state officials re possible time saving measures & emergency plan implementing procedures will be revised.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43359:281-43359:282.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200180 Informs NRC that motor-operated valve testing scheduled completion date of 871114,not met.Valves will be tested when conditions can be established during startup from Cycle 3/4 refueling outage.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:102-43417:102.

8711200346 Application for amend to License DPR-67,changing Tech Specs re pump & valve program.NRC requested to approve amend by 860115 since first 10-yr insp interval ends 880211.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 4pp. 43413:057-43413:100.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711230157 Forwards Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 2pp. 43423:020-43423:037.

--8711230159 Notice of violation from insp on 870906-1031.Violation noted:Procedure 2-M-0036, "Reactor Vessel Maint-Sequence of Operations" not properly implemented in that load cell not utilized in performing lift of Unit 2 instrumentation plate.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. 2pp. 43423:022-43423:023.

--8711230162 Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031. Violations noted:Major areas inspected:Tech Spec compliance, operator performance,overall plant operations,QA practices, site security procedures & radiation control activities.
CRLENJAK,R.V., BIBB,H.E., WILSON,B. Region 2, Ofc of the Director. 87/11/17. 14pp. 43423:024-43423:037.

8711230286 Forwards Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43421:070-43421:083.

--8711230297 Notice of violation from insp on 871026-30.Violation noted: failure to adhere to radiological control procedures for personnel contamination monitoring & for properly wearing protective clothing as required.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. 2pp. 43421:072-43421:073.

--8711230304 Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30. Violations noted:Major areas inspected,radiation protection, including external exposure control,internal exposure control & control of radioactive matl & contamination.
BASSETT,C.H., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/18. 10pp. 43421:074-43421:083.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711230444 Monthly operating repts for Oct 1987.W/871116 ltr.
GRANT,N.W., WOODY,C.O. Florida Power & Light Co. 87/10/31. 19pp. 43421:292-43421:310.

8711060102 Quarterly turtle activities rept for Jul-Sept 1987.W/NRC 871107 & State of FL 871006 ltrs.
MARTIN,R.E. Florida Power & Light Co. 87/09/30. MARTIN,R.E. Florida, State of. 7pp. 43305:061-43305:067.

S. Reportable occurrences, LERs & related correspondence

8711300110 LER 85-012-02:on 851219,snubbers failed visual exams & functional testing,per Tech Spec 4.7.10.Caused by installation & design problems.All failed snubbers repaired, modified or replaced.Maint procedures upgraded.W/871124 ltr.
MOHN,S.E., WOODY,C.O. Florida Power & Light Co. 87/06/09. 10pp. 43469:306-43469:316.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711100366 LER 87-014-00:on 871008,unidentified RCS leakage greater than Tech Spec limit discovered.Caused by weld joint failure due to previous misalignment of listed flanges.Reactor shut down & required repairs performed.W/871106 ltr.
WOODY,C.O. Florida Power & Light Co. 87/11/06. 5pp. 43333:356-43333:359.

8711190206 LER 87-015-00:on 871014,Mode 4 entered w/o shield bldg integrity.Caused by inadequate procedural controls of shield bldg doors once checked as being closed.Operating Procedure 1-0030120 will be revised.W/871116 ltr.
MOHN,S.E., WOODY,C.O. Florida Power & Light Co. 87/11/16. 6pp. 43400:105-43400:109.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020357 Responds to NRC 870927 ltr re violations noted in Insp Rept 50-336/87-16.Corrective actions:hourly fire watch patrol established & exemption request from Section III.G.2.b of 10CFR50,App R for listed valves will be submitted by 880201.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/23. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43236:279-43236:283.

8711230443 Revised emergency plan implementing procedures,including Rev 1 to EPIP Form 4201-16, "MP2 Steam Line Monitor" & Rev 0,Change 2 to EPIP Form 4606-1, "EOF ED/G Operability Test." W/871116 ltr.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/16. 9pp. 43421:311-43421:320.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-16,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43421:163-43421:171.

H. General correspondence

8711090330 Informs of organizational change affecting distribution lists for correspondence from NRC.RW Bishop no longer employed as corporate secretary & should be removed from list.
MROCZKA,E.J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/11/06 Document Control Branch (Document Control Desk). 2pp. 43321:131-43321:132.

P. Operating license stage documents & correspondence

8711020151 Ack receipt of invoices G0029,G0063,G0064 & G0065 for first quarterly installment of 1988 annual fee,per 10CFR171. Understands that fee will be wire-transferred on 871030 in payment of invoices.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/26. Document Control Branch (Document Control Desk). 8pp. 43233:306-43233:313.

8711030413 Forwards request for addl info re spent fuel consolidation at facility.
JAFFE,D.H. Project Directorate I-4. 87/10/30. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43281:007-43281:010.

8711050021 Forwards "Revised Inservice Insp Testing Program," in response to NRC 870602 questions & 870825 & 26 meetings.Rev covers second 10-yr insp interval & includes updated emergency diesel generator auxiliary sys testing program.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43293:270-43294:028.

--8711050025 "Revised Inservice Insp Testing Program." W/12 oversize drawings.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/10/31. 117pp 43293:272-43294:028.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711090100 Application for amend to License DPR-65,changing Tech Specs to specify limit for how long radioactive effluent monitoring instrumentation may be out of svc for maint, required tests, checks & calibr purposes.Fee paid.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43315:010-43316:017.

--8711090102 Proposed Tech Specs,specifying limit for how long radioactive monitoring instrumentation may be out of svc for maint,required tests,checks & calibr purposes.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/11/30. 4pp. 43315:014-43316:017.

8711100367 Forwards request for addl info re review of util 870714 submittal re reactor bldg closed cooling water sys containment isolation,per 10CFR50,App J,Type C test program. Response requested within 60 days of ltr receipt.
JAFFE,D.H. Project Directorate I-4. 87/11/03. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 43342:194-43342:196.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130078 Responds to NRC request for addl info supporting util 870828 application for amend to License DPR-65 re operation of plant beyond end of core life for Cycle 8.Westinghouse evaluation of coastdown operation discussed.
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43354:226-43354:227.

8711200320 Requests FR publication of notice of issuance of Amend 121 to License DPR-65.Amend revises Tech Specs to address wall thinning criteria for steam generator sleeves & decreasing allowable primary-to-secondary leakage.
JAFFE,D.H. Project Directorate I-4. 87/11/13. NRC - No Detailed Affiliation Given. 2pp. 43414:347-43414:348.

8711250100 Forwards Amend 121 to License DPR-65 & safety evaluation. Amend modifies Tech Spec 4.4.5.1.4, "Acceptance Criteria" to address wall thinning criteria for steam generator sleeves & to remove footnote.
JAFFE,D.H. Project Directorate I-4. 87/11/13. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 2pp. 43461:342-43461:355.

--8711250104 Amend 121 to License DPR-65,modifying Tech Spec 4.4.5.1.4, "Acceptance Criteria" to address wall thinning criteria for steam generator sleeves & to remove footnote.
STOLZ,J.F. Project Directorate I-4. 87/11/13. 10pp. 43461:344-43461:353.

--8711250108 Safety evaluation supporting Amend 121 to License DPR-65.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 2pp. 43461:354-43461:355.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020357 Responds to NRC 870927 ltr re violations noted in Insp Rept 50-336/87-16.Corrective actions:hourly fire watch patrol established & exemption request from Section III.G.2.b of 10CFR50,App R for listed valves will be submitted by 880201.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/23. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43236:279-43236:283.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711050021 Forwards "Revised Inservice Insp Testing Program," in response to NRC 870602 questions & 870825 & 26 meetings.Rev covers second 10-yr insp interval & includes updated emergency diesel generator auxiliary sys testing program.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43293:270-43294:028.

--8711050025 "Revised Inservice Insp Testing Program." W/12 oversize drawings.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/10/31. 117pp. 43293:272-43294:028.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711100378 Responds to violations noted in Insp Repts 50-245/86-06 & 50-336/86-06 on 860324-27.Corrective actions:training program developed & implemented & radioactive matls handling personnel will be trained by 871231.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/04. Document Control Branch (Document Control Desk). 3pp. 43335:220-43335:222.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711230239 Ack receipt of 871023 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-336/87-16.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/16. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 2pp. 43422:314-43422:320.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-15,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43421:163-43421:171.

8711240032 Forwards Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.No violations identified.Thirteen previously identified items closed during insp.Three items requiring addl info & review discussed in rept.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43444:046-43444:060.

--8711240037 Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.Major areas inspected:followup of items previously identified re capability for post-accident sampling.Concern re technical review level noted.
WEADOCK,A., SHANBAKY,M. Region 1, Ofc of the Director. 87/11/12. 13pp. 43444:048-43444:060.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711250170 Forwards Insp Repts 50-245/87-17 & 50-336/87-15 on 870715-17 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/19. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43459:356-43460:007.

--8711250172 Notice of violation from Insp on 870715-17.Violations noted: licensee not able to provide documentation to establish qualification by test or analysis of GE SIS wire used in Valves 2-SI-651,2-CH-501 & 2-SI-644.
* Region 1, Ofc of the Director. 87/11/19. 2pp. 43459:358-43459:359.

--8711250178 Insp Repts 50-245/87-17 & 50-336/87-15 on 870715-17. Violations & one unresolved item noted.Major areas inspected:followup of equipment qualification findings identified in Insp Repts 50-245/85-30 & 50-336/85-35.
KOSHY,T., PAOLINO,R., ANDERSON,C. Region 1, Ofc of the Director. 87/11/17. 9pp. 43459:360-43460:007.

R. Periodic operating reports & related correspondence

8711170018 Monthly operating rept for Oct 1987.W/871110 ltr.
NERON,G., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/10/31. 5pp. 43375:264-43375:268.

V. Operator Examinations

8711040307 Discusses arrangements for reactor operator & senior reactor operator licensing exams scheduled for wk of 880111.Encl list of ref matl requested by 871111.Instructions,rules, guidelines & requirements for exams encl.
KELLER,R.M. Region 1, Ofc of the Director. 87/10/27. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 10pp. 43289:196-43289:205.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8709140175 Provides addl info re 870603 request that emergency actions taken in response to steam generator tube rupture event on 870715 be accepted as annual emergency plan exercise for 1987,per 870827 telcon.Rept & supporting info encl.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/09/11. Document Control Branch (Document Control Desk). 37pp. 42632:037-42632:228.

--8709140180 "North Anna Power Station Rept of Emergency Preparedness Events re Unit 1 Steam Generator Tube Rupture."
* Virginia Power (Virginia Electric & Power Co.) 87/07/15. 121pp. 42632:108-42632:228.

8710160319 Requests exemption from requirements of 10CFR50.47 & App E re performance of exercise of emergency plan in 1987 per 10CFR50.12 & in light of action taken in response to 870715 steam generator tube rupture event.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/09. Document Control Branch (Document Control Desk). 3pp. 43065:037-43065:039.

8711060235 Quarterly rev to "Corporate Emergency Response Plan Telephone Directory." W/871102 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 19pp. 43302:161-43302:179.

8711090097 Responds to NRC 870828 & 1005 ltrs re violations noted in Insp Repts 50-338/87-24 & 50-339/87-24.Corrective actions: Radiation Monitor N-16 installed on main steam header,health physics technicians received training & procedures reviewed.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/04. Document Control Branch (Document Control Desk). 12pp. 43321:309-43321:320.

P. Operating license stage documents & correspondence

8711020167 Forwards safety evaluation re steam generator downcomer flow resistance plate installation & resultant increase in steam generator tube rupture dose rates.Mods to steam generator acceptable.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/23. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43238:327-43238:334.

--8711020165 Safety evaluation re util 870925 request for approval of steam generator downcomer flow resistance plate mods & increase in calculated offsite dose per 10CFR50.59.Mods acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 5pp. 43238:330-43238:334.

8711020046 Forwards supplemental info re preventive plugging of steam generator tubes per NRC request.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/26. Document Control Branch (Document Control Desk). 5pp. 43226:283-43226:287.

8711020515 Requests relief from provisions of ASME Section XI,1980 Edition Subarticle IWP-3110 for using fixed set of measured ref values.Example of calculated ref curve & acceptance criteria encl.Fee paid.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/28. Document Control Branch (Document Control Desk). 3pp. 43238:033-43238:035.

8711090039 Forwards Rev 1 to SAR-VEPCO-005, "SPDS SAR for VEPCO NUREG-0696 Computer Project,North Anna & Surry Nuclear Power Stations," reflecting as-built sys,per util 861215 commitment.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:019-43315:066.

--8711090045 Rev 1 to "SPDS SAR for VEPCO NUREG-0696 Computer Project, North Anna & Surry Nuclear Power Stations."
HURT,W.L. Energy, Inc. SAR-VEPCO-005 R01. 87/08/28. 46pp. 43315:021-43315:066.

8711230105 Lists Spanish Commissioner Echavarri suggested topics for discussion during Spanish Nuclear Safety Council 871113 tour of facility.Facility ref plant for six Spanish plants. Clearance data for LE Echavarri & JI Villadoniga encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43418:018-43418:020.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130197 Concludes that steam generators have been restored to acceptable condition following 870715 steam generator tube rupture.Facility can be operated at 100% power.Safety evaluation will be transmitted.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/05. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43356:073-43356:074.

8711160173 Application for amends to Licenses NPF-4 & NPF-5, reformatting operability & surveillance requirements for intermediate range channels & revising intermediate range high flux trip setpoint.Fee paid.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43368:187-43368:217.

--8711160178 Proposed Tech Specs reformatting operability & surveillance requirements for intermediate range channels & revising nominal intermediate range high flux trip setpoint
* Virginia Power (Virginia Electric & Power Co.). 87/11/09. 27pp. 43368:191-43368:217.

8711250155 Requests that licensee provide duplicate flux map.Branch intends to compare util map to flux map from foreign reactor to see if anomalies in trace can be seen which could be attributable to vibration of probe or thimble tube.
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 87/11/16. RUBENSTEIN,L.S. Project Directorate II-2. 1p. 43461:001-43461:001.

8711250067 Confirms NRC understanding that util will continue to implement leak rate detection & action procedures & standing order until approved amend to Tech Specs becomes effective.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/11/19. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 43449:090-43449:094.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020350 Forwards notice of violation from Insp Repts 50-338/87-30 & 50-339/87-30 on 870825-27.Violations categorized as Severity Level IV.Corrective actions should be documented.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43236:051-43236:056.

--8711020362 Notice of violation from insp on 870826-27.Violations noted: Individual received occupational dose of 23.6 rems to skin of whole body exceeding 1 calendar quarter requirement,per 10CFR20.101(a) & whole body survey not performed.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. 4pp. 43236:053-43236:056.

8711020279 Forwards Insp Repts 50-338/87-35 & 50-339/87-35 on 870928- 1001.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/27. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43232:318-43232:329.

--8711020301 Insp Repts 50-338/87-35 & 50-339/87-35 on 870928-1001.No violations or deviations noted.Major areas inspected: Installation of downcomer flow resistance plates in steam generators.
ECONOMOS,N., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/23. 10pp. 43232:320-43232:329.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090097 Responds to NRC 870828 & 1005 ltrs re violations noted in Insp Repts 50-338/87-24 & 50-339/87-24.Corrective actions: Radiation Monitor N-16 installed on main steam header,health physics technicians received training & procedures reviewed.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/04. Document Control Branch (Document Control Desk). 12pp. 43321:309-43321:320.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100458 Responds to appeal re denial of FOIA request for document listed in encl app.Appeal denied due to document being draft & predecisional in nature.Document withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/06. BAUMAN,L. Government Accountability Project. 2pp. 43342:287-43342:298.

8711200191 Ack receipt of 871023 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/87-26 & 50-339/87-25.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43413:146-43413:146.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17.
Consolidated Edison Co. of New York, Inc. 12Opp. 43487:001-43487:121.

8711240069 Forwards Insp Repts 50-338/87-34 & 50-339/87-34 on 870918-1019.No violations or deviations noted w/exception of one licensee identified violation involving core alterations w/o containment integrity.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43431:067-43431:093.

--8711240077 Insp Repts 50-338/87-34 & 50-339/87-34 on 870918-1010.No violations or deviations noted w/exception of one licensee identified violation.Major areas inspected plant status, unresolved items,ESF walkdown & LER followup.
CALDWELL,J.L., KING,L.P., CANTRELL,F. Region 2, Ofc of the Director. 87/11/04. 25pp. 43431:069-43431:093.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19.
Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711240031 Forwards Insp Repts 50-338/87-33 & 50-339/87-33 on 870928-1002.No violations or deviations noted.Attention invited to unresolved items identified in rept.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/19. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43444:035-43444:043.

--8711240033 Insp Repts 50-338/87-33 & 50-339/87-33 on 870928-1002.No violations or deviations noted.Major areas inspected review of containment isolation sys,local leak rate program, including review of test procedures & valve alignments.
WHITENER,H.L., JAPE,F. Region 2, Ofc of the Director. 87/11/17. 7pp. 43444:037-43444:043.

R. Periodic operating reports & related correspondence

8711190229 Monthly operating repts for Oct 1987.W/871116 ltr.
GARNER,B., STEWART,W.L. Virginia Power (Virginia Electric & Power Co.) 87/10/31
12pp. 43401:014-43401:025.

S. Reportable occurrences, LERs & related correspondence

8710160319 Requests exemption from requirements of 10CFR50.47 & App E re performance of exercise of emergency plan in 1987 per 10CFR50.12 & in light of action taken in response to 870715 steam generator tube rupture event.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/09. Document Control Branch (Document Control Desk). 3pp. 43065:037-43065:039.

8711090199 LER 87-015-01:on 870829,reactor tripped due to high level in SA feedwater heator.Caused by improper valve line-up due to failure to follow administrative controls for hanging & removing danger tags.Procedures revised.W/871103 ltr.
HARRELL,E.W. Virginia Power (Virginia Electric & Power Co.). 87/11/03. 4pp.
43314:016-43314:019.

8711120009 NPDES noncompliance notification on 871031,oil spill occurred at plant.Cause could not be identified.Spill cleaned w/oil absorbent pads from surface of water.No oil found in North Anna lake or in canal.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 87/11/05.
KREGLOE,W.L. Virginia, Commonwealth of. 2pp. 43350:129-43350:130.

8711160214 LER 87-022-00:on 871010,pressurizer PORV opened due to actuation of overpressure protection sys.Caused by reduction in primary sys temp during inservice insp test.Insp procedure will be revised.W/871105 ltr.
HARRELL,E.W. Virginia Power (Virginia Electric & Power Co.). 87/11/05. 6pp.
43366:243-43366:247.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711250208 Staff requirements memo re Commission 871109 briefing in Washington,DC on 870715 steam generator tube rupture event.
BATES,A.L. Office of the Secretary of the Commission. 87/11/24. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43461:341-43461:341.

T. Hearing transcripts on non-antitrust matters

8711180054 Transcript of 871109 briefing in Washington,DC re facility steam generator tube rupture event.Pp 1-56.Supporting documentation encl.
* Commissioners. 87/11/09. 80pp. 43394:319-43395:037.

V. Operator Examinations

8711130241 Notifies that reactor operator & senior operator licensing exams scheduled for wk of 880216 & simulator/operating exams scheduled for 880217-26 Approved ref matl listed in Encl 1 should be furnished by 871218.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 10pp. 43357:318-43357:327.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8710160319 Requests exemption from requirements of 10CFR50.47 & App E re performance of exercise of emergency plan in 1987 per 10CFR50.12 & in light of action taken in response to 870715 steam generator tube rupture event.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/09. Document Control Branch (Document Control Desk). 3pp. 43065:037-43065:039.

8711060235 Quarterly rev to "Corporate Emergency Response Plan Telephone Directory." W/871102 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. 10pp.
43302:161-43302:179.

8711090097 Responds to NRC 870828 & 1005 ltrs re violations noted in Insp Repts 50-338/87-24 & 50-339/87-24.Corrective actions: Radiation Monitor N-16 installed on main steam header,health physics technicians received training & procedures reviewed.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.) 87/11/04. Document Control Branch (Document Control Desk). 12pp. 43321:309-43321:320.

P. Operating license stage documents & correspondence

8711020124 Forwards Amend 82 to License NPF-7 & safety evaluation. Amend revises Tech Spec 3/4.6.3,Table 3.6-1 to correct inconsistency between util 801210 response to NUREG-0737 & Tech Spec for specifying containment isolation signal.
ENGLE,L.B. Project Directorate II-2. 87/10/22. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43239:154-43239:163.

--8711020149 Amend 82 to License NPF-7,revising Tech Spec 3/4.6.3,Table 3.6-1 to correct inconsistency between util 801210 response to NUREG-0737 & Tech Spec for specifying containment isolation signal to be Phase B instead of Phase A.
BERKOW,H.N. Project Directorate II-2. 87/10/22. 7pp. 43239:157-43239:161.

--8711020160 Safety evaluation supporting Amend 82 to License NPF-7.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 2pp.
43239:162-43239:163.

8711020157 Forwards safety evaluation re steam generator downcomer flow resistance plate installation & resultant increase in steam generator tube rupture dose rates.Mods to steam generator acceptable.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/23.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43238:327-43238:334.

--8711020165 Safety evaluation re util 870925 request for approval of steam generator downcomer flow resistance plate mods & increase in calculated offsite dose per 10CFR50.59.Mods acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 5pp.
43238:330-43238:334.

8711020515 Requests relief from provisions of ASME Section XI,1980 Edition Subarticle IWP-3110 for using fixed set of measured ref values.Exempts calculated ref curve & acceptance criteria.encl.Fee paid.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/28. Document Control Branch (Document Control Desk). 3pp. 43238:033-43238:035.

8711040333 Forwards Topical Rept VP-NOS-35, "North Anna Unit 2,Cycle 5 Core Performance Repl," for info.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/28. Document Control Branch (Document Control Desk). 1p. 43285:298-43285:346.

--8711040339 "North Anna Unit 2,Cycle 5 Core Performance Rept."
REITLER,E.C., ROGERS,P.S., PIERCE,N.S. Virginia Power (Virginia Electric & Power Co.). VP-NOS-35. 87/09/30. 50pp. 43285:299-43285:346.

8711090039 Forwards Rev 1 to SAR-VEPCO-005, "SPDS SAR for VEPCO NUREG-0696 Computer Project,North Anna & Surry Nuclear Power Stations," reflecting as-built sys,per util 861215 commitment.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:019-43315:066.

--8711090045 Rev 1 to "SPDS SAR for VEPCO NUREG-0696 Computer Project, North Anna & Surry Nuclear Power Stations."
HURT,W.L. Energy, Inc. SAR-VEPCO-005 R01. 87/08/28. 46pp. 43315:021-43315:066.

8711230105 Lists Spanish Commissioner Echavarri suggested topics for discussion during Spanish Nuclear Safety Council 871113 tour of facility.Facility ref plant for six Spanish plants. Clearance data for LE Echavarri & JI Villadoniga encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43418:018-43418:020.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160173 Application for amends to Licenses NPF-4 & NPF-5, reformatting operability & surveillance requirements for intermediate range channels & revising intermediate range high flux trip setpoint.Fee paid.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43368:187-43368:217.

--8711160178 Proposed Tech Specs reformatting operability & surveillance requirements for intermediate range channels & revising nominal intermediate range high flux trip setpoint.
* Virginia Power (Virginia Electric & Power Co.). 87/11/09. 27pp. 43368:191-43368:217.

8711250155 Requests that licensee provide duplicate flux map.Branch intends to compare util map to flux map from foreign reactor to see if anomalies in trace can be seen which could be attributable to vibration of probe or thimble tube.
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 87/11/16. RUBENSTEIN,L.S. Project Directorate II-2. 1p. 43461:001-43461:001.

8711250057 Confirms NRC understanding that util will continue to implement leak rate detection & action procedures & standing order until approved amend to Tech Specs becomes effective.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/11/19.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 43449:090-43449:094.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020350 Forwards notice of violation from Insp Repts 50-338/87-30 & 50-339/87-30 on 870825-27 Violations categorized as Severity Level IV.Corrective actions should be documented.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.) 2pp. 43236:051-43236:056.

--8711020362 Notice of violation from Insp on 870825-27.Violations noted: Individual received occupational dose of 29.6 rems to skin of whole body exceeding 1 calendar quarter requirement,per 10CFR20.101(a) & whole body survey not performed.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. 4pp. 43236:053-43236:056.

8711020279 Forwards Insp Repts 50-338/87-35 & 50-339/87-35 on 870928-1001.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/10/27. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43232:318-43232:329.

--8711020301 Insp Repts 50-338/87-35 & 50-339/87-35 on 870928-1001.No violations or deviations noted.Major areas inspected: installation of downcomer flow resistance plates in steam generators.
ECONOMOS,N., BLAKE,J.J. Region 2, Ofc of the Director. 87/10/23. 10pp. 43232:320-43232:329.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711090092 Requests exemption of encl list of ASME Class 2 pressure vessels from remainder of first inservice insp program exam interval,per IWC-1220(b) of 1983 Edition of ASME Boiler & Pressure Vessel Code,Section XI.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/03. Document Control Branch (Document Control Desk). 3pp. 43322:354-43322:356.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711090097 Responds to NRC 870828 & 1005 ltrs re violations noted in Insp Repts 50-338/87-24 & 50-339/87-24.Corrective actions: Radiation Monitor N-16 installed on main steam header,health physics technicians received training & procedures reviewed.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/04. Document Control Branch (Document Control Desk). 12pp. 43321:309-43321:320.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43365:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711100458 Responds to appeal re denial of FOIA request for document listed in encl app.Appeal denied due to document being draft & predecisional in nature.Document withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/06. BAUMAN,L. Government Accountability Project. 2pp. 43342:287-43342:298.

8711190150 Forwards steam generator tube plugging rept required by Tech Spec 4.4.5.5.a.Rept summarizes tubes plugged as result of insp performed during refueling outage.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/11/13. Document Control Branch (Document Control Desk). 22pp. 43397:312-43397:333.

8711200191 Ack receipt of 871023 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/87-26 & 50-339/87-26.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43413:146-43413:146.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711240069 Forwards Insp Repts 50-338/87-34 & 50-339/87-34 on 870918-1019.No violations or deviations noted w/exception of one licensee identified violation involving core alterations w/o containment integrity.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/18. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43431:067-43431:093.

--8711240077 Insp Repts 50-338/87-34 & 50-339/87-34 on 870916-1019.No violations or deviations noted w/exception of one licensee identified violation.Major areas inspected:plant status, unresolved items,ESF walkdown & LER followup.
CALDWELL,J.L., KING,L.P., CANTRELL,F. Region 2, Ofc of the Director. 87/11/04. 25pp. 43431:069-43431:093.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/10. Consolidated Edison Co. of New York, Inc. 11pp. 43444:165-43444:314.

8711240031 Forwards Insp Repts 50-338/87-33 & 50-339/87-33 on 870928-1002.No violations or deviations noted.Attention invited to unresolved items identified in rept.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/19. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43444:035-43444:043.

--8711240033 Insp Repts 50-338/87-33 & 50-339/87-33 on 870928-1002.No violations or deviations noted.Major areas inspected:review of containment isolation sys local leak rate program, including review of test procedures & valve alignments.
WHITENER,H.L., JAPE,F. Region 2, Ofc of the Director. 87/11/17. 7pp. 43444:037-43444:043.

R. Periodic operating reports & related correspondence

8711190229 Monthly operating repts for Oct 1987.W/871116 ltr.
GARNER,R., STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/31. 12pp. 43401:014-43401:025.

S. Reportable occurrences, LERs & related correspondence

8709140175 Provides addl info re 870803 request that emergency actions taken in response to steam generator tube rupture event on 870715 be accepted as annual emergency plan exercise for 1987,per 870827 telcon.Rept & supporting info encl.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/09/11. Document Control Branch (Document Control Desk). 37pp. 42632:037-42632:228.

--8709140180 "North Anna Power Station Rept of Emergency Preparedness Events re Unit 1 Steam Generator Tube Rupture."
* Virginia Power (Virginia Electric & Power Co.). 87/07/15. 121pp. 42632:108-42632:228.

8710160319 Requests exemption from requirements of 10CFR50.47 & App E re performance of exercise of emergency plan in 1987 per 10CFR50.12 & in light of action taken in response to 870715 steam generator tube rupture event.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87/10/09. Document Control Branch (Document Control Desk). 3pp. 43065:037-43065:039.

8711120009 NPDES noncompliance notification on 871031,oil spill occurred at plant.Cause could not be identified.Spill cleaned w/oil absorbent pads from surface of water.No oil found in North Anna lake or in canal.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 87/11/05. KREGLOE,W.I. Virginia, Commonwealth of. 2pp. 43350:129-43350:130.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103 List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43386:215-43386:234.

8711190264 LER 87-013-00 on 871026,inadvertent ESF actuation occurred during performance of valve inservice insp when wrong valve opened.Caused by failure to follow procedure & personnel error.Operator closed valve.W/871113 ltr.
HARRELL,E.W. Virginia Power (Virginia Electric & Power Co.). 87/11/13. 5pp. 43401:005-43401:009.

8711240191 LER 87-016-00,on 871031,inadvertent reactor protection sys reactor trip signal generated during auxiliary feedwater pump time response & logic test.Caused by procedural inadequacy.Procedures revised.W/871118 ltr.
HARRELL,E.W. Virginia Power (Virginia Electric & Power Co.). 87/11/18. 5pp. 43430:286-43430:290.

8711240198 LER 87-014-00:on 871022,accumulator tank inadvertently injected borated water into RCS.Caused by personnel error. Administrative Procedure 5.8 will be revised & event will be reviewed w/operations personnel.W/871120 ltr.
HARRELL,E.W. Virginia Power (Virginia Electric & Power Co.). 87/11/20. 5pp. 43430:356-43430:360.

V. Operator Examinations

8711130241 Notifies that reactor operator & senior operator licensing exams scheduled for wk of 880216 & simulator/operating exams scheduled for 880217-26.Approved ref matl listed in Encl 1 should be furnished by 871218.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/04. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 10pp. 43357:318-43357:327.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711090013 Requests fee for 870923 applications for review.Util will be billed for any addl review costs.
DIGGS,R.M. License Fee Management Branch. 87/11/05. SYLVIA,B. Detroit Edison Co. 1p. 43324:001-43324:001.

P. Operating license stage documents & correspondence

8711030060 FOIA request for records re facility,including documents pertaining to 870629,0701 & 07 meeting between util & Region III.
KEEGAN,M.J. Safe Energy Coalition of Michigan. 87/07/07. NRC - No Detailed Affirmation Given. 1p. 43264:297-43264:297.

8711250281 Record of telcon w/util on 870714 re adequacy of plant hydrogen recombiners surveillance requirements for blower shaft seal.Supporting info encl.
ANAND,R.K. Plant Systems Branch. 87/07/24. CRAIG,J.W. Plant Systems Branch. 5pp. 43463:017-43463:021.

8711020349 Requests temporary exemption from requirements of 10CFR50, App A Criterion 56 (GDC 56).Util intends to return primary containment radiation monitor to svc utilizing current isolation design while 871022 Tech Spec change under review.
SYLVIA,B.R. Detroit Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 7pp. 43237:288-43237:294.

8711020211 Requests confirmation that review of Tech Spec re Subitems 3.1.3 & 3.2.3 completed & description of Tech Spec changes based on completed review,per Generic Ltr 83-28.Response should be provided within 30 days of ltr receipt.
STEFANO,J.J. Project Directorate III-1. 87/10/28. SYLVIA,B.R. Detroit Edison Co. 2pp. 43239:221-43239:222.

8711030066 Final response to FOIA request for records.App A & B documents available in PDR.App A documents encl.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. KEEGAN,M. Safe Energy Coalition of Michigan. 3pp. 43264:298-43264:311.

-8711030072 Submits daily staff notes for 870626.Staff will meet w/util on 870629 & independent oversight committee to review current status of facility & readiness to exceed current 50% power restriction.
STRASMA,J. Region 3, Ofc of the Director. 87/06/26. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:301-43264:303.

-8711030075 Submits daily staff notes for 870629.Regional administrator & representatives from EDO & NRR will meet w/util to review facility performance to assess util request for approval to operate at Test Condition 3.
STRASMA,J. Region 3, Ofc of the Director. 87/06/29. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:304-43264:306.

-8711030078 Confirms 870707 meeting in Region III ofcs to discuss results of investigation & corrective actions re unplanned mode change on 870626.
GREENMAN,E.G. Region 3, Ofc of the Director. 87/07/06. SYLVIA,B.R. Detroit Edison Co. 1p. 43264:307-43264:307.

-8711030084 Submits daily staff notes.On 870707,AE Davis & staff met w/util to discuss results of licensee investigation into unplanned mode change from cold to hot shutdown on 870626 & proposed corrective actions.
MARABITO,R. Region 3, Ofc of the Director. 87/07/07. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:308-43264:310.

-8711030089 Submits daily staff notes for 870709.Licensee presented results of investigations & proposed corrective action re 870626 unplanned heatup event resulting in operating mode change from cold to hot shutdown on 870707 in Chicago,IL.
STELLO,V. Ofc of the Executive Director for Operations. 87/07/10. ZECH, ROBERTS, BERNTHAL Commissioners. 1p. 43264:311-43264:311.

8711030090 Notification of 871030 meeting w/util in Bethesda,MD to discuss compensatory measures in support of licensee 871027 request for temporary exemption to GDC 56.
STEFANO,J.J. Project Directorate III-1. 87/10/29. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 43264:053-43264:055.

8711030466 Provides listed addl compensatory measures which will be taken in period that proposed temporary exemption would be effective,in support of request for temporary exemption from GDC 56 - primary containment isolation.
ORSER,W.S. Detroit Edison Co. 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43251:142-43251:143.

8711060185 Submits supplemental info re compensatory measures in support of 871027 request for temporary exemption from GDC 56 re primary containment isolation.
ORSER,W.S. Detroit Edison Co. 87/11/02. Document Control Branch (Document Control Desk). 3pp. 43303:188-43303:190.

8711090339 Reissued notification of 871117 meeting w/util in Bethesda, MD to discuss progress in making SPDS fully operational & licensee planned response to NRC review findings.
STEFANO,J.J. Project Directorate III-1. 87/11/03. VIRGILIO,M.J. Project Directorate III-1. 3pp. 43324:054-43324:056.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711110002 Forwards SER & EGG-NTA-7205, "Conformance to Generic Ltr 83-28 Item 2.2.1 - Equipment Classification for All Other Safety-Related Components:Enrico Fermi 2," technical evaluation rept.Util response acceptable.
STEFANO,J.J. Project Directorate III-1. 87/11/04. SYLVIA,B.R. Detroit Edison Co. 2pp. 43347:340-43348:005.

-8711110003 SER re Generic Ltr 83-28,Item 2.2.1, "Equipment Classification Programs for All Safety-Related Components." Util 831103 response acceptable.
* NRC - No Detailed Affiliation Given. 87/11/04. 6pp. 43347:342-43348:005.

8711120087 Advises that all FMDs will be tentatively approved by 871201 instead of 871101.Policy & directive documents in review process awaiting mgt approval.
SYLVIA,B.R. Detroit Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43349:356-43349:356.

8711100021 Forwards environ assessment & finding of no significant impact re util 871027 application & 871029 & 1102 ltrs for exemption from requirements of GDC 56,per 10CFR50,App A.
STEFANO,J.J. Project Directorate III-1. 87/11/05. SYLVIA,B.R. Detroit Edison Co. 2pp. 43339:333-43339:342.

-8711100026 Environ assessment & finding of no significant impact re util 871027,1029 & 1102 requests for exemption from GDC 56 requirements,per 10CFR50,App A.
VIRGILIO,M.J. Project Directorate III-1. 87/11/05. 6pp. 43339:335-43339:342.

8711180009 Forwards info to facilitate NRC review of safety/relief valve in-plant testing results.
SYLVIA,B.R. Detroit Edison Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43366:083-43366:084.

8711230066 Forwards notice of exemption permitting postponement of full compliance w/GDC 56,10CFR50,App A requirements for primary containment radiation monitor isolation until startup following local leak rate testing in Mar 1988.
STEFANO,J.J. Project Directorate III-1. 87/11/13. SYLVIA,B.R. Detroit Edison Co. 2pp. 43425:348-43425:356.

-8711230073 Exemption from full compliance w/GDC 56,10CFR50,App A requirements for primary containment radiation monitor isolation until startup following Mar 1988 local leak rate testing.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/13. Detroit Edison Co. 7pp. 43425:350-43425:356.

8711240274 Application to amend License NPF-43,revising Tech Spec Table 3.8.4.5-1, "Standby Liquid Control Sys Associated Isolation Devices 480 V Motor Control Ctrs," to remove two circuit breaker positions from table.Fee paid.
SYLVIA,B.R. Detroit Edison Co. 87/11/19. Document Control Branch (Document Control Desk). 5pp. 43442:151-43442:157.

-8711240286 Proposed Tech Specs changing Table 3.8.4.5-1, "Standby Liquid Control Sys Associated Isolation Devices 480 V Motor Control Ctrs."
* Detroit Edison Co. 87/11/19. 2pp. 43442:156-43442:157.

8711250016 Application for amend to License NPF-43,deleting standby gas treatment sys flow rate monitor in Table 4.3.7.12-1 & design of plant.Fee paid.
SYLVIA,B.R. Detroit Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43459:110-43459:116.

-8711250020 Proposed Tech Spec,deleting standby gas treatment sys effluent sys flow rate monitor denoted in Table 4.3.7.12-1, to be consistent w/surveillance requirement & plant design.
* Detroit Edison Co. 87/11/20. 1p. 43459:115-43459:116.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711090008 Forwards Operational Safety Team Insp Rept 50-341/87-30 on 870727-0807.Insp findings affirmed prior staff assessments that problems at station encompass broad range of plant activities,including operating practices.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/10/23. SYLVIA,B.R. Detroit Edison Co. 4pp. 43315:115-43315:145.

-8711090022 Operational Safety Team Insp Rept 50-341/87-30 on 870727- 0807.Major areas inspected.observation of control room & in- plant activities of licensed & non-licensed operators & interviews w/operations,mgt & staff personnel.
HAUGHNEY,C.J. Special Inspection Branch. HUNTER,D.R. Region 4, Ofc of the Director. GUTHRIE,S.C. NRC - No Detailed Affiliation Given. 87/10/06. 27pp. 43315:119-43315:145.

8711020069 Responds to Violations 50-341/87031-01 & 50-341/87031-02 noted in Insp Rept 50-341/87-31.Corrective actions:Valve B21-F076B repaired leak tight,memo issued on use of mails list & Procedure NE 5.17, "Approved .," being revised.
SYLVIA,B.R. Detroit Edison Co. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43233:195-43233:198.

8710230213 NRC Info Notice 87-056, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711170153 Responds to violations noted in Insp Rept 50-341/87-28 re QA & preventive maint programs.Corrective actions:task force developed & review of preventive maint tasks for safety significance conducted.
SYLVIA,B.R. Detroit Edison Co. 87/11/13. Document Control Branch (Document Control Desk). 8pp. 43375:253-43375:260.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:286.

8711200159 Discusses 870923-24 meetings between Electrical Sys Branch & licensee re LPCI swing bus design deficiency revealed by 870908 operator error.NRR finds licensee design changes acceptable,affirming conclusions of Insp Rept 50-341/87-42.
STEFANO,J.J. Project Directorate III-1. 87/11/16. GREENMAN,E.G. Region 3, Ofc of the Director. 4pp. 43414:358-43414:361.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711230010 Forwards addl response to remaining actions identified in IE Bulletin 86-003 & clarifies info from Insp Rept 50-341/87-35.Design testing for operation of 17 HPCI & 16 RCIC sys valves performed.
SYLVIA,B.R. Detroit Edison Co. 87/11/17. Document Control Branch (Document Control Desk). 16pp. 43418:137-43418:152.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co of New York, Inc. 11 9pp. 43444:195-43444:314.

8711250228 Responds to NRC 871023 ltr re violations noted in Insp Rept 50-341/87-38,Corrective actions:seal lock device applied on EESW Valves F147A & B & complete sys walkdowns performed on listed safety-related sys.
SYLVIA,B.R. Detroit Edison Co 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43460:277-43460:281.

R. Periodic operating reports & related correspondence

8711190270 Monthly operating rept for Oct 1987.W/871115 ltr.
ANTHONY,P.M., ORSER,W.S. Detroit Edison Co. 87/10/31. 4pp. 43400:056-43400:059.

S. Reportable occurrences, LERs & related correspondence

8711060073 PNO-III-87-130 on 871006,loaded .25 caliber automatic pistol found during search of tractor-trailer delivering empty radwaste container to plant protected area.Individual denied site access & detained until arrival of police.
MADEDA,T., CREED,J.R. Region 3, Ofc of the Director. 87/10/06. 1p. 43308:254-43308:254.

8711020348 LER 87-019-02,on 870523,discovered that Surveillance Procedure 24.404.06, "Standby Gas Treatment Sys Manual Actuation Puff Test," incorrectly scheduled.Caused by personnel error.Procedures revised.W/871029 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/10/29. 8pp. 43234:051-43234:058.

8711020404 LER 87-040-01:on 870827,reactor protection sys (RPS) motor- generator set tripped causing loss of power to RPS bus A & Div I isolation signal.Cause not determined.Potentiometer will be cleaned on regular basis.W/871029 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/10/29. 6pp. 43234:073-43234:078.

8711020510 LER 87-051-00,on 870929,emergency equipment cooling water & svc water sys actuated on low differential pressure signal. Caused by design deficiency.Time delay for sys differential pressure switches will be lengthened.W/871029 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/10/29. 4pp. 43239:024-43239:027.

8711050172 LER 87-041-01:on 870329,accident range monitor inoperable. Caused by inadequate sys turn over following preoperational testing.Channel parameters will be verified daily & Tech Spec interpretation issued.W/871030 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/10/30. 6pp. 43291:224-43291:229.

8711060083 LER 87-043-01:on 870902,control ctr HVAC sys shifted from normal to recirculation mode.Investigation continuing to determine cause of event.Corrective actions will be based on results of investigation.W/871103 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/11/03. 4pp. 43308:263-43308:266.

8711100352 LER 87-049-01:on 870925,three deficiencies identified in fire protection program.Cause not stated.Fire brigade training program revised,valve locked into position, procedure revised & training classes held W/871106 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/11/06. 5pp. 43335:200-43335:204.

8711050158 LER 87-048-00:on 871008,12 h channel check not performed for reactor protection sys drywell high pressure instruments. Caused by incomplete surveillance procedure.Surveillance procedure revised to include requirement.W/871107 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/11/07. 4pp. 43291:218-43291:221.

8711200121 LER 87-052-00:on 871017,determined violation of primary containment integrity may have occurred.Caused by lack of communication between util & NRC.Temporary exemption from GDC 56 applied for & verbally granted.W/871114 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/11/14. 7pp. 43417:289-43417:295.

8711300068 LER 87-053-00:on 871024,2 h Tech Spec time constraint for allowing instrument channel to be inoperable exceeded. Caused by personnel error.Checklist developed as guide for performing Surveillance Procedure 44.020.015.W/871123 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/11/23. 5pp. 43470:074-43470:078.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8711020455 Ack receipt of 870225 Rev 15 to plant physical security plan.Portions of rev consistent w/provisions of 10CFR50.54(p).Util requested to resubmit corrected plan pages per encl.Encl withheld (ref 10CFR73.21).
SCARANO,R.A. Region 5, Ofc of the Director. 87/10/24. COCKFIELD,D.W. Portland General Electric Co. 4pp. 43238:009-43238:011.

8711130304 Forwards environ assessment & finding of no significant impact re util 840731,850531,861016 & 1117 & 870508 ltrs requesting exemption from requirements of Section III.G.2 of App R of Tech Specs.
CHAN,T.L. Project Directorate V. 87/10/27. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43360:202-43360:206.

--8711130324 Environ assessment & finding of no significant impact supporting exemption from Section III.G of App R of 10CFR50 re fire protection of equipment important to safe shutdown.
KNIGHTON,G.W. Project Directorate V. 87/10/27. 3pp. 43360:204-43360:206.

8711250134 Forwards exemption from requirements of 10CFR50,App R, Section III.G.2 re fire protection of safe shutdown capability requirements in response to util 840731,850531, 861016,1117 & 870508 requests.Safety evaluation also encl.
CHAN,T.L. Project Directorate V. 87/11/12. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43461:226-43461:259.

--8711250031 Exemption from requirements of 10-CFR50,App R,Section III.G.2 re fire protection of safe shutdown cables & equipment located inside containment bldg.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/12. Portland General Electric Co. 8pp. 43461:228-43461:235.

--8711250138 Safety evaluation supporting exemption from requirements of 10CFR50,App R,Section III.G.2 re fire protection of safe shutdown capability requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/12. 24pp 43461:236-43461:259.

8711230424 Forwards preliminary addendum summarizing 19 deficiencies observed at 871014 joint exercise of offsite radiological emergency preparedness plans involving State of WA & Cowlitz County & State of OR & Columbia County.
KRIMM,R.W. Federal Emergency Management Agency. 87/11/16. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 5pp. 43424:236-43424:240.

8711230332 Forwards Safeguards Insp Rept 50-344/87-35 on 870923-1019 No violations noted.Insp rept withheld (ref 10CFR2.790(d) & 10CFR73.21).
MONTGOMERY,J.L. Region 5, Ofc of the Director. 87/11/19. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43424:359-43424:360.

8711240192 Advises that responses to NRC comments & revised security plan pages will be submitted by 880115,per NRC 870902 request for addl info.
COCKFIELD,D.W. Portland General Electric Co. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43444:138-43444:138.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711300244 Forwards Table 9.3-9 of Amend 6 to updated FSAR.Page inadvertently omitted from certain copies of amend due to printing error.
COCKFIELD,D.W. Portland General Electric Co. 87/11/23. Document Control Branch (Document Control Desk). 1p. 43472:253-43472:286.

--8712010075 Errata to Amend 6 to updated FSAR for Trojan Nuclear Plant.
* Portland General Electric Co. 87/07/31. 32pp. 43472:254-43472:286.

P. Operating license stage documents & correspondence

8402030155 Advises that based on review of 831116 & 1212 submittals re NUREG-0737,Item II.B.3, "Post-Accident Sampling Sys," all 11 review criteria satisfied.Item complete.
MILLER,J.R. Operating Reactors Branch 3. 84/01/26. WITHERS,B.D. Portland General Electric Co. 2pp. 43348:324-43348:325.

--8711120135 Safety evaluation supporting 11 review criteria of NUREG-0737,Item II.B.3 for plant.
* Office of Nuclear Reactor Regulation, Director (pre-851125). 84/01/26. 3pp. 43348:326-43348:328.

8711030290 Forwards updated status of plant-specific list of regulatory requirements,per request.
COCKFIELD,D.W. Portland General Electric Co. 87/10/21. CHAN,T.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 43252:259-43252:266.

8711030266 Forwards plant-specific response to NRC safety evaluation of WCAP-10858, "ATWS Mitigating Sys Actuation Circuitry Generic Design Package," per NRC 860923 request.Info re fault testing of isolation devices will be provided by 880030.
COCKFIELD,D.W. Portland General Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 12pp. 43251:335-43251:346.

8711100309 Provides addl info re performance testing of relief & safety valves,per NUREG-0737,Item II.D.1 & 870617 request. Evaluation of 83 supports for original design loads performed.Mods identified & installed.
COCKFIELD,D.W. Portland General Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 7pp. 43335:001-43335:007.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130355 Forwards Amend 136 to License NPF-1 & safety evaluation. Amend revises Tech Spec Section 3/4.11.3, "Solid Radwaste," by deleting nonexisting Tech Spec ref in Section 3.11.3.1.b.
CHAN,T.L. Project Directorate V. 87/11/09. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43360:186-43360:193.

--8711130359 Amend 136 to License NPF-1,revising Tech Spec Section 3/4.11.3, "Solid Radwaste," to delete nonexistent ref.
KNIGHTON,G.W. Project Directorate V. 87/11/09. 4pp. 43360:188-43360:191.

--8711130363 Safety evaluation supporting Amend 136 to License NPF-1.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/09. 2pp. 43360:192-43360:193.

8711160138 Forwards application for amend to License NPF-1,consisting of License Change Application 159,revising Tech Spec 3.9.9 to resolve inconsistencies within Tech Specs.Fee paid.
COCKFIELD,D.W. Portland General Electric Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43366:205-43366:211.

--8711160140 Application for amend to License NPF-1,consisting of License Change Application 159,revising Tech Spec 3.9.9 to resolve inconsistencies within Tech Specs.
COCKFIELD,D.W. Portland General Electric Co. COCKFIELD,D.W. Eugene Water & Electric Board. COCKFIELD,D.W. PacifiCorp (formerly Pacific Power & Light). 87/11/09. 4pp. 43366:206-43366:209.

--8711160141 Proposed Tech Spec,revising Tech Spec 3.9.9 to resolve inconsistencies within Tech Specs.W/Certificate of Svc.
* Portland General Electric Co. 87/11/09. 2pp. 43366:210-43366:211.

8711180001 Forwards application for amend to License NPF-1,consisting of License Change Application 153,revising Tech Specs to extend surveillance time period for verifying control rod insertability from 24 h to 7 days.Fee paid.
COCKFIELD,D.W. Portland General Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43389:102-43389:108.

--8711180005 Application for amend to License NPF-1,consisting of License Change Application 153,revising Tech Specs to extend surveillance time period for verifying control rod insertability from 24 h to 7 days.
COCKFIELD,D.W. Portland General Electric Co. 87/11/13. 4pp. 43389:103-43389:106.

--8711180006 Proposed Tech Specs,extending surveillance time period for verifying control rod insertability during control rod worth & shutdown margin tests to 7 days.Certificate of Svc encl.
* Portland General Electric Co. 87/11/13. 2pp. 43389:107-43389:108.

8711190238 Forwards application for amend to License NPF-1,consisting of Rev 1 to License Change Application 142,revising Tech Specs to resolve control room habitability issues.
COCKFIELD,D.W. Portland General Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43400:190-43400:208.

--8711190246 Application for amend to License NPF-1,consisting of Rev 1 to License Change Application 142,resolving control room habitability issues by changing Tech Spec sections re chlorine detection sys & control emergency ventilation sys.
COCKFIELD,D.W. Portland General Electric Co. 87/11/16. 11pp. 43400:191-43400:201.

--8711190251 Proposed Tech Specs,resolving control room habitability issues.
* Portland General Electric Co. 87/11/16. 7pp. 43400:202-43400:208.

8711240029 Advises that addl info requested in NRC 870804 ltr will not be provided on 871231,per 870825 ltr.Util has changed contractors for leak-before-break analysis in order to obtain clarifications.Submittal will be made by 880130.
COCKFIELD,D.W. Portland General Electric Co. 87/11/20. Document Control Branch (Document Control Desk). 1p. 43444:034-43444:034.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030522 Forwards Insp Rept 50-344/87-38 on 871005-09.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/19. COCKFIELD Portland General Electric Co. 2pp. 43261:283-43251:291.

--8711030529 Insp Rept 50-344/87-38 on 871005-09.No violations or deviations noted.Major areas inspected:cold weather preparation,experiments program,onsite review committee & evaluation of root cause trouble shooting program.
PEREIRA,D.B., MENDONCA,M.M. Region 5, Ofc of the Director. 87/10/19. 7pp. 43251:285-43251:291.

8711020500 Forwards Exam Rept 50-344/OL-87-02 of exams administered on 871006.
PATE,R.J. Region 5, Ofc of the Director. 87/10/23. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43237:139-43237:142.

--8711020505 Exam Rept 50-344/OL-87-02 on 871006.Exam results:reactor operator candidate passed oral exam.Operator had previously passed written exam.
MORRILL,P.J., ELIN,J.O. Region 5, Ofc of the Director. 87/10/15. 2pp. 43237:141-43237:142.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711300105 Forwards Insp Rept 50-344/87-37 on 870906-1017.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/09. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43473:004-43473:015.

--8711300109 Insp Rept 50-344/87-37 on 870906-1017.No violations or deviations noted.Major areas inspected:operational safety verification,maint,surveillance,low power physics testing & event followup.
BARR,R.C., SUH,G.Y., MENDONCA,M.M. Region 5, Ofc of the Director. 87/11/06. 10pp. 43473:006-43473:015.

8711190096 Responds to NRC 871016 ltr re violations noted in insp. Corrective actions:evaluation of NUREG-CR/3597 completed to provide suppl data demonstrating that performance requirements met.
COCKFIELD,D.W. Portland General Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 4pp. 43396:182-43396:185.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230356 Advises that final rept documenting completion of remaining action items for IE Bulletin 86-003 will be submitted on 881215 to allow for internal review of contractor rept received on 871106
COCKFIELD,D.W. Portland General Electric Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43418 059-43419:059.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711230332 Forwards Safeguards Insp Rept 50-344/87-35 on 870923-1019.No violations noted.Insp rept withheld (ref 10CFR2.790(d) & 10CFR73.21).
MONTGOMERY,J.L. Region 5, Ofc of the Director. 87/11/19. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43424:359-43424:360.

8711250272 Forwards "Inservice Insp Rept for Trojan Unit 1 Nuclear Generating Plant." Rept constitutes final insp for first 10-yr interval.No findings of significant nature discovered during exam.
COCKFIELD,D.W. Portland General Electric Co. 87/11/23. Document Control Branch (Document Control Desk). 1p. 43455:119-43456:187.

--8711250275 "Inservice Insp Rept for Trojan Unit 1 Nuclear Generating Plant."
* Westinghouse Electric Corp. 87/11/30. 450pp. 43455:120-43456:187.

8711300122 Ack receipt of 871113 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-344/87-13.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/11/25. COCKFIELD,D.W. Portland General Electric Co. 1p. 43487:004-43487:008

R. Periodic operating reports & related correspondence

8711170092 Monthly operating rept for Oct 1987.W/871109 ltr.
ULMER,F.J., OLMSTEAD,C.A. Portland General Electric Co 87/10/31. 5pp. 43383:018-43383:020.

S. Reportable occurrences, LERs & related correspondence

8711020332 Special rept:smoke detectors for electrical penetration area found to be inoperable.Hourly fire patrol will be established during 871030-880401.Detector replacement expected to be completed by Feb 1988.
OLMSTEAD,C.A. Portland General Electric Co 87/10/23. Document Control Branch (Document Control Desk). 1p. 43237:312-43237:312

8711020343 LER 87-027-00:on 870927,boron injection tank relief valve leak exceeded FSAR limits.Caused by discharge valve directed to open floor drain instead of closed sys.Plant shutdown & valve replaced w/blind flange.W/871027 ltr.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co. 87/10/27. 4pp. 43233:336-43233:340.

8711030365 LER 87-014-01:on 870523,during insp of centrifugal charging pump A (CCP),portion of stainless steel cladding inside surface of pump exhibited corrosion.Caused by mfg deficiency. CCP A & B casings replaced.W/871030 ltr.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co 87/10/30. 3pp. 43262:085-43262:087.

8711100413 LER 87-029-00:on 870708,fire watch not established during removal of halon sys for remote shutdown panel room & deluge sys 18 & 19.Caused by personnel error.Personnel counseled on procedural requirements of AO-10-2.W/871106 ltr.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co. 87/11/06. 3pp. 43344:355-43344:357.

8711110151 LER 87-028-00:on 871007,containment ventilation isolation occurred during periodic operating test.Caused by high temp in control room panel.Chillers will be added to control room emergency ventilation sys.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co. 87/11/06. 4pp. 43346:027-43346:030.

8711130306 Forwards SERs re main feedwater line restraint failure & accumulator fill line failures at plant.Repairs proposed by util acceptable to ensure integrity of damaged sys for continuing plant operation.
CHAN,T.L. Project Directorate V. 87/11/11. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43360:207-43360:217.

--8711130311 SER supporting util repairs proposal re main feedwater line restraint failure.
* Project Directorate V. 87/11/11. 6pp. 43360.209-43360.213.

--8711130315 SER supporting util repairs proposal re accumulator fill line failures.
* Project Directorate V. 87/11/11. 4pp. 43360:214-43360.217.

8711200340 Special rept on 871112,south fire main loop removed from svc to repair leak in sys.Backup fire suppression water sys established.
OLMSTEAD,C.A. Portland General Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 1p. 43412:359-43412.359.

8711230364 Special rept,Rev 1:updates 871027 rept re violation of Tech Specs.Caused by inoperability of smoke detectors for more then 14 days due undetermined operability due to temps below 32 F.Replacement expected to be completed by Feb 1988.
OLMSTEAD,C.A. Portland General Electric Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43425:223-43425.223.

8711240171 LER 87-030-00:on 871021,discovered that component cooling water (CCW) flow to RHR A HX was only 4,460 gpm.Caused by procedure inadequacy.RHR A HX CCW outlet valve adjusted to provide 5,100 gpm.W/871120 ltr.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co. 87/11/20. 4pp. 43430:322-43430:325.

8711240297 LER 87-031-00:on 871021,steam line C flow indicator FI-532 failed channel check required by Tech Specs & not placed in tripped condition within 1 h.Caused by personnel error. Personnel counseled on Tech Spec requirements.W/871120 ltr.
KERSHUL,B., OLMSTEAD,C.A. Portland General Electric Co. 87/11/20. 3pp. 43442:314-43442:316.

V. Operator Examinations

8711020500 Forwards Exam Rept 50-344/OL-87-02 of exams administered on 871008. PATE,R.J. Region 5, Ofc of the Director. 87/10/23. COCKFIELD,D.W. Portland General Electric Co. 2pp. 43237:139-43237:142.

--8711020505 Exam Rept 50-344/OL-87-02 on 871008.Exam results:reactor operator candidate passed oral exam.Operator had previously passed written exam
MORRILL,P.J., ELIN,J.O. Region 5, Ofc of the Director. 87/10/15. 2pp. 43237:141-43237:142.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711170245 Rev 3 to "Table of Contents:Off-Normal Occurrences."
* Toledo Edison Co. 87/07/23. 3pp. 43363:356-43363:360.

8711020289 Responds to 870828 request for addl info re 861201 proposed amend to industrial security plan in response to miscellaneous amends & search requirements.Rev 3 to industrial security plan submitted on 871013.
SHELTON,D.C. Toledo Edison Co. 87/10/29. Document Control Branch (Document Control Desk). 6pp. 43232:330-43232:337.

8711160048 Discusses 871029 & 30 fire protection meetings in Bethesda, MD re issues which have arisen in conjunction w/licensee App R reappraisal effort,including status of fire protection on plant mods.List of attendees encl.
DE AGAZIO,A.W. Project Directorate III-1. 87/11/07. SHELTON,D.C. Toledo Edison Co. 3pp. 43362:168-43362:170.

8711190272 Advises that 871002 submittal of Rev 11 to plant emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/12. SHELTON,D. Toledo Edison Co. 2pp. 43400:054-43400:055.

8711240261 Forwards Reactive Security Insp Rept 50-346/87-28 on 871021-30.Violations noted.Enforcement actions will be addressed in separate correspondence.Enforcement conference scheduled on 871119 in Glen Ellyn,IL.
HIND,J.A. Region 3, Ofc of the Director. 87/11/18. SHELTON,D. Toledo Edison Co. 2pp. 43431:305-43431:309.

--8711240283 Partially withheld Physical Security Insp Rept 50-346/87-28 on 871021-30 (ref 10CFR73.21) Violations noted.Major areas inspected:several penetrations in vital area barrier resulting in inadequate penetration resistance.
PIRTLE,G.L., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 87/11/17. 3pp. 43431:307-43431:309.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R. Union of Concerned Scientists. 1p. 43392:095-43392:095.

P. Operating license stage documents & correspondence

8711030373 Application for amend to License NPF-3,revising Tech Spec Section 3/4.3.2, "Safety Sys Instrumentation," Table 3.3-5 & Section 3/4.6.3, "Containment Isolation Valves," Table 3.6-2 to support enhanced feed & bleed mods.Fee paid.
SHELTON,D.C. Toledo Edison Co. 87/10/27. Document Control Branch (Document Control Desk). 27pp. 43250:257-43250:300.

--8711030393 Proposed Tech Specs,changing Section 3/4.3.2, "Safety Sys Instrumentation," Table 3.3-5 & Section 3/4.6.3, "Containment Isolation Valves," Table 3.6-2 to support enhanced feed & bleed mods.
* Toledo Edison Co. 87/10/27. 17pp. 43250:284-43250:300.

8711090236 Forwards application for amend to License NPF-3,revising Tech Specs & bases to reflect changes to correct typos & administrative errors.Fee paid.
SHELTON,D.C. Toledo Edison Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43322:245-43322:331.

--8711090243 Application for amend to License NPF-3,revising Tech Specs & bases to reflect changes to correct typos & administrative errors.
SHELTON,D.C. Toledo Edison Co. 87/11/02. 20pp. 43322:246-43322:265.

--8711090246 Proposed changes to Tech Specs & bases to reflect changes to correct typos & administrative errors.
* Toledo Edison Co. 87/11/02. 66pp. 43322:266-43322:331.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160013 Provides clarification re Tech Spec bases change for auxiliary feedwater flow,per AW DeAgazio & A Gilbert request.
SHELTON,D.C. Toledo Edison Co. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43364:235-43364:235.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711230245 Forwards safety evaluation accepting util 870323 request to change Tech Spec Bases Section 3/4.7.1.2 to support reduction of required auxiliary feedwater flow to 600 gpm from 800 gpm.Revised Tech Spec Page B 3/4.7-2 encl.
DEAGAZIO,A.W. Project Directorate III-1. 87/11/18. SHELTON,D.C. Toledo Edison Co. 4pp. 43426:186-43426:193.

--8711230254 Safety evaluation accepting util 870323 request to change Tech Spec Bases Section 3/4.7.1.2 to decrease auxiliary feedwater flow requirement from 800 gpm to 600 gpm.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/18. 4pp. 43426:190-43426:193.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020373 Forwards Safety Insp Rept 50-346/87-22 on 870801-0930.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/20. SHELTON,D.C. Toledo Edison Co. 2pp. 43236:231-43236:242.

--8711020377 Insp Rept 50-346/87-22 on 870801-0930.No violations or deviations noted.Major areas inspected:licensee action on previous insp findings,operational safety,maint,LERs, surveillance,onsite followup of events & TMI action items.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/10/20. 10pp. 43236:233-43236:242.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 69pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240261 Forwards Reactive Security Insp Rept 50-346/87-28 on 871021-30.Violations noted.Enforcement actions will be addressed in separate correspondence.Enforcement conference scheduled on 871119 in Glen Ellyn,IL.
HIND,J.A. Region 3, Ofc of the Director. 87/11/18. SHELTON,D. Toledo Edison Co. 2pp. 43431:305-43431:309.

--8711240283 Partially withheld Physical Security Insp Rept 50-346/87-28 on 871021-30 (ref 10CFR73.21).Violations noted.Major areas inspected:several penetrations in vital area barrier resulting in inadequate penetration resistance.
PIRTLE,G.L., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 87/11/17. 3pp. 43431:307-43431:309.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:186-43444:314.

8711300204 Requests exemption from requirements of 10CFR50,App J, Section III.D.1(a) Exemption would allow third Type A & 10-yr inservice insp to be uncoupled & performed in separate refueling outage.License amend request will be submitted.
SHELTON,D.C. Toledo Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43469:353-43469:354.

8711170269 Forwards "Effluent & Waste Disposal Semiannual Rept, Jan-Jun 1987," per AW DeAgazio request.
SHELTON,D.C. Toledo Edison Co. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43384:101-43384:203

S. Reportable occurrences, LERs & related correspondence

8711300132 Special rept on 870513,fire protection coordinator discovered damage to fire barrier wall in entrance to radiation access control area.Probably caused by personnel negligence.Repairs to wall should be completed by 870731.
STORZ,L.F. Toledo Edison Co. 87/06/12. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43467:347-43467:348

8711060261 Responds to NRC 870911 ltr providing results of review of util LERs & requesting util plans for improving LER quality. Util has reviewed LER assessment rept & taken appropriate action using rept & NUREG-1022 as feedback to LER writers.
SHELTON,D.C. Toledo Edison Co. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43303:089-43303:089.

8711100337 Special rept on 870718,fire detection Zone FDZ-A208 declared inoperable.Caused by failure of fire detector.Hourly fire watch established.Main work order initiated to repair detector.
STORZ,L.F. Toledo Edison Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43335:284-43335:285.

8711190287 LER 87-013-00,on 871016,unit lost essential 120-volt ac bus Y2 which de-energized four sys & placed unit in action statements of listed Tech Specs.Caused by personnel error. Technician training program will be changed.W/871116 ltr.
STOTZ,J.C., STORZ,L.F. Toledo Edison Co. 87/11/16. 5pp. 43400:040-43400:044.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711130288 Forwards Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. MCDONALD,R.P. Alabama Power Co. 2pp. 43356:311-43356:321.

--8711130290 Notice of violation from insp on 870910-1009.Violation noted:continuous fire watch assigned to roof of auxiliary bldg to monitor open flame operations associated w/roofing repairs not alert to duties.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. 2pp. 43356:313-43356:314.

--8711130294 Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009. Violations noted:Major areas inspected:previous enforcement matters,surveillance observation,monthly maint observation & operational safety verification.
BRADFORD,W.H., MILLER,W.H., DANCE,H.C. Region 2, Ofc of the Director. 87/10/28. 7pp. 43356:315-43356:321.

8711250241 Ack receipt of 870909 ltr transmitting Rev 13 to physical security plan.Mod & resubmittal of plan,per encl comments, requested in order to maintain plan continuity.Comments withheld (ref 10CFR73.21).
CLINE,W.E. Region 2, Ofc of the Director. 87/11/06. MCDONALD,R.P. Alabama Power Co. 3pp. 43460:024-43460:026.

8711230293 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-348/87-20 & 50-364/87-20.Corrective actions:FNP-O-EIP-26 & FNP-O-EIP-8 revised re notification of events.Exception to Item 1 re quality of exercise scenario noted.
MCDONALD,R.P. Alabama Power Co. 87/11/13. STOHR,J.P. Region 2, Ofc of the Director. 4pp. 43421:059-43421:062.

8711200217 Revised emergency plan implementing prpocedures,including Rev 7 to FNP-O-EIP-3, "Duties of Emergency Director," Rev 17 to FNP-O-EIP-10, "Evacuation & Personnel Accountability" & Rev 13 to "Emergency Plan." W/871114 ltr.
HUDSPETH,J.B. Alabama Power Co. 87/11/14. 35pp. 43408:241-43408:275.

8711240046 Rev 52 to Emergency Plan Implementing Procedure FNP-O-EIP-8, "Emergency Communications." W/871117 ltr.
WOODLAND,J., HUDSPETH,J.B. Alabama Power Co. 87/11/17. 41pp. 43442:228-43442:268.

8711250029 Forwards revised response & new Page 45 to 870916 draft Rev 14 to physical security plan,per NRC 870812 request.Revised page clarifies components of secoundary power supply sys that will be protected as vital equipment.Page withheld.
MCDONALD,R.P. Alabama Power Co. 87/11/17. Document Control Branch (Document Control Desk). 1p. 43457:296-43457:296.

8711300135 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-24 & 50-364/87-24.Corrective actions:individual involved disciplined for inadequate performance & reinstructed re firewatch responsibilities.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:321-43467:322.

P. Operating license stage documents & correspondence

8711200113 Requests util provide analysis of potential for & consequences of boron dilution accidents.Performance & submittal of analysis results within 90 days of ltr receipt requested.
STOLZ,J.F. Light Water Reactors Branch 1. 77/09/20. BARTON,A.R. Alabama Power Co. 2pp. 43464:064-43464:065.

8711230050 Requests review of alarm circuitry & diesel generator control circuitry for diesel generators.Response requested per listed criteria within 45 days of ltr receipt.
STOLZ,J.F. Light Water Reactors Branch 1. 77/10/31. BARTON,A.R. Alabama Power Co. 2pp. 43464:062-43464:063.

8711020028 Forwards Amends 73 & 65 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends change Tech Specs to increase steam generator tube plugging from 5% to 10% & to slightly increase heat flux hot channel factor coefficient.
REEVES,E.A. Project Directorate II-1. 87/10/26. MCDONALD,R.P. Alabama Power Co. 2pp. 43240:328-43240:349.

--8711020030 Amends 73 & 65 to Licenses NPF-2 & NPF-8,respectively, changing Tech Specs to increase steam generator tube plugging from 5% to 10% & to increase slightly increase heat flux hot channel factor coefficient.
ADENSAM,E.G. Project Directorate II-1. 87/10/26. 12pp. 43240:330-43240:341.

--8711020035 Safety evaluation supporting Amends 73 & 65 to Licenses NPF-2 & NPF-8,respectively.
" Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 9pp. 43240:342-43240:349.

8711030350 Forwards Rev 1 to WCAP-11563, "Analysis of Capsule X From Alabama Power Co JM Farley Unit 1 Reactor Vessel Radiation Surveillance Program." No technical changes to pressure-temp limits or operating procedures required.
MCDONALD,R.P. Alabama Power Co. 87/10/28. Document Control Branch (Document Control Desk). 1p. 43260:077-43260:164.

--8711030374 Rev 1 to "Analysis of Capsule X From Alabama Power Co JM Farley Unit 1 Reactor Vessel Radiation Surveillance Program."
MEYER,T.A. Westinghouse Electric Corp. WCAP-11563 R01. 87/09/30. 87pp. 43260:078-43260:164.

8711130261 Forwards listed documents re program for environ qualification of electrical equipment at facility,per NRC 871009 request.W/o encl.
MCDONALD,R.P. Alabama Power Co. 87/10/30. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 43357:306-43357:308.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100264 Summary of 870924 meeting w/util,Bechtel & RL Cloug Assoc re problems concerning qualification of V-Type electrical splices at facility.Attendance list encl.
REEVES,E.A. Project Directorate II-1. 87/11/05. Project Directorate II-1. 12pp. 43342:182-43342:193.

8711230004 Forwards Amends 74 & 66 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends revise limiting condition for operation & action & surveillance requirements of Tech Spec 3.6.1.7 re containment ventilation sys.
REEVES,E.A. Project Directorate II-1. 87/11/16. MCDONALD,R.P. Alabama Power Co. 2pp. 43416:046-43416:067.

--8711230009 Amends 74 & 66 to Licenses NPF-2 & NPF-8,respectively, revising limiting condition for operation & action & surveillance requirements of Tech Spec 3.6.1.7 re containment ventilation sys.
ADENSAM,E.G. Project Directorate II-1. 87/11/16. 16pp. 43416:048-43416:063.

--8711230016 Safety evaluation supporting Amends 74 & 66 to Licenses NPF-2 & NPF-8,respectively.
" Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 4pp. 43416:064-43416:067.

8711300069 Forwards revised pages of Second 10-Yr Interval Inservice testing program for ASME Code Class 1,2 & 3 pumps & valves, incorporating agreements reached during 871030,1109 & 16 telcons.Granting of relief requests by 871201 requested.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 180pp. 43478:094-43478:272.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
" Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/10. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130288 Forwards Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. MCDONALD,R.P. Alabama Power Co. 2pp. 43356:311-43356:321.

--8711130290 Notice of violation from insp on 870910-1009.Violation noted:continuous fire watch assigned to roof of auxiliary bldg to monitor open flame operations associated w/roofing repairs not alert to duties.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. 2pp. 43356:313-43356:314.

--8711130294 Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009. Violations noted:Major areas inspected:previous enforcement matters,surveillance observation,monthly maint observation & operational safety verification.
BRADFORD,W.H., MILLER,W.H., DANCE,H.C. Region 2, Ofc of the Director. 87/10/28. 7pp. 43356:315-43356:321.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 69pp. 43324:139-43324:227.

8711050124 EN-87-095 on 871103,notice of violation & proposed imposition of civil penalties in amount of $50,000 will be issued.Action based on violations in areas of procurement & vendor interface program.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/10/29. 1p. 43293:243-43293:243.

8711130362 Confirms dates of 871102-06 & 16-20 for NRC equipment qualification (EQ) insp & revises 871009 ltr on subj. Requests presentation of EQ program & status of program implementation for entrance meeting on 871116
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/29. MCDONALD,R.P. Alabama Power Co. 3pp. 43359:351-43359:353.

8711030533 Provides addl response to notice of violation issued on 870128.Util maintains that NRC should withdraw notice of violations due to circumstances surrounding use of two penetrations at issue
MCDONALD,R.P. Alabama Power Co. 87/10/30. Document Control Branch (Document Control Desk). 10pp. 43255:221-43255:230.

8711100313 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-23 & 50-364/87-23.Corrective actions:setpoints on pressure actuated switches corrected & personnel reinstructed.
MCDONALD,R.P. Alabama Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43344:254-43344:255.

8711130174 Forwards Exam Rept 50-348/OL-87-03 of exams administered on 870824-27.Written exam questions,answer key & facility comments also encl.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/03. MCDONALD,R.P. Alabama Power Co. 2pp. 43360:239-43361:081.

-8711130309 Exam Rept 50-348/OL-87-03 on 870824-27 Exam results:three of five reactor operators passed written exam & all five passed operating exam.All nine senior reactor operators passed written & operating exams.
MOORMAN,J.H., MUNRO,J.F. Region 2, Ofc of the Director. 87/10/27. 147pp. 43360:241-43361:027.

-8711130320 Forwards comments concerning written exams for reactor operators & senior reactor operators given at plant on 870824.Questions appearing on both exams have been addressed by reactor operator exam comments only.
WOODARD,J.D. Alabama Power Co. 87/09/01. MUNRO,J.F. Region 2, Ofc of the Director. 54pp. 43361:028-43361:081.

8711130357 Discusses Insp Repts 50-348/87-11,50-364/87-11 & 50-348/87-14 & 50-364/87-14 on 870511-0710 & forwards notice of violation & proposed imposition of civil penalties. Enforcement conference re violations held on 870903.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. MCDONALD,R.P. Alabama Power Co. 3pp. 43361:088-43361:095.

-8711130365 Notice of violation & proposed imposition of civil penalty in amount of $50,000 Noncompliance noted:inadequate control & installation of purchased equipment & inadequate corrective actions & insps.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. 5pp. 43361:091-43361:095.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8710200017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190170 Forwards Insp Repts 50-348/87-27 & 50-364/87-27 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. MCDONALD,R.P. Alabama Power Co. 2pp. 43398:032-43398:045.

-8711190172 Insp Repts 50-348/87-27 & 50-364/87-27 on 871019-23.No violations or deviations noted.Major areas inspected: documentation & observation of NDE activities & independent verification of selected Inservice Insp ultrasonic results.
NEWSOME,R.W., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/12. 12pp. 43398:034-43398:045.

8711230293 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-348/87-20 & 50-364/87-20.Corrective actions:FNP-O-EIP-26 & FNP-O-EIP-8 revised re notification of events.Exception to item 1 re quality of exercise scenario noted.
MCDONALD,R.P. Alabama Power Co. 87/11/13. STOHR,J.P. Region 2, Ofc of the Director. 4pp. 43421:059-43421:062.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230226 Ack receipt of 871102 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/87-23 & 50-364/87-23.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. MCDONALD,R.P. Alabama Power Co. 1p. 43419:279-43419:279.

8711240052 Forwards Insp Repts 50-348/87-28 & 50-364/87-28 on 871019-23 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/17. MCDONALD,R.P. Alabama Power Co. 2pp. 43444:061-43444:072.

-8711240053 Notice of violation from Insp on 871019-23.Violation noted: work performed inside controlled area w/o wearing protective clothing required by RWP 0-87-001A.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/17. 1p. 43444:063-43444:063.

-8711240060 Insp Repts 50-348/87-28 & 50-364/87-28 on 871019-23. Violations noted:Major areas inspected radiation protection activities,including external & internal exposure control, surveys,solid radwaste & followup on IE info notices.
COLLINS,T.P., HOSEY,C.M. Reg on 2, Ofc of the Director. 87/11/18. 9pp. 43444:064-43444:072.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19 Consolidated Edison Co. of New York, Inc. 118pp. 43444:195-43444:314.

8711300135 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-24 & 50-364/87-24 Corrective actions:individual involved disciplined for inadequate performance & reinstructed re firewatch responsibilities.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:321-43467:322.

8711300217 Confirms arrangements for 871125 mgt meeting in Region II ofc to discuss issues of equipment qualification derived from recent insps & corrective actions to be taken before Unit 2 restart,per 871120 exit meeting
GRACE,J.N. Region 2, Ofc of the Director. 87/11/20. MCDONALD,R.P. Alabama Power Co. 1p. 43467:277-43467:277.

8711300064 Requests 14-day extension for response to violations noted in NRC 871103 ltr from Insps on 870511-22,0601-05 & 0611- 0710.Response will be provided by 871217.
MCDONALD,R.P. Alabama Power Co. 87/11/24. Document Control Branch (Document Control Desk). 1p. 43469:325-43469:325.

R. Periodic operating reports & related correspondence

8711200103 Monthly operating rept for Oct 1987.W/871112 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/10/31. 6pp. 43416:330-43416:334.

S. Reportable occurrences, LERs & related correspondence

8711020486 LER 87-016-00:on 870917,fire dampers inoperable due to failure to close w/air flow.Caused by improper installation. Damper removed from sys & re-installed correctly. W/871026 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/10/26. 2pp. 43252:238-43252:239.

8711100512 Forwards summary of NPDES noncompliances for Third Quarter 1987,per Tech Specs,App B,Section 3.2.
MCDONALD,R.P. Alabama Power Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43335:317-43335:318.

8711160101 LER 87-017-00:on 871001,Fire Door 496 declared inoperable & could not be repaired within 7 days violating Tech Spec 3.7.12 Caused by door being bent & latch mechanism stuck.New door ordered.Fire watch will be maintained.W/871103 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/11/03. 2pp. 43365:088-43365:089.

8711160121 LER 87-019-00:on 871013,visitor found unescorted in vital area.Caused by visitor & escort becoming separated.Escort retrained in security requirements & moves taken to min number of visitors requiring access.W/871103 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/11/03. 4pp. 43368:236-43368:239.

8711160134 LER 87-020-00:on 871015,contractor employee gained unauthorized access to main control room causing alarm to be generated in security control alarm station.Caused by personnel error.Personnel counseled.W/871103 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/11/03. 4pp. 43368:283-43368:286.

8711170228 Summary of Operating Reactors Events Meeting 87-36 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43365:215-43365:234.

8711200049 LER 87-018-00:on 871013,discovered that drawing error existed showing locations of 1A & 1B containment hydrogen recombiners 1A & 1B to be reversed.Caused by use of incorrect drawing.Drawing corrected.W/871109 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/11/09. 4pp. 43410:126-43410:129.

V. Operator Examinations

8711130174 Forwards Exam Rept 50-348/OL-87-03 of exams administered on 870824-27.Written exam questions,answer key & facility comments also encl.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/03. MCDONALD,R.P. Alabama Power Co. 2pp. 43360:239-43361:081.

-8711130309 Exam Rept 50-348/OL-87-03 on 870824-27.Exam results:three of five reactor operators passed written exam & all five passed operating exam.All nine senior reactor operators passed written & operating exams.
MOORMAN,J.H., MUNRO,J.F. Region 2, Ofc of the Director. 87/10/27. 147pp. 43360:241-43361:027.

-8711130320 Forwards comments concerning written exams for reactor operators & senior reactor operators given at plant on 870824.Questions appearing on both exams have been addressed by reactor operator exam comments only.
WOODARD,J.D. Alabama Power Co. 87/09/01. MUNRO,J.F. Region 2, Ofc of the Director. 54pp. 43361:028-43361:081.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711230173 Forwards Rev 9 to "Fire Protection Evaluation Rept."
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230224 Rev 9 to "Fire Protection Evaluation Rept."
* Philadelphia Electric Co. 87/10/31. 6pp. 43435:203-43435:208.

8711170028 Requests that ref to Rev 7 to fire protection evaluation rept in util 871030 Amend 87 to license application be changed to Rev 9.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43375:269-43375:269.

G. Adjudicatory correspondence

8711240021 Suppl to petitioner response of 870702 to Board notice of hearing & order of 870729.* Petitioner lists contentions opposing granting of license amend to Tech Specs for plant re matter of radioactive iodine spikes.
ANTHONY,R.L. Anthony, R.L. #487 4886. 87/08/26. Atomic Safety and Licensing Board Panel. 4pp. 43423:105-43423:108.

8711040090 Advises that NRC will not seek discovery & intends to file response to licensee motion for summary disposition as indicated in 871012 ltr to Board,per 871009 memorandum & order.
VOGLER,B.H. Assistant General Counsel for Hearings. #487 4702. 87/10/20. WOLFE,S.J., COLE,R.F., MORRIS,P.A. Atomic Safety and Licensing Board Panel. 1p. 43255:055-43255:055.

8711040080 Intervenor RL Anthony response to 871009 memorandum & order.* Author has no further requests for info in addition to items recorded in 870910 ltr.Util should provide listed records.
ANTHONY,R.L. Anthony, R.L. #487 4709. 87/10/25. WOLFE, COLE, MORRIS Atomic Safety and Licensing Board Panel. 1p. 43254:314-43254:314.

8711040105 Memorandum & order dtd 871009 (memorializing special prehearing conference;ruling on contentions).* Motion for Board to summarily dispose util request instant amend & for exercise to discovery.
ROMANO,F.R. Air and Water Pollution Patrol. #487 4732. 87/10/27. Atomic Safety and Licensing Board Panel. 1p. 43254:117-43254:117.

8711040057 Notice of reconstitution of board.* Judge GA Ferguson appointed in place of Judge PA Morris As reconstituted,Board comprised of listed judges.Served on 871029.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4708. 87/10/28. 2pp. 43253:001-43253:002.

8711040098 Licensee objection to Intervenor Anthony request for discovery & motion for protective order.* Certificate of Svc encl.
WETTERHAHN,M.J. Philadelphia Electric Co. WETTERHAHN,M.J. Conner & Wetterhahn. #487 4731. 87/10/30. Atomic Safety and Licensing Board Panel. 4pp. 43255:078-43255:081.

8711110052 Licensee objection to Intervenor Air & Water Pollution Patrol request for opportunity to file for discovery & motion for protective order.* Certificate of Svc encl.
CONNER,T.B. Philadelphia Electric Co. CONNER,T.B. Conner & Wetterhahn. #487 4776. 87/11/02. Atomic Safety and Licensing Board Panel. 4pp. 43332:133-43332:136.

8711170026 Response of NRC Staff to Air & Water Pollution Patrol Motion of 871027 concerning summary disposition & discovery & licensees objections thereto.* Motion should be denied. Certificate of Svc encl.
VOGLER,B.H. Assistant General Counsel for Hearings. #487 4815. 87/11/09. Atomic Safety and Licensing Board Panel. 5pp. 43368:134-43368:138.

8711170048 Response of NRC Staff to RL Anthony discovery requests & licensee objections thereto.* ASLB should deny request,but protective order not opposed.Certificate of Svc encl.Related correspondance.
VOGLER,B.H. Assistant General Counsel for Hearings. #487 4816. 87/11/09. Atomic Safety and Licensing Board Panel. 5pp. 43367:048-43367:052.

8711190058 Intervenor RL Anthony objection to Philadelphia Electric Co objection to Anthony discovery & request for protective order dtd 871030.* Only essential matl for appeal of granting license amend requested.
ANTHONY,R.L. Anthony, R.L. #487 4865. 87/11/10. Atomic Safety and Licensing Board Panel. 1p. 43393:316-43393:315.

8711190005 Memorandum (memorializing two conference calls).* Served on 871116.
WOLFE,S.J. Atomic Safety and Licensing Board Panel. #487 4852. 87/11/12. 2pp. 43392.096-43392.097.

8711190022 Air & Water Pollution Patrol (AWPP) (Romano) objection to licensee objection to Intervenor AWPP request for opportunity to file for discovery & motion for protective order.* Failure to monitor proceeding inadvertent.
ROMANO,F.R. Air and Water Pollution Patrol. #487 4864. 87/11/12. Atomic Safety and Licensing Board Panel. 2pp. 43392:193-43392:194.

H. General correspondence

8711200347 Forwards application for amend to License NPF-39,changing Tech Specs to reflect changes in licensee onsite & offsite organization.Fee paid
BRADLEY,E.J. Philadelphia Electric Co. 87/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43413:001-43413:056.

--8711200357 Application for amend to License NPF-39,changing Tech Specs to reflect organizational changes in corporate & onsite mgt of licensee nuclear operations,engineering,maint & other support activities.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/18. 41pp. 43413:002-43413:042.

--8711200372 Proposed Tech Spec Pages 6-1,6-2,6-3,6-4,6-6,6-7,6-8,6-9, 6-11,6-12 & 6-13,changing licensee onsite & offsite organization.
* Philadelphia Electric Co. 87/11/18. 14pp. 43413:043-43413:056.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711230173 Forwards Rev 50 to FSAR for Limerick Generating Station, Units 1 & 2.
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230231 Rev 50 to FSAR for Limerick Generating Station,Units 1 & 2. W/two oversize encls.
* Philadelphia Electric Co. 87/10/31. 400pp. 43435:209-43436:163.

P. Operating license stage documents & correspondence

8711230173 Forwards Amend 87 to OL application,consisting of Rev 50 to facility FSAR (filed in PDR Category K) & Rev 9 to "Fire Protection Evaluation Rept" (filed in PDR Category F).
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230219 Amend 87 to OL application,consisting of Rev 50 to FSAR & Rev 9 to "Fire Protection Evaluation Rept."
KEMPER,J.S. Philadelphia Electric Co. 87/10/29. 10pp. 43435:193-43435:202.

8711050184 Forwards safety evaluation accepting util 870526 proposed turbine sys maint program to satisfy License Condition 2.C.(9) of License NPF-39.
CLARK,R.J. Project Directorate I-2. 87/11/03. BAUER,E.G. Philadelphia Electric Co. 3pp. 43299:160-43299:164.

--8711050192 Safety evaluation accepting util turbine sys maint program.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/03. 2pp. 43299:163-43299:164.

8711050228 Forwards safety evaluation accepting util proposed "Requirements for Reduction of Risk From ATWS Events for Light-Water-Cooled Nuclear Power Plants."
CLARK,R.J. Project Directorate I-2. 87/11/03. BAUER,E.G. Philadelphia Electric Co. 3pp. 43301:097-43301:100.

--8711050235 Safety evaluation accepting util compliance w/ATWS rule 10CFR50.62 re alternate rod injection sys,recirculation pump trip & standby liquid control sys
* Project Directorate I-2. 87/11/03. 9pp. 43301:100-43301:108.

8711100033 Forwards summary of problem re mod to turbine control logic w/GE turbine upgrade program.NRR should not endorse mod. Plants using mod experienced severe vibration in electrohydraulic sys supply piping.
BOGER,B.A. Division of Reactor Projects - I/II (Post 870411). 87/11/04. THADANI,A.C. Assistant Director for Systems. 2pp. 43338:348-43338:361.

--8711100036 Summarizes insp of electrohydraulic control oil sys due to 870919 rupture caused by GE improvement mod.Test programs should be monitored.Utils should be alerted to potential vibration if turbine modified for partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/10/14. BUTLER,W.R. NRC - No Detailed Affiliation Given. 9pp. 43338:360-43338:358.

--8711100040 Discusses followup insp of plant electrohydraulic oil sys following mod to turbine logic from full arc emission to partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/11/03. BUTLER,W.R. NRC - No Detailed Affiliation Given. 3pp. 43338:359-43338:361.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402.001-43402:046.

8711100365 Forwards response to NRC 870219 request for addl info re 861105 application for amend to License NPF-37.Amend would revise trip setpoints & allowable values for LPCI injection valves differential pressure instrument loops.
KEMPER,J.S. Philadelphia Electric Co. 87/11/05. BUTLER,W.R. Project Directorate I-2. 11pp. 43343:336-43343:346.

8711100393 Forwards plant specific response to Item 4.5.3 of Generic Ltr 83-28,including proprietary GE rept MDE-93-0485-1, "Tech Spec Improvement Analysis for Reactor Protection Sys for Limerick Generating Station,Units 1 & 2."
KEMPER,J.S. Philadelphia Electric Co. 87/11/05. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 7pp. 43336:027-43336:033.

8711130347 Requests response to encl NRC/INEL review comments & questions re Rev 6 to pump & valve inservice testing program submitted in licensee 870721 ltr.Meeting to discuss encl issues also requested.
CLARK,R.J. Project Directorate I-2. 87/11/06. BAUER,E.G. Philadelphia Electric Co. 16pp. 43360:104-43360:119.

8711170028 Requests that ref to Rev 7 to fire protection evaluation rept in util 871030 Amend 87 to license application be changed to Rev 9.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43375:269-43375:269.

8711240206 Forwards General Physics Corp "Reactor Containment Bldg Integrated Leakage Rate Test Final Rept," per Tech Spec Surveillance Requirement 4.6.1.2 & 10CFR50,App J.Rept provides info re test performance & bypass area test.
ALDEN,W.M. Philadelphia Electric Co. 87/11/16. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 43429:247-43430:043.

--8711240220 "Reactor Containment Bldg Integrated Leakage Rate Test Final Rept."
* General Physics Corp. GP-R-312003. 87/08/13. 156pp. 43429:248-43430.043.

8711200347 Forwards application for amend to License NPF-39,changing Tech Specs to reflect changes in licensee onsite & offsite organization.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43413:001-43413:056.

--8711200357 Application for amend to License NPF-39,changing Tech Specs to reflect organizational changes in corporate & onsite mgt of licensee nuclear operations,engineering,maint & other support activities.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/18. 41pp. 43413:002-43413:042.

* Philadelphia Electric Co. 87/11/18. 14pp. 43413:043-43413:056.

8711300001 Forwards safety evaluation & technical evaluation rept re offsite dose calculation manual,Rev 4.Typos & problems re liquid flows & gaseous effluent pathways noted.Offsite dose calculation manual should be revised by 880401.
CLARK,R.J. Project Directorate I-2. 87/11/23. BAUER,E.G. Philadelphia Electric Co. 5pp. 43464:035-43464:061.

--8711300003 Safety evaluation supporting Rev 4 to offsite dose calculation manual.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/23. 2pp. 43464:040-43464:041.

--8707150732 "Technical Evaluation Rept for Evaluation of Offsite Dose Calculation Manual,Rev 4."
SERRANO,W., BOHN,T.S. EG&G Idaho, Inc. (subs. of EG&G, Inc.). SERRANO,W. Idaho National Engineering Laboratory. FIN D-6034. EGG-PHY-7712. 87/05/31. NRC - No Detailed Affiliation Given. 20pp. 43464:042-43464:061.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100033 Forwards summary of problem re mod to turbine control logic w/GE turbine upgrade program.NRR should not endorse mod. Plants using mod experienced severe vibration in electrohydraulic sys supply piping.
BOGER,B.A. Division of Reactor Projects - I/II (Post 870411). 87/11/04. THADANI,A.C. Assistant Director for Systems. 2pp. 43338:348-43338:361.

--8711100036 Summarizes insp of electrohydraulic control oil sys due to 870919 rupture caused by GE improvement mod.Test programs should be monitored.Utils should be alerted to potential vibration if turbine mod had for partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/10/14. BUTLER,W.R. NRC - No Detailed Affiliation Given. 6pp. 43338:350-43338:356.

--8711100040 Discusses followup insp of plant electrohydraulic oil sys following mod to turbine logic from full arc emission to partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/11/03. BUTLER,W.R. NRC - No Detailed Affiliation Given. 3pp. 43338:359-43338:361.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190108 Responds to NRC 871009 ltr re violations noted in Insp Rept 50-352/87-19.Corrective actions,full compliance w/ requirements for maint of as-built drawings achieved on 870821.Four licensee weaknesses also discussed.
GALLAGHER,J.W. Philadelphia Electric Co. 87/11/09. GALLO,R.M. Region 1, Ofc of the Director. 6pp. 43396:166-43396:171.

8711190252 Forwards Safety Insp Rept 50-352/87-25 on 870928-1002 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/12. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43400:170-43400:184.

--8711190256 Notice of violation from insp on 870928-1002.Violation noted:records of maint activities inadequately maintained.
* Region 1, Ofc of the Director. 87/11/12. 1p. 43400:172-43400:172.

--8711190269 Insp Rept 50-352/87-25 on 870928-1002.Violation noted.Major areas inspected:instrumentation & control program,maint request forms,trending program,Tech Spec-related calibrs, maint activities,staffing & QA/QC interface.
PRELL,J., BLUMBERG,N.J. Region 1, Ofc of the Director. 87/11/10. 12pp. 43400:173-43400:184.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250261 "Semiannual Effluent Release Rept 6 for Jan-June 1987." W/ 870831 ltr.
CHRISTINZIANO, WELLS,L.A., ALDEN,W.M. Philadelphia Electric Co. 87/08/30. RUSSELL,W.T. Region 1, Ofc of the Director. 36pp. 43460:046-43460:080.

8711200367 Monthly operating rept for Oct 1987.W/871116 ltr.
GROPP,R.W., ALDEN,W.M. Philadelphia Electric Co. 87/10/31. 6pp. 43410:244-43410:249.

8711120018 Forwards rev to facility monthly operating repts for Aug & Sept 1987.Repts being submitted to correct calculation error in determining number of hours reactor critical for Aug.W/o Sept rept.
ALDEN,W.M. Philadelphia Electric Co. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43350:131-43350:137.

--8711120023 Rev 1 to monthly operating rept for Aug 1987.
GROPP,R.W. Philadelphia Electric Co. 87/08/31. 7pp. 43350:132-43350:137.

S. Reportable occurrences, LERs & related correspondence

8711040190 LER 87-054-00:on 870927,surveillance test of Channel E for control rod block for scram discharge vol not performed within required time.Caused by personnel error.Surveillance performed & tracking list prepared.W/871028 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/10/28. 6pp. 43290:324-43290:328.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711190263 LER 87-056-00:on 871014,reactor encl ventilation isolation occurred.Caused by series of events related to auxiliary steam boilers.Outside ass't sm operators replaced torch tip on auxiliary boiler B.W/871116 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/11/16. 4pp. 43400:075-43400:078.

8711200154 LER 87-057-00:on 871017,partial isolation of control room ventilation occurred due to false Channel A control room high radiation signal.Caused by inadequate technician instruction.Signal reset.W/871116 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/11/16. 4pp. 43402:352-43402:356.

8711230419 LER 87-055-00:on 871002,nonconformance w/fire safe shutdown requirements identified.Caused by procedure deficiency.Flow switch relays removed & flow switch deenergized.App R review evaluated W/871116 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/11/18. 5pp. 43424:247-43424:251.

8711250219 LER 87-058-00:on 871019,reactor encl ventilation isolation & NSSSS isolation occurred.Caused by loss of auxiliary steam in inlet plenum.Auxiliary steam restored & isolations reset. W/871119 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/11/19. 5pp. 43460:286-43460:290.

8711300265 LER 87-060-00:on 871029,two reactor encl isolations occurred due to decreased pressure between encl & outside atmosphere. Caused by lack of adequate valve tagging sys.Mod 5561 prepared to correct air sys deficiencies.W/871125 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/11/25. 6pp. 43467:257-43467:262.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

A. Application/construction stage documents & correspondence

8711230173 Forwards Amend 87 to OL application,consisting of Rev 50 to facility FSAR (filed in PDR Category K) & Rev 9 to "Fire Protection Evaluation Rept" (filed in PDR Category F).
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230219 Amend 87 to OL application,consisting of Rev 50 to FSAR & Rev 9 to "Fire Protection Evaluation Rept."
KEMPER,J.S. Philadelphia Electric Co. 87/10/29. 10pp. 43435:193-43435:202.

8711050228 Forwards safety evaluation accepting util proposed "Requirements for Reduction of Risk From ATWS Events for Light-Water-Cooled Nuclear Power Plants."
CLARK,R.J. Project Directorate I-2. 87/11/03. BAUER,E.G. Philadelphia Electric Co. 3pp. 43301:097-43301:108.

--8711050235 Safety evaluation accepting util compliance w/ATWS rule 10CFR50.62 re alternate rod injection sys,recirculation pump trip & standby liquid control sys.
* Project Directorate I-2. 87/11/03. 9pp. 43301:100-43301:108.

8711100033 Forwards summary of problem re mod to turbine control logic w/GE turbine upgrade program.NRR should not endorse mod. Plants using mod experienced severe vibration in electrohydraulic sys supply piping.
BOGER,B.A. Division of Reactor Projects - I/II (Post 870411). 87/11/04. THADANI,A.C. Assistant Director for Systems. 2pp. 43338:348-43338:361.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100393 Forwards plant specific response to Item 4.5.3 of Generic Ltr 83-28,Including proprietary GE rept MDE-93-0485-1, "Tech Spec Improvement Analysis for Reactor Protection Sys for Limerick Generating Station,Units 1 & 2."
KEMPER,J.S. Philadelphia Electric Co. 87/11/05. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 7pp. 43336:027-43336:033.

8711160007 Ack receipt of plant summary description of QA program for design const.Changes re deletion of refs to PSAR acceptable.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/06. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43364:192-43364:193.

8711160036 Notification of 871118 meeting w/util in Bethesda,MD to discuss applicant proposed power ascension test program.
CLARK,R.J. Project Directorate I-2. 87/11/06. BUTLER,W.R. Project Directorate I-2. 6pp. 43369:329-43369:333.

8711170028 Requests that ref to Rev 7 to fire protection evaluation rept in util 871030 Amend 87 to license application be changed to Rev 8.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43375:269-43375:269.

8711300001 Forwards safety evaluation & technical evaluation rept re offsite dose calculation manual,Rev 4.Typos & problems re liquid flows & gaseous effluent pathways noted.Offsite dose calculation manual should be revised by 880401.
CLARK,R.J. Project Directorate I-2. 87/11/23. BAUER,E.G. Philadelphia Electric Co. 5pp. 43464:035-43464:061.

--8711300003 Safety evaluation supporting Rev 4 to offsite dose calculation manual.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/23. 2pp. 43464:040-43464:041.

F. Security, medical, emergency & fire protection plans

8711230173 Forwards Rev 9 to "Fire Protection Evaluation Rept."
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230224 Rev 9 to "Fire Protection Evaluation Rept."
* Philadelphia Electric Co. 87/10/31. 6pp. 43436:203-43435:208.

8711090241 Forwards Safety Insp Rept 50-353/87-13 on 870831-1011 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/03. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43320:192-43320:301.

--8711090250 Insp Rept 50-353/87-13 on 870831-1011.Violations noted:Major areas inspected,work activities,procedures & records re containment liner & penetrations,electrical cables & raceways & fire protection sys flow switches.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/02. 107pp. 43320:195-43320:301.

8711170028 Requests that ref to Rev 7 to fire protection evaluation rept in util 871030 Amend 87 to license application be changed to Rev 9.
BRADLEY,E.J. Philadelphia Electric Co. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43375:269-43375:269.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711230173 Forwards Rev 50 to FSAR for Limerick Generating Station, Units 1 & 2.
BRADLEY,E.J. Philadelphia Electric Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43435:190-43436:163.

--8711230231 Rev 50 to FSAR for Limerick Generating Station,Units 1 & 2. W/two oversize encls.
* Philadelphia Electric Co. 87/10/31. 400pp. 43435:209-43436:163.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030362 Responds to NRC 870928 ltr re violations noted in Insp Rept 50-353/87-11.Corrective actions:GE provided listing of drawings w/o having design verification & design verification performed.
KOWALSKI,S.J. Philadelphia Electric Co. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43250:170-43250:173.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711090241 Forwards Safety Insp Rept 50-353/87-13 on 870831-1011 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/03. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43320:192-43320:301.

--8711090244 Notice of violation from insp on 870831-1011.Violation noted:wiring within power generation control complex found in configuration not specified in connection diagrams.
* Region 1, Ofc of the Director. 87/11/03. 1p. 43320:194-43320:194.

--8711090250 Insp Rept 50-353/87-13 on 870831-1011.Violations noted:Major areas inspected:work activities,procedures & records re containment liner & penetrations,electrical cables & raceways & fire protection sys flow switches.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 87/11/02. 107pp. 43320:195-43320:301.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:238.

8711100033 Forwards summary of problem re mod to turbine control logic w/GE turbine upgrade program.NRR should not endorse mod. Plants using mod experienced severe vibration in electrohydraulic sys supply piping
BOGER,B.A. Division of Reactor Projects - I/II (Post 870411). 87/11/04. THADANI,A.C. Assistant Director for Systems. 2pp. 43338:348-43338:361.

--8711100036 Summarizes insp of electrohydraulic control oil sys due to 870919 rupture caused by GE improvement mod.Test programs should be monitored.Utils should be alerted to potential vibration if turbine modified for partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/10/14. BUTLER,W.R. NRC - No Detailed Affiliation Given. 6pp. 43338:350-43338:358.

--8711100040 Discusses followup insp of plant electrohydraulic oil sys following mod to turbine logic from full arc emission to partial arc emission.
CLARK,R.J. NRC - No Detailed Affiliation Given. 87/11/03. BUTLER,W.R. NRC - No Detailed Affiliation Given. 3pp. 43338:359-43338:361.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:178-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711230225 Forwards Safety Insp Rept 50-353/87-12 on 870908-18 & notice of violation.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/18. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43424:046-43424:067.

--8711230244 Notice of violation from insp on 870909-18.Violation noted: Inspected & accepted ASME Class 1 Weld DLA 212-2FW4 contained rejectable elongated indication that was not recorded or dispositioned
* Region 1, Ofc of the Director. 87/11/18. 1p. 43424:048-43424:048.

--8711230271 Insp Rept 50-353/87-12 on 870908-18.Violation noted:Major areas inspected:independent visual & NDE of selected safety-related piping sys & piping support structures, independent measurements & QA/QC documentation.
KERCH,H.W., HARRIS,R.H., STROSNIDER,J.R. Region 1, Ofc of the Director. 87/11/18. 19pp. 43424:049-43424:067.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711250166 Forwards SALP Rept 50-353/86-99 on 870910.Comments re rept may be discussed at scheduled meeting & written comments should be provided within 30 days after meeting.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/19. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43460:168-43460:213.

--8711250169 SALP Rept 50-353/86-99 for 860101-870731.
* Region 1, Ofc of the Director. 87/11/19. 44pp. 43460:170-43460:213.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711050183 Advises that 870904 amends to Rev 0 to Artificial Island security plan & training & qualification plan consistent w/ provisions of 10CFR50.54(p) & acceptable w/exception of miscellaneous amends changes currently under review.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/30. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 43292:097-43292:100.

8711090231 Forwards Safety Insp Rept 50-354/87-20 on 870908-10.No violations noted.Util performance to implement emergency plan & procedures deemed adequate.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43322:332-43322:340.

--8711090242 Emergency Preparedness Insp Rept 50-354/87-20 on 870908-10. No violations noted.Major areas inspected:observation of licensee full participation,emergency exercise conducted on 870909 & insp of training records.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 7pp. 43322:334-43322:340.

8711100464 Rev 0 to Emergency Plan Administrative Implementing Procedure EPIP 1009, "Emergency Response Callout Test Procedure." W/Rev 4 to table of contents.
BURGIN,D. Public Service Electric & Gas Co. of New Jersey. 87/11/06. 15pp. 43335:052-43335:066.

8711160228 Rev 2 to Artificial Island Emergency Plan Station Procedure EPIP 204H, "Emergency Response Callout/Personnel Recall." W/ Rev 5 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 87/11/06. 32pp. 43366:257-43366:287.

8711230322 Rev 4 to Emergency Plan Implementing Procedure EPIP 1013, "Emergency Response Personnel Telephone List" & revised table of contents.
WINNER,G.L. Public Service Electric & Gas Co. of New Jersey. 87/11/17. 25pp. 43419:095-43419:120.

8711300209 Advises that 870903 temporary change to artificial island security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/20. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 43467:282-43467:285.

P. Operating license stage documents & correspondence

8711160288 Forwards updated response to 870923 ltr re safety issues mgt sys,based on discussions w/GW Rivanbark.Info contains summary of changes made & basis for each change.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/03. Document Control Branch (Document Control Desk). 3pp. 43366:335-43366:337.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046

8711200093 Application for amend to License NPF-57,revising Tech Specs re source range monitors & refueling operations.Fee paid.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/09. Document Control Branch (Document Control Desk). 13pp. 43410:169-43410:194.

-8711200100 Proposed Tech Specs,re source range monitors & refueling operations.
* Public Service Electric & Gas Co. of New Jersey. 87/11/09. 13pp. 43410:182-43410:194.

8711230017 Forwards Amend 11 to License NPF-57 & safety evaluation. Amend increases min required concentration & min required weight of sodium pentaborate in standby liquid control sys storage tank.
RIVENBARK,G. Project Directorate I-2. 87/11/09. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 3pp. 43416:074-43416:089.

-8711230020 Amend 11 to License NPF-57,increasing min required concentration & min required weight of sodium pentaborate in standby liquid control sys storage tank.
BUTLER,W.R. Project Directorate I-2. 87/11/09. 10pp. 43416:077-43416:086.

-8711230025 Safety evaluation supporting Amend 11 to License NPF-57.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/09. 3pp. 43416:087-43416:089.

8711230037 Forwards Amend 1 to Rev 1 to "Inservice Testing Program (Pumps & Valves)." Amend deletes Check Valve 1EA-V453 which performs no safety function in either open or closed position.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43413:133-43413:138.

-8711200333 Amend 1 to Rev 1 to "Inservice Testing Program (Pumps & Valves)."
BINZ,R., DAVES,G., MALONEY,E. Public Service Electric & Gas Co. of New Jersey. 87/09/30. 4pp. 43413:135-43413:138.

8711240081 Summarizes Sept 1987 outage scheduled in order to complete variety of Tech Spec surveillance requirements.Util confirms that 25 of 27 valves passed local leak rate test requirements & acoustic monitor repaired & operable.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43431:041-43431:043.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090231 Forwards Safety Insp Rept 50-354/87-20 on 870908-10.No violations noted.Util performance to implement emergency plan & procedures deemed adequate.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43322:332-43322:340.

-8711090242 Emergency Preparedness Insp Rept 50-354/87-20 on 870908-10. No violations noted.Major areas inspected:observation of licensee full participation,emergency exercise conducted on 870909 & insp of training records.
AMATO,C.G., FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 7pp. 43322:334-43322:340.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 116pp. 43434:179-43434:293

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/18. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200239 Monthly operating rept for Oct 1987.W/871113 ltr.
JENSEN,H., LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 87/10/31. 22pp. 43413:315-43413:337.

8711200220 Forwards Bailey 862 solid state logic module bimonthly failure rept,covering both 1E & non-1E modules & summarizing inservice failures per month by class & assembly & failure type.
MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 87/11/12. Document Control Branch (Document Control Desk). 9pp. 43413:349-43413:357.

S. Reportable occurrences, LERs & related correspondence

8711020290 LER 87-044-00:on 870925,isolation of RHR sys occurred during performance of instrument & control surveillance test on reactor vessel pressure transmitter.Caused by possible loose connection on calibr card or wire.W/871026 ltr.
COWLES,R.B., LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 87/10/26. 4pp. 43236:063-43236:066.

8711050089 Special Rept 87-006-00:on 870730,HPCI sys injection reactor scram occurred.Caused by low reactor vessel water level excursion.Plant in initial stages of implementing thermal cycle tracking program.
LABRUNA,S., COWLES,R.B. Public Service Electric & Gas Co. of New Jersey. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43302:032-43302:033.

8711050153 Special Rept 87-007-00 on 871001,determined that electrical configuration of two RWCU sys valves not in compliance w/ FSAR App 9A.Caused by inadequate review of commitments associated w/FSAR Amend 15.Procedures revised.
LABRUNA,S., COWLES,R.B. Public Service Electric & Gas Co. of New Jersey. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43291:242-43291:245.

8711110030 Special Rept 87-008-00:on 870816,HPCI injection occurred as result of low reactor vessel water level excursion.Cause not stated.HPCI injection nozzle usage factor not calculated due to early life of plant.
LABRUNA,S., COWLES,R.B. Public Service Electric & Gas Co. of New Jersey. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43345:278-43345:279.

8711100306 LER 87-045-00:on 871007,primary containment isolation sys initiation when restoring power to logic cabinet.Caused by spurious logic module inputs.No specific corrective actions assigned.W/871106 ltr.
COWLES,R.B., LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 87/11/06. 4pp. 43344:234-43344:237.

8711050146 LER 87-047-00:on 871010,safety relief valve failed to close on signal.Caused by sand blasting grit in solenoid valve. Malfunctioning Target Rock valve replaced & solenoids of other safety relief valves inspected.W/871029 ltr.
ERVIN,A.M., LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 87/11/09. 6pp. 43293:227-43293:232.

8711190201 LER 87-046-00:on 871016,initiation of primary containment isolation sys B occurred while swapping reactor protection sys from normal to alternate bus power.Caused by lack of indication alerting operators of first trip.W/871113 ltr.
COWLES,R.B., LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 87/11/16. 5pp. 43400:112-43400:116.

DOCKET 50-358 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711170292 Change 1 to "County of Orange Incident Response Plan for San Onofre Nuclear Generating Station."
* Orange County, CA. 87/11/04. 552pp. 43381:096-43382:260.

8711110054 Summary of 871020 & 21 meetings w/util & Tenera in Bethesda, MD to discuss questions in conjunction w/licensee Appendix R reappraisal effort.List of meeting attendees encl.
ROOD,H. Project Directorate V. 87/11/05. Project Directorate V. 4pp. 43347:302-43347:305.

8711250010 Responds to NRC 871015 ltr re concerns noted during Sept insp of 870831 event.Corrective actions:training programs will be revised & Health Physics Procedure SO123-VII-9.9 will be revised.
RAY,H.B. Southern California Edison Co. 87/11/06. MARTIN,J.B. Region 5, Ofc of the Director. 6pp. 43459:067-43459:074.

8711190275 Notification of 871124 meeting w/util in Bethesda,MD to discuss fire protection.
ROOD,H. Project Directorate V. 87/11/09. KNIGHTON,G.W. Project Directorate V. 2pp. 43404:312-43404:313.

8711240009 Informs that review of 870611 transmittal of most recent rev to emergency plan complete.Based on util implementation of changes described in 871014 ltr & listed changes discussed in 871028 telcon,emergency plan acceptable.
FISH,R.F. Region 6, Ofc of the Director. 87/11/16. BASKIN,K.P. Southern California Edison Co. 2pp. 43437:361-43437:357.

--8711240017 Responds to NRC 870730 telcon questions re 870515 Rev 2 to plant emergency plan.Requirement that NRC be notified immediately after state & local agencies will be incorporated into next rev.
MEDFORD,M.O. Southern California Edison Co. 87/10/14. PRENDERGAST,K. Region 6, Ofc of the Director. 5pp. 43437:353-43437:357.

8711250032 Revised emergency plan implementing procedures,including Temporary Change Notice 2-5 to Rev 2 to SO123-VIII-0.301, "Offsite/Onsite Communications Test" & Temporary Change Notice 0-6 to Rev 0 to SO123-VIII-0.302.W/871117 ltr.
* Southern California Edison Co. 87/11/17. 200pp. 43457:078-43457:295.

8711240067 Clarifies util 870531 submittal re App R compliance assessment rept,per 871020 & 21 meetings.Revs to Oct 1986 request for addl info,App R compliance assesement rept & addl backup info to support NRC review of rept encl.
MEDFORD,M.O. Southern California Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 200pp. 43434:211-43435:081.

G. Adjudicatory correspondence

8711040106 Requests to be informed of date FEMA expects to submit more specific evaluation,per 870916 ltr.Served on 871028.
WOLFE,S.J. Atomic Safety and Licensing Board Panel. #487 4698. 87/10/27. VOGLER,B.H. Office of the General Counsel. 1p. 43254:138-43254:138.

P. Operating license stage documents & correspondence

8711030379 Forwards SER supporting util response to Part 2 of Generic Ltr 83-28,Item 2.1 re vendor interface programs (reactor trip sys).Action on TACs 52879 & 52880 complete.
ROOD,H. Project Directorate V. 87/10/28. BASKIN,K.P. Southern California Edison Co. 1p. 43258:228-43258:231.

--8711030386 Safety evaluation supporting util response to Part 2 of Generic Ltr 83-28,Item 2.1 re vendor interface programs (reactor trip sys components).
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. 3pp. 43258:229-43258:231.

8711040031 Requests addl justification or clarification re review of 870831 Change Notice 21 to QA Program SCE-1-A,including organizations responsible for review & approval of plans & procedures if not QA.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/30. BASKIN,K.P. Southern California Edison Co. 2pp. 43290:166-43290:167.

8711050160 Forwards safety evaluation denying util 870731 application for amends to Licenses NPF-10 & NPF-15,consisting of Proposed Change PCN-236,to delete Tech Spec requirement to rept toxic gas cargo & traffic.FR notice also encl.
ROOD,H. Project Directorate V. 87/10/30. BASKIN,K.P. Southern California Edison Co. HOLCOMBE,J.C. San Diego Gas & Electric Co. 3pp. 43300:345-43300:352.

--8711050169 Safety evaluation denying util 870731 request to amend Licenses NPF-10 & NPF-15,consisting of Proposed Change PCN-26,to delete Tech Spec requirement to rept toxic gas cargo traffic on Interstate 5.US spill average has no basis.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 87/10/30. 1p. 43300:348-43300:348.

--8711050178 Notice of denial of amends to Licenses NPF-10 & NPF-15 & opportunity for hearing on util request to delete Tech Spec requirement to monitor & rept toxic gas cargo traffic on Interstate 5.
ROOD,H. Project Directorate V. 87/10/30. 4pp. 43300:348-43300:352.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608080190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711040265 Responds to appeal re denial of FOIA request for documents concerning individual allegations from 1983 to present re San Onofre seismic design.Three documents withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 2pp. 43279:065-43279:066.

8711060301 Application for amends to Licenses NPF-10 & NPF-15, consisting of Proposed Change PCN-239,correcting error in Tech Specs re MSIV response times.Error inadvertently created when Amends 60 & 49 issued on 870814.Fee paid.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 5pp. 43304:001-43304:013.

--8711060303 Proposed Tech Specs,correcting error re MSIV response times inadvertenly created when Amends 60 & 49 issued on 870814.
* Southern California Edison Co. 87/11/04. 8pp. 43304:006-43304:013.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090217 Forwards application to modify NPDES permits for plant. Proposed change will establish across beach discharge point common to both units for diverting cooling water during periodic maint of saltwater cooling sys.
MEDFORD,M.O. Southern California Edison Co. 87/11/05. Document Control Branch (Document Control Desk). 27pp. 43323:023-43323:049.

8711090370 Requests fee for 870825 application for approval of corporate restructuring which will result in creation of holding company for plant.
DIGGS,R.M. License Fee Management Branch. 87/11/05. BASKIN,K.T. Southern California Edison Co. 1p. 43324:066-43324:066.

8711300115 Forwards addl info re Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events," per 870723 request.Response discusses reasons for deletion of "after" trip shaft torque values from maint procedure.
MEDFORD,M.O. Southern California Edison Co. 87/11/25. Document Control Branch (Document Control Desk). 3pp. 43467:001-43467:003.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co of New York, Inc. 2pp. 43226:206-43226:207.

8711040239 FOIA request for documents & all records generated in connection w/all NRC insps or investigations on allegations raised by L Penzes from 1983 to present re San Onofre seismic design.
BAUMAN,L. Government Accountability Project. 87/07/09. NRC - No Detailed Affiliation Given. 3pp. 43279:067-43279:069.

8711030251 Forwards SALP performance summary,reflecting improved performance in some areas,especially plant operations & maint.Reduction in number of plant trips & other occurrences noted.
BASKIN,K.P. Southern California Edison Co. 87/10/28. MARTIN,J.B. Region 5, Ofc of the Director. 8pp. 43251:349-43252:004.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020428 Responds to NRC request for info re util plans for future insp of GEC low pressure turbine discs.Turbine mfg recommended addl insps at 10-yr interval during life of machines.Insp will be implemented during refueling outages.
MEDFORD,M.O. Southern California Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43234:095-43234:095.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711190316 Forwards Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/05. BASKIN,K.P. Southern California Edison Co. 2pp. 43401:341-43401:357.

--8711190326 Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations or deviations noted.Major areas inspected:operations program,including operational safety verification plant trips & events & LERs.
HUEY,F.R., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director. 87/11/03. 15pp. 43401:343-43401:357.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consol.dated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190089 Forwards Insp Repts 50-206/87-25,50-361/87-25 & 50-362/87-27 on 870914-18 & 1005-08 & notice of violation.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/06. BASKIN,K.P. Southern California Edison Co. 2pp. 43396:195-43396:208.

--8711190098 Notice of violation from insp on 870914-18 & 1005-08. Violation noted:radiation area approx 15 ft by 25 ft within radwaste bldg Room 335B-C w/ measurable dose rates not posted w/sign bearing radiation caution symbol & required words.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/06. 1p. 43396:197-43396:197.

--8711190107 Insp Repts 50-206/87-25,50-361/87-25 & 50-362/87-27 on 870914-18 & 1005-08.Violation noted.Major areas inspected: licensee action on items of noncompliance,unresolved & open items,allegation followup & listed insp procedures.
RUSSELL,J.E., CICOTTE,G.R., YUHAS,G.P. Region 5, Ofc of the Director. 87/11/05. 11pp. 43396:198-43396:208.

8711190118 Forwards Insp Rept 50-361/87-27 on 871013-19.No violations noted.
PATE,R.J. Region 5, Ofc of the Director. 87/11/06. BASKIN,K.P. Southern California Edison Co. 2pp. 43398:023-43398:029.

--8711190126 Insp Rept 50-361/87-27 on 871013-19.No violations noted. Major areas inspected:Inservice insp activities,including Insp Procedures 73052,73753 & 73756.
CLARK,C., RICHARDS,S. Region 5, Ofc of the Director. 87/11/06. 5pp. 43398:025-43398:029.

8711250010 Responds to NRC 871015 ltr re concerns noted during Sept insp of 870831 event.Corrective actions,training programs will be revised & Health Physics Procedure SO123-VII-9.9 will be revised.
RAY,H.B. Southern California Edison Co. 87/11/06. MARTIN,J.B. Region 5, Ofc of the Director. 8pp. 43459:067-43459:074.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190084 Monthly operating repts for Oct 1987.W/871113 ltr.
SIACOR,E.R., MORGAN,H.E. Southern California Edison Co. 87/10/31. 12pp. 43400:348-43400:359.

S. Reportable occurrences, LERs & related correspondence

8711050273 Followup rept of Tech Spec fire doors found inoperable during routine surveillances in Sept 1987.Caused by 13 latching mechanism & six closure mechanism failures.Fire watches established & remain in effect until doors fixed.
MORGAN,H.E. Southern California Edison Co. 87/10/16. MARTIN,J.B. Region 5, Ofc of the Director. 4pp. 43292:119-43292:122.

8711020502 LER 87-014-01:on 870831,failure of alloy steel packing gland follower studs during manual operation of motor operator shutdown cooling sys suction isolation valve resulted in leakage.Caused by packing leakage.W/871026 ltr.
MORGAN,H.E. Southern California Edison Co. 87/10/26. 13pp. 43237:356-43238:008.

8711130062 LER 86-022-02:on 860812,reactor trip occurred when RCS pressure reached core protection calculator auxiliary trip setpoint of 2375 psia.Caused by failure of dc power supply filter capacitor.Power supply output checked.W/871106 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/06. 4pp. 43354:214-43354:217.

8711130205 LER 87-019-00:on 871008,containment purged while containment purge isolation sys area radiation monitors inoperable. Cause unknown.Radiation monitor 2RT-7857 returned to svc following troubleshooting.W/871106 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/06. 6pp. 43355:314-43355:319.

8711130216 LER 87-018-00:on 871007 & 17,spurious actuations of Train B containment purge isolation sys initiated from containment area radiation monitor 2RT-7857.Caused by induced noise from welding.Welders instructed re routing leads.W/871106 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/06. 6pp. 43359:317-43359:322.

8711170098 Supplemental special rept on 870821,exam of steam generator E-088 revealed two metal pieces lodged between tubes in periphery.Objects appear to have been in generator since const.Metal pieces removed & tubes examined.
MORGAN,H.E. Southern California Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43375:080-43375:081.

8711170174 LER 87-020-00:on 870831,discovered unisolable RCS leak through shutdown cooling sys isolation valve packing gland. Caused by failure to follow radiation exposure permit procedures.Procedures will be revised.W/871111 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/11. 8pp. 43381:050-43381:057.

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusual event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711170292 Change 1 to "County of Orange Incident Response Plan for San Onofre Nuclear Generating Station."
* Orange County, CA. 87/11/04. 552pp. 43381:096-43382:260.

8711110054 Summary of 871020 & 21 meetings w/util & Tenera in Bethesda, MD to discuss questions in conjunction w/licensee Appendix R reappraisal effort.List of meeting attendees encl.
ROOD,H. Project Directorate V. 87/11/05. Project Directorate V. 4pp. 43347:302-43347:305.

8711190275 Notification of 871124 meeting w/util in Bethesda,MD to discuss fire protection.
ROOD,H. Project Directorate V. 87/11/09. KNIGHTON,G.W. Project Directorate V. 2pp. 43404:312-43404:313.

8711240009 Informs that review of 870611 transmittal of most recent rev to emergency plan complete.Based on util implementation of changes described in 871014 ltr & listed changes discussed in 871028 telcon,emergency plan acceptable.
FISH,R.F. Region 5, Ofc of the Director. 87/11/16. BASKIN,K.P. Southern California Edison Co. 2pp. 43437:351-43437:357.

--8711240017 Responds to NRC 870730 telcon questions re 870515 Rev 2 to plant emergency plan.Requirement that NRC be notified immediately after state & local agencies will be incorporated into next rev.
MEDFORD,M.O. Southern California Edison Co. 87/10/14. PRENDERGAST,K. Region 5, Ofc of the Director. 5pp. 43437:353-43437:357.

8711250032 Revised emergency plan implementing procedures,including Temporary Change Notice 2-5 to Rev 2 to S0123-VIII-0.301, "Offsite/Onsite Communications Test" & Temporary Change Notice 0-6 to Rev 0 to S0123-VIII-0.302.W/871117 ltr.
* Southern California Edison Co. 87/11/17. 200pp. 43457:078-43457:295.

8711240087 Clarifies util 870531 submittal re App R compliance assessment rept,per 871020 & 21 meetings.Revs to Oct 1986 request for addl info,App R compliance assessment rept & addl backup info to support NRC review of rept encl.
MEDFORD,M.O. Southern California Edison Co. 87/11/20. Document Control Branch (Document Control Desk). 200pp. 43434:211-43435:081.

G. Adjudicatory correspondence

8711040108 Requests to be informed of date FEMA expects to submit more specific evaluation,per 870918 ltr.Served on 871028.
WOLFE,S.J. Atomic Safety and Licensing Board Panel, #487 4698. 87/10/27. VOGLER,B.H. Office of the General Counsel. 1p. 43254:138-43254:138.

P. Operating license stage documents & correspondence

8711030379 Forwards SER supporting util response to Part 2 of Generic Ltr 83-28,Item 2.1 re vendor interface programs (reactor trip sys).Action on TACs 52879 & 52880 complete.
ROOD,H. Project Directorate V. 87/10/28. BASKIN,K.P. Southern California Edison Co. 1p. 43258:228-43258:231.

--8711030386 Safety evaluation supporting util response to Part 2 of Generic Ltr 83-28,Item 2.1 re vendor interface programs (reactor trip sys components).
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. 3pp. 43258:229-43258:231.

8711040031 Requests addl justification or clarification re review of 870831 Change Notice 21 to QA Program SCE-1-A,including organizations responsible for review & approval of plans & procedures if not QA.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/30. BASKIN,K.P. Southern California Edison Co. 2pp. 43290:166-43290:167.

8711050160 Forwards safety evaluation denying util 870731 application for amends to Licenses NPF-10 & NPF-15,consisting of Proposed Change PCN-236,to delete Tech Spec requirement to rept toxic gas cargo & traffic.FR notice also encl.
ROOD,H. Project Directorate V. 87/10/30. BASKIN,K.P. Southern California Edison Co. HOLCOMBE,J.C. San Diego Gas & Electric Co. 3pp. 43300:345-43300:352.

--8711050169 Safety evaluation denying util 870731 request to amend Licenses NPF-10 & NPF-15,consisting of Proposed Change PCN-26,to delete Tech Spec requirement to rept toxic gas cargo traffic on Interstate 5.US spill average has no basis.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 1p. 43300:348-43300:348.

--8711050178 Notice of denial of amends to Licenses NPF-10 & NPF-15 & opportunity for hearing on util request to delete Tech Spec requirement to monitor & rept toxic gas cargo traffic on Interstate 5.
ROOD,H. Project Directorate V. 87/10/30. 4pp. 43300:349-43300:352.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc Search Associates. 2pp. 43258:339-43258:346.

--8606060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/06/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43266:347-43258:352.

8711040265 Responds to appeal re denial of FOIA request for documents concerning *individual allegations from 1983 to present re San Onofre seismic design.Three documents* withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 2pp. 43279:065-43279:066.

8711060301 Application for amends to Licenses NPF-10 & NPF-15, consisting of Proposed Change PCN-239,correcting error in Tech Specs re MSIV response times.Error invadvertently created when Amends 60 & 49 issued on 870814.Fee paid.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 5pp. 43304:001-43304:013.

--8711060303 Proposed Tech Specs,correcting error re MSIV response times inadvertenty created when Amends 60 & 49 issued on 870814.
* Southern California Edison Co. 87/11/04. 8pp. 43304:006-43304:013.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090217 Forwards application to modify NPDES permits for plant. Proposed change will establish across beach discharge point common to both units for diverting cooling water during periodic maint of saltwater cooling sys.
MEDFORD,M.O. Southern California Edison Co. 87/11/05. Document Control Branch (Document Control Desk). 27pp. 43323:023-43323:049.

8711090370 Requests fee for 870825 application for approval of corporate restructuring which will result in creation of holding company for plant.
DIGGS,R.M. License Fee Management Branch. 87/11/05. BASKIN,K.T. Southern California Edison Co. 1p. 43324:066-43324:066.

8711300115 Forwards addl info re Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events," per 870723 request.Response discusses reasons for deletion of "after" trip shaft torque values from maint procedure.
MEDFORD,M.O. Southern California Edison Co. 87/11/25. Document Control Branch (Document Control Desk). 3pp. 43467:001-43467:003.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040239 FOIA request for documents & all records generated in connection w/all NRC insps or investigations on allegations raised by L Penzes from 1983 to present re San Onofre seismic design.
BAUMAN,L. Government Accountability Project. 87/07/09. NRC - No Detailed Affiliation Given. 3pp. 43279:067-43279:069.

8711030251 Forwards SALP performance summary,reflecting improved performance in some areas,especially plant operations & maint.Reduction in number of plant trips & other occurrences noted.
BASKIN,K.P. Southern California Edison Co. 87/10/28. MARTIN,J.B. Region 5, Ofc of the Director. 8pp. 43251:349-43252:004.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020426 Responds to NRC request for info re util plans for future insp of GEC low pressure turbine discs.Turbine mfg recommended addl insps at 10-yr interval during life of machines.Insp will be implemented during refueling outages.
MEDFORD,M.O. Southern California Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43234:095-43234:095.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711190318 Forwards Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/11/05. BASKIN,K.P. Southern California Edison Co. 2pp. 43401:341-43401:357.

-8711190326 Insp Repts 50-206/87-24,50-361/87-23 & 50-362/87-26 on 870823-1003.No violations or deviations noted.Major areas inspected:operations program,including operational safety verification,plant trips & events & LERs.
HUEY,F.R., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director. 87/11/03. 15pp. 43401:343-43401:357.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711190089 Forwards Insp Repts 50-206/87-25,50-361/87-25 & 50-362/87-27 on 870914-18 & 1005-08 & notice of violation.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/11/06. BASKIN,K.P. Southern California Edison Co. 2pp. 43396:195-43396:208.

-8711190107 Insp Rpts 50-206/87-25,50-361/87-25 & 50-362/87-27 on 870914-10 & 1005-08.Violation noted.Major areas inspected: licensee action on items of noncompliance,unresolved & open items,allegation followup & listed insp procedures.
RUSSELL,J.E., CICOTTE,G.R., YUHAS,G.P. Region 5, Ofc of the Director. 87/11/05. 11pp. 43396:198-43396:208.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190084 Monthly operating repts for Oct 1987.W/871113 ltr.
SIACOR,E.R., MORGAN,H.E. Southern California Edison Co. 87/10/31. 12pp. 43400:348-43400:359.

S. Reportable occurrences, LERs & related correspondence

8711050273 Followup rept of Tech Spec fire doors found inoperable during routine surveillances in Sept 1987.Caused by 13 latching mechanism & six closure mechanism failures.Fire watches established & remain in effect until doors fixed
MORGAN,H.E. Southern California Edison Co. 87/10/16. MARTIN,J.B. Region 5, Ofc of the Director. 4pp. 43292:119-43292:122.

8711040044 LER 87-014-01:on 870725,safety injection tank T-009 level narrow-range channel readings determined that min vol requirement of limiting condition for operation not met. *Caused by inadequate procedure guidance.W/871028 ltr.*
MORGAN,H.E. Southern California Edison Co. 87/10/28. 6pp. 43290:157-43290:162.

8711170241 LER 87-017-00:on 871011,reactor tripped due to turbine trip on low vacuum.Caused by large amounts of seaweed stopping circulatin pump & inadequate operating instructions.Water boxes cleaned & instructions amended.W/871110 ltr.
MORGAN,H.E. Southern California Edison Co. 87/11/10. 7pp. 43384:225-43384:231.

8711300159 PNO-V-87-076 on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8711200113 Requests util provide analysis of potential for & consequences of boron dilution accidents.Performance & submittal of analysis results within 90 days of ltr receipt requested.
STOLZ,J.F. Light Water Reactors Branch 1. 77/09/20. BARTON,A.R. Alabama Power Co. 2pp. 43464:064-43464:065.

8711230050 Requests review of alarm circuitry & diesel generator control circuitry for diesel generators.Response requested per listed criteria within 45 days of ltr receipt.
STOLZ,J.F. Light Water Reactors Branch 1. 77/10/31. BARTON,A.R. Alabama Power *Co. 2pp. 43464:062-43464:063.*

F. Security, medical, emergency & fire protection plans

8711130288 Forwards Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28 MCDONALD,R.P. Alabama Power Co. 2pp. 43356:311-43356:321.

-8711130290 Notice of violation from insp on 870910-1009.Violation noted.continuous fire watch assigned to roof of auxiliary bldg to monitor open flame operations associated w/roofing repairs not alert to duties
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. 2pp. 43356:313-43356:314.

-8711130294 Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009. Violations noted.Major areas inspected:previous enforcement matters,surveillance observation,monthly maint observation & operational safety verification.
BRADFORD,W.H. Region 2, Ofc of the Director. 87/10/28. 7pp. 43356:315-43356:321.

8711250241 Ack receipt of 870909 ltr transmitting Rev 13 to physical security plan.Mod & resubmittal of plan,per encl comments, requested in order to maintain plan continuity.Comments withheld (ref 10CFR73.21).
CLINE,W.E. Region 2, Ofc of the Director. 87/11/06. MCDONALD,R.P. Alabama Power Co. 3pp. 43460:024-43460:026.

8711230293 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-348/87-20 & 50-364/87-20.Corrective actions:FNP-O-EIP-26 & FNP-O-EIP-8 revised re notification of events.Exception to item 1 re *quality of exercise scenario noted.*
MCDONALD,R.P. Alabama Power Co. 87/11/13. STOHR,J.P. Region 2, Ofc of the Director. 4pp. 43421:059-43421:062.

FNP-0-EIP-3, "Duties of Emergency Director," Rev 17 to FNP-0-EIP-10, "Evacuation & Personnel Accountability" & Rev 13 to "Emergency Plan." W/871114 ltr.
HUDSPETH,J.B. Alabama Power Co. 87/11/14. 35pp. 43408:241-43408:275

8711240046 Rev 52 to Emergency Plan Implementing Procedure FNP-0-EIP-8, "Emergency Communications." W/871117 ltr.
WOODLAND,J., HUDSPETH,J.B. Alabama Power Co. 87/11/17. 41pp. 43442:228-43442:268.

8711250029 Forwards revised response & new Page 45 to 870916 draft Rev 14 to physical security plan,per NRC 870812 request.Revised page clarifies components of secoundary power supply sys that will be protected as vital equipment.Page withheld.
MCDONALD,R.P. Alabama Power Co. 87/11/17. Document Control Branch (Document Control Desk). 1p. 43457:296-43457:296.

8711300135 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-24 & 50-364/87-24.Corrective actions:individual involved disciplined for inadequate performance & reinstructed re firewatch responsibilities.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:321-43467:322.

P. Operating license stage documents & correspondence

8711250163 Summary of 861120 meeting w/util re proposed Tech Spec changes to snubber surveillance insp intervals.
REEVES,E. PWR Project Directorate 2. 86/12/30. PWR Project Directorate 2. 18pp. 43461:319-43461:336.

8711020026 Forwards Amends 73 & 65 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends change Tech Specs to increase steam generator tube plugging from 5% to 10% & to slightly increase heat flux hot channel factor coefficient.
REEVES,E.A. Project Directorate II-1. 87/10/26. MCDONALD,R.P. Alabama Power Co. 2pp. 43240:328-43240:349.

--8711020030 Amends 73 & 65 to Licenses NPF-2 & NPF-8,respectively, changing Tech Specs to increase steam generator tube plugging from 5% to 10% & to increase slightly increase heat flux hot channel factor coefficient.
ADENSAM,E.G. Project Directorate II-1. 87/10/26. 12pp. 43240:330-43240:341.

--8711020035 Safety evaluation supporting Amends 73 & 65 to Licenses NPF-2 & NPF-8,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 9pp. 43240:342-43240:349.

8711130261 Forwards listed documents re program for environ qualification of electrical equipment at facility,per NRC 871009 request.W/o encl.
MCDONALD,R.P. Alabama Power Co. 87/10/30. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 43357:306-43357:308.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100264 Summary of 870924 meeting w/util,Bechtel & RL Cloug Assoc re problems concerning qualification of V-Type electrical splices at facility.Attendance list encl.
REEVES,E.A. Project Directorate II-1. 87/11/05. Project Directorate II-1. 12pp. 43342:182-43342:193.

8711230004 Forwards Amends 74 & 66 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends revise limiting condition for operation & action & surveillance requirements of Tech Spec 3.6.1.7 re containment ventilation sys.
REEVES,E.A. Project Directorate II-1. 87/11/16. MCDONALD,R.P. Alabama Power Co. 2pp. 43416:046-43416:067.

--8711230009 Amends 74 & 66 to Licenses NPF-2 & NPF-8,respectively, revising limiting condition for operation & action & surveillance requirements of Tech Spec 3.6.1.7 re containment ventilation sys.
ADENSAM,E.G. Project Directorate II-1. 87/11/16. 16pp. 43416:048-43416:063.

--8711230016 Safety evaluation supporting Amends 74 & 66 to Licenses NPF-2 & NPF-8,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 4pp. 43416:064-43416:067.

8711300224 Requests approval to utilize ASME Code Section XI 1983 Edition through Summer 1983 Addenda as code of record for remainder of first 10-yr interval Inservice Insp & Testing program.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 4pp. 43471:349-43471:352.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130288 Forwards Insp Repts 50-348/87-24 & 50-364/87-24 on 870910-1009 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. MCDONALD,R.P. Alabama Power Co. 2pp. 43356:311-43356:321.

--8711130290 Notice of violation from Insp on 870910-1009.Violation noted:continuous fire watch assigned to roof of auxiliary bldg to monitor open flame operations associated w/roofing repairs not alert to duties.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/28. 2pp. 43356:313-43356:314.

noted.Major areas inspected:previous enforcement matters,surveillance observation,monthly maint observation & operational safety verification.
BRADFORD,W.H., MILLER,W.H., DANCE,H.C. Region 2, Ofc of the Director. 87/10/28. 7pp. 43356:315-43356:321.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711050124 EN-87-095:on 871103,notice of violation & proposed imposition of civil penalties in amount of $50,000 will be issued.Action based on violations in areas of procurement & vendor interface program.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/10/29. 1p. 43293:243-43293:243.

8711130362 Confirms dates of 871102-06 & 16-20 for NRC equipment qualification (EQ) insp & revises 871009 ltr on subj. Requests presentation of EQ program & status of program implementation for entrance meeting on 871116.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/29. MCDONALD,R.P. Alabama Power Co. 3pp. 43359:351-43359:353.

8711030533 Provides addl response to notice of violation issued on 870126.Util maintains that NRC should withdraw notice of violations due to circumstances surrounding use of two penetrations at issue.
MCDONALD,R.P. Alabama Power Co. 87/10/30. Document Control Branch (Document Control Desk). 10pp. 43255:221-43255:230.

8711100313 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-23 & 50-364/87-23.Corrective actions:setpoints on pressure actuated switches corrected & personnel reinstructed.
MCDONALD,R.P. Alabama Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43344:254-43344:255.

8711130367 Discusses Insp Repts 50-348/87-11,50-364/87-11 & 50-348/87-14 & 50-364/87-14 on 870511-0710 & forwards notice of violation & proposed imposition of civil penalties. Enforcement conference re violations held on 870903.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. MCDONALD,R.P. Alabama Power Co. 3pp. 43361:089-43361:095.

--8711130365 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:inadequate control & installation of purchased equipment & inadequate corrective actions & insps.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. 5pp. 43361:091-43361:095.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190170 Forwards Insp Repts 50-348/87-27 & 50-364/87-27 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. MCDONALD,R.P. Alabama Power Co. 2pp. 43398:032-43398:045.

--8711190172 Insp Repts 50-348/87-27 & 50-364/87-27 on 871019-23.No violations or deviations noted.Major areas inspected: documentation & observation of NDE activities & independent verification of selected inservice insp ultrasonic results.
NEWSOME,R.W., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/12. 12pp. 43398:034-43398:045.

8711230293 Responds to NRC 871002 ltr re violations noted in Insp Repts 50-348/87-20 & 50-364/87-20.Corrective actions:FNP-0-EIP-26 & FNP-0-EIP-8 revised re notification of events.Exception to Item 1 re quality of exercise scenario noted.
MCDONALD,R.P. Alabama Power Co. 87/11/13. STOHR,J.P. Region 2, Ofc of the Director. 4pp. 43421:059-43421:062.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230226 Ack receipt of 871102 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/87-23 & 50-364/87-23.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. MCDONALD,R.P. Alabama Power Co. 1p. 43419:279-43419:279.

8711240052 Forwards Insp Repts 50-348/87-28 & 50-364/87-28 on 871019-23 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/17. MCDONALD,R.P. Alabama Power Co. 2pp. 43444:061-43444:072.

--8711240053 Notice of violation from Insp on 871019-23.Violation noted: work performed inside controlled area w/o wearing protective clothing required by RWP 0-87-001A.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/17. 1p. 43444:063-43444:063.

--8711240060 Insp Repts 50-348/87-28 & 50-364/87-28 on 871019-23. Violations noted.Major areas inspected:radiation protection activities,including external & internal exposure control, surveys,solid radwaste & followup on IE Info notices.
COLLINS,T.P., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/16. 9pp. 43444:064-43444:072.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300135 Responds to NRC ltr re violations noted in Insp Repts 50-348/87-24 & 50-364/87-24.Corrective actions:Individual involved disciplined for inadequate performance & reinstructed re firewatch responsibilities
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43467:321-43467:322.

8711300217 Confirms arrangements for 871125 mgt meeting in Region II ofc to discuss issues of equipment qualification derived from recent insps & corrective actions to be taken before Unit 2 restart per 871120 exit meeting.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/20. MCDONALD,R.P. Alabama Power Co. 1p. 43467:277-43467:277.

8711300224 Requests approval to utilize ASME Code Section XI 1983 Edition through Summer 1983 Addenda as code of record for remainder of first 10-yr interval inservice insp & testing program.
MCDONALD,R.P. Alabama Power Co. 87/11/20. Document Control Branch (Document Control Desk). 4pp. 43471:340-43471:352.

8711300064 Requests 14-day extension for response to violations noted in NRC 871103 ltr from insps on 870511-22,0601-05 & 0611-0710.Response will be provided by 871217.
MCDONALD,R.P. Alabama Power Co. 87/11/24. Document Control Branch (Document Control Desk). 1p. 43469:325-43469:325.

R. Periodic operating reports & related correspondence

8711160233 Monthly operating rept for Oct 1987.W/871112 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/10/31. 5pp. 43400:323-43400:328.

S. Reportable occurrences, LERs & related correspondence

8711050243 Summary of Operating Reactor Events Meeting 87-37 on 871027. Viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/10/28. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43340:269-43340:288.

8711100512 Forwards summary of NPDES noncompliances for Third Quarter 1987,per Tech Specs.App B,Section 3.2.
MCDONALD,R.P. Alabama Power Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43335:317-43335:318.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711180119 NPDES noncompliance notification on 871020,TSS limit exceeded.Caused by draining of portions of unit circulating water sys causing TSS value of 167 mg/l.Release temporary condition of short duration,impact negligible on environ.
MCDONALD,R.P. Alabama Power Co. 87/11/09. Document Control Branch (Document Control Desk). 6pp. 43395:052-43395:056.

8711190139 LER 87-003-00 on 871017,continuous iodine & particulate sampling of plant vent stack by R-29A interrupted due to tagging error.Auxiliary sampling not initiated.Caused by personnel error.Personnel counseled.W/871109 ltr.
WOODARD,J.D., MCDONALD,R.P. Alabama Power Co. 87/11/09. 4pp. 43397:347-43397:350.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8005080081 Forwards request for addl info re safeguards contingency plan.Request for addl info withheld (ref 10CFR2.790).
IPPOLITO,T.A. Operating Reactors Branch 3 (Pre 800428). 80/04/15. WHITMER,C.F. Georgia Power Co. 2pp. 43355:001-43355:002.

8711300239 "Emergency Preparedness Dress Rehearsal Exercise,Sept 8,1983 for Edwin I.Hatch Nuclear Plant."
* Georgia Power Co. 83/09/08. 425pp. 43465:134-43466:280.

8711130180 Ack receipt of 871021 scenario/controller package for plant exercise scheduled for 871208.Annual exercise will be observed to assist in evaluation of capability of emergency response facilities to support emergency matters.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/29. O'REILLY,J.P. Georgia Power Co. 1p. 43355:208-43355:208.

8711090037 Advises that facility annual emergency preparedness exercise will be conducted on 881109.
GUCWA,L.T. Georgia Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:067-43315:068.

8711190178 Ack receipt of 871002 response to 870902 notice of violation re violations noted in Insp Repts 50-321/87-18 & 50-366/87-18.NRC concludes that Violation A (87-18-05) appropriately classified as Severity Level IV.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Power Co. 2pp. 43400:146-43400:147.

8711160189 Rev 0 to Emergency Implementing Procedure 63EP-EIP-069-OS, "Security Alert - Security Force," canceling & replacing procedure w/33SS-SEC-044-5S & 33SS-SEC-045-5S.W/871113 ltr.
GUCWA,L.T. Georgia Power Co. 87/11/13. 3pp. 43366:233-43366:235.

8711200345 Forwards Insp Repts 50-321/87-28 & 50-366/87-28 on 871026-30.No violations or deviations identified.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Power Co. 2pp. 43413:119-43413:121.

--8711200351 Partially withheld Physical Security Insp Repts 50-321/87-28 50-366/87-28 on 871026-30 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected:security organization,testing & maint & physical barriers
ENNIS,J.D. Region 2, Ofc of the Director. 87/11/10. 1p. 43413:121-43413:121.

8711250214 Forwards proprietary amend to physical security plan revising previously submitted provisions for temporary unescorted access of outage personnel to protected vital areas.Encl withheld (ref 10CFR2.790 & 73.21).
GUCWA,L.T. Georgia Power Co. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43460:291-43460:292.

P. Operating license stage documents & correspondence

8704060264 Forwards safety evaluation & Franklin Research Ctr Rept TER-C5506-328, "Structural Evaluation of Vacuum Breakers (Mark I Containment Program)," per util 830609 & 860313 responses to Generic Ltr 83-08.
RIVENBARK,G.W. BWR Project Directorate 2. 87/04/01. O'REILLY,J.P. Georgia Power Co. 3pp. 43239:226-43239:253.

--8711020236 Safety evaluation re analytical method used by licensee to evaluate critical stresses re Mark I containment program vacuum breakers adequate.Max stress in breakers less than 30% of code allowable.Existing design structually adequate.
* Office of Nuclear Reactor Regulation, Director (851125-870411). 87/04/01. 2pp. 43239:229-43239:253.

8711130271 Confirms that enforcement discretion granted to permit opening of inboard C MSVI for period of 3 h w/reactor power level at or below 75%,in order to complete quarterly surveillance of testing of remaining MSIVs.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/28. O'REILLY,J.P. Georgia Power Co. 2pp. 43357:078-43357:079

8711130160 Documents that util verbally granted one-time relief to Tech Specs 3.6.3.a & 3.4.7 on 871022.Relief allows unit to open inboard MSIV C for 3 h w/reactor power level at or below 75% to complete surveillance testing of remaining MSIVs.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 43357:271-43357:277.

--8711130240 Confirms that enforcement discretion re Tech Specs 3.6.3.a & 3.4.7 granted,per 871022 telcon,to allow opening of inboard MSIV C for 3 h w/reactor power level at or below 75% to complete quarterly surveillance testing of remaining MSIVs.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/28. O'REILLY,J.P. Georgia Power Co. 1p. 43357:274-43357:274.

--8711130254 Submits followup of relief request to Tech Specs 3.6.3.a & 3.4.7,granted on 871022,providing limiting condition for operation for failure of MSIVs to meet closure time requirements.
GUCWA,L.T. Georgia Power Co. 87/10/23. Region 2, Ofc of the Director. 3pp. 43357:275-43357:277.

8711030168 Notification of 871105 meeting w/util in Bethesda,MD to discuss design bases for emergency diesel generators,per licensee request for exemption to Tech Spec 3.0.4 concerning availability of standby svc water sys.
CROCKER,L.P. Project Directorate II-3. 87/10/30. Project Directorate II-3. 3pp. 43264:251-43264:253.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046

8711130275 Forwards revised Tech Spec pages to Amends 144 & 145 to License DPR-57 & Amend 80 to License NPF-5.Changes effective as of ltr date & will be implemented within 60 days of issuance.
CROCKER,L.P. Project Directorate II-3. 87/11/06. O'REILLY,J.P. Georgia Power Co. 3pp. 43356:029-43356:036.

--8711130262 Errata to Amends 144 & 145 to License DPR-57 & Amend 80 to License NPF-5,revising Tech Spec pages.
* Project Directorate II-3. 87/11/06. 5pp. 43356:032-43356:036.

8711160108 Forwards updated listing of items of correspondence w/NRC requiring written response,including items ready for closure & prioritization of six most outstanding submittals in terms of value to util.
GUCWA,L.T. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 6pp. 43369:011-43369:016.

8711200018 Forwards summary of NRC 871021-22 meetings w/util at plant site re questions raised during NRC preliminary review of proposed inservice testing program.Encl identifies NRC questions & comments & util responses.
CROCKER,L.P. Project Directorate II-3. 87/11/12. O'REILLY,J.P. Georgia Power Co. 44pp. 43406:347-43407:029.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety-Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030174 Advises that util 850110 request for rescission of 830708 confirmatory order inappropriate due to continuing uncertainties w/BWR piping.Order may be rescinded after issuance of Rev 2 to NUREG-0313.
CROCKER,L.P. Project Directorate II-3. 87/10/29. O'REILLY,J.P. Georgia Power Co. 4pp. 43284:267-43284:270.

8711060280 Forwards response to 871008 ltr transmitting notice of violation from Insp Repts 50-321/87-22 & 50-366/87-22 on 870831-0904.Violation re inadequate spec for pressure switch deleted
GUCWA,L.T. Georgia Power Co. 87/10/30. Document Control Branch (Document Control Desk) 5pp. 43303:090-43303:094.

8711090011 Responds to NRC 871007 ltr re violations noted in Insp Rept 50-366/87-23.Corrective actions:Temporary Change 87-1178 incorporated into Procedure 57SV-D11-016-2S to include Tech Spec Amend 71 testing requirements & relays tested.
GUCWA,L.T. Georgia Power Co. 87/10/30. Document Control Branch (Document Control Desk). 5pp. 43314:338-43314:342

8711130064 Ack receipt of 871013 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/87-21 & 50-366/87-21.Response meets requirements of 10CFR2 201.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/03. O'REILLY,J.P. Georgia Power Co. 1p. 43354:218-43354:218.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190178 Ack receipt of 871002 response to 870902 notice of violation re violations noted in Insp Repts 50-321/87-18 & 50-366/87-18.NRC concludes that Violation A (87-18-05) appropriately classified as Severity Level IV.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Power Co. 2pp. 43400:146-43400:147.

8711190234 Ack receipt of 871030 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/87-23 & 50-366/87-23.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/12. O'REILLY,J.P. Georgia Power Co. 1p. 43400:329-43400:329.

8711200345 Forwards Insp Repts 50-321/87-28 & 50-366/87-28 on 871026-30.No violations or deviations identified.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Power Co. 2pp. 43413:119-43413:121.

--8711200351 Partially withheld Physical Security Insp Repts 50-321/87-28 50-366/87-28 on 871026-30 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected:security organization,testing & maint & physical barriers.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/10. 1p. 43413:121-43413:121.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230210 Forwards Insp Repts 50-321/87-27 & 50-366/87-27 on 871026-30 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. O'REILLY,J.P. Georgia Power Co. 2pp. 43444:093-43444:111.

--8711230238 Notice of violation from insp on 871026-30.Violations noted: failure to take suitable measurements to detect & evaluate airborne radioactivity hazards & failure to maintain control & account for SNM.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. 3pp. 43444:095-43444:097.

--8711230263 Insp Repts 50-321/87-27 & 50-366/87-27 on 871026-30. Violations noted:Major areas inspected:radiation protection activities,organization & mgt controls,training & qualifications & internal exposure control.
KUZO,G.B., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/16. 14pp. 43444:098-43444:111.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160074 Monthly operating repts for Oct 1987.W/871106 ltr.
RICHARDSON,J.H., GUCWA,L.T. Georgia Power Co. 87/10/31. 13pp. 43365:027-43365:039.

S. Reportable occurrences, LERs & related correspondence

8711120137 Special Rept 87-001:on 860916 & 870922,fire rated assembly inoperable for longer than 14 days.Caused by util & Bechtel personnel error.Fire watch established & Design Change Request 87-H2D-183 initiated to correct deficiency.
GUCWA,L.T. Georgia Power Co. 87/10/30. Document Control Branch (Document Control Desk). 8pp. 43349:073-43349:080.

8711230177 LER 87-013-00:on 871019 & 1112,RCIC primary containment isolation sys logic isolated.Caused by increase in sensed torus chamber area differential temp.Steam leaks checked. Second event under investigation.W/871118 ltr.
BAKER,R.D., GUCWA,L.T. Georgia Power Co. 87/11/18. 14pp. 43424:027-43424:040.

V. Operator Examinations

8711190171 Advises util that encl ref matl must be furnished by 871104 in order to meet written & oral reactor operator & senior operator licensing exams scheduled for wk of 880208.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. O'REILLY,J.P. Georgia Power Co. 10pp. 43400:209-43400:218.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020217 Forwards exemption request re Section III.G.2 of App R for level transmitters for new safety-grade condensate storage.
ENOS,J.T. Arkansas Power & Light Co. 87/10/29. CALVO,J.A. Project Directorate IV. 5pp. 43234:130-43234:134.

8711050188 Forwards Rev 12 to Arkansas Nuclear One Industrial security plan.Changes do not decrease safeguards effectiveness of plan.Encl withheld (ref 10CFR73.21).
ENOS,J.T. Arkansas Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43281:240-43281:241.

8711190282 Rev 5 to Emergency Plan Implementing Procedure 1903.13, "Notification of Little Rock Corporate Official."
* Arkansas Power & Light Co. 87/11/09. 5pp. 43400:045-43400:049.

8711200393 Advises that 870930 changes to physical security plan consistent w/provisions of 10CFR50.54(q) & App E & acceptable.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43416:335-43416:336.

8711250200 Forwards "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.Deficiency re unsuccessful activation of Pope County emergency operations ctr identified.Emergency plan adequate.
KRIMM,R.W. Federal Emergency Management Agency. 87/11/18. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43459:276-43459:355.

--8711250202 "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.
* Federal Emergency Management Agency. 87/09/15. 76pp. 43459:277-43459:355.

8711230380 Forwards Insp Repts 50-313/87-31 & 50-368/87-31 on 870921-25 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:009-43419:011.

--8711230402 Partially withheld Insp Repts 50-313/87-31 & 50-368/87-31 on 870921-25 (ref 10CFR73.21).Violations noted.Major areas inspected:security plan & implementing procedures,security organization & security program.
CALDWELL,R.A. Region 4, Ofc of the Director. 87/11/09. 1p. 43419:011-43419:011.

P. Operating license stage documents & correspondence

8711020508 Advises that,effective on 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section,Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43238:036-43238:037.

8711030452 Application for amend to License NPF-6,changing Tech Specs to increase refueling water boron concentration & corresponding concentrations in refueling water tank & safety injection tank.Fee paid.
CAMPBELL,T.G. Arkansas Power & Light Co. 87/10/28. CALVO,J. Project Directorate IV. 11pp. 43251:106-43251:134.

--8711030460 Proposed Tech Specs,increasing refueling water boron concentration & corresponding concentrations in refueling water tank & safety injection tanks.
* Arkansas Power & Light Co. 87/10/28. 18pp. 43251:117-43251:134.

8711030490 Application for amend to License NPF-6,changing Tech Spec to decrease boron concentration required in boric acid makeup tank.Review & approval of encl matl in order to issue amend prior to next refueling outage on 880212 requested.Fee paid.
CAMPBELL,T.G. Arkansas Power & Light Co. 87/10/28. CALVO,J. Project Directorate IV. 9pp. 43251:228-43251:260.

--8711030494 Proposed Tech Specs decreasing boron concentration required in boric acid makeup tanks.
* Arkansas Power & Light Co. 87/10/28. 14pp. 43251:237-43251:260.

8711050003 Application for amend to License NPF-6,changing Tech Specs to decrease required differential pressure produced by HPSI pumps during surveillance testing.Fee paid.
CAMPBELL,J.G. Arkansas Power & Light Co. 87/10/28. CALVO,J. Project Directorate IV. 10pp. 43302:143-43302:153.

--8711050005 Proposed Tech Spec Page 3/4 5-5,decreasing required differential pressure produced by HPSI pumps during surveillance testing.
* Arkansas Power & Light Co. 87/10/28. 1p. 43302:153-43302:153.

8711040343 Application for amend to License NPF-6,changing expiration date of license from 121208 to 180717.Fee paid.
CAMPBELL,J.G. Arkansas Power & Light Co. 87/10/30. CALVO,J.A. Project Directorate IV. 4pp. 43290:026-43290:055.

--8711040346 Proposed Tech Spec Page 13,changing expiration date of license from 121206 to 180717.Safety evaluation,environ assessment,occupational exposure evaluation,needs assessment & NSHC encl.
* Arkansas Power & Light Co. 87/10/30. 26pp. 43290:030-43290:055.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43256:347-43258:352.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711300223 Notification of 871201 mgt meeting w/util in Arlington,TX to discuss licensee initiatives.
JAUDON,J.P. Region 4, Ofc of the Director. 87/11/23. Region 4, Ofc of the Director. 1p. 43469:360-43469:360

Q. Inspection reports, IE Bulletins & correspondence

8812170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020329 Forwards Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No violations or deviation noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43233:325-43233:326.

--8711020433 Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No violations or deviations noted.Major areas inspected: verification of Reg Guide 1.97 conformance for Unit 2 & followup of previously identified items.
PICK,G.A., SEIDLE,W.C. Region 4, Ofc of the Director. 87/10/20. 7pp. 43233:327-43233:335.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711030011 Forwards Insp Repts 50-313/87-30 & 50-368/87-30 on 870901-30 & notice of violation.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. CAMPBELL,G. Arkansas Power & Light Co 2pp. 43252:173-43252:196.

--8711030013 Notice of violation from Insp on 870901-30.Violation noted: failure to have adequate lubrication schedules for safety-related pump couplings.
* Region 4, Ofc of the Director. 87/10/29. 2pp. 43252:175-43252:176.

--8711030015 Insp Repts 50-313/87-30 & 50-368/86-30 on 870901-30. Violations noted.Major areas inspected:operational safety verification,maint,surveillance,followup on previously identified items & followup on allegation.
JOHNSON,W.D., HARBUCK,C.C., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/19. 20pp. 43252:177-43252:196.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11?pp. 43324:228-43324:339.

8711060179 Forwards Insp Repts 50-313/87-23 & 50-368/87-23 on 870810-21.No violations noted.Attention to identified areas of concern requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/05. CAMPBELL,G. Arkansas Power & Light Co. 3pp. 43309:348-43309:350.

--8711060184 Insp Repts 50-313/87-23 & 50-368/87-23 on 870810-21.No violations noted.Major areas inspected:plant mods of sys & components,maint,plant operations & corrective actions.
CORREIA,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). BOARDMAN,J. Region 4, Ofc of the Director. HAAG,R. Region 3, Ofc of the Director. 87/10/20. 14pp. 43309:351-43310:004.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170260 Ack receipt of 871019 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-15 & 50-368/87-15.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/13. CAMPBELL,G. Arkansas Power & Light Co. 1p. 43384:095-43384:098.

--8711170273 Responds to NRC 870615 ltr re violations in Insp Repts 50-313/87-15 & 50-368/87-15.Corrective actions:project structured to reconcile safety-related piping isometric & hanger drawings w/as-built plant conditions implemented.
LEVINE,J.M. Arkansas Power & Light Co. 87/10/19. CALLAN,L.J. Region 4, Ofc of the Director. 3pp. 43384:096-43384:098.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711230342 Ack receipt of 871030 ltr informing NRC of steps taken to correct violations & deviations noted in Insp Repts 50-313/87-14 & 50-368/87-14.Deviation B responsive to concerns raised
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/16. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:065-43419:072.

--8711230363 Responds to NRC 870930 ltr re violations & deviations noted in Insp Repts 50-313/87-14 & 50-368/87-14.Corrective actions:restrictions will be placed on live load capacities of elevations 372 & 386 ft.
LEVIN,J.M. Arkansas Power & Light Co. 87/10/30. CALLAN,L.J. Region 4, Ofc of the Director. 5pp. 43419:067-43419:072.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 118pp. 43444:195-43444:314.

8711230380 Forwards Insp Repts 50-313/87-31 & 50-368/87-31 on 870921- 25 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43419:008-43419:011.

--8711230402 Partially withheld Insp Repts 50-313/87-31 & 50-368/87-31 on 870921-25 (ref 10CFR73.21).Violations noted.Major areas inspected:security plan & implementing procedures,security organization & security program.
CALDWELL,R.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/09. 1p. 43419:011-43419:011.

8711250238 Forwards Insp Repts 50-313/87-20 & 50-368/87-20 on 870720-24.No violations or deviations noted.Two unresolved items identified re corrective action program.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/20. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43460:160-43460:165.

--8711250243 Insp Repts 50-313/87-20 & 50-368/87-20 on 870720-24.No violations or deviations noted.Major areas inspected: licensee corrective action program.
BOARDMAN,J.R., SEIDLE,W.C. Region 4, Ofc of the Director. 87/11/20. 4pp. 43460:162-43460:165.

S. Reportable occurrences, LERs & related correspondence

8711060243 Informs that suppl to LER 87-003-00 will be delayed until 880501 due to preliminary nature of some aspects of permanent repair plan of unit pressurizer,per 871028 meeting.
LEVINE,J.M. Arkansas Power & Light Co. 87/10/28. Document Control Branch (Document Control Desk). 1p. 43308:286-43308:288.

8711090027 Supplemental Part 21 & deficiency rept re potential degradation in C-E pressurizer heater sheaths furnished by Watlow Electric Mfg Co.Initially reported on 870511.Wetted or swelled magnesium oxide sleeve could cause fracture.
SCHERER,A.E. Combustion Engineering, Inc. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43314:026-43314:028.

V. Operator Examinations

8711090216 Advises that operator requalification program evaluation will not be performed during FY88,due to EDO 870911 suspension of requalification program evaluations.Addl factors affecting decision listed.
GAGLIARDO,J.E. Region 4, Ofc of the Director. 87/11/05. HANNON,J.N. Operator Licensing Branch. 1p. 43313:206-43313:206.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130153 SALP Repts 50-369/87-29 & 50-370/87-29 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 39pp. 43357:176-43357:214.

P. Operating license stage documents & correspondence

8711030295 Ack that rev to util Topical Rept DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design," contains minor statistical error,per 871016 ltr.Revised document scheduled to be submitted by 870129.
TUCKER,H.B. Duke Power Co. 87/10/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). HOOD,D.S. Project Directorate II-3. 1p. 43262:101-43252:101.

8711030285 Forwards requests for relief from ASME Code Section XI requirements,including request for relief from hydrostatic testing of groundwater monitoring piping being modified & from hydrostatic testing requirements for listed welds.
TUCKER,H.B. Duke Power Co. 87/10/26. Document Control Branch (Document Control Desk). 22pp. 43252:284-43252:305.

8711020364 Notification of 871103 meeting w/util & Westinghouse in Philadelphia,PA to discuss results of Franklin Research Ctr exam of cracks in pole shaft welds of reactor trip breaker.
HOOD,D.S. Project Directorate II-3. 87/10/27. CROCKER,L.P. Project Directorate II-3. 4pp. 43239:285-43239:288.

8711090068 Forwards shipping schedule to inform of util intent to continue shipments of spent fuel from Oconee to McGuire Nuclear Station Mode of transit will be truck-trailer & carrier by McGil Encl withheld (ref 10CFR73.60).
HUDSON,F.G. Duke Power Co. 87/10/27. MCGUIRE,D. Region 2, Ofc of the Director. 1p. 43324:051-43324:051.

8711020331 Forwards summary of changes made to facility,including Class F bypass piping around Valves 2NM424,425,426 & 427 being replaced w/Class B piping.
TUCKER,H.B. Duke Power Co. 87/10/28. Document Control Branch (Document Control Desk). 8pp. 43237:313-43237:320.

8711030168 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711100363 Forwards addl test data of VQ valves for facilities in support of util application for amends to Licenses NPF-35 & NPF-52,changing Tech Spec Surveillance Requirement 4.6.1.9.4.Previous amend requested to be granted.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43343:317-43343:320.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp 43402:001-43402:046.

8711100459 Forwards Amends 77 & 58 to Licenses NPF-9 & NPF-17, respectively & safety evaluation.Amends change Tech Spec 3/4.1.3 "Moveable Control Assemblies" & bases to provide longer operation w/inoperable but trippable control rods.
HOOD,D. Project Directorate II-3. 87/11/05. TUCKER,H.B. Duke Power Co. 2pp. 43342:268-43342:271.

--8711100465 Amends 77 & 58 to Licenses NPF-9 & NPF-17,respectively, changing Tech Spec 3/4.1.3, "Moveable Control Assemblies" & bases to provide longer operation w/inoperable but trippable control rods.
CROCKER,L.P. Project Directorate II-3. 87/11/05. 10pp. 43342:258-43342:267.

--8711100468 Safety evaluation supporting Amends 77 & 58 to Licenses NPF-9 & NPF-17,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/05. 4pp. 43342:268-43342:271.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711130335 Forwards SER accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.Util recommended to proceed w/installation as scheduled.
HOOD,D.S. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 2pp. 43360:121-43360:133.

--8711130352 Safety evaluation accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 11pp. 43360:123-43360:133.

8711160088 Forwards request for addl info re RTD bypass sys removal discussed in util 870528,0722,0831,1001 & 851029 ltrs. Response requested within 15 days of ltr date.
JABBOUR,K.M. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 6pp. 43362:156-43362:161.

8711160078 Requests corrective action plans & schedule to bring design into compliance w/Commission 840615 order re Suppl 1 to NUREG-0737, "Requirements for Emergency Response Capability."
HOOD,D.S. Project Directorate II-3. 87/11/09. TUCKER,H.B. Duke Power Co. 3pp. 43363:028-43363:030.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50.54(a).W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

8711160122 Notification of 871202 meeting w/B&W,BNL,BNWL & Duke Power Co in Bethesda,MD to discuss B&W topical repts on reload methodologies to be used for refueling Duke Power Co recirculating steam generator PWRs.Meeting agenda encl.
HSII,Y. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 3pp. 43394:316-43394:317.

8711230363 Clarifies util 871028 ltr summarizing 10CFR50.59 changes to facility in 1986.Containment hydrogen monitor will continue to be operated,per Tech Specs.Commitment made in 840329 ltr will be revised re operation of instrument.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43419:007-43419:008.

8711240100 Revised application for amend to Licenses NPF-9 & NPF-17, changing Tech Specs to add note to assure maint of automatic isolation capability of containment purge sys w/o inappropriately adding Monitor EMF-39 to ESFAS table.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 3pp. 43431:324-43431:354.

--8711240104 Proposed Tech Specs adding note to assure maint of automatic isolation capability of containment purge sys w/o inappropriately adding Monitor EMF-39 to ESFAS table.
* Duke Power Co. 87/11/19. 28pp. 43431:327-43431:354.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413) 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214

--8711130153 SALP Repts 50-369/87-29 & 50-370/87-29 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 39pp. 43357:176-43357:214.

8711130069 Discusses Insp Rept 50-369/87-26 on 870803-07 & forwards notice of violation & proposed imposition of civil penalty in amount of $100,000.Penalty based on inoperability of Train A emergency diesel generator on 870726 & 30.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/28. TUCKER,H.B. Duke Power Co. 4pp. 43354:219-43354:225.

--8711130077 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violations noted:diesel generator inoperable for more than allowed Tech Spec limit & operations mgt procedure not properly implemented.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/28. 3pp. 43354:223-43354:225.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130137 Forwards Insp Repts 50-369/87-39 & 50-370/87-39 on 870921-1020.No violations or deviations noted.Unresolved item identified.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/03. TUCKER,H.B. Duke Power Co. 2pp. 43354:172-43354:183.

--8711130146 Insp Repts 50-369/87-39 & 50-370/87-39 on 870921-1020.No violations or deviations noted.Major areas inspected: operations safety verification,surveillance testing,maint activities & followup of previous enforcement actions.
ORDERS,W., GUENTHER,S., PEEBLES,T.A. Region 2, Ofc of the Director. 87/11/03 10pp. 43354:174-43354:183.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100300 Responds to violation noted in Insp Repts 50-369/86-20 & 50-370/86-20.Corrective actions:Limitorque motor-operated valve grease caps specific instructions added to Limitorque instruction/installation manual to require dust cap removal.
TUCKER,H.B. Duke Power Co. 87/11/04. Document Control Branch (Document Control Desk). 4pp. 43335:008-43335:011.

8711160128 Forwards revised responses to NRC ltr re violations noted in Insp Repts 50-369/87-26 & 50-370/87-26.Corrective actions: overtime requirements transmitted to supervision & staff personnel in 870923 staff meetings.
TUCKER,H.B. Duke Power Co. 87/11/05. Document Control Branch (Document Control Desk). 4pp. 43364:028-43364:031.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100303 Responds to violation noted in Insp Repts 50-369/87-36 & 50-370/87-36.Corrective actions:slave relay test procedures changed to require opposite train of VC/YC sys to be in operation during test.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43334:359-43334:361.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230429 Ack receipt of 871106 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-369/87-36 & 50-370/87-36.
REYES,L.A. Region 2, Ofc of the Director. 87/11/18. TUCKER,H.B. Duke Power Co. 1p. 43423:057-43423:057.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc 119pp. 43444:195-43444:314.

8711230324 Forwards Insp Repts 50-369/87-40 & 50-370/87-40 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/19. TUCKER,H.B. Duke Power Co. 2pp. 43419:081-43419:094.

--8711230338 Insp Repts 50-369/87-40 & 50-370/87-40 on 871019-23.No violations or deviations noted.Major areas inspected:power operated relief valve mods,maint & inspector followup items.
GIRARD,E.H., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/17. 12pp. 43419:083-43419:094.

8711300034 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000,per Enforcement Action EA-87-163.Corrective actions:operators disciplined & supervisor counseled.Escalation of penalty unwarranted.
TUCKER,H.B. Duke Power Co. 87/11/25. Document Control Branch (Document Control Desk). 17pp. 43473:056-43473:073.

R. Periodic operating reports & related correspondence

8711230024 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 12pp. 43418:158-43418:169.

S. Reportable occurrences, LERs & related correspondence

8711020396 LER 87-020-00:on 870905,RHR pump B declared inoperable due to isolation of flow instrument.Caused by personnel failing to assure instrument properly returned to svc after 870828 repair of leak.Instrument unisolated.W/871027 ltr.
LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/10/27. 8pp. 43235:228-43235:237.

8711090012 LER 87-021-00:on 870916,facility blackout occurred due to relays energizing during testing.Caused by personnel error. Busline 1B stabilized.Evaluation of compressor alignments VI & design review of power supply initiated.W/871029 ltr.
LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/10/29. 10pp. 43315:082-43315:091.

8711030525 Noncompliance notification:on 871007,daily max BOD limit of 45.0 mg/l exceeded at sanitary waste treatment sys (outfall 003).Analysis rusult 51.0 mg/l.Cause attributed to cooler weather.Corrective action aeration patterns changed.
HALLER,W.A. Duke Power Co. 87/10/30. RAMSEY,D. North Carolina, State of. 1p. 43260:222-43260:222.

8711060180 LER 87-023-00:on 871001,control room ventilation/chilled water Trains A & B chillers declared inoperable.Train A trip caused by blown fuse.Train B trip caused by failure of actuator microswitch.Fuse replaced.W/871102 ltr.
LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/11/02. 7pp. 43303:177-43303:183.

8711100406 LER 87-024-00:on 871002,gap around top sealing surface of reactor bldg equipment hatch discovered.Caused by inadequate procedural instructions & insufficient administrative controls.Procedures to be revised.W/871102 ltr.
LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/11/02. 8pp. 43336:040-43336:047.

8711160211 NPDES noncompliance notification:on 871016,solution began leaking through check valve,during process of filling steam generator w/water containing hydrazine.Caused by clogged floor drain in structure.Release posed no threat to public.
HALLER,W.A. Duke Power Co. 87/11/09. GLEASON,D.R. North Carolina, State of. 2pp. 43368:300-43368:301.

8711190218 Special report on 870816,malfunction of main turbine generator controls caused rapidly decreasing main steam line pressure triggering safety injection/reactor trip.Safety injection & unusual event terminated & repairs completed on 870821.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43400:283-43400:284.

V. Operator Examinations

8711300034 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000,per Enforcement Action EA-87-163.Corrective actions:operators disciplined & supervisor counseled.Escalation of penalty unwarranted.
TUCKER,H.B. Duke Power Co. 87/11/25. Document Control Branch (Document Control Desk). 17pp. 43473:056-43473:073.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26 Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130153 SALP Repts 50-369/87-29 & 50-370/87-29 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 39pp. 43357:176-43357:214.

P. Operating license stage documents & correspondence

8711030295 Ack that rev to util Topical Rept DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design," contains minor statistical error,per 871016 ltr.Revised document scheduled to be submitted by 870129.
TUCKER,H.B. Duke Power Co. 87/10/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). HOOD,D.S. Project Directorate II-3. 1p. 43252:101-43252:101.

8711020354 Notification of 871103 meeting w/util & Westinghouse in Philadelphia,PA to discuss results of Franklin Research Ctr exam of cracks in pole shaft welds of reactor trip breaker.
HOOD,D.S. Project Directorate II-3. 87/10/27. CROCKER,L.P. Project Directorate II-3. 4pp. 43239:285-43239:288.

8711020391 Forwards summary of changes made to facility,including Class F bypass piping around Valves 2NM424,426,426 & 427 being replaced w/Class B piping.
TUCKER,H.B. Duke Power Co. 87/10/28. Document Control Branch (Document Control Desk). 8pp. 43237:313-43237:320.

8711030158 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request to as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711100383 Forwards addl test data of VQ valves for facilities in support of util application for amends to Licenses NPF-35 & NPF-52,changing Tech Spec Surveillance Requirement 4.6.1.9.4 Previous amend requested to be granted.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43343:317-43343:320.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100459 Forwards Amends 77 & 58 to Licenses NPF-9 & NPF-17, respectively & safety evaluation.Amends change Tech Spec 3/4.1.3 "Moveable Control Assemblies" & bases to provide longer operation w/inoperable but trippable control rods.
HOOD,D. Project Directorate II-3. 87/11/05. TUCKER,H.B. Duke Power Co. 2pp. 43342:256-43342:271.

--8711100465 Amends 77 & 58 to Licenses NPF-9 & NPF-17,respectively, changing Tech Spec 3/4.1.3, "Moveable Control Assemblies" & bases to provide longer operation w/inoperable but trippable control rods.
CROCKER,L.P. Project Directorate II-3. 87/11/05. 10pp. 43342:258-43342:267.

--8711100468 Safety evaluation supporting Amends 77 & 58 to Licenses NPF-9 & NPF-17,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/05. 4pp. 43342:268-43342:271.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711130336 Forwards SER accepting util proposed ATWS mitigating sys actuation circuitry for facilities per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.Util recommended to proceed w/installation as scheduled.
HOOD,D.S. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 2pp. 43360:121-43360:133.

--8711130352 Safety evaluation accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 11pp. 43360:123-43360:133.

8711160088 Forwards request for addl info re RTD bypass sys removal discussed in util 870526,0722,0831,1001 & 851029 ltrs. Response requested within 15 days of ltr date.
JABBOUR,K.M. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 6pp. 43362:156-43362:161.

8711160078 Requests corrective action plans & schedule to bring design into compliance w/Commission 840616 order re Suppl 1 to NUREG-0737, "Requirements for Emergency Response Capability."
HOOD,D.S. Project Directorate II-3. 87/11/09. TUCKER,H.B. Duke Power Co. 3pp. 43363:028-43363:030.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50.54(a) W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

8711180122 Notification of 871202 meeting w/B&W,DNL,BNWL & Duke Power Co in Bethesda,MD to discuss B&W topical repts on reload methodologies to be used for refueling Duke Power Co recirculating steam generator PWRs.Meeting agenda encl.
HSII,Y. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 3pp. 43394:315-43394:317.

8711230383 Clarifies util 871028 ltr summarizing 10CFR50.59 changes to facility in 1986.Containment hydrogen monitor will continue to be operated,per Tech Specs.Commitment made in 840329 ltr will be revised re operation of instrument.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43419:007-43419:008.

8711240100 Revised application for amend to Licenses NPF-9 & NPF-17, changing Tech Specs to add note to assure maint of automatic isolation capability of containment purge sys w/o inappropriately adding Monitor EMF-39 to ESFAS table.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 3pp. 43431:324-43431:354.

--8711240104 Proposed Tech Specs adding note to assure maint of automatic isolation capability of containment purge sys w/o inappropriately adding Monitor EMF-39 to ESFAS table.
* Duke Power Co. 87/11/19. 28pp. 43431:327-43431:354.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26 Oconee & McGuire evaluated for Mar 1986 - Jul 1987 Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

-8711130153 SALP Repts 50-369/87-29 & 50-370/87-29 for Mar 1986 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 39pp. 43357:176-43357:214.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130137 Forwards Insp Repts 50-369/87-39 & 50-370/87-39 on 870921-1020.No violations or deviations noted.Unresolved item identified.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/03. TUCKER,H.B. Duke Power Co. 2pp. 43354:172-43354:183.

-8711130146 Insp Repts 50-369/87-39 & 50-370/87-39 on 870921-1020.No violations or deviations noted.Major areas inspected: operations safety verification,surveillance testing,maint activities & followup of previous enforcement actions.
ORDERS,W., GUENTHER,S., PEEBLES,T.A. Region 2, Ofc of the Director. 87/11/03. 10pp. 43354:174-43354:183.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:226-43324:339.

8711100300 Responds to violation noted in Insp Repts 50-369/86-20 & 50-370/86-20.Corrective actions:Limitorque motor-operated valve grease caps specific instructions added to Limitorque Instruction/Installation manual to require dust cap removal.
TUCKER,H.B. Duke Power Co. 87/11/04. Document Control Branch (Document Control Desk). 4pp. 43335:008-43335:011.

8711160126 Forwards revised responses to NRC ltr re violations noted in Insp Repts 50-369/87-26 & 50-370/87-26.Corrective actions: overtime requirements transmitted to supervision & staff personnel in 870923 staff meetings.
TUCKER,H.B. Duke Power Co. 87/11/05. Document Control Branch (Document Control Desk). 4pp. 43364:028-43364:031.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711100303 Responds to violation noted in Insp Repts 50-369/87-36 & 50-370/87-36.Corrective actions:slave relay test procedures changed to require opposite train of VC/YC sys to be in operation during test.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43334:359-43334:361.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230429 Ack receipt of 871106 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-369/87-36 & 50-370/87-36.
REYES,L.A. Region 2, Ofc of the Director. 87/11/18. TUCKER,H.B. Duke Power Co. 1p. 43423:057-43423:057.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711230324 Forwards Insp Repts 50-369/87-40 & 50-370/87-40 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/19. TUCKER,H.B. Duke Power Co. 2pp. 43419:081-43419:094.

-8711230338 Insp Repts 50-369/87-40 & 50-370/87-40 on 871019-23.No violations or deviations noted.Major areas inspected:power operated relief valve mods,maint & inspector followup items.
GIRARD,E.H., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/17. 12pp. 43419:083-43419:094.

8711300034 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000,per Enforcement Action EA-87-163.Corrective actions:operators disciplined & supervisor counseled.Escalation of penalty unwarranted.
TUCKER,H.B. Duke Power Co. 87/11/25. Document Control Branch (Document Control Desk). 17pp. 43473:056-43473:073.

R. Periodic operating reports & related correspondence

8711230024 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 12pp. 43418:158-43418:169.

S. Reportable occurrences, LERs & related correspondence

8711030525 Noncompliance notification:on 871007,daily max BOD limit of 45.0 mg/l exceeded at sanitary waste treatment sys (outfall 003).Analysis result 51.0 mg/l.Cause attributed to cooler weather.Corrective action:aeration patterns changed.
HALLER,W.A. Duke Power Co. 87/10/30. RAMSEY,D. North Carolina, State of. 1p. 43260:222-43260:222.

8711250054 RO:on 870804,diesel generators 2A & 2B exceeded 11 s allowable time to achieve 4160 volts ac.Rept to be submitted on 871112 will be submitted on 871125 to include delayed info,per Regulatory Position c.3.b.of Reg Glude 1.108,Rev 1.
TUCKER,H.B. Duke Power Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43457:072-43457:072.

V. Operator Examinations

8711300034 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000,per Enforcement Action EA-87-163.Corrective actions:operators disciplined & supervisor counseled.Escalation of penalty unwarranted.
TUCKER,H.B. Duke Power Co. 87/11/25. Document Control Branch (Document Control Desk). 17pp. 43473:056-43473:073.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711170243 Notifies that combined response to requests for addl info re util 861128 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711200286 Forwards Safety Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/17. REED,C. Commonwealth Edison Co. 2pp. 43410:204-43410:218.

-8711200307 Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103. Violations noted.Personnel & procedural errors also noted. Major areas inspected:LERs,cold weather preparation,general site emergency plan drill & receipt of new fuel.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 12pp. 43410:207-43410:218.

P. Operating license stage documents & correspondence

8711030095 Forwards response re compliance w/requirements of 10CFR50.62 concerning ATWS.Response includes description of proposed alternate rod injection (ARI) sys design for facility & evaluation of ATWS recirculation pump trip sys.
ALLEN,C.M. Commonwealth Edison Co. 87/10/23. Document Control Branch (Document Control Desk). 17pp. 43252:197-43252:213.

8711090326 Forwards most recent long-term test data from Static O-Ring differential pressure switches,Model 103AS-B212,held at pressure on test rig at SOR,Inc,current as of 871005.Next setpoint readings will be taken in 1 month.
ALLEN,C.M. Commonwealth Edison Co. 87/11/02 Document Control Branch (Document Control Desk). 2pp. 43322:036-43322:037.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIHAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170299 Application for amends to Licenses NPF-11 & NPF-18,revising Tech Spec 6.1.G.1.7 to change language from "ROs requiring 24 h notification to NRC" to "all reportable events." Fee paid.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43384:041-43384:046.

-8711170300 Proposed Tech Spec 6.1.G.1.7,changing language from "ROs requiring 24 h notification to NRC" to "all reportable events."
* Commonwealth Edison Co. 87/11/09. 4pp. 43384:043-43384:046.

8711250017 Forwards revised 870825 application for amend to License NPF-11 re shutdown cooling isolation valve,correcting errors on cover & Attachment B.
ALLEN,C.M. Commonwealth Edison Co. 87/11/17. Document Control Branch (Document Control Desk). 1p. 43457:356-43457:358.

-8711250022 Revised application for amend to License NPF-11,changing identification of compartment where normal & emergency supply breakers for Shutdown Cooling Isolation Valve 1E12 F0009 located.
* Commonwealth Edison Co. 87/08/25. Document Control Branch (Document Control Desk). 2pp. 43457:357-43457:358.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Repts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions: clerical personnel sent to finish filing procedures.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8710020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8710050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190142 Forwards Safety Insp Repts 50-373/87-31 & 50-374/87-30 on 871013-16,21 & 22.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/13. REED,C. Commonwealth Edison Co. 2pp. 43397:005-43397:014.

--8711190153 Insp Repts 50-373/87-31 & 50-374/87-30 on 871013-16,21 & 22. No violations or deviations noted.Major areas inspected:QA & confirmatory measurements for in-plant radiochemical analysis & action on item identified during previous insp.
JANUSKA,A G., BOCANEGRA,R., SCHUMACHER,M.C. Region 3, Ofc of the Director. 87/11/13. 8pp. 43397:007-43397:014.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200286 Forwards Safety Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/17. REED,C. Commonwealth Edison Co. 2pp. 43410:204-43410:218.

--8711200299 Notice of violation from insp on 870922-1103.Violation noted:failure to follow procedures re use of electrical schematics instead of electrical wiring to remove failed relay in RHR sys.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/17. 1p. 43410:206-43410:206.

--8711200307 Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103. Violations noted:Personnel & procedural errors also noted. Major areas inspected:LERs,cold weather preparation,general site emergency plan drill & receipt of new fuel.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 12pp. 43410:207-43410:218.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711130101 Monthly operating repts for Oct 1987.W/871110 ltr.
KIRCHNER,G.J., DIEDERICH,G.J. Commonwealth Edison Co. 87/10/31. 36pp. 43354:126-43354:163.

S. Reportable occurrences, LERs & related correspondence

8711030510 LER 87-002-01:on 870115,diesel generator O output breaker failed to close onto bus 241Y.Cause unknown.Emergency diesel generator (EDG) surveillance program updated to reflect incresed testing frequency of facility EDGs.W/871023 ltr.
VINYARD,H.T., DIEDERICH,G.J. Commonwealth Edison Co. 87/10/23. 6pp. 43251:252-43251:256.

8711200322 LER 87-034-00:on 871017,Control Room A HVAC (VC) Intake Radiation Monitor 1D18-K761D spuriously tripped (spiked high) causing auto start of VC emergency makeup Train A. Possibly caused by random noise in electronics.W/871116 ltr.
WATFORD,P.S., DIEDERICH,G.J. Commonwealth Edison Co. 87/11/16. 4pp. 43413:129-43413:132.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711200286 Forwards Safety Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/17. REED,C. Commonwealth Edison Co. 2pp. 43410:204-43410:218.

--8711200307 Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103. Violations noted:Personnel & procedural errors also noted. Major areas inspected:LERs,cold weather preparation,general site emergency plan drill & receipt of new fuel.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 12pp. 43410:207-43410:218.

P. Operating license stage documents & correspondence

8711030095 Forwards response re compliance w/requirements of 10CFR50.62 concerning ATWS.Response includes description of proposed alternate rod injection (ARI) sys design for facility & evaluation of ATWS recirculation pump trip sys.
ALLEN,C.M. Commonwealth Edison Co. 87/10/23. Document Control Branch (Document Control Desk). 17pp. 43252:197-43252:213.

8711090326 Forwards most recent long-term test data from Static O-Ring differential pressure switches,Model 103AS-B212,held at pressure on test rig at SOR,Inc,current as of 871005.Next setpoint readings will be taken in 1 month.
ALLEN,C.M. Commonwealth Edison Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43322:036-43322:037.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100443 Forwards list of addl NRC questions discussed in 871016 telcon re review of proposed amends to License NPF-18. Responses to questions will be provided within 2 wks.
ALLEN,C.M. Commonwealth Edison Co. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43344:329-43344:330.

8711170299 Application for amends to Licenses NPF-11 & NPF-18,revising Tech Spec 6.1.G.1.7 to change language from "ROs requiring 24 h notification to NRC" to "all reportable events." Fee paid.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43384:041-43384:046.

--8711170300 Proposed Tech Spec 6.1.G.1.7,changing language from "ROs requiring 24 h notification to NRC" to "all reportable events."
* Commonwealth Edison Co. 87/11/09. 4pp. 43384:043-43384:046.

8711190355 Forwards notice of consideration of issuance of amend to License NPF-18,increasing allowable storage amount for spent fuel pool.Nature of action too complex for NRC to reach no significant hazards determination w/o technical review.
MULLER,D.R. Project Directorate III-2. 87/11/09. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 43416:031-43416:036.

--8711190365 Notice of consideration of issuance of amend to License NPF-18 & opportunity for prior hearing re util 860919 request to increase spent fuel pool storage capacity from 1,080 to 4,118 storage cells.
MULLER,D.R. Project Directorate III-2. 87/11/09. 6pp. 43416:033-43416:038.

8711240072 Forwards response to 871016 request for addl info re 860919 proposed amend to License NPF-18,allowing use of high density spent fuel racks.Drawing sent under separate cover.
ALLEN,C.M. Commonwealth Edison Co. 87/11/17. Document Control Branch (Document Control Desk). 4pp. 43431:063-43431:066.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8306110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Repts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions: clerical personnel sent to finish filing procedures.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8710020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8710050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190142 Forwards Safety Insp Repts 50-373/87-31 & 50-374/87-30 on 871013-16,21 & 22.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/13. REED,C. Commonwealth Edison Co. 2pp. 43397:005-43397:014.

--8711190153 Insp Repts 50-373/87-31 & 50-374/87-30 on 871013-16,21 & 22. No violations or deviations noted.Major areas inspected:QA & confirmatory measurements for in-plant radiochemical analysis & action on item identified during previous insp.
JANUSKA,A.G., BOCANEGRA,R., SCHUMACHER,M.C. Region 3, Ofc of the Director. 87/11/13. 8pp. 43397:007-43397:014.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200286 Forwards Safety Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103 & notice of violation.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/17. REED,C. Commonwealth Edison Co. 2pp. 43410:204-43410:218.

--8711200299 Notice of violation from Insp on 870922-1103.Violation noted:failure to follow procedures re use of electrical schematics instead of electrical wiring to remove failed relay in RHR sys.
FORNEY,W L. Region 3, Ofc of the Director. 87/11/17. 1p. 43410:206-43410:206.

--8711200307 Insp Repts 50-373/87-30 & 50-374/87-29 on 870922-1103. Violations noted Personnel & procedural errors also noted. Major areas inspected:LERs,cold weather preparation,general site emergency plan drill & receipt of new fuel.
RING,M.A. Region 3, Ofc of the Director. 87/11/12. 12pp. 43410:207-43410:218.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:105-43444:314.

R. Periodic operating reports & related correspondence

8711130101 Monthly operating repts for Oct 1987.W/871110 ltr.
KIRCHNER,G.J., DIEDERICH,G J. Commonwealth Edison Co. 87/10/31. 36pp. 43354:128-43354:163.

S. Reportable occurrences, LERs & related correspondence

8711050141 LER 87-002-01:on 870117,containment leakage limit of 0.6 La exceeded on local leak rate testing of feedwater check valves.List of failed valves,causes & corrective actions provided.W/871029 ltr.
PETERS,J.P., DIEDERICH,G.J. Commonwealth Edison Co. 87/10/29. 10pp. 43293:233-43293:242.

8711160160 LER 86-011-01:on 860226,reactor wall drain valves 2FC086 & 2FC115 failed local leak rate test.Caused by foreign matter on seat & seat irregularities.Valves disassembled & seat surfaces lapped.W/871104 ltr.
WATFORD,P.S., DIEDERICH,G J. Commonwealth Edison Co. 87/11/04. 7pp. 43364:353-43364:359.

8711230031 LER 87-018-00:on 871017,RWCU outboard isolation received during removal of RHR area & differential temp relay for repair.Caused by maint personnel inattention to detail. Personnel instructed on use of wiring diagrams.W/871113 ltr.
PETERS,J P., DIEDERICH,G J. Commonwealth Edison Co. 87/11/13. 5pp. 43418:170-43418:174.

8711240190 LER 87-019-00:on 871021,RCIC steam line high flow isolation switch found to have leakage across diaphragm.Caused by defect in diaphragm of switch.New differential pressure switch installed.W/871120 ltr.
ROHRER,R J., DIEDERICH,G.J. Commonwealth Edison Co. 87/11/20. 6pp. 43430:291-43430:296.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711020201 Forwards corrected Tech Spec Page 3/4 3-51 to Amend 24 to License NPF-38,revising description of fire detectors in component cooling water pump Room A & implementing certain name changes.Page 3/4 3-52 inadvertently issued w/ Amend 24.
WILSON,J.H. Project Directorate IV. 87/10/19. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43239:214-43239:216.

--8711020207 Corrected Tech Spec Page 3/4 3-51 to Amend 24 to License NPF-38 re fire detection instruments.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 2pp. 43239:216-43239:216.

8711160239 Forwards draft B&W contract,replacing ORNL contract re post-accident sampling analysis program.New contract constitutes emergency plan change that will be incorporated into Rev 12 to plan.
COOK,K.W. Louisiana Power & Light Co. 87/11/10. Document Control Branch (Document Control Desk). 38pp. 43368:316-43368:350.

8711160124 Forwards Insp Rept 50-382/87-23 on 871013-16.No violations or deviations noted.Four deficiencies noted in emergency preparedness program.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/12. DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 43364:017-43364:027.

--8711160130 Insp Rept 50-382/87-23 on 871013-16.No violations or deviations noted.Major areas inspected:performance & capabilities during annual exercise of emergency plan & procedures.Four deficiencies identified.
BAIRD,J.E., FISHER,W.L. Region 4, Ofc of the Director. 87/11/05. 8pp. 43364:020-43364:027.

8711250205 Forwards Insp Rept 50-382/87-22 on 870916-1015 & notice of violation.Violation described in rept involve several examples of procedures that were not being followed as written.
CALLAN,L.J Region 4, Ofc of the Director. 87/11/23. DEWEASE,J G. Louisiana Power & Light Co. 3pp. 43460:227-43460:246.

--8711250206 Notice of violation from Insp on 870916-1015.Violation noted:failure to follow listed procedures,failure to meet Tech Spec action statements & fire protection problems.
* Region 4, Ofc of the Director. 87/11/23. 3pp. 43460:230-43460:232.

--8711250215 Insp Rept 50-382/87-22 on 870916-1015.Violations noted. Major areas inspected:followup of previously identified items,LER followup,plant status,fire protection,Tech Spec adherence & procedural adherence to attention to detail.
SMITH,W.F., STAKER,T.R., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/27.

P. Operating license stage documents & correspondence

8711020201 Forwards corrected Tech Spec Page 3/4 3-51 to Amend 24 to License NPF-38,revising description of fire detectors in component cooling water pump Room A & implementing certain name changes.Page 3/4 3-52 inadvertently issued w/ Amend 24.
WILSON,J.H. Project Directorate IV. 87/10/19. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43239:214-43239:216.

--8711020207 Corrected Tech Spec Page 3/4 3-51 to Amend 24 to License NPF-38 re fire detection instruments.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 2pp. 43239:216-43239:216.

8711020443 Advises that effective 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43252:243-43252:244.

8711020278 Forwards safety evaluation supporting util surveillance program & results of confirmatory analyses.Util has satisfied requirements of License Condition 2.C.17 by establishing acceptable surveillance program for plant.
WILSON,J.H. Project Directorate IV. 87/10/27. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43239:255-43239:280.

--8711020286 Safety evaluation supporting util 870626 & 0701 surveillance program & results of confirmatory analyses program.Util satisfactorily completed confirmatory analyses program demonstrating adequacy of basemat.BNL evaluation rept encl.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/27. 3pp. 43239:257-43239:280.

--8711020296 "Structural Adequacy of Waterford 3 Basemat," technical evaluation rept. MILLER,C.A., COSTANTINO,C.J., RETCH,M. Brookhaven National Laboratory. FIN A-3037. A-3837-3-9/87. 87/09/30. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 43239:260-43239:280.

8711040007 Application for amend to License NPF-38,consisting of Tech Spec Change Request NPF-38-69.Amend revises low pressure turbine disc insp interval to accommodate installation of new disc.Fee paid.
DEWEASE,J.G. Louisiana Power & Light Co. 87/10/27. Document Control Branch (Document Control Desk). 6pp. 43290:173-43290:182.

--8711040009 Proposed Tech Specs revising low pressure turbine disc insp interval to accommodate installation of new disc design.
* Louisiana Power & Light Co. 87/10/27. 4pp. 43290:179-43290:182.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,O.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8808060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860818 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160092 Suppl to 870729 application for amend to License NPF-38, consisting of Tech Spec Change Request NPF-38-62,revising Tech Spec 3.6.1.4, "Containment Sys Internal Pressure" to include 1 psig max containment internal pressure.
COOK,K.W. Louisiana Power & Light Co. 87/11/05. Document Control Branch (Document Control Desk). 4pp. 43364:213-43364:227.

--8711160171 Proposed Tech Specs,revising allowable containment pressure range based on reanalysis of limiting main steam line break peak containment pressure event.
* Louisiana Power & Light Co. 87/11/05. 11pp. 43364:217-43364:227.

8711090159 Documents 871103 meeting w/utils at Region IV ofc re organization,plans for 1988 spring refueling outage & Region IV perceptions of facility in correction & prompt resolution of known problems.Attendee list encl.
MARTIN,R.D. Region 4, Ofc of the Director. 87/11/06. DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 43321:297-43321:299.

8711190295 Summary of 871027 meeting w/util in Bethesda,MD re util plans for second refueling outage,scheduled for late Mar - early Apr 1988.List of attendees & presentation matl encl.
WILSON,J.H. Project Directorate IV. 87/11/09. Project Directorate IV. 27pp. 43404:314-43404:340.

8711180209 Requests registration as user of Model CNS 14-195H.
COOK,K.W. Louisiana Power & Light Co. 87/11/10. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. 1p. 43365:013-43365:013.

8711230169 Ack receipt of util 871001 ltr transmitting updated QA program for plant operations.Util will receive ltr from ofc at completion of review.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43419:139-43419:140.

8711240047 Ack receipt of 871019 ltr re QA program change.Addl info, including evidence that util have approved procedure for transferring records to permanent storage which addresses time limits requested.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. DEWEASE,J.G. Louisiana

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711100265 Forwards Rev 3 to "10-Yr Inservice Insp Program Waterford Steam Electric Station Unit 3." Relief from ASME Section XI code & approval of revised program requested.Summary of changes encl.Fee paid.
COOK,K.W. Louisiana Power & Light Co. 87/10/15. Document Control Branch (Document Control Desk). 3pp. 43329:117-43330:165.

--8711100268 Rev 3 to "10-Yr Inservice Insp Program Waterford Steam Electric Station Unit 3."
* Louisiana Power & Light Co. 87/10/15. 406pp. 43329:120-43330:165.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:226-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160117 Responds to NRC Info Notice 87-043 re gaps in boraltex of spent fuel storage racks Safety concern described in notice not applicable to facility.Util recommends boraflex surveillance program as documented in util 870916 ltr.
COOK,K.W. Louisiana Power & Light Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43364:016-43364:016.

8711160124 Forwards Insp Rept 50-382/87-23 on 871013-16.No violations or deviations noted.Four deficiencies noted in emergency preparedness program.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/12. DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 43364:017-43364:027.

--8711160130 Insp Rept 50-382/87-23 on 871013-16.No violations or deviations noted.Major areas inspected:performance & capabilities during annual exercise of emergency plan & procedures.Four deficiencies identified.
BAIRD,J.E., FISHER,W.L. Region 4, Ofc of the Director. 87/11/05. 8pp. 43364:020-43364:027.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200185 Ack receipt of 871019 response to concerns re reliability of plant process radiation monitoring sys noted in Insp Rept 50-382/87-16.Response sufficient.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. DEWEASE,J.G. Louisiana Power & Light Co. 2pp. 43402:357-43402:361.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711260205 Forwards Insp Rept 50-382/87-22 on 870916-1016 & notice of violation.Violation described in rept involve several examples of procedures that were not being followed as written.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/23. DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 43460:227-43460:246.

--8711260206 Notice of violation from Insp on 870916-1015.Violation noted:failure to follow listed procedures,failure to meet Tech Spec action statements & fire protection problems.
* Region 4, Ofc of the Director. 87/11/23. 3pp. 43460:230-43460:232.

--8711260216 Insp Rept 50-382/87-22 on 870916-1016.Violations noted. Major areas inspected:followup of previously identified items,LER followup,plant status,fire protection,Tech Spec adherence & procedural adherence to attention to detail.
SMITH,W.F., STAKER,T.R., JAUDON,J.P. Region 4, Ofc of the Director. 87/10/27. 14pp. 43460:233-43460:246.

R. Periodic operating reports & related correspondence

8711020277 "Rept of Facility Changes,Tests & Experiments for Mid-Yr 1987 Per 10CFR50.59." W/871027 ltr.
COOK,K.W. Louisiana Power & Light Co. 87/06/18. 52pp. 43237:033-43237:084.

8711160142 Monthly operating rept for Oct 1987.W/871111 ltr.
MILLER,G., COOK,K.W. Louisiana Power & Light Co. 87/10/31. 7pp. 43365:189-43365:195.

S. Reportable occurrences, LERs & related correspondence

8711130330 LER 87-025-00:on 871003-16,four instances of missed Tech Specs (TS) sampling requirements noted.Caused by breakdown in administrative controls Methods of tracking TS required sampling revised.W/871104 ltr.
ALLEN,R.E., CARNS,N.S. Louisiana Power & Light Co. 87/11/04. 10pp. 43361:112-43361:121.

8711190277 Special Rept SR-87-005-00:on 871103,Tech Specs 3.3.3.1 & 6.9.2 violated.Caused by inoperability of effluent accident wide-range gas monitor for more than 7 days due to damaged connectors.New monitor should be installed by 871125.
CARNS,N.S. Louisiana Power & Light Co. 87/11/13. Document Control Branch (Document Control Desk). 4pp. 43400:050-43400.053.

8711190188 Special Rept SR-87-006-00:on 871028,primary meteorological tower upper wind speed & wind direction instrument out-of- svc in excess of 7 days.Caused by failed signal converter. Parts replaced & instrument returned to svc on 871104.
CARNS,N.S. Louisiana Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 4pp. 43400:259-43400:262.

V. Operator Examinations

8711090224 Advises that requalification program evaluation for facility will not be performed since requalification exams conducted in Nov,per EDO 870911 suspension of evaluations.Postponement of evaluation suggested.
GAGLIARDO,J.E. Region 4, Ofc of the Director. 87/11/05. HANNON,J.N. Operator Licensing Branch. 1p. 43322:346-43322:346.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711020169 Rev 2 to Emergency Plan Implementing Procedure EP-IP-052, "Backup Emergency Operations Facility Activation." Rev 129 to table of contents also encl.W/871020 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/20. 33pp. 43236:141-43236:173.

8711050043 Advises that 870804 & 14 Change Z to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/29. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 43302:047-43302:049.

8711050176 Change 1-87-1008 to Rev 5 to Emergency Plan Implementing Procedure Manual EP-IP-035, "Emergency Vent Monitor Sampling." W/revised table of contents.
* Pennsylvania Power & Light Co. 87/10/28. 6pp. 43293:193-43293:198.

8711090281 Advises that installation of new meteorological instrumentation on primary & backup towers expected for completion w/first semiannual calibr in 1988,per Deviation 387-388/86-10-07.Alternate method complies w/FSAR.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/02. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43322:167-43322.167.

8711120098 Revised emergency plan implementing procedures,including Change 1-87-1029 to Rev 2 to EP-IP-052, "Backup Emergency Operations Facility (EOF) Activation" & Change 1-87-1028 to EP-IP-042 "In-Plant & EOF Chemistry Lab..." W/871104 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/04. 28pp. 43349:328-43349:355.

8711230447 Forwards Safety Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930 & notice of violation.Concern re repetition of violation concerning violation of secondary containment through cross-tie of two open dampers expressed.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43421:253-43421:278.

--8711230463 Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930. Violation noted.Major areas inspected:plant operations, physical security,plant events,previous insp findings, surveillance,maint,ESF walkdown & open item followup.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/11/18. 23pp. 43421:256-43421:278.

H. General correspondence

8711030372 Comments re proposed SRP Section 3.6.3, "Leak-Before-Break Evaluation Procedure."
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/19. MEYER,D.L. Rules & Procedures Branch. 2pp. 43255:266-43255:267.

P. Operating license stage documents & correspondence

8711020043 Discusses E Chabloz & P Laug of Swiss Federal Ofc of Energy 871103 visit to plant.Requirements of 10CFR73.57 waived, except unescorted access,on basis of encl "Arrangement Between US NRC & Swiss Federal Office of Energy for..."
PARTLOW,J.G. Division of Reactor Inspection & Safeguards (Post 870411). 87/10/27. KEISER,H.W. Pennsylvania Power & Light Co. 15pp. 43241:004-43241.018.

8711020417 Advises that based on evaluation of info provided by util re effects of plant operation on archeological sites found within boundary of plant site,NRC has found finding of no adverse effect appropriate per 36FR800.
BUTLER,W.R. Project Directorate I-2. 87/10/26. BUSH,R.D. Advisory Council on Historic Preservation. 16pp. 43239:289-43239:304.

8711030400 Notification of 871105 meeting w/util in Bethesda,MD to clarify NRC questions re jet impingement impact due to pipe breaks.Notes that meeting date & time changed.
THADANI,M.C. Project Directorate I-2. 87/10/28. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43258:223-43258:224.

8711040003 Submits addl info re 871015 application for amends to Licenses NPF-14 & NPF-22 Safety analysis in application concentrated on ECCS response time & diesel generator load sequencing Both meet requirements of SER (NUREG-0776).
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/30. BUTLER,W.R. Project Directorate I-2. 2pp 43289:356-43289:357.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp 43402:001-43402:046

8711090319 Forwards Rev 0 to Test Procedure TP-157-003, "PMR 85-3097 Standby Liquid Control Vessel Injection" & Calculation M-SLC-004.Calculation determines max standby liquid control sys pressure for injection during ATWS event.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/05. BUTLER,W.R. Project Directorate I-2. 8pp. 43321:348-43322:032.

-8711090366 Rev 0 to Test Procedure TP-153-007, "PMR 85-3097 Standby Liquid Control Vessel Injection."
' Pennsylvania Power & Light Co. 87/09/10. 35pp 43321:356-43322:032.

8711200013 Forwards Amend 73 to License NPF-14 & safety evaluation. Amend revises Tech Specs to include four new circuit breakers in surveillance table for overcurrent protection devices.
BUTLER,W.R. Project Directorate I-2. 87/11/06. KEISER,H.W. Pennsylvania Power & Light Co. 3pp 43406:333-43406:343.

-8711200019 Amend 73 to License NPF-14,revising Tech Specs to include four new circuit breakers in surveillance table for overcurrent protection devices.
BUTLER,W.R. Project Directorate I-2. 87/11/06. 6pp. 43406:336-43406:340.

-8711200024 Safety evaluation supporting Amend 73 to License NPF-14.
' Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 3pp. 43406:341-43406:343.

8711230331 Forwards Amends 74 & 40 to Licenses NPF-14 & NPF-22, respectively.Amends change Tech Specs to modify load profiles for Batteries 1D612,1D622,1D632 & 1D642.Safety evaluation also encl.
BUTLER,W.R. Project Directorate I-2. 87/11/06. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 43426:161-43426:176.

-8711230341 Amends 74 & 40 to Licenses NPF-14 & 22,respectively,changing Tech Specs to modify load profiles for Batteries 1D612, 1D622,1D632 & 1D642.
BUTLER,W.R. Project Directorate I-2. 87/11/06. 11pp. 43426:164-43426:173.

-8711230351 Safety evaluation supporting Amends 74 & 40 to Licenses NPF-14 & NPF-22,respectively.
' Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 3pp 43426:174-43426:176.

8711250141 Concurs w/NRC determination that operation & maint activities of plant would not affect Archeological Sites SES-3,6,8 & 11,considered eligible for inclusion in Natl Register of Historic Places.
KLIMA,D.L. Advisory Council on Historic Preservation 87/11/19. BUTLER,W.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43459:184-43459:184.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
' Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413) 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711090281 Advises that installation of new meteorological instrumentation on primary & backup towers expected for completion w/first semiannual calibr in 1988,per Deviation 387-388/86-10-07.Alternate method complies w/FSAR.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/02. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43322:167-43322:167.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230385 Forwards Exam Repts 50-387/87-15OL & 50-388/87-15OL of exam administered on 870911.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43424:330-43424:334.

-8711230406 Exam Repts 50-387/87-15OL & 50-388/87-15OL on 870911.Exam results:one senior reactor operator candidate passed exam. Weaknesses noted.
LANGE,D.J., GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. 3pp. 43424:332-43424:334.

8711230447 Forwards Safety Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930 & notice of violation.Concern re repetition of violation concerning violation of secondary containment through cross-tie of two open dampers expressed.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43421:253-43421:278.

-8711230449 Notice of violation from Insp on 870816-0930.Violation noted:secondary containment penetrations not closed or capable of being closed by automatic isolation sys.
' Region 1, Ofc of the Director. 87/11/18. 1p. 43421:255-43421:255.

-8711230453 Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930. Violation noted:Major areas inspected:plant operations, physical security,plant events,previous insp findings, surveillance,maint,ESF walkdown & open item followup.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/11/18. 23pp. 43421:256-43421:278.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300270 Forwards Insp Rept 50-387/87-17 on 871005-09.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/23. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43471:099-43471:109.

-8711300275 Insp Rept 50-387/87-17 on 871005-09.No violations noted. Major areas inspected:post-mod test program to be performed during refueling outage,including post-mod request packages & post-mod test procedures & results.
VAN KESSEL,H.F., MURPHY,K.G. Region 1, Ofc of the Director. 87/11/20. 10pp. 43471:101-43471:109.

R. Periodic operating reports & related correspondence

8711120066 "Bacteriological or Turbidity Summary Analysis Input for Oct 1987." W/ 871104 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. 87/10/31. HULL,P. CRCP-Sterling Systems, Inc. 3pp. 43350:122-43350:124.

8711170151 Monthly operating repts for Oct 1987.W/871111 ltr.
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co. 87/10/31. 9pp. 43383:031-43383:039.

S. Reportable occurrences, LERs & related correspondence

8711100408 LER 86-018-01:on 860415,Div I LOCA Isolation & hall scram occurred when A reactor protection sys bus power lost. Caused by test lead dislocated during investigation of Div II isolation.Affected sys restored.W/871105 ltr.
WEHRY,R.R., BYRAM,R.G. Pennsylvania Power & Light Co. 87/11/05. 3pp. 43344:358-43344:360.

V. Operator Examinations

8711240111 Advises that reactor operator & senior reactor operator written & operating licensing exams scheduled for wk of 880201.Encl listed ref matl required by 871130 to avoid any delay in administering exams.
LANGE,D.J. Region 1, Ofc of the Director. 87/11/13. KEISER,H.W. Pennsylvania Power & Light Co. 10pp. 43432:009-43432:018.

8711230385 Forwards Exam Repts 50-387/87-15OL & 50-388/87-15OL of exam administered on 870911.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43424:330-43424:334.

-8711230406 Exam Repts 50-387/87-15OL & 50-388/87-15OL on 870911.Exam results:one senior reactor operator candidate passed exam. Weaknesses noted.
LANGE,D.J., GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. 3pp. 43424:332-43424:334.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020169 Rev 2 to Emergency Plan Implementing Procedure EP-IP-052, "Backup Emergency Operations Facility Activation." Rev 129 to table of contents also encl.W/ 871020 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/20. 33pp. 43236:141-43236:173.

8711050043 Advises that 870804 & 14 Change 2 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/29. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 43302:047-43302:049.

8711050176 Change 1-87-1008 to Rev 5 to Emergency Plan Implementing Procedure Manual EP-IP-035, "Emergency Vent Monitor Sampling." W/revised table of contents.
' Pennsylvania Power & Light Co. 87/10/28. 6pp. 43293:193-43293:198.

8711090281 Advises that installation of new meteorological instrumentation on primary & backup towers expected for completion w/first semiannual calibr in 1988,per Deviation 387-388/86-10-07.Alternate method complies w/FSAR.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/02. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43322:167-43322:167.

8711120098 Revised emergency plan implementing procedures,including Change 1-87-1029 to Rev 2 to EP-IP-052, "Backup Emergency Operations Facility (EOF) Activation" & Change 1-87-1028 to EP-IP-042 "In-Plant & EOF Chemistry Lab...." W/871104 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/04. 28pp. 43349:328-43349:355.

8711200276 Summary of 870929 meeting w/util in Bethesda,MD to discuss request to substitute actions for 870715 steam generator tube rupture events for required annual exercise of emergency plan.List of attendess encl.
ENGLE,L. Project Directorate II-2. 87/11/06. Project Directorate II-2. 3pp. 43414:327-43414:329.

8711230447 Forwards Safety Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930 & notice of violation.Concern re repetition of violation concerning violation of secondary containment through cross-tie of two open dampers expressed.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43421:253-43421:278.

--8711230453 Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930. Violation noted.Major areas inspected:plant operations, physical security,plant events,previous insp findings, surveillance,maint,ESF walkdown & open item followup.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/11/16. 23pp. 43421:256-43421:278.

P. Operating license stage documents & correspondence

8711020043 Discusses E Chabloz & P Laug of Swiss Federal Ofc of Energy 871103 visit to plant.Requirements of 10CFR73.57 waived, except unescorted access,on basis of encl "Arrangement Between US NRC & Swiss Federal Office of Energy for...."
PARTLOW,J.G. Division of Reactor Inspection & Safeguards (Post 870411). 87/10/27. KEISER,H.W. Pennsylvania Power & Light Co. 15pp. 43241:004-43241:018.

8711020417 Advises that based on evaluation of info provided by util re effects of plant operation on archeological sites found within boundary of plant site,NRC has found finding of no adverse effect appropriate per 36FR800.
BUTLER,W.R. Project Directorate I-2. 87/10/28. BUSH,R.D. Advisory Council on Historic Preservation. 16pp. 43239:289-43239:304.

8711030400 Notification of 871105 meeting w/util in Bethesda,MD to clarify NRC questions re jet impingement impact due to pipe breaks.Notes that meeting date & time changed.
THADANI,M.C. Project Directorate I-2. 87/10/28. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43258:223-43258:224.

8711030455 Clarifies info presented in XN-NF-86-146, "Susquehanna Unit 2 Single Loop Operation Analysis," re Advanced Nuclear Fuels Corp analysis of idle loop start-up transient,presented in Section 3.4 of rept & shown graphically in Figure 3.1.
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/30. BUTLER,W.R. Project Directorate I-2. 2pp. 43251:135-43251:136.

8711040003 Submits addl info re 871016 application for amends to Licenses NPF-14 & NPF-22.Safety analysis in application concentrated on ECCS response time & diesel generator load sequencing.Both meet requirements of SER (NUREG-0776).
KEISER,H.W. Pennsylvania Power & Light Co. 87/10/30. BUTLER,W.R. Project Directorate I-2. 2pp. 43289:356-43289:357.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090319 Forwards Rev 0 to Test Procedure TP-157-003, "PMR 85-3097 Standby Liquid Control Vessel Injection" & Calculation M-SLC-004.Calculation determines max standby liquid control sys pressure for injection during ATWS event.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/05. BUTLER,W.R. Project Directorate I-2. 8pp. 43321:348-43322:032.

--8711090366 Rev 0 to Test Procedure TP-153-007, "PMR 85-3097 Standby Liquid Control Vessel Injection."
* Pennsylvania Power & Light Co. 87/09/10. 35pp. 43321:356-43322:032.

8711230331 Forwards Amends 74 & 40 to Licenses NPF-14 & NPF-22, respectively.Amends change Tech Specs to modify load profiles for Batteries 1D612,1D622,1D632 & 1D642.Safety evaluation also encl.
BUTLER,W.R. Project Directorate I-2. 87/11/06. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 43426:161-43426:176.

--8711230341 Amends 74 & 40 to Licenses NPF-14 & 22,respectively,changing Tech Specs to modify load profiles for Batteries 1D612, 1D622,1D632 & 1D642.
BUTLER,W.R. Project Directorate I-2. 87/11/06. 11pp. 43426:164-43426:173.

--8711230351 Safety evaluation supporting Amends 74 & 40 to Licenses NPF-14 & NPF-22,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 3pp. 43426:174-43426:176.

8711250141 Concurs w/NRC determination that operation & maint activities of plant would not affect Archeological Sites SES-3,6,8 & 11,considered eligible for inclusion in Natl Register of Historic Places.
KLIMA,D.L. Advisory Council on Historic Preservation. 87/11/19. BUTLER,W.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43459:184-43459:184.

8711260260 Forwards request for addl info re Tech Spec changes to permit indefinite operation w/single operating recirculation loop.Response requested within 30 days of receipt.
THADANI,M.C. Project Directorate I-2. 87/11/20. KEISER,H.W. Pennsylvania Power & Light Co. 5pp. 43462:358-43462:362.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-26, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711090261 Advises that installation of new meteorological instrumentation on primary & backup towers expected for completion w/first semiannual calibr in 1988,per Deviation 387-388/86-10-07.Alternate method complies w/FSAR.
KEISER,H.W. Pennsylvania Power & Light Co. 87/11/02. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43322:167-43322:167.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121

8711230385 Forwards Exam Repts 50-387/87-15OL & 50-388/87-15OL of exam administered on 870911.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43424:330-43424:334.

--8711230406 Exam Repts 50-387/87-15OL & 50-388/87-15OL on 870911.Exam results:one senior reactor operator candidate passed exam. Weaknesses noted.
LANGE,D.J. Region 1, Ofc of the Director. 87/11/17. 3pp. 43424:332-43424:334.

8711230447 Forwards Safety Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930 & notice of violation.Concern re repetition of violation concerning violation of secondary containment through cross-tie of two open dampers expressed.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43421:253-43421:278.

--8711230453 Insp Repts 50-387/87-16 & 50-388/87-16 on 870816-0930. Violation noted.Major areas inspected,plant operations, physical security,plant events,previous insp findings, surveillance,maint,ESF walkdown & open item followup.
BLOUGH,A.R. Region 1, Ofc of the Director. 87/11/16. 23pp. 43421:256-43421:278.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711120066 "Bacteriological or Turbidity Summary Analysis Input for Oct 1987." W/871104 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. 87/10/31. HULL,P. CRGP-Sterling Systems, Inc. 3pp. 43350:122-43350:124.

8711170151 Monthly operating repts for Oct 1987.W/871111 ltr.
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co. 87/10/31. 9pp. 43383:031-43383:039.

V. Operator Examinations

8711240111 Advises that reactor operator & senior reactor operator written & operating licensing exams scheduled for wk of 880201.Encl listed ref matl required by 871130 to avoid any delay in administering exams.
LANGE,D.J. Region 1, Ofc of the Director. 87/11/13. KEISER,H.W. Pennsylvania Power & Light Co. 10pp. 43432:009-43432:018.

8711230385 Forwards Exam Repts 50-387/87-15OL & 50-388/87-15OL of exam administered on 870911.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 43424:330-43424:334.

--8711230406 Exam Repts 50-387/87-15OL & 50-388/87-15OL on 870911.Exam results:one senior reactor operator candidate passed exam. Weaknesses noted.
LANGE,D.J., GALLO,R.M. Region 1, Ofc of the Director. 87/11/17. 3pp. 43424:332-43424:334.

F. Security, medical, emergency & fire protection plans

8711040355 Forwards first monthly status rept of plans described in util 870924 ltr.Encl withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43290:019-43290:019.

8711200329 Forwards "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification." Recommends frequency of full-cycle tests be increased & addl test be performed.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43412:035-43412:275.

--8711200331 "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
* Federal Emergency Management Agency. 87/10/13. 236pp. 43412:036-43412:275.

8711190290 Forwards proprietary response to NRC 870930 ltr re proposed rev to plant physical security plan.Withheld (ref 10CFR73.21).
WOODY,C.O. Florida Power & Light Co. 87/11/05. Document Control Branch (Document Control Desk). 1p. 43399:299-43399:299.

8711130232 Responds to NRC ltr re exercise weaknesses noted in Insp Repts 50-335/87-19 & 50-389/87-18.Corrective actions:meeting planned w/state officials re possible time saving measures & emergency plan implementing procedures will be revised.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43359:281-43359:282.

8711230157 Forwards Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031 & notice of violation.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 2pp. 43423:020-43423:037.

--8711230162 Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031. Violations noted:Major areas inspected:Tech Spec compliance, operator performance,overall plant operations,QA practices, site security procedures & radiation control activities.
CRLENJAK,R.V. Region 2, Ofc of the Director. 87/11/17. 14pp. 43423:024-43423:037.

8711230286 Forwards Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43421:070-43421:083.

--8711230297 Notice of violation from Insp on 871026-30.Violation noted: failure to adhere to radiological control procedures for personnel contamination monitoring & for properly wearing protective clothing as required.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/18. 2pp. 43421:072-43421:073.

--8711230304 Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30. Violations noted:Major areas inspected:radiation protection, including external exposure control,internal exposure control & control of radioactive matl & contamination.
BASSETT,C.H. Region 2, Ofc of the Director. 87/11/18. 10pp. 43421:074-43421:083.

8711300176 Forwards Physical Security Plan Change 11-5,returning equipment designations 10,12 & 28 to vital equipment list, per NRC 870909 request.Change withheld (ref 10CFR2.790).
WOODY,C.O. Florida Power & Light Co. 87/11/23. Document Control Branch (Document Control Desk). 1p. 43467:064-43467:064.

P. Operating license stage documents & correspondence

8711050274 Forwards Amends 86 & 25 to Licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends change unit of reactivity,delete obsolete requirements & correct typos & administrative data.
TOURIGNY,E.G. Project Directorate II-2. 87/10/23. WOODY,C.O. Florida Power & Light Co. 3pp. 43300:123-43300:235.

--8711050277 Amends 86 & 25 to Licenses DPR-67 & NPF-16,respectively, changing unit of reactivity,deleting obsolete requirements, correcting typos & providing administrative data.
BERKOW,H.N. Project Directorate II-2. 87/10/23. 105pp. 43300:126-43300:230.

--8711050278 Safety evaluation supporting Amends 86 & 25 to Licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 5pp. 43300:231-43300:235.

8711050238 Forwards Amends 87 & 26 to Licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends change surveillance requirement dealing w/special test exception on shutdown margin.
TOURIGNY,E.G. Project Directorate II-2. 87/10/28. WOODY,C.O. Florida Power & Light Co. 2pp. 43301:109-43301:121.

--8711050248 Amends 87 & 26 to Licenses DPR-67 & NPF-16,respectively, changing surveillance requirement dealing w/special test exception on shutdown margin.
BERKOW,H.N. Project Directorate II-2. 87/10/28. 8pp. 43301:111-43301:118.

--8711050254 Safety evaluation supporting Amends 87 & 26 to Licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. 3pp. 43301:119-43301:121.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 8pp. 43258:347-43258:352.

8711060289 Forwards EPA Region IV 870930 ltr to util providing final issuance of NPDES Permit FL0002208 & includes state certification of util application by State of FL.
WOODY,C.O. Florida Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 52pp. 43304:017-43304:068.

8711090376 Submits addl info to suppl util 861230 response to NRC safety evaluation which assessed conformance of plant to Reg Guide 1.97.Util does not intend to implement any changes to instrumentation monitoring variable during Jul 1988 outage.
WOODY,C.O. Florida Power & Light Co. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43321:141-43321:141.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100346 Forwards marked-up safety issues mgt sys plant data,in response to 870901 ltr requesting assistance in providing info re implementation of approved regulatory initiatives.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 28pp. 43333:310-43333:337.

8711100388 Responds to NRC 870610 request for addl info re TMI Item II.D.1 of NUREG-0737, "Performance Testing of Relief & Safety Valves." Remaining questions will be addressed by 880205.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 8pp. 43334:346-43334:353.

8711130184 Informs that response to Item 5 of Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled," will be submitted by 880229.
WOODY,C.O. Florida Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43356:284-43356:284.

8711200147 Forwards safety evaluation re large break LOCA ECCS reanalysis.Concludes that facility in compliance w/criteria of 10CFR50.46 & App K to 10CFR50 & that large break LOCA reanalysis acceptable.
TOURIGNY,E.G. Project Directorate II-2. 87/11/12. WOODY,C.O. Florida Power & Light Co. 3pp. 43408:200-43408:204.

--8711200151 Safety evaluation re large break LOCA ECCS reanalysis. Concludes that facility in compliance w/criteria of 10CFR50.46 & App K to 10CFR50 & that large break LOCA reanalysis acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/12. 2pp. 43408:203-43408:204.

8711230358 Application for amend to License NPF-16,revising Tech Specs on surveillance requirements for MSIVs & main feedwater isolation valves.Fee paid.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43423:061-43423:070.

--8711230373 Proposed Tech Specs re surveillance requirements for MSIVs & main feedwater isolation valves.
* Florida Power & Light Co. 87/11/16. 7pp. 43423:064-43423:070.

8711250069 Requests remittance of required fee for review of 870825 application.Application submitted revised large break LOCA analysis supporting increase in steam generator tube plugging limit for unit.
DIGGS,R.M. License Fee Management Branch. 87/11/19. WOODY,C.O. Florida Power & Light Co. 1p. 43448:318-43448:318.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety-Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060290 Informs that 8 tubes in Steam Generator A & 10 tubes in Steam Generator B plugged due to insp during Oct 1987.
WOODY,C.O. Florida Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 1p. 43304:016-43304:016.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130232 Responds to NRC ltr re exercise weaknesses noted in Insp Repts 50-335/87-19 & 50-389/87-18.Corrective actions:meeting planned w/state officials re possible time saving measures & emergency plan implementing procedures will be revised.
WOODY,C.O. Florida Power & Light Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43359:281-43359:282.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200180 Informs NRC that motor-operated valve testing scheduled completion date of 871114,not met.Valves will be tested when conditions can be established during startup from Cycle 3/4 refueling outage.
WOODY,C.O. Florida Power & Light Co. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:102-43417:102.

8711200027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711230157 Forwards Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031 & notice of violation.
VERRELLI,D.M. Region 2, Dlc of the Director. 87/11/17. WOODY,C.O. Florida Power & Light Co. 2pp. 43423:020-43423:037.

--8711230159 Notice of violation from Insp on 870906-1031.Violation noted:Procedure 2-M-0036, "Reactor Vessel Maint-Sequence of Operations" not properly implemented in that load cell not utilized in performing lift of Unit 2 instrumentation plate.
VERRELLI,D.M. Region 2, Dlc of the Director. 87/11/17. 2pp. 43423:022-43423:023.

--8711230162 Insp Repts 50-335/87-21 & 50-389/87-20 on 870906-1031. Violations noted:Major areas inspected:Tech Spec compliance, operator performance,overall plant operations,QA practices, site security procedures & radiation control activities.
CRLENJAK,R.V., DIBB,H.E., WILSON,B. Region 2, Dlc of the Director. 87/11/17. 14pp. 43423:024-43423:037.

8711230286 Forwards Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30 & notice of violation.
COLLINS,D.M. Region 2, Dlc of the Director. 87/11/18. WOODY,C.O. Florida Power & Light Co. 2pp. 43421:070-43421:083.

--8711230297 Notice of violation from Insp on 871026-30.Violation noted: failure to adhere to radiological control procedures for personnel contamination monitoring & for properly wearing protective clothing as required.
COLLINS,D.M. Region 2, Dlc of the Director. 87/11/18. 2pp. 43421:072-43421:073.

--8711230304 Insp Repts 50-335/87-27 & 50-389/87-26 on 871026-30. Violations noted:Major areas inspected:radiation protection, including external exposure control,internal exposure control & control of radioactive matl & contamination.
BASSETT,C.H., HOSEY,C.M. Region 2, Dlc of the Director. 87/11/18. 10pp. 43421:074-43421:083.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:105-43444:314.

R. Periodic operating reports & related correspondence

8711230444 Monthly operating repts for Oct 1987.W/871116 ltr.
GRANT,N.W. Florida Power & Light Co. 87/10/31. 19pp. 43421:292-43421:310.

8711060102 Quarterly turtle activities rept for Jul-Sept 1987.W/NRC 871107 & State of FL 871006 ltrs.
MARTIN,R.E. Florida Power & Light Co. 87/09/30. MARTIN,R.E. Florida, State of. 7pp. 43305:061-43305:087.

S. Reportable occurrences, LERs & related correspondence

8711130206 Special rept on 871005,emergency diesel generator 2B took greater than 17 s to start up & load onto bus.Caused by failure of governor of engines Mechanical section of governor replaced.
WOODY,C.O. Florida Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43359:323-43359:324.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8710060441 Forwards response to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Response provides discussion on operation or planned operation of plants during partially filled RCS condition.
GRIDLEY,R. Tennessee Valley Authority. 87/10/02. Document Control Branch (Document Control Desk). 35pp. 43277:017-43277:070.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 6pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Dlc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Dlc of Special Projects. 7pp. 43342:197-43342:203.

8711170097 Requests that plant be permitted to discharge boron w/o any monitoring requirements & effluent limitations.Plans to test boric acid evaporator & discharge boron to Tennessee River & potential sources of boron to liquid radwaste sys encl.
BROOKS,R.H. Tennessee Valley Authority. 87/11/10. STEWART,P.L. Tennessee, State of. 7pp. 43375:073-43375:079.

8711230329 Responds to violations noted in compliance evaluation insp rept,per NPDES Permit TN0020168.Corrective actions sections of piping loading to diffusor lines being replaced & mods made to sodium hypochlorite sys.W/two oversize drawings.
BROOKS,R.H. Tennessee Valley Authority. 87/11/17. STEWART,P.L. Tennessee, State of. 13pp. 43424:295-43424:308.

8711240163 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 85pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711250136 Informs NRC that schedule for providing comments on LASL rept will be submitted after 871123 meeting,per JA Zwolinski 870827 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:166-43459:167.

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246 278-43246:356.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711040055 Responds to 871016 ltr & follows up 880805 ltr to AZ Farmer providing response & commitment for resolving violations noted in compliance evaluation insp rept re NPDS Permit TN002168.Addl info to be sent when available
BROOKS,R.H. Tennessee Valley Authority. 87/10/30. STEWART,P.L. Tennessee, State of. 15pp. 43290:136-43290:150.

8710290234 NRC Info Notice 87-058, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:328-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp 43397:142-43397:257.

8711190273 Ack receipt of 871026 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-390/87-14 & 50-391/87-14.Based on response,addl response expected to be forwarded by 880215.
ZECH,G.G. Ofc of Special Projects. 87/11/12. WHITE,S.A. Tennessee Valley Authority. 2pp. 43401:036-43401:037.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711190137 Ack receipt of 871016 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-390/87-11 & 50-391/87-11.
ZECH,G.G. Ofc of Special Projects. 87/11/16. WHITE,S.A. Tennessee Valley Authority. 2pp. 43397:351-43397:352.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

S. Reportable occurrences, LERs & related correspondence

8711030123 Interim Part 21 & deficiency rept re failure of Morrison- Knudsen high-voltage cable insulation on diesel generators Initially reported on 870928.Cable will be replaced using proper insulation &/or terminations.Final rept by 880529.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43252:023-43252:026.

8711040335 Revised final Deficiency Repts NCR WBN 6306 & CAQR WBP 870901 re incorrect door check on fire & pressure confining doors.Initially reported on 851112.TVA drawing revised to specify door closure requirements.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43290:057-43290:060.

8711040213 Revised Final Deficiency Repts NCR WBN 6172 & NCR WBN 6359 re inadequate slope on instrument sense lines.Initially reported on 851008.Const & insp procedures revised to incorporate engineering requirements spec requirements.
GRIDLEY,R. Tennessee Valley Authority. 87/10/30. Document Control Branch (Document Control Desk). 5pp. 43277:280-43277:284.

8711040317 Deficiency Rept NRC WBN 4194R re cable bend radius deficiency.Initially reported on 820729.Revised final rept expected by 881115.Response to Questions 1 & 2 of GG Zech 860815 ltr re deficiency encl.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43290:074-43290:077.

8711040332 Third interim Deficiency & Part 21 Repts CAQR WBP 870995 & CAQR WBP 870996 re failed motor pinion keys & shaft in Limitorque operator.Initially reported on 861009.Addl failed keys & shafts identified.Next rept expected by 880502.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. Document Control Branch (Document Control Desk). 7pp. 43290:061-43290:067.

8711050155 Advises that revised final rept re cable bend radius deficiency,including response to all 11 NRC questions,will be submitted on 881115.Util 871102 submittal should be disregarded.
GRIDLEY,R. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43292:111-43292:112.

8711160129 Second interim deficiency rept re deficient welds for hanger lugs on ASME Code piping.Initially reported on 870127.Stated corrective actions will be completed before fuel loading on both units.Next rept to be submitted on or about 881201.
GRIDLEY,R. Tennessee Valley Authority. 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43365:017-43365:020.

8711250223 Second interim deficiency rept re radiation monitoring sys. Initially reported on 870402.Util developing assessment of & action plan for radiation monitoring sys deficiencies.Final rept will be submitted by 880930.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 4pp. 43460:282-43460:285.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8710080441 Forwards response to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Response provides discussion on operation or planned operation of plants during partially filled RCS condition.
GRIDLEY,R. Tennessee Valley Authority. 87/10/02. Document Control Branch (Document Control Desk). 35pp. 43277:017-43277:052.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 36pp. 43444:151-43444:194.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711170097 Requests that plant be permitted to discharge boron w/o any monitoring requirements & effluent limitations.Plans to test boric acid evaporator & discharge boron to Tennessee River & potential sources of boron to liquid radwaste sys encl.
BROOKS,R.H. Tennessee Valley Authority. 87/11/10. STEWART,P.L. Tennessee, State of 7pp. 43376:073-43376:079.

8711230328 Responds to violations noted in compliance evaluation insp rept,per NPDES Permit TN0020168.Corrective actions:sections of piping leading to diffuser lines being replaced & mods made to sodium hypochlorite sys.W/two oversize drawings.
BROOKS,R.H. Tennessee Valley Authority. 87/11/17. STEWART,P.L. Tennessee, State of. 13pp. 43424:295-43424:308.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

-8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

-8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

-8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

8711250136 Informs NRC that schedule for providing comments on LASL rept will be submitted after 871123 meeting,per JA Zwolinski 870827 request.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:186-43459:187.

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert..." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 70pp. 43246:279-43246:356.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

G. Adjudicatory correspondence

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

-8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-30, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711040055 Responds to 871016 ltr & follows up 860805 ltr to AZ Farmer providing response & commitment for resolving violations noted in compliance evaluation insp rept re NPDS Permit TN002168 Addl info to be sent when available.
BROOKS,R.H. Tennessee Valley Authority. 87/10/30. STEWART,P.L. Tennessee, State of. 15pp. 43290:136-43290:150.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190273 Ack receipt of 871026 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-390/87-14 & 50-391/87-14.Based on response,addl response expected to be forwarded by 880215.
ZECH,G.G. Ofc of Special Projects. 87/11/12. WHITE,S.A. Tennessee Valley Authority. 2pp. 43401:036-43401:037.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711190137 Ack receipt of 871016 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-390/87-11 & 50-391/87-11.
ZECH,G.G. Ofc of Special Projects. 87/11/16. WHITE,S.A. Tennessee Valley Authority. 2pp. 43397:351-43397:352.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314

R. Periodic operating reports & related correspondence

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

S. Reportable occurrences, LERs & related correspondence

8711030123 Interim Part 21 & deficiency rept re failure of Morrison- Knudsen high-voltage cable insulation on diesel generators. Initially reported on 870928.Cable will be replaced using proper insulation &/or terminations.Final rept by 880529.
GRIDLEY,R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 4pp. 43252:023-43252:026.

8711040335 Revised final Deficiency Repts NCR WBN 6306 & CAQR WBP 870901 re incorrect door check on fire & pressure confining doors.Initially reported on 851112.TVA drawing revised to specify door closure requirements.
GRIDLEY,R. Tennessee Valley Authority. 87/10/29. Document Control Branch (Document Control Desk). 4pp. 43290:057-43290:060.

8711040213 Revised Final Deficiency Repts NCR WBN 6172 & NCR WBN 6359 re inadequate slope on instrument sense lines.Initially reported on 851008.Const & insp procedures revised to incorporate engineering requirements spec requirements.
GRIDLEY,R. Tennessee Valley Authority. 87/10/30. Document Control Branch (Document Control Desk). 5pp. 43277:280-43277:284.

8711040317 Deficiency Rept NRC WBN 4194R re cable bend radius deficiency.Initially reported on 820729.Revised final rept expected by 881115.Response to Questions 1 & 2 of GG Zech 860815 ltr re deficency encl.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43290:074-43290:077.

8711040332 Third Interim Deficiency & Part 21 Repts CAQR WBP 870995 & CAQR WBP 870996 re failed motor pinion keys & shaft in Limitorque operator.Initially reported on 861009.Addl failed keys & shafts identified.Next rept expected by 880502.
GRIDLEY,R. Tennessee Valley Authority. 87/11/02. Document Control Branch (Document Control Desk). 7pp. 43290:061-43290:067.

8711050165 Advises that revised final rept re cable bend radius deficiency,including response to all 11 NRC questions,will be submitted on 881115.Util 871102 submittal should be disregarded.
GRIDLEY,R. Tennessee Valley Authority. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43292:111-43292:112.

8711160129 Second interim deficiency rept re deficient welds for hanger lugs on ASME Code piping.Initially reported on 870127.Stated corrective actions will be completed before fuel loading on both units.Next rept to be submitted on or about 881201.
GRIDLEY,R. Tennessee Valley Authority. 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43365:017-43365:020

8711250223 Second interim deficiency rept re radiation monitoring sys initially reported on 870402.Util developing assessment of & action plan for radiation monitoring sys deficiencies.Final rept will be submitted by 880930.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. Document Control Branch (Document Control Desk). 4pp. 43460:282-43460:285

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711090309 Advises that 870924 Amend 19 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CLINE,W.E. Region 2, Ofc of the Director. 87/09/24. NAUMAN,D.A. South Carolina Electric & Gas Co. 3pp. 43313:248-43313:250.

8711050147 Requests that info re safeguards matters be openly discussed between members of util staff & Chebloz & Laug,per encl agreement between NRC & Swiss Federal Ofc of Energy for exchange of technical info & cooperation in safety matters.
PARTLOW,J.G. Division of Reactor Inspection & Safeguards (Post 870411). 87/10/27. NAUMAN,D.A. Southern California Edison Co. 15pp. 43301:165-43301:179.

8711100371 Forwards reissued Amend 19 to physical security plan.Amend reissued w/ double-sided page printing to match previous amends.No changes to plan made.Amend withheld (ref 10CFR73.21).
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43334:354-43334:354.

8711160126 Informs that response & amend request to Generic Ltr 86-10, "Implementation of Fire Protection Requirements," does not comply w/ltr.NRC comments detailing info necessary to respond adequately encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/09. NAUMAN,D.A. South Carolina Electric & Gas Co. 3pp. 43370:088-43370:090.

8711170193 Revs to emergency plan procedures,consisting of Rev 8 to EPP-015, "Natural Emergency (Earthquake,Tornado)," Rev 8 to EPP-021, "Activation of Early Warning Siren Sys (EWSS)" & Rev 8 to EPP-022, "Verification...." W/871113 ltr.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/13. 48pp. 43385:116-43385:163.

8711170265 Forwards revised Page 13-3 to 871014 proposed amend to physical security plan,per 871105 telcon.Physical barrier upgrades can be completed by end of fourth refueling outage. Revised page withheld (ref 10CFR2.790).
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/13. HOPKINS,J.B. Document Control Branch (Document Control Desk). 2pp. 43384:099-43384:100.

8711250079 Rev 18 to Emergency Plan Procedure EPP-002, "Communication & Notifications." W/871119 ltr & table of contents.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/19. 39pp. 43459:219-43459:257.

H. General correspondence

8711050139 Informs that effective 871123,JJ Hayes will be NRR project manager assigned to plant.Trip to site for Hayes to meet util staff will be set in near future.
HOPKINS,J.B. Project Directorate II-1. 87/11/04. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43300:032-43300:033.

P. Operating license stage documents & correspondence

8711020089 Forwards Amend 68 to License NPF-12 & safety evaluation. Amend revises radiological environ monitoring program. Notice of issuance will be included in next biweekly FR notice.
HOPKINS,J.B. Project Directorate II-1. 87/10/23. NAUMAN,D.A. South Carolina Electric & Gas Co. 3pp. 43239:316-43239:331.

--8711020091 Amend 68 to License NPF-12,revising radiological environ monitoring program.
ADENSAM,E.G. Project Directorate II-1. 87/10/23. 9pp. 43239:319-43239:327.

--8711020097 Safety evaluation supporting Amend 68 to License NPF-12.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/23. 4pp. 43239:328-43239:331.

8711040232 Summary of 870805 meeting w/util re site tour & discussion of technical issues List of attendees,agenda & viewgraphs encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/02. Project Directorate II-1. 16pp. 43278:112-43278:127.

8711040273 Summary of 870929 meeting w/util in Atlanta,GA re status of current & future licensing items.List of attendees & status list encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/02. Project Directorate II-1. 9pp. 43278:299-43278:307.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090341 Forwards SER accepting util 831104 & 870401 responses to Item 2.2.1 of Generic Ltr 83-28 re equipment classification programs.
HOPKINS,J.B. Project Directorate II-1. 87/11/05. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43323:311-43323:318.

--8711090348 SER accepting util 831104 & 870401 responses to Item 2.2.1 of Generic Ltr 83-28 re equipment classification programs.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/05. 6pp. 43323:313-43323:318.

8711100079 Requests addl info on util 831208 response to Generic Ltr 83-28,Item 4.3 re reactor trip breakers.
HOPKINS,J.B. Project Directorate II-1. 87/11/05. NAUMAN,D.A. South Carolina Electric & Gas Co. 3pp. 43340:016-43340:018.

8711110103 Requests identified addl info before 851206 proposed diesel generator amend may be approved.
HOPKINS,J.B. Project Directorate II-1. 87/11/09. NAUMAN,D.A. South Carolina Electric & Gas Co. 4pp. 43346:075-43346:078.

8711190112 Forwards Rev 1 to "Site Orientation Training" videotape for use in orientation training for NRC inspectors requiring unescorted access at facility.Handouts used for on-station training of new employees also encl.W/o stated encls.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/11. GRACE,J.N. Region 2, Ofc of the Director. 1p. 43396:095-43396:095.

8711230145 Forwards SER accepting plant SPDS for operation while open issues resolved.Util requested to submit rept re actions to be taken to comply w/requirements of Suppl 1 to NUREG-0737. Audit Rept SAIC-86/3097 also encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/13. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43426:052-43426:151.

--8711230147 SER accepting plant SPDS for operation while open items to Suppl 1 to NUREG-0737 resolved.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 8pp. 43426:054-43426:061.

--8703300263 "Post-Implementation Audit Rept for South Carolina Electric & Gas Co Virgil C Summer Nuclear Station SPDS."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-82-096. SAIC-86/3097. 87/03/10. Commissioners. 90pp. 43426:062-43426:151.

8711230259 Forwards SER accepting Reg Guide 1.97,Rev 3 except for accumulator tank level & pressure,containment atmosphere temp & atmospheric dump valves.Addl info need to close open issues outlined in SER.Technical evaluation rept also encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/13. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43426:194-43426:225.

--8711230262 Safety evaluation supporting conformance to Reg Guide 1.97, Rev 3.
* Project Directorate II-1. 87/11/13. 4pp. 43426:196-43426:225.

8711250033 Summary of 871105 & 06 meetings w/util,Westinghouse & Comex at plant & nuclear training ctr re audit of SPDS.Attendee list & presentation matl encl.
HOPKINS,J.B. Project Directorate II-1. 87/11/23. Project Directorate II-1. 25pp. 43449:040-43449:064.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711230121 Forwards 870827 LER 87-018-00 which responds to violation addressed in Encl 1,Item A of Insp Rept 50-395/87-24.LER addresses reason for violation & corrective actions taken to prevent recurrence.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/02. GRACE,J.N. Region 2, Ofc of the Director. 1p. 43417:302-43417:307.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711060040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130242 Forwards Insp Rept 50-395/87-28 on 871001-31.No violations or deviations noted.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/06. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43357:068-43357:077.

--8711130248 Insp Rept 50-395/87-28 on 871001-31.No violations or deviations noted.Major areas inspected:onsite followup of events & subsequent written repts,monthly surveillance observations,ESF sys walkdown & monthly maint observation.
PREVATTE,R.L., HOPKINS,P.C., DANCE,H.C. Region 2, Ofc of the Director. 87/11/05. 8pp. 43357:070-43357:077.

8711130220 Ack receipt of 871021 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-395/87-20.Response meets requirements of 10CFR2.201.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/09. NAUMAN,D.A. South Carolina Electric & Gas Co. 1p. 43356:360-43356:360.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711230264 Forwards Insp Rept 50-395/87-30 on 871020-30 & notice of violation.Attention invited to unresolved item identified in rept.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43419:173-43419:184.

--8711230287 Notice of violation from Insp on 871020-23.Violation noted: improper installation of Raychem splices/sleeves & V-stub taped splices not environmentally qualified per NUREG-0588.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. 3pp. 43419:175-43419:177.

--8711230295 Insp Rept 50-395/87-30 on 871020-30.Violations noted:Major areas inspected:followup on environ qualification deficiencies involving V-stub taped splices used for various components.
SMITH,C., PAULK,C., CONLON,T.E. Region 2, Ofc of the Director. 87/11/12. 7pp. 43419:178-43419:184.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss."
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711170091 Monthly operating rept for Oct 1987.W/871112 ltr.
HALTIWANGER,J., NAUMAN,D.A. South Carolina Electric & Gas Co. 87/10/31. BARRY,L.W. Document Control Branch (Document Control Desk). 6pp. 43375:067-43375:072.

S. Reportable occurrences, LERs & related correspondence

8711020265 Forwards LER 87-019-01.Schedule for completion of mod updated to 871127 due to late arrival of matl for mod.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43236:070-43236:078.

--8711020280 LER 87-019-01:on 870730,discovered design deficiency in instrument air sys,possibly causing failure of control room ventilation.Caused by misapplication of check valves. Justification for operation approved based on temporary mod.
HIGGINS,W.R. South Carolina Electric & Gas Co. 87/10/26. 8pp. 43236:071-43236:078.

8711250180 LER 87-026-00:on 871014,evaluation of environ qualification of 600 volt taped wiring splices concluded problem may exist at facility.Caused by installation of splices utilizing Kerite taped back to back.W/871120 ltr.
HIGGINS,W.R., NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/20. 5pp. 43460:008-43460:012.

V. Operator Examinations

8711160143 Advises that effective 871027 licensed operator CE Holland, License OP-20491,resigned from position of reactor operator at facility.Access to plant suspended. NAUMAN,D.A. South Carolina Electric & Gas Co. 87/11/06. Document Control Branch (Document Control Desk). 1p. 43365:188-43365:188.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

8711130191 Forwards Insp Rept 50-397/87-20 on 870831-0904.No deficiencies or violations noted.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/10/30. SORENSEN,G.C. Washington Public Power Supply System. 2pp. 43357:344-43357:359.

--**8711130212** Insp Rept 50-397/87-20 on 870831-0904.No violations or deficiencies noted.Major areas inspected:emergency preparedness exercise & associated critique & followup on open items identified during 1986 exercise.
GOOD,G.M., BROWN,G.A., PRENDERGAST,K. Region 5, Ofc of the Director. 87/10/28. 14pp. 43357:346-43357:359.

8711100422 Revised emergency plan implementing procedures,consisting of Rev 7 to 13.14.2, "Process for Determining Protective Action Recommendations & Protective Action Decisions" & Rev 8 to 13.14.7, "Emergency Training."
* Washington Public Power Supply System. 87/11/03. 38pp. 43335:093-43335:129.

8711160106 Forwards corrected Page 16 of Rev 7 to Procedure 13.14.2, "Process for Determining Protective Action Recommendations & Protective Action Decisions."
PETERS,J.F. Washington Public Power Supply System. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43364:004-43364:007.

--**8711160110** Corrected Page 16 of Rev 7 to Procedure 13.14.2, "Process for Determining Protective Action Recommendations & Protective Action Decisions."
* Washington Public Power Supply System. 87/11/06. 2pp. 43364:006-43364:007.

8711160031 Forwards SER re Amend 37 to FSAR concerning organization & rev of fire protection program.Proposed methods satisfy criteria of App A to Branch Technical Position APCSB 9.5-1 & Items III.G & III.L of App R to 10CFR50.
KNIGHTON,G.W. Project Directorate V. 87/11/11. SORENSEN,G.C. Washington Public Power Supply System. 3pp. 43362:003-43362:039.

--**8711160033** Safety evaluation supporting Amend 37 to FSAR re fire protection program.
* NRC - No Detailed Affiliation Given. 87/11/11. 34pp. 43362:006-43362:039.

P. Operating license stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160031 Forwards SER re Amend 37 to FSAR concerning organization & rev of fire protection program.Proposed methods satisfy criteria of App A to Branch Technical Position APCSB 9.5-1 & Items III.G & III.L of App R to 10CFR50.
KNIGHTON,G.W. Project Directorate V. 87/11/11. SORENSEN,G.C. Washington Public Power Supply System. 3pp. 43362:003-43362:039.

--**8711160033** Safety evaluation supporting Amend 37 to FSAR re fire protection program.
* NRC - No Detailed Affiliation Given. 87/11/11. 34pp. 43362:006-43362:039.

8711230021 Advises that State of WA Energy Facility Site Evaluation Council reviewed & adopted motion indicating that Council has no comments re util 871013 request to amend License NPF-21 on 871109.
ESCHELS,C. Washington, State of. 87/11/17. KNIGHTON,G.W. Project Directorate V. 1p. 43418:157-43418:157.

8711250196 Final response to FOIA request for documents.No records subj to request located.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/24. CONNOR,L. Doc-Search Associates. 1p. 43461:338-43461:338.

8711250194 FOIA request for documents re PSAR Amend 4 for plant.
CONNOR,L. Doc-Search Associates. 87/11/25. Division of Rules & Records (Post 870413). 1p. 43461:337-43461:337.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-26, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060118 Forwards Insp Rept 50-397/87-26 on 870831-0930 & notice of violation.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/21. SORENSEN,G.C. Washington Public Power Supply System. 2pp. 43303:246-43303:258.

--**8711060120** Notice of violation from Insp on 870831-0930.Violation noted:main steam line tunnel high temp setpoints set less conservative than allowed by Tech Specs & keys to locked high & hi-hi radiation areas left unattended.
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 87/10/22. 2pp. 43303:248-43303:249.

--**8711060123** Insp Rept 50-397/87-26 on 870831-0930.Violations noted:Major areas inspected:control room operations,ESF status, surveillance program,maint program,LERs,special insp topics & licensee action on previous insp findings.
BOSTED,C.J., JOHNSON,P.H. Region 5, Ofc of the Director. 87/10/22. 9pp. 43303:250-43303:258.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8711030520 Revises schedule provided in listed ref based on discovery, during 1987 insp,of crack in Low Pressure Turbine 1.
SORENSEN,G.C. Washington Public Power Supply System. 87/10/29. Document Control Branch (Document Control Desk). 3pp. 43251:280-43251:282.

8711130191 Forwards Insp Rept 50-397/87-20 on 870831-0904.No deficiencies or violations noted.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/10/30. SORENSEN,G.C. Washington Public Power Supply System. 2pp. 43357:344-43357:359.

--**8711130212** Insp Rept 50-397/87-20 on 870831-0904.No violations or deficiencies noted.Major areas inspected:emergency preparedness exercise & associated critique & followup on open items identified during 1986 exercise.
GOOD,G.M., BROWN,G.A., PRENDERGAST,K. Region 5, Ofc of the Director. 87/10/28. 14pp. 43357:346-43357:359.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

S. Reportable occurrences, LERs & related correspondence

8711020517 PNS-V-87-008:on 871024,licensed plant operator reportedly arrested by Kennewick City Police Dept & charged w/discharge of firearm within city limits & reckless endangerment. Licensee suspended employee unescorted access to plant.
SCHAEFER,D., SCHUSTER,M. Region 5, Ofc of the Director. 87/10/26. 1p. 43238:032-43238:032.

8711250222 LER 87-025-01:on 870808,ESF isolations & actuations occurred.Caused by spurious trip of breaker due to oxide formation on coil plunger end of undervoltage relay coil. Breakers replaced.W/871120 ltr.
WASHINGTON,S.L., POWERS,C.M. Washington Public Power Supply System. 87/11/20. 5pp. 43460:262-43460:266.

8711250267 LER 84-091-01:on 840823,RHR isolation & reactor low water level trip occurred while placing sys in shutdown cooling (SDC) mode.Caused by high SDC suction flow.Suction isolated, sys inspected & mods made to hardware.W/871120 ltr.
DAVISON,W.S., POWERS,C.M. Washington Public Power Supply System. 87/11/20. 3pp. 43460:027-43460:029.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711160083 Advises that 870724 Rev 11 to radiological emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50 & acceptable.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/28. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43364:108-43364:109.

8711130054 Advises that 870910 Rev 11-1 to plant radiological emergency plan consistent w/planning stds of 10CFR50.47(b) & 10CFR50,App E requirements.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/04. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43354:083-43354:084.

8711240155 Revised emergency procedures,including Rev 2 to PEP-001, "Administration of Plant Emergency Procedures," Rev 4 to PEP-208, "Radiological Control Coordinator" & Rev 4 to PEP-223, "Radiological Control Manager." W/871120 ltr.
WILLIS,R.A., WATSON,R.A. Carolina Power & Light Co. 87/11/20. 70pp. 43442:316-43443:026.

H. General correspondence

8711200243 Requests that TA Baxter of Shaw,Pittman,Potts & Trowbridge be deleted from all NRC distribution lists & replaced w/ author name.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43417:036-43417:036.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711090369 Forwards Amend 39 to FSAR for Shearon Harris Nuclear Power Plant.Amend includes rev to Chapters 1-9 & 13-16.Fulfills commitment to incorporate revised containment peak temp & pressure analysis into FSAR.
EURY,L.W. Carolina Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43312:166-43313:156.

--8711090375 Amend 39 to FSAR for Shearon Harris Nuclear Power Plant.
* Carolina Power & Light Co. 87/10/30. 348pp. 43312:169-43313:166.

P. Operating license stage documents & correspondence

8711030371 Requests that 871015 license amend be processed as emergency license amend.Receipt of license amend critical path activity for entry into Operational Mode 4 currently scheduled for 871030.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43250:174-43250:174.

8711130246 Documents that util granted discretion for compliance w/emergency diesel generator load reject test criteria on 871016.Test results considered acceptable if generator voltage does not exceed 110% of voltage at start of test.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). TAYLOR,J.M. Regional Operations & Generic Requirements, EDO (Pre 870413). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43355:243-43355:249.

8711030334 Forwards Amend 2 to License NPF-63,changing Tech Specs to ensure diesel generator voltage does not exceed 110% of voltage at begining of diesel generator load rejection test. Safety evaluation also encl.
BUCKLEY,B.C. Project Directorate II-1. 87/10/30. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43259:022-43259:031.

--8711030357 Amend 2 to License NPF-63,changing Tech Specs to ensure that diesel generator voltage does not exceed 110% of voltage at start of diesel generator load rejection test.
LAINAS,G.C. Assistant Director for Region II Reactors. 87/10/30. 4pp. 43259:024-43259:027.

--8711030363 Safety evaluation supporting Amend 2 to License NPF-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 4pp. 43259:028-43259:031.

8711030429 Forwards Relief Request RV-2 from ASME code quarterly testing frequency of valves in RCS high point vent sys.Vents required by NUREG-0737,Item II.B.1 beyond design basis of plant.Requests relief be granted by 871113.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43251:030-43251:033.

8711060108 Provides addl info re proposed change to Tech Specs,allowing handling & storage of fuel w/increased fuel enrichment to 4.2 weight percent U-235,per 870827 request.Proposed amend involves no significant increase in effluent releases.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/02. Document Control Branch (Document Control Desk). 21pp. 43308:110-43308:130.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180123 Application for amend to License NPF-63,revising Tech Specs 3.0.4 & 4.0.4 to allow entry into operational condition & 4.0.3 to provide up to 24 h delay to permit completion of missed surveillance,per Generic Ltr 87-09.Fee paid.
EURY,L.W. Carolina Power & Light Co. 87/11/09. Document Control Branch (Document Control Desk). 5pp. 43391:228-43391:280.

--8711180128 Proposed Tech Specs,revising Sections 3.0.4 & 4.0.4 to allow entry into operational condition,per action requirements & 4.0.3 to allow delay of up to 24 h to permit completion of missed surveillance.
* Carolina Power & Light Co. 87/11/09. 48pp. 43391:233-43391:280.

8711170126 Forwards application fee for 871030 inservice pump & valve test program supplemental relief request,per 10CFR170.12(c) & 170.21.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43381:021-43381:021.

8711170146 Forwards payment for 870902 QA program change request,per 10CFR170.12(c) & 10CFR170.21.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43375:252-43375:252.

8711240303 Notification of canceled 871202 meeting w/util in Bethesda, MD to discuss single failure criteria re postulated accident scenarios.
BUCKLEY,B.C. Project Directorate II-1. 87/11/19. ADENSAM,E.G. Project Directorate II-1. 3pp. 43445:357-43445:359.

8711250043 Notification of 871202 meeting w/util in Bethesda,MD to discuss single failure criteria re postulated accident scenarios.
BUCKLEY,B.C. Project Directorate II-1. 87/11/19. ADENSAM,E.G. Project Directorate II-1. 2pp. 43449:076-43449:077.

8711300147 Application for amend to License NPF-63,revising Tech Specs to delete Surveillance Requirement 4.4.11.1 re quarterly testing of RCS vent path block valves.Fee paid.
EURY,L.W. Carolina Power & Light Co. 87/11/23. Document Control Branch (Document Control Desk). 3pp. 43470:001-43470:005.

--8711300153 Proposed Tech Specs,deleting Surveillance Requirement 4.4.11.1 re quarterly testing of RCS vent path block valves.
* Carolina Power & Light Co. 87/11/23. 2pp. 43470:004-43470:005.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130093 Provides followup info to 871021 enforcement conference w/ NRR & Region II.Util understands that NRC concurs w/util position re action required for inoperable GDC 55 or 56 containment isolation valve.
WATSON,R.A. Carolina Power & Light Co. 87/10/29. GRACE,J.N. Region 2, Ofc of the Director. 4pp. 43355:124-43355:127.

8711030511 Revised response to violations noted in Insp Rept 50-400/86-77,per 871030 telcon.Corrective actions:spent fuel pool rack support design changed to eliminate questionable supports & substitute surface mounted bearing plates.
WATSON,R.A. Carolina Power & Light Co. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43251:258-43251:261.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711130112 Forwards 871021 enforcement conference summary re loss of steam generator blowdown isolation capability between 870813 & 0913.Review of issues will be continued to determine appropriate enforcement actions.W/list of attendees.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/04. UTLEY,E.E. Carolina Power & Light Co. 15pp. 43357:244-43357:258.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711160222 Ack receipt of 870821 initial & 871022 supplemental responses to 870708 notice of violations from Insp Rept 50-400/87-22.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/09. UTLEY,E.E. Carolina Power & Light Co. 1p. 43366:256-43366:256.

8711190258 Forwards Insp Rept 50-400-87-37 on 870924-1027.Violations noted under consideration for escalated enforcement action & will be discussed at 871120 enforcement conference.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43400:332-43400:346.

--8711190274 Insp Rept 50-400/87-37 on 870924-1027.Violations noted.Major areas inspected:operational safety verification,monthly surveillance observation,monthly maint observation,onsite nuclear safety committee & auxiliary feedwater deficiency.
MAXWELL,G.F., BURRIS,S.P., FREDRICKSON,P. Region 2, Ofc of the Director. 87/11/10. 13pp. 43400:334-43400:346.

8711190179 Confirms 871105 & 06 telcons re two enforcement conferences to be conducted at Region II ofc on 871120 concerning util operations personnel action during Tech Spec surveillance test & design of auxiliary feedwater sys.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. UTLEY,E.E. Carolina Power & Light Co. 2pp. 43400:144-43400:145.

8711200310 Responds to SALP Repts 50-261/87-22,50-324/87-19, 50-325/87-19 for Nov 1986 - June 1987 & 50-400/87-24 for Aug 1986 - June 1987.Issues noted in repts re util overall performance discussed.
UTLEY,E.E. Carolina Power & Light Co. 87/11/13. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 43412:276-43412:325.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711180015 Monthly operating rept for Oct 1987.W/871113 ltr.
HALE,M.W., WATSON,R.A. Carolina Power & Light Co. 87/10/31. 6pp. 43391:353-43391:358.

S. Reportable occurrences, LERs & related correspondence

8711020304 LER 87-057-00:on 870929,deficiency in surveillance test procedures covering diesel generator fuel oil transfer pumps revealed.Caused by misinterpretation of relief granted by NRC.Procedure revised.W/871028 ltr.
HOWE,A.J., WATSON,R.A. Carolina Power & Light Co. 87/10/28. 4pp. 43236:105-43236:108.

8711050107 LER 87-052-01:on 870831,mechanic & health physics technician exiting containment through personnel access hatch when one of door o-ring seals fell out of groove.Caused by personnel error.Work request issued to repair door.W/871102 ltr.
SCHWABENBAUER, WATSON,R.A. Carolina Power & Light Co. 87/11/02. 8pp. 43291:070-43291:078.

8711100446 LER 87-053-00:on 870813,valve 1BD-11 discovered inoperable after failing inservice insp test.Caused by valve failure due to binding of carbon seal rings between valve cage & valve plug.Valve repaired.W/871106 ltr.
SCHWABENBAUER, WATSON,R.A. Carolina Power & Light Co. 87/11/06. 6pp. 43335.086-43335.091.

8711130172 LER 87-059-00:on 871011,offsite power lost due to incoming line breaker trip.Caused by accidental jarring of protection relays.All hammering & drilling in relay cabinet stopped & ltr issued re cautious work habits.W/871109 ltr.
SCHWABENBAUER, WATSON,R.A. Carolina Power & Light Co. 87/11/09. 4pp. 43356:280-43356:283.

8711130281 LER 87-058-00:on 871009,RCS leakage exceeding Tech Spec limits occurred.Caused by RCS head vent sys spuriously opening during testing.Mods made to head vent sys & revs to procedure made,per vendor recommendations.W/undated ltr.
HOWE,A., WATSON,R.A. Carolina Power & Light Co. 87/11/09. 8pp. 43357:010-43357:017.

8711160269 LER 87-061-00:on 871016,flow rate instruments for waste processing bldg vent stacks 5 & 5A declared inoperable. Caused by personnel error.Meeting held to discuss similar event.Operator involved counseled on item.W/871112 ltr.
SCHWABENBAUER, WATSON,R.A. Carolina Power & Light Co. 87/11/12. 4pp. 43369:294-43369:297.

8711230296 LER 87-060-00:on 871016,isolation valves between RCS & RHR pump suctions closed on two separate occasions.Caused by shorting of test equipment output & battery failure in test equipment.Revs to procedures being considered.W/871116 ltr.
WATSON,R.A. Carolina Power & Light Co. 87/11/16. 5pp. 43424:101-43424:105.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

P. Operating license stage documents & correspondence

8711020340 Informs that,effective 871025,JL Pellet will replace R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. BROPHY,J.J. Utah, Univ. of, Salt Lake City, UT. 2pp. 43235:203-43235:204.

Q. Inspection reports, IE Bulletins & correspondence

8711130287 Forwards Insp Repts 50-072/87-01 & 50-407/87-01 on 871008-09.No violations or deviations noted.
YANDELL,L.A. Region 4, Ofc of the Director. 87/11/10. BROPHY,J.J. Utah, Univ. of, Salt Lake City, UT. 2pp. 43357:001-43357:009.

-8711130298 Insp Repts 50-072/87-01 & 50-407/87-01 on 871008-09.No violations or deviations noted.Major areas inspected, corrective actions re violations & deviations identified in Insp Repts 50-072/86-01 & 50-407/86-01.
CHANEY,H., MURRAY,B. Region 4, Ofc of the Director. 87/11/06. 7pp. 43357:003-43357:009.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

8711060119 Forwards FEMA negative findings on emergency preparedness, impacting States of WI,MN & IA & Vernon County.Negative findings concerned alerting & notification sys for 5-mile EPZ.
SHAFER,W.D. Region 3, Ofc of the Director. 87/10/28. TAYLOR,J.W. Dairyland Power Cooperative. 2pp. 43308:023-43308:079.

8711300084 Advises that 871111 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MALLETT,B.S. Region 3, Ofc of the Director. 87/11/24. TAYLOR,J.W. Dairyland Power Cooperative. 2pp. 43473:103-43473:104.

I. Financial information

8711060305 Confirms that util not required to pay annual fee for power reactor OLs or seek renewal of exemption reducing amount of such fee,per issuance of Amend 56 to License DPR-45 on 870804.
TAYLOR,J.W. Dairyland Power Cooperative. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43308:275-43308:276.

P. Operating license stage documents & correspondence

8711300138 Forwards "Task Force Review of Equipment & Maint History for La Crosse." Rept highlights repetitive component failures attributed to aging plant equipment & high frequency of scrams at plant.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/02/17. TAYLOR,J.W. Dairyland Power Cooperative. 2pp. 43470:006-43470:028.

-8711300158 "Task Force Review of Equipment & Maint History for LaCrosse."
SCHWEIBINZ,E.R., LEEMON,R.J., KANTER,L.E. Region 3, Ofc of the Director. 86/12/05. 16pp. 43470:008-43470:028.

8711060122 Forwards application fee for amend to License DPR-45, inadvertently omitted from 870930 ltr.
TAYLOR,J.W. Dairyland Power Cooperative. 87/10/30. Document Control Branch (Document Control Desk). 1p. 43303:259-43303:259.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130133 Discusses review of surveillance testing performed due to 870430 plant shutdown.Performance of listed tests no longer required by Tech Specs terminated.
TAYLOR,J.W. Dairyland Power Cooperative. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43354:170-43354:171.

8711200195 Application for amend to License DPR-45,revising administrative section of Tech Specs due to permanent shutdown of plant on 870430.Fee paid.
TAYLOR,J.W. Dairyland Power Cooperative. 87/11/12. Document Control Branch (Document Control Desk). 6pp. 43411:082-43411:129.

-8711200200 Proposed Tech Specs,revising administrative section due to permanent shutdown of plant on 870430.
* Dairyland Power Cooperative. 87/11/12. 42pp. 43411:088-43411:129.

8711180067 Advises that util will not be billed for FY88 annual fees under current requirements of 10CFR171 since License DPR-45 amended on 870804 to authorize possession,but not operation of plant,per 871030 request.
HOLLOWAY,C.J. License Fee Management Branch. 87/11/17. TAYLOR,J.W. Dairyland Power Cooperative. 1p. 43389:078-43389:078.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060266 Forwards Safety Insp Rept 50-409/87-11 on 870822-1016.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/10/26. TAYLOR,J.W. Dairyland Power Cooperative. 2pp. 43308:278-43308:285.

-8711060270 Insp Rept 50-409/87-11 on 870822-1016.No violations noted. Major areas inspected:previous insp findings,operational safety verification,monthly maint & surveillance observation,LER followup,TMI open items & organization.
JACKIW,I.N. Region 3, Ofc of the Director. 87/10/23. 6pp. 43308.280-43308.285.

8710230213 NRC Info Notice 87-065, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060166 Forwards Safety Insp Repl 50-409/87-14 on 871013-16.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/10/30. TAYLOR,J.W. Dairyland Power Cooperative. 2pp. 43303:191-43303:199.

-8711060171 Insp Rept 50-409/87-14 on 871013-16.No violations or deviations noted.Major areas inspected:radiation protection & radwaste mgt programs,past open items,plans for post-shutdown staffing & incidents & events.
MILLER,D.E., GREGER,L.R. Region 3, Ofc of the Director. 87/10/30. 7pp. 43303:193-43303:199.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130006 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020193 Ack receipt of 861202 proposed amend to security plan re miscellaneous amends & search requirements.Response to comments requested within 30 days.
HAUGHEY,M. Project Directorate I-1. 87/10/20. MANGAN,C.V. Niagara Mohawk Power Corp. 4pp. 43239:210-43239:213.

8711180069 Forwards Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30.Violations noted will be discussed at enforcement conference.Concerns re adequacy of site operations review committee & addl Tech Spec violations also noted.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/10. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp 43391:132-43391:149.

--8711180069 Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30. Violations noted.Major areas inspected:station activities, licensee actions on previously identified items,safety sys walkdowns,physical security reviews & allegation followup
JOHNSON,J.R. Region 2, Ofc of the Director. 87/11/09. 16pp 43391:134-43391:149.

8711300180 Forwards addl info & revs to facility site security & safeguards contingency plan,per 10CFR50.54(p) implementation schedule also encl Encls withheld (ref 10CFR73.21).
BERATTA,J.P. Niagara Mohawk Power Corp. 87/11/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43471:034-43471:034.

I. Financial Information

8711160151 Forwards annual certified statement for 1986,consolidated balance sheet & statement of earnings for 9 months ending 870930 & 12 months ending 870930,1 yr internal cash flow projection & JW Powers narrative statement re cash flow.
RUSHMORE,J.W. Niagara Mohawk Power Corp. 87/11/10. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 43365:040-43365:085.

P. Operating license stage documents & correspondence

8711020137 Forwards draft info provided to util on 871029 to assist in responding to NRC concerns re pump & valve inservice testing program.
HAUGHEY,M. Project Directorate I-1. 87/10/29. MCKNIGHT,J. Document Control Branch (Document Control Desk). 18pp. 43240:076-43240:093.

8711040020 Notification of 871117 meeting w/util in Bethesda,MD to discuss licensing issues.
HAUGHEY,M.F. Project Directorate I-1. 87/10/29. CAPRA,R.A. Project Directorate I-1. 3pp. 43280:083-43280:085.

8711050203 Forwards revised SPDES Permit NY 000 1015 for Niagara Mohawk Power Corp.Rev contains minor sampling & permit correction changes.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/10/30. Document Control Branch (Document Control Desk). 1p 43292:058-43292:087.

--8711050287 Revised SPDES Permit NY 000 1015,issued to Niagara Mohawk Power Corp.
TORBA,R.A. Niagara Mohawk Power Corp. 87/09/14. 29pp. 43292:059-43292:087.

8711040218 Forwards questions & comments developed as result of review of inservice testing program for facility.Meeting on site w/ util requested.Draft response should be prepared & available for meeting discussion.
HAUGHEY,M.F. Project Directorate I-1. 87/11/02. MANGAN,C.V. Niagara Mohawk Power Corp. 19pp. 43281:052-43281:070.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046

8711090121 Requests fee for 870416 submittal of addl info re drywell spray analysis.
DIGGS,R.M. License Fee Management Branch. 87/11/05. LEMPGES,T.E. Niagara Mohawk Power Corp. 1p. 43316:028-43316:028.

8711100404 Discusses util licensing approach to support use of eight Westinghouse lead test assemblies in high power,near limiting locations for Reload 1 (Cycle 2) for plant.Request for approval of QUAD+ fuel assemblies will be submitted.
LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43336:048-43336:049.

8711190335 Forwards Figures 2-1 to 2-9,3-1 to 3-5 & 5.1-1 to 5.1-2 from Rev 3 to offsite dose calculation manual,per Commission 871022 request.W/two oversize drawings.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/16. Document Control Branch (Document Control Desk). 30pp. 43401:081-43401:110.

8711230181 Forwards application for amend to License NPF-69,revising Section 3/4.3.2, "Isolation Actuation Instrumentation," re preliminary setpoints.Fee paid.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43424:309-43424:316.

--8711240158 Application for amend to License NPF-69,revising Section 3/4.3.2, "Isolation Actuation Instrumentation," to reflect as-built configuration of RCIC sys leakage detection instrumentation.
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/16. 2pp. 43424:310-43424:311.

--8711240166 Proposed Tech Specs,revising Page 3/4 3-18 re isolation actuation instrumentation setpoints reflecting as-built configuration of RCIC sys leakage detection instrumentation.
* Niagara Mohawk Power Corp. 87/11/16. 5pp. 43424:312-43424:316.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711040338 Forwards update,per util 870917 commitment in response to Insp Repts 50-220/86-23 & 50-410/86-59.W/o encl.
BERATTA,J.P. Niagara Mohawk Power Corp. 87/10/19. MARTIN,T.T. Region 1, Ofc of the Director. 1p. 43290.056-43290.056.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711040372 Forwards Insp Repts 50-220/87-18 & 50-410/87-37 on 870831-1004 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/10/29. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43273:298-43273:312.

--8711040376 Notice of violation from insp on 870831-1004.Violation noted:13 high/low pressure interface valves required to be disabled per FSAR Table 9B.5-1,energized during normal operation at approx 40% rated power.
* Region 1, Ofc of the Director. 87/10/29. 1p. 43273:300-43273:300.

--8711040379 Insp Repts 50-220/87-18 & 50-410/87-37 on 870831-1004. Violations noted.Major areas inspected:station activities including Unit 1 power operations & Unit 2 power ascension testing & licensee action on previously identified items.
JOHNSON,J.R. Region 1, Ofc of the Director. 87/10/29. 12pp. 43273:301-43273:312.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:226-43324:339.

8711090165 Discusses Safety Insp Rept 50-410/87-32 on 870901-08 & forwards notice of violation.Failure to perform surveillance of charcoal adsorber & removal of emergency diesel generator from svc constituted Severity Level IV violation.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 43313:189-43313:193.

--8711090174 Notice of violation from insp on 870901-08.Violations noted: charcoal adsorber of standby gas treatment sys (SBGT) not tested w/correct frequency & Emergency Diesel Generator 3 removed from svc while SBGT inoperable.
KANE,W.F. Region 1, Ofc of the Director. 87/11/05. 2pp. 43313:192-43313:193.

8711090239 Forwards Safety Insp Repts 50-220/87-20 & 50-410/87-36 on 870914-18.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/05. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43321:120-43321:126.

--8711090265 Safety Insp Repts 50-220/87-20 & 50-410/87-36 on 870914-18. No violations or deviations noted.Major areas inspected: radwaste & transportation activities,including mgt control, shipments of radwastes,training,procedures & QC.
DAVIDSON,B.S., PASCIAK,W.J. Region 1, Ofc of the Director. 87/11/02. 7pp. 43321:122-43321:128.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130034 Responds to violations noted in Insp Repts 50-220/87-13 & 50-410/87-29.Corrective actions:diesel generators wiped down regularly until seepages problem corrected.Response to IE Bulletins 79-27 & 80-25 also provided.
LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/06. Document Control Branch (Document Control Desk). 5pp. 43361:082-43361:086.

8711180059 Forwards Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30.Violations noted will be discussed at enforcement conference.Concerns re adequacy of site operations review committee & addl Tech Spec violations also noted.
WENZINGER,E.C. Region 1, Ofc of the Director. 87/11/10. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43391:132-43391:149.

--8711180069 Insp Repts 50-220/87-21 & 50-410/87-39 on 871005-30. Violations noted.Major areas inspected:station activities, licensee actions on previously identified items,safety sys walkdowns,physical security reviews & allegation followup.
JOHNSON,J.R. Region 2, Ofc of the Director. 87/11/09. 16pp. 43391:134-43391:149.

8711180165 Forwards Safety Insp Rept 50-410/87-35 on 870921-23 & 1005-09.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/10. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43395:100-43395:113.

--8711180169 Insp Rept 50-410/87-35 on 870921-23 & 1005-09.No violations noted.Major areas inspected:overall power ascension test program,procedure review,test witnessing & test results evaluation,QA interfaces & independent measurements.
WINK,L.J., LANGE,D.J. Region 1, Ofc of the Director. 87/11/05. 12pp. 43395:102-43395:113.

8711170192 Forwards final rept on specific motor-operated valves,per IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failure During Plant Transient Due to Improper Switch Settings."
MANGAN,C.V. Niagara Mohawk Power Corp. 87/11/13. Document Control Branch (Document Control Desk). 16pp. 43384:235-43384:250.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711240002 Forwards Safety Insp Rept 50-410/87-38 on 871012-15.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/16. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43437:288-43437:299.

--8711240003 Insp Rept 50-410/87-38 on 871012-15.No violations noted. Major areas inspected:overall power ascension test program, including procedure review,test witnessing & test results evaluation & independent measurements & verification.
WINK,L.J., LANGE,D.J. Region 1, Ofc of the Director. 87/11/14. 10pp. 43437:290-43437:299.

ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/10. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300051 Forwards Safety Insp Rept 50-410/87-41 on 871102-06.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/11/20. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 43473:120-43473:132.

--**8711300056** Insp Rept 50-410/87-41 on 871102-06.No violations noted. Major areas inspected:overall power ascension test program, including test witnessing & results evaluation,QA interfaces & independent measurements & verifications
WINK,L.J., LANGE,D. Region 1, Ofc of the Director. 87/11/18. 11pp. 43473:122-43473:132.

R. Periodic operating reports & related correspondence

8711180030 Monthly operating rept for Oct 1987.W/871110 ltr.
TOMLINSON,E., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/10/31. 29pp. 43391:288-43391:316.

S. Reportable occurrences, LERs & related correspondence

8711060027 LER 87-061-00:on 871001,determined that Tech Spec for RCS leakage violated.Caused by procedural deficiency.Applicable procedure revised & set of Tech Spec interpretations established to verify current procedures.W/871028 ltr.
RANDALL,R.G., MANGAN,C.V. Niagara Mohawk Power Corp. 87/10/28. 7pp. 43308:196-43308:202.

8711060036 LER 87-059-00:on 870930,four Tech Spec surveillance requirments found to have been exeeded.Caused by procedural deficiency.Missing surveillances incorporated into procedure.W/871028 ltr.
RANDALL,R.G., MANGAN,C.V. Niagara Mohawk Power Corp. 87/10/28. 6pp. 43308:210-43308:215.

8711130113 LER 87-063-00:on 871013,actuation of ESF,specifically, isolation of RWCU sys,experienced.Caused by const & design deficiencies.Mod scheduled to replace RWCU sys flex hoses outside primary containment w/rigid tubing.W/871110 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/10. 5pp. 43354:308-43354:312.

8711130166 LER 87-065-00:on 871015,determined secondary containment not maintained at uniform subatmosphere pressure.Caused by design deficiency.Mod to relocated differential pressure elements initiated.W/871110 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/10. 6pp. 43355:338-43355:343.

8711180052 Informs that util 871013 notification of event (Licensee Occurrence Rept 87-05) should be logged as 24 h event.
BERATTA,J.P. Niagara Mohawk Power Corp. 87/11/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43391:131-43391:131.

8711240120 LER 87-068-00:on 871020,RWCU sys isolated.Caused by failure to follow procedure.Technician counseled,training mod recommendation initiated & instrument & control program will be revised.W/871119 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/19. 5pp. 43431:118-43431:123.

8711250006 LER 87-066-00:on 871020,discovered incorrect fuses installed in standby liquid control sys on 871017 causing sys to be inoperable.Caused by design document deficiency.Correct fuses installed.W/871119 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/19. 8pp. 43459:004-43459:101.

8711240150 LER 87-064-00:on 871023,turbine tripped on low condenser vacuum,resulting in reactor scram from 36% power.Caused by personnel error in failing to tag out-of-svc feedwater pump for seal repair.Individual counseled.W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 6pp. 43431:004-43431:009.

8711240233 LER 87-049-01:on 870825,ESF actuation experienced,consisting of automatic initiation of standby gas treatment sys & emergency recirculation cooler.Caused by personnel error. Cause of second ESF actuation undetermined.W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 5pp. 43442:180-43442:184.

8711240275 LER 87-067-00:on 871023,limiting condition for operation exceeded due to main steam line high flow isolation instrumentation inoperable.Caused by personnel error.Action requirements of Tech Spec 3.3.2 performed.W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 6pp. 43442:038-43442:043.

8711250128 LER 87-069-00:on 871023,numerous ESF actuations occurred due to loss of power to non-Class 1E uninterruptible power supply.Caused by design deficiency,personnel error & equipment failure.Sys isolation signals reset.W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 6pp. 43459:211-43459:218.

8711250250 LER 87-060-00:on 871022,seven Tech Spec surveillance time requirements found to have been exceeded.Caused by personnel errors.Shift checks immediately performed by following shift.W/871120 ltr.
RANDALL,R.G., LEMPGES,T.E. Niagara Mohawk Power Corp. 87/11/20. 5pp. 43460:130-43460:134.

8711030164 Responds to util 870929 ltr pointing out minor errors in SSERs 5 & 6 NRC lists results from review of util proposed corrections & clarifications.
TAM,P.S. Project Directorate I-4. 87/10/27. CAREY,J.J. Duquesne Light Co. 3pp. 43258:298-43258:298.

F. Security, medical, emergency & fire protection plans

8711190314 Notifies that State of WV 830920 submittal of state & local plans for radiological emergencies re plant acceptable. Adequacy of public alert & notification sys verified by FEMA on 851227.
MCLOUGHLIN,D Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43402:205-43402:205.

8711130280 Forwards Safety Insp Rept 50-412/87-58 on 870921-23.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/09. CAREY,J.J. Duquesne Light Co. 2pp. 43357:018-43357:025.

--**8711130283** Emergency Preparedness Insp Rept 50-412/87-58 on 870921-23. No violations noted.Major areas inspected:licensee partial-participation annual emergency preparedness exercise conducted on 870921-23.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 6pp. 43357:020-43357:025.

8711230200 Advises that 870817 Rev 1 to Issue 4 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/18. CAREY,J.J. Duquesne Light Co. 4pp. 43420:320-43420:323.

H. General correspondence

8711030005 Requests brief note expressing desire to remain on mailing lists.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. BURROWS,J.D. Ohio, State of. 1p. 43264:244-43264:244.

8711030010 Requests brief note expressing desire to remain on mailing list.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. SIRCAR,P.R. Stone & Webster Engineering Corp. 1p. 43262:213-43262:213.

8711030036 Advises that util should notify S Norris of desire to remain on NRC mailing list by 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. LEE,J.A Duquesne Light Co. 1p. 43264:232-43264:232.

8711030046 Requests brief note indicating continued desire,if any,to remain on mailing list.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. BARDEE,M. Pennsylvania, Commonwealth of. 1p. 43263:320-43263:320.

8711030149 Requests brief note indicating continued desire,if any,to remain on mailing list.Response requested by 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. EWING,C.W. Duquesne Light Co. 1p. 43259:315-43259:315.

8711030177 Requests brief note indicating continued desire,if any,to remain on mailing list.Response requested by 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. LEX,T.J. Westinghouse Electric Corp. 1p. 43264:271-43264:271.

8711030198 Requests brief note expressing desire to remain on mailing list.Response requested before 871120.
TAM,P.S. Project Directorate I-4. 87/10/29. Duquesne Light Co. 1p. 43263:114-43263:114.

P. Operating license stage documents & correspondence

8711030311 Forwards addl info re differential settlements of buried pipes at facility,per NRC 870602 ltr & 870922 telcon.Info on three listed items provided.
CAREY,J.J. Duquesne Light Co. 87/10/26. Document Control Branch (Document Control Desk). 6pp. 43260:028-43260:076.

--**8711030319** Rev 1 to Calculation 211X-G(B)-200, "Differential Settlement of SWS Lines Between Reactor & Safeguards." Oversize info encl.
HUNT,D., MCCOY,J.W. Stone & Webster Engineering Corp. 87/10/01. 43pp. 43260:034-43260:076.

8711030519 Forwards fourth status rept,identifying changes to initial test program described in FSAR,Chapter 14,per 10CFR50.59(b).
CAREY,J.J. Duquesne Light Co. 87/10/27. Document Control Branch (Document Control Desk). 8pp. 43251:272-43251:279.

8711100155 Requests fee for review of 870727 application re preservice Insp Relief Requests 1 & 2.
DIGGS,R.M. License Fee Management Branch. 87/11/04. CAREY,J.J. Duquesne Light Co. 1p. 43341:331-43341:331.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180023 Notification of 871120 site visit & meeting in Shippingport, PA re technical issues re licensee proposed plan to comply w/10CFR55.45,in particular,use of simulation facilities.
TAM,P. Project Directorate I-4 87/11/09. STOLZ,J F. Project Directorate I-4. 4pp. 43363:031-43363:034.

8711200031 Notification of 871120 meeting w/util in Shippingport,PA to discuss technical issues re facility scram (trip) experience & licensee efforts to reduce frequency of future scrams.
TAM,P.S. Project Directorate I-4. 87/11/13. STOLZ,J F. Project Directorate I-4. 3pp 43407:117-43407:119.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413) 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030161 Responds to NRC 870914 ltr re Insp Rept 50-412/87-50. Corrective actions,post-accident sampling sys procedures rewritten per NUREG-0737,Item II.B.3 & Procedure P.O 2.43.01 Sections N & O approved per Item II.F.1-1.
CAREY,J.J. Duquesne Light Co. 87/10/14. MARTIN,T.T. Region 1, Ofc of the Director. 7pp. 43255:302-43255:307.

8711020407 Forwards Safety Insp Rept 50-412/87-62 on 870922-1002.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/10/28. CAREY,J.J. Duquesne Light Co. 2pp. 43235:265-43235:275.

--8711020412 Insp Rept 50-412/87-62 on 870922-1002.No violations noted. Major areas inspected:startup test program,power ascension tests & test results.
WEN,P.C., HUNTER,J.G., EAPEN,P.K. Region 1, Ofc of the Director. 87/10/27. 9pp. 43235:267-43235:275.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp 43324:139-43324:227.

8711060023 Forwards Safety Insp Rept 50-412/87-60 on 870829-1009.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/01. CAREY,J.J. Duquesne Light Co. 2pp. 43308:175-43308:181.

--8711060026 Insp Rept 50-412/87-60 on 870829-1009.No violations noted. Major areas inspected:licensee actions on previous findings, site activities,startup test program implementation & pressurizer pressure transmitter inoperability.
TRIPP,L E. Region 1, Ofc of the Director. 87/10/29. 15pp. 43308:177-43308:181.

8710290234 NRC Info Notice 87-058, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100155 Requests fee for review of 870727 application re preservice Insp Relief Requests 1 & 2.
DIGGS,R.M. License Fee Management Branch. 87/11/04. CAREY,J.J. Duquesne Light Co. 1p. 43341:331-43341:331.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130280 Forwards Safety Insp Rept 50-412/87-58 on 870921-23.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/09. CAREY,J.J. Duquesne Light Co. 2pp. 43357:018-43357:025.

--8711130283 Emergency Preparedness Insp Rept 50-412/87-58 on 870921-23 .No violations noted.Major areas inspected:licensee partial-participation annual emergency preparedness exercise conducted on 870921-23.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 87/11/03. 6pp. 43357:020-43357:026.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711240162 Forwards Pre-operational & Startup Safety Insp Rept 50-412/87-61 on 870921-25.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. CAREY,J.J. Duquesne Light Co. 2pp. 43431:010-43431:020.

--8711240175 Insp Rept 50-412/87-61 on 870921-25.No violations noted. Major areas inspected:startup activities in radiation protection area,including reviews of previously identified items in post-accident sampling & analysis.
GRESICK-CIOFFI, SHANBAKY,M.M. Region 1, Ofc of the Director. 87/11/06. 9pp. 43431:012-43431:020.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300082 Ack receipt of 871014 ltr informing NRC of status of actions planned to address improvement & unresolved items in Insp Rept 50-412/87-50 re implementation of certain NUREG-0737 TMI Action Plan requirements.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. CAREY,J.J. Duquesne Light Co. 2pp. 43467:108-43467:115.

S. Reportable occurrences, LERs & related correspondence

8711020268 LER 87-025-00:on 870930,low feedwater pump suction pressure transient occurred,causing running main feedwater pump to trip.Caused by worker inadvertently breaking air line to condensate recirculation valve.Valve repaired.W/871028 ltr.
LACEY,W.S. Duquesne Light Co. 87/10/28. 5pp. 43234:223-43234:228.

8711020392 LER 87-023-00:on 870926,reactor trip occurred.Caused by failure of main feedwater regulating valve B due to faulty controller card.Card replaced.W/871028 ltr.
LACEY,W.S. Duquesne Light Co. 87/10/28. 5pp. 43236:174-43236:178.

8711030546 LER 87-024-00:on 870929,w/turbine startup in progress,safety injection occurred causing 3,500 gallons of borated water to be injected into RCS.Caused by deficient procedure.Procedure revised to include valve position limiter.W/871028 ltr.
LACEY,W.S. Duquesne Light Co. 87/10/28. 5pp. 43255:342-43255:346.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711160157 LER 87-013-01:on 870808,inadvertent realignment of supplementary leak collection & release sys dampers occurred.Supply breaker overcurrent trip & lockout caused by personnel error.Normal alignment restored.W/871106 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/06. 5pp. 43366:226-43366:230.

8711160207 LER 87-020-01:on 870909,while performing MSIV closure test, reactor tripped.Caused by steam generator lo-lo level.No corrective actions or procedure revs required.Unique test required as part of startup program.W/871106 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/06. 5pp. 43366:238-43366:242.

8711130307 LER 87-026-00:on 871008,reactor tripped due to steam generator A low level coincident w/steam flow/feed flow mismatch.Piping error corrected & gain on main feed regulating valves adjusted.W/871109 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/09. 5pp. 43355:189-43355:193.

8711160114 LER 87-027-00:on 871013,discovered that pressurizer pressure protection Channel I calibr had not been performed within required monthly frequency.Caused by personnel error.Manual maint tracking schedule being replaced.W/871112 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/12. 4pp. 43365:007-43365:010.

8711200088 LER 87-028-00:on 871014,operator received alarm indicating loss of turbine Electrohydraulic fluid pressure.Caused by leakage past pressure switch isolation valves.Valves opened & low pressure circuits bypassed.W/871113 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/13. 5pp. 43410:195-43410:198.

8711190109 LER 87-030-00:on 871016,reactor manually tripped due to fire near turbine bearing 2.Caused by oil soaked insulation on gland 2 piping.Long-term corrective action pending results of vendor investigation.W/871116 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/16. 4pp. 43396:234-43396:237.

8711190198 LER 87-029-00:on 871015,erratic operation of main feedwater regulating valves experienced.Caused by over-responsiveness of valves to small level changes in steam generators. Response times of valves adjusted.W/871116 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/16. 4pp. 43400:268-43400:271.

8711230267 PNO-I-87-107:on 871117,turbine reactor tripped due to spuriously generated turbine thrust bearing trip.Caused by technician inadvertently tripping power switch on turbine rotor position drawer.Offsite transformer inspected.
WIGGINS,J. Region 1, Ofc of the Director. 87/11/18. 1p. 43422:252-43422:252.

8711230229 LER 87-031-00:on 871020,leaks discovered through clamp on RCS Loop A cold leg bypass isolation valves 2RCS*44,2RCS*37 & 2RCS*46 in excess of Tech Spec limits.Cause undetermined. Valves repaired or replaced.W/871119 ltr.
LACEY,W.S. Duquesne Light Co. 87/11/19. 5pp. 43419:273-43419:277.

V. Operator Examinations

8711090190 Requests plans for meeting amended requirements of 10CFR55 re individuals identified as potential dual licensed operators in 871005 ltr.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/05. SIEBER,J.D. Duquesne Light Co. 3pp. 43313:338-43313:340.

8711190292 Withdraws facility certification accompanying D Held application for senior operator license on Unit 1,in response to NRC 871030 ltr.D Held performing licensed duties on Unit 2 & not participating in license retraining program.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43401:229-43401:229.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130142 SALP Repts 50-413/87-26 & 50-414/87-26 for Oct 1985 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 40pp. 43357:095-43357:134.

8711110037 Revised emergency plan implementing procedures,including HP/O/B/1009/09, "Guidelines for Accident & Emergency Response," HP/O/B/1009/16, "Distribution of Potassium Iodide Tablets ." & HP/O/B/1009/19, "Emergency...." W/ 871106 ltr.
TUCKER,H.B. Duke Power Co. 87/11/06. 45pp. 43346:288-43345:342.

P. Operating license stage documents & correspondence

8711030295 Ack that rev to util Topical Rept DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design," contains minor statistical error,per 871016 ltr.Revised document scheduled to be submitted by 870129.
TUCKER,H.B. Duke Power Co. 87/10/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). HOOD,D.S. Project Directorate II-3. 1p. 43252:101-43252:101.

8711020057 Forwards notice of consideration of issuance of amends to Licenses NPF-35 & NPF-52 & opportunity for prior hearing on 871008 request re steam generator tube plugging criteria.
JABBOUR,K.N. Project Directorate II-3 87/10/23. TUCKER,H.B. Duke Power Co. 2pp. 43240:133-43240:140.

--8711020074 Notice of consideration of issuance of amends to Licenses NPF-35 & NPF-52.Amends would revise Tech Spec 3/4.4.5, "Steam Generators" & associated basis & involve changes to steam generator tube plugging criteria.
JABBOUR,K.N. Project Directorate II-3. 87/10/21. 6pp. 43240:135-43240:140

8711020354 Notification of 871103 meeting w/util & Westinghouse in Philadelphia,PA to discuss results of Franklin Research Ctr exam of cracks in po'o shaft welds of reactor trip breaker.
HOOD,D.S. Project Directorate II-3. 87/10/27. CROCKER,L.P. Project Directorate II-3. 4pp. 43239:285-43239:288.

8711030324 Application for amends to Licenses NPF-35 & NPF-62, correcting typos,updating info or clarifying statements.Fee paid.
TUCKER,H.B. Duke Power Co. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43250:321-43250:352.

--8711030331 Proposed Tech Specs correcting typos,updating info or clarifying statements.
* Duke Power Co. 87/10/28. 27pp. 43250:326-43250:352.

8711030158 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711050114 Forwards payment to cover cost associated w/871014 ltr.Fee paid.
OUELLETTE,R.W. Duke Power Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43203:248-43203:248

8711050036 Forwards updated info re estimated radiological aspects of RTD bypass manifold elimination,supporting 870722 application for amends to Licenses NPF-35 & NPF-52 deleting RTD bypass manifold.
TUCKER,H.B. Duke Power Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43302:070-43302:072.

8711100393 Forwards addl test data of VQ valves for facilities in support of util application for amends to Licenses NPF-35 & NPF-52,changing Tech Spec Surveillance Requirement 4.6.1.9.4.Previous amend requested to be granted.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43343:317-43343:320.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp 43402:001-43402:046.

8711090018 Advises that fee requested for util 870814 application not yet received by NRC.Fee requested within 15 days of ltr receipt.
DIGGS,R.M. License Fee Management Branch. 87/11/05. TUCKER,H.B. Duke Power Co. 1p. 43324:003-43324:003.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711130335 Forwards SER accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.Util recommended to proceed w/installation as scheduled.
HOOD,D.S. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 2pp. 43360:121-43360:133.

--8711130352 Safety evaluation accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 11pp. 43360:123-43360:133.

8711160088 Forwards request for addl info re RTD bypass sys removal discussed in util 870526,0722,0831,1001 & 851029 ltrs. Response requested within 15 days of ltr date.
JABBOUR,K.M. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 6pp. 43362:156-43362:161.

8711190166 Advises that fee for 871016 application for amend to Licenses NPF-35 & NPF-52 attached to application,per 871105 request for fee remittance.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43401:338-43401:340.

8711130312 Requests FR publication of notice of issuance of Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively.Amends change Tech Specs to increase time allowance for restoration of boron concentration in out-of-spec accumulator.
JABBOUR,K.N. Project Directorate II-3. 87/11/10. NRC - No Detailed Affiliation Given. 1p. 43360:120-43360:120

8711200213 Forwards Amends 31 & 22 to Licenses NPF-35 & NPF-52, respectively & safety evaluation Amends change Tech Specs to revise limiting conditions for increasing time of boron concentration restoration in accumulator out of specs.
JABBOUR,K. Project Directorate II-3. 87/11/10. TUCKER,H.B. Duke Power Co. 3pp 43416:015-43416:030.

--8711200224 Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively, changing Tech Specs to revise limiting conditions for operation action statements to increase time allowance for boron concentration restoration in accumulator out of specs.
CROCKER,L.P. Project Directorate II-3. 87/11/10. 10pp. 43416:017-43416:026.

--8711200290 Safety evaluation supporting Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/10. 3pp. 43416:027-43416:030.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50.54(a).W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

8711200075 Forwards Amends 33 & 24 to Licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends modify Tech Specs to allow unit to remain at power for up to 72 h w/more than one full length control rod inoperable but trippable.
JABBOUR,K.N. Project Directorate II-3. 87/11/13. TUCKER,H.B. Duke Power Co. 3pp. 43408:054-43408:070.

--8711200080 Amends 33 & 24 to Licenses NPF-35 & NPF-52,respectively, modifying Tech Specs to allow unit to remain at power for up to 72 h w/more than one full length control rod inoperable but trippable.
CROCKER,L.P. Project Directorate II-3. 87/11/13. 11pp. 43408:057-43408:067.

--8711200083 Safety evaluation supporting Amends 33 & 24 to Licenses NPF-35 & NPF-52,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 3pp. 43408:068-43408:070.

8711200389 Application for amends to Licenses NPF-35 & NPF-52,revising Tech Specs to ensure plant operation consistent w/design & safety evaluation conclusions made in encl reload safety evaluation for Unit 2,Cycle 2.Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43416:222-43416:322.

--8711200391 Proposed Tech Specs making changes to ensure plant operation consistent w/design & safety evaluation conclusions in reload safety evaluation for Unit 2,Cycle 2.
* Duke Power Co. 87/11/13. 46pp. 43416:225-43416:270.

--8711230013 "Reload Safety Evaluation,Catawba Nuclear Station Unit 2 Cycle 2."
DZENIS,E.A. Duke Power Co. 87/09/30. 52pp. 43416:271-43416:322.

8711180122 Notification of 871202 meeting w/B&W,BNL,BNWL & Duke Power Co in Bethesda,MD to discuss B&W topical repts on reload methodologies to be used for refueling Duke Power Co recirculating steam generator PWRs.Meeting agenda encl.
HSII,Y. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 3pp. 43394:315-43394:317.

8711200045 Forwards request for addl info on util 870612 proposed Tech Spec changes re sampling effluent from turbine & auxiliary bldg sumps.Response requested within 30 days of ltr date.
JABBOUR,K.N. Project Directorate II-3. 87/11/17. TUCKER,H.B. Duke Power Co 4pp. 43408:028-43408:031.

8711200368 Advises that 860715 verification & validation program as summarized & modified by NRC 870904 ltr re SPDS,acceptable.
JABBOUR,K.N. Project Directorate II-3. 87/11/18. TUCKER,H.B. Duke Power Co. 3pp. 43415:347-43415:349.

8711230184 Summary of 870827 meeting w/util re design adequacy of nuclear svc sys.List of attendees & meeting agenda encl.
JABBOUR,K.N. Project Directorate II-3. 87/11/18. Project Directorate II-3. 10pp. 43426:229-43426:238.

8711300108 Clarifies proposed amend to Licenses NPF-35 & NPF-52, changing Tech Specs to increase amount of time from 2,000 h to 3,000 h per calendar yr in which VQ valves may be open. Tech Specs encl.
TUCKER,H.B. Duke Power Co. 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43469:316-43469:319.

--8711300111 Proposed Tech Specs increasing amount of time from 2,000 h to 3,000 h per calendar yr in which VQ valves may be open.
* Duke Power Co. 87/11/18. 2pp. 43469:316-43469:319.

8711300041 Forwards addl info re elimination of resistance temp detector bypass sys,per K Jabbour 871106 request.Revised Tech Spec Page 3/4.3-1 re frequency of testing for detector encl.Addl info withheld.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43469:173-43469:174.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26 Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214

-8711130142 SALP Repts 50-413/87-26 & 50-414/87-26 for Oct 1985 - Jul 1987.
Region 2, Ofc of the Director. 87/10/20. 40pp. 43357:095-43357:134.

8711100405 Responds to NRC 870930 ltr re violations noted in Insp Rept 50-413/87-20.Corrective actions clear definition of recurring & similar categories of events developed & implemented at plant,supplemented w/log c diagram
TUCKER,H.B. Duke Power Co. 87/10/27. Document Control Branch (Document Control Desk). 4pp. 43345:001-43345:004.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/20. Consolidated Edison Co. of New York, Inc. 89pp 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711130049 Ack receipt of 871014 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/87-25 & 50-414/87-25.
REYES,L.A. Region 2, Ofc of the Director. 87/11/05. TUCKER,H.B. Duke Power Co. 1p. 43354:067-43354:067.

8711130088 Forwards Insp Repts 50-413/87-33 & 50-414/87-33 on 870926-1025.No violations or deviations noted.Attention invited to unresolved item
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/05. TUCKER,H.B. Duke Power Co. 2pp. 43354:117-43354:127.

-8711130096 Insp Repts 50-413/87-33 & 50-414/87-33 on 870926-1025.No violations or deviations noted.Major areas inspected:plant operations,surveillance observation,maint observation,Part 21 repts & refueling activities.
VAN DOORN,P.K., LESSER,M.S., PEEBLES,T.A. Region 2, Ofc of the Director. 87/11/04. 9pp. 43354:119-43354:127.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711110096 Forwards Insp Repts 50-413/87-23 & 50-414/87-23 on 870713-24.Significant problems in areas of operations & mods discussed.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/11/06. TUCKER,H.B. Duke Power Co. 3pp. 43347:306-43347:335.

-8711110117 Insp Repts 50-413/87-23 & 50-414/87-23 on 870713-24. Significant problems noted.Major areas inspected: effectiveness of quality verification organizations, including QA,QC & line mgt organizations in operations.
HILL,W.M. Office of Nuclear Reactor Regulation, Director (Post 870411). COOPER,T.A., MELLEN,L.S. Region 2, Ofc of the Director. 87/10/09. 25pp. 43347:309-43347:335.

8711190141 Ack receipt of 871027 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/87-20 & 50-414/87-20
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. TUCKER,H.B. Duke Power Co. 1p. 43400:256-43400:256.

8711200105 Forwards Insp Repts 50-413/87-35 & 50-414/87-35 on 871019-23.No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. TUCKER,H.B. Duke Power Co. 2pp. 43402:330-43402:346.

-8711200116 Insp Repts 50-413/87-35 & 50-414/87-35 on 871019-23.No violations or deviations noted.Major areas inspected: inservice insp & maint program.
CROWLEY,B.R., COLEY,J.L., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/10. 15pp. 43402:332-43402:346.

8711200342 Responds to violations noted in Insp Repts 50-413/87-30 & 50-414/87-30.Corrective actions:methods for evaluating nuclear instrumentation sys (NIS) setpoint nonconservatisms revised & NIS channels & pressure switches calibr.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 7pp. 43413:122-43413:128.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200198 Forwards Exam Rept 50-413/OL-87-01,for both units,of exam administered on 870914-17.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43403:034-43403:226.

-8711200207 Exam Rept 50-413/OL-87-01,for both units,on 870914-17.Exam results:nine of nine senior reactor operators passed & four of five reactor operators passed.Exam & answer key encl.
ARILDSEN,J.A., MUNRO,J.F. Region 2, Ofc of the Director. 87/11/04. 100pp. 43403:036-43403:183.

-8711200363 Forwards comments on license exams administered on 870914. Addl answers provided in encl supporting documentation.
HAMPTON,J.W. Duke Power Co. 87/09/17. MUNRO,J. Region 2, Ofc of the Director. 43pp. 43403:184-43403:226.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230394 Responds to violations noted in Insp Repts 50-413/87-31 & 50-414/87-31.Corrective actions:mgt received guidance to ensure that personnel reminded of responsibilities re dose cards & frisking & training program updated
TUCKER,H.B. Duke Power Co. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43419:002-43419:004.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200283 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 13pp. 43410:104-43410:116.

S. Reportable occurrences, LERs & related correspondence

8711100428 LER 87-027-01:on 870706,auxiliary feedwater pump 1B discharge to steam generator 1C isolation valve closed automatically.Caused by isolated pressure switch at discharge of auxiliary feedwater pump 1A.W/871029 ltr.
TORRE,J.G., TUCKER,H.B. Duke Power Co. 87/10/29. 5pp. 43344:349-43344:354.

8711020440 LER 87-036-00:on 860830,incorrect alignment performed rendering nuclear svc water (RN) Train A inoperable re Unit 2 power operation.Caused by design deficiency due to incorrect identification of RN alignment.W/871030 ltr.
TORRE,J.G., TUCKER,H.B. Duke Power Co. 87/10/30. 10pp. 43237:211-43237:220

8711170013 Special rept:on 871007,diesel generator 1B tripped automatically.Cause undetermined.Investigation in progress & problem will be corrected prior to calling diesel operable after scheduled diesel outage work.
TUCKER,H.B. Duke Power Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43375:261-43375:262.

8711170110 LER 87-038-00:on 871012,discovered that hourly fire watches not performed for Room 428.Caused by personnel error.Room 428 hatch covers installed & incident reviewed w/radwaste chemistry personnel.Hourly fire watch resumed.W/871111 ltr.
TORRE,J.G., TUCKER,H.B. Duke Power Co. 87/11/11. 6pp. 43361:028-43361:033.

8711230236 Advises that submittal of LER 87-037-00,re ITT Grinnell mini-stiff pipe clamps found broken due to improper heat treatment,will be delayed until 871215 to allow for analysis & review of pertinent info.
TUCKER,H.B. Duke Power Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43419:267-43419:267.

V. Operator Examinations

8711200198 Forwards Exam Rept 50-413/OL-87-01,for both units,of exam administered on 870914-17.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43403:034-43403:226.

-8711200207 Exam Rept 50-413/OL-87-01,for both units,on 870914-17.Exam results:nine of nine senior reactor operators passed & four of five reactor operators passed.Exam & answer key encl.
ARILDSEN,J.A., MUNRO,J.F. Region 2, Ofc of the Director. 87/11/04. 100pp. 43403:036-43403:183.

-8711200363 Forwards comments on license exams administered on 870914. Addl answers provided in encl supporting documentation.
HAMPTON,J.W. Duke Power Co. 87/09/17. MUNRO,J. Region 2, Ofc of the Director. 43pp. 43403:184-43403:226.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

-8711130142 SALP Repts 50-413/87-26 & 50-414/87-26 for Oct 1985 - Jul 1987.
Region 2, Ofc of the Director. 87/10/20. 40pp. 43357:095-43357:134.

8711110037 Revised emergency plan implementing procedures,including HP/O/B/1009/09, "Guidelines for Accident & Emergency Response," HP/O/B/1009/16, "Distribution of Potassium Iodide Tablets..." & HP/O/B/1009/19, "Emergency...." W/871106 ltr.
TUCKER,H.B. Duke Power Co. 87/11/06. 45pp. 43345:298-43345:342.

P. Operating license stage documents & correspondence

8711030295 Ack that rev to util Topical Rept DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design," contains minor statistical error,per 871016 ltr.Revised document scheduled to be submitted by 870129.
TUCKER,H.B. Duke Power Co. 87/10/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43252:101-43252:101.

8711020057 Forwards notice of consideration of issuance of amends to Licenses NPF-35 & NPF-52 & opportunity for prior hearing on 871008 request re steam generator tube plugging criteria.
JABBOUR,K.N. Project Directorate II-3. 87/10/23. TUCKER,H.B. Duke Power Co. 2pp. 43240:133-43240:140.

--8711020074 Notice of consideration of issuance of amends to Licenses NPF-35 & NPF-52,Amends would revise Tech Spec 3/4.4.5, "Steam Generators" & associated basis & involve changes to steam generator tube plugging criteria.
JABBOUR,K.N. Project Directorate II-3. 87/10/21. 6pp. 43240:135-43240:140.

8711020354 Notification of 871103 meeting w/util & Westinghouse in Philadelphia,PA to discuss results of Franklin Research Ctr exam of cracks in pole shaft welds of reactor trip breaker.
HOOD,D.S. Project Directorate II-3. 87/10/27. CROCKER,L.P. Project Directorate II-3. 4pp. 43239:285-43239:288.

8711030324 Application for amends to Licenses NPF-35 & NPF-52, correcting typos,updating info or clarifying statements.Fee paid.
TUCKER,H.B. Duke Power Co. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43250:321-43250:352.

--8711030331 Proposed Tech Specs correcting typos,updating info or clarifying statements.
* Duke Power Co. 87/10/28. 27pp. 43250:326-43250:352.

8711030158 Summarizes findings on backfit determination re containment integrated leak rate testing,including staff reluctance to allow short-duration tests using Mass-Plot method.Request re as found leakage rate denied.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/10/29. TUCKER,H.B. Duke Power Co. 7pp. 43263:145-43263:151.

8711050114 Forwards payment to cover cost associated w/871014 ltr.Fee paid.
OUELLETTE,R.W. Duke Power Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43293:248-43293:248.

8711050036 Forwards updated info re estimated radiological aspects of RTD bypass manifold elimination,supporting 870722 application for amends to Licenses NPF-35 & NPF-52 deleting RTD bypass manifold
TUCKER,H.B. Duke Power Co. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43302:070-43302:072.

8711100383 Forwards addl test data of VQ valves for facilities in support of util application for amends to Licenses NPF-35 & NPF-52,changing Tech Spec Surveillance Requirement 4.6.1.9.4.Previous amend requested to be granted.
TUCKER,H.B. Duke Power Co. 87/11/02. Document Control Branch (Document Control Desk). 4pp. 43343:317-43343:320.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090018 Advises that fee requested for util 870814 application not yet received by NRC.Fee requested within 15 days of ltr receipt.
DIGGS,R.M. License Fee Management Branch. 87/11/05. TUCKER,H.B. Duke Power Co. 1p. 43324:003-43324:003.

8711100382 Notification of 871123 meeting w/utils,LASL,ANL & Westinghouse in Bethesda,MD to discuss LASL comments on Westinghouse revised LOTIC-3 drain flow heat transfer models for main steam line break analysis inside containment.
AULUCK,R. Ofc of Special Projects. 87/11/06. ZWOLINSKI,J.A. Ofc of Special Projects. 7pp. 43342:197-43342:203.

8711130335 Forwards SER accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.Util recommended to proceed w/installation as scheduled.
HOOD,D.S. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 2pp. 43360:121-43360:133.

--8711130352 Safety evaluation accepting util proposed ATWS mitigating sys actuation circuitry for facilities,per 10CFR50.62(c)(1) & pending final resolution of Tech Spec issue.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. 11pp. 43360:123-43360:133.

8711160088 Forwards request for addl info re RTD bypass sys removal discussed in util 870520,0722,0831,1001 & 851029 ltrs. Response requested within 15 days of ltr date.
JABBOUR,K.M. Project Directorate II-3. 87/11/06. TUCKER,H.B. Duke Power Co. 6pp. 43362:166-43362:181.

8711190166 Advises that fee for 871016 application for amend to Licenses NPF-35 & NPF-52 attached to application,per 871105 request for fee remittance.
TUCKER,H.B. Duke Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43401:338-43401:340.

8711130312 Requests FR publication of notice of issuance of Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively.Amends change Tech Specs to increase time allowance for restoration of boron concentration in out-of-spec accumulator.
JABBOUR,K.N. Project Directorate II-3. 87/11/10. NRC - No Detailed Affiliation Given. 1p. 43360:120-43360:120.

8711200213 Forwards Amends 31 & 22 to Licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends change Tech Specs to revise limiting conditions for increasing time of boron concentration restoration in accumulator out of specs.
JABBOUR,K. Project Directorate II-3. 87/11/10. TUCKER,H.B. Duke Power Co. 3pp. 43416:015-43416:030.

--8711200224 Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively, changing Tech Specs to revise limiting conditions for operation action statements to increase time allowance for boron concentration restoration in accumulator out of specs.
CROCKER,L.P. Project Directorate II-3. 87/11/10. 10pp. 43416:017-43416:026.

--8711200290 Safety evaluation supporting Amends 31 & 22 to Licenses NPF-35 & NPF-52,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/10. 3pp. 43416:027-43416:030.

8711190347 Discusses 870824 ltr transmitting Amend 11 of util topical QA rept,per 10CFR50.54(a).W/addition of listed statement,QA program continues to meet requirements of 10CFR50,App B & acceptable.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/12. TUCKER,H.B. Duke Power Co. 2pp. 43401:317-43401:318.

8711200075 Forwards Amends 33 & 24 to Licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends modify Tech Specs to allow unit to remain at power for up to 72 h w/more than one full length control rod inoperable but trippable.
JABBOUR,K.N. Project Directorate II-3. 87/11/13. TUCKER,H.B. Duke Power Co. 3pp. 43408:054-43408:070.

--8711200080 Amends 33 & 24 to Licenses NPF-35 & NPF-52,respectively, modifying Tech Specs to allow unit to remain at power for up to 72 h w/more than one full length control rod inoperable but trippable.
CROCKER,L.P. Project Directorate II-3. 87/11/13. 11pp. 43408:057-43408:067.

--8711200083 Safety evaluation supporting Amends 33 & 24 to Licenses NPF-35 & NPF-52,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 3pp. 43408:068-43408:070.

8711200389 Application for amends to Licenses NPF-35 & NPF-52,revising Tech Specs to ensure plant operation consistent w/design & safety evaluation conclusions made in encl reload safety evaluation for Unit 2,Cycle 2.Fee paid.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 3pp. 43416:222-43416:322.

--8711200391 Proposed Tech Specs making changes to ensure plant operation consistent w/design & safety evaluation conclusions in reload safety evaluation for Unit 2,Cycle 2.
* Duke Power Co. 87/11/13. 46pp. 43416:225-43416:270.

--8711230013 "Reload Safety Evaluation,Catawba Nuclear Station Unit 2 Cycle 2."
DZENIS,E.A. Duke Power Co. 87/09/30. 52pp. 43416:271-43416:322.

8711230165 Forwards "Startup Rept Quarterly Update,Catawba Unit 2, Cycle 1," per Tech Spec Section 6.9.1.3.Certain tests noted in 870814 ltr not complete.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43419:145-43419:145.

8711180122 Notification of 871202 meeting w/B&W,BNL,BNWL & Duke Power Co in Bethesda,MD to discuss B&W topical repts on reload methodologies to be used for refueling Duke Power Co recirculating steam generator PWRs.Meeting agenda encl.
HSII,Y. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 3pp. 43394:316-43394:317.

8711200045 Forwards request for addl info on util 870612 proposed Tech Spec changes re sampling effluent from turbine & auxiliary bldg sumps.Response requested within 30 days of ltr date.
JABBOUR,K.N. Project Directorate II-3. 87/11/17. TUCKER,H.B. Duke Power Co. 4pp. 43408:028-43408:031.

8711200388 Advises that 860715 verification & validation program as summarized & modified by NRC 870904 ltr re SPDS,acceptable.
JABBOUR,K.N. Project Directorate II-3. 87/11/18. TUCKER,H.B. Duke Power Co. 3pp. 43415:347-43415:349.

8711230164 Summary of 870827 meeting w/util re design adequacy of nuclear svc sys.List of attendees & meeting agenda encl.
JABBOUR,K.N. Project Directorate II-3. 87/11/18. Project Directorate II-3. 10pp. 43428:229-43428:238.

8711300108 Clarifies proposed amend to Licenses NPF-35 & NPF-52, changing Tech Specs to increase amount of time from 2,000 h to 3,000 h per calendar yr in which VQ valves may be open. Tech Specs encl.
TUCKER,H.B. Duke Power Co. 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43469:316-43469:319.

--8711300111 Proposed Tech Specs increasing amount of time from 2,000 h to 3,000 h per calendar yr in which VQ valves may be open.
* Duke Power Co. 87/11/18. 2pp. 43469:318-43469:319.

8711300041 Forwards addl info re elimination of resistance temp detector bypass sys,per K Jabbour 871106 request.Revised Tech Spec Page 3/4.3-1 re frequency of testing for detector encl.Addl info withheld.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43469:173-43469:174.

O. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement. Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130138 Forwards SALP Board Repts 50-269/87-33,50-270/87-33, 50-287/87-33,50-369/87-29,50-370/87-29,50-413/87-26 & 50-414/87-26.Oconee & McGuire evaluated for Mar 1986 - Jul 1987.Catawba evaluated for Oct 1985 - Jul 1987.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/20. TUCKER,H.B. Duke Power Co. 2pp. 43357:093-43357:214.

--8711130142 SALP Repts 50-413/87-26 & 50-414/87-26 for Oct 1985 - Jul 1987.
* Region 2, Ofc of the Director. 87/10/20. 40pp. 43357:095-43357:134.

8710230213 NRC Info Notice 87-056, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711130049 Ack receipt of 871014 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/87-25 & 50-414/87-25
REYES,L.A. Region 2, Ofc of the Director. 87/11/05. TUCKER,H.B. Duke Power Co. 1p. 43354:067-43354:067.

8711130088 Forwards Insp Repts 50-413/87-33 & 50-414/87-33 on 870926-1025.No violations or deviations noted.Attention invited to unresolved item.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/05. TUCKER,H.B. Duke Power Co. 2pp. 43354:117-43354:127.

--8711130096 Insp Repts 50-413/87-33 & 50-414/87-33 on 870926-1025.No violations or deviations noted.Major areas inspected:plant operations,surveillance observation,maint observation,Part 21 repts & refueling activities.
VAN DOORN,P.K., LESSER,M.S., PEEBLES,T.A. Region 2, Ofc of the Director. 87/11/04. 9pp. 43354:119-43354:127.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43356:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711110096 Forwards Insp Repts 50-413/87-23 & 50-414/87-23 on 870713-24.Significant problems in areas of operations & mods discussed.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 87/11/06. TUCKER,H.B. Duke Power Co. 3pp. 43347:306-43347:335.

--8711110117 Insp Repts 50-413/87-23 & 50-414/87-23 on 870713-24. Significant problems noted,Major areas inspected effectiveness of quality verification organizations, including QA,QC & line mgt organizations in operations.
HILL,W.M. Office of Nuclear Reactor Regulation, Director (Post 870411). COOPER,T.A., MELLEN,L.S. Region 2, Ofc of the Director. 87/10/09. 25pp. 43347:309-43347:335.

8711190141 Ack receipt of 871027 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/87-20 & 50-414/87-20
GRACE,J.N. Region 2, Ofc of the Director. 87/11/13. TUCKER,H.B. Duke Power Co. 1p. 43400:256-43400:256.

8711200105 Forwards Insp Repts 50-413/87-35 & 50-414/87-35 on 871019-23.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. TUCKER,H.B. Duke Power Co. 2pp. 43402:330-43402:346.

--8711200116 Insp Repts 50-413/87-35 & 50-414/87-35 on 871019-23.No violations or deviations noted.Major areas inspected:inservice insp & maint program.
CROWLEY,B.R., COLEY,J.L., BLAKE,J.J. Region 2, Ofc of the Director. 87/11/10. 15pp. 43402:332-43402:346.

8711200342 Responds to violations noted in Insp Repts 50-413/87-30 & 50-414/87-30.Corrective actions:methods for evaluating nuclear instrumentation sys (NIS) setpoint nonconservatisms revised & NIS channels & pressure switches calbr.
TUCKER,H.B. Duke Power Co. 87/11/13. Document Control Branch (Document Control Desk). 7pp. 43413:122-43413:128.

8711090140 NRC Info Notice 87-056, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711200198 Forwards Exam Rept 50-413/OL-87-01,for both units,of exam administered on 870914-17.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43403:034-43403:226.

--8711200207 Exam Rept 50-413/OL-87-01,for both units,on 870914-17.Exam results nine of nine senior reactor operators passed & four of five reactor operators passed.Exam & answer key encl.
ARILDSEN,J.A. Region 2, Ofc of the Director. 87/11/04. 100pp. 43403:036-43403:183.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711230394 Responds to violations noted in Insp Repts 50-413/87-31 & 50-414/87-31.Corrective actions:mgt received guidance to ensure that personnel reminded of responsibilities re dose cards & frisking & training program updated.
TUCKER,H.B. Duke Power Co. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43419:002-43419:004.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711200263 Monthly operating repts for Oct 1987.W/871113 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/10/31. 13pp. 43410:104-43410:116.

V. Operator Examinations

8711200198 Forwards Exam Rept 50-413/OL-87-01,for both units,of exam administered on 870914-17.
JULIAN,C.A. Region 2, Ofc of the Director. 87/11/16. TUCKER,H.B. Duke Power Co. 2pp. 43403:034-43403:226.

--8711200207 Exam Rept 50-413/OL-87-01,for both units,on 870914-17.Exam results:nine of nine senior reactor operators passed & four of five reactor operators passed.Exam & answer key encl.
ARILDSEN,J.A., MUNRO,J.F. Region 2, Ofc of the Director. 87/11/04. 100pp. 43403:036-43403:183.

--8711200363 Forwards comments on license exams administered on 870914. Addl answers provided in encl supporting documentation.
HAMPTON,J.W. Duke Power Co. 87/09/17. MUNRO,J. Region 2, Ofc of the Director. 43pp. 43403:184-43403:226.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711020321 Advises that Jul 1987 Rev 15 to plant emergency plan consistent w/provisions of 10CFR50.47(b) & requirements of 10CFR50,App E.
COLLINS,D.M. Region 2, Ofc of the Director. 87/10/26. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 43236:219-43236:220.

8711130126 Forwards partial Rev 1 to facility emergency preparedness exercise scenario,including all offsite plume exposure maps & all plant status indicator sheets W/o encl.
KINGSLEY,O.D. System Energy Resources, Inc. 87/10/27. DECKER,T.R. Region 2, Ofc of the Director. 2pp. 43354:168-43354:169.

8711190148 Rev 6 to Emergency Plan Procedure 10-S-01-3, "Alert." W/ 871116 ltr.
HURLEY,J., KINGSLEY,O.D. System Energy Resources, Inc. 87/10/29. 13pp. 43397:334-43397:346.

8711050226 Rev 9 to Vol 10 of Emergency Plan Procedures 10-S-01-5, "General Emergency Safety-Related." W/871030 ltr.
HURLEY,J., KINGSLEY,O.D. System Energy Resources, Inc. 87/10/30. 16pp. 43292:130-43292:144.

P. Operating license stage documents & correspondence

8711040109 Application for amend to License NPF-29,changing Tech Specs to support design change to divisional power supplies for RWCU sys containment & drywell isolation valves.Fee paid.
KINGSLEY,O.D. System Energy Resources, Inc. 87/10/28. 5pp. 43273:348-43273:356.

--8711040115 Proposed Tech Specs,changing divisional power supply to Containment Isolation Valve G33F252-A & Drywell Isolation Valve G33F253-B to correct previously reported design error.
System Energy Resources, Inc. 87/10/28. 4pp. 43273:353-43273:356.

8711030415 Forwards request for addl info re 871023 request for changes to Tech Specs allowing one-time exceptions to Spec 3.0.4 for second refueling outage,per 871027 telcon.Requested info should be provided by 871116.
KINTNER,L.L. Project Directorate II-2. 87/10/30. KINGSLEY,O.D. System Energy Resources, Inc. 4pp. 43258:244-43258:247.

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HCOG) re HCOG submittals on methods for calculating equipment temp based on quarter scale test data & impact of station blackout considerations on HCOG programs.W/ encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 8pp. 43301:074-43301:081.

8711060010 Summary of 871008 meeting w/util re licensee 870706 application for amend to License NPF-29,changing Tech Specs on Operational Condition 4, "Cold Shutdown" & Condition 5, "Refueling." Attendance list encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 7pp. 43311:092-43311:098.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130085 Responds to LL Kintner 871007 request for name of contractor util uses for processing wet solid wastes & NRC-approved licensing topical rept that provides process control program for contractor.
KINGSLEY,O.D. System Energy Resources, Inc. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43354:237-43354:238.

8711200099 Informs that plant transferred to Project Directorate II-1 effective on 871122.LL Kintner will continue as project manager for plant.
KINTNER,L.L. Project Directorate II-2. 87/11/09. KINGSLEY,O.D. System Energy Resources, Inc. 3pp. 43408:103-43408:105.

8711200087 Advises that util 871028 application for amend to License NPF-29,changing power supplies for two RWCU isolation valves determined inadequate.Application should be resubmitted addressing reactor coolant pressure boundary requirements.
KINTNER,L.L. Project Directorate II-2. 87/11/10. KINGSLEY,O.D. System Energy Resources, Inc. 5pp. 43414:353-43414:357.

8711230026 Forwards notice of environ assessment & finding of no significant impact re util 870629 request for exemption from 10CFR20,App A requirements allowing use of protection factor of 50 when using Mine Safety Appliances GMR-1 canisters.
KINTNER,L.L. Project Directorate II-2. 87/11/10. KINGSLEY,O.D. System Energy Resources, Inc. 3pp. 43416:117-43416:123.

--8711230048 Notice of environ assessment & finding of no significant impact supporting util request for exemption from 10CFR20, App A requirements to allow use of protection factor of 50 when using Mine Safety Appliances GMR-1 canisters.
BERKOW,H.N. Project Directorate II-2. 87/11/10. 4pp. 43416:120-43416:123.

8711200006 Notification of 871120 meeting w/util in Bethesda,MD to discuss RCPB for RWCU sys & standby liquid control sys.
KINTNER,L.L. Project Directorate II-2. 87/11/16. BERKOW,H.N. Project Directorate II-2. 3pp. 43407:124-43407:126.

8711250218 Forwards addl info for proposed Tech Spec changes re exceptions to Tech Spec 3.0.4 for second refueling outage, per 871030 request.Proposed methods for complying w/action statements consistent w/methods used at other plants
KINGSLEY,O.D. System Energy Resources, Inc. 87/11/19. Document Control Branch (Document Control Desk). 14pp. 43460:247-43460:260.

8711300266 Requests approval of one-time enforcement discretion to allow util to use appropriate methods to remove stuck fuel assembly at plant,per 871120 telcon.Need for discretion not identified until discovery of stuck assembly on 871119
KINGSLEY,O.D. System Energy Resources, Inc. 87/11/21. GRACE,J.N. Region 2, Ofc of the Director. 11pp. 43465:121-43465:131.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711130061 Forwards Insp Rept 50-416/87-26 on 870919-1016 & notice of violation. VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/27. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 43354:051-43354:052.

--8711130067 Notice of violation from Insp on 870919-1016.Violation noted:failure to document & evaluate test discrepancies noted on 870910 & 11 during standby liquid control sys testing.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/27. 2pp. 43354:053-43354:054.

--8711130073 Insp Rept 50-416/87-26 on 870919-1016.Violation noted:Major areas inspected,licensee action on previous enforcement matters,operational safety verification,maint observation, surveillance observation,ESF sys walkdown & ROs.
BUTCHER,R.C., MATHIS,J.L., DANCE,H.C. Region 2, Ofc of the Director. 87/10/27. 8pp. 43354:055-43354:062.

8711030528 Forwards insp fee for facility for 861221-870328,per Bill Number 2068A dtd 870930.
KINGSLEY,O.D. System Energy Resources, Inc. 87/10/28. NRC - No Detailed Affiliation Given. 2pp. 43260:227-43260:228.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020092 Forwards fee for settlement agreement executed by Sys Energy Resources,Inc & NRC on 871022.Receipt requested.
REYNOLDS,N.S. Bishop, Cook, Purcell & Reynolds. 87/10/29. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43227:227-43227:227.

8711130310 Confirms that J Unda,employee of Spanish Regulatory Authority Consejo de Seguridad Nuclear,is on assignment to NRC for 4 month period beginning 871102,per 871015 telcon. Unda will accompany resident inspectors on many of insps.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. KINGSLEY,O.D. System Energy Resources, Inc. 1p. 43357:295-43357:295.

8711040238 Ack receipt of 871020 & util check in payment of settlement agreement executed by util & NRC on 871022.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/03. REYNOLDS,N.S. Bishop, Cook, Purcell & Reynolds. 1p. 43285:358-43285:358.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:110.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711130221 Confirms dates of 871214-18 for NRC equipment qualification insp for facility.Insp will include review of implementation of 10CFR50.49 equipment qualification program,including preservation of qualified status of equipment.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/11/09. KINGSLEY,O.D. System Energy Resources, Inc. 4pp. 43355:306-43355:309.

8711200107 Forwards Insp Rept 50-416/87-28 on 871005-09.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 43402:324-43402:329.

--8711200123 Insp Rept 50-416/87-28 on 871005-09.No violations or deviations noted.Major areas inspected:closeout of unresolved item,review of core performance & nuclear instrument calibra.
BURNETT,P.T., JAPE,F. Region 2, Ofc of the Director. 87/11/10. 4pp. 43402:326-43402:329.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314

R. Periodic operating reports & related correspondence

8711160095 Monthly operating rept for Oct 1987.W/871113 ltr.
HOBBS,S.H., KINGSLEY,O.D. System Energy Resources, Inc. 87/10/31. 5pp. 43366:076-43366:080.

8711300048 Forwards quarterly status rept on degraded core accident hydrogen control program for Jul-Sept 1987.
KINGSLEY,O.D. System Energy Resources, Inc. 87/11/25. Document Control Branch (Document Control Desk). 4pp. 43469:321-43469:324.

S. Reportable occurrences, LERs & related correspondence

8711020470 LER 87-016-00.on 871001,operations personnel discovered that area radiation survey had exceeded Tech Spec limiting condition for operation required 24 h frequency.Caused by shift supervisor error.Supervisor counseled.W/871028 ltr.
SUMMERS,J., KINGSLEY,O.D. System Energy Resources, Inc. 87/10/28. 4pp. 43237:187-43237:190.

8711050118 Special Rept 87-003/0 on 871014,post-accident monitoring instrument inoperable for more than 72 h.Caused by failed containment ventilation exhaust radiation monitor electronics.Electronics reworked & surveillance completed.
KINGSLEY,O.D. System Energy Resources, Inc. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43292:109-43292:110.

8711100330 LER 87-017-00.on 871005,failure to complete drywell integrity insp in Nov 1985 discovered.Caused by inadequate verification by preparer & reviewer of Procedure 06-ME-1M10-0-0002.Improved guidance planned.W/871104 ltr.
BYRD,R., KINGSLEY,O.D. System Energy Resources, Inc. 87/11/04. 5pp. 43335:141-43335:145.

8711160103 Special Rept 87-004/0:on 871023 & 28,ventilation exhaust radiation monitors removed from svc & found inoperable for more than 72 h.Caused by annual Tech Spec surveillance testing.Monitors returned to svc on 871027 & 1102
KINGSLEY,O.D. System Energy Resources, Inc. 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43366:074-43366:075.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HCOG) re HCOG submittals on methods for calculating equipment temp based on quarter scale test data & impact of station blackout considerations on HCOG programs.W/ encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 8pp. 43301:074-43301:081.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711200099 Informs that plant transferred to Project Directorate II-1 effective on 871122.LL Kintner will continue as project manager for plant.
KINTNER,L.L. Project Directorate II-2. 87/11/09. KINGSLEY,O.D. System Energy Resources, Inc. 3pp. 43408:103-43408:105.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020092 Forwards fee for settlement agreement executed by Sys Energy Resources,Inc & NRC on 871022.Receipt requested.
REYNOLDS,N.S. Bishop, Cook, Purcell & Reynolds. 87/10/29. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43227:227-43227:227.

8711130310 Confirms that J Unda,employee of Spanish Regulatory Authority Consejo de Seguridad Nuclear,is on assignment to NRC for 4 month period beginning 871102,per 871015 telcon. Unda will accompany resident inspectors on many of insps.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/30. KINGSLEY,O.D. System Energy Resources, Inc. 1p. 43357:295-43357:295.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

E. NRC Safety Evaluation Report (SER), supplis & correspondence

8711100354 Forwards "Millstone Unit 3 Natural Circulation Sys Comparison," per NUREG-1031 (SER) requirements.Plant meets testing comparison requirement of Branch Technical Position RSB 5-1, "Design Requirements for RHR Sys" & SER.Fee paid.
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43335:264-43335:281.

--8711100360 "Millstone Unit 3 Natural Circulation Sys Comparison."
STERRETT,C.R., FRANTZ,E.R. Westinghouse Electric Corp. 87/08/31. 16pp. 43335:266-43335:281.

8711200077 Discusses license condition re SPDS per NRC 851125 & 860131 requests & Suppl 1 to NUREG-0737.Physical location of primary SPDS & current containment isolation display retained.Commitments will be implemented prior to start-up.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/13. Document Control Branch (Document Control Desk). 11pp. 43406:238-43406:248.

F. Security, medical, emergency & fire protection plans

8711230443 Revised emergency plan implementing procedures,including Rev 1 to EPIP Form 4201-16, "MP2 Steam Line Monitor" & Rev 0,Change 2 to EPIP Form 4606-1, "EOF ED/G Operability Test." W/871116 ltr.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/16. 9pp. 43421:311-43421:320.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-15,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43421:163-43421:171.

8711300030 Forwards Safety Insp Rept 50-432/87-21 on 870922-1102.No violations noted.Security events in rept separately addressed in conjunction w/physical security findings in Insp Repts 50-245/87-22,50-336/87-20 & 50-423/87-16.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/11/24. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43473:074-43473:094.

--8711300032 Insp Rept 50-423/87-21 on 870922-1102.No violations noted. Major areas inspected:physical security,plant operations, operational status reviews,facility tours,elimination of unnecessary annunciations & lost radiation exposure history.
MCCABE,E.C. Region 1, Ofc of the Director. 87/11/23. 19pp. 43473:076-43473:094.

H. General correspondence

8711100008 Responds to S Sztaba 870910 ltr expressing concerns re safe operation of State of CT nuclear power plants.Plants in state not rated among most troublesome in nation.Licensee performance monitored in publicly available SALP repts.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. DODD,C.J. Senate. 7pp. 43459:266-43459:275.

--8711100012 Forwards S Sztaba 870910 ltr re safety of State of CT nuclear power plants,for response.
DODD,C.J. Senate. 87/09/21. KAMMERER,C. NRC - No Detailed Affiliation Given. 3pp. 43459:273-43459:275.

8711090330 Informs of organizational change affecting distribution lists for correspondence from NRC.RW Bishop no longer employed as corporate secretary & should be removed from list.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43321:131-43321:132.

P. Operating license stage documents & correspondence

8711250157 FOIA request for listed documents,including encls from NRC 870831 ltr requesting addl info on GPU Topical Repts TR-033 & TR-040 & encl to NRC meeting summary dtd 870819 re SPDS.
GRABER,L. NUS Corp. 87/10/20. Division of Rules & Records (Post 870413). 1p. 43461:304-43461:304.

8711020151 Ack receipt of invoices G0029,G0063,G0064 & G0065 for first quarterly installment of 1988 annual fee,per 10CFR171. Understands that fee will be wire-transferred on 871030 in payment of invoices.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 87/10/26. Document Control Branch (Document Control Desk). 6pp. 43233:306-43233:313.

8711060200 Advises of decision to implement installation of backup protection devices in circuits during upcoming refueling outage schedule.Comments on conclusion re safety evaluation on Class 1E containment electrical penetrations encl.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/10/30. Document Control Branch (Document Control Desk). 7pp. 43308:316-43308:321.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100354 Forwards "Millstone Unit 3 Natural Circulation Sys Comparison," per NUREG-1031 (SER) requirements.Plant meets testing comparison requirement of Branch Technical Position RSB 5-1, "Design Requirements for RHR Sys" & SER.Fee paid.
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43335:264-43335:281.

--8711100360 "Millstone Unit 3 Natural Circulation Sys Comparison."
STERRETT,C.R., FRANTZ,E.R. Westinghouse Electric Corp. 87/08/31. 16pp. 43335:266-43335:281.

8711200010 Summary of 871028 meeting w/util re proposal for placing post-LOCA heat removal variable & containment hydrogen concentration on SPDS.List of attendees encl.
FERGUSON,R.L. Project Directorate I-4. 87/11/10. Project Directorate I-4. 3pp. 43406:330-43406:332.

8711190366 Forwards Addendum 2 to NUSCO-152, "Physics Methodology for PWR Reload Design," per request.Addendum summarizes comparison of zero power physics test data & all power measurements to predictions for Cycle 1.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43401:236-43401:304.

--8711190369 Addendum 2 to "Physics Methodology for PWR Reload Design."
* NUS Corp. NUSCO-152 ADD 02. 87/10/30. 67pp. 43401:238-43401:304.

8711200339 Forwards safety evaluation re emergency operating procedures upgrade program per TMI Action Item 1.C.1.Eight procedures validated on simulator & actions acceptable.
FERGUSON,R.L. Project Directorate I-4. 87/11/16. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 6pp. 43425:190-43425:195.

8711240160 Forwards safety evaluations re util addl info addressing remaining outstanding issues on startup of isolated loops & human factors concerns.All outstanding issues resolved by util to satisfaction of NRC.
FERGUSON,R.L. Project Directorate I-4. 87/11/16. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43445:144-43445:150.

--8711240164 Safety evaluation accepting proposed procedures & interlocks as adequate to protect plant from unacceptable consequences due to startup of idle loop.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 3pp. 43445:146-43445:148.

--8711240167 Safety evaluation supporting human factors review.Concludes three loop operation does not appear to cause any safety concerns from human factors point of view.Training program should be provided prior to entering 3-loop mode.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 2pp. 43445:149-43445:150.

8711200259 Accepts util 871030 decision to implement installation of backup protection devices on 23 containment penetrations for which circuits within containment environmentally qualified. Issue considered closed.
FERGUSON,R.L. Project Directorate I-4. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43414:344-43414:345.

8711230264 Withdraws 870501 request to amend License NPF-49 re use of Category 3 instrumentation to monitor containment sump water temp & delay in installation of Category 2 containment sump water temp instrumentation.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43424:109-43424:110.

8711250162 Final response to FOIA request for documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/20. GRABER,L. NUS Corp. 2pp. 43461:305-43461:318.

--8711250165 Package consisting of requests for addl info re GPU Topical Repts TR-033, "Methods for Generation of Core Kinetics Data for Retran-02" & TR-040, "Steady-State & Quasi-Steady-State Methods Used in Analysis..." SPDS meeting summary encl.
* Division of Rules & Records (Post 870413). 87/11/20. 12pp. 43461:307-43461:318.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870728). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711180028 Forwards Requalification Exam Rept 50-423/87-23OL of exams administered on 870612,0731 & 0904.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43395:226-43395:322.

--8711180063 Requalification Exam Rept 50-423/87-23OL on 870612,0731 & 0904.Exam results:all senior reactor operators (SROs) & reactor operators (ROs) passed operating portion of exams. Three SROs & two ROs failed written exams.
TEMPS,R.R., KELLER,R.M. Region 1, Ofc of the Director. 87/11/06. 95pp. 43395:228-43395:322.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200339 Forwards safety evaluation re emergency operating procedures upgrade program per TMI Action Item 1.C.1.Eight procedures validated on simulator & actions acceptable.
FERGUSON,R.L. Project Directorate I-4. 87/11/16. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 6pp. 43425:190-43426:195.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711230212 Ack receipt of ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-245/87-15,50-336/87-17 & 50-423/87-14.Ltr also addresses weaknesses identified during insp re performance of health physics audit.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43421:163-43421:171.

8711240032 Forwards Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.No violations identified.Thirteen previously identified items closed during insp.Three items requiring addl info & review discussed in rept.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43444:046-43444:060.

--8711240037 Insp Repts 50-245/87-24,50-336/87-21 & 50-423/87-19 on 870914-17 & 23-24.Major areas inspected.followup of items previously identified re capability for post-accident sampling.Concern re technical review level noted.
WEADOCK,A., SHANBAKY,M. Region 1, Ofc of the Director. 87/11/12. 13pp. 43444:048-43444:060.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300030 Forwards Safety Insp Rept 50-432/87-21 on 870922-1102.No violations noted.Security events in rept separately addressed in conjunction w/physical security findings in Insp Repts 50-245/87-22,50-336/87-20 & 50-423/87-18.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/11/24. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43473:074-43473:094.

--8711300032 Insp Rept 50-423/87-21 on 870922-1102.No violations noted. Major areas inspected:physical security,plant operations, operational status reviews,facility tours,elimination of unnecessary annunciallons & lost radiation exposure history.
MCCABE,E.C. Region 1, Ofc of the Director. 87/11/23. 19pp. 43473:076-43473:094.

R. Periodic operating reports & related correspondence

8711160292 Monthly operating rept for Oct 1987.W/871110 ltr.
ELMS,A.L., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/10/31. 4pp. 43369:189-43369:192.

S. Reportable occurrences, LERs & related correspondence

8711200208 LER 87-035-00:on 871016,discrepancy between plant Tech Spec (TS) surveillance method specified & actual method used for biannual procedure review discovered.Caused by administrative error.TS surveillance updated.W/871116 ltr.
LOOMIS,L.E., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/11/16. 4pp. 43403:227-43403:230.

V. Operator Examinations

8711160028 Forwards Requalification Exam Rept 50-423/87-23OL of exams administered on 870612,0731 & 0904.
GALLO,R.M. Region 1, Ofc of the Director. 87/11/12. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 43395:226-43395:322.

--8711160063 Requalification Exam Rept 50-423/87-23OL on 870612,0731 & 0904.Exam results:all senior reactor operators (SROs) & reactor operators (ROs) passed operating portion of exams. Three SROs & two ROs failed written exams.
TEMPS,R.R., KELLER,R.M. Region 1, Ofc of the Director. 87/11/06. 95pp. 43395:228-43395:322.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711130168 Advises that walkdown performed to verify installation of battery room spray protection per SSER 5,Paragraph 8.3.2,as described in util 861212 ltr.Walkdown confirmed that lines in question,as in Unit 1,do not pass over batteries.
BAILEY,J.A. Georgia Power Co. BAILEY,J.A. Southern Company Services, Inc. 87/11/11. Document Control Branch (Document Control Desk). 2pp. 43356:079-43356:080.

F. Security, medical, emergency & fire protection plans

8711040231 Revised emergency plan implementing procedures,including Rev 4 to 91306-C re contamination monitoring & decontamination & Rev 1 to 91705-C re inventory of emergency preparedness matl/equipment...W/871027 ltr & revised index.
GUCWA,L.T. Georgia Power Co. 87/10/27. 150pp. 43273:049-43273:198.

8711090252 Advises that 870617 Rev 8 to physical security & safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable.Adjustment of Camera 29 so Cameras 29 & 30 provide assessment of Zone 24 acceptable pending final insp.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/04. O'REILLY,J.P. Georgia Power Co. 2pp. 43322:243-43322:244.

8711170224 Confirms NRC understandings re readiness review program (RRP) plans & status,per util 870909 presentation & NRC 871007 ltr.Schedule for submittal of each increment of Modules 03A & 23,along w/other Unit 2 modules & apps encl.
RICE,P.D. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 3pp. 43385:164-43385:166.

8711170246 Forwards rept of changes made to physical security & contingency plan.Revised security plan pages incorporating changes will be provided in amend by approx 871218.Rept withheld (ref 10CFR73.21).
GUCWA,L.T. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43384:223-43384:224.

8711190261 Confirms 871117 mgt meeting at site to discuss recent operating events & ongoing plant activities,including physical security,per telcon w/WE Burns.Proposed agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Power Co. 3pp. 43400:079-43400:081.

8711230263 Revs to emergency plan procedures,including Rev 3 to 91301-C, "Emergency Exposure Guidelines," Rev 3 to 91502-C, "Core Damage Assessment" & Rev 6 to 91303-C, "Field Sampling & Surveys." W/871118 ltr.
GUCWA,L.T. Georgia Power Co. 87/11/18. 220pp. 43421:327-43422:247.

8711250273 Forwards rev to facility physical security & contingency plan Pages incorporating change will be provided in upcoming amend.Encl withheld (ref 10CFR73.21).
GUCWA,L.T. Georgia Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43460:022-43460:023.

G. Adjudicatory correspondence

8711040071 Informs that time provided within which Commission may act to review ALAB-872 expired.Commission declined review. Decision became final agency action on 871026.Served on 871102.
CHILK,S.J. Office of the Secretary of the Commission. #487 4730. 87/10/30. Office of the General Counsel. 1p. 43254:299-43254:299.

P. Operating license stage documents & correspondence

8711020261 Advises that startup tests scheduled for completion by 871031 will be delayed due to delay in startup following maint outage initiated on 871009.Requests approval to complete test in early Nov.
GUCWA,L.T. Georgia Power Co. 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43237:274-43237:275.

8711030508 Forwards affidavit (CAW-82-83) ref in util 841012 ltr,per NRC request.Affidavit also supports ref proprietary submittal to NRC Question 492.1.
BAILEY,J.A. Georgia Power Co. 87/10/27. Document Control Branch (Document Control Desk). 8pp. 43255:118-43255:125.

8711030548 Advises that no proprietary info contained in Attachment 3 of 861204 ltr.Ltr can be treated as nonproprietary & disseminated as necessary.
BAILEY,J.A. Georgia Power Co. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43251:318-43251:318.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100022 Forwards detailed evaluation of util 871027 submittal supporting proposal to perform surveillance testing of RHR pumps & valves in sys piping involving closure of selected RHR sys valves.Proposal acceptable.FSAR analysis required.
MILLER,M.A. Project Directorate II-3. 87/11/06. O'REILLY,J.P. Georgia Power Co. 6pp. 43338:343-43339:346.

8711130302 Advises that util 831108 & 850520 responses to 830708 Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events" incomplete.NRC evaluation of responses,including request for addl info encl.
MILLER,M.A. Project Directorate II-3. 87/11/06. O'REILLY,J.P. Georgia Power Co. 8pp. 43360:196-43360:201.

8711190261 Confirms 871117 mgt meeting at site to discuss recent operating events & ongoing plant activities,including physical security,per telcon w/WE Burns.Proposed agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/10. O'REILLY,J.P. Georgia Power Co. 3pp. 43400:079-43400:081.

8711200009 Informs that proprietary NEDC-31376P, "Edwin I Hatch Nuclear Plant,Units 1 & 2,SAFER/GESTR-LOCA LOCA Accident Analysis," dtd Dec 1986, will be withheld from public disclosure (ref 10CFR2.790(b)(5)),per 871008 request.
CROCKER,L.P. Project Directorate II-3. 87/11/17. O'REILLY,J.P. Georgia Power Co. 4pp. 43406:326-43406:329.

8711230292 Forwards updated outstanding submittals listing of licensing issues under NRC review for approval by dates noted.
GUCWA,L.T. Georgia Power Co. 87/11/18. Document Control Branch (Document Control Desk). 3pp. 43424:106-43424:108.

8711240090 Forwards requested addl info on util 870730 submittal of ATWS mitigating sys actuation circuitry sys per 870930 telcon.
GUCWA,L.T. Georgia Power Co. 87/11/18. Document Control Branch (Document Control Desk). 6pp. 43430:182-43430:187.

8711250047 Discusses util 841012 application requesting that response to Question 492.1 be withheld from public disclosure per 10CFR2.790.Application reviewed & marked proprietary & withheld from public disclosure.
MILLER,M.A. Project Directorate II-3. 87/11/19. WIESEMANN,R.A. Westinghouse Electric Corp. 4pp. 43449:079-43449:082.

8711250227 Forwards safety evaluation re seismic adequacy of spent fuel pool racks Util 870121,0522,0720 & 0929 submittals acceptable.Schedular exemption no longer required & util may store irradiated fuel in racks.
MILLER,M.A. Project Directorate II-3. 87/11/20. O'REILLY,J.P. Georgia Power Co. 3pp. 43462:349-43462:357.

--8711250235 Safety evaluation supporting util 870121,0522,0720 & 0929 submittals re seismic adequacy for spent fuel pool racks.
* Project Directorate II-3. 87/11/20. 6pp. 43462:352-43462:357.

8711300205 Forwards FSAR changes,in response to NRC request during 871028 telcon on Amend 34 to FSAR Section 9.5.2 re communication sys.Changes reflect m/n communication equipment available for safe shutdown in group of rooms.
BAILEY,J.A. Georgia Power Co. 87/11/23. Document Control Branch (Document Control Desk). 16pp. 43467:241-43467:256.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030182 Forwards undated & unsigned corrected pages of Insp Repts 50-424/87-27 & 50-425/87-14 & notice of violation.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/10/07. O'REILLY,J.P. Georgia Power Co. 4pp. 43255:338-43255:341.

8710270209 Forwards addl info on inservice insp program,in response to NRC 870814 request.NRC should note that inservice insp plan dynamic document that may change in content & scope from outage to outage.
GUCWA,L.T. Georgia Power Co. 87/10/21. Document Control Branch (Document Control Desk). 15pp. 43264:312-43273:048.

--8711030212 Vols 1-10 of ISI-P-005, "Inservice Insp Plan First 10-Yr Interval."
* Georgia Power Co. 87/08/11. 2,962pp. 43264:327-43273:048.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060271 Forwards pages inadvertently omitted from 871016 submittal of inservice insp plan.
GUCWA,L.T. Georgia Power Co. 87/11/02. Document Control Branch (Document Control Desk). 9pp. 43303:105-43303:113.

8711130091 Ack receipt of 871026 response to violations noted in Insp Rept 50-424/87-52.Util response to request for addl info re failure to take full corrective action on violations reported in Insp Rept 50-424/87-35 under review.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. O'REILLY,J.P. Georgia Power Co. 2pp. 43355:129-43355:130.

8711130196 Forwards corrected page to 870929 ltr re Insp Repts 50-424/87-32 & 50-425/87-23.Two incorrect dates,including 870723 for util response to 870718 notice of violation ref in ltr.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. O'REILLY,J.P. Georgia Power Co. 3pp. 43359:314-43359:316.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090252 Advises that 870617 Rev 6 to physical security & safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable.Adjustment of Camera 28 so Cameras 29 & 30 provide assessment of Zone 24 acceptable pending final insp.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/04. O'REILLY,J.P. Georgia Power Co. 2pp. 43322:243-43322:244.

8711130256 Forwards Insp Repts 50-424/87-57 & 50-425/87-38 on 870921-25 & notice of violation.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. O'REILLY,J.P. Georgia Power Co. 2pp. 43355:231-43355:242.

--8711130263 Notice of violation from Insp on 870921-25.Violation noted: failure to test diesel generators in accordance w/Tech Spec surveillance requirements & failure to report nonvalid diesel generator failures.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 2pp. 43355:233-43355:234.

--8711130266 Insp Repts 50-424/87-57 & 50-425/87-38 on 870921-25. Violations noted.Major areas inspected:areas of preoperational test program for Unit 2 & review of status of items on outstanding items list.
SZCZEPANIEC,A., THOMAS,M., JAPE,F. Region 2, Ofc of the Director. 87/10/21. 8pp. 43355:235-43355:242.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711200169 Forwards Insp Repts 50-424/87-59 & 50-425/87-44 on 871027-30.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Power Co. 2pp. 43417:207-43417:211.

--8711200173 Insp Repts 50-424/87-59 & 50-425/87-44 on 871027-30.No violations or deviations noted.Major areas inspected:Unit 1 containment bldg tendon surveillance program & repairs to coatings in Unit 2 containment bldg.
LENAHAN,J.J., JAPE,F. Region 2, Ofc of the Director. 87/11/10. 3pp. 43417:209-43417:211.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300199 Forwards Insp Rept 50-424/87-61 on 871102-06 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/19. O'REILLY,J.P. Georgia Power Co. 3pp. 43465:072-43465:087.

--8711300225 Notice of violation from Insp on 871102-06.Violation noted: failure to perform adequate release surveys of bags of noncontaminated trash filled inside radiation control zone.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/19. 2pp. 43465:075-43465:076.

--8711300247 Insp Rept 50-424/87-61 on 871102-06.Violations noted.Major areas inspected:external exposure control,facilities & equipment,util program for maintaining exposure ALARA, transportation,solid wastes & IE info notices.
WEDDINGTON,R.E., HOSEY,C.M. Region 2, Ofc of the Director. 87/11/18. 11pp. 43465:077-43465:087.

S. Reportable occurrences, LERs & related correspondence

8711090113 Interim Part 21 & deficiency rept re inductive current interruptive capacity of solid state protection sys motor driven relay contacts.Shunt suppression device will be added to solenoid.
GUCWA,L.T. Georgia Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:001-43315:002.

8711100179 LER 87-036-01:on 870815,auxiliary feedwater actuation circuitry discovered disabled for 11 h.Caused by personnel error,improper pulled fuses reinstalled,proper fuse to pull clearly designated & personnel counseled.W/871102 ltr.
BURNS,W.E., GUCWA,L.T. Georgia Power Co. 87/11/02. 6pp. 43329:109-43329:114.

8711160242 LER 87-057-01:on 870808,high pressure reactor trip,low pressure reactor trip & LPSI actuation bistables tripped per Procedure 18001-1.Caused by procedural deficiency. Transmitter replaced.Procedure revised.W/871110 ltr.
BURNS,W.E., GUCWA,L.T. Georgia Power Co. 87/11/10. 6pp. 43366:294-43366:299.

8711160126 LER 87-059-00:on 871013,channel checks discovered not performed within allowable time interval for three valves. Caused by inadequate procedure.Surveillance procedure revised to include channel check for valves.W/871112 ltr.
BURNS,W.E., GUCWA,L.T. Georgia Power Co. 87/11/12. 6pp. 43365:134-43365:139.

8711160179 LER 87-055-01:on 870316,RHR discharge valves (1-HV-8809A & 1-HV-8809B) temporarily closed per procedure resulting in loss of availability of one RHR pump.Caused by personnel error.Operations evaluation program revised.W/871112 ltr.
BURNS,W.E., GUCWA,L.T. Georgia Power Co. 87/11/12. 11pp. 43368:221-43368:231.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8711030508 Forwards affidavit (CAW-82-83) ref in util 841012 ltr,per NRC request.Affidavit also supports ref proprietary submittal to NRC Question 492.1.
BAILEY,J.A. Georgia Power Co. 87/10/27. Document Control Branch (Document Control Desk). 6pp. 43255:118-43255:125.

8711030548 Advises that no proprietary info contained in Attachment 3 of 861204 ltr,ltr can be treated as nonproprietary & disseminated as necessary.
BAILEY,J.A. Georgia Power Co. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43251:318-43251:318.

8711030111 Informs that WCAP-11583, "Technical Bases for Eliminating Accumulator Line Rupture as Structural Design Bases..." & WCAP-11599, "Technical Bases for Eliminating RHR Line Rupture .." will be withheld (ref 10CFR2.790).
MILLER,M.A. Project Directorate II-3. 87/10/29. WIESEMANN,R.A. Westinghouse Electric Corp 2pp 43263:123-43263:124.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711130302 Advises that util 831108 & 850520 responses to 830708 Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events" incomplete NRC evaluation of responses,including request for addl info encl.
MILLER,M.A. Project Directorate II-3. 87/11/06. O'REILLY,J.P. Georgia Power Co. 6pp 43360:196-43360:201.

8711130278 Notification of 871116 meeting w/Southern Co Svcs & Bechtel in Waynesboro,GA to review of status of issues which must be closed prior to licensing.
MILLER,M.A. Project Directorate II-3. 87/11/09. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 43360:134-43360:136.

8711200009 Informs that proprietary NEDC-31376P, "Edwin I Hatch Nuclear Plant,Units 1 & 2,SAFER/GESTR-LOCA LOCA Accident Analysis," dtd Dec 1986, will be withheld from public disclosure (ref 10CFR2.790(b)(5)),per 871008 request.
CROCKER,L.P. Project Directorate II-3. 87/11/17. O'REILLY,J.P. Georgia Power Co. 4pp. 43406:326-43406:329.

8711240090 Forwards requested addl info on util 870730 submittal of ATWS mitigating sys actuation circuitry sys,per 870930 telcon.
GUCWA,L.T. Georgia Power Co. 87/11/18. Document Control Branch (Document Control Desk). 6pp. 43430:182-43430:187.

8711250047 Discusses util 841012 application requesting that response to Question 492.1 be withheld from public disclosure per 10CFR2.790.Application reviewed & marked proprietary & withheld from public disclosure.
MILLER,M.A. Project Directorate II-3. 87/11/19. WIESEMANN,R.A. Westinghouse Electric Corp. 4pp. 43449:079-43449:082.

8711300205 Forwards FSAR changes,in response to NRC request during 871028 telcon on Amend 34 to FSAR Section 9.5.2 re communication sys.Changes reflect min communication equipment available for safe shutdown in group of rooms.
BAILEY,J.A. Georgia Power Co. 87/11/23. Document Control Branch (Document Control Desk). 16pp. 43467:241-43467:256.

E. NRC Safety Evaluation Report (SER), supplements & correspondence

8711040133 Advises that SER Confirmatory Item 9 re steam line breaks outside containment & potential for superheated steam blowdown resolved for Unit 2.
BAILEY,J.A. Georgia Power Co. BAILEY,J.A. Southern Company Services, Inc. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43290:236-43290:236.

8711130168 Advises that walkdown performed to verify installation of battery room spray protection per SSER 5,Paragraph 8.3.2,as described in util 861212 ltr.Walkdown confirmed that lines in question,as in Unit 1,do not pass over batteries.
BAILEY,J.A. Georgia Power Co. BAILEY,J.A. Southern Company Services, Inc. 87/11/11. Document Control Branch (Document Control Desk). 2pp. 43356:079-43356:080.

F. Security, medical, emergency & fire protection plans

8711040231 Revised emergency plan implementing procedures,Including Rev 4 to 91306-C re contamination monitoring & decontamination & Rev 1 to 91705-C re inventory of emergency preparedness matl/equipment....W/871027 ltr & revised index.
GUCWA,L.T. Georgia Power Co. 87/10/27. 150pp. 43273:048-43273:198.

8711130219 Forwards Insp Rept 50-425/87-39 on 870914-1022.No violations or deviations noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/02. O'REILLY,J.P. Georgia Power Co. 2pp. 43360:223-43360:234.

--8711130272 Insp Rept 50-425/87-39 on 870914-1022.No violations or deviations noted.Major areas inspected:fire protection, containment & safety-related structures & components, auxiliary sys,electrical equipment & raceways.
LIVERMORE,H.H., SINKULE,M.V. Region 2, Ofc of the Director. 87/11/02. 10pp. 43360:225-43360:234.

8711090252 Advises that 870617 Rev 8 to physical security & safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable.Adjustment of Camera 29 so Cameras 29 & 30 provide assessment of Zone 24 acceptable pending final insp.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/04. O'REILLY,J.P. Georgia Power Co. 2pp. 43322:243-43322:244.

8711170224 Confirms NRC understandings re readiness review program (RRP) plans & status,per util 870909 presentation & NRC 871007 ltr.Schedule for submittal of each increment of Modules 03A & 23,along w/other Unit 2 modules & apps encl.
RICE,P.D. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 3pp. 43385:164-43385:166.

8711170246 Forwards rept of changes made to physical security & contingency plan.Revised security plan pages incorporating changes will be provided in amend by approx 871218.Rept withheld (ref 10CFR73.21).
GUCWA,L.T. Georgia Power Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43384:223-43384:224.

8711230283 Revs to emergency plan procedures,Including Rev 3 to 91301-C, "Emergency Exposure Guidelines," Rev 3 to 91502-C, "Core Damage Assessment" & Rev 5 to 91303-C, "Field Sampling & Surveys " W/871118 ltr.
GUCWA,L.T. Georgia Power Co. 87/11/18. 220pp. 43421:327-43422:247.

8711250273 Forwards rev to facility physical security & contingency plan.Pages Incorporating change will be provided in upcoming amend.Encl withheld (ref 10CFR73.21).
GUCWA,L.T. Georgia Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43460:022-43460:023.

8711250113 Summary of 871116 meeting w/util at plant site re licensing issues.Util encouraged to accelerate schedule for submittal of responses to Generic Ltr 83-28,SPDS validation & test of engineered safeguards P-4 interlock.
MILLER,M.A. Project Directorate II-3. 87/11/20. Project Directorate II-3. 10pp. 43462:146-43462:155.

G. Adjudicatory correspondence

8711040071 Informs that time provided within which Commission may act to review ALAB-872 expired.Commission declined review. Decision became final agency action on 871026.Served on 871102.
CHILK,S.J. Office of the Secretary of the Commission. #487 4730. 87/10/30. Office of the General Counsel. 1p. 43254:299-43254:299.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030182 Forwards undated & unsigned corrected pages of Insp Repts 50-424/87-27 & 50-425/87-14 & notice of violation.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/10/07. O'REILLY,J.P. Georgia Power Co. 4pp. 43255:338-43255:341.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711130219 Forwards Insp Rept 50-425/87-39 on 870914-1022.No violations or deviations noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 87/11/02. O'REILLY,J.P. Georgia Power Co. 2pp. 43360:223-43360:234.

--8711130272 Insp Rept 50-425/87-39 on 870914-1022.No violations or deviations noted.Major areas inspected:fire protection, containment & safety-related structures & components, auxiliary sys,electrical equipment & raceways.
LIVERMORE,H.H., SINKULE,M.V. Region 2, Ofc of the Director. 87/11/02. 10pp. 43360:225-43360:234.

8711130198 Forwards corrected page to 870929 ltr re Insp Repts 50-424/87-32 & 50-425/87-23.Two incorrect dates,including 870723 for util response to 870718 notice of violation ref in ltr.
GRACE,J.N. Region 2, Ofc of the Director. 87/11/03. O'REILLY,J.P. Georgia Power Co. 3pp. 43359:314-43359:316.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711090252 Advises that 870617 Rev 8 to physical security & safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable.Adjustment of Camera 29 so Cameras 29 & 30 provide assessment of Zone 24 acceptable pending final insp.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/04. O'REILLY,J.P. Georgia Power Co. 2pp. 43322:243-43322:244.

8711130052 Forwards Rev 2 to Preservice Insp (PSI) Program ISI-P-010. Differences between approved Unit 1 PSI program & Rev 2 to Unit 2 PSI program summarized.W/o rev.
BAILEY,J.A. Georgia Power Co. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43354:065-43354:066.

8711130087 Ack receipt of 871022 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-425/87-36.
REYES,L.A. Region 2, Ofc of the Director. 87/11/05. O'REILLY,J.P. Georgia Power Co. 2pp. 43354:239-43354:240.

8711130256 Forwards Insp Repts 50-424/87-57 & 50-425/87-38 on 870921-25 & notice of violation.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. O'REILLY,J.P. Georgia Power Co. 2pp. 43355:231-43355:242.

--8711130263 Notice of violation from Insp on 870921-25.Violation noted: failure to test diesel generators in accordance w/Tech Spec surveillance requirements & failure to report nonvalid diesel generator failures.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/05. 2pp. 43355:233-43355:234.

--8711130266 Insp Repts 50-424/87-57 & 50-425/87-38 on 870921-25. Violations noted.Major areas inspected:areas of preoperational test program for Unit 2 & review of status of items on outstanding items list.
SZCZEPANIEC,A., THOMAS,M., JAPE,F. Region 2, Ofc of the Director. 87/10/21. 8pp. 43355:235-43355:242.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:118.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711200169 Forwards Insp Repts 50-424/87-59 & 50-425/87-44 on 871027-30.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/13. O'REILLY,J.P. Georgia Power Co. 2pp. 43417:207-43417:211.

--8711200173 Insp Repts 50-424/87-59 & 50-425/87-44 on 871027-30.No violations or deviations noted.Major areas inspected:Unit 1 containment bldg tendon surveillance program & repairs to coatings in Unit 2 containment bldg.
LENAHAN,J.J., JAPE,F. Region 2, Ofc of the Director. 87/11/10. 3pp. 43417:209-43417:211.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

S. Reportable occurrences, LERs & related correspondence

8711060180 Part 21 & deficiency rept re solid state protection sys motor-driven relay contacts inductive current interruptive capacity.Initially reported on 870110.Hardware mods to affected circuits planned prior to fuel load.
RICE,P.D. Georgia Power Co. 87/10/29. Document Control Branch (Document Control Desk). 2pp. 43303:186-43303:187.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

LEFONTE NUCLEAR PLANT, UNIT 1

documents & correspondence

hile RCS Partially
eration of plants

ol Branch (Docu-

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program.Repts completed final review by senior review panel & employee concern task group mgt.
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282.

--8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp. 43247:016-43247:069.

--8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

--8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205.

--8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

--8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Meggar Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/28. 8pp. 43444:143-43444:150.

--8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20800 re human factors.
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

--8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20800, "Human Factors."
* Tennessee Valley Authority. 20800 R03. 87/11/10. 95pp. 43443:032-43443:125.

--8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

--8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:175-43443:243.

--8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

--8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

F. Security, medical, emergency & fire protection plans

8711030046 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty...." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

G. Adjudicatory correspondence

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners 87/10/27. CLINTON,B. Arkansas, State of. 5pp 43461:356-43462:002.

-8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
ROYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R. Union of Concerned Scientists. 1p 43392:095-43392:095

Q. Inspection reports, IE Bulletins & correspondence

8812170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413) 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co of New York, Inc 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/20. Consolidated Edison Co. of New York, Inc. 89pp 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc 112pp. 43324:228-43324:339.

8711100315 Responds to NRC 870824 request for addl info re IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Encl info consistent w/Owners Group position.Util commitments listed.
GRIDLEY,R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 8pp. 43344:246-43344:253.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc List encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250224 Forwards Welding Team Insp Repts 50-438/87-05 & 50-439/87-05 on 870817-21.No violations noted.Weaknesses identified. Safety evaluation will be issued for util welding reinsp plan submitted on 871016.
EBNETER,S.D. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43462:336-43462:348.

-8711250232 Insp Repts 50-438/87-05 & 50-439/87-05 on 870817-21.No violations noted.Major areas inspected:Info contained in welding reinsp program,adequacy of samples selected for program & qualification records of TVA welding inspectors.
GEORGIEV,G.B., WALTON,G., HERMANN,R.A. Ofc of Special Projects. 87/11/10. 11pp. 43462:338-43462:348.

R. Periodic operating reports & related correspondence

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8710080441 Forwards response to Generic Ltr 87-12, "Loss of RHR While RCS Partially Filled." Response provides discussion on operation or planned operation of plants during partially filled RCS condition.
GRIDLEY,R. Tennessee Valley Authority. 87/10/02. Document Control Branch (Document Control Desk). 35pp. 43277:017-43277:052.

8711030257 Forwards four engineering subcategory repts addressing employee concerns special program Repts completed final review by senior review panel & employee concern task group mgt
RUSSELL,J.R. Tennessee Valley Authority. 87/10/28. Document Control Branch (Document Control Desk). 5pp. 43247:011-43247:282

-8711030273 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "As-Built Reconciliation."
TRANE,J.T. Tennessee Valley Authority. 87/10/26. 54pp 43247:016-43247:069.

-8711030283 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering, "Support Design General."
PANG,A. Tennessee Valley Authority. 87/10/26. 54pp. 43247:070-43247:152.

-8711030289 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 24200, "Electrical Separation."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 52pp. 43247:153-43247:205

-8711030293 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 25000, "Civil/Structural Design (21500) & Pipe Whip Restraint Design (22700)."
RUSSELL,J.R. Tennessee Valley Authority. 87/10/26. 77pp. 43247:206-43247:282.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp 43402:001-43402:046

8711240186 Forwards TVA Employee Concerns Special Program Repts 241.3(B), "Cable Termination & Splicing" & 22400, "Raceway Support Design."
RUSSELL,J.R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43444:140-43444:194.

-8711240213 Rev 1 to TVA Employee Concerns Special Program Sequoyah Element Rept 241.3(B), "Cable Termination & Splicing,No Megger Test on Low Voltage Cables."
* Tennessee Valley Authority. 241.3(B) R01. 87/10/26. 8pp. 43444:143-43444:150

-8711240225 Rev 2 to TVA Employee Concerns Special Program Subcategory for Engineering Rept 22400, "Raceway Support Design."
MCNUTT,G. Tennessee Valley Authority. 22400 R02. 87/10/29. 35pp. 43444:151-43444:194.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711240153 Forwards listing of engineering subcategory repts addressing concerns for employee concerns special program & five engineering subcategory repts,including TVA Employee Concerns Special Program Rept 20600 re human factors
RUSSELL,J.R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 5pp. 43443:027-43444:033.

-8711240159 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 20600, "Human Factors."
* Tennessee Valley Authority. 20600 R03. 87/11/10. 95pp. 43443:032-43443:125.

-8711240169 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21000, "Environ Qualification."
* Tennessee Valley Authority. 21000 R03. 87/11/10. 49pp. 43443:126-43443:174.

-8711240176 Rev 2 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 21300, "Electrical Testing & Planning."
JOYCE,J.W. Tennessee Valley Authority. 21300 R02. 87/11/10. 69pp. 43443:176-43443:243.

-8711240185 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 22600, "Seismic Interaction Design."
JOYCE,J.W. Tennessee Valley Authority. 22600 R03. 87/11/10. 81pp. 43443:244-43443:324.

-8711240194 Rev 3 to TVA Employee Concerns Special Program Subcategory Rept for Engineering 23000, "HVAC Design."
JOYCE,J.W. Tennessee Valley Authority. 23000 R03. 87/11/10. 70pp. 43443:325-43444:033.

F. Security, medical, emergency & fire protection plans

8711030045 Revised emergency plan implementing procedures,including Rev 8 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 8 to IP-3, "Operations Duty Specialist Procedure for Alert...." W/871026 ltr.
GRIDLEY,R.L. Tennessee Valley Authority. 87/10/26. 78pp. 43246:279-43246:356.

8711240189 Revised central emergency control ctr implementing procedures,including Rev 9 to IP-2, "Operations Duty Specialist Procedure for Notification of Unusual Event" & Rev 9 to IP-3, "Operations Duty..." W/871110 ltr.
ADKINS,T.E. Tennessee Valley Authority. 87/11/10. 25pp. 43430:297-43430:321.

G. Adjudicatory correspondence

8711040298 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

-8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. 3pp. 43279:327-43279:329.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents. CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711190015 Advises that Commission declined review of Director's Decision DD-87-18.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871113.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4847. 87/11/17. WEISS,E.R. Union of Concerned Scientists. 1p. 43392:095-43392:095.

O. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100315 Responds to NRC 870824 request for addl info re IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Encl info consistent w/Owners Group position.Util commitments listed.
GRIDLEY,R. Tennessee Valley Authority. 87/11/05. Document Control Branch (Document Control Desk). 8pp. 43344:246-43344:253.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711250224 Forwards Welding Team Insp Repts 50-438/87-05 & 50-439/87-05 on 870817-21,No violations noted.Weaknesses identified. Safety evaluation will be issued for util welding reinsp plan submitted on 871016.
EBNETER,S.D. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43462:335-43462:348.

--8711250232 Insp Repts 50-438/87-05 & 50-439/87-05 on 870817-21.No violations noted.Major areas inspected:Info contained in welding reinsp program,adequacy of sample selected for program & qualification records of TVA welding inspectors.
GEORGIEV,G.B., WALTON,G., HERMANN,R.A. Ofc of Special Projects. 87/11/19. 11pp. 43462:338-43462:348.

R. Periodic operating reports & related correspondence

8711030408 Submits weekly schedule of TVA activities for wks of 871102 & 09.Schedule will be updated & issued each Friday.Staff input should be received before noon on Thursday.
KELLY,J.L. Ofc of Special Projects. 87/10/30. ZWOLINSKI,J.A. Ofc of Special Projects. 4pp. 43258:248-43258:251.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711040182 Revised emergency plan implementing instructions,including Rev 2 to EPI-B7a, "Automated Offsite Dose Calculations," Temporary Change TCN-2 to Rev 3 to EPI-A2, "Unusual Event" & Temporary Change TCN-3 to Rev 3 to EPI-A3.W/871030 ltr.
ANDERSON,J.D., STEAD,F.R., EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/10/30. 99pp. 43273:199-43273:297.

8711300255 Advises of change,expiring on 880531,to physical security plan due to const activities on maint bldg currently scheduled to commence on or about 871
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/20. Document Co Branch (Document Control Desk). 1p. 43467:270-43467:270.

G. Adjudicatory correspondence

8711190021 Advises that time for Commission to review Director's Decision DD-8 expired.Commission declined review. Decision became final agency action 871102.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4848. 87/11
LODGE,T.J. Lodge, T.J. 1p. 43392:316-43392:316.

H. General correspondence

8711160045 Ack receipt of 870922 petition requesting NRC to require licensee to correct certain alleged deficiencies in emergency preparedness info handbook. FEMA evaluation, NRC will respond to request.FR notice encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87 09. KLINE,C., O'CONNELL,R., BURLING,T. Affiliation Not Assigned. 4pp. 43369. 43369:341.

--8711160290 Notice of receipt of Concerned Citizens of Lake,Geauga & Asta Counties 2.206 petition to correct alleged deficiencies in util emergency prepared info handbook & to redistribute corrected handbook.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87 09. 1p. 43369:341-43369:341.

P. Operating license stage documents & correspondence

8711020363 Forwards list of allegations re surveillance review.Requests result review & disposition within 30 days of receipt of ltr.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/28. EDELMAN,M.R. Cleve Electric Illuminating Co. 4pp. 43236:273-43236:276.

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HC re HCOG submittals on methods for calculating equipment temp based on qu scale test data & impact of station blackout considerations on HCOG programs encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 43301:074-43301:081.

8711050221 Advises that util currently evaluating present configuration of RCIC steam line,previous configuration & alternate configuration,per 870401 Amend 3 t censo NPF-58.Results of configurations will be transmitted by 871231.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/10/30. Document Co Branch (Document Control Desk). 1p. 43292:145-43292:145.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re p statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consold Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160028 Requests that util re-review Generic Ltr 83-28,Items 3.1.3 & 3.2.3 re maint testing for reactor trip sys & all other safety-related components & pro response.Util 840406 response refs response to Item 4.5.3.
COLBURN,T.G. Project Directorate III-1. 87/11/07. EDELMAN,M.R. Cleveland Ele Illuminating Co. 2pp. 43362:173-43362:174.

8711160294 Forwards rept of changes to initial test program made per License Co tion 2.C(4) & 10CFR50.59(b).Change allows performance of max feedwater runou pability w/one feedwater heater bypassed.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/11. Document Co Branch (Document Control Desk). 8PP. 43369:206-43369:213.

8711240094 Forwards addl info requested by NRC at 871110 meeting re qualificati ITT actuators & shipping caps installed on Limitorque grease relief valves.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/12. DAVIS,A.B. Regio Ofc of the Director. 3pp. 43430:177-43430:179.

8711230368 Confirms plans to meet w/util on 871119 at Region III ofc. Purpos meeting to discuss LER reduction & maint improvement programs.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/18. EDELMAN,M.R. Cleve Electric Illuminating Co. 1p. 43424:231-43424:231.

8711240210 Application for amend to License NPF-58,revising Tech Spec Table 4. to add requirement to verify trip setpoints. Summary,significant hazards & en impact considerations also encl.Fee paid.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/19. Document Co Branch (Document Control Desk). 3pp. 43442:166-43442:170.

--8711240217 Proposed Tech Spec Table 4.3.6-1, "Control Rod Block Instrument Surveillance Requirements."
* Cleveland Electric Illuminating Co. 87/11/19. 2pp. 43442:169-43442:170.

O. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- R Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Conso ed Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc 89pp. 43324:139-43324:227.

8711020383 Forwards Rev 3 to "2515 Master Insp Plan," including summary of SALP 7 Board ratings & comments,deviations from routine insp schedule & insp schedule based on div inputs for 2515 program modules Special maint insp set for Oct 1987.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/10/30. MILLER,I.J., CHRISSOTIMOS,N., HIND,J.A. Region 3, Ofc of the Director. 19pp 43236:197-43236:216.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090305 Confirms plans for 871110 enforcement conference in Glen Ellyn,IL to discuss findings identified by NRC during equipment qualification insp during July-Oct 1987.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/06. EDELMAN,M.R. Cleveland Electric Illuminating Co. 1p. 43320:356-43320:356.

8711160219 Responds to NRC 871007 ltr re violations & deviations noted in Insp Rept 50-440/87-19.Corrective actions-sys eng near input will be utilized to evaluate possibility of rescheduling certain outstanding tasks
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/06. Document Control Branch (Document Control Desk). 6pp. 43365:150-43365:155.

8711160273 Confirms plans discussed between A Kaplan & R Knop for NRC to meet w/util on 871110 in Glen Ellyn,IL to discuss findings of recent augmented insp team re MSIV failures occurring on 871029 & 1103.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/10. EDELMAN,M.R. Cleveland Electric Illuminating Co. 1p. 43366:334-43366:334.

8711190227 Concurs w/request to startup plant & proceed w/startup test program.Decision based on util 871109 & 13 ltrs re corrective actions & commitments & preliminary results of Augmented Insp Team insp.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/13. EDELMAN,M.R. Cleveland Electric Illuminating Co. 2pp. 43401:320-43401:330.

8711200278 Submits addl info re util response to IE Bulletin 85-03 & commitment to complete RCIC testing by 871115.Util requests extension of test period to allow completion of flow testing by 880131 w/rept due no later than 880331.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/13. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43410:223-43410:223.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190091 Monthly operating rept for Oct 1987.W/871113 ltr.
DUNN,G.A., EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/10/31. 6pp. 43396:189-43396:194.

S. Reportable occurrences, LERs & related correspondence

8711020393 PNO-III-87-137:on 871027,reactor srammed & ECCS actuation occurred due to deenergized bus L12.Caused by operator mistakenly tripping supply breaker from transformer to bus. Power restored.
KNOP,R., FORNEY,W. Region 3, Ofc of the Director. 87/10/27. 2pp. 43235:238-43235:239.

8711030047 Forwards LERs 87-068-00 & 87-069-00.
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43252:105-43252:111.

-8711030065 LER 87-068-00:on 870929,RHR shutdown cooling inboard isolation occurred.Caused by personnel not paying sufficient attention to detail to identify any drifting in pressure regulator during performance of test.Procedures revised
DUNN,G.A. Cleveland Electric Illuminating Co. 87/10/29. 3pp. 43252:106-43252:108.

-8711030082 LER 87-069-00:on 870930,unexpected annulus exhaust gas treatment sys Train B auto start following transfer of operating trains.Cause unknown.Repetitive task revised to increase frequency for switching trains to twice month.
DUNN,G.A. Cleveland Electric Illuminating Co. 87/10/29. 3pp. 43252:109-43252:111.

8711100437 NPDES noncompliance notification:on 871007 regenerate neutralization basin Outfall 31B00013001 below min allowable limit for pH during discharge.Cause may have been improper setpoint on low pH trip.Responsible technician counseled.
KAPLAN,A. Cleveland Electric Illuminating Co. 87/11/02. HILOVSKY,M. Ohio, State of. 1p. 43335:092-43335:092.

8711170226 Summary of Operating Reactors Events Meeting 87-36 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711190115 Special rept on 871015,valid failure on Div 2 diesel generator occurred during Tech Spec Surveillance 4.8.1.1.2. Caused by shuttle valve failing to reposition on start signal.Valve replaced & design change initiated
EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43396:093-43396:094.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HCOG) re HCOG submittals on methods for calculating equipment temp based on quarter scale test data & impact of station blackout considerations on HCOG programs.W/ encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 6pp. 43301:074-43301:081.

8711100431 Generic Ltr 87-16 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160026 Requests that util re-review Generic Ltr 83-28,Items 3.1.3 & 3.2.3 re post-maint testing for reactor trip sys & all other safety-related components & provide response.Util 840406 response rels response to Item 4.5.3.
COLBURN,T.G. Project Directorate III-1. 87/11/07. EDELMAN,M.R. Cleveland Electric Illuminating Co. 2pp. 43362:173-43362:174.

F. Security, medical, emergency & fire protection plans

8711040182 Revised emergency plan implementing instructions,including Rev 2 to EPI-B7a, "Automated Offsite Dose Calculations," Temporary Change TCN-2 to Rev 3 to EPI-A2, "Unusual Event" & Temporary Change TCN-3 to Rev 3 to EPI-A3.W/871030 ltr.
ANDERSON,J.D., STEAD,F.R., EDELMAN,M.R. Cleveland Electric Illuminating Co. 87/10/30. 99pp. 43273:199-43273:297.

G. Adjudicatory correspondence

8711190021 Advises that time for Commission to review Director's Decision DD-87-16 expired.Commission declined review. Decision became final agency action on 871102.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4848. 87/11/17. LODGE,T.J. Lodge, T.J. 1p. 43392:316-43392:316.

H. General correspondence

8711160045 Ack receipt of 870922 petition requesting NRC to require licensee to correct certain alleged deficiencies in emergency preparedness info handbook.After FEMA evaluation, NRC will respond to request.FR notice encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/09. KLINE,C., O'CONNELL,R., BURLING,T. Affiliation Not Assigned. 4pp. 43369:338-43369:341.

-8711160290 Notice of receipt of Concerned Citizens of Lake,Geauga & Astabula Counties 2.206 petition to correct alleged deficiencies in util emergency preparedness info handbook & to redistribute corrected handbook.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/09. 1p. 43369:341-43369:341.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety-Relief Valves at BWRs."
Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/ Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/06. Consolidated Edison Co of New York, Inc. 116pp. 43397:142-43397:257.

8711190227 Concurs w/request to startup plant & proceed w/startup test program.Decision based on util 871109 & 13 ltrs re corrective actions & commitments & preliminary results of Augmented Insp Team Insp.
DAVIS,A.B. Region 3, Ofc of the Director. 87/11/13. EDELMAN,M.R. Cleveland Electric Illuminating Co. 2pp. 43401:329-43401:330.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

E. NRC Safety Evaluation Report (SER), supplis & correspondence

8711100384 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF SEABROOK STATION,UNITS 1 AND 2.Docket Nos 50-443 And 50-444.(Public Service Company Of New Hampshire,et al)
* Division of Reactor Projects - I/II (Post 870411). NUREG-0896 S07. 87/10/31. 76pp. 43341:178-43341:252.

F. Security, medical, emergency & fire protection plans

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711100011 Responds to recipient 870917 ltr expressing concerns re public feelings of exclusion from plant hearing process & effectiveness of util offsite emergency plans.
ZECH,L.W. Commissioners. 87/11/03 GREGG,J. House of Rep. 5pp. 43339:320-43339:326.

--8711100013 Requests Commission reconsideration of proposal for external review of plant included in author 870220 ltr re establishment of ad hoc committee w/expertise in transportation & radiologic emergency planning.
GREGG,J. House of Rep. 87/09/17. ZECH,L. Commissioners. 2pp. 43339:325-43339:326.

8711100367 Forwards affected pages of Rev 4 to security training & qualification plan changed as result of NRC 870528 & 0930 ltrs & util 870625 & 0724 ltrs W/o encl.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/04. Document Control Branch (Document Control Desk) 2pp. 43345:101-43345:102.

8711240016 Forwards Safeguards Insp Rept 50-443/87-21 on 870817-21.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 43437:339-43437:350.

--8711240019 Partially withheld Physical Security Insp Rept 50-443/87-21 on 870817-21 (ref 10CFR2.790 & 73.21).No noncompliance noted.Major areas inspected:records & repts,testing & maint, physical barriers,lighting & compensatory measures.
BAILEY,R.J., MARTIN,W.G., KEIMIG,R.R. Region 1, Ofc of the Director. 87/10/29. 6pp. 43437:345-43437:350.

8711240099 Forwards changes to plant radiological emergency plan per 10CFR50.54(q) & 10CFR50,App E.Util will appeal Commonwealth of MA refusal to renew siren permit located at Salisbury Beach State Reservation.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/19. Document Control Branch (Document Control Desk). 3pp. 43435:082-43435:189.

--8711240183 Rev to Seabrook Station radiological emergency plan.
* Public Service Co. of New Hampshire. 87/11/30. 105pp. 43435:085-43435:189.

G. Adjudicatory correspondence

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C.O.B. 871013.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711190007 Forwards three pleadings of Seacoast Anti-Pollution League re applicant motion for vacation of stay of authorization of low power operation at plant,inadvertently served on ASLB svc list & not directed to Commission until last wk.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #487 4833. 87/10/20. ZECH,L.W., BERNTHAL,F.M., ROBERTS,T.M. Commissioners. 1p. 43392:135-43392:166.

--8711190011 Motion of Seacoast Anti-Pollution League (SAPL) for leave to file supplemental response to applicant motion for vacation of stay.* SAPL requests to file response in view of ongoing developments re util financial status.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 3pp. 43392:136-43392:138.

--8711190024 Supplemental response on behalf of Seacoast Anti-Pollution League (SAPL) to applicant motion for vacation of stay.* SAPL wishes to suppl 871009 response re imminent bankruptcy of util.Related documentation encl.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 19pp. 43392:139-43392:157.

--8711190038 Seacoast Anti-Pollution League (SAPL) response to applicant motion for vacation of stay.* SAPL joins in response filed by New England Coalition on Nuclear Pollution & Commonwealth of MA & adopts positions taken.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 9pp. 43392:158-43392:166.

8711040079 Informs that NRC does not oppose applicant 871023 motion for 1-wk extension to file supplemental memorandum re "Merrimac sirens" required by Appeal Board 871014 order.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4708. 87/10/26. ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Board Panel. 1p. 43254:281-43254:281.

8711040089 Atty General JM Shannon response to applicant objection in nature of motion in limine to admission into evidence of certain portions of FEMA Direct Testimony 6 on sheltering contentions.* Objection opposed.Certificate of Svc encl.
SNEIDER,C.S. Massachusetts, Commonwealth of. #487 4715. 87/10/26. Atomic Safety and Licensing Board Panel. 14pp. 43255:041-43255:054.

8711040106 Complains about conduct of NRC in currently ongoing OL proceedings before ASLB in Concord,NH.Proper role of NRC should be to assure development of complete record & ensure that unresolved questions fairly addressed.Served on 871030.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Massachusetts, Commonwealth of. BACKUS,R.A. Hampton, NH. #487 4713. 87/10/26. ZECH,L. Commissioners. 9pp. 43254:118-43254:126.

8711040112 On appeal from decision of ASLBP denying petition to waive financial qualification regulations.* Appeal should be dismissed & decision of Licensing Board should be affirmed. Certificate of Svc encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4707. 87/10/26. Atomic Safety and Licensing Board Panel. 13pp. 43254:159-43254:171.

8711040139 Applicant response to Atty General JM Shannon petition for review of ASLAB decision of 871001,ALAB-875.* Petition should be denied.Three claims of error made listed.W/ Certificate of Svc.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4716. 87/10/27. Atomic Safety and Licensing Appeal Panel. 7pp. 43254:231-43254:237.

8711110088 Seacoast Anti-Pollution League objection to applicant motion to strike admission into evidence of certain portions of FEMA prefiled testimony.* Applicant objection should be overruled.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #487 4753. 87/10/27. Atomic Safety and Licensing Board Panel. 6pp. 43332:303-43332:308.

8711040056 Memorandum (hearing schedules & PDR).* Notifies that State of NH house of representatives assembly hall made available to Board for wks of 871130 & 1214 JL Souder 871027 memo encl.Served on 871029.
SMITH,I.W. Atomic Safety and Licensing Board Panel. #487 4710. 87/10/26. 1p. 43254:278-43254:279.

--8711040077 Requests that parties to proceeding be informed of Exeter Public Library,Exeter,NH move to new bldg in late Nov or early Dec.LPDR matl will not be available to public during move.Author will notify of exact dates for move when known.
SOUDER,J.L. Local Public Document Room Branch. 87/10/27. SMITH,I.W. Atomic Safety and Licensing Board Panel. 1p. 43254:279-43254:279.

8711110063 Advises that applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875, inadvertently captioned "before ASLAP" instead of "before NRC." Encl response should be substituted.W/o encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4758. 87/10/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43332:237-43332:237.

8711110063 Advises that applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875, inadvertently captioned "before ASLAP" instead of "before NRC." Encl response should be substituted.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4758. 87/10/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43424:351-43424:358.

--8711200374 Applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875.* Petition should be denied.Certificate of Svc encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. 87/10/28. Commissioners. 7pp. 43424:352-43424:358.

8711040058 Applicant answer in opposition to Massachusetts Atty General JM Shannon objection in nature of motion in limine to admission into evidence of certain portions of Applicant Testimony 6 on sheltering...* W/Certificate of Svc.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4727. 87/10/29. Atomic Safety and Licensing Board Panel. 6pp. 43254:300-43254:305.

8711040069 NRC Staff response to town of Newbury motion for answer to applicant motion for vacation of stay.* Staff does not object to town request for answer.W/Certificate of Svc.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4719. 87/10/29. Commissioners. 6pp. 43254:293-43254:298.

8711040065 New England Coalition on Nuclear Pollution opposition to applicant objections to admission of certain portions of FEMA prefiled testimony & testimony of SC Shelly,J Beyea, G Thompson & J Leaning * W/Certificate of Svc.
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #487 4729. 87/10/30. Atomic Safety and Licensing Board Panel 14pp. 43253:303-43253:316.

8711040162 Applicant response to ASLAP order of 871013 supplemental memorandum.* Certificate of Svc encl.
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #487 4733. 87/10/30. Atomic Safety and Licensing Appeal Panel. 2pp. 43253:003-43253:014.

--8711040179 Affidavit of LC Southerland responding to ASLAP 871013 order.Merrimac,MA sirens sound pressure levels evaluated & guidance on methodology use for measuring ambient background levles provided Sound levels could exceed 50 decibles.
SOUTHERLAND,L. Public Service Co. of New Hampshire. SOUTHERLAND,L. Wyle Laboratories. 87/10/29. Atomic Safety and Licensing Appeal Panel. 10pp. 43253:005-43253:014.

8711110045 Response of FEMA to applicant objection in nature of motion in limine to admission into evidence of certain portions of FEMA prefiled testimony.* Certificate of Svc encl.
FLYNN,H.J. Federal Emergency Management Agency. #487 4778. 87/10/30. Atomic Safety and Licensing Board Panel. 7pp. 43332:173-43332:179.

8711040188 NRC Staff response to Atty General,JM Shannon,petition for review of 871001,ALAB-875.* Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4734. 87/11/02. Atomic Safety and Licensing Board Panel. 15pp. 43254:018-43254:032.

8711110053 Forwards listed documents for filing in proceeding,including P McEachern & MT Brock notices of appearances & town of Amesbury,MA response to applicant motion for schedule of litigation of State of MA plan.
BROCK,M.T. Shaines & McEachern. #487 4765. 87/11/02. Docketing & Services Branch. 3pp. 43332:187-43332:198.

--8711110065 Town of Amesbury response to applicant motion for schedule for litigation of State of MA plan.* Requests that Board establish schedule for litigation of plan for State of MA communities commencing not less than 60 days after date set.
MCEACHERN,P., BROCK,M.T. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. 87/11/02. SMITH,I.W., LINENBERGER,G., HARBOUR,J. Atomic Safety and Licensing Board Panel. 2pp. 43332:190-43332:191.

--8711110069 Town of Amesbury,MA joindor to Atty General JM Shannon objection in nature of motion in limine to admission into evidence of certain portions of applicant Direct Testimony 6 on sheltering contentions...." Certificate of Svc encl.
MCEACHERN,P., BROCK,M.T. Hampton, NH. MCEACHERN,P. Shaines & McEachern. 87/11/02. SMITH,I.W., LINENBERGER,G., HARBOUR,J. Atomic Safety and Licensing Board Panel. 7pp. 43332:192-43332:198.

8711110047 Notice of appearance.* Notice of P McEachern appearance on behalf of town of Amesbury,MA re onsite emergency planning & technical issues.Certificate of Svc encl.
MCEACHERN,P. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. #487 4766. 87/11/03. 5pp. 43332:180-43332:184.

8711110078 Town of Amesbury correction of errata & substitution of corrected Page 4 to "Town of Amesbury joindor to Atty General JM Shannon objection in nature of motion in limine to admission into evidence...." Certificate of Svc encl.
MCEACHERN,P., BROCK,M.T. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. #487 4767. 87/11/03. Atomic Safety and Licensing Board Panel. 6pp. 43332:325-43332:330.

8711170031 Requests that Commissioners take time to read,ask questions & make judgement re Seabrook plan for Massachusetts communities.Util intends to answer any questions.
BROWN,E.A. Public Service Co. of New Hampshire. #487 4824. 87/11/03. CHILK,S.J. Office of the Secretary of the Commission. ZECH,L.W., ROBERTS,T.M. Commissioners. 5pp. 43366:128-43366:132.

8711110041 Notice.* Notice of ASLAB intent to schedule oral argument on intervenors appeal from Licensing Board 870820 memorandum & order in proceeding for 871208 in Bethesda,MD.Served on 871105.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4759. 87/11/04. 1p. 43332:171-43332:171.

8711110058 New England Coalition on Nuclear Pollution supplemental memorandum re environ qualification of RG58 coaxial cable.* Board may not issue OL for plant for listed reasons. Certificate of Svc encl.
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #487 4773. 87/11/04. Atomic Safety and Licensing Appeal Panel. 8pp. 43332:205-43332:212.

8711110104 Responds to 871012 ltr urging Commission to deny license for low-power testing at facility in State of NH.Decision will be based on formal adjudicatory record.Served on 871105.
ZECH,L.W. Commissioners. #487 4765. 87/11/04. DUKAKIS,M.S. Massachusetts, Commonwealth of. 1p. 43334:109-43334:109.

8711110042 Order.* Atty general of State of MA & staff may submit reply to applicant 871030 supplemental memorandum in response to Board 871013 order.Reply shall be filed & served no later than 871113.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4771. 87/11/05. Office of the General Counsel. 1p. 43332:172-43332:172.

8711110048 NRC Staff response to intervenor appeal of memorandum & order denying petition to waive Regulations 50.33(f) & 50.57(a)(4) to extent necessary to require applicant to demonstrate financial...." Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4782. 87/11/05. Atomic Safety and Licensing Appeal Panel. 26pp. 43334:132-43334:158.

8711110057 Ack receipt of recipient 871102 ltr re action taken concerning plant emergency planning.Ltr being forwarded to ASLB.Served on 871109.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4765. 87/11/06. JENKINS,T.F. Pentucket Regional School District, MA. 1p. 43332:199-43332:204.

--8711110076 Informs of school district refusal to participate in plant emergency planning.Minutes of Pentucket School Committee 871006 meeting encl.
JENKINS,T.F. Pentucket Regional School District, MA. 87/11/02. COTTER,P. Atomic Safety and Licensing Board Panel. 5pp. 43332:200-43332:204.

8711110066 Order.* Order for response to New England Coalition on Nuclear Pollution 871104 memo re environ qualification of Coaxial Cable RG58 within time period specified in ASLAB 871020 order.Served on 871109.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4783. 87/11/06. Office of the General Counsel. 2pp. 43332:257-43332:258.

8711170024 NRC Staff response to Seacoast Anti-Pollution Leagues motion for leave to file supplemental response to applicants motion for vacation of stay.* Mot on granted.Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4809. 87/11/09. Commissioners. 6pp. 43367:024-43367:029.

8711190037 Requests that Board require Dignan,on record,to withdraw 871104 comments re inconsistencies in E Thomas testimony & to state lack of intent to prosecute or sanction Thomas. Dignan should be admonished.W/Certificate of Svc.
BROCK,M.T. Hampton, NH. BACKUS,R.A. Seacoast Anti-Pollution League. OLESKEY,S.H. Massachusetts, Commonwealth of. #487 4870. 87/11/12. Atomic Safety and Licensing Board Panel. 7pp. 43392:175-43392:181.

8711190008 Contention of Atty General JM Shannon & motion to admit late-filed contention & reopen record.* Late-filed contention should be admitted & record of onsite emergency planning & safety phase of litigation should be reopened.
JONAS,S.A. Massachusetts, Commonwealth of. #487 4837. 87/11/13. Atomic Safety and Licensing Appeal Panel. 11pp. 43392:266-43392:315.

--8711190016 Affidavit of PJ Matthews re emergency notification sirens
MATTHEWS,P.J. Newburyport, MA. 87/09/16. 2pp 43392:297-43392:298.

--8711190025 Affidavit of GC Tocci re aircraft-borne sys for emergency notification.Certificate of Svc encl.
TOCCI,G.C. Massachusetts, Commonwealth of. TOCCI,G.C. Cavanaugh Tocci Associates, Inc. 87/11/09. 17pp. 43392:299-43392:315.

8711190026 Motion of Atty General JM Shannon to conduct discovery how siren sound levels calculated for Merrimac by LC Sutherland.* JM Shannon reply to applicant 871030 supplemental memo encl.
FIERCE,A.R. Massachusetts, Commonwealth of. #487 4836. 87/11/13. Atomic Safety and Licensing Appeal Panel. 1p. 43392:262-43392:264.

--8711190041 Atty General JM Shannon reply to applicant 871030 supplemental memo in response to ASLAB order of 871013.* Due to questions raised by Sutherland affidavit on siren sound level measurements,more info requested re methodology.
FIERCE,A.R. Massachusetts, Commonwealth of. 87/11/13. Atomic Safety and Licensing Appeal Panel. 7pp. 43392:263-43392:269.

--8711190057 Affidavit of GC Tocci responding to LC Sutherland 871028 affidavit re estimation of siren sound levels made for locations in Merrimac,MA.
TOCCI,G.C. Massachusetts, Commonwealth of. TOCCI,G.C. Cavanaugh Tocci Associates, Inc. 87/11/12. 16pp. 43392:270-43392:284.

8711190068 Order* Oral argument on pending appeal of intervenors from Board 870820 memorandum & order will be heard on 871208 in Bethesda,MD.Served on 871118.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4834. 87/11/13. 2pp. 43393:290-43393:291.

8711240022 Notice of appearance.* Informs that RG Bachmann enters appearance in matter re offsite emergency planning. Certificate of Svc encl.
BACHMANN,R.G. Assistant General Counsel for Hearings. #487 4889. 87/11/13. 4pp. 43423:109-43423:112.

8711190042 Advises that undersigned will represent NRC at oral argument scheduled for 871208 re onsite emergency planning & safety issues.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4835. 87/11/16. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. 1p. 43392:099-43392:099.

8711240043 Comments on Brock,Backus & Oleskey ltr to recipient.Informs that pattern developing in hearing of attempt by certain lawyers to engage in intimidation of lawyers that is in disagreement.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4888. 87/11/16. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 43423:191-43423:192.

8711240101 NRC Staff motion for extension of time to respond to Appeal Board order of 871106 re RG-58 coaxial cables.* Extension should be granted until 871211 to respond to info re environ qualification of cable.W/Certificate of Svc.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4884. 87/11/17. Atomic Safety and Licensing Appeal Panel. 9pp. 43423:098-43423:104.

8711240014 Notice of oral argument.* Argument on town of Hampton,New England Coalition on Nuclear Pollution & Seacoast Anti-Pollution League appeal from ASLB 870820 order will be heard at 871208.Served on 871119.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4882. 87/11/18. 1p. 43424:026-43424:025.

8711240020 Order.* NRC motion for extension of time to & including 871211 to file response to New England Coalition on Nuclear Pollution 871104 supplemental memorandum re environ qualification of RG 58 cable granted.Served on 871119.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel #487 4883. 87/11/18. Office of the General Counsel. 1p. 43424:026-43424:026.

8711240030 Decision.* Licensing Board 870323 & 25 denials of motions to reopen record to allow admission of late contentions on adequacy of East Kingston & Merrimac emergency notification sirens affirmed.Served on 871120.
HAGINS,E.E. Atomic Safety and Licensing Appeal Panel. #487 4881. 87/11/20. Massachusetts, Commonwealth of. 27pp. 43423:148-43423:174.

H. General correspondence

8711110021 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
STRUCK,M. Affiliation Not Assigned. 87/10/14. Docketing & Services Branch. 1p. 43345:263-43345:263.

8711020011 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
BREAUX,J. Senate. 87/10/21. ZECH,L Commissioners. 2pp. 43227:225-43227:230.

8711020023 Forwards FJ Congel 871021 memo to RW Krimm of FEMA & Ross undated comments,raising serious questions re NRC candor, openness & integrity of rulemaking process on emergency planning.Response to listed questions requested.
MARKEY,E.J. House of Rep. 87/10/27. ZECH,L.W. Commissioners. 3pp. 43232:348-43232:354.

8711020450 Responds to 871023 ltr re proposed rule 10CFR50 & congressional ltrs received on morning of 871022 meeting. Commission stands behind 871021 ltr declaring process for proposed rule open.
ZECH,L.W. Commissioners. 87/10/27. ATKINS,C.G., MRAZEK,R.J., MAVROULES,N. House of Rep. 5pp. 43237:192-43237:206.

--8711020458 Renews 870922 request for Commission to keep public log of all written & verbal comments re draft emergency planning rule.Chronology of all communications since 871013 also requested.
MARKEY,E.J., ATKINS,C.G., MRAZEK,R.J. House of Rep. 87/10/23. ZECH,L.W. Commissioners. 2pp. 43237:205-43237:206.

8711120005 Comment opposing policy statement on reactor standardization.
PERKINS,J. Affiliation Not Assigned. 87/10/27. CHILK,S Office of the Secretary of the Commission. 4pp. 43350:125-43350:128.

8711100181 Responds to 871002 ltr re TA Pelosi request that NRC address concerns of city council of Haverhill,MA re feasibility of developing & implementing evacuation plan for area impacted by facility.NRC primarily responsible for onsite plan.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/02. MAVROULES,N. House of Rep. 5pp. 43341:343-43341:350.

--8711100192 Forwards city council of Haverhill,MA 870922 ltr requesting NRC determination re feasibility of developing & implementing workable & effective evacuation plan for area impacted by facility.
MAVROULES,N. House of Rep. 87/10/02. ZECH,L.W. Commissioners. 4pp. 43341:348-43341:350.

8711230089 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
SARGENT,P.F. Affiliation Not Assigned. 87/11/02. NRC - No Detailed Affiliation Given. 1p. 43418:005-43418:005.

8711200234 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
ANDERSON,L.R. Affiliation Not Assigned. 87/11/09. ZECH,L. Commissioners. 1p. 43408:279-43408:279.

P. Operating license stage documents & correspondence

8711060029 Application for amend to License NPF-56,changing Tech Specs to relocate Triaxial Seismic Accelerographs 1-SM-XR-6702, 1-SM-XR-6703 & 1-SM-XR-6706.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/10/29. Document Control Branch (Document Control Desk). 3pp. 43308:203-43308:209.

--8711060031 Proposed Tech Spec Table 3.3-7, "Seismic Monitoring Instrumentation," Table 4.3-4, "Seismic Monitoring..." & Surveillance Requirement 4.3.3.3.2,relocating Seismic Accelerographs 1-SM-XR-6702,1-SM-XR-6703 & 1-SM-XR-6706.
* Public Service Co. of New Hampshire. 87/10/29. 4pp. 43308:206-43308:209.

8711100416 Discusses "Seabrook Plan for Massachusetts Communities," per 870921 news conference.Extends invitation to NRC to forward questions to author before criticizing plan or making final judgement.Plan to protect health & safety of citizens.
BROWN,E.A. Public Service Co. of New Hampshire. 87/11/03. NRC - No Detailed Affiliation Given. 1p. 43335:146-43335:146.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711180042 Forwards steam line break core response analysis assuming consequential failures due to superheated steam,per ltr 860605 commitment.Conclusions in FSAR unaffected by encl analysis.Results of review requested in next suppl to SER.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/04. Document Control Branch (Document Control Desk). 14pp. 43364:172-43364:185.

8711170075 Forwards state responses to data requests OCA-10 through OCA-25 re nuclear decommissioning financial committee & facility decommissioning fund.
SMUKLER,L.M. New Hampshire, State of. 87/11/09. HOLMES,M.W. New Hampshire, State of. 273pp. 43363:046-43363:308.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020295 Forwards Exam Rept 50-443/87-19OL on 870810-14 & 17-19.
GALLO,R.J. Region 1, Ofc of the Director. 87/10/20. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 43233:005-43233:131.

--8711020308 Exam Rept 50-443/87-19OL on 870810-14 & 17-19.Exam results: all 13 senior reactor operator candidates passed & 6 of 7 reactor operator candidates passed.
DUDLEY,N., KELLER,R. Region 1, Ofc of the Director. 87/10/19. 121pp. 43233:011-43233:131.

8711030476 Forwards Requalification Exam Rept 50-443/87-17OL of exams administered during wk of 870727.
GALLO,R.M. Region 1, Ofc of the Director. 87/10/20. HARRISON,R.J. Public Service Co. of New Hampshire. 2pp. 43251:181-43251:227.

--8711030496 Requalification Exam Rept 50-443/87-17OL on 870728-30.Exam results:five of eight senior reactor operators passed all portions of exam.Requalification written exam & answer key encl.
BARBER,G.S., KELLER,R.M. Region 1, Ofc of the Director. 87/10/19. 34pp. 43251:183-43251:227.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711180041 Forwards Safety Insp Rept 50-443/87-23 on 870909-1019.No violations noted.W/svc hearing list.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/12. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 43391:113-43391:130.

--8711180048 Insp Rept 50-443/87-23 on 870909-1019.No violations noted. Major areas inspected:work activities,procedures & records re startup testing & license issuance,surveillance,maint & plant operations during cold shutdown condition.
HAVERKAMP,D.R. Region 1, Ofc of the Director. 87/11/10. 12pp. 43391:119-43391:130.

8711240016 Forwards Safeguards Insp Rept 50-443/87-21 on 870817-21.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 43437:339-43437:350.

--8711240019 Partially withheld Physical Security Insp Rept 50-443/87-21 on 870817-21 (ref 10CFR2.790 & 73.21).No noncompliance noted.Major areas inspected:records & repts,testing & maint, physical barriers,lighting & compensatory measures.
BAILEY,R.J., MARTIN,W.G., KELMIG,R.R. Region 1, Ofc of the Director. 87/10/29. 6pp. 43437:345-43437:350.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711190243 Responds to NRC 871021 ltr re violations noted in Insp Rept 50-443/87-16.Corrective actions:temporary mod completed that added white indicator light to each of four radiation monitor isolation circuits.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43396:245-43396:247.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711160096 Monthly operating rept for Oct 1987.W/871110 ltr.
NARDONE,P., THOMAS,G.S. Public Service Co. of New Hampshire. 87/10/31. 6pp. 43369:005-43369:010.

S. Reportable occurrences, LERs & related correspondence

8711100349 LER 87-017-00:on 871007,Surveillance Procedure OX1456.24 did not satisfy Tech Spec surveillance requirements.Caused by procedure inadequacy.Affected procedures revised to include continuity check.W/871006 ltr.
BELANGER,R.R., THOMAS,G.S. Public Service Co. of New Hampshire. 87/10/06. 3pp. 43335:210-43335:212.

8711190093 LER 87-019-00:on 871013,three ITE Gould/Telemecanique Class J relays failed in nonsafety-related circulating water sys. Caused by broken pieces of magnet yoke assembly jamming relays.Analysis will be completed by 880118.W/871112 ltr.
TEFFT,J.G., THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/12. 3pp. 43396:186-43396:188.

T. Hearing transcripts on non-antitrust matters

8711060053 Transcript of 871102 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 4,660-4,815.
* Atomic Safety and Licensing Board Panel. 87/11/02. 200pp. 43294:105-43294:304.

8711100241 Transcript of 871103 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 4,816-5,073.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/03. 283pp. 43316:285-43317:207.

8711100250 Transcript of 871104 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,074-5,201.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/04. 226pp. 43317:208-43318:073.

8711100256 Transcript of 871105 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,202-5,436.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/05. 316pp. 43318:074-43318:029.

8711130044 Transcript of 871106 evidentiary hearing in Concord,NH. Pp 5,439-5,592.Related info encl.
* Atomic Safety and Licensing Board Panel. 87/11/06. 160pp. 43351:267-43352:073.

8711190018 Forwards applicant Direct Testimony 7, "Evacuation Time Estimate & Human Behavior in Emergencies" & errata.
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #487 4871. 87/11/12. Docketing & Services Branch. 1p. 43392:333-43393:185.

--8711190039 Applicant Direct Testimony 7 (evacuation time estimate & human behavior in emergencies).* Pp 1-189.Supporting matl encl.
* Public Service Co. of New Hampshire. 87/11/12. 207pp. 43392:334-43393:180.

--8711190047 Errata to applicant Direct Testimony 7 (evacuation time estimate & human behavior).* Certificate of Svc encl.
* Public Service Co. of New Hampshire. 87/11/12. 5pp. 43393:181-43393:185.

8711230043 Transcript of 871116 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,583-5,722.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/16. 400pp. 43409:001-43410:035.

8711240015 Errata to testimony of SC Sholly,J Beyea,G Thompson & J Leaning,on behalf of JM Shannon,Atty General for Commonwealth of MA,concerning various matters raised in "ETE" & "sheltering" contentions.*
SHOLLY,S.C., BEYEA,J., THOMPSON,G. Massachusetts, Commonwealth of. #487 4890 87/11/17. 7pp. 43423:200-43424:006.

--8711240027 Commonwealth of MA corrected testimony of SC Sholly on technical bas's for NRC emergency planning rules,J Beyea on potential radiation dosage consequences of accidents that form basis for NRC emergency....* Certificate of Svc encl. SHOLLY,S.C., BEYEA,J. Massachusetts, Commonwealth of. SHOLLY,S.C. MHB Technical Associates. 87/11/17. 160pp. 43423:207-43424:006.

8711240116 Transcript of 871117 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,723-5,947.
* Atomic Safety and Licensing Board Panel. 87/11/17. 225pp. 43433:340-43434:210.

8711240125 Transcript of 871118 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,948-6,175.
* Atomic Safety and Licensing Board Panel. 87/11/18. 228pp. 43433:110-43433:339.

8711250151 Transcript of 871119 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 6,176-6,389.
* Commissioners. 87/11/19. 215pp. 43439:144-43440:022.

8711250154 Transcript of 871120 evidentiary hearing in Concord,NH.Pp 6,390-6,530.
* Atomic Safety and Licensing Board Panel. 87/11/20. 143pp. 43438:001-43438:143.

U. Congressional/Executive Correspondence

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C.O.B. 871013.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711100011 Responds to recipient 870917 ltr expressing concerns re public feelings of exclusion from plant hearing process & effectiveness of util offsite emergency plans. ZECH,L.W. Commissioners. 87/11/03. GREGG,J. House of Rep. 5pp 43339:320-43339:326.

--8711100013 Requests Commission reconsideration of proposal for external review of plant included in author 870220 ltr re establishment of ad hoc committee w/expertise in transportation & radiologic emergency planning.
GREGG,J. House of Rep. 87/09/17. ZECH,L. Commissioners. 2pp. 43339:325-43339:326.

V. Operator Examinations

8711020295 Forwards Exam Rept 50-443/87-19OL on 870810-14 & 17-19.
GALLO,R.J. Region 1, Ofc of the Director. 87/10/20. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 43233:005-43233:131.

--8711020306 Exam Rept 50-443/87-19OL on 870810-14 & 17-19.Exam results: all 13 senior reactor operator candidates passed & 6 of 7 reactor operator candidates passed.
DUDLEY,N., KELLER,R. Region 1, Ofc of the Director. 87/10/19. 121pp. 43233:011-43233:131.

8711030475 Forwards Requalification Exam Rept 50-443/87-17OL of exams administered during wk of 870727.
GALLO,R.M. Region 1, Ofc of the Director. 87/10/20. HARRISON,R.J. Public Service Co. of New Hampshire. 2pp. 43251:181-43251:227.

--8711030496 Requalification Exam Rept 50-443/87-17OL on 870728-30.Exam results:five of eight senior reactor operators passed all portions of exam.Requalification written exam & answer key encl.
BARBER,G.S., KELLER,R.M. Region 1, Ofc of the Director. 87/10/19. 34pp. 43251:183-43251:227.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8711100416 Discusses "Seabrook Plan for Massachusetts Communities," per 870921 news conference.Extends invitation to NRC to forward questions to author before criticizing plan or making final judgement.Plan to protect health & safety of citizens.
BROWN,E.A. Public Service Co. of New Hampshire. 87/11/03. NRC - No Detailed Affiliation Given. 1p. 43335:146-43335:146.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160042 Forwards steam line break core response analysis assuming consequential failures due to superheated steam,per util 860605 commitment.Conclusions in FSAR unaffected by encl analysis.Results of review requested in next suppl to SER.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/04. Document Control Branch (Document Control Desk). 14pp. 43364:172-43364:185.

8711170075 Forwards state responses to data requests OCA-10 through OCA-25 re nuclear decommissioning financial committee & facility decommissioning fund.
SMUKLER,L.M. New Hampshire, State of. 87/11/09. HOLMES,M.W. New Hampshire, State of. 273pp. 43383:046-43383:306.

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711100384 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF SEABROOK STATION,UNITS 1 AND 2.Docket Nos. 50-443 And 50-444.(Public Service Company Of New Hampshire,et al)
* Division of Reactor Projects - I/II (Post 870411). NUREG-0896 507. 87/10/31. 76pp. 43341:178-43341:252.

F. Security, medical, emergency & fire protection plans

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C.O.B. 871013.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711100011 Responds to recipient 870917 ltr expressing concerns re public feelings of exclusion from plant hearing process & effectiveness of util offsite emergency plans. ZECH,L.W. Commissioners. 87/11/03. GREGG,J. House of Rep. 5pp. 43339:320-43339:326.

--8711100013 Requests Commission reconsideration of proposal for external review of plant included in author 870220 ltr re establishment of ad hoc committee w/expertise in transportation & radiologic emergency planning.
GREGG,J. House of Rep. 87/09/17. ZECH,L. Commissioners. 2pp 43339:325-43339:326.

8711100387 Forwards affected pages of Rev 4 to security training & qualification plan changed as result of NRC 870528 & 0930 ltrs & util 870625 & 0724 ltrs.W/o encl.
THOMAS,G.S. Public Service Co. of New Hampshire. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43345:101-43345:102.

G. Adjudicatory correspondence

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C.O.B. 871013.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711190007 Forwards three pleadings of Seacoast Anti-Pollution League re applicant motion for vacation of stay of authorization of low power operation at plant,inadvertently served on ASLB svc list & not directed to Commission until last wk. BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #487 4833. 87/10/20. ZECH,L.W., BERNTHAL,F.M., ROBERTS,T.M. Commissioners. 1p. 43392:135-43392:166.

--8711190011 Motion of Seacoast Anti-Pollution League (SAPL) for leave to file supplemental response to applicant motion for vacation of stay.* SAPL requests to file response in view of ongoing developments re util financial status.W/Certificate of Svc. BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 3pp. 43392:136-43392:138.

--8711190024 Supplemental response on behalf of Seacoast Anti-Pollution League (SAPL) to applicant motion for vacation of stay.* SAPL wishes to suppl 871009 response re imminent bankruptcy of util.Related documentation encl.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 19pp. 43392:139-43392:157.

--8711190038 Seacoast Anti-Pollution League (SAPL) response to applicant motion for vacation of stay.* SAPL joins in response filed by New England Coalition on Nuclear Pollution & Commonwealth of MA & adopts positions taken.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. 87/10/20. Commissioners. 9pp. 43392:158-43392:166.

8711040079 Informs that NRC does not oppose applicant 871023 motion for 1-wk extension to file supplemental memorandum re "Merrimac sirens" required by Appeal Board 871014 order.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4706. 87/10/26. ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Board Panel. 1p. 43254:281-43254:281.

8711040089 Atty General JM Shannon response to applicant objection in nature of motion in limine to admission into evidence of certain portions of FEMA Direct Testimony 6 on sheltering contentions.* Objection opposed.Certificate of Svc encl.
SNEIDER,C.S. Massachusetts, Commonwealth of. #487 4715. 87/10/26. Atomic Safety and Licensing Board Panel. 14pp. 43265:041-43255:054.

8711040106 Complains about conduct of NRC in currently ongoing OL proceedings before ASLB in Concord,NH.Proper role of NRC should be to assure development of complete record & ensure that unresolved questions fairly addressed.Served on 871030.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Massachusetts, Commonwealth of. BACKUS,R.A. Hampton, NH. #487 4713. 87/10/26. ZECH,L. Commissioners. 9pp. 43254:118-43254:126.

8711040112 On appeal from decision of ASLBP denying petition to waive financial qualification regulations.* Appeal should be dismissed & decision of Licensing Board should be affirmed. Certificate of Svc encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4707. 87/10/26. Atomic Safety and Licensing Board Panel. 13pp. 43254:159-43254:171.

8711040139 Applicant response to Atty General JM Shannon petition for review of ASLAB decision of 871001,ALAB-875.* Petition should be denied.Three claims of error made listed.W/ Certificate of Svc.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4718. 87/10/27. Atomic Safety and Licensing Appeal Panel. 7pp. 43254:231-43254:237.

8711110066 Seacoast Anti-Pollution League objection to applicant motion to strike admission into evidence of certain portions of FEMA prefiled testimony.* Applicant objection should be overruled.W/Certificate of Svc.
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #487 4753. 87/10/27. Atomic Safety and Licensing Board Panel. 6pp. 43332:303-43332:308.

8711040056 Memorandum (hearing schedules & PDR).* Notifies that State of NH house of representatives assembly hall made available to Board for wks of 871130 & 1214.JL Souder 871027 memo encl.Served on 871029.
SMITH,I.W. Atomic Safety and Licensing Board Panel. #487 4710. 87/10/28. 1p. 43254:278-43254:279.

--8711040077 Requests that parties to proceeding be informed of Exeter Public Library,Exeter,NH move to new bldg in late Nov or early Dec.LPDR matl will not be available to public during move.Author will notify of exact dates for move when known.
SOUDER,J.L. Local Public Document Room Branch. 87/10/27. SMITH,I.W. Atomic Safety and Licensing Board Panel. 1p. 43254:279-43254:279.

8711110063 Advises that applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875, inadvertently captioned "before ASLAP" instead of "before NRC." Encl response should be substituted.W/o encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4758. 87/10/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43332:237-43332:237.

8711110063 Advises that applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875, inadvertently captioned "before ASLAP" instead of "before NRC." Encl response should be substituted.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4758. 87/10/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43424:351-43424:358.

--8711200374 Applicant response to Atty General JM Shannon petition for review of ASLAB 871001 Decision ALAB-875.* Petition should be denied.Certificate of Svc encl.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. 87/10/28. Commissioners. 7pp. 43424:352-43424:358.

8711040058 Applicant answer in opposition to Massachusetts Atty General JM Shannon objection in nature of motion in limine to admission into evidence of certain portions of Applicant Testimony 6 on sheltering ...* W/Certificate of Svc.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4727. 87/10/29. Atomic Safety and Licensing Board Panel. 6pp. 43254:300-43254:305.

8711040069 NRC Staff response to town of Newbury motion for answer to applicant motion for vacation of stay.* Staff does not object to town request for answer.W/Certificate of Svc.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4719. 87/10/29. Commissioners. 6pp. 43254:293-43254:298.

8711040065 New England Coalition on Nuclear Pollution opposition to applicant objections to admission of certain portions of FEMA prefiled testimony & testimony of Sc Shotly,J Beyea, G Thompson & J Leaning.* W/Certificate of Svc.
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #487 4729. 87/10/30. Atomic Safety and Licensing Board Panel. 14pp. 43253:303-43253:316.

8711040162 Applicant response to ASLAP order of 871013 supplemental memorandum.* Certificate of Svc encl.
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #487 4733. 87/10/30. Atomic Safety and Licensing Appeal Panel. 2pp. 43253:003-43253:014.

--8711040179 Affidavit of LC Southerland responding to ASLAP 871013 order.Merrimac,MA sirens sound pressure levels evaluated & guidance on methodology use for measuring ambient background levles provided.Sound levels could exceed 50 decibles.
SOUTHERLAND,L. Public Service Co. of New Hampshire. SOUTHERLAND,L. Wyle Laboratories. 87/10/29. Atomic Safety and Licensing Appeal Panel. 10pp. 43253:005-43253:014.

8711110045 Response of FEMA to applicant objection in nature of motion in limine to admission into evidence of certain portions of FEMA prefiled testimony.* Certificate of Svc encl.
FLYNN,H.J. Federal Emergency Management Agency. #487 4778. 87/10/30. Atomic Safety and Licensing Board Panel. 7pp. 43332:173-43332:179.

8711040188 NRC Staff response to Atty General,JM Shannon,petition for review of 871001,ALAB-875.* Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4734. 87/11/02. Atomic Safety and Licensing Board Panel. 15pp. 43254:018-43254:032.

8711110053 Forwards listed documents for filing in proceeding,including P McEachern & MT Brock notices of appearances & town of Amesbury,MA response to applicant motion for schedule of litigation of State of MA plan.
BROCK,M.T. Shaines & McEachern. #487 4755. 87/11/02. Docketing & Services Branch. 3pp. 43332:187-43332:198.

--8711110065 Town of Amesbury response to applicant motion for schedule for litigation of State of MA plan.* Requests that Board establish schedule for litigation of plan for State of MA communities commencing not less than 60 days after date set.
MCEACHERN,P., BROCK,M.T. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. 87/11/02. SMITH,I.W., LINENBERGER,G., HARBOUR,J. Atomic Safety and Licensing Board Panel. 2pp. 43332:190-43332:191.

--8711110069 Town of Amesbury,MA joinder to Atty General JM Shannon objection in nature of motion in limine to admission into evidence of certain portions of applicant Direct Testimony 6 on sheltering contentions ...* Certificate of Svc encl.
MCEACHERN,P., BROCK,M.T. Hampton, NH. MCEACHERN,P. Shaines & McEachern. 87/11/02. SMITH,I.W., LINENBERGER,G., HARBOUR,J. Atomic Safety and Licensing Board Panel. 7pp. 43332:192-43332:198.

8711110047 Notice of appearance.* Notice of P McEachern appearance on behalf of town of Amesbury,MA re onsite emergency planning & technical issues.Certificate of Svc encl.
MCEACHERN,P. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. #487 4758. 87/11/03. 5pp. 43332:180-43332:184.

8711110078 Town of Amesbury correction of errata & substitution of corrected Page 4 to "Town of Amesbury joinder to Atty General JM Shannon objection in nature of motion in limine to admission into evidence..."* Certificate of Svc encl.
MCEACHERN,P., BROCK,M.T. Amesbury, MA. MCEACHERN,P. Shaines & McEachern. #487 4767. 87/11/03. Atomic Safety and Licensing Board Panel. 6pp. 43332:325-43332:330.

8711170031 Requests that Commissioners take time to read,ask questions & make judgement re Seabrook plan for Massachusetts communities.Util intends to answer any questions.
BROWN,E.A. Public Service Co. of New Hampshire. #487 4824. 87/11/03. CHILK,S.J. Office of the Secretary of the Commission. ZECH,L.W., ROBERTS,T.M. Commissioners. 5pp. 43368:128-43368:132.

8711110041 Notice.* Notice of ASLAB intent to schedule oral argument on intervenors appeal from Licensing Board 870820 memorandum & order in proceeding for 871208 in Bethesda,MD.Served on 871105.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4759. 87/11/04. 1p. 43332:171-43332:171.

8711110058 New England Coalition on Nuclear Pollution supplemental memorandum re environ qualification of RG58 coaxial cable.* Board may not issue OL for plant for listed reasons. Certificate of Svc encl.
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #487 4773. 87/11/04. Atomic Safety and Licensing Appeal Panel. 6pp. 43332:205-43332:212.

8711110104 Responds to 871012 ltr urging Commission to deny license for low-power testing at facility in State of NH.Decision will be based on formal adjudicatory record.Served on 871106.
ZECH,L.W. Commissioners. #487 4765. 87/11/04. DUKAKIS,M.S. Massachusetts, Commonwealth of. 1p. 43334:109-43334:109.

8711110042 Order.* Atty general of State of MA & staff may submit reply to applicant 871030 supplemental memorandum in response to Board 871013 order.Reply shall be filed & served no later than 871113.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4771. 87/11/05. Office of the General Counsel. 1p. 43332:172-43332:172.

8711110048 NRC Staff response to Intervenor appeal of memorandum & order denying petition to waive Regulations 50.33(l) & 50.67(a)(4) to extent necessary to require applicant to demonstrate financial....* Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4782. 87/11/05. Atomic Safety and Licensing Appeal Panel. 26pp. 43334:132-43334:158.

8711110057 Ack receipt of recipient 871102 ltr re action taken concerning plant emergency planning.Ltr being forwarded to ASLB.Served on 871109.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #487 4785. 87/11/06. JENKINS,T.F. Pentucket Regional School District, MA. 1p. 43332:199-43332:204.

--**8711110076** Informs of school district refusal to participate in plant emergency planning.Minutes of Pentucket School Committee 871006 meeting encl.
JENKINS,T.F. Pentucket Regional School District, MA. 87/11/02. COTTER,P. Atomic Safety and Licensing Board Panel. 5pp. 43332:200-43332:204.

8711110066 Order.* Order for response to New England Coalition on Nuclear Pollution 871104 memo re environ qualification of Coaxial Cable RG58 within time period specified in ASLAB 871020 order.Served on 871109.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4783. 87/11/06. Office of the General Counsel. 2pp. 43332:257-43332:258.

8711170024 NRC Staff response to Seacoast Anti-Pollution Leagues motion for leave to file supplemental response to applicants motion for vacation of stay.* Motion granted.Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4809. 87/11/09. Commissioners. 6pp. 43367:024-43367:029.

8711190037 Requests that Board require Dignan,on record,to withdraw 871104 comments re inconsistencies in E Thomas testimony & to state lack of intent to prosecute or sanction Thomas. Dignan should be admonished.W/Certificate of Svc.
BROCK,M.T. Hampton, NH. BACKUS,R.A. Seacoast Anti-Pollution League. OLESKEY,S.H. Massachusetts, Commonwealth of. #487 4870. 87/11/12. Atomic Safety and Licensing Board Panel. 7pp. 43392:175-43392:181.

8711190008 Contention of Atty General JM Shannon & motion to admit late-filed contention & reopen record.* Late-filed contention should be admitted & record of onsite emergency planning & safety phase of litigation should be reopened.
JONAS,S.A. Massachusetts, Commonwealth of. #487 4837. 87/11/13. Atomic Safety and Licensing Appeal Panel. 11pp. 43392:286-43392:316.

--**8711190016** Affidavit of PJ Matthews re emergency notification sirens.
MATTHEWS,P.J. Newburyport, MA. 87/09/18. 2pp. 43392:297-43392:298.

--**8711190025** 'Affidavit of GC Tocci re aircraft-borne sys for emergency notification.Certificate of Svc encl.
TOCCI,G.C. Massachusetts, Commonwealth of. TOCCI,G.C. Cavanaugh Tocci Associates, Inc. 87/11/09. 17pp. 43392:299-43392:315.

8711190026 Motion of Atty General JM Shannon to conduct discovery how siren sound levels calculated for Merrimac by LC Sutherland.* JM Shannon reply to applicant 871030 supplemental memo encl.
FIERCE,A.R. Massachusetts, Commonwealth of. #487 4836. 87/11/13. Atomic Safety and Licensing Appeal Panel. 1p. 43392:262-43392:264.

--**8711190041** Atty General JM Shannon reply to applicant 871030 supplemental memo in response to ASLAB order of 871013.* Due to questions raised by Sutherland affidavit on siren sound level measurements,more info requested re methodology.
FIERCE,A.R. Massachusetts, Commonwealth of. 87/11/13. Atomic Safety and Licensing Appeal Panel. 7pp. 43392:263-43392:269.

--**8711190057** Affidavit of GC Tocci responding to LC Sutherland 871029 affidavit re estimation of siren sound levels made for locations in Merrimac,MA.
TOCCI,G.C. Massachusetts, Commonwealth of. TOCCI,G.C. Cavanaugh Tocci Associates, Inc. 87/11/12. 15pp. 43392:270-43392:284.

8711190068 Order* Oral argument on pending appeal of Intervenors from Board 870820 memorandum & order will be heard on 871208 in Bethesda,MD.Served on 871116.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4834. 87/11/13. 2pp. 43393:290-43393:291.

8711240022 Notice of appearance.* Informs that RG Bachmann enters appearance in matter re offsite emergency planning. Certificate of Svc encl.
BACHMANN,R.G. Assistant General Counsel for Hearings. #487 4889. 87/11/13. 4pp. 43423:109-43423:112.

8711190042 Advises that undersigned will represent NRC at oral argument scheduled for 871208 re onsite emergency planning & safety issues.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4835. 87/11/16. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. 1p. 43392:099-43392:099.

8711240043 Comments on Brock,Backus & Oleskey ltr to recipient.Informs that pattern developing in hearing of attempt by certain lawyers to engage in intimidation of lawyers that is in disagreement.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #487 4886. 87/11/16. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 43423:191-43423:192.

8711240101 NRC Staff motion for extension of time to respond to Appeal Board order of 871106 re RG-58 coaxial cables.* Extension should be granted until 871211 to respond to info re environ qualification of cable.W/Certificate of Svc.
BERRY,G.A. Assistant General Counsel for Hearings. #487 4884. 87/11/17. Atomic Safety and Licensing Appeal Panel. 9pp. 43423:096-43423:104.

8711240014 Notice of oral argument.* Argument on town of Hampton,New England Coalition on Nuclear Pollution & Seacoast Anti-Pollution League appeal from ASLB 870820 order will be heard at 871208.Served on 871119.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4892. 87/11/18. 1p. 43424:025-43424:025.

8711240020 Order.* NRC motion for extension of time to & including 871211 to file response to New England Coalition on Nuclear Pollution 871104 supplemental memorandum re environ qualification of RG 58 cable granted.Served on 871119.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #487 4893. 87/11/18. Office of the General Counsel. 1p. 43424:026-43424:026.

8711240030 Decision.* Licensing Board 870323 & 25 denials of motions to reopen record to allow admission of late contentions on adequacy of East Kingston & Merrimac emergency notification sirens affirmed.Served on 871120.
HAGINS,E.E. Atomic Safety and Licensing Appeal Panel. #487 4881. 87/11/20. Massachusetts, Commonwealth of. 27pp. 43423:148-43423:174.

H. General correspondence

8711110021 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
STRUCK,M. Affiliation Not Assigned. 87/10/14. Docketing & Services Branch. 1p. 43345:263-43345:263.

8711020011 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
BREAUX,J. Senate. 87/10/21. ZECH,L. Commissioners. 2pp. 43227:228-43227:230.

8711020023 Forwards FJ Congel 871021 memo to RW Krimm of FEMA & Ross undated comments,raising serious questions re NRC candor, openness & integrity of rulemaking process on emergency planning.Response to listed questions requested.
MARKEY,E.J. House of Rep. 87/10/27. ZECH,L.W. Commissioners. 3pp. 43232:346-43232:354.

8711020450 Responds to 871023 ltr re proposed rule 10CFR50 & congressional ltrs received on morning of 871022 meeting. Commission stands behind 871021 ltr declaring process for proposed rule open.
ZECH,L.W. Commissioners. 87/10/27. ATKINS,C.G., HOCHBRUECKNER, DOWNEY,T.J. House of Rep. 5pp. 43237:192-43237:206.

--**8711020458** Renews 870922 request for Commission to keep public log of all written & verbal comments re draft emergency planning rule.Chronology of all communications since 871013 also requested.
MARKEY,E.J., MAVROULES,N., DOWNEY,T.J. House of Rep. 87/10/23. ZECH,L.W. Commissioners. 2pp. 43237:205-43237:206.

8711120005 Comment opposing policy statement on reactor standardization.
PERKINS,J. Affiliation Not Assigned. 87/10/27. CHILK,S. Office of the Secretary of the Commission. 4pp. 43350:125-43350:128.

8711100181 Responds to 871002 ltr re TA Pelosi request that NRC address concerns of city council of Haverhill,MA re feasibility of developing & implementing evacuation plan for area impacted by facility.NRC primarily responsible for onsite plan.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/02. MAVROULES,N. House of Rep. 5pp. 43341:343-43341:350.

--**8711100192** Forwards city council of Haverhill,MA 870922 ltr requesting NRC determination re feasibility of developing & implementing workable & effective evacuation plan for area impacted by facility.
MAVROULES,N. House of Rep. 87/10/02. ZECH,L.W. Commissioners. 4pp. 43341:348-43341:350.

8711230089 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
SARGENT,P.F. Affiliation Not Assigned. 87/11/02. NRC - No Detailed Affiliation Given. 1p. 43418:005-43418:005.

8711200234 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
ANDERSON,L.R. Affiliation Not Assigned. 87/11/09. ZECH,L. Commissioners 1p. 43408:279-43408:279.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 88pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

T. Hearing transcripts on non-antitrust matters

8711060053 Transcript of 871102 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 4,660-4,815.
* Atomic Safety and Licensing Board Panel 87/11/02. 200pp. 43294:105-43294:304.

8711100241 Transcript of 871103 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 4,816-5,073.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/03. 283pp. 43316:285-43317:207.

8711100250 Transcript of 871104 evidentiary hearing in Concord,NH re offsite emergency planning Pp 5,074-5,201.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/04. 226pp. 43317:208-43318:073.

8711100256 Transcript of 871105 evidentiary hearing in Concord,NH re offsite emergency planning Pp 5,202-5,438.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/05. 316pp. 43318:074-43319:029.

8711130044 Transcript of 871106 evidentiary hearing in Concord,NH. Pp 5,439-5,582.Related info encl.
* Atomic Safety and Licensing Board Panel. 87/11/06. 160pp. 43351:267-43352:073.

8711190018 Forwards applicant Direct Testimony 7, "Evacuation Time Estimate & Human Behavior in Emergencies" & errata.
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #487 4871. 87/11/12. Docketing & Services Branch. 1p. 43392:333-43393:185.

--8711190039 Applicant Direct Testimony 7 (evacuation time estimate & human behavior in emergencies).* Pp 1-189.Supporting matl encl.
* Public Service Co. of New Hampshire. 87/11/12. 207pp. 43392:334-43393:180.

--8711190047 Errata to applicant Direct Testimony 7 (evacuation time estimate & human behavior).* Certificate of Svc encl.
* Public Service Co. of New Hampshire. 87/11/12. 5pp. 43393:181-43393:185.

8711230043 Transcript of 871116 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,583-5,722.Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/11/16. 400pp. 43409:001-43410:035.

8711240015 Errata to testimony of SC Sholly,J Beyea,G Thompson & J Leaning,on behalf of JM Shannon,Atty General for Commonwealth of MA,concerning various matters raised in "ETE" & "sheltering" contentions.*
SHOLLY,S.C., BEYEA,J., THOMPSON,G. Massachusetts, Commonwealth of. #487 4890. 87/11/17. 7pp. 43423:200-43424:006.

--8711240027 Commonwealth of MA corrected testimony of SC Sholly on technical basis for NRC emergency planning rules,J Beyea on potential radiation dosage consequences of accidents that form basis for NRC emergency...* Certificate of Svc encl.
SHOLLY,S.C., BEYEA,J. Massachusetts, Commonwealth of. SHOLLY,S.C. MHB Technical Associates. 87/11/17. 160pp. 43423:207-43424:006.

8711240118 Transcript of 871117 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,723-5,947.
* Atomic Safety and Licensing Board Panel. 87/11/17. 225pp. 43433:340-43434:210.

8711240125 Transcript of 871118 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 5,948-6,175.
* Atomic Safety and Licensing Board Panel. 87/11/18. 228pp. 43433:110-43433:339.

8711250151 Transcript of 871119 evidentiary hearing in Concord,NH re offsite emergency planning.Pp 6,176-6,389.
* Commissioners. 87/11/19. 215pp. 43439:144-43440:022.

8711250154 Transcript of 871120 evidentiary hearing in Concord,NH.Pp 6,390-6,530.
* Atomic Safety and Licensing Board Panel. 87/11/20. 143pp. 43438:001-43438:143.

U. Congressional/Executive Correspondence

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4590. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C.O.B. 871013.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. 87/10/13. Commissioners. 23pp. 43048:073-43048:096.

8711100011 Responds to recipient 870917 ltr expressing concerns re public feelings of exclusion from plant hearing process & effectiveness of util offsite emergency plans.
ZECH,L.W. Commissioners. 87/11/03. GREGG,J. House of Rep. 5pp. 43339:320-43339:326.

--8711100013 Requests Commission reconsideration of proposal for external review of plant included in author 870220 ltr re establishment of ad hoc committee w/expertise in transportation & radiologic emergency planning.
GREGG,J. House of Rep. 87/09/17. ZECH,L. Commissioners. 2pp. 43339:325-43339:326.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

A. Application/construction stage documents & correspondence

8711090028 FOIA request for documents re formation of Allegation Review Committee (ARC) & findings of 870825 & 0715 ARC meetings.
BAUMAN,L. Government Accountability Project. 87/08/24. NRC - No Detailed Affiliation Given. 2pp. 43323:299-43323:300.

8711030079 FOIA request for documents generated in connection w/Stello 870121 memo establishing Comanche Peak rept review group, notes of Stello meeting w/involved individuals & region-wide training program & guidance plan.
BAUMAN,L. Government Accountability Project. 87/09/01. NRC - No Detailed Affiliation Given. 2pp. 43263:322-43263:323.

8711230186 Informs that individuals on encl list no longer perform licensed duties at plant.Addressing of all correspondence re subj individuals to WG Counsil requested.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 87/10/08. Region 4, Ofc of the Director. 2pp. 43419:359-43419:360.

8711110039 FOIA request for records on summary of 870902-04 audit re implementation of piping generic technical issue resolutions.
BAUMAN,L. Government Accountability Project. 87/10/07. NRC - No Detailed Affiliation Given. 2pp. 43347:058-43347:059.

8711020285 Summary of 870915 meeting w/util & util design contractors in New York,NY re resolutions to generic technical issues on structural integrity of HVAC design.
TERAO,D. Ofc of Special Projects. 87/10/19. Ofc of Special Projects. 103pp. 43238:144-43238:246.

8711020152 Forwards safety evaluation re TMI Action Item II.K.3.31, "Compliance to 10CFR50.46." Facility meets requirements of action item & 10CFR50.46.
GRIMES,C.I. Ofc of Special Projects. 87/10/26. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 43238:320-43238:325.

--8711020154 Safety evaluation re TMI Action Item II.K.3.31 re plant- specific calculations to show compliance w/10CFR50.46. Facility meets requirements of action item & 10CFR50.46.
* Ofc of Special Projects. 87/10/26. 4pp. 43238:322-43238:325.

8711020416 Informs that effective 871025,JL Pellet will assume position & duties of R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 43235:259-43235:260.

8711030276 Advises that util will not adopt Rev 15 to Code Case N-71. Util will continue to use criteria of Rev 9 in design of plant pipe supports fabricated from A500 Grade B (cold-formed) structural tube shape.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. Document Control Branch (Document Control Desk). 2pp. 43250:319-43250:320.

8711020483 Forwards advanced FSAR change correcting errors contained in 871002 rev to environ qualification program.Ltr supersedes encls to TXX-6745.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 28pp. 43237:143-43237:171.

8711030088 Partial response to FOIA request re plant.App A records available in PDR.App B records encl & in PDR.App C documents completely withheld (ref FOIA Exemption 5).App D documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 10pp. 43263:324-43264:046.

--8711030130 Advises of specific regional actions in response to Ofc of Inspector & Auditor rept.Listed activities conducted re training of supervisors & staff.Policy guides encl.W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director. 87/04/14. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 43263:334-43263:336.

--8711030141 Discusses training to employees identified as result of Comanche Peak investigative rept.Conduct of training by JW Rode recommended.
LEAGUE,K.E. Region 4, Ofc of the Director. 87/08/07. MARTIN,R.D. Region 4, Ofc of the Director. 4pp. 43263:337-43263:340.

--8711030156 Requests recipient assistance in arranging for five listed courses,especially conflict resolution,to be made available to Region IV personnel.Need for training identified in Ofc of Inspector & Auditor rept.Regional ofc policy guides encl.
POWERS,D.A. Region 4, Ofc of the Director. 87/08/31. FOSTER,W.H. Region 4, Ofc of the Director. 45pp. 43263:341-43264:025.

--8711030159 Partially withheld memo re interim followup actions taken to reach final resolution to issues treated in Ofc of Inspector & Auditor Rept File 86-10.Format for preparation of statements discussed.
MARTIN,R.D. Region 4, Ofc of the Director. 86/12/31. PHILLIPS,H.S. NRC - No Detailed Affiliation Given. 4pp. 43264:037-43264:040.

--8711030274 Forwards listed policy guides on training issues.Addl training policy guides will be forwarded upon completion.W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director. 87/05/26. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 9pp. 43264:026-43264:034.

--8711030281 Discusses actions planned re rept of Comanche Peak rept review group.Review will be used to establish actions which will improve Region IV operations.
MARTIN,R.D. Region 4, Ofc of the Director. 87/08/26. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 2pp. 43264:035-43264:036.

8711030498 Summary of 870812-14 audit w/NRC consultants at plant of as-built field verification program for seismic Category I HVAC duct hangers.List of personnel involved & list of documents & drawings reviewed encl.
TERAO,D. Ofc of Special Projects. 87/10/29. Ofc of Special Projects. 8pp. 43280:305-43280:312.

8711090036 Final response to FOIA request.App A documents re mgt of allegations already available in PDR.App B document encl & available in PDR.App C documents completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.R. Division of Rules & Records (Post 870413). 87/10/28. BAUMAN,L. Government Accountability Project. 6pp. 43323:301-43323:310.

--8706220086 Informs of establishment of Allegation Review Committee charged w/reviewing all new allegations & setting forth course of action for evaluation,followup & final disposition.
GRIMES,C.I. Ofc of Special Projects. 87/06/15. Ofc of Special Projects. 2pp. 43323:307-43323:310.

8711020238 Forwards marked-up proposed STS,changing programs described in Section 6.8,including facility fire protection program, turbine overspeed protection reliability program & radioactive effluent & environ monitoring manual.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1,870pp. 43227:231-43232:300.

8711030166 Final response to FOIA request for documents,including V Stello 870414 memo re Comanche Peak Rept Review Group.Encl App B documents also in PDR.App B & C documents partially & completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 5pp. 43259:320-43259:350.

8711040144 Forwards response to NRC 870916 ltr requesting addl info re util results rept for Rev 3 to Issue Specific Action Plan II.c, "Maint of Air Gab Between Concrete Structures."
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43290:198-43290:201.

8711040194 Forwards Rev 0 to "Large Bore Piping & Pipe Supports," project status rept.Resolution of Issues Identified in "Large Bore Pipe Stress & Pipe Support Generic Issues Rept" contained in App A & B of encl rept.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43275,017-43275:216.

--8711040204 Rev 0 to "Large Bore Piping & Pipe Supports," project status rept.
KLAUSE,R.P. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. 199pp. 43275:018-43275:216.

8711040242 Forwards Rev 0 to "Small Bore Piping & Pipe Supports," project status rept.Resolution of Issues Identified in "Small Bore Piping & Pipe Supports Generic Issues Rept" contained in Apps A & B of encl rept.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43274:179-43275:016.

--8711040247 Rev 0 to "Small Bore Piping & Pipe Supports," project status rept.
KLAUSE,R.P. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. 197pp. 43274:180-43276:016.

8711040344 Responds to appeal re denial of FOIA request for documents re Ofc of Investigations Investigation 4-84-050.Forwards portions of transmittal memo listed on app.Remaining documents continue to be withheld (ref FOIA Exemptions 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 3pp. 43278:265-43278:267.

--8711040351 Partially deleted memo forwarding draft proposed enforcement action re harassment & intimidation at plant for comment by 860225.
VOLLMER,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 86/02/19. MARTIN,R.D. Region 4, Ofc of the Director. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). CUNNINGHAM,G.H. Office of the Executive Legal Director (Pre 860701). 1p. 43278:269-43278:267.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100474 Summary of 870928-1001 audit of Comanche Peak Response Team third-party review of cable tray/supports at ofcs of TENERA in Berkeley,CA.List of persons involved in audit & attending exit meeting encl.
TERAO,D. Ofc of Special Projects. 87/11/05. Ofc of Special Projects. 6pp. 43342:273-43342:280.

8711160259 Notification of contract execution,Mod 15,to "Review & Evaluation of Comanche Peak Program Plan." Contractor: Teledyne Engineering Svcs.
HAGEY,H. Contract Administration Branch. FIN D-1338. 87/11/05. GRIMES,C.I. Ofc of Special Projects. LYONS,J. NRC - No Detailed Affiliation Given. 1p. 43370:092-43370:094.

--8711160264 Mod 15,adding incremental funds,to "Review & Evaluation of Comanche Peak Program Plan."
' Teledyne Engineering Services. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1338. 87/11/05. 2pp. 43370:093-43370:094.

8711130125 Advises that value of 7.43 pH units reported in Performance Evaluation Rept DMR-QA Study 7 re 1987 NPDES QA program incorrect due to clerical error.Reported value should have been 8.43 pH units,which is within acceptable range.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. HEYER,E. Texas, State of. 1p. 43354:086-43354:086.

8711130176 Provides addl info re Generic Ltr 83-28,Section 2.2.1,per CI Grimes 870325 request.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43357:266-43357:268.

8711180071 Forwards Rev 0 to project status rept, "Cable Tray & Cable Tray Hangers." Resolution of Issues Identified in "Cable Tray & Cable Tray Hangers Generic Issues Rept," contained in Apps A & B of encl rept.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43389:124-43389:307.

--8711180082 Rev 0 to project status rept, "Cable Tray & Cable Tray Hangers," corrective action program.
ASHLEY,G.R. Impell Corp. ALEXANDRU,R.S. Ebasco Services, Inc. (subs. of Enserch Corp.). 87/11/06. 200pp. 43389:126-43389:307.

8711200026 Trip rept of 871007 visit to Corporate Consulting & Development Co,Ltd,in Raleigh,NC re static tests of HVAC ductwork.
TERAO,D. Ofc of Special Projects. 87/11/06. Ofc of Special Projects. 83pp. 43407:035-43407:116.

8711200149 Requests that util review encl data list,add omitted generic issues applicable to plant to list & provide date that all aspects of each identified requirement completed/implemented or expected to be completed.
GRIMES,C.I. Ofc of Special Projects. 87/11/06. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 12pp. 43415:294-43415:305.

8711110049 Partial response to FOIA request for documents re implementation of piping generic technical issue resolution.Forwards documents listed in App A App A documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. BAUMAN,L. Government Accountability Project. 2pp. 43347:060-43347:298.

--8711110102 Rev 1 to CT-1-137-702-S25R, "Pipe Support Calculation." Supporting documentation encl.
PATEL,P.C. Stone & Webster, Inc. 86/10/31. 94pp. 43347:062-43347:155

--8711110114 Rev 1 to CT-1-137-701-S25R, "Pipe Support Calculation."
MATTA,G., DALAL,N.K. Stone & Webster, Inc. 87/02/19. 66pp. 43347:156-43347:220.

--8711110132 Rev 1 to Calculation CT-1-032, "Texas Util Generating Co Comanche Peak Steam Electric Station Containment Spray Sys 15454-NP(H)."
YADAR,R.L. Stone & Webster, Inc. 86/07/31. 79pp. 43347:221-43347:298.

8711120090 Sumarizes Ebasco Svcs,Inc 870908-10 audit of facility as-built program for cable tray hangers.List of persons involved in audit,documents reviewed & figure of as-bu lt activities encl.
TERAO,D. Ofc of Special Projects. 87/11/09. Ofc of Special Projects 9pp. 43348:313-43348:321.

8711130086 Forwards communications repts associated w/cable tray aud.ts,per Communication Repts Transmittal 33 for independent assessment program - all phases.List of encl communication repts provided on Attachment 1.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/09. ELLIS,J. Citizens Association for Sound Energy. 49pp. 43355:131-43355:179.

8711160029 Advises of concern re extensive development & application of design & acceptance criteria for cable tray hangers which appear to dovlate from requirements of applicable codes,stds & reg guide.Technical basis for deviations requested.
GRIMES,C.I. Ofc of Special Projects. 87/11/09. COUNSIL,W.G TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43363:035-43363:039.

8711180038 Forwards Comanche Peak response team Results Repts Issue Specific Action Plans II.c, "Train C Conduit & Supports," II.e, "Reinforcing Steel in Reactor Cavity" & II.d "Seismic Design of Control Room Ceiling Elements."
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43389:324-43390:127.

--8711180053 Rev 1 to Comanche Peak response team Results Rept Issue Specific Action Plans II.e, "Reinforcing Steel in Reactor Cavity."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/23 31pp. 43389:328-43389:359.

--8711180058 Rev 1 to Comanche Peak response team Results Rept Issue Specific Action Plans II.d, "Seismic Design of Control Room Ceiling Elements."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/21. 59pp. 43389:360-43390:058.

--8711180061 Rev 1 to Comanche Peak response team Results Rept Issue Specific Action Plans I.c, "Train C Conduit & Supports."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. 69pp. 43390:069-43390:127.

8711180046 Forwards Rev 0 to "Corrective Action Program Project Status Rept Conduit Supports Train C 2-inch Diameter & Less." Resolution of Issues Identified in "Generic Technical Issues Rept...Resolution of Cygna Train...Issues" included in rept.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/11. Document Control Branch (Document Control Desk). 1p. 43390:128-43390:182.

--8711180051 Rev 0 to "Corrective Action Program Project Status Rept Conduit Supports Train C 2-inch Diameter & Less."
DESMOND,T.P. Impell Corp. 87/11/11. 63pp. 43390:129-43390:182.

8711170216 Advises of tentatively scheduled 871209 public meeting in Dallas,TX to discuss NRC review of corrective actions described in util 870625,0820,28,0908 & 23 ltrs.Comments requested by 871201 for inclusion in agenda.
GRIMES,C.I. Ofc of Special Projects. 87/11/13. ELLIS,J. Citizens Association for Sound Energy. 4pp. 43385:288-43385:291.

8711240123 Forwards communications repts associated w/piping/pipe support audits.Repts also listed in attachment.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Association for Sound Energy. 27pp. 43430:054-43430:080.

8711240133 Forwards communications repts associated w/cable tray audits.List of communication repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Association for Sound Energy. 100pp. 43431:131-43431:230.

8711240237 Forwards communications repts associated w/civil/structural audits.List of communications repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Association for Sound Energy. 46pp. 43432:276-43432:320.

8711250057 Forwards communications repts associated w/conduit audits. List of communications repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Association for Sound Energy. 38pp. 43457:034-43457:071.

B documents App B & C documents available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/17. BAUMAN,L. Government Accountability Project. 3pp. 43425:338-43425:344.

--8711200130 Rev 1 to "Documentation of ASME III NA-1140 Review for Piping & Supports." Copyright mail.W/3 oversize encls
GREEN,W.H., COKONIS,A.J., MCQUAID,P.J. Stone & Webster Engineering Corp. 15454-N(C).007 R01. 87/08/10. 30pp. 43425:343-43425:344.

8711240128 Forwards Rev 0 to "Conduit Supports Trains A & B & Train C Larger Than 2 Inch Diameter," project status rept. Resolution of issues contained in Apps A & B of encl rept.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43432:321-43433:085.

--8711240149 Rev 0 to "Conduit Supports Trains A & B & Train C Larger Than 2 Inch Diameter," project status rept.
* TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. 121pp. 43432:322-43433:085.

8711250080 Notification of 871209 meeting w/util in Dallas,TX to discuss status of corrective action programs.
VIETTI-COOK,A. Ofc of Special Projects. 87/11/19. GRIMES,C.I. Ofc of Special Projects. 4pp. 43448:329-43448:332.

8711250156 Further response to appeals of FOIA request for records re evaluation of issue-specific action plan re plant.Documents I.2.b & 1.10 addressed in responses to FOIA 86-A-203 & 86-A-204 & contained in other documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/19. GARDE,B.P. Government Accountability Project. 1p. 43461:143-43461:221.

8711240154 Forwards description of Amend 65 to FSAR.Amend,transmitted under separate cover,includes listed revs,including fire protection,electrical separation,power sys,testing,util organization & electrical grounding.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 25pp. 43432:036-43432:060.

8711300168 Submits clarifications of plant program descriptions. Portions of corrective action program that do not have erection specs have same final acceptance attributes developed from design basis documents.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/25. Document Control Branch (Document Control Desk). 3pp. 43471:026-43471:028.

E. NRC Safety Evaluation Report (SER), supplements & correspondence

8711240278 Advises that insp of coated weld samples completed per procedure consistent w/guidance in SSER 12 (NUREG-0797).Util prepared to support NRC Office of Special Projects review & assessment of insp results.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:178-43459:179.

F. Security, medical, emergency & fire protection plans

8711030191 Forwards Insp Rept 50-445/87-21 on 870903-1006.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/10/23. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43263:102-43263:113.

--8711030193 Insp Rept 50-445/87-21 on 870903-1006.No violations or deviations noted.Major areas inspected:followup on open insp findings,prestart testing program,fire protection & plant security meetings & plant tour.
KELLEY,D.L., WARNICK,R.F. Ofc of Special Projects. 87/10/23. 7pp. 43263:107-43263:113.

8711020238 Forwards marked-up proposed STS,changing programs described in Section 6.8,including facility fire protection program, turbine overspeed protection reliability program & radioactive effluent & environ monitoring manual.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1,870pp. 43227:231-43232:300.

8711130157 Forwards info associated w/WCAP 11331 re plant thermal/ hydraulic analysis of fire safe shutdown scenario,per NRC 871104 request.Record of 871104 telcon w/Westinghouse encl.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/05. Document Control Branch (Document Control Desk). 6pp. 43357:281-43357:286.

8711240154 Forwards description of Amend 65 to FSAR.Amend,transmitted under separate cover,includes listed revs,including fire protection,electrical separation,power sys,testing,util organization & electrical grounding.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 25pp. 43432:036-43432:060

8711240230 Forwards Insp Rept 50-445/87-26 on 871007-1103.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/20. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43445:313-43445:324.

--8711240234 Safety Insp Rept 50-445/87-26 on 871007-1103.No violations or deviations noted.Major areas inspected:actions on previous insp findings,generic ltr followup,preoccupational testing program,fire protection insp/audit & plant tours.
KELLY,D.L., WARNICK,R.F. Ofc of Special Projects. 87/11/20. 7pp. 43445:318-43445:324.

8711240044 Responds to 840319 petition per 10CFR2.206 on behalf of CASE & nu ar workers asking NRC to act re documentation & const deficiencies at plant.NRC conduct insps but requests re IDCVP,mgt audit & const suspension denied.W/o st encls.
KEPPLER,J.G. Ofc of Special Projects. #487 4887. 87/10/16. GARDE,B.P. Gov ment Accountability Project. 5pp. 43423:193-43423:197.

8711170039 Answers to Board 14 questions (memo;proposed memo of 860414 Action Plan Results Rept I.a.1.* Concerns re installation of heat shrinkable insul sleeves addressed.Certificate of Svc encl.
PEARSON,J.R., MALLANDA,J.J. TU Electric (formerly Texas Utilities Generating #487 4797. 87/10/26. 275pp. 43367:228-43368:125.

8711040073 Answers to Board 14 questions (memo;proposed memo of 860414 Action Plan Results Rept III.a.5.* Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4740. 10/29. 11pp. 43254:282-43254:292.

8711040083 Answers to ASLB 14 questions (memo;proposed memo of 860414 Action Plan Results Rept III.c.* Responds to Action Plan Rept III.c, "Prerequisite T ing." Supporting documentation & Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4742. 10/29. 15pp. 43254:346-43254:360.

8711040095 Answers to ASLB 14 questions (memo;proposed memo of 860414 Action Plan Results Rept III.a.1.* Responds to Action Plan Rept III.a.1, "Hot Funct al Testing." Supporting documentation & Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4743. 10/29. 13pp. 43255:061-43255:073.

8711040101 Forwards notices of appearance on behalf of JR Newman, M Axelrad Edgar & AH Gutterman of Newman & Holtzinger. Certificate of Svc encl.
WOOLRIDGE,R.A. TU Electric (formerly Texas Utilities Generating WOOLRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsh Forsythe & Sampels). #487 4739. 87/10/29. Docketing & Services Branch. 43253:317-43253:331.

8711040103 NRC Staff response to Licensing Board questions.* ASLB should adop gation schedule previously proposed by staff 871002 response which is consistan staff response to ASLB three questions.
MIZUNO,G.S. Assistant General Counsel for Hearings. #487 4752. 87/10/29. 2 43254:084-43254:116.

--8711040111 NRC Staff proposed prehearing conference format.* Submits propo format for 871102-03 prehearing.Staff does not wish to propose addl issues.Certifi of Svc encl.
MOORE,J.E. Assistant General Counsel for Hearings. 87/10/29. 4pp. 43254: 43254:116.

8711040107 Answers to ASLB 14 questions (memo;proposed memo of 860414 Action Plan Results Rept III.b.* Responds to Action Plan Rept III.b, "Conduct of tainment Integrated Leak Rate Test." Supporting documentation & Certificate of encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4741. 10/29. 11pp. 43254:127-43254:137.

8711040135 CASE prehearing conference plan & answers to ASLB questions.* C takes position that ASLB should make factual determination about extent of histo breakdown in QA/QC for design & const.Certificate of Svc encl.
GARDE,B.P. Citizens Association for Sound Energy. #487 4749. 87/10/29. 2 43254:238-43254:263.

8711040147 Applicant response to Board three conference plan questions.* AS concluded that applicant design verification efforts permitted to substitute for de QA program.W/Certificate of Svc.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating EGGELING,W.S. Ropes & Gray. #487 4747. 87/10/29. 14pp. 43254:264-43254:

8711040157 Applicant proposed format for prehearing conference.* Applicant sh address ASLB initially followed by response by all other parties.Applicant should be afforded opportunity to respond to comments.W/Certificate of Svc.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating EGGELING,W.S. Ropes & Gray. #487 4748. 87/10/29. 4pp. 43254:037-43254:

8711040097 Forwards responses to notices of violation & notices of deviation 870925-1026,per util 870824 response to Bloch request.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Rope Gray. #487 4751. 87/10/30. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Ato Safety and Licensing Board Panel. 24pp. 43255:082-43255:105.

8711040113 Answers to ASLB 14 questions (memo;proposed memo of 860414 Action Plan Results Rept VII.B.4.* Provides response to ASLB questions re anchor bolt installation.Quality Instruction QI-063 & Certificate of Svc encl.
BEASLEY,C., HANSEL,J. TU Electric (formerly Texas Utilities Generating Co.). # 4746. 87/10/30. 24pp. 43254:172-43254:195.

8711040114 Answers to ASLB 14 questions (memo;proposed memo of 860414 Action Plan Results Rept VII.a.1.* Responds to Action Plan Rept VII.a.1, "Mati ceability." Supporting documentation & Certificate of Svc encl.
BARISH,V.J., HANSEL,J.L. TU Electric (formerly Texas Utilities Generating Co.). # 4745. 87/10/30. 14pp. 43254:196-43254:209.

8711040146 Applicant eighth progress rept.* Rept covers 870826-1025. Senior rev team approved & published 44 results repts representing 43 issue specific ac plans or discipline specific action plans.Certificate of Svc encl.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Rope Gray. #487 4750. 87/10/30. 46pp. 43253:332-43254:017.

8711110064 Answers to Board 14 questions (memo;proposed 860414 memo) re Ac Plan Results Rept VI.a.* Certificate of Svc encl.
TURI,P.L., LEVIN,H. TU Electric (formerly Texas Utilities Generating Co.). #487 4 87/10/31. 19pp. 43332:238-43332:256.

8711040102 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept II.a.2.* Responds to Action Plan Rept II.a.2, "Insp Repts on Butt-Splices." Supporting documentation & Certificate of Svc encl.
PEARSON,J.R., MALLANDA,J.J. TU Electric (formerly Texas Utilities Generating Co.). #487 4744. 87/11/02. 33pp. 43254:041-43254:083.

8711110051 Forwards WG Counsil 871102 ltr to NRC transmitting project status rept for Rev 0 to "Large Bore Piping & Pipe Supports" & rept.W/o rept.
WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4772. 87/11/02. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 2pp. 43332:185-43332:186

8711170021 Answers to Board 14 questions (memorandum,proposed memorandum of 860414) re Action Plan Results Rept II.e.* Submits answer to Board 860414 questions re rebar in fuel handling bldg W/Certificate of Svc.
ARROS,J.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.). #487 4798. 87/11/03. 10pp. 43368:148-43368:157.

8711170040 Answers to Board 14 questions (memorandum,proposed memorandum of 860414) re Action Plan Results Rept VI.b.* Submit answers to Board questions re polar crane shims,in accordance w/Board 860414 memorandum W/Certificate of Svc.
ARROS,J.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.). #487 4799. 87/11/06. 11pp. 43367:217-43367:227.

8711170094 Forwards util 871106 ltr to NRC transmitting Rev 0 to project status rept for cable tray & tray hangers.Rept also sent to J Ellis & Cygna Energy Svcs,Inc.Related correspondence.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.) WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4800. 87/11/06. BLOCH,P.B., JORDAN,W.H., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 2pp. 43367:001-43367:002

8711170116 Forwards util 871105 ltr transmitting list of latest revs of field verification methods,quality insp procedures & erection spec ref in large & small bore piping & pipe supports project status repts.Related correspondence.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.) WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4801. 87/11/06. BLOCH,P.B., JORDAN,W.H., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 3pp. 43367:003-43367:005.

8711170014 NRC Staff comments on ASLB proposed schedule * ASLB should adopt schedule proposed on 871103 based on hearings not starting until collective significance rept issued & reviewed & discovery of CASE made.Certificate of Svc encl.
MOORE,J.E. Assistant General Counsel for Hearings. #487 4818. 87/11/09. Atomic Safety and Licensing Board Panel 5pp. 43367:030-43367:034.

8711170051 Forwards util special review team approved Results Repts II.c,II.e & II.d Revised tables of content reflecting issuance of repts also encl.Related correspondance.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4813. 87/11/09. BLOCH,P.B., JORDAN,W.H., JOHNSON,E.B. Atomic Safety and Licensing Board Panel. 164pp. 43367:053-43367:216.

8711190051 Submits CASE comments on ASLB 871103 scheduling order. Time frames less than in NRC regulations would be great injustice & applicants should produce documents in timely manner.
GARDE,B.P. Citizens Association for Sound Energy. GARDE,B.P. Government Accountability Project. #487 4842. 87/11/09. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 5pp. 43393:316-43393:320.

8711170016 Applicant response to proposed litigation schedule * Concern noted re lack of time for applicant & NRC to provide discovery of intervenor after intervenor specifies issues to litigate.Modified schedule & Certificate of Svc encl.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating Co.). EGGELING,W.S. Ropes & Gray. #487 4823. 87/11/10. 13pp. 43368:174-43368:186.

8711190064 Forwards,for info,util 871111 ltr to NRC transmitting Rev 0 to project status rept entitled "Conduit Supports Train C 2-Inch Diameter & Less." W/o rept.Related correspondance.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4861. 87/11/11. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 2pp. 43393:301-43393:302.

8711190012 Answers to ASLB 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept VII.b.1.* Answers to questions re Action Plan VII.b.1, "On-Site Fabrication." Supporting documentation & Certificate of Svc encl.
ROSS,G.W., HANSEL,J.L. TU Electric (formerly Texas Utilities Generating Co.). #487 4662. 87/11/12. 36pp. 43393:186-43393:221.

8711190044 Answers to Board 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept II.a.* No checklist generated or used during implementation of action plan.Two problem areas addressed in rept.Certificate of Svc encl.
SANAN,R.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.). #487 4863. 87/11/12. 10pp. 43392:123-43392:132.

8711190009 Notice of availability of results repts & working files.* Lists repts Comanche Peak response team approved & published.W/Certificate of Svc & list of completed ISAPs, DSAPs & results repts.Related correspondence.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Ropes & Gray. #487 4860. 87/11/13. 5pp. 43392:328-43392:332.

8711190020 Forwards JG Keppler 871106 memo to V Stello.Memo provided to ASLB & parties since Ofc of General Counsel inadvertently received copy.MA Young notices of appearance & Certificates of Svc also encl.
YOUNG,M.A. Assistant General Counsel for Hearings. #487 4843. 87/11/13. BLOCH,P.B., MCCOLLOM,K.A., JOHNSON,E.B. Atomic Safety and Licensing Board Panel. 9pp. 43392:317-43392:325.

8711190035 Requests that ASLB refuse consideration of CASE 871109 ltr re comments on proposed schedule until matter filed as formal motion so other parties may fairly reply.
YOUNG,M.A. Assistant General Counsel for Hearings. #487 4859. 87/11/13. BLOCH,P.B., JOHNSON,E.B., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 2pp. 43392:182-43392:183.

8711190028 Advises that Commission declined review of Director's Decision DD-87-17.Time provided by NRC regulations for Commission to act expired Decision became final agency action on 871110.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4850 87/11/17. GARDE,B.P. Government Accountability Project 1p. 43392:261-43392:261.

8711240093 Memorandum & order (litigation schedule) * Schedule responsive to filings of parties prior to 871102:03 prehearing conference,discussions at conference & subsequent comments of parties.Served on 871119.
BLOCH,P.B. Atomic Safety and Licensing Board Panel. #487 4885 87/11/18. Office of the General Counsel. 6pp. 43423:090-43423:095.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250209 Amend 65 to FSAR for Comanche Peak Steam Electric Station W/ 871120 ltr.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. 2,000pp 43451:122-43455:118.

P. Operating license stage documents & correspondence

8711190333 Summarizes 870908-11 audit of as-built field verification program for seismic Category I HVAC duct segments,air handling units,plenums & related equipment supports. Walkdown procedures adequate.One open item identified.
TERAO,D Ofc of Special Projects 87/11/10. Ofc of Special Projects 6pp. 43404:120-43404:127.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711160068 FOIA request for documents re 870804 notice of violation (Insp Repts 50-445/87-07 & 50-446/87-06) & 870706 meeting presentation.
BAUMAN,L. Government Accountability Project 87/08/24. NRC - No Detailed Affiliation Given 2pp. 43362:152-43362:153.

8711030191 Forwards Insp Rept 50-445/87-21 on 870903-1006.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/10/23 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43263:102-43263:113.

--8711030193 Insp Rept 50-445/87-21 on 870903-1006.No violations or deviations noted.Major areas inspected:followup on open Insp findings;preslart testing program;fire protection & plant security meetings & plant tour.
KELLEY,D.L., WARNICK,R.F. Ofc of Special Projects. 87/10/23 7pp. 43263:107-43263:113

8711130267 Ack receipt of 870218,0306,27,0501,0601,0715,31,0909 & 1001 ltrs in response to NRC 861222 & 870911 requests for addl info re Insp Repts 50-445/86-07 & 50-446/86-05.No further questions provided
WARNICK,R.F. Ofc of Special Projects 87/10/27. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43356:026-43356:029.

8711160036 Ack receipt of 860221,0403,0523,0814,0915,870106,0505,22, 0923 & 30 responses to NRC 861224,860403,0528 & 0627 ltrs re Insp Repts 50-445/85-13 & 50-446/85-09.Corrective action will be reviewed during future insp.
WARNICK,R.F. Ofc of Special Projects. 87/10/27. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43362:164-43362:167.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711100470 Ack receipt of 870605,0713,0810,0911 & 1023 ltrs in response to violation noted in Insp Repts 50-445/86-26 & 50-446/86-22.Implementation of committed corrective & preventive actions will be reviewed.
WARNICK,R.F. Ofc of Special Projects 87/10/29. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43342:281-43342:285.

8711030166 Final response to FOIA request for documents,including V Stello 870414 memo re Comanche Peak Rept Review Group.Encl App B documents also in PDR.App B & C documents partially & completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 6pp. 43259:320-43259:350.

--8711030175 Partially deleted memo discussing implementation of recommendations of Comanche Peak Rept Review Group re Investigation Rept 86-10,addressing allegations of Region IV mgt wrongdoing re insp activities.
STELLO,V. Ofc of the Executive Director for Operations. 87/04/14. ZECH Commissioners. 25pp. 43259:326-43259:350.

8711040097 Forwards responses to notices of violation & notices of deviation for 870925-1026,per util 870824 response to Bloch request.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Ropes & Gray. #487 4751. 87/10/30. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 24pp. 43255:082-43255:105.

8711040113 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept VII.B.4.* Provides response to ASLB questions re Hilti anchor bolt installation.Quality Instruction QI-063 & Certificate of Svc encl.
BEASLEY,C., HANSEL,J. TU Electric (formerly Texas Utilities Generating Co.). #487 4748. 87/10/30. 24pp. 43254:172-43254:195

8711040148 Forwards revised response to Enforcement Action EA-86-009. Alleged violation that vendor documents re electrical penetration assemblies controlled by Gibbs & Hill per project procedures manual & project guide denied.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/10/30. Document Control Branch (Document Control Desk). 6pp. 43290:192-43290:197.

8711040102 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept I.a.2." Responds to Action Plan Rept I.a.2, "Insp Reprts on Butt-Splices." Supporting documentation & Certificate of Svc encl.
FEARSON,J.R., MALLANDA,J.J. TU Electric (formerly Texas Utilities Generating Co.). #487 4744. 87/11/02. 33pp. 43254:041-43254:083.

8711050177 Advises that scheduled completion date for mod & rework of Unit 1 cable tray hangers revised to 880108,in response to violation noted in Insp Rept 50-445/84-16.Unit 2 completion date remains 881031.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43293:199-43293:199.

8711040344 Responds to appeal re denial of FOIA request for documents re Ofc of Investigations Investigation 4-84-050.Forwards portions of transmittal memo listed on app.Remaining documents continue to be withheld (ref FOIA Exemptions 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 3pp. 43278:255-43278:267.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711090089 Response to appeal of denial of FOIA request for documents re Insp Rept 50-455/87-07 & 50-446/87-06.Documents listed in encl app will continue to be withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/04. BAUMAN,L. Government Accountability Project. 3pp. 43323:281-43323:290.

8711090365 Notification of 871112 meeting w/util in Bethesda,MD to discuss open FSAR review item on jet impingement effects in & inservice insp requirements for break exclusion region of main steam & feedwater piping at plant.
MALLOY,M. Ofc of Special Projects. 87/11/05. GRIMES,C.I. Ofc of Special Projects. 2pp. 43324:057-43324:058.

8711110093 Forwards Insp Repts 50-445/87-18 & 50-446/87-14 on 870903-1006 & notices of violation & deviation.
WARNICK,R.F. Ofc of Special Projects. 87/11/05. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 43346:080-43346:137.

--8711110100 Notice of violation from insp on 870903-1006.Violation noted:package flow control procedures not followed for electrical penetration assembly documentation,QC accepted inaccessible weld distance & nonconformance rept not made.
WARNICK,R.F. Ofc of Special Projects. 87/11/05. 4pp. 43346:086-43346:089.

--8711110119 Notice of deviation from insp on 870903-1006.Deviation noted:performance guidelines for conduit support & routing walkdowns not followed.
WARNICK,R.F. Ofc of Special Projects. 87/11/05. 2pp. 43346:090-43346:091.

--8711110125 Insp Repts 50-445/87-18 & 50-446/87-14 on 870903-1006,Four violations & one deviation noted.Major areas inspected:plant response team Issue-Specific Action Plans V.d,VII.a.4 & VII.b.3 & licensee action on previous findings & followup.
ELLERSHAW,L.E., HALE,C.J., WAGNER,P.C. Ofc of Special Projects. 87/11/05. 45pp. 43346:092-43346:137.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711130128 Responds to violations noted in Insp Repts 50-445/87-13 & 50-446/87-10 on 870708-0804.Corrective actions procedure will be revised to contain requirement to obtain review of new startup work permit for adequacy.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43357:215-43357:217.

8711160067 Forwards addl info to 870715 response to violations noted in Insp Repts 50-445/84-32 & 50-446/84-11,based on 870715 meeting w/NRC.Lack of procedures to review status of const QA program addressed in Issue Specific Action Plan VII.a.5.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 11pp. 43385:167-43385:177.

8711130015 Interim Deficiency Rept CP-87-110 re solid state safeguard sequencer relays not meeting contact interrupting rating requirements.Evaluation continuing.Next rept will be submitted by 871231.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 1p. 43355:359-43355:359.

8711200152 Forwards Insp Repts 50-445/87-24 & 50-446/87-18 on 871007-1103.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/12. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43415:306-43415:323.

--8711200158 Insp Repts 50-445/87-24 & 50-446/87-18 on 871007-1103.No violations or deviations noted.Major areas inspected:items of noncompliance/deviations,review of allegations,technical audit program & general plant areas.
HALE,C.J., BARNES,I. Ofc of Special Projects. 87/11/12. 14pp. 43415:310-43415:323.

8711200160 Forwards Insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103.Violations noted.Enforcement conference to discuss facts of items scheduled for 871208.
GRIMES,C.I. Ofc of Special Projects. 87/11/12. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 43408:205-43408:223

--8711200164 Safety Insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103.V
tions noted.Major areas inspected: interviews & discussions
managers,supervisors,engineers & craftsmen & special meetings.
PHILLIPS,H.S., WARNICK,R.F. Ofc of Special Projects. 87/11/12. 12pp. 43408
43408:223.

8711170107 Revises replacement date of valve bonnet to 880331 in response to v
tion noted in Insp Rept 50-445/86-22.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. D
ment Control Branch (Document Control Desk). 1p. 43381:034-43381:034.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emer
cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11
Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:286.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11
Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711250181 Forwards Insp Repts 50-445/87-23 & 50-446/87-17 on 871007-110
violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/17. COUNSIL,W.G. TU Electric
merly Texas Utilities Generating Co.). 5pp. 43462:312-43462:333.

--8711250187 Insp Repts 50-445/87-23 & 50-446/87-17 on 871007-1103.No violat
or deviations noted.Major areas inspected: applicant actions & followup on item
noncompliance/ deviations,rev to electrical specs & general plant tours.
WAGNER,P.C., BARNES,I. Ofc of Special Projects. 87/11/16. 17pp. 43462
43462:333.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Bo
ary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11
Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711240219 Ack receipt of 871106 ltr informing NRC of steps taken to correct violat
noted in Insp Repts 50-445/87-13 & 50-446/87-10.
WARNICK,R.F. Ofc of Special Projects. 87/11/19. COUNSIL,W.G. TU Electric
merly Texas Utilities Generating Co.). 6pp. 43445:308-43445:312.

8711240230 Forwards Insp Rept 50-445/87-26 on 871007-1103.No violations or
ations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/20. COUNSIL,W.G. TU Electric
merly Texas Utilities Generating Co.). 5pp. 43445:313-43445:324.

--8711240234 Safety Insp Rept 50-445/87-26 on 871007-1103.No violations or
ations noted.Major areas inspected:actions on previous insp findings,generic
followup,preoccupational testing program,fire protection insp/audit & plant tours.
KELLY,D.L., WARNICK,R.F. Ofc of Special Projects. 87/11/20. 7pp. 43445
43445:324.

8711240278 Advises that insp of coated weld samples completed per procedure
sistent w/guidance in SSER 12 (NUREG-0797).Util prepared to support NRC Offic
Special Projects review & assessment of insp results.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating
87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:
43459:179.

8711240305 Suppls 870918 response to violations noted in Insp Repts 50-445/86-2
50-446/86-20.Date for disposition of requested addl nonconformance document
delineating addl corrective action extended to 880215.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating
87/11/20. Document Control Branch (Document Control Desk). 1p. 43442
43442:143.

8711250039 Responds to NRC 871014 ltr requesting info re base matl defects note
Insp Repts 50-445/86-03 & 50-446/86-02.Util preparing verification plan that w
used to reverify welds from representative sample of 60 pipe supports.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating
87/11/20. Document Control Branch (Document Control Desk). 1p. 43457:
43457:077.

8711250146 Forwards Insp Repts 50-445/87-25 & 50-446/87-19 on 871007-1103
violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/20. COUNSIL,W.G. TU Electric
merly Texas Utilities Generating Co.). 4pp. 43462:291-43462:311.

--8711250148 Insp Repts 50-445/87-25 & 50-446/87-19 on 871007-1103.No violat
or deviations noted.Major areas inspected: applicant actions on previous
findings,corrective actions program & site design audit.
ELLERSHAW,L.E., BARNES,I. Ofc of Special Projects. 87/11/20. 17pp. 43462:2
43462:311.

8711300201 Responds to NRC 871023 ltr re violations & deviation noted in Insp Re
50-445/87-16 & 50-446/87-13.Corrective actions:Nonconformance Rept 81-A01
written to document missing cotter pins.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/23 Do
ment Control Branch (Document Control Desk). 7pp. 43467:286-43467:292.

8711300120 Advises that completion of review of attributes for const work categor
notice of deviation item B (Insp Rept 50-445/86-03) revised to 871231.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.).
11/25. Document Control Branch (Document Control Desk). 1p. 43466:3
43466:359.

S. Reportable occurrences, LERs & related correspondence

8711040358 Interim Deficiency Rept CP-87-104 re possible errors in protection s
ation setpoints calculations.Initially reported on 870914.Effect of actual measuring
equipment inaccuracies to be determined.Next rept by 880118.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/14. Do
ment Control Branch (Document Control Desk). 2pp. 43291:066-43291:067.

8711020229 Interim Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump suction lift.Initially reported on 870629. Evaluation continuing.Next rept will be submitted by 871214.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/26. Document Control Branch (Document Control Desk) 1p 43234:195-43234:195

8711020460 Interim Deficiency Rept CP-87-22 re impact testing of matls attached to containment liner not being implemented. Initially reported on 870617.Evaluation continuing.Next rept will be submitted no later than 871218.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/10/26 Document Control Branch (Document Control Desk) 1p 43237:355-43237:355.

8711020490 Interim Deficiency Rept CP-87-108 re low suction pressure trip function of auxiliary feedwater (AFW) pumps which may render AFW sys inoperable.Initially reported on 870924. Evaluation underway.Next rept will be submitted on 880223.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/10/26 Document Control Branch (Document Control Desk). 2pp 43235:075-43235:076

8711020372 Interim Deficiency Rept CP-87-109 re documentation not receiving appropriate design review or resolution w/ established programs.Initially reported on 871005.Issue under evaluation w/Action Rept 87-73.Next rept by 880120.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 1p 43235:307-43235:307.

8711020401 Final Deficiency Rept CP-87-86 re potentially undersized circuit breakers in Class 1E 118-volt ac distribution panels.Initially reported on 870903.Breakers adequate to assure that fault or overload will not degrade Class 1E sys
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 1p. 43237:010-43237:010.

8711020415 Final Deficiency Rept CP-87-22 re FSAR Section 3.8.1 & Spec 2323-SS-14 requirements for impact testing of matls not implemented.Initially reported on 870617.Requirements clarified.Condition not reportable,per 10CFR50.55(e)
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 2pp 43235:261-43235:262.

8711020435 Final Deficiency Rept CP-87-107 re auxiliary feedwater design pressure.Initially reported on 870924.Engineering evaluation performed & issue determined not reportable per 10CFR50.55(e).
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43237:226-43237:227.

8711020337 Interim Deficiency Rept CP-87-21 re larger derating factors for single trays & conduits than factors used in initial cable sizing calculations.Initially reported on 870617. Evaluation continuing.Next rept will be submitted by 880113.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28 Document Control Branch (Document Control Desk) 1p 43237:302-43237:302.

8711020473 Interim Deficiency Rept CP-87-73 re unsound mortar at const joints.Initially reported on 870824.Evaluation continuing. Next rept will be submitted by 871209.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. Document Control Branch (Document Control Desk). 1p 43235:166-43235:166.

8711030278 Interim Deficiency Rept CP-87-52 re apparent inadequacy in vendor info used as design input which could result in unsatisfactory Class 1E battery capabil.ties.Initially reported on 870729 Next rept will be submitted by 880113.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p. 43252:306-43252:306.

8711030358 Interim Deficiency Rept CP-87-34 re equipment nozzle load interfaces for plant.Initially reported on 870710.Next rept will be submitted on 871120.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p. 43250:169-43250:169.

8711030505 Interim Deficiency Rept CP-87-35 re Raychem motor connection kits.Initially reported on 870715.Kits NMCK-2V-35-00,Lots K0770 & K1245 supplied w/ wrong size shim.Evaluation of kit acceptability continuing.Next rept expected before 880112.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p. 43251:251-43251:251.

8711040046 Interim Deficiency Rept CP-86-32 re deficiencies involving thru wall embedded conduit sleeves may be overfilled. Initially reported on 860421.Evaluation continuing.Next rept will be submitted by 880111.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30 Document Control Branch (Document Control Desk). 1p. 43290:156-43290:156.

8711040048 Interim Deficiency Rept CP-87-53 re deficiencies identified in calculations used to qualify pipe whip restraint designs. Initially reported on 870729.Evaluation continuing.Next rept will be submitted by 880129.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p. 43290:156-43290:155.

8711060018 Final Deficiency Rept CP-87-34 re inconsistent equipment nozzle load interfaces.Initially reported on 870710. Engineering evaluation shows that new loads resulting from correct interface within acceptable limits.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43308:262-43308:262.

8711100467 Interim Deficiency Rept CP-87-01 re error in finite element computer model for safeguards bldg.Initially reported on 870114.Evaluation continuing.Next rept will be submitted by 880118.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/03. Document Control Branch (Document Control Desk). 1p. 43336:026-43336:026.

8711110155 Interim Deficiency Rept CP-86-53 re seismic design of conduit.Initially reported on 861021.Analysis of test results for affected conduits continuing to determine corrective actions.Next rept will be submitted by 871204.
COUNSIL,W.G., WOOLDEN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/04 Document Control Branch (Document Control Desk). 1p. 43346:031-43346:031.

8711100372 Interim Deficiency Rept CP-85-36 re installation of non-safety related conduit on non-safety related dead weight supports.Initially reported on 850906 Scheduled completion for Unit 1 by 871231.Next rept will be submitted by 880301
COUNSIL,W.G., WOOSLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/05 Document Control Branch (Document Control Desk). 3pp. 43334:161-43334:163.

8711130110 Interim Deficiency Rept CP-87-50 re abnormal thrust bearing temps on turbine driven auxiliary feedwater pump.Initially reported on 870727.Evaluation continuing.Next rept will be submitted by 880115.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/11/06. Document Control Branch (Document Control Desk). 1p. 43354:276-43354:276

8711130245 Interim Deficiency Rept CP-86-71 re electrical cable pulling.Initially reported on 861002.Evaluation of "worst case pull-bys" continuing.Evaluation of reportability will be done following evaluation effort.Next rept by 880111.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06 Document Control Branch (Document Control Desk) 1p. 43355:258-43355:258

8711130308 Interim Deficiency Rept CP-86-37 re firing board assemblies & amplifier boards used in Class 1E battery chargers that do not conform to vendor assembly drawings.Evaluation will be continued.Next rept will be submitted by 880122.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06 Document Control Branch (Document Control Desk). 1p. 43357:296-43357:296

8711130345 Interim Deficiency Rept CP-86-83 re use of separation barrier matl on power cables & power raceways.Initially reported on 870605.Effort to define const schedule will be continued.Next rept will be submitted no later than 880118.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/11/06. Document Control Branch (Document Control Desk) 1p. 43361:087-43361:087.

8711160087 Interim Deficiency Rept CP-87-54 re electrical design drawings which do not apparently implement FSAR requirements for class 1E motor-operated valve motor starters.Initially reported on 870731.Next rept will be submitted by 880122.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43364:200-43364:200

8711160267 Final Deficiency Rept CP-87-18 re deficient vendor qualification documentation for component cooling water HXs. Initially reported on 870609.HXs acceptable under as-built loading w/o mod.Condition not reportable per 10CFR50.55(e).
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/11/06 Document Control Branch (Document Control Desk). 2pp. 43368:246-43368:247.

8711120068 Interim Deficiency Rept CP-85-35 re failure to install conduit per design documents.Initially reported on 860918. Evaluation continuing.Next rept will be submitted by 880126
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/11/09 Document Control Branch (Document Control Desk). 1p. 43355:282-43355:282.

8711160107 Supplemental Deficiency Rept CP-85-13 re failures existing in ESFAS.Initially reported on 850415.Rev of test procedures not required due to deficiency resolved by Westinghouse submittal of hardware mods.Circuit installation complete.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43365:001-43365:002.

8711160253 Supplemental Deficiency Rept CP-82-09 re solid state protection sys undetectable failure.Initially reported on 821130.Test procedures revised to incorporate facility-specific requirements recommended by Westinghouse.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43365:025-43365:026.

8711170096 Interim Deficiency Rept CP-85-42 re possible adverse effect of substitution of rectangular & oversized preformed sections of thermoleg on conduit installations.Initially reported on 861021.Next rept will be submitted by 880203.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/11. Document Control Branch (Document Control Desk) 1p. 43381:037-43381:037.

8711170170 Interim Deficiency Rept CP-86-65 re seismic air gap design adequacy between auxiliary bldg & Units 1 & 2 containment bldgs.Initially reported on 860814.Development of alternate calculation in final stage of review.Next rept by 880108.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/11. Document Control Branch (Document Control Desk) 1p. 43381:058-43381:058.

8711170101 Final Deficiency Rept CP-87-50 re abnormal thrust bearing temp on turbine driven auxiliary feedwater pump.Initially reported on 870727.Pumps will be dismantled & balancing drum installed.Records will be available for review after 880131.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43381:035-43381:036.

8711170112 Interim Deficiency Rept CP-87-75 re failure to properly record surface temps prior to placement of epoxy-type grouts.Initially reported on 870824.Evaluation continuing. Next rept by 880202.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43375:162-43375:162.

8711170130 Interim Deficiency Rept CP-87-56 re deficient pipe whip restraints.Initially reported on 870807.Evaluation of impact of issue upon safety of plant operations continuing.Next rept will be submitted by 880122.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43382:284-43382:284.

8711170142 Interim Deficiency Rept CP-87-15 re air accumulators for air-operated control valves.Initially reported on 870520. Evaluation of issue continuing.Next rept will be submitted by 880122.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43384:318-43384:318.

8711170177 Final Deficiency Rept CP-86-53 re seismic design of conduit. Initially reported on 861021.Installation of fiberglass cloth/resin matl or optional conduit supports currently scheduled for completion by 880420.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43381:049-43381:049.

8711170186 Interim Deficiency Rept CP-87-45 re reactor coolant pump motor backup circuitry.Initially reported on 870717. Evaluation of issue continuing.Next rept expected by 880125.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43381:048-43381:048.

8711170275 Interim Deficiency Rept CP-87-47 re consumable matls replacement program.Initially reported on 870717.Evaluation continuing.Next rept will be submitted by 880209.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43384:018-43384:018.

8711170283 Final Deficiency Rept CP-87-01,re error in finite element computer model for safeguards bldg.Initially reported on 870114.Analysis concludes designs acceptable.Issue not reportable under 10CFR50.55(e).
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43383:356-43383:356.

8711190068 Interim Deficiency Rept CP-85-35 re design & const activities of cable tray support program.Initially reported on 861021.Implementation of corrective actions continuing. Next rept will be submitted by 880125.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/16. Document Control Branch (Document Control Desk). 1p. 43396:209-43396:209.

8711190222 Interim Deficiency Rept CP-87-57 re inaccurate modeling methods in environ analysis w/computer code COMPARE MOD1A. Initially reported on 870814.Validation of all affected sys will be performed.Next rept will be submitted by 880301.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/16. Document Control Branch (Document Control Desk). 2pp. 43401:012-43401:013.

8711200079 Interim Deficiency Rept CP-87-58 re modeling errors in computer code RELAP-3.Initially reported on 870814. Reanalysis of affected pipe whip restraint designs using RELAP-5 in progress.Next rept will be submitted by 880203.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/16. Document Control Branch (Document Control Desk). 2pp. 43402:265-43402:266.

8711230183 Final Deficiency Rept CP-86-11 re component cooling water (CCW) pump impeller linear indications.Initially reported on 860623.All CCW pump impellers inspected & corrective action to repair linear indications completed.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43418:360-43418:360.

8711230227 Interim Deficiency Rept CP-87-113 re use of Ampower butt splices in manner that does not conform to Ampower design specs.Initially reported on 871019.Evaluation continuing. Next rept will be submitted by 880122.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43419:278-43419:278.

8711240156 Interim Deficiency Rept CP-86-48 re adequacy of nonconformance dispositions.Initially reported on 860616. Evaluation of impact on plant safety continuing.Next rept will be submitted by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43430:326-43430:326.

8711230171 Interim Deficiency Rept CP-87-98 re cable & raceway data sys review indicating that wrong cable may have been used in calculations.Initially reported on 870909.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:162-43421:162.

8711230270 Interim Deficiency Rept CP-87-114 re antitorque marks on flexible metal tubing observed to be misaligned prior to installation.Initially reported on 871021.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43422:251-43422:251.

8711230317 Interim Deficiency Rept CP-86-40 re procurement & use of nonqualified Agastat relays in some Class 1E applications. Initially reported on 861010.Implementation of corrective action in progress.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43419:121-43419:121.

8711230438 Interim Deficiency Rept CP-87-115 re abnormally high calculated natural frequencies of soil-structure sys. Initially reported on 871021.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:325-43421:325.

8711230439 Interim Deficiency Rept CP-87-05 re failure of high range radiation monitor cables to meet environ qualification for dielectric insulation requirements.Initially reported on 870406.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:324-43421:324.

8711240010 Interim Deficiency Rept CP-87-68 re concrete expansion anchors,specifically "bottomed out" nuts & unacceptable torque for bolts supported by Hilti.Initially reported on 870824.Next rept will be submitted by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:112-43444:112.

8711240026 Interim Deficiency Rept CP-86-81 re calculations for balance of plant safety-related instrument setpoints.Initially reported on 861107.Evaluation continuing.Next report will be submitted by 880218.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:116-43444:116.

8711240064 Interim Deficiency Rept CP-87-117 re design requirements of 118 volt circuits for station svc water sys.Initially reported on 871023.Issue being evaluated to determine impact on plant safety.Next rept expected by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. Document Control Branch (Document Control Desk). 1p. 43430:255-43430:255.

8711240084 Interim Deficiency Rept CP-87-116 re nitrogen purge regulating valves & failure of valves could result in overpressurizing condensate & reactor makeup storage tanks. Initially reported on 871023.Next rept expected by 880302.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. Document Control Branch (Document Control Desk). 1p. 43431:021-43431:021.

8711240168 Interim Deficiency Rept CP-86-82 re welds used to splice channel sections end-to-end forming posts for cable tray hangers.Initially reported on 870106.Corrective actions will be rescheduled.Next rept will be submitted by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:317-43442:317.

8711240187 Supplemental Deficiency Rept CP-87-03 re installation of safety-related 6.9 kV switchgear on structural embedments which were not level.Initially reported on 870316.Testing of switchgear rescheduled for completion by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43444:138-43444:139.

8711240242 Interim Deficiency Rept CP-87-25 re failure to provide missile protection for diesel fuel oil storage tank vent piping.Initially reported on 870629.Evaluation continuing. Next rept will be submitted by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:194-43442:194.

8711240310 Interim Deficiency Rept CP-87-29 re instrumentation & controls used for isolation of component cooling water to reactor coolant pump thermal HX.Initially reported on 870629.Evaluation continuing.Next rept expected by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:144-43442:144.

8711250040 Interim Deficiency Rept CP-87-90 re relief valve piping connecting to RHR pump suction piping.Initially reported on 870903.Design mod initiated to comply w/ ASME Section III Code.Next rept will be submitted by 880215.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43457:075-43457:076.

8711250073 Interim Deficiency Rept CP-86-36 re scope of plant mods resulting from project pipe support reverification program. Initially reported on 860609.Evaluation continuing.Next rept will be provided by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43457:028-43457:028.

8711250139 Interim Deficiency Rept CP-87-55 re containment spray pump recirculation piping.Initially reported on 870805.Evaluation continuing.Next rept will be submitted by 880302.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43459:185-43459:185.

8711250195 Interim Deficiency Rept CP-86-72 re pipe support reverification program.Evaluation continuing.Next rept will be provided by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:036-43460:036.

8711300234 Interim Deficiency Rept CP-87-41 re differential pressure transmitters designated as Group B,installed in safety class sys w/o proper qualifications for Class 1E applications. Initially reported on 870715.Next rept submitted by 880127.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/23. Document Control Branch (Document Control Desk). 1p. 43465:088-43465:088.

8711300058 Interim Deficiency Rept CP-87-82 re discrepancies observed in fire detection control panels.Initially reported on 870831.Deficiency addressed in Corrective Action Request 87-061.Next rept will be submitted by 880224.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 1p. 43469:347-43469:347.

8711300074 Final Deficiency Rept CP-87-63 re pipe weld Insps.Initially reported on 870824.Insp results have established reasonable level of assurance that existing welds will perform function w/o mod.Deficiency not reportable,per 10CFR50.55(e)
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43473:114-43473:115.

8711300168 Final Deficiency Rept CP-87-42 re improperly identified thermocouples utilized in safety class installations. Initially reported on 870715.Thermocouples installed per site procedures.Item found not reportable per 10CFR50.55(e)
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:070-43467:071.

8711300243 Interim Deficiency Rept CP-85-36 re installation of nonsafety-related conduit on nonsafety-related dead weight supports.Initially reported on 871105.Rept clarifies TXX-6928.Next rept will be submitted no later than 880301.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24 Document Control Branch (Document Control Desk). 1p. 43467:171-43467:171.

8711300249 Final Deficiency Rept CP-87-27 re galvanic corrosion in svc water sys.Initially reported on 870629.Resultant corrosion will advance to saturation level,where further corrosion will be at very slow rate.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 1p. 43472:148-43472:148.

8711300112 Deficiency Rept CP-87-24 re containment liner Nelson stud bonding in excess of FSAR requirements.Initially reported on 870629.Evaluation continuing.Next rept anticipated by 880210.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/25. Document Control Branch (Document Control Desk). 1p. 43466:360-43466:360.

T. Hearing transcripts on non-antitrust matters

8711050090 Transcript of 871102 special prehearing conference in Dallas,TX.Pp 24,963-25,136.
* Atomic Safety and Licensing Board Panel. 87/11/02. 178pp. 43274:001-43274:178.

8711060051 Transcript of 871103 prehearing in Dallas,TX.Pp 25,139-25,166.
* Atomic Safety and Licensing Board Panel. 87/11/03. 20pp. 43294:055-43294:074.

V. Operator Examinations

8711250183 Forwards applications & medical certificates for five reactor operator & senior reactor operator license candidates scheduled to take operator exams in Dec 1987. Encls withheld (ref 10CFR2.790(a)(6)).
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. PELLET,J.L. Region 4, Ofc of the Director. 2pp. 43460:044-43460:045.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

A. Application/construction stage documents & correspondence

8711090028 FOIA request for documents re formation of Allegation Review Committee (ARC) & findings of 870625 & 0715 ARC meetings.
BAUMAN,L. Government Accountability Project. 87/08/24. NRC - No Detailed Affiliation Given. 2pp. 43323:299-43323:300.

8711030079 FOIA request for documents generated in connection w/Stello 870121 memo establishing Comanche Peak rept review group, notes of Stello meeting w/involved individuals & region-wide training program & guidance plan.
BAUMAN,L. Government Accountability Project. 87/09/01. NRC - No Detailed Affiliation Given. 2pp. 43263:322-43263:323.

8711230186 Informs that individuals on encl list no longer perform licensed duties at plant.Addressing of all correspondence re subj individuals to WG Counsil requested.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/10/06. Region 4, Ofc of the Director. 2pp. 43419:359-43419:360.

8711110039 FOIA request for records on summary of 870902-04 audit re implementation of piping generic technical issue resolutions.
BAUMAN,L. Government Accountability Project. 87/10/07. NRC - No Detailed Affiliation Given. 2pp. 43347:058-43347:059.

8711020285 Summary of 870915 meeting w/util & util design contractors in New York,NY re resolutions to generic technical issues on structural integrity of HVAC design.
TERAO,D. Ofc of Special Projects. 87/10/19. Ofc of Special Projects. 103pp. 43236:144-43238:246.

8711020125 Forwards request for addl info re util 870429 request for extension of CPPR-127.Response requested within 10 working days of ltr receipt.
GRIMES,C.I. Ofc of Special Projects. 87/10/23. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43240:071-43240:075.

8711020152 Forwards safety evaluation re TMI Action Item II.K.3.31, "Compliance to 10CFR50.46." Facility meets requirements of action item & 10CFR50.46.
GRIMES,C.I. Ofc of Special Projects. 87/10/26. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 43238:320-43238:325.

-8711020154 Safety evaluation re TMI Action Item II.K.3.31 re plant- specific calculations to show compliance w/10CFR50.46. Facility meets requirements of action item & 10CFR50.46.
* Ofc of Special Projects. 87/10/26. 4pp. 43238:322-43238:325.

8711020418 Informs that effective 871025,JL Pellet will assume position & duties of R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 43235:259-43235:260.

8711030276 Advises that util will not adopt Rev 15 to Code Case N-71. Util will continue to use criteria of Rev 9 in design of plant pipe supports fabricated from A500 Grade B (cold-formed) structural tube shape.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/26. Document Control Branch (Document Control Desk). 2pp. 43250:310-43250:320.

8711020463 Forwards advanced FSAR change correcting errors contained in 871002 rev to environ qualification program.Ltr supersedes encls to TXX-6745.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 29pp. 43237:143-43237:171.

8711030088 Partial response to FOIA request re plant App A records available in PDR.App B records encl & in PDR,App C documents completely withheld (ref FOIA Exemption 6) App D documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 10pp. 43263:324-43264:048.

-8711030130 Advises of specific regional actions in response to Ofc of Inspector & Auditor rept.Listed activities conducted re training of supervisors & staff.Policy guides encl W/o encls
MARTIN,R.D. Region 4, Ofc of the Director. 87/04/14. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 43263:334-43263:336.

-8711030141 Discusses training to employees identified as result of Comanche Peak investigative rept.Conduct of training by JW Rodo recommended.
LEAGUE,K.E. Region 4, Ofc of the Director. 87/08/07. MARTIN,R.D. Region 4, Ofc of the Director. 4pp. 43263:337-43263:340.

-8711030156 Requests recipient assistance in arranging for five listed courses,especially conflict resolution,to be made available to Region IV personnel.Need for training identified in Ofc of Inspector & Auditor rept.Regional ofc policy guides encl
POWERS,D.A. Region 4, Ofc of the Director. 87/08/31. FOSTER,W.H. Region 4, Ofc of the Director. 45pp. 43263:341-43264:025

-8711030159 Partially withheld memo re interim followup actions taken to reach final resolution to issues treated in Ofc of Inspector & Auditor Rept File 86.10.Format for preparation of statements discussed.
MARTIN,R.D. Region 4, Ofc of the Director. 88/12/31. PHILLIPS,H.S. NRC - No Detailed Affiliation Given. 4pp. 43264:037-43264:040.

-8711030274 Forwards listed policy guides on training issues.Addl training policy guides will be forwarded upon completion.W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director. 87/05/28. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 9pp. 43264:026-43264:034.

-8711030281 Discusses actions planned re rept of Comanche Peak rept review group.Review will be used to establish actions which will improve Region IV operations.
MARTIN,R.D. Region 4, Ofc of the Director. 87/08/28. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 2pp. 43264:035-43264:036.

8711030498 Summary of 870812-14 audit w/NRC consultants at plant of as-built field verification program for seismic Category 1 HVAC duct hangers.List of personnel involved & list of documents & drawings reviewed encl.
TERAO,D. Ofc of Special Projects. 87/10/29. Ofc of Special Projects. 8pp. 43280:305-43280:312.

8711090036 Final response to FOIA request.App A documents re mgt of allegations already available in PDR.App B document encl & available in PDR.App C documents completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.R. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 6pp. 43323:301-43323:310.

-8706220086 Informs of establishment of Allegation Review Committee charged w/reviewing all new allegations & setting forth course of action for evaluation,followup & final disposition.
GRIMES,C.I. Ofc of Special Projects. 87/06/15. Ofc of Special Projects. 2pp. 43323:307-43323:310.

8711030166 Final response to FOIA request for documents,including V Stello 870414 memo re Comanche Peak Rept Review Group Encl App B documents also in PDR.App B & C documents partially & completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 5pp. 43259:320-43259:350.

8711040144 Forwards response to NRC 870916 ltr requesting addl info re util results rept for Rev 3 to Issue Specific Action Plan II.c, "Maint of Air Gab Between Concrete Structures."
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43290:198-43290:201.

8711040194 Forwards Rev 0 to "Large Bore Piping & Pipe Supports," project status rept.Resolution of issues identified in "Large Bore Pipe Stress & Pipe Support Generic Issues Rept" contained in App A & B of encl rept.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43275:017-43275:216.

-8711040204 Rev 0 to "Large Bore Piping & Pipe Supports," project status rept.
KLAUSE,R.P. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. 199pp. 43275:018-43275:216.

8711040242 Forwards Rev 0 to "Small Bore Piping & Pipe Supports," project status rept.Resolution of issues identified in "Small Bore Piping & Pipe Supports Generic Issues Rept" contained in Apps A & B of encl rept.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43274:179-43275:016.

-8711040247 Rev 0 to "Small Bore Piping & Pipe Supports," project status rept.
KLAUSE,R.P. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. 197pp. 43274:180-43275:016.

investigations investigation 4 84-050 Forwards portions of transmittal memo listed on app Remaining documents continue to be withheld (ref FOIA Exemptions 5).
STELLO V Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L Government Accountability Project. 5pp. 43278:255-43278:267.

--8711040351 Partially deleted memo forwarding draft proposed enforcement action re harassment & intimidation at plant for comment by 860225
VOLLMER R H Ofc of Inspection & Enforcement, Director (820201-870413). 86/02/19. MARTIN R D Region 4, Ofc of the Director. 1p. 43278:259-43278:267.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants. Svc list encl
MIRAGLIA F J Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711100474 Summary of 870928-1001 audit of Comanche Peak Response Team third-party review of cable tray/supports at ofcs of TENERA in Berkeley,CA.List of persons involved in audit & attending exit meeting encl.
TERAO D Ofc of Special Projects. 87/11/05. Ofc of Special Projects. 8pp. 43342:273-43342:280.

8711160259 Notification of contract execution,Mod 15,to "Review & Evaluation of Comanche Peak Program Plan." Contractor: Teledyne Engineering Svcs.
HAGEY H Contract Administration Branch. FIN D-1338. 87/11/05. GRIMES,C I. Ofc of Special Projects. LYONS,J. NRC - No Detailed Affiliation Given. 1p. 43370:092-43370:094.

--8711160264 Mod 15 adding incremental funds,to "Review & Evaluation of Comanche Peak Program Plan."
"Teledyne Engineering Services. WIGGINS,E J. Division of Contracts (Post 870413). FIN D-1338. 87/11/05. 2pp. 43370:093-43370:094.

8711130125 Advises that value of 7.43 pH units reported in Performance Evaluation Rept DMR-QA Study 7 re 1987 NPDES QA program incorrect due to clerical error.Reported value should have been 8.43 pH units,which is within acceptable range.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. HEYER E. Texas, State of. 1p. 43354:086-43354:086.

8711130176 Provides addl info re Generic Ltr 83-28,Section 2.2.1,per CI Grimes 870325 request.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43357:266-43357:268.

8711180071 Forwards Rev 0 to project status rept, "Cable Tray & Cable Tray Hangers." Resolution of issues identified in "Cable Tray & Cable Tray Hangers Generic Issues Rept," contained in Apps A & B of encl rept.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43389:124-43389:307.

8711200026 Trip rept of 871007 visit to Corporate Consulting & Development Co,Ltd,in Raleigh,NC re static tests of HVAC ductwork.
TERAO D Ofc of Special Projects. 87/11/06. Ofc of Special Projects. 83pp. 43407:035-43407:116.

8711200149 Requests that util review encl data list,add omitted generic issues applicable to plant to list & provide date that all aspects of each identified requirement completed/implemented or expected to be completed.
GRIMES,C I. Ofc of Special Projects. 87/11/06. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 12pp. 43415:294-43415:305.

8711110049 Partial response to FOIA request for documents re implementation of piping generic technical issue resolution.Forwards documents listed in App A.App A documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. BAUMAN,L. Government Accountability Project. 2pp. 43347:060-43347:298.

--8711110132 Rev 1 to Calculation CT-1-032, "Texas Utl Generating Co Comanche Peak Steam Electric Station Containment Spray Sys 15454-NP(H)."
YADAR R L. Stone & Webster, Inc. 86/07/31. 79pp. 43347:221-43347:298.

8711120090 Summarizes Ebasco Svcs,Inc 870908-10 audit of facility as-built program for cable tray hangers.List of persons involved in audit,documents reviewed & figure of as-built activities encl.
TERAO,D Ofc of Special Projects. 87/11/09. Ofc of Special Projects. 9pp. 43348:313-43348:321.

8711130086 Forwards communications repts associated w/cable tray audits,per Communication Repts Transmittal 33 for independent assessment program - all phases.List of encl communication repts provided on Attachment 1.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/09. ELLIS,J. Citizens Association for Sound Energy. 49pp. 43355:131-43355:179.

8711160029 Advises of concern re extensive development & application of design & acceptance criteria for cable tray hangers which appear to deviate from requirements of applicable codes,stds & reg guide.Technical basis for deviations requested.
GRIMES,C I. Ofc of Special Projects. 87/11/09. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43363:035-43363:039.

8711160038 Forwards Comanche Peak response team Results Repts Issue Specific Action Plans II.c, "Train C Conduit & Supports," II.a, "Reinforcing Steel in Reactor Cavity" & II.d "Seismic Design of Control Room Ceiling Elements."
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 4pp. 43389:324-43390:127.

--8711160053 Rev 1 to Comanche Peak response team Results Rept Issue Specific Action Plans II.a, "Reinforcing Steel in Reactor Cavity."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/23. 31pp. 43389:329-43389:359.

--8711160058 Rev 1 to Comanche Peak response team Results Rept Issue Specific Action Plans II.d, "Seismic Design of Control Room Ceiling Elements."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/21. 59pp. 43389:360-43390:058.

Action Plans I.c, "Train C Conduit & Supports."
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. 43390:059-43390:127.

8711180046 Forwards Rev 0 to "Corrective Action Program Project Status Rept. Supports Train C 2-Inch Diameter & Less." Resolution of issues identified in "Technical Issues Rept...Resolution of Cygna Train...Issues" included in rept.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating 87/11/11. Document Control Branch (Document Control Desk). 1p. 43390:182.

8711170216 Advises of tentatively scheduled 871200 public meeting in Dallas,TX to discuss NRC review of corrective actions described in util 870625,0820,28,090 ltrs.Comments requested by 871201 for inclusion in agenda.
GRIMES,C.I. Ofc of Special Projects. 87/11/13. ELLIS,J. Citizens Association Sound Energy. 4pp. 43385:208-43385:291.

8711240123 Forwards communications rpts associated w/piping/pipe audits.Repts also listed in attachment.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Associa Sound Energy. 27pp. 43430:054-43430:080.

8711240133 Forwards communications rpts associated w/cable tray and ts List munication repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Associa Sound Energy. 100pp. 43431:131-43431:230.

8711240237 Forwards communications rpts associated w/civil/structural audits communications repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Associa Sound Energy. 46pp. 43432:276-43432:320.

8711250057 Forwards communications rpts associated w/conduit audits. List munications repts encl.
WILLIAMS,N.H. CYGNA Energy Services. 87/11/13. ELLIS,J. Citizens Associa Sound Energy. 38pp. 43467:034-43467:071.

8711200124 Final response to FOIA request for records re summary of 870002 concerning implementation of piping generic technical issue resolutions.Forwar B documents.App B & C documents available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/17. BAU Government Accountability Project. 3pp. 43425:338-43425:344.

--8711200130 Rev 1 to "Documentation of ASME III NA-1140 Review for Piping ports." Copyright matl.W/3 oversize encls.
GREEN,W.H., COKONIS,A.J., MCQUAID,P.J. Stone & Webster Engineering 15454-N(C)-007 R01. 87/08/10. 30pp. 43425:343-43426:344.

8711240128 Forwards Rev 0 to "Conduit Supports Trains A & B & Train C Large 2 Inch Diameter," project status rept. Resolution of issues contained in Apps A encl rept.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generatin 87/11/18. Document Control Branch (Document Control Desk). 1p. 43433:065.

--8711240149 Rev 0 to "Conduit Supports Trains A & B & Train C Larger Than Diameter," project status rept.
" TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. 121pp. 43433:085.

8711250080 Notification of 871209 meeting w/util in Dallas,TX to discuss status rective action programs.
VIETTI-COOK,A. Ofc of Special Projects. 87/11/19. GRIMES,C.I. Ofc of Projects. 4pp. 43448:329-43448:332.

8711250156 Further response to appeals of FOIA request for records re evalua issue-specific action plan re plant.Documents I.2.b & I.10 addressed in respon FOIA 86-A-203 & 86-A-204 & contained in other documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. GARC Government Accountability Project. 1p. 43461:143-43461:221.

8711240154 Forwards description of Amend 65 to FSAR.Amend,transmitted unde arate cover,includes listed revs,including fire protection,electrical separation sys,testing,util organization & electrical grounding.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. ment Control Branch (Document Control Desk). 25pp. 43432:036-43432:060.

8711300188 Submits clarifications of plant program descriptions. Portions of cor action program that do not have erection specs have same final acceptance alt developed from design basis documents.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co. 11/25. Document Control Branch (Document Control Desk). 3pp. 43471:028.

E. NRC Safety Evaluation Report (SER), supplements & correspondence

8711240278 Advises that insp of coated weld samples completed per procedure sistent w/guidance in SSER 12 (NUREG-0797).Util prepared to support NRC Of Special Projects review & assessment of insp results.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. ment Control Branch (Document Control Desk). 2pp. 43459:178-43459:179.

F. Security, medical, emergency & fire protection plans

8711130157 Forwards info associated w/WCAP 11931 re plant thermal/ hydraulic ysis of fire safe shutdown scenario,per NRC 871104 request.Record of 871104 w/Westinghouse encl.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating 87/11/05. Document Control Branch (Document Control Desk). 6pp. 43357:286.

8711240154 Forwards description of Amend 65 to FSAR Amend,transmitted under separate cover,includes listed revs,including fire protection,electrical separation power sys,testing,util organization & electrical grounding.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk) 25pp. 43432:036-43432:060.

G. Adjudicatory correspondence

8711240044 Responds to 840319 petition per 10CFR2.206 on behalf of CASE & nuclear workers asking NRC to act re documentation & const deficiencies at plant.NRC will conduct insps but requests re IDCVP,mgt audit & const suspens on den ed.W/o stated encls.
KEPPLER,J.G. Ofc of Special Projects. #487 4887. 87/10/16. GARDE,B.P. Government Accountability Project. 5pp. 43423:193-43423:197.

8711170039 Answers to Board 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept I.a.1.* Concerns re installation of heat shrinkable insulation sleeves addressed.Certificate of Svc encl.
PEARSON,J.R., MALLANDA,J.J. TU Electric (formerly Texas Utilities Generating Co.). #487 4797. 87/10/26. 275pp. 43367:228-43368:125.

8711040073 Answers to Board 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept III.a.5.* Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4740. 87/10/29. 11pp. 43254:282-43254:292.

8711040083 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept III.c.* Responds to Action Plan Rept III.c, "Prerequisite Testing." Supporting documentation & Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4742. 87/10/29. 15pp. 43254:346-43254:360.

8711040095 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept III.a.1.* Responds to Action Plan Rept III.a.1, "Hot Functional Testing." Supporting documentation & Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4743. 87/10/29. 13pp. 43255:061-43255:073.

8711040101 Forwards notices of appearance on behalf of JR Newman, M Axelrad,GL Edgar & AH Gutterman of Newman & Holtzinger. Certificate of Svc encl.
WOOLRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4739. 87/10/29. Docketing & Services Branch. 15pp. 43253:317-43253:331.

8711040103 NRC Staff response to Licensing Board questions.* ASLB should adopt litigation schedule previously proposed by staff 871002 response which is consistent w/ staff response to ASLB three questions.
MIZUNO,G.S. Assistant General Counsel for Hearings. #487 4752. 87/10/29. 29pp. 43254:084-43254:116.

8711040111 NRC Staff proposed prehearing conference format.* Submits proposed format for 871102-03 prehearing.Staff does not wish to propose addl issues.Certificate of Svc encl.
MOORE,J.E. Assistant General Counsel for Hearings. 87/10/20. 4pp. 43254:113-43254:116.

8711040107 Answers to ASLB 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept III.b.* Responds to Action Plan Rept III.b, "Conduct of Containment Integrated Leak Rate Test." Supporting documentation & Certificate of Svc encl.
RUSHWICK,J.E. TU Electric (formerly Texas Utilities Generating Co.). #487 4741. 87/10/29. 11pp. 43254:127-43254:137.

8711040135 CASE prehearing conference plan & answers to ASLB questions.* CASE takes position that ASLB should make factual determination about extent of historical breakdown in QA/QC for design & const.Certificate of Svc encl.
GARDE,B.P. Citizens Association for Sound Energy. #487 4740. 87/10/29. 26pp. 43254:238-43254:263.

8711040147 Applicant response to Board three conference plan questions.* ASLAB concluded that applicant design verification efforts permitted to substitute for design QA program.W/Certificate of Svc.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating Co.). EGGELING,W.S. Ropes & Gray. #487 4747. 87/10/29. 14pp. 43254:264-43254:277.

8711040157 Applicant proposed format for prehearing conference.* Applicant should address ASLB initially followed by response by all other parties.Applicant should then be afforded opportunity to respond to comments.W/Certificate of Svc.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating Co.). EGGELING,W.S. Ropes & Gray. #487 4748. 87/10/29. 4pp. 43254:037-43254:040.

8711040097 Forwards responses to notices of violation & notices of deviation for 870925-1026,per util 870824 response to Bloch request.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Ropes & Gray. #487 4751. 87/10/30. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 24pp. 43255:082-43255:105.

8711040113 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept VII.B.4.* Provides response to ASLB questions re Hilti anchor bolt installation.Quality Instruction QI-063 & Certificate of Svc encl.
BEASLEY,C., HANSEL,J. TU Electric (formerly Texas Utilities Generating Co.) #487 4746. 87/10/30. 24pp. 43254:172-43254:195.

8711040114 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept VII.a.1.* Responds to Action Plan Rept VII.a.1, "Matl Traceability." Supporting documentation & Certificate of Svc encl.
BARISH,V.J., HANSEL,J.L. TU Electric (formerly Texas Utilities Generating Co.). #487 4745. 87/10/30. 14pp. 43254:196-43254:209.

8711040146 Applicant eighth progress rept.* Rept covers 870826-1025. Senior review team approved & published 44 results repts representing 43 issue specific action plans or discipline specific action plans.Certificate of Svc encl.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Ropes & Gray. #487 4750. 87/10/30. 46pp. 43253:332-43254:017.

8711110064 Answers to Board 14 questions (memo;proposed 860414 memo) re Action Plan Results Rept VI.a.* Certificate of Svc encl.
TURI,P.L., LEVIN,H. TU Electric (formerly Texas Utilities Generating Co.). #487 4775. 87/10/31. 19pp. 43332:236-43332:256.

8711040102 Answers to ASLB 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept I.a.2.* Responds to Action Plan Rept I.a.2, "Insp Repts on Butt Splices." Supporting documentation & Certificate of Svc encl.
PEARSON,J.R., MALLANDA,J.J. TU Electric (formerly Texas Utilities Generating Co.). #487 4744. 87/11/02. 33pp. 43254:041-43254:083.

8711110051 Forwards WG Counsil 871102 ltr to NRC transmitting project status rept for Rev 0 to "Large Bore Piping & Pipe Supports" & rept W/o rept.
WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4772. 87/11/02. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 2pp. 43332:185-43332:186.

8711170021 Answers to Board 14 questions (memorandum proposed memorandum of 860414) re Action Plan Results Rept II.e.* Submits answer to Board 860414 questions re rebar in fuel handling bldg.W/Certificate of Svc.
ARROS,J.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.). #487 4788. 87/11/03. 10pp. 43368:148-43368:157.

8711170040 Answers to Board 14 questions (memorandum,proposed memorandum of 860414) re Action Plan Results Rept VI.b.* Submit answers to Board questions re polar crane shims,in accordance w/Board 860414 memorandum.W/Certificate of Svc.
ARROS,J.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.) #487 4799. 87/11/06. 11pp. 43367:217-43367:227.

8711170094 Forwards util 871106 ltr to NRC transmitting Rev 0 to project status rept for cable tray & tray hangers.Rept also sent to J Ellis & Cygna Energy Svcs,Inc.Related correspondence.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4800. 87/11/06. BLOCH,P.B., JORDAN,W.H., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 2pp. 43367:001-43367:002.

8711170116 Forwards util 871105 ltr transmitting list of latest revs of field verification methods,quality insp procedures & erection spec ref in large & small bore piping & pipe supports project status repts.Related correspondence.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4801. 87/11/06. BLOCH,P.B., JORDAN,W.H., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 3pp. 43367:003-43367:005.

8711170014 NRC Staff comments on ASLB proposed schedule.* ASLB should adopt schedule proposed on 871103 based on hearings not starting until collective significance rept issued & reviewed & discovery of CASE made.Certificate of Svc encl.
MOORE,J.E. Assistant General Counsel for Hearings. #487 4818. 87/11/09. Atomic Safety and Licensing Board Panel. 5pp. 43367:030-43367:034.

8711170051 Forwards util special review team approved Results Repts I.c,II.a & II.d,Revised tables of content reflecting issuance of repts also encl.Related correspondance.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4813. 87/11/09. BLOCH,P.B., JORDAN,W.H., JOHNSON,E.B. Atomic Safety and Licensing Board Panel. 164pp. 43367:053-43367:216.

8711190051 Submits CASE comments on ASLB 871103 scheduling order. Time frames less than in NRC regulations would be great injustice & applicants should produce documents in timely manner.
GARDE,B.P. Citizens Association for Sound Energy. GARDE,B.P. Government Accountability Project. #487 4842. 87/11/09. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 5pp. 43393:316-43393:320.

8711170016 Applicant response to proposed litigation schedule.* Concern noted re lack of time for applicant & NRC to provide discovery of intervenor after intervenor specifies issues to litigate.Modified schedule & Certificate of Svc encl.
EGGELING,W.S. TU Electric (formerly Texas Utilities Generating Co.). EGGELING,W.S. Ropes & Gray. #487 4823. 87/11/10. 13pp. 43368:174-43368:186.

8711190064 Forwards,for info,util 871111 ltr to NRC transmitting Rev 0 to project status rept entitled "Conduit Supports Train C 2-Inch Diameter & Less." W/o rept.Related correspondence.
WOOLDRIDGE,R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE,R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #487 4861. 87/11/11. BLOCH,P.B., MCCOLLOM,K.A., JORDAN,W.H. Atomic Safety and Licensing Board Panel. 2pp. 43393:301-43393:302.

8711190012 Answers to ASLB 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept VII.b.1.* Answers to questions re Action Plan VII.b.1, "On-Site Fabrication." Supporting documentation & Certificate of Svc encl.
ROSS,G.W., HANSEL,J.L. TU Electric (formerly Texas Utilities Generating Co.) #487 4862. 87/11/12. 36pp. 43393:186-43393:221.

8711190044 Answers to Board 14 questions (memo,proposed memo of 860414) re Action Plan Results Rept II.a.* No checklist generated or used during implementation of action plan.Two problem areas addressed in rept.Certificate of Svc encl.
SANAN,R.K., LEVIN,H.A. TU Electric (formerly Texas Utilities Generating Co.). #487 4863. 87/11/12. 10pp. 43392:123-43392:132.

8711190009 Notice of availability of results repts & working files.* Lists repts Comanche Peak response team approved & published.W/Certificate of Svc & list of completed ISAPs, DSAPs & results repts.Related correspondence.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). GAD,R.K. Ropes & Gray. #487 4860. 87/11/13. 5pp. 43392:328-43392:332.

8711190020 Forwards JG Keppler 871106 memo to V Stello Memo provided to ASLB & parties since Ofc of General Counsel inadvertently received copy.MA Young notices of appearance & Certificates of Svc also encl.
YOUNG,M.A. Assistant General Counsel for Hearings. #487 4843. 87/11/13. BLOCH,P.B., MCCOLLOM,K.A., JOHNSON,E.B. Atomic Safety and Licensing Board Panel. 9pp. 43392:317-43392:325.

8711190035 Requests that ASLB refuse consideration of CASE 871109 ltr re comments on proposed schedule until matter filed as formal motion so other parties may fairly reply.
YOUNG,M.A. Assistant General Counsel for Hearings. #487 4859. 87/11/13. BLOCH,P.B., JOHNSON,E.B., MCCOLLOM,K.A. Atomic Safety and Licensing Board Panel. 2pp. 43392:182-43392:183.

8711190026 Advises that Commission declined review of Director's Decision DD-87-17.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871110.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4850. 87/11/17. GARDE,B.P. Government Accountability Project. 1p. 43392:261-43392.261.

8711240093 Memorandum & order (litigation schedule).* Schedule responsive to filings of parties prior to 871102-03 prehearing conference,discussions at conference & subsequent comments of parties.Served on 871119.
BLOCH,P.B. Atomic Safety and Licensing Board Panel. #487 4885. 87/11/18. Office of the General Counsel. 6pp. 43423:090-43423.095.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250209 Amend 65 to FSAR for Comanche Peak Steam Electric Station.W/ 871120 ltr.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. 2,000pp. 43451:122-43455.118.

P. Operating license stage documents & correspondence

8711190333 Summarizes 870908-11 audit of as-built field verification program for seismic Category I HVAC duct segments,air handling units,plenums & related equipment supports. Walkdown procedures adequate.One open item identified.
TERAO,D. Ofc of Special Projects. 87/11/10. Ofc of Special Projects. 8pp. 43404:120-43404:127.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711160068 FOIA request for documents re 870804 notice of violation (Insp Repts 50-445/87-07 & 50-446/87-06) & 870706 meeting presentation.
BAUMAN,L. Government Accountability Project. 87/08/24. NRC - No Detailed Affiliation Given. 2pp. 43362:152-43362:153.

8711130267 Ack receipt of 870218,0306,27,0501,0601,0715,31,0909 & 1001 ltrs in response to NRC 861222 & 870911 requests for addl info re Insp Repts 50-445/86-07 & 50-446/86-05.No further questions provided.
WARNICK,R.F. Ofc of Special Projects. 87/10/27. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43356:025-43356:028.

8711160038 Ack receipt of 860221,0403,0523,0814,0915,870106,0505,22, 0923 & 30 responses to NRC 851224,860403,0528 & 0627 ltrs re Insp Repts 50-445/85-13 & 50-446/85-09.Corrective action will be reviewed during future insp.
WARNICK,R.F. Ofc of Special Projects. 87/10/27. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43362:164-43362:167.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711100470 Ack receipt of 870605,0713,0819,0911 & 1023 ltrs in response to violation noted in Insp Repts 50-445/86-26 & 50-446/86-22.Implementation of committed corrective & preventive actions will be reviewed.
WARNICK,R.F. Ofc of Special Projects. 87/10/29. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 6pp. 43342:281-43342:285.

8711030166 Final response to FOIA request for documents,including V Stello 870414 memo re Comanche Peak Rept Review Group.Encl App B documents also in POR.App B & C documents partially & completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 6pp. 43259:320-43259:350.

-8711030175 Partially deleted memo discussing implementation of recommendations of Comanche Peak Rept Review Group re investigation Rept 86-10,addressing allegations of Region IV mgt wrongdoing re insp activities.
STELLO,V. Ofc of the Executive Director for Operations. 87/04/14. ZECH Commissioners. 25pp. 43259:326-43259:350.

8711040097 Forwards responses to notices of violation & notices of deviation for 870925-1026,per util 870824 response to Bloch request.
GAD,R.K. TU Electric (formerly Texas Utilities Generating Co.). #487 4751. 87/10/30. BLOCH,P.B. Atomic Safety and Licensing Board Panel. 24pp. 43255:082-43255:105.

8711040113 Answers to ASLB 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept VII.B.4.* Provides response to ASLB questions re Hilti anchor bolt installation.Quality Instruction QI-063 & Certificate of Svc encl.
BEASLEY,C. TU Electric (formerly Texas Utilities Generating Co.). #487 4746. 87/10/30. 24pp. 43254:172-43254:195.

8711040148 Forwards revised response to Enforcement Action EA-86-009. Alleged violation that vendor documents re electrical penetration assemblies controlled by Gibbs & Hill per project procedures manual & project guide denied.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 6pp. 43290:192-43290:197.

8711040102 Answers to ASLB 14 questions (memo;proposed memo of 860414) re Action Plan Results Rept I.a.2.* Responds to Action Plan Rept I.a.2, "Insp Repts on Butt-Splices." Supporting documentation & Certificate of Svc encl.
PEARSON,J.R. TU Electric (formerly Texas Utilities Generating Co.). #487 4744. 87/11/02. 33pp. 43254:041-43254:093.

8711050177 Advises that scheduled completion date for mod & rework of Unit 1 cable tray hangers revised to 880108,in response to violation noted in Insp Rept 50-445/84-16.Unit 2 completion date remains 881031.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43293:199-43293:199.

8711040344 Responds to appeal re denial of FOIA request for documents re Ofc of Investigations investigation 4-84-050.Forwards portions of transmittal memo listed on app.Remaining documents continue to be withheld (ref FOIA Exemptions 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 3pp. 43278:255-43278:267.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11?pp. 43324:228-43324:339.

8711090089 Response to appeal of denial of FOIA request for documents re Insp Rept 50-455/87-07 & 50-446/87-06.Documents listed in encl app will continue to be withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/04. BAUMAN,L. Government Accountability Project. 3pp. 43323:281-43323:290.

8711090355 Notification of 871112 meeting w/util in Bethesda,MD to discuss open FSAR review item on jet impingement effects in & inservice insp requirements for break exclusion region of main steam & feedwater piping at plant.
MALLOY,M. Ofc of Special Projects. 87/11/05. GRIMES,C.I. Ofc of Special Projects. 2pp. 43324:057-43324:058.

8711110093 Forwards insp Repts 50-445/87-18 & 50-446/87-14 on 870903-1006 & notices of violation & deviation.
WARNICK,R.F. Ofc of Special Projects. 87/11/05. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 43346:080-43346:137.

-8711110100 Notice of violation from insp on 870903-1006.Violation noted:package flow control procedures not followed for electrical penetration assembly documentation,QC accepted inaccessible weld distance & nonconformance rept not made.
WARNICK,R.F. Ofc of Special Projects. 87/11/05. 4pp. 43346:086-43346:089.

-8711110119 Notice of deviation from insp on 870903-1006.Deviation noted:performance guidelines for conduit support & routing walkdowns not followed
WARNICK,R.F. Ofc of Special Projects. 87/11/05. 2pp. 43346:090-43346:091.

-8711110125 Insp Repts 50-445/87-18 & 50-446/87-14 on 870903-1006.Four violations & one deviation noted.Major areas inspected:plant response team issue-Specific Action Plans V.d,VII.a.4 & VII.b.3 & licensee action on previous findings & follow-up.
ELLERSHAW,L.E., HALE,C.J., WAGNER,P.C. Ofc of Special Projects. 87/11/05. 45pp. 43346:092-43346:137.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130128 Responds to violations noted in Insp Repts 50-445/87-13 & 50-446/87-10 on 870708-0804.Corrective actions procedure will be revised to contain requirement to obtain review of new startup work permit for adequacy.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 3pp. 43357:216-43357:217.

8711160067 Forwards addl info to 870715 response to violations noted in Insp Repts 50-445/84-32 & 50-446/84-11,based on 870716 meeting w/NRC.Lack of procedures to review status of const QA program addressed in Issue Specific Action Plan VII.a.5.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 11pp. 43385:167-43385:177.

8711130015 Interim Deficiency Rept CP-87-110 re solid state safeguard sequencer relays not meeting contact interrupting rating requirements.Evaluation continuing.Next rept will be submitted by 871231.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 1p. 43355:359-43355:359.

8711200152 Forwards insp Repts 50-445/87-24 & 50-446/87-18 on 871007-1103.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/12. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43415:306-43415:323.

-8711200158 Insp Repts 50-445/87-24 & 50-446/87-18 on 871007-1103.No violations or deviations noted.Major areas inspected:items of noncompliance/deviations,review of allegations,technical audit program & general plant areas.
HALE,C.J., BARNES,I. Ofc of Special Projects. 87/11/12. 14pp. 43415:310-43415:323.

8711200160 Forwards insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103.Violations noted.Enforcement conference to discuss facts of items scheduled for 871208.
GRIMES,C.I. Ofc of Special Projects. 87/11/12. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 43408:205-43408:223.

-8711200164 Safety Insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103.Violations noted.Major areas inspected: interviews & discussions w/ managers,supervisors,engineers & craftsmen & special meetings.
PHILLIPS,H.S., WARNICK,R.F. Ofc of Special Projects. 87/11/12. 12pp. 43408:212-43408:223.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp 43487:001-43487:121.

8711250181 Forwards Insp Repts 50-445/87-23 & 50-446/87-17 on 871007-1103.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/17. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43462:312-43462:333.

-8711250187 Insp Repts 50-445/87-23 & 50-446/87-17 on 871007-1103.No violations or deviations noted.Major areas inspected: applicant actions & followup on items of noncompliance/ deviations,rev to electrical specs & general plant tours.
WAGNER,P.C., BARNES,I. Ofc of Special Projects. 87/11/16. 17pp. 43462:317-43462:333.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711240219 Ack receipt of 871106 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/87-13 & 50-446/87-10.
WARNICK,R.F. Ofc of Special Projects. 87/11/19. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp 43445:308-43445:312.

8711240278 Advises that insp of coated weld samples completed per procedure consistent w/guidance in SSER 12 (NUREG-0797).Util prepared to support NRC Office of Special Projects review & assessment of insp results.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:178-43459:179.

8711240305 Supplis 870916 response to violations noted in Insp Repts 50-445/86-22 & 50-446/86-20.Date for disposition of requested addl nonconformance documents & delineating addl corrective action extended to 880215.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:143-43442:143.

8711250039 Responds to NRC 871014 ltr requesting info re base matl defects noted in Insp Repts 50-445/86-03 & 50-446/86-02.Util preparing verification plan that will be used to reverify welds from representative sample of 60 pipe supports.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43457:077-43457:077.

8711250146 Forwards Insp Repts 50-445/87-25 & 50-446/87-19 on 871007-1103.No violations or deviations noted.
WARNICK,R.F. Ofc of Special Projects. 87/11/20. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 43462:291-43462:311.

-8711250148 Insp Repts 50-445/87-25 & 50-446/87-19 on 871007-1103.No violations or deviations noted.Major areas inspected: applicant actions on previous insp findings,corrective actions program & site design audit.
ELLERSHAW,L.E., BARNES,I. Ofc of Special Projects. 87/11/20. 17pp. 43462:295-43462:311.

8711300201 Responds to NRC 871023 ltr re violations & deviation noted in Insp Repts 50-445/87-16 & 50-446/87-13.Corrective actions:Nonconformance Rept 81-A01243 written to document missing cotter pins.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/23. Document Control Branch (Document Control Desk). 7pp. 43467:286-43467:292.

8711300120 Advises that completion of review of attributes for const work category re notice of deviation item B (Insp Rept 50-445/86-03) revised to 871231.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/25. Document Control Branch (Document Control Desk). 1p. 43466:359-43466:359.

S. Reportable occurrences, LERs & related correspondence

8711040358 Interim Deficiency Rept CP-87-104 re possible errors in protection actuation setpoints calculations.Initially reported on 870914.Effect of actual measuring test equipment inaccuracies to be determined.Next rept by 880118.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/14. Document Control Branch (Document Control Desk). 2pp. 43291:066-43291:067.

8711020229 Interim Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump suction lift.Initially reported on 870629. Evaluation continuing.Next rept will be submitted by 871214.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. Document Control Branch (Document Control Desk). 1p. 43234:195-43234:195.

8711020490 Interim Deficiency Rept CP-87-108 re low suction pressure trip function of auxiliary feedwater (AFW) pumps which may render AFW sys inoperable.Initially reported on 870924. Evaluation underway.Next rept will be submitted on 880223.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/26. Document Control Branch (Document Control Desk). 2pp. 43235:075-43235:076.

8711020372 Interim Deficiency Rept CP-87-109 re documentation not receiving appropriate design review or resolution w/ established programs.Initially reported on 871005.Issue under evaluation w/Action Rept 87-73.Next rept by 880120.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk). 1p. 43235:307-43235:307.

8711020401 Final Deficiency Rept CP-87-66 re potentially undersized circuit breakers in Class 1E 118-volt ac distribution panels.Initially reported on 870903.Breakers adequate to assure that fault or overload will not degrade Class 1E sys
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/27. Document Control Branch (Document Control Desk) 1p 43237:010-43237:010.

8711020435 Final Deficiency Rept CP-87-107 re auxiliary feedwater design pressure.Initially reported on 870924.Engineering evaluation performed & issue determined not reportable per 10CFR50.55(e).
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/10/27. Document Control Branch (Document Control Desk). 2pp. 43237:226-43237:227.

8711020337 Interim Deficiency Rept CP-87-21 re larger derating factors for single trays & conduits than factors used in initial cable sizing calculations.Initially reported on 870617. Evaluation continuing.Next rept will be submitted by 880113.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/10/28. Document Control Branch (Document Control Desk) 1p. 43237:302-43237:302.

8711020473 Interim Deficiency Rept CP-87-73 re unsound mortar at const joints.Initially reported on 870824.Evaluation continuing. Next rept will be submitted by 871209.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.) 87/10/28. Document Control Branch (Document Control Desk) 1p. 43235:166-43235:166.

8711030278 Interim Deficiency Rept CP-87-52 re apparent inadequacy in vendor info used as design input which could result in unsatisfactory Class 1E battery capabilities.Initially reported on 870729.Next rept will be submitted by 880113.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk) 1p 43252:306-43252:306.

8711030358 Interim Deficiency Rept CP-87-34 re equipment nozzle load interfaces for plant.Initially reported on 870710.Next rept will be submitted on 871120.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p 43250:169-43250:169.

8711030505 Interim Deficiency Rept CP-87-35 re Raychem motor connection kits initially reported on 870715.Kits NMCK-2V-35.00,Lots K0770 & K1245 supplied w/ wrong size shrn.Evaluation of kit acceptability continuing.Next rept expected before 880112.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/10/30. Document Control Branch (Document Control Desk) 1p. 43251:251-43251:251.

8711040046 Interim Deficiency Rept CP-88-32 re deficiencies involving thru wall embedded conduit sleeves may be overload. Initially reported on 880421.Evaluation continuing.Next rept will be submitted by 880111.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/10/30. Document Control Branch (Document Control Desk) 1p. 43290:156-43290:156.

8711040048 Interim Deficiency Rept CP-87-53 re deficiencies identified in calculations used to qualify pipe whip restraint designs. Initially reported on 870729.Evaluation continuing.Next rept will be submitted by 880128.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/10/30. Document Control Branch (Document Control Desk). 1p 43290:155-43290:155.

8711060018 Final Deficiency Rept CP-87-34 re inconsistent equipment nozzle load interfaces.Initially reported on 870710. Engineering evaluation shows that new loads resulting from correct interface within acceptable limits.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/11/02 Document Control Branch (Document Control Desk). 1p 43308:282-43308:282.

8711060021 Supplemental Final Deficiency Rept CP-85-14 re uninvolved employee that identified unauthorized repairs made to hangar.Initially reported on 850419.Rework for pipe support completed on 860113 & cable tray supports on 860320.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/02. 1p. 43308:267-43308:267.

8711100487 Interim Deficiency Rept CP-87-01 re error in finite element computer model for safeguards bldg.Initially reported on 870114.Evaluation continuing.Next rept will be submitted by 880118.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/03. Document Control Branch (Document Control Desk). 1p. 43336:026-43336:026.

8711110155 Interim Deficiency Rept CP-86-53 re seismic design of conduit.Initially reported on 861021.Analysis of test results for affected conduits continuing to determine corrective actions.Next rept will be submitted by 871204.
COUNSIL,W.G., WOOLDEN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/04. Document Control Branch (Document Control Desk). 1p. 43346:031-43346:031.

8711100372 Interim Deficiency Rept CP-85-36 re installation of non-safety related conduit on non-safety related dead weight supports.Initially reported on 850906.Scheduled completion for Unit 1 by 871231.Next rept will be submitted by 880301.
COUNSIL,W.G., WOOSLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43334:161-43334:163

8711130110 Interim Deficiency Rept CP-87-50 re abnormal thrust bearing temps on turbine driven auxiliary feedwater pump.Initially reported on 870727.Evaluation continuing.Next rept will be submitted by 880115.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43354:276-43354:276.

8711130245 Interim Deficiency Rept CP-86-71 re electrical cable pulling.Initially reported on 861002.Evaluation of "worst case pull-bys" continuing.Evaluation of reportability will be done following evaluation effort.Next rept by 880111.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43355:258-43355:258.

drawings Evaluation will be continued Next rept will be submitted by 880122.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43357:296-43357:296

8711130345 Interim Deficiency Rept CP-86-83 re use of separation barrier matl on power cables & power raceways.Initially reported on 870605.Effort to define const schedule will be continued.Next rept will be submitted no later than 880118.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43361:087-43361:087.

8711160087 Interim Deficiency Rept CP-87-54 re electrical design drawings which do not apparently implement FSAR requirements for class 1E motor-operated valve motor starters.Initially reported on 870731.Next rept will be submitted by 880122.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 1p. 43364:200-43364:200.

8711160287 Final Deficiency Rept CP-87-18 re deficient vendor qualification documentation for component cooling water HXs. Initially reported on 870608.HXs acceptable under as-built loading w/o mod.Condition not reportable per 10CFR50.55(e)
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43368:246-43368:247.

8711120049 Final Deficiency Rept CP-87-111 re loose connection on one phase of circuit breaker terminal in Unit 2 motor control ctr.Initially reported on 871012.Loss of remote manual control of valve not detrimental to safe operation of plant.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 2pp. 43348:360-43348:361.

8711120068 Interim Deficiency Rept CP-85-35 re failure to install conduit per design documents.Initially reported on 860918. Evaluation continuing.Next rept will be submitted by 880125.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/09. Document Control Branch (Document Control Desk). 1p. 43355:282-43355:282.

8711160107 Supplemental Deficiency Rept CP-85-13 re failures existing in ESFAS.Initially reported on 850415.Rev of test procedures not required due to deficiency resolved by Westinghouse submittal of hardware mods.Circuit installation completed.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43365:001-43365:002.

8711160253 Supplemental Deficiency Rept CP 82-09 re solid state protection sys undetectable failure.Initially reported on 821130.Test procedures revised to incorporate facility-specific requirements recommended by Westinghouse.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43365:025-43365:026.

8711170170 Interim Deficiency Rept CP-86-55 re seismic air gap design adequacy between auxiliary bldg & Units 1 & 2 containment bldgs.Initially reported on 860814.Development of alternate calculation in final stage of review.Next rept by 880108.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/11. Document Control Branch (Document Control Desk). 1p. 43381:058-43381:058.

8711170236 Interim Deficiency Rept CP-87-112 re hot shutdown panel & main control board not being seismically qualified.Initially reported on 871012.Evaluation continuing.Next rept will be submitted by 880127.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/11. Document Control Branch (Document Control Desk). 1p. 43381:085-43381:085.

8711170101 Final Deficiency Rept CP-87-50 re abnormal thrust bearing temp on turbine driven auxiliary feedwater pump.Initially reported on 870727.Pumps will be dismantled & balancing drum installed.Records will be available for review after 880131.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43381:035-43381:036.

8711170112 Interim Deficiency Rept CP-87-75 re failure to properly record surface temps prior to placement of epoxy-type grouts.Initially reported on 870824.Evaluation continuing. Next rept by 880202.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43375:162-43375:162.

8711170130 Interim Deficiency Rept CP-87-56 re deficient pipe whip restraints.Initially reported on 870807.Evaluation of impact of issue upon safety of plant operations continuing.Next rept will be submitted by 880122.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43382:284-43382:284.

8711170142 Interim Deficiency Rept CP-87-15 re air accumulators for air-operated control valves.Initially reported on 870520. Evaluation of issue continuing.Next rept will be submitted by 880122.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43384:318-43384:318.

8711170177 Final Deficiency Rept CP-86-53 re seismic design of conduit. Initially reported on 861021.Installation of fiberglass cloth/resin matl or optional conduit supports currently scheduled for completion by 880420.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43381:049-43381:049.

8711170186 Interim Deficiency Rept CP-87-45 re reactor coolant pump motor backup circuitry.Initially reported on 870717. Evaluation of issue continuing.Next rept expected by 880125.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43381:048-43381:048.

program.Initially reported on 870717.Evaluation continuing.Next rept will be submitted by 880209.
COUNSIL,W.G., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 87/11/13. Document Control Branch (Document Control Desk). 1p. 43384:018-43384:018.

8711190088 Interim Deficiency Rept CP-85-35 re design & const activities of cable tray support program.Initially reported on 861021.Implementation of corrective actions continuing. Next rept will be submitted by 880125.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43396:209-43396:209.

8711190222 Interim Deficiency Rept CP-87-57 re inaccurate modeling methods in environ analysis w/computer code COMPARE MOD1A. Initially reported on 870814.Validation of all affected sys will be performed.Next rept will be submitted by 880301.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/16. Document Control Branch (Document Control Desk). 2pp. 43401:012-43401:013.

8711200079 Interim Deficiency Rept CP-87-58 re modeling errors in computer code RELAP-3.Initially reported on 870814. Reanalysis of affected pipe whip restraint designs using RELAP-5 in progress.Next rept will be submitted by 880203.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/16. Document Control Branch (Document Control Desk). 2pp. 43402:265-43402:266.

8711230183 Final Deficiency Rept CP-86-11 re component cooling water (CCW) pump impeller linear indications.Initially reported on 860623.All CCW pump impellors inspected & corrective action to repair linear indications completed.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43418:360-43418:360.

8711230227 Interim Deficiency Rept CP-87-113 re use of Ampower butt splices in manner that does not conform to Ampower design specs.Initially reported on 871019.Evaluation continuing. Next rept will be submitted by 880122.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43419:278-43419:278.

8711240156 Interim Deficiency Rept CP-86-48 re adequacy of nonconformance dispositions.Initially reported on 860616. Evaluation of impact on plant safety continuing.Next rept will be submitted by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/17. Document Control Branch (Document Control Desk). 1p. 43430:326-43430:326.

8711230171 Interim Deficiency Rept CP-87-98 re cable & raceway data sys review indicating that wrong cable may have been used in calculations.Initially reported on 870909.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:162-43421:162.

8711230270 Interim Deficiency Rept CP-87-114 re antitorque marks on flexible metal tubing observed to be misaligned prior to installation.Initially reported on 871021.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43422:251-43422:251.

8711230317 Interim Deficiency Rept CP-86-40 re procurement & use of nonqualified Agastat relays in some Class 1E applications. Initially reported on 861010.Implementation of corrective action in progress.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43419:121-43419:121.

8711230438 Interim Deficiency Rept CP-87-115 re abnormally high calculated natural frequencies of soil-structure sys. Initially reported on 871021.Evaluation continuing.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:325-43421:325.

8711230439 Interim Deficiency Rept CP-87-05 re failure of high range radiation monitor cables to meet environ qualification for dielectric insulation requirements.Initially reported on 870406.Next rept will be submitted by 880219.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43421:324-43421:324.

8711240010 Interim Deficiency Rept CP-87-68 re concrete expansion anchors,specifically "bottomed out" nuts & unacceptable torque for bolts supplied by Hilti.Initially reported on 870824.Next rept will be submitted by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:112-43444:112.

8711240026 Interim Deficiency Rept CP-86-81 re calculations for balance of plant safety-related instrument setpoints.Initially reported on 861107.Evaluation continuing.Next report will be submitted by 880216.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:115-43444:115.

8711240064 Interim Deficiency Rept CP-87-117 re design requirements of 118 volt circuits for station svc water sys.Initially reported on 871023.Issue being evaluated to determine impact on plant safety.Next rept expected by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. Document Control Branch (Document Control Desk). 1p. 43430:255-43430:255.

8711240084 Interim Deficiency Rept CP-87-116 re nitrogen purge regulating valves & failure of valves could result in overpressurizing condensate & reactor makeup storage tanks. Initially reported on 871023.Next rept expected by 880302.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. Document Control Branch (Document Control Desk). 1p. 43431:021-43431:021.

8711240168 Interim Deficiency Rept CP-86-82 re welds used to splice channel sections end-to-end forming posts for cable tray hangers.Initially reported on 870106.Corrective actions will be rescheduled.Next rept will be submitted by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:317-43442:317.

8711240187 Supplemental Deficiency Rept CP-87-03 re installation of safety-related 6.9 kV switchgear on structural embedments which were not level.Initially reported on 870316.Testing of switchgear rescheduled for completion by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43444:139-43444:139.

8711240242 Interim Deficiency Rept CP-87-25 re failure to provide missile protection for diesel fuel oil storage tank vent piping.Initially reported on 870629.Evaluation continuing. Next rept will be submitted by 880301.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:194-43442:194.

8711240310 Interim Deficiency Rept CP-87-29 re instrumentation & controls used for isolation of component cooling water to reactor coolant pump thermal HX.Initially reported on 870629.Evaluation continuing.Next rept expected by 880217.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43442:144-43442:144.

8711250040 Interim Deficiency Rept CP-87-90 re relief valve piping connecting to RHR pump suction piping.Initially reported on 870903.Design mod initiated to comply w/ ASME Section III Code.Next rept will be submitted by 880215.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43457:075-43457:076.

8711250073 Interim Deficiency Rept CP-86-36 re scope of plant mods resulting from project pipe support reverification program. Initially reported on 860609.Evaluation continuing.Next rept will be provided by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43457:028-43457:028.

8711250139 Interim Deficiency Rept CP-87-55 re containment spray pump recirculation piping initially reported on 870805.Evaluation continuing.Next rept will be submitted by 880302.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 87/11/20. Document Control Branch (Document Control Desk). 1p. 43459:185-43459:185.

8711250195 Interim Deficiency Rept CP-86-72 re pipe support reverification program.Evaluation continuing.Next rept will be provided by 880129.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/20. Document Control Branch (Document Control Desk). 1p. 43460:036-43460:036.

8711300234 Interim Deficiency Rept CP-87-41 re differential pressure transmitters designated as Group B,installed in safety class sys w/o proper qualifications for Class 1E applications. Initially reported on 870715.Next rept submitted by 880127.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/23. Document Control Branch (Document Control Desk). 1p. 43465:088-43465:088.

8711300058 Interim Deficiency Rept CP-87-82 re discrepancies observed in fire detection control panels.Initially reported on 870831.Deficiency addressed in Corrective Action Request 87-061.Next rept will be submitted by 880224.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 1p. 43469:347-43469:347.

8711300074 Final Deficiency Rept CP-87-63 re pipe weld insps.Initially reported on 870824.Insp results have established reasonable level of assurance that existing welds will perform function w/o mod.Deficiency not reportable,per 10CFR50.55(e).
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43473:114-43473:115.

8711300168 Final Deficiency Rept CP-87-42 re improperly identified thermocouples utilized in safety class installations. Initially reported on 870715.Thermocouples installed per site procedures.Item found not reportable per 10CFR50.55(e).
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:070-43467:071.

8711300243 Interim Deficiency Rept CP-85-36 re installation of nonsafety-related conduit on nonsafety-related dead weight supports.Initially reported on 871105.Rept clarifies TXX-6928.Next rept will be submitted no later than 880301.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 1p. 43467:171-43467:171.

8711300249 Final Deficiency Rept CP-87-27 re galvanic corrosion in svc water sys.Initially reported on 870629.Resultant corrosion will advance to saturation level,where further corrosion will be at very slow rate.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/24. Document Control Branch (Document Control Desk). 1p. 43472:148-43472:148.

8711300112 Deficiency Rept CP-87-24 re containment liner Nelson stud bending in excess of FSAR requirements.Initially reported on 870629.Evaluation continuing.Next rept anticipated by 880210.
COUNSIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/11/25. Document Control Branch (Document Control Desk). 1p. 43466:360-43466:360.

T. Hearing transcripts on non-antitrust matters

8711050090 Transcript of 871102 special prehearing conference in Dallas,TX.Pp 24,963-25,138.
* Atomic Safety and Licensing Board Panel. 87/11/02. 178pp. 43274:001-43274:178.

8711060051 Transcript of 871103 prehearing in Dallas,TX.Pp 25,139-25,156.
* Atomic Safety and Licensing Board Panel. 87/11/03. 20pp. 43294:055-43294:074.

V. Operator Examinations

8711250183 Forwards applications & medical certificates for five reactor operator & senior reactor operator license candidates scheduled to take operator exams in Dec 1987. Encls withheld (ref 10CFR2.790(a)(6)).
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/11/19. PELLET,J.L. Region 4, Ofc of the Director. 2pp. 43460:044-43460:045.

DOCKET STN-50-447 GESSAR-238

A. Application/construction stage documents & correspondence

8711180044 Notification of 871201 meeting w/GE & BNL at GE ofcs to discuss Amend 18 to GESTAR II.
RICHINGS,H. Reactor Systems Branch. 87/11/13. HODGES,M.W. Reactor Systems Branch. 2pp. 43389:076-43389:077.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711020088 Ack receipt of util 861126 ltr transmitting proposed amend to plant physical security plan,in response to miscellaneous amends & search requirements.Comments on physical security changes encl.Response requested with n 30 days.
OLSHAN,L.N. Project Directorate III-2. 87/10/21. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43240:050-43240:053.

8711030518 Emergency Plan Implementing Procedure EZP 100-T7, "Security Director (Checklist of Initial Responsibilities)," W/ revised index.
* Commonwealth Edison Co. 87/10/23. 6pp. 43255:268-43255:273.

8711240251 Rev 3a to Emergency Plan Table BYA 5-1, "Byron Emergency Action Levels."
* Commonwealth Edison Co. 87/10/31. 1p. 43431:310-43431:310.

8711090040 Forwards Safety Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwealth Edison Co. 2pp. 43314:029-43314:049.

--8711090046 Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations,deficiencies or deviations noted.Major areas inspected:emergency preparedness exercise,including key functions & locations during exercise.Related info encl.
PATTERSON,J., PLOSKI,T., CHRISTOFFER,G. Region 3, Ofc of the Director. 87/11/02. 10pp. 43314:031-43314:049.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711170271 Forwards Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels in response to 871013 notice of violation. Limiting condition for operation & action requirement time limit must be exceeded to declare unusual event.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43385:188-43385:191.

--8711170274 Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels.
* Commonwealth Edison Co. 87/11/12. 3pp. 43385:188-43385:191.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250035 Forwards Amend 49 to FSAR for Byron Station & Braidwood Station.Amend 49 consists of minor changes of technical info based upon current design/installation info & amended responses for listed questions.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 43436:184-43437:285.

--8711240179 Amend 49 to FSAR for Byron Station Units 1 & 2 & Braidwood Station Units 1 & 2.
* Commonwealth Edison Co. 87/10/31. 400pp. 43436:179-43437:285.

P. Operating license stage documents & correspondence

8711020369 Forwards rept which represents best estimate analytical study of potential for increased pressurizer PORV opening resulting from turbine trip w/o reactor trip below 30% power transient (P-8 setpoint study),per NUREG-0737.
AINGER,K.A. Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 12pp. 43236:245-43236:256.

8711100190 Forwards Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 License NPF-72 & safety evaluation.Amend allows one-time extension for diesel generator surveillance.Amend also applies to Braidwood Unit 2.
OLSHAN,L.N. Project Directorate III-2. 87/10/30. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43342:001-43342:026.

--8711100198 Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72,allowing one-time extension for diesel generator surveillance testing interval from 18 to 31 months & correcting oversight made in 870720 Amend 9.
MULLER,D.R. Project Directorate III-2. 87/10/30. 20pp. 43342:004-43342:023.

* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 3pp. 43342:024-43342:026.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170265 Application for amends to Licenses NPF-37,NPF-66 & NPF-72, revising Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation,provided that radiation monitors operable on ventilation train Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43384:007-43384:017.

--8711170270 Proposed Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation provided that two radiation monitors operable on ventilation train that is operating.
* Commonwealth Edison Co. 87/11/06. 9pp. 43384:009-43384:017.

8711200090 Forwards EGG-NTA-7643, "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," re emergency response capability,for review & comment within 60 days.Some exceptions to reg guide unjustified.
OLSHAN,L. Project Directorate III-2. 87/11/06. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43408:077-43408:102.

--8711060162 Preliminary "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," technical evaluation rept.
STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). STOFFEL,J.W. Idaho National Engineering Laboratory. FIN A-6483. EGG-NTA-7643. 87/08/31. NRC - No Detailed Affiliation Given. 23pp. 43408:060-43408:102.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060168 Responds to NRC ltr re violations noted in Insp Repts 50-454/87-31 & 50-455/87-29.Corrective actions:Emergency Action Level 16, "Loss of Primary Coolant" changed & operating supervisor involved will be retrained.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/13. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 43303:200-43303:203.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060185 Ack receipt of 871015 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-454/87-32, 50-455/87-30 & 50-456/87-28.Assignment of Severity Level IV appropriate.
MILLER,H.J. Region 3, Ofc of the Director. 87/10/30. REED,C. Commonwealth Edison Co. 2pp. 43308:163-43308:169.

--8711060195 Responds to NRC ltr re violations noted in Insp Repts 50-454/87-32,50-455/87-30 & 50-456/87-28.Corrective actions: util conducted step by step comparison of Byron & Braidwood emergency procedures including emergency procedures.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/15. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 43308:165-43308:169.

8711090040 Forwards Safety Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwealth Edison Co. 2pp. 43314:029-43314:049.

--8711090046 Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations,deficiencies or deviations noted.Major areas inspected:emergency preparedness exercise,including key functions & locations during exercise.Related info encl.
PATTERSON,J., PLOSKI,T., CHRISTOFFER,G. Region 3, Ofc of the Director. 87/11/02. 19pp. 43314:031-43314:049.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

30.No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/19. REED,C. Commonwe Edison Co. 2pp. 43467:072-43467:086.

--8711300171 Safety Insp Repts 50-454/87-39 & 50-455/87-36 on 871002-30. No v tions or deviations noted.Major areas inspected: licensee action on previous findings,operations summary,design changes & mods,training & surveillance.
HINDS,J.M. Region 3, Ofc of the Director. 87/11/19. 13pp. 43467:074-43467:086.

8711300211 Forwards Exam Rept 50-454/OL-87-02 of exams administered during v 871102.
WRIGHT,G.C. Region 3, Ofc of the Director. 87/11/24. REED,C. Commonwe Edison Co. 2pp. 43472:024-43472:118.

--8711300242 Exam Rept 50-454/OL-87-02 on 871102-04.Exam results:all five ope candidates & one senior reactor operator candidate passed exam.Master cop exam encl.
DAMON,D.J., VINNOLA,A.J., SUNDERLAND,P.R. Region 3, Ofc of the Director. 11/19. 92pp. 43472:026-43472:118.

R. Periodic operating reports & related correspondence

8711180002 Monthly operating repts for Oct 1987.W/871110 ltr.
SPITZER,D.J., QUERIO,R.E. Commonwealth Edison Co. 87/10/31. 14pp. 43389: 43389:123.

S. Reportable occurrences, LERs & related correspondence

8711190202 RO:on 870812,reactor tripped following safety injection & main steam isolation during power ascension.Caused by fully open governor valve.Necos equipment auto-started/ actuated per design.
QUERIO,R.E. Commonwealth Edison Co. 87/10/19. DAVIS,A.B. Region 3, Ofc o Director. 2pp. 43400:272-43400:273.

8711020312 RO:on 870814,governor hunting observed following diesel gene startup.Caused by intermittent operation of 4EX3 relay.Diesel generator 1B will re on monthly testing schedule per Tech Spec 4.8.1.1.2.
QUERIO,R.E. Commonwealth Edison Co. 87/10/27. DAVIS,A.B. Region 3, Ofc o Director. 2pp. 43232:338-43232:339.

8711170172 LER 87-022-00:on 871026,area radiation monitor spiked above alert s setpoint,resulting in containment ventilation isolation alarm.Caused by f detector.Detector replaced & monitor returned to svc on 871029.W/871110 ltr.
SNOW,M., QUERIO,R.E. Commonwealth Edison Co. 87/11/10. 3pp. 43383: 43383:026.

V. Operator Examinations

8711300211 Forwards Exam Rept 50-464/OL-87-02 of exams administered during v 871102.
WRIGHT,G.C. Region 3, Ofc of the Director. 87/11/24. REED,C. Commonwe Edison Co. 2pp. 43472:024-43472:118.

--8711300242 Exam Rept 50-454/OL-87-02 on 871102-04.Exam results:all five ope candidates & one senior reactor operator candidate passed exam.Master cop exam encl.
DAMON,D.J., VINNOLA,A.J., SUNDERLAND,P.R. Region 3, Ofc of the Director. 11/19. 92pp. 43472:026-43472:118.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711020088 Ack receipt of util 861126 ltr transmitting proposed amend to plant phy security plan,in response to miscellaneous amends & search requirements.Comm on physical security changes encl.Response requested within 30 days.
OLSHAN,L.N. Project Directorate III-2. 87/10/21. BUTTERFIELD,L. Commonwe Edison Co. 4pp. 43240:050-43240:053.

8711030518 Emergency Plan Implementing Procedure BZP 100-T7, "Security Direc (Checklist of Initial Responsibilities)." W/ revised index.
* Commonwealth Edison Co. 87/10/23. 6pp. 43255:268-43255:273.

8711240251 Rev 3a to Emergency Plan Table BYA 5-1, "Byron Emergency A Levels."
* Commonwealth Edison Co. 87/10/31. 1p. 43431:310-43431:310.

8711090040 Forwards Safety Insp Repts 50-454/87-40 & 50-455/87-34 on 871 15.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwe Edison Co. 2pp. 43314:029-43314:049.

--8711090046 Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-1 violations,deficiencies or deviations noted.Major areas inspected:emergency prepa ness exercise,including key functions & locations during exercise.Related info encl
PATTERSON,J., SNELL,W. Region 3, Ofc of the Director. 87/11/02. 1 43314:031-43314:049.

8711170243 Notifies that combined response to requests for addl info re util 86 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 wi sent by 871211,per 871027 telcon agreement.
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (D ment Control Desk). 1p. 43383:357-43383:357.

8711170271 Forwards Rev 3a to Emergency Plan Table BYA 5-1 re emergency ac levels in response to 871013 notice of violation. Limiting condition for operatio action requirement time limit must be exceeded to declare unusual event.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/12. Document Control Bra (Document Control Desk). 1p. 43385:188-43385:191.

-8711170274 Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels.
* Commonwealth Edison Co. 87/11/12. 3pp. 43385:189-43385:191.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250035 Forwards Amend 49 to FSAR for Byron Station & Braidwood Station.Amend 49 consists of minor changes of technical info based upon current design/installation info & amended responses for listed questions
HUNSADER,S.C. Commonwealth Edison Co. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 43436:164-43437:285.

-8711240179 Amend 49 to FSAR for Byron Station Units 1 & 2 & Braidwood Station Units 1 & 2.
* Commonwealth Edison Co. 87/10/31. 400pp. 43436:179-43437:285.

P. Operating license stage documents & correspondence

8711020369 Forwards rept which represents best estimate analytical study of potential for increased pressurizer PORV opening resulting from turbine trip w/o reactor trip below 30% power transient (P-8 setpoint study),per NUREG-0737.
AINGER,K.A. Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk) 12pp. 43236:245-43236:256.

8711100190 Forwards Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 License NPF-72 & safety evaluation.Amend allows one-time extension for diesel generator surveillance.Amend also applies to Braidwood Unit 2
OLSHAN,L.N. Project Directorate III-2. 87/10/30. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43342:001-43342:026

-8711100198 Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72,allowing one-time extension for diesel generator surveillance testing interval from 18 to 31 months & correcting oversight made in 870723 Amend 9.
MULLER,D.R. Project Directorate III-2. 87/10/30. 20pp. 43342:004-43342:023.

8711100201 Safety evaluation supporting Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 3pp. 43342:024-43342:026.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170265 Application for amends to Licenses NPF-37,NPF-66 & NPF-72, revising Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation,provided that radiation monitors operable on ventilation train.Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43384:007-43384:017.

-8711170270 Proposed Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation provided that two radiation monitors operable on ventilation train that is operating
* Commonwealth Edison Co. 87/11/06. 9pp. 43384:009-43384:017.

8711200090 Forwards EGG-NTA-7643, "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," re emergency response capability,for review & comment within 60 days.Some exceptions to reg guide unjustified.
OLSHAN,L. Project Directorate III-2. 87/11/06. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43408:077-43408:102.

-8710060162 Preliminary "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," technical evaluation rept.
STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). STOFFEL,J.W. Idaho National Engineering Laboratory. FIN A-6483. EGG-NTA-7643. 87/08/31. NRC - No Detailed Affiliation Given. 23pp. 43408:080-43408:102.

O. Inspection reports, IE Bulletins & correspondence

8012170402 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711060168 Responds to NRC ltr re violations noted in Insp Repts 50-454/87-31 & 50-455/87-29.Corrective actions:Emergency Action Level 16, "Loss of Primary Coolant" changed & operating supervisor involved will be retrained.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/13. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 43303:200-43303:203.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060185 Ack receipt of 871015 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-454/87-32, 50-455/87-30 & 50-456/87-28.Assignment of Severity Level IV appropriate.
MILLER,H.J. Region 3, Ofc of the Director. 87/10/30. REED,C. Commonwealth Edison Co. 2pp. 43308:163-43308:169.

-8711060195 Responds to NRC ltr re violations noted in Insp Repts 50-454/87-32,50-455/87-30 & 50-456/87-28.Corrective actions: util conducted step by step comparison of Byron & Braidwood emergency procedures including emergency procedures.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/16. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 43308:165-43308:169.

8711090040 Forwards Safety Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/03. REED,C. Commonwealth Edison Co. 2pp. 43314:029-43314:049.

-8711090046 Insp Repts 50-454/87-40 & 50-455/87-34 on 871013-15.No violations,deficiencies or deviations noted.Major areas inspected:emergency preparedness exercise,including key functions & locations during exercise.Related info encl.
PATTERSON,J., PLOSKI,T., CHRISTOFFER,G. Region 3, Ofc of the Director. 87/11/02. 19pp. 43314:031-43314:049.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Supp 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300166 Forwards Safety Insp Repts 50-454/87-39 & 50-455/87-36 on 871002-30.No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director. 87/11/19. REED,C. Commonwealth Edison Co. 2pp. 43467:072-43467:086.

-8711300171 Safety Insp Repts 50-454/87-39 & 50-455/87-36 on 871002-30. No violations or deviations noted.Major areas inspected: licensee action on previous insp findings,operations summary,design changes & mods,training & surveillance.
HINDS,J.M. Region 3, Ofc of the Director. 87/11/19. 13pp. 43467:074-43467:086.

R. Periodic operating reports & related correspondence

8711180002 Monthly operating repts for Oct 1987.W/871110 ltr.
SPITZER,D.J., QUERIO,R.E. Commonwealth Edison Co. 87/10/31. 14pp. 43389:109-43389:123.

S. Reportable occurrences, LERs & related correspondence

8711100325 Forwards corrected LER 87-019-00.LER originally issued w/ error in LER number in codified field (Block 6).
QUERIO,R.E. Commonwealth Edison Co. 87/10/29. Document Control Branch (Document Control Desk). 1p. 43330:249-43330:253.

-8711100042 Corrected LER 87-019-00:on 871002,high steam generator level caused turbine trip & equipment operator opened wrong disconnect to realign switchyard ring after trip.Caused by personnel error.Disciplinary taken.
SCHUSTER,T. Commonwealth Edison Co. 87/10/30. 4pp. 43330:250-43330:253.

8711100301 LER 87-001-01:on 870116,during initial criticality/low power physics startup test requiring bistable trip,reactor trip occurred.Caused by reactor coolant resistance temp detector splice failure.Splice connection corrected.W/871103 ltr.
SCHUSTER,T., QUERIO,R.E. Commonwealth Edison Co. 87/11/03. 4pp. 43344:259-43344:262.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8711030112 Revised emergency plan implementing procedures,including Rev 2 to BwZP 090-1, "Acting Station Director Implementing Procedure (Primary Responsibility-Shift Engineer)" & Rev 1 to BwZP 090-1A2, "App B,Unusual Event Checklist."
* Commonwealth Edison Co. 87/10/20. 38pp. 43255:145-43255:182.

8711030291 Revised emergency plan implementing procedures,including Rev 3 to BwZP 100-3, "Technical Director Implementing Procedure" & Rev 3 to BwZP 100-7, "Security Director Implementing Procedure."
* Commonwealth Edison Co. 87/10/23. 30pp. 43246:249-43246:278.

8711060148 Forwards comments on util 861126 proposed amend to physical security plan for response within 60 days
SANDS,S. Project Directorate III-2. 87/10/27. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43300:034-43300:037.

8711060261 Revised emergency plan implementing procedures,consisting of Rev 2 to BwZP 500-7, "Operational Check of Staff Augmentation (Primary Responsibility - GSEP Coordinator)" & Rev 1 to BwZP 500-7A1, "App A Staff Augmentation Drill...."
* Commonwealth Edison Co. 87/10/29. 11pp. 43303:128-43303:138.

8711170243 Notifies that combined response to requests for addl info re util 861126 security plan amends in response to changes in 10CFR73.55 & 10CFR73.70 will be sent by 871211,per 871027 telcon agreement
ALLEN,C.M. Commonwealth Edison Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43383:357-43383:357.

8711190214 Provides update on completion of fire protection program & serves to notify of addl areas of structural steel that require fireproofing.Upon completion of surveillance outage, full compliance w/fire protection requirements expected.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43400:279-43400:282.

8711170271 Forwards Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels in response to 871013 notice of violation. Limiting condition for operation & action requirement time limit must be exceeded to declare unusual event.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43385:188-43385:191.

--8711170274 Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels.
* Commonwealth Edison Co. 87/11/12. 3pp. 43385:189-43385:191.

G. Adjudicatory correspondence

8711190031 Advises that Commission declined review of Appeal Board Decision ALAB-874.Time provided by NRC regulations for Commission to act expired.Decision became final agency action on 871104.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4849. 87/11/17. Atomic Safety and Licensing Appeal Panel. 1p. 43392:195-43392:195.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250035 Forwards Amend 49 to FSAR for Byron Station & Braidwood Station.Amend 49 consists of minor changes of technical info based upon current design/installation info & amended responses for listed questions.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 43436:184-43437:285.

--8711240179 Amend 49 to FSAR for Byron Station Units 1 & 2 & Braidwood Station Units 1 & 2.
* Commonwealth Edison Co. 87/10/31. 400pp. 43436:179-43437:285.

P. Operating license stage documents & correspondence

8711020369 Forwards rept which represents best estimate analytical study of potential for increased pressurizer PORV opening resulting from turbine trip w/o reactor trip below 30% power transient (P-8 setpoint study),per NUREG-0737.
ANGER,K.A. Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 12pp. 43236:245-43236:256.

8711090352 Proposes interim operation plan to use svc bldg chiller sys while completing retubing activities of control room ventilation sys chillers.Crosstie would link svc bldg & control room chilled water sys as noted in util 870326 ltr.
HUNSADER,S.C. Commonwealth Edison Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43322:084-43322:085.

8711100198 Forwards Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 License NPF-72 & safety evaluation.Amend allows one-time extension for diesel generator surveillance.Amend also applies to Braidwood Unit 2.
OLSHAN,L.N. Project Directorate III-2. 87/10/30. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43342:001-43342:026.

--8711100198 Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72,allowing one-time extension for diesel generator surveillance testing interval from 18 to 31 months & correcting oversight made in 870723 Amend 8.
MULLER,D.R. Project Directorate III-2. 87/10/30. 20pp. 43342:004-43342:023.

8711100201 Safety evaluation supporting Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 3pp. 43342:024-43342:026.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170265 Application for amends to Licenses NPF-37,NPF-66 & NPF-72, revising Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation,provided that radiation monitors operable on ventilation train.Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43384:007-43384:017.

--8711170270 Proposed Tech Spec Tables 3.3-6 & 4.3-3 to allow control room ventilation sys to remain in operation provided that two radiation monitors operable on ventilation train that is operating.
* Commonwealth Edison Co. 87/11/06. 8pp. 43384:009-43384:017.

8711200090 Forwards EGG-NTA-7643, "Conformance to Reg Guide 1.97 Byron Units 1 & 2 & Braidwood Units 1 & 2," re emergency response capability,for review & comment within 60 days.Some exceptions to reg guide unjustified.
OLSHAN,L. Project Directorate III-2. 87/11/06. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43408:077-43408:102.

its 1 & 2 & Braid-

W. Idaho National
RC - No Detailed

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413) 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43228:206-43226:207.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Repts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions: clerical personnel sent to finish filing procedures.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8711100390 Provides description of Inservice Insp (ISI) program & presents differences existing between facility & Byron Unit 1 ISI program.Cross-reference lists of program notes & relief requests & ISI & testing program plan encl.
HUNSADER,S.C. Commonwealth Edison Co. 87/10/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 43330:254-43332:110.

--8711100394 "Braidwood Nuclear Power Station Unit 1 Inservice Insp & Testing Program Plan First Insp Interval."
* Commonwealth Edison Co. 87/10/31. 566pp. 43330:265-43332:110.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870723) 87/10/28. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060185 Ack receipt of 871015 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-454/87-32, 50-455/87-30 & 50-456/87-28.Assignment of Severity Level IV appropriate.
MILLER,H.J. Region 3, Ofc of the Director. 87/10/30. REED,C. Commonwealth Edison Co. 2pp. 43308:163-43308:169.

--8711060195 Responds to NRC ltr re violations noted in Insp Repts 50-454/87-32,50-455/87-30 & 50-456/87-28.Corrective actions: util conducted step by step comparison of Byron & Braidwood emergency procedures including emergency procedures.
BUTTERFIELD,L. Commonwealth Edison Co. 87/10/15. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 43308:165-43308:169.

8711160147 Provides util position re closure of RH8716A valve during Mode 1 operation & resulting Tech Spec interpretation of operability for RHR sys for NRC review & subsequent discussion,per 871023 request for meeting.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/03. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). DAVIS,A.B. Region 3, Ofc of the Director. 6pp. 43368:240-43368:245.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:239.

8711090318 Forwards Safety Insp Repts 50-456/87-32 & 50-457/87-31 on 870909-1021.No violations noted.
WRIGHT,G.C. Region 3, Ofc of the Director. 87/11/05. REED,C. Commonwealth Edison Co. 2pp. 43322:110-43322:122.

--8711090321 Safety Insp Repts 50-456/87-32 & 50-457/87-31 on 870909-1031.No violations or deviations noted.Two unresolved items & 15 open items identified.Major areas inspected: actions on previous insp items & preoperational testing.
DUNLOP,A., STASEK,S., LANKSBURY,R. Region 3, Ofc of the Director. 87/11/03. 11pp. 43322:112-43322:122.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711300103 Submits correct ref to 871027 request to reevaluate application of notice of violation in Insp Repts 50-457/87-26 & 50-457/87-26.Correct ref should have been to 10CFR50.47.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/12. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43470:094-43470:094.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711190192 Annual 10CFR50.59 rept,based on 861017 fuel load License NPF-59,of descriptions & safety evaluations for changes to facility as described in SAR.
HUNSADER,S.C. Commonwealth Edison Co. 87/10/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43400:120-43400:122.

8711190219 Monthly operating rept for Oct 1987.W/871110 ltr.
PEACOCK,B.M., FITZPATRICK,E. Commonwealth Edison Co. 87/10/31. 8pp. 43400:285-43400:292.

S. Reportable occurrences, LERs & related correspondence

8711020531 LER 87-047-00:on 870928,discovered that required surveillance for diesel generator 1A not performed & diesel declared inoperable.Caused by personnel error. Surveillance completed & diesel found operable.W/871028 ltr.
KURDENOK,G., FITZPATRICK,E. Commonwealth Edison Co. 87/10/16. 4pp. 43235:199-43235:202.

8711090033 LER 87-024-01:on 870522 & 27,fuse for primary power supply to card frame 2 blew resulting in reactor trip signal.Caused by designed fuse size in card frame 2,cabinet 1PA01J.Fuse replaced & reactor trip cleared.W/871102 ltr.
RAMOS,F., FITZPATRICK,E. Commonwealth Edison Co. 87/10/19. 4pp. 43314:357-43314:360.

8711020273 LER 87-055-00:on 870927,28 & 1002,Train B containment ventilation isolation signal annunciated in main control room Caused by defective detector.Monitors plastic covering rearranged & temporary warning signs posted.W/871020 ltr.
STANCZAK,P., FITZPATRICK,E. Commonwealth Edison Co. 87/10/20. 5pp. 43232:301-43232:305.

8711090116 LER 87-056-00:on 871009,main control room outside air intake radiation monitor gas channel processed spurious high radiation signal to ESF causing recirculation charcoal to realign ventilation dampers to emergency mode.W/871030 ltr.
ROUNTREE,R., FITZPATRICK,E. Commonwealth Edison Co. 87/10/30. 4pp. 43314:343-43314:346.

8711100332 LER 87-057-00:on 871009,reactor trip resulting from turbine trip on anti-motoring occurred.Cause not yet determined. Stable plant conditions established & temporary instrumentation installed on sensing line.W/871104 ltr.
SMITH,M.J., FITZPATRICK,E. Commonwealth Edison Co. 87/11/05. 4pp. 43335:130-43335:133.

8711240144 LER 87-054-00:on 871021,27 & 29,calorimetric calculations performed outside time allowed by Tech Specs due to inconstant reactor power.Caused by boostor pump strainer clogging.Addl guidance & controls initiated.W/871119 ltr.
LAWSON,D., FITZPATRICK,E. Commonwealth Edison Co. 87/11/19. 6pp. 43442:071-43442:076.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

A. Application/construction stage documents & correspondence

8711020359 Forwards rept which represents best estimate analytical study of potential for increased pressurizer PORV opening resulting from turbine trip w/o reactor trip below 30% power transient (P-8 setpoint study),per NUREG-0737.
AINGER,K.A Commonwealth Edison Co. 87/10/30. Document Control Branch (Document Control Desk). 12pp. 43236:245-43236:256.

8711090352 Proposes interim operation plan to use svc bldg chiller sys while completing retubing activities of control room ventilation sys chillers.Crosstie would link svc bldg & control room chilled water sys as noted in util 870326 ltr.
HUNSADER,S.C. Commonwealth Edison Co. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43322:084-43322:085.

8711100190 Forwards Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 License NPF-72 & safety evaluation.Amend allows one-time extension for diesel generator surveillance.Amend also applies to Braidwood Unit 2.
OLSHAN,L.N. Project Directorate III-2. 87/10/30. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43342:001-43342:023.

8711100201 Safety evaluation supporting Amends 11 to Licenses NPF-37 & NPF-66,respectively & Amend 1 to License NPF-72.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 3pp. *43342:024-43342:026.*

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8710060162 Preliminary "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," technical evaluation rept.
STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6483. EGG-NTA-7643. 87/08/31. NRC - No Detailed Affiliation Given. 23pp. 43408:080-43408:102

8711250001 Notification of 871202 meeting w/util in Braidwood,IL to permit NRC mgt to assess operational readiness of facility. Meeting agenda encl.
SANDS,S.P. Project Directorate III-2. 87/11/20. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 2pp. 43448:311-43448:313.

F. Security, medical, emergency & fire protection plans

8711030112 Revised emergency plan implementing procedures,including Rev 2 to *BwZP 090-1, "Acting Station Director Implementing Procedure (Primary Responsibility-Shift Engineer)"* & Rev 1 to BwZP 090-1A2, "App B,Unusual Event Checklist."
* Commonwealth Edison Co. 87/10/20. 38pp. 43255:145-43255:182.

8711030291 Revised emergency plan implementing procedures,including Rev 3 to BwZP 100-3, "Technical Director Implementing Procedure" & Rev 3 to BwZP 100-7, "Security Director Implementing Procedure."
* Commonwealth Edison Co. 87/10/23. 30pp. 43246:249-43246:278.

8711050148 Forwards comments on util 861126 proposed amend to physical security plan for response within 60 days.
SANDS,S. Project Directorate III-2. 87/10/27. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43300:034-43300:037.

8711060261 Revised emergency plan implementing procedures,consisting of Rev 2 to BwZP 500-7, "Operational Check of Staff Augmentation (Primary Responsibility - GSEP Coordinator)" & Rev 1 to BwZP 500-7A1, "App A Staff Augmentation Drill...."
* Commonwealth Edison Co. 87/10/29. 11pp. 43303:128-43303:138.

8711170271 Forwards Rev 3a to Emergency Plan Table BYA 5-1 re emergency action levels in response to 871013 notice of violation. Limiting condition for operation & action requirement time limit must be exceeded to declare unusual event.
JOHNSON,I.M. Commonwealth Edison Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43385:188-43385:191.

--8711170274 Rev 3a to Emergency Plan Table BYA 5-1 *re emergency action levels.*
* Commonwealth Edison Co. 87/11/12. 3pp. 43385:189-43385:191.

G. Adjudicatory correspondence

8711190031 Advises that Commission declined review of Appeal Board Decision ALAB-874.Time provided by NRC regulations for Commission to act expired Decision became final agency action on 871104.Served on 871117.
HOYLE,J.C. Office of the Secretary of the Commission. #487 4849. 87/11/17. Atomic Safety and Licensing Appeal Panel. 1p. 43392:195-43392:195.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711250035 Forwards Amend 49 to FSAR for Byron Station & Braidwood Station.Amend 49 consists of minor changes of technical info based upon current design/installation info & amended responses for listed questions.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 43436:164-43437:285.

--8711240179 Amend 49 to FSAR for Byron Station Units 1 & 2 & Braidwood Station Units 1 & 2.
* Commonwealth Edison Co. 87/10/31. 400pp. 43436:179-43437:285.

P. Operating license stage documents & correspondence

8711200090 Forwards EGG-NTA-7643, "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," re emergency response capability,for review & comment within 60 *days.Some exceptions to reg guide unjustified.*
OLSHAN,L. Project Directorate III-2. 87/11/06. BUTTERFIELD,L. Commonwealth Edison Co 3pp. 43408:077-43408:102.

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030093 Responds to NRC 870820 & 0918 ltrs re violations noted in Insp Repts 50-237/87-28,50-249/87-27,50-456/87-26, 50-457/87-26,50-373/87-25 & 50-374/87-25.Corrective actions: clerical personnel sent to finish filing *procedures.*
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 43252:216-43252:217.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-058, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090316 Forwards Safety Insp Repts 50-456/87-32 & 50-457/87-31 on 870909-1021.No violations noted.
WRIGHT,G.C. Region 3, Ofc of the Director. 87/11/05. REED,C. Commonwealth Edison Co. 2pp. 43322:110-43322:122.

--8711090321 Safety Insp Repts 50-456/87-32 & 50-457/87-31 on 870909-1031.No violations or deviations noted.Two unresolved items & 16 open items identified.Major areas inspected: actions on previous insp items & preoperational testing.
DUNLOP,A., STASEK,S., LANKSBURY,R. Region 3, Ofc of the Director. 87/11/03. 11pp. 43322:112-43322:122.

8711200017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43356:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance *W/Applicable Matl Specs." Svc list encl.*
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43387:142-43397:257.

8711160111 Forwards Safety Insp Rept 50-457/87-40 on 871028.No violations noted.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/12. REED,C. Commonwealth Edison Co. 2pp. 43368:289-43368:293.

--8711160115 Safety Insp Rept 50-457/87-40 on 871028.No violations or deviations noted.Major areas inspected:C-E automated ultrasonic exam technique.
WARD,K.D., DANIELSON,D.H. Region 3, Ofc of the *Director. 87/11/12. 3pp.* 43368:291-43368:293.

8711300103 Submits correct ref to 871027 request to reevaluate application of notice of violation in Insp Repts 50-457/87-26 & 50-457/87-26.Correct ref should have been to 10CFR50.47.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/12. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43470:094-43470:094.

cy Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300104 Forwards Note 8 to be added to 870923 preservice insp program Note 8 addresses indication in elbow to isolation valve weld Section IWB-3112(b) of 1983 Edition of ASME Section XI will be used to disposition subj indication.
HUNSADER,S.C. Commonwealth Edison Co. 87/11/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 43467:087-43467:088.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8711020019 Forwards safety evaluation accepting util 870716 & 0921 revised solid waste process control programs.Programs submitted per SSER 2,Section 11.4 which states that NRC must approve program prior to operation after first refueling.
PAULSON,W.A. Project Directorate IV. 87/10/26. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43240:315-43240:317.

--8711020033 Safety evaluation supporting plant solid waste process control program,submitted per Section 11.4 of SSER 2 (NUREG-0989).Approval required prior to startup from first refueling outage.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 1p. 43240:317-43240:317.

F. Security, medical, emergency & fire protection plans

8711090212 Forwards review results re issue on security computer & MUX loop communications.Addl investigation required to adequately determine permanent solution to computer power circuitry.
BOOKER,J.E. Gulf States Utilities Co. 87/10/30. Document Control Branch (Document Control Desk) 2pp. 43314:024-43314:025.

8711100375 Rev 6 to Emergency Plan Implementing Procedure EIP-2-024, "Offsite Dose Calculations - Backup Method." W/871102 ltr.
CADWALLADER,J. BOOKER,J.E. Gulf States Utilities Co. 87/11/02. 34pp. 43335:223-43335:257.

8711100478 Forwards proposed Rev 9 to physical security plan,per NRC 870922 request for addl info re miscellaneous amends & search requirements.W/o encls.
DEDDENS,J.C. Gulf States Utilities Co. 87/11/06. Document Control Branch (Document Control Desk). 2pp. 43335:286-43335:287.

8711200330 Responds to NRC 871015 ltr re violations noted in Insp Rept 50-458/87-24 Corrective actions:work copies of incorrect Procedure STP-000-5001 maintained at security compliance section immediately destroyed.
DEDDENS,J.C. Gulf States Utilities Co. 87/11/16. Document Control Branch (Document Control Desk). 4pp. 43412:355-43412:358.

8711200034 Forwards insp Rept 50-458/87-27 on 871001-31 & notice of violation.Actions taken re previously identified insp findings also examined & results identified in Paragraph 2 of rept.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. DEDDENS,J.C. Gulf States Utilities Co. 3pp. 43410:130-43410:146.

--8711200048 Notice of violation from insp on 871001-31.Violations noted: Station Operating Procedure TP-87-29 not approved by director of field engineering & plant manager or assistant plant managers before implementation.
* Region 4, Ofc of the Director. 87/11/17. 2pp. 43410:133-43410:134.

--8711200063 Insp Rept 50-458/87-27 on 871001-31.Violations noted:Major areas inspected:licensee actions on previous insp findings, 10CFR21 repts,surveillance test & maint observation,safety sys walkdown & operational safety verification.
CHAMBERLAIN,D., JONES,W.B., MADSEN,G.L. Region 4, Ofc of the Director. 87/11/16. 12pp. 43410:135-43410:146.

P. Operating license stage documents & correspondence

8711020115 Forwards Amend 14 to License NPF-47 & safety evaluation. Amend defers installation of neutron flux instrumentation that conforms to Rev 2 to Reg Guide 1.97 until prior to startup from second refueling outage.
PAULSON,W.A. Project Directorate IV. 87/10/26. DEDDENS,J.C. Gulf States Utilities Co. 3pp. 43239:145-43239:153.

--8711020121 Amend 14 to License NPF-47,deferring installation of neutron flux instrumentation that conforms to Rev 2 to Reg Guide 1.97 until prior to startup from second refueling outage.
CALVO,J.A. Project Directorate IV. 87/10/26. 3pp. 43239:148-43239:150.

--8711020126 Safety evaluation supporting Amend 14 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 3pp. 43239:151-43239:153.

8711020366 Informs that effective 871025,JL Pellet will assume position & duties of R Cooley as section chief of Operator Licensing Section in Div of Reactor Safety.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43236:258-43236:259.

8711020166 Requests submittal of fee for 870831 application re revised clam control program for plant.
DIGGS,R.M. License Fee Management Branch. 87/10/27. DEDDENS,J.C. Gulf States Utilities Co. 1p. 43238:326-43238:326.

BOOKER,J.E. Gulf States Utilities Co. 87/10/27. 6pp. 43302:073-43302:

8711090176 Submits results of analyses on two unknown liquid sample 870707 from Radiological & Environ Sciences Lab for radiochemical a of Confirmatory Measurements Program.
BOOKER,J.E. Gulf States Utilities Co. 87/10/28. MARTIN,R.D. Region Director. 2pp. 43321:256-43321:257.

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners re HCOG submittals on methods for calculating equipment temp bas scale test data & impact of station blackout considerations on HCOG encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Director 43301:074-43301:081.

8711100444 Forwards supplemental info to util initial rept on ATWS rule son 870916 request.W/30 oversize drawings, including nine final design BOOKER,J.E. Gulf States Utilities Co. 87/10/30. Document Control ment Control Desk). 9pp. 43333:301-43333:309.

8711100073 Forwards Amend 16 to License NPF-47 & safety evaluatio tends completion date for installation of modified communication equipm to restart from first refueling outage until 880531.
PAULSON,W.A. Project Directorate IV. 87/11/02. DEDDENS,J.C. Gulf Co. 2pp. 43340:009-43340:015.

--8711100083 Amend 16 to License NPF-47,extending completion date for modified communication equipment from prior to restart from first ref until 880531 w/final testing & further mods prior to restart from second CALVO,J.A. Project Directorate IV. 87/11/02. 3pp. 43340:011-43340:013

--8711100084 Safety evaluation supporting Amend 16 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87 43340:014-43340:015.

8711100158 Forwards Amend 15 to License NPF-47 & safety evaluation. A Tech Specs re maint & surveillance for TDI emergency diesel generators.
PAULSON,W.A. Project Directorate IV. 87/11/02. DEDDENS,J.C. Gulf S Co. 2pp. 43341:332-43341:342.

--8711100168 Amend 15 to License NPF-47,revising Tech Specs re maint of TDI emergency diesel generators.
CALVO,J.A. Project Directorate IV. 87/11/02. 6pp. 43341:334-43341:339.

--8711100170 Safety evaluation supporting Amend 15 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87 43341:340-43341:342.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power pla statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190215 Application for amend to License NPF-47,revising Tech Spec requirements for standby svc water sys UHS instrumentation.Justificati encl.
DEDDENS,J.C. Gulf States Utilities Co. 87/11/13. Document Control Br ment Control Desk). 7pp. 43400:065-43400:092.

--8711190221 Proposed Tech Spec Surveillance Requirement 4.7.1.2,revisin for UHS water temp.
* Gulf States Utilities Co. 87/11/13. 1p. 43400:092-43400:092.

8711200265 Remits fee for 871113 application for amend to License NPF- vertently omitted.
BOOKER,J.E. Gulf States Utilities Co. 87/11/17. Document Control Br ment Control Desk). 1p. 43410:086-43410:086.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Sa Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/10. ed Edison Co. of New York, Inc. 6pp. 43226:201-43226:206.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response, 870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: R dents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Pos 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-433

8711050061 Responds to violations noted in Insp Rept 50-458/87-20 o 0915.Corrective actions:fuel oil analysis requirements entered into surveil procedure tracking program & CSP-0100 reviewed & revised.
DEDDENS,J.C. Gulf States Utilities Co. 87/10/30. Document Control Bran ment Control Desk). 5pp. 43302:034-43302:038.

8711100510 Forwards rept on containment access mgt & containment purge during Cycle 1 operation at plant.Rept satisfies SER Section 6.4.2.3 re co purge data collection.
BOOKER,J.E. Gulf States Utilities Co. 87/10/30. Document Control Bran ment Control Desk). 12pp. 43344:308-43344:319.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Inst BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06 Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43365:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711130268 Forwards Insp Rept 50-458/87-26 on 871005-09.No violations or deviations noted.Unresolved item identified.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/06. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43355:211-43355:224.

--8711130270 Insp Rept 50-458/87-26 on 871005-09.No violations or deviations noted.Major areas inspected:inservice insps, inservice testing,containment local leak rate testing,test & experiments program & corrective action program.
HUNNICUTT,D.M., GILBERT,L.D., STEWART,R.C. Region 4, Ofc of the Director. 87/11/04. 12pp. 43355:213-43355:224.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711200330 Responds to NRC 871016 ltr re violations noted in Insp Rept 50-458/87-24.Corrective actions work copies of incorrect Procedure STP-000-3001 maintained at security compliance section immediately destroyed.
DEDDENS,J.C. Gulf States Utilities Co. 87/11/16. Document Control Branch (Document Control Desk). 4pp. 43412:355-43412:358.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711200034 Forwards Insp Rept 50-458/87-27 on 871001-31 & notice of violation.Actions taken re previously identified insp findings also examined & results identified in Paragraph 2 of rept.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. DEDDENS,J.C. Gulf States Utilities Co. 3pp. 43410:130-43410:146.

--8711200048 Notice of violation from Insp on 871001-31.Violations noted. Station Operating Procedure TP-87-29 not approved by director of field engineering & plant manager or assistant plant managers before implementation.
* Region 4, Ofc of the Director. 87/11/17. 2pp. 43410:133-43410:134.

--8711200063 Insp Rept 50-458/87-27 on 871001-31.Violations noted.Major areas inspected:licensee actions on previous insp findings, 10CFR21 repts,surveillance test & maint observation,safety sys walkdown & operational safety verification.
CHAMBERLAIN,D., JONES,W.B., MADSEN,G.L. Region 4, Ofc of the Director. 87/11/16. 12pp. 43410:135-43410:146.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711030448 Forwards addendum to "Semiannual Radioactive Effluent Release Rept for Jan-June 1987." Addendum provides info which was not available at time of original submittal.
BOOKER,J.E. Gulf States Utilities Co. 87/10/27. Document Control Branch (Document Control Desk). 1p. 43252:076-43252:084.

--8711030512 Addendum to "Semiannual Radioactive Effluent Release Rept for Jan-June 1987."
FANTACCI,C.L., CARGILL,E.M. Gulf States Utilities Co. 87/06/30. 8pp. 43252:077-43252:084.

8711190194 Monthly operating rept for Oct 1987.W/871113 ltr.
MARTIN,R.H., BOOKER,J.E. Gulf States Utilities Co. 87/10/31. 5pp. 43400:263-43400:267.

S. Reportable occurrences, LERs & related correspondence

8711040361 PNO-IV-87-057:on 871022 & 26,temporary worker alarmed portal monitor while exiting radiation control area.Survey identified Co-60 particle on workers sleeve.Shirt had been taken home,washed & worn again.Nothing found at residence.
MURRAY,B. Region 4, Ofc of the Director. 87/10/30. 1p. 43280:332-43280:332.

8711090139 LER 87-019-00:on 870930,discovered that change made to post-fuel-loading initial test program not reported to NRC.Startup tests reviewed.Conclusion that all tests performed utilizing proper acceptance criteria made.W/871030 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/10/30. 4pp. 43314:276-43314:278.

8711090173 LER 87-008-01:on 870525,automatic initiation of Train B of main control room charcoal filtration sys occurred.Caused by spurious signals.Maint work order initiated to troubleshoot drywell atmosphere radiation monitor.W/871030 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/10/30. 5pp. 43321:258-43321:262.

8711100269 LER 86-068-02:on 861223,RCIC high steam supply flow detection transmitter failed.Caused by moisture accumulating in electronics head.Transmitter replaced & sys declared operable on 861227.W/871030 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/10/30. 4pp. 43330:243-43330:246.

8711090299 Special rept:Marker 34 determined to have total settlement of 1.03 inches found outside of Tech Spec Table 3.7.10.1 limits,per latest quarterly survey performed in Oct 1987.No structural damage occurred.Calculation G(c)-232 revised.
BOOKER,J.E. Gulf States Utilities Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43322:128-43322:129.

8711100168 Forwards Amend 15 to License NPF-47 & safety evaluation. Amend revises Tech Specs re maint & surveillance for TDI emergency diesel generators.
PAULSON,W.A. Project Directorate IV. 87/11/02. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43341:332-43341:342

--8711100188 Amend 15 to License NPF-47,revising Tech Specs re maint & surveillance of TDI emergency diesel generators.
CALVO,J.A. Project Directorate IV. 87/11/02. 6pp. 43341:334-43341:339.

8711200068 Discusses util 870902 special rept re inoperable status of Seismic Monitor 1ERS-N8E1B.Util requested to review plant procedures that apply in case of OBE exceedance & verify that procedures consistent w/10CFR100,App A.
PAULSON,W.A. Project Directorate IV. 87/11/09. DEDDENS,J.C. Gulf States Utilities Co. 3pp. 43408:051-43408:053.

8711170189 LER 87-021-00:on 871015,discovered that fire seal not installed in spent fuel pool cooling pump cubicle wall. Caused by contractor unawareness of openings.Maint work order request written to seal openings.W/871112 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/11/12. 4pp. 43381:044-43381:047.

8711190168 LER 87-022-00:on 871016,during performance of surveillance test procedure,isolation of RHR sys shutdown cooling supply valve occurred.Caused by improperly sequenced steps in procedure.Procedure corrected.W/871113 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/11/13. 4pp. 43397:258-43397:261.

8711230451 LER 86-024-05:on 860325,ESF actuations occurred due to breaker failure.On 861224,power to reactor protection sys bus B lost due to spurious breaker trip resulting in half- scram.Caused by malfunctioning logic card.W/871116 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/11/16. 4pp. 43421:228-43421:229.

8711300131 LER 87-024-00:on 871020,full reactor scram signal initiated on reactor protection sys during installation of Mod Request 85-0770.Caused by communications breakdown.Procedures for work on logic channels revised.W/871118 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/11/19. 4pp. 43467:158-43467:159.

8711300229 NPDES noncompliance notification:on 871111,sample from Outfall 2 indicated 24 mg/l oil & grease.Cause under investigation.Preventive measures will be implemented when more info available.
DEDDENS,J.C. Gulf States Utilities Co. 87/11/20. GIVENS,J.D. Louisiana, State of. 2pp. 43465:070-43465:071.

8711300257 LER 87-025-00:on 871021,while performing monthly surveillance test,Div II diesel generator output breaker failed to close.Cause undetermined.Addl clarifications & precautions added to site procedure.W/871120 ltr.
GRANT,E.R., BOOKER,J.E. Gulf States Utilities Co. 87/11/20. 5pp. 43471:123-43471:127.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046

8711200023 Forwards 28 pages of fee data for costs billed on invoices F1475 & F1476 for plant for 6-month review period ending on 861220,per 871028 request.W/o encl.
DIGGS,R.M. License Fee Management Branch. 87/11/13. SORENSEN,G.C. Washington Public Power Supply System. 1p. 43407:032-43407:034.

--8711200035 Requests supporting documentation providing basis for OL application review costs for period of 860622-1220. Documentation & verification requirements for public fund expenditures exist since WPPSS is state municipal corp.
SORENSEN,G.C. Washington Public Power Supply System. 87/10/28. HOLLOWAY,C.J. License Fee Management Branch. 2pp. 43407:033-43407:034.

8711300157 Advises that 871002 changes in Rev to Deviation 17.1-6 (WP) to facility PSAR consistent w/provisions of 10CFR50.55(f)(3) & acceptable.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/11/25. DAVID,W.F. Washington Public Power Supply System. 1p. 43471:067-43471:067.

P. Operating license stage documents & correspondence

8711060193 Forwards QA program description currently implemented at plant,per 10CFR50.55(f) (3) Description reflects recent organizational changes in corporate QA & project organization.
DAVID,W.F. Washington Public Power Supply System. 87/10/14. MARTIN,J.B. Region 5, Ofc of the Director. 39pp. 43302:345-43303:023.

Q. Inspection reports, IE Bulletins & correspondence

8711090258 Forwards Insp Rept 50-460/87-01 on 870929-1002.No violations noted.
PATE,R.J. Region 5, Ofc of the Director. 87/10/26. HOLMBERG,B.A. Washington Public Power Supply System. 2pp. 43322:234-43322:240.

--8711090262 Insp Rept 50-460/87-01 on 870929-1002.No violations or deviations noted.Major areas inspected:QA program for extended const delay & preservation program.
ROYACK,M.J., RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/26. 5pp. 43322:236-43322:240.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HCOG) re HCOG submittals on methods for calculating equipment temp based on quarter scale test data & impact of station blackout considerations on HCOG programs.W/ encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 8pp. 43301:074-43301:081.

8711090311 Application for amend to License NPF-62,consisting of 24 separate Tech Spec changes,including CRVICS instrumentation, remote shutdown monitoring instrumentation & containment isolation valves.Fee paid.
HALL,D.P. Illino's Power Co. 87/10/30. Document Control Branch (Document Control Desk). 10pp. 43314:062-43314:224.

--8711090316 Proposed Tech Specs re CRVICS instrumentation,remote monitoring instrumentation,containment isolation valves & radiation monitoring instrumentation.
' Illinois Power Co 87/10/30. 153pp 43314:072-43314:224.

8711050135 Notification of 871109-10 meetings w/util in Bethesda,MD to discuss Tech Spec amend package.
WANG,A Project Directorate III-2 87/11/03. MULLER,D.R. Project Directorate III-2. 2pp. 43301:163-43301:164

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl
MIRAGLIA,F.J Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711190297 Forwards request for addl info re effects of Lawrenceville, IL earthquake,per 870910 meeting.Site visit scheduled for Nov 1987 to discuss response.Response requested within 30 days of ltr receipt.
MULLER,D.R. Project Directorate III-2. 87/11/10. SPANGENBERG,F. Illinois Power Co. 7pp. 43404:113-43404:119.

8711250059 Submits addl info re info flow between util & GE,per A Wang request.
SPANGENBERG,F. Illinois Power Co. 87/11/18 Document Control Branch (Document Control Desk). 2pp. 43457:032-43457:033.

O. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
' Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711100130 Discusses safety-related instrument tubing program,in response to NRC 880109 ltr.Summary of sample results encl. Insp results indicate that instrument tubing welds of acceptable quality.
SPANGENBERG,F. Illinois Power Co. 87/11/05. Document Control Branch (Document Control Desk). 3pp. 43330:188-43330:190

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090164 Forwards Safety Insp Rept 50-461/87-26 on 870817-1013 & notice of violation.Two deficiencies in implementation of program to meet 10CFR50.49 requirements observed & under evaluation for possible enforcement action.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/06. GERSTNER,W.C. Illinois Power Co. 2pp. 43321:278-43321:296.

--8711090169 Notice of violation from insp on 870817-1013.Violation noted:failure to qualify equipment for installed configuration,including ASCO Solenoid Valve ORA027 found to be continuously energized.
HARRISON,J.J. Region 3, Ofc of the Director. 87/11/06. 1p. 43321:280-43321:280.

--8711090172 Safety Insp Rept 50-461/87-26 on 870817-1013.Violation & deficiencies noted.Major areas inspected:environ qualification (EQ) of safety-related equipment within scope of 10CFR50.49,including adequacy of EQ documentation.
GAUTAM,A.S., GARDNER,R.N. Region 3, Ofc of the Director. 87/11/05. 16pp. 43321:281-43321:296.

8711170127 Forwards insp actions taken for plant BWR stainless steel piping,per Generic Ltr 84-11 on IGSCC.Actions taken to mitigate IGSCC during const recommended by Rev 1 to NUREG-0313.
HALL,D.P. Illinois Power Co. 87/11/12. Document Control Branch (Document Control Desk) 4pp. 43384:251-43384:254.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300251 Responds to NRC 871021 ltr re violations noted in Insp Rept 50-461/87-32.Corrective actions,util Procedure 3002.01, "Heatup & Pressurization," revised to include channel functional test requirements
SPANGENBERG,F. Illinois Power Co. 87/11/19. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 43467:166-43467:170.

R. Periodic operating reports & related correspondence

8711200128 Monthly operating rept for Oct 1987.W/871113 ltr.
SPANGENBERG,F. Illinois Power Co. 87/10/31. 7pp. 43402:297-43402:303.

S. Reportable occurrences, LERs & related correspondence

8711300096 LER 87-084-00:on 871102,Div 3 diesel generator automatically started while technician disconnected undervoltage relay. Caused by inadequate procedure & personnel error.Procedure revised & technicians trained.W/871124 ltr.
CAMILLERI,T.J., SPANGENBERG Illinois Power Co. 87/11/24. 4pp. 43473:095-43473:098.

8711020002 LER 87-059-00:on 871002,RCIC steam supply inboard containment isolation valve actuated.Caused by technician not verifying jumper connector configuration after installation of cable.Technician counseled.W/871027 ltr.
CAMILLERI,T.J., SPANGENBERG,F. Illinois Power Co. 87/10/27. 4pp. 43233:001-43233:004.

8711090294 Advises that Part 21 Defect 21-87-03 re damaged high pressure core spray diesel generator exciter leads will be replaced during Dec 1987 instead of during fall maint outage due to schedule constraints.
HALL,D.P. Illinois Power Co. 87/11/03. DAVIS,A.B. Region 3, Ofc of the Director. 1p 43322:154-43322:154.

8711160270 LER 87-061-00:on 871014,review of procedure identified that channel check of containment pressure high trip function for containment spray missed.Caused by licensed operator error. Personnel will be trained re procedures.W/ 871109 ltr.
HOLESINGER,D.L., SPANGENBERG,F. Illinois Power Co. 87/11/09. 5pp. 43369:299-43369:302.

8711240143 Forwards response to NRC 871110 request for addl info re 870910 Lawrenceville,IL earthquake.
SPANGENBERG,F. Illinois Power Co. 87/11/19. Document Control Branch (Document Control Desk). 13pp. 43430:327-43430:339.

8711300230 LER 87-062-00:on 871026,local leak rate testing identified that primary containment leakage rates of MSIVs on Lines A, B & C exceeded Tech Spec limits.Caused by anomalies in seating surfaces of inboard &, outboard valves.W/ 871124 ltr.
SCHALLER,R.F., SPANGENBERG,F. Illinois Power Co. 87/11/24. 4pp. 43472:326-43472:329.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

8711040320 Change notice to Rev 6 to Emergency Response Plan Implementing Procedure EPP 02-1.2, "Training Programs." W/ 871030 ltr & revised table of contents.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/30. 6pp. 43290:068-43290:073.

8711050074 Forwards responses to six NRC comments re 870417 rev to application for amend to License NPF-42,modifying fire protection requirements in plant procedures & updated SAR instead of Tech Specs.Revised Tech Specs encl.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/30. Document Control Branch (Document Control Desk). 6pp. 43293:254-43293:261.

--8711050079 Proposed Tech Specs,changing fire protection requirements.
' Wolf Creek Nuclear Operating Corp. 87/10/30. 2pp. 43293:260-43293:261.

8711040368 Forwards Insp Rept 50-482/87-22 on 870901-30 & notice of violation.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/02. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43273:313-43273:328.

--8711040375 Notice of violation from insp on 870921-25.Violation noted: failure to perform surveillance test in accordance w/ procedures.
' Region 4, Ofc of the Director. 87/11/02. 1p. 43273:315-43273:315.

--8711040378 Insp Rept 50-482/87-22 on 870901-30.Violations noted:Major areas inspected:operational safety verification,monthly surveillance observation,fire protection/prevention program, emergency preparedness exercise & radiological protection.
CUMMINS,J.E., BARTLETT,B.L., MULLIKIN,R.P. Region 4, Ofc of the Director. 87/10/29. 13pp. 43273:316-43273:328.

8711230222 Forwards Amend 13 to License NPF-42 & safety evaluation. Amend revises Tech Spec Figure 6.2-2 to reflect changes in organizational reporting relationships & Tech Spec 6.3.1 to replace ref to site health physicist.
O'CONNOR,P.W. Project Directorate IV. 87/11/10. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43426:177-43426:185.

--8711230243 Amend 13 to License NPF-42,revising Tech Spec Figure 6.2-2 to reflect changes in organizational reporting relationships & Tech Spec 6.3.1 to replace ref to site health physicist w/ ref to radiation protection manager.
CALVO,J.A. Project Directorate IV. 87/11/10. 6pp. 43426:178-43426:183.

43426:184-43426:185.

8711190267 Petition per 10CFR2.206 requesting investigation of plant security problems resulting from easy access to cooling lake which may be exploited by terrorists.Supporting info & Certificate of mailing encl
EYE,R.V. Nuclear Awareness Network. 87/11/12. Commissioners. 12pp 43400:060-43400:074.

--8711190305 Requests expedited action on author 2.206 petition for full investigation,enforcement & corrective action re lax plant security & illegal trespassing from fishermen.
STEPHENS,S. Nuclear Awareness Network. 87/11/12. NRC - No Detailed Affiliation Given. 2pp. 43400:073-43400:074.

8711170095 Forwards Insp Rept 50-482/87-23 on 870908-11 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/13. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 3pp. 43381:038-43381:041.

--8711170109 Partially withheld Insp Rept 50-482/87-23 on 870908-11 (ref 10CFR73.21) Violations noted.Major areas inspected:records, repts,security program audit,testing,protected area barrier, power supply,lighting,compensatory measures,locks & keys.
KELLY,J.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/03. 1p. 43381:041-43381:041.

8711190358 Ack receipt of 870506 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-482/87-07.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43401:053-43401:055.

G. Adjudicatory correspondence

8711190267 Petition per 10CFR2.206 requesting investigation of plant security problems resulting from easy access to cooling lake which may be exploited by terrorists.Supporting info & Certificate of mailing encl.
EYE,R.V. Nuclear Awareness Network. 87/11/12. Commissioners. 12pp. 43400:060-43400:074.

--8711190305 Requests expedited action on author 2.206 petition for full investigation,enforcement & corrective action re lax plant security & illegal trespassing from fishermen.
STEPHENS,S. Nuclear Awareness Network. 87/11/12. NRC - No Detailed Affiliation Given. 2pp. 43400:073-43400:074.

P. Operating license stage documents & correspondence

8608010294 Forwards safety evaluation re util response to Generic Ltr 83-28,Item 1.2 concerning post-trip review data & info capability.Response acceptable.
O'CONNOR,P.W. PWR Project Directorate 4. 86/07/24. KOESTER,G.L. Kansas Gas & Electric Co. 2pp. 37358:135-37358:146.

--8608010296 Safety evaluation supporting util responses to Generic Ltr 83-28,Item 1.2 re post-trip review data & info capability.
* NRC - No Detailed Affiliation Given. 86/07/24. 10pp. 37358:137-37358:146.

8711170058 Forwards SER accepting util response to Generic Ltr 83-28, Items 3.1.1 & 3.1.2 re post-maint testing of reactor trip sys components.Post-maint testing program acceptable.
O'CONNOR,P.W. PWR Project Directorate 4. 86/10/07. KOESTER,G.L. Kansas Gas & Electric Co. 1p. 43373:068-43373:070.

--8711170061 SER accepting util 840229 & 860520 responses to Generic Ltr 83-28,Items 3.1.1 & 3.1.2 re post-maint testing of reactor trip sys components.
* NRC - No Detailed Affiliation Given. 86/10/07. 2pp. 43373:069-43373:070.

8711160300 Forwards environ assessment & finding of no significant impact re request for exemption from requirements of Footnote d-2(c) of 10CFR20,App A.
O'CONNOR,P.W. PWR Project Directorate 4. 86/11/20. KOESTER,G.L. Kansas Gas & Electric Co. 2pp. 43370:018-43370:022.

--8711160309 Environ assessment & finding of no significant impact supporting licensee 860701,1108 & 860506 requests for exemption from requirements of Footnote d-2(c) of 10CFR20, App A re use of sorbents against rad.oactive gases or vapor.
YOUNGBLOOD,B.J. PWR Project Directorate 4. 86/11/19. 3pp. 43370:020-43370:022.

8711020446 Notifies that,effective on 871026,JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43237:207-43237:208.

8711030098 Confirms understanding that util completed engineering evaluation to determine effects of apparent hydrogen burn in pressurizer & effects on feedwater sys & steam generators from introduction of lake water,per 871021 meeting.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 16pp. 43260:177-43260:194.

8711050074 Forwards responses to six NRC comments re 870417 rev to application for amend to License NPF-42,modifying fire protection requirements in plant procedures & updated SAR instead of Tech Specs.Revised Tech Specs encl.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/30. Document Control Branch (Document Control Desk). 8pp. 43293:254-43293:261.

--8711050079 Proposed Tech Specs,changing fire protection requirements.
* Wolf Creek Nuclear Operating Corp. 87/10/30. 2pp. 43293:260-43293:261.

8711100183 Forwards Amend 11 to License NPF-42 & safety evaluation. Amend revises Tech Spec 3.5.1 re accumulator to allow unit to remain in hot standby w/RCS pressure less than or equal to 1,000 psig w/one accumulator inoperable.
O'CONNOR,P.W. Project Directorate IV. 87/11/02. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43341:351-43341:359.

to allow unit to remain in hot standby w/RCS pressure less than or equal to 1,000 psig w/one accumulator inoperable.
CALVO,J.A. Project Directorate IV. 87/11/02 5pp 43341:353-43341:357

--8711100235 Safety evaluation supporting Amend 11 to License NPF-42.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 87/11/02 2pp 43341:358-43341:359.

8711130237 Forwards Amend 12 to License NPF-42 & safety evaluation. Amend revises Tech Spec 3/4.3.1 in area of specified surveillance intervals & out-of-svc times for reactor protection sys instrumentation.
O'CONNOR,P.W. Project Directorate IV. 87/11/02. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 3pp. 43356:001-43356:024

--8711130243 Amend 12 to License NPF-42,revising Tech Spec 3/4.3.1 in area of specified surveillance intervals & out-of-svc times for reactor protection sys instrumentation.
CALVO,J.A. Project Directorate IV. 87/11/02 18pp 43356:004-43356:021

--8711130251 Safety evaluation supporting Amend 12 to License NPF-42.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 87/11/02 3pp 43356:022-43356:024.

8711100370 Forwards WCAP-11553, "Analysis of Capsule U From Wolf Creek Nuclear Operating Corp Wolf Creek Reactor Vessel Radiation Surveillance Program." Tech Spec change request will be submitted by 880620 to update Figures 3.4-2,3.4-3 & 3.4-4.
BAILEY,J.A. Wolf Creek Nuclear Operating Corp. 87/11/04 Document Control Branch (Document Control Desk) 1p. 43338:069-43338:171

--8711100376 "Analysis of Capsule U From Wolf Creek Nuclear Operating Corp Wolf Creek Reactor Vessel Radiation Surveillance Program."
YANICHKO,S.E., LIPPINCOTT,E.P., MEYER,T.A. Westinghouse Electric Corp. WCAP-11553. 87/08/31. 101pp. 43338:071-43338:171.

8711100431 Generic Ltr 87-15 to all holders of OPs for nuclear power plants re policy statement on deferred plants.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 87/11/04 Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711090356 Documents 871104 meeting in Arlington,TX Exchange of views beneficial.Anticipates similar meeting at future date
MARTIN,R.D. Region 4, Ofc of the Director. 87/11/06 KOESTER,G.L. Wolf Creek Nuclear Operating Corp. 2pp. 43321:187-43321:188

8711230222 Forwards Amend 13 to License NPF-42 & safety evaluation. Amend revises Tech Spec Figure 6.2-2 to reflect changes in organizational reporting relationships & Tech Spec 6.3.1 to replace ref to site health physicist.
O'CONNOR,P.W. Project Directorate IV. 87/11/10. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43426:177-43426:185.

--8711230243 Amend 13 to License NPF-42,revising Tech Spec Figure 6.2-2 to reflect changes in organizational reporting relationships & Tech Spec 6.3.1 to replace ref to site health physicist w/ ref to radiation protection manager.
CALVO,J.A. Project Directorate IV. 87/11/10 5pp. 43426:179-43426:183

--8711230255 Safety evaluation supporting Amend 13 to License NPF-42.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 87/11/10 2pp 43426:184-43426:185.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413) 80/12/19 Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413) 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp 43226:206-43226:207.

8711190087 Forwards Special Rept 86-09 addressing results of first steam generator tube inservice insp on 871019-27 during first refueling outage.Preservice insp results of Steam Generators B & C showed five tubes w/reportable indications.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/27. Document Control Branch (Document Control Desk). 6pp. 43395:352-43395:357.

8711020235 Responds to NRC 871028 ltr re violations noted in Insp Rept 50-482/87-20.Corrective actions permanent signs posted on Door 36171 & similar doors informing that doors part of control room pressure boundary.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/28 Document Control Branch (Document Control Desk). 3pp. 43234:196-43234:198

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges. Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729) 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711020521 Forwards Insp Rept 50-482/87-26 on 870921-25.No violations or deviations noted.Status of actions taken re previously identified insp findings included in rept.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29 WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43237:106-43237:126.

--8711020529 Insp Rept 50-482/87-26 on 870921-25.No violations or deviations noted.Major areas inspected:licensee chemistry/ radiochemistry program & water chemistry & radiochemistry confirmatory measurements.Previously identified item closed.
NICHOLAS,J.B., WISE,R., MURRAY,B. Region 4, Ofc of the Director. 87/10/19. 19pp 43237:108-43237:126.

8711040366 Forwards Insp Rept 50-482/87-22 on 870901-30 & notice of violation.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/02. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43273:313-43273:328.

--8711040375 Notice of violation from insp on 870921-25.Violation noted: failure to perform surveillance test in accordance w/ procedures.
* Region 4, Ofc of the Director. 87/11/02. 1p. 43273:315-43273:315.

--8711040378 Insp Rept 50-482/87-22 on 870901-30.Violations noted:Major areas inspected:operational safety verification,monthly surveillance observation,fire protection/prevention program, emergency preparedness exercise & radiological protection.
CUMMINS,J.E., BARTLETT,B.L., MULLIKIN,R.P. Region 4, Ofc of the Director. 87/10/29. 13pp. 43273:316-43273:328.

8711050038 Ack receipt of 871021 response to violations noted in Insp Rept 50-482/87-21 & ltr re deficiencies dtd 870827. Implementation of corrective actions will be reviewed during future insp.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/02. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43302:068-43302:069.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711110122 Notification of 871117 meeting w/util in Bethesda,MD to discuss erosion/corrosion pipe wall thinning insp results.
O'CONNOR,P.W. Project Directorate IV. 87/11/04. CALVO,J.A. Project Directorate IV. 2pp. 43346:073-43346:074.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711130121 Forwards Insp Rept 50-482/87-25 on 870921-25.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/09. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43354:268-43354:275.

--8711130124 Insp Rept 50-482/87-25 on 870921-25.No violations or deviations noted.Major areas inspected:followup of insp findings in Insp Repts 50-482/86-14 & 50-482/86-18.
NORMAN,D.E., IRELAND,R.E. Region 4, Ofc of the Director. 87/10/26. 6pp. 43354:270-43354:275.

8711230213 Forwards safety evaluation & INEL technical evaluation rept supporting util submittal of Rev 2 to first 10-yr interval inservice insp program plan.
CALVO,J.A. Project Directorate IV. 87/11/12. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 3pp. 43428:178-43428:228.

--8711230223 Safety evaluation supporting util submittal of Rev 2 to first 10-yr interval inservice insp program plan.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/12. 6pp. 43428:181-43428:228.

8711170095 Forwards Insp Rept 50-482/87-23 on 870908-11 & notice of violation.Notice of violation withheld (ref 10CFR73.21).
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/13. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 3pp. 43381:038-43381:041.

--8711170109 Partially withheld Insp Rept 50-482/87-23 on 870908-11 (ref 10CFR73.21).Violations noted:Major areas inspected:records, repts,security program audit,testing,protected area barrier, power supply,lighting,compensatory measures,locks & keys
KELLY,J.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/03. 1p. 43381:041-43381:041.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711190249 Ack receipt of 871023 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-482/87-17.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43400:185-43400:189.

8711190358 Ack receipt of 870506 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-482/87-07.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43401:053-43401:055.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711300146 Forwards investigation rept initiated to determine whether util mgt had utilized quality first program in manner to suppress employee concerns.No wrongdoing could be determined.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/24. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43467:120-43467:124.

--8711300164 Investigation Rept 4-86-004 re credibility & effectiveness of quality first program.Evidence did not establish util mgt wrongdoing.NRC should not place great reliance on quality first investigative program.
GRIFFIN,H.B., DRISKILL,D.D. Region 4, Ofc of the Director. HAYES,B.B. Office of Investigations. 87/11/10. 3pp. 43467:122-43467:124.

8711300228 Informs that synopsis of NRC investigation rept re alleged matl false st[a]ment by util mgt transmitted for info.Rept details will be reviewed by region per rou[tine] practice.
MARTIN,R.D. Region 4, Ofc of the Director. 87/11/24. WITHERS,B.D. Wolf Creek [Nu]clear Operating Corp. 2pp. 43467:220-43467:221.

R. Periodic operating reports & related correspondence

8711170136 Monthly operating rept for Oct 1987.W/871113 ltr
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/31. 7 43375:245-43375:251.

S. Reportable occurrences, LERs & related correspondence

8711030116 Describes self-imposed curtailment of activities re outage & conditi[ons] under which activities to be resumed,per 871016 discussion w/J.Jaudon.Mgt decis[ion] on 871016 to curtail resulted from occurrence of listed events.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/20. MARTIN,R.D. Reg[ion] 4, Ofc of the Director. 4pp. 43255:334-43255:337.

8711020341 LER 87-041-00:on 870927,reactor trip occurred from approx 86% power result of power range flux high negative rate. Caused by cognitive personnel error.Evaluation to remove switch handles will be conducted.W/871027 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/27. 5 43237:297-43237:301.

8711020439 LER 87-044-00:on 870930,discovered that snubber AE04-R005 had been visually inspected during first refueling outage,per Tech Spec 4.7.8.Caused by procedural errors by nonlicensed personnel when revising procedure.W/871027 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/27. 4 43235:052-43235:055.

8711040303 LER 87-042-00:on 870930,hi-hi water level in steam generator D initia[ted] feedwater isolation signal tripping main turbine & feedwater pump.Caused by cogn[itive] personnel error.Sys restored & personnel involved counseled.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/27. 3 43291:038-43291:040.

8711030252 LER 87-043-00:on 870929,discovered that testing of power range neut[ron] flux low setpoint & reactor trip sys interlocks P-8,P-9 & P-10 not performed,per T[ech] Spec requirements.Caused by procedural deficiencies.W/871028 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/28. 4 43260:211-43260:214.

8711060188 LER 87-045-00:on 871002,determined that on four occasions betw[een] 861118 & 1207,ASME Boiler & Pressure Vessel Code piping not properly press[ure] tested following repair.Caused by inadequate procedure.Procedures revised. 871030 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/30. 6 43303:171-43303:176.

8711090167 LER 86-043-01:on 860805,discrepancies in internal wiring & terminal blo[cks] in motorized valve actuators identified. Caused by failure of wiring & lugs to m[eet] design criteria. Wiring & lugs replaced & evaluation conducted.W/871102 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/11/02. 15 43321:263-43321:277.

8711200133 LER 87-048-00:on 871014,unusual event declared due to fire being rep[orted] in ESF switchgear room.Caused by failure of qualified electrician to follow m[aint] procedure.Procedure revised to make Step 6.4.3 mandatory.W/871113 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/11/03. 11 43413:338-43413:348

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.Lis[ts] attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Op[er]ational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711170190 PNO-IV-87-058:on 871109,radioactive matl mistakenly released from ra[di]logically controlled site & subsequently dumped at Coffey County landfill.Licensee retrieved all but 3 of 39 pieces of duct & associated hardware from dump.
JAUDON,J., YANDELL,L. Region 4, Ofc of the Director. 87/11/12. 2pp. 43381:0 43381:043.

8711190211 LER 87-050-00:on 871014,containment isolation valve failed during lo[cal] leak rate test.Apparent cause of valve sticking open not determined.Event conside[red] isolated & no other corrective action planned.W/871113 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/11/13. 5 43400:274-43400:278.

8711230087 Forwards request for addl info re 870911 Special Rept 87-10 & 85120[1] 860306 submittals.Response requested within 30 days of ltr receipt.
O'CONNOR,P.W. Project Directorate IV. 87/11/13. WITHERS,B.D. Wolf Creek Nuc[le]ar Operating Corp. 4pp. 43416:207-43416:210.

8711200328 LER 87-049-00:on 871015,isolation signals for containment purge,con[trol] room ventilation & fuel bldg actuated due to low battery voltage.Caused by personnel error.Procedure will be written re supplying power to batteries.W/871116 ltr.
WILLIAMS,M.G., WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/11/16. 7 43417:212-43417:218.

8711200327 PNO-IV-87-058A:on 871116,bag found at Coffey County landfill contai[ning] radioactive rags that had been released at facility for disposal as trash.Ca[use] unknown.Licensee will perform radiological survey of trench where bag found.
JAUDON,J., YANDELL,L. Region 4, Ofc of the Director. 87/11/17. 2pp. 43410:0 43410:044.

V. Operator Examinations

8711050004 Forwards updated listing of all personnel licensed or certified at facility no longer maintaining licenses or certifications prior to 870526 & that ceased maintaining licenses after 870526,per 10CFR50.74.
WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 87/10/30. Document Control Branch (Document Control Desk). 3pp. 43302:131-43302:133.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711050245 Forwards proposed changes to Tech Specs & responds to NRC questions re util 870219 amend application requesting transfer of fire protection requirements from Tech Specs to plant procedures & FSAR.
SCHNELL,D.F. Union Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 5pp. 43292:123-43292:129.

--8711050250 Proposed Tech Specs re fire protection requirements
* Union Electric Co. 87/10/30. 2pp. 43292:128-43292:129.

8711300170 Forwards Safety Insp Rept 50-483/87-31 on 871006-09 & notice of violation.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/19. SCHNELL,D.F. Union Electric Co. 2pp. 43471:037-43471:062.

--*8711300194 Insp Rept 50-483/87-31 on 871006-09.Violations noted.Major areas* inspected:radiation protection program,including changes in organization,personnel,facilities,equipment, programs & procedures.
GILL,C.F., GREGER,L.R. Region 3, Ofc of the Director. 87/11/19. 23pp. 43471:040-43471:062.

8711200163 Rev 8 to Emergency Plan Implementing Procedure EIP-ZZ-00224, "Injury or Illness Procedure for Callaway Plant."
SUDNAK,P. Union Electric Co. 87/11/22. 33pp. 43417:103-43417:135.

P. Operating license stage documents & correspondence

8711030380 Forwards safety evaluation accepting licensee 870728 inservice testing program update for implementation.Program will provide reasonable assurance of *operational readiness of pumps & valves to perform safety-related functions.*
WIGGINTON,D.L. Project Directorate III-3. 87/10/26. SCHNELL,D.F. Union Electric Co. 2pp. 43258:232-43258:243.

--*8711030388 Safety evaluation supporting licensee first 10-yr inservice testing program* update.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 10pp. 43258:234-43258:243.

8711030155 Forwards engineering evaluation demonstrating that normal tensioning of 53 studs will assure reactor vessel integrity, for review.Current schedule for attaining criticality is 871104.
SCHNELL,D.F. Union Electric Co. 87/10/29. Document Control Branch (Document Control Desk). 22pp. 43255:308-43255:329.

8711020368 Responds to NRC ltr on quality of spent fuel racks fabricated by US Tool & Die,Inc & predecessor.Util informs NRC that Bechtel inspector performed listed quality program verifications & that no further action planned.
SCHNELL,D.F. Union Electric Co. 87/10/30. Document Control Branch (Document *Control Desk). 5pp. 43234:068-43234:072.*

8711050245 Forwards proposed changes to Tech Specs & responds to NRC questions re util 870219 amend application requesting transfer of fire protection requirements *from Tech Specs to plant procedures & FSAR.*
SCHNELL,D.F. Union Electric Co. 87/10/30. Document Control Branch (Document Control Desk). 6pp. 43292:123-43292:128.

--*8711050250 Proposed Tech Specs re fire protection requirements.*
* Union Electric Co. 87/10/30. 2pp. 43292:128-43292:129.

8711050255 Forwards corrected Page 3/4 2-1 to Amend 28 to License NPF-30.
ALEXION,T.W. Project Directorate III-3. *87/10/30. SCHNELL,D.F. Union Electric Co.* 2pp. 43301:127-43301:130.

--8711050259 Errata to Amend 28 to License NPF-30,correcting error on Page 3/4 2-1 by changing word max to min.
* Project Directorate III-3. 87/10/30. 2pp. 43301:129-43301:130.

8711090364 Summary of 871023 meeting w/util re stuck reactor vessel head closure bolts at plant.Util requested to submit analysis of three adjacent bolts & listed commitments, including strict leakage limit on vessel flange.
ALEXION,T.W. Project Directorate III-3. 87/11/02. Project Directorate III-3. 7pp. *43324:059-43324:065.*

8711100068 Advises that evaluations & commitments in 871029 ltr re status of reactor vessel head closure studs acceptable & NRC agrees to operation of plant for all operational modes.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/03. SCHNELL,D.F. Union Electric Co. 2pp. 43340:007-43340:008.

8711100431 Generic Ltr 87-16 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711170234 Forwards Rev 1 to WCAP-11374, "Analysis of Capsule U From Callaway Unit 1 Reactor Vessel Radiation Surveillance Program." Rev corrects plant heatup & cooldown operating limit curves & Reg Guide 1.99 reactor trip NDT calculations.
SCHNELL,D.F. Union Electric Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43380:280-43381:020.

--8711170248 Rev 1 to WCAP-11374, "Analysis of Capsule U From Callaway Unit 1 Reactor Vessel Radiation Surveillance Program."
LOTT,R.G., YANICHKO,S.E., LOCANTE,J. Westinghouse Electric Corp. WCAP-11374 R01. 87/06/30. 104pp. 43380:282-43381:020.

8711170265 Forwards addl info re adequacy of reactor trip breaker life testing as documented in Westinghouse WCAP-10835,per NRC 870908 request for addl info re Generic Ltr 83-28,Item 4.2 (Parts 3 & 4)
SCHNELL,D.F. Union Electric Co. 87/11/13 Document Control Branch (Document Control Desk). 5pp. 43384:087-43384:091.

8711180144 Reviews latest performance indicators to determine whether indicators can be used to ascertain quality performance.Five of six plants achieving very good quality performance while one plant achieving good quality performance
LYNCH,D. Project Directorate III-3. 87/11/13. HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 17pp. 43394:293-43394:310

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19 Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(650212-*870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-*43226:207.

8711030021 Forwards app to SALP Board Rept 7 re Insp Rept 50-483/87-01 for June 1986 - May 1987.App contains no changes to rept based on no comment in 871002 response to rept.
DAVIS,A.B. Region 3, Ofc of the Director. 87/10/26. SCHNELL,D.F. Union Electric Co. 3pp. 43252:164-43252:170.

--8711030023 App to SALP Board Rept 7 re Insp Rept 50-483/87-01 for June 1986 - May 1987.
* *Region 3, Ofc of the Director. 87/10/26. 3pp. 43252:167-43252:170.*

8711040062 Forwards Enforcement Conference Rept 50-483/87-34 on 871002 re finding & violations noted in Insp Repts 50-483/87-23 & 50-483/87-28 & applicable NRC enforcement policy.
PAPERIELLO,C.J. Region 3, Ofc of the Director. 87/10/27. SCHNELL,D.F. Union Electric Co. 3pp. 43290:078-43290:083.

--8711040072 Enforcement Conference Rept 50-483/87-34 on 871002 re events in which mispositioned valve resulted in reduced flow capability of one essential svc water train & breached seals resulted in emergency ventilation sys inoperability.
HINDS,J.M. Region 3, Ofc of the Director. 87/10/27. 3pp 43290:081-43290:083.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges. Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729) 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711060218 Confirms 871028 plans re 871110 enforcement conference w/ util at Region III ofc to discuss condition in which mispositioned flow balancing damper affected performance of one train of control room emergency ventilation sys.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/01. SCHNELL,D.F. Union Elec*tric Co. Ip. 43303:294-43303:294.*

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339

8711090276 Forwards Insp Rept 50-483/87-33 on 871007-17.Violations noted.Util will be notified by separate correspondence of NRC decision re enforcement action based on findings of Insp.
NORELIUS,C.E. Region 3, Ofc of the Director. 87/11/04 SCHNELL,D.F. Union Elec*tric Co. 3pp. 43322:168-43322:178.*

--8711090285 Safety Insp Rept 50-483/87-33 on 871007-17.Violations noted. failure to perform adequate preoperational test & failure to promptly rept condition adverse to quality.Major areas inspected:mispositioned balancing damper.
HINDS,J.M. Region 3, Ofc of the Director. 87/11/04. 8pp 43322:171-43322:178.

8711130017 EN-87-099 on or about 871109,notice of violation & proposed imposition of civil penalty in amount of $50,000 will be issued.Action based on violation re inoperability of control room emergency ventilation sys.Violations mitigated 50% .
MILANO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 87/11/04. 1p. *43350:173-43350:173.*

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of *Operational Events Assessment (Post 870411). 87/11/06.* Consolidated Edison Co. of New York, Inc. 116pp 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 87/11/06 Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. *Consolidated Edison Co. of New York, Inc. 113pp 43404:176-43404:288.*

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. *43487:001-43487:121.*

8711230155 Submits procedure for insp of pressurizer code safety valves after each lift *involving loop seal or water discharge,per TW Alexion 870910 request.*
SCHNELL,D.F. Union Electric Co. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43419:147-43419:148.

ary Resulting From Boric Acid Corrosion " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 11pp. 43444:195-43444:314.

8711300170 Forwards Safety Insp Rept 50-463/87-31 on 871006-09 & notice of violation.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/19. SCHNELL,D.F. Union Electric Co. 2pp. 43471:037-43471:062.

--8711300182 Notice of violation from Insp on 871006-09.Violation noted: monthly sampling & analysis of vent gaseous tritium effluent required by 870625 not accomplished until 870720.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/19. 1p. 43471:039-43471:039.

--8711300194 Insp Rept 50-463/87-31 on 871006-09.Violations noted:Major areas inspected:radiation protection program,including changes in organization personnel,facilities,equipment, programs & procedures
GILL,C.F., GREGER,L.R. Region 3, Ofc of the Director. 87/11/19. 23pp. 43471:040-43471:062.

R. Periodic operating reports & related correspondence

8710220095 Forwards monthly operating rept for Aug 1987 to revise net electrical energy generated entered w/typo.
BLOSSER,J.D. Union Electric Co. 87/09/28. Document Control Branch (Document Control Desk). 3pp. 43123:237-43123:243.

--8710050006 Revised monthly operating rept for Aug 1987.
SUMMERS,J.R. Union Electric Co. 87/08/31. 4pp. 43123:240-43123:243.

8711170206 Monthly operating rept for Oct 1987.W/871112 ltr.
SUMMERS,J.R., BLOSSER,J.D. Union Electric Co. 87/10/31. 7pp. 43385:089-43385:095.

S. Reportable occurrences, LERs & related correspondence

8711030459 LER 87-028-00:on 871003,personnel failed to maintain continuous firewatch for blocked open fire door upon hearing misinterpreted fire alarm.Caused by personnel error.Training program revised.W/871028 ltr.
DAVIS,J.E., BLOSSER,J.D. Union Electric Co. 87/10/28. 5pp. 43251:137-43251:141.

8711090385 LER 87-029-00:on 871008,ESF automatic actuation received resulting in containment purge & control room ventilation isolation.Containment purge & control room emergency ventilation sys restored to normal lineup.W/871103 ltr.
CORIA,A.M., BLOSSER,J.D. Union Electric Co. 87/11/02. 5pp. 43313:304-43313:308.

8711090279 Discusses encl LER 87-013-01 re inoperable control room emergency ventilation sys.LER discusses two events when both trains of sys simultaneously rendered inoperable.First event caused by personnel error.
BLOSSER,J.D. Union Electric Co. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43322:157-43322:166.

--8711090290 LER 87-013-01:on 870709,control room emergency ventilation sys (CREVS) failed to meet test due to unsealed penetrations on 870608,11 & 0706.Caused by personnel error.On 870814, mispositioned damper on CREVS Train B discovered.
SHEPPARD,W.H., AFFOLTER,R.D. Union Electric Co. 87/11/04. 8pp. 43322:159-43322:166.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103 List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711230450 LER 87-017-00:on 870629 & 0715,safety injection pumps to refueling water storage sys hand control valve momentarily shut.Caused by personnel error.Procedure revised.W/871113 ltr.
AFFOLTER,R.D., BLOSSER,J.D. Union Electric Co. 87/11/13. 9pp. 43421:230-43421:237.

8711190177 Special Rept 87-14:on 871010,free field seismic sensor made inoperable.Caused by voltage surge in power cable to sensor due to lightening strike.Seismic monitoring instrumentation sys expected to be restored on 871130.
BLOSSER,J.D. Union Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43400:146-43400:150.

8711190307 Special Rept 87-13:on 871106,prior to fuel Cycle 3,moderator temp coefficient measured to be positive 0.372 pcm/F.Control rod withdrawal limits established & control rods have been maintained within limits.
BLOSSER,J.D. Union Electric Co. 87/11/16. Document Control Branch (Document Control Desk). 3pp. 43401:358-43401:360.

8711300240 LER 87-030-00:on 871023,28 & 29,ESF actuations occurred upon loss of power to radiation monitors resulting in control room ventilation & containment purge isolations.Caused by upscale signal spikes from monitor isolators.W/871123 ltr.
HOGG,J.F., BLOSSER,J.D. Union Electric Co. 87/11/23. 9pp. 43472:288-43472:296.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

8711180145 Forwards FEMA Region VI exercise evaluation rept of util 870408 exercise & FEMA 870930 memo to NRR.No deficiencies noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/10. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43364:247-43364:319.

8711230191 Forwards Insp Repts 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:151-43421:157.

deviations noted.Major areas inspected: implementation of corrective actions for emergency preparedness appraisal deficiencies.
TERC,N.M., FISHER,W.L. Region 4, Ofc of the Director. 87/11/06 5pp. 43421:153-43421:157.

8711200187 Advises that 871008 changes to emergency plan consistent w/provisions of 10CFR50.54(q) & 10CFR50,App E & acceptable. Changes do not decrease effectiveness of plan.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43413:144-43413:145.

8711300092 Forwards Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43470:101-43470:105.

--8711300097 Partially withheld Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plans & procedures,mgt effectiveness,security organization & audits.
KELLY,J.A., CALDWELL,R.A., EARNEST,A.B. Region 4, Ofc of the Director. 87/11/12. 2pp. 43470:104-43470:105.

G. Adjudicatory correspondence

8711040092 NRC Staff consent to motion to quash subpoena filed by E Stites.* Staff concedes possibility of deficiencies in svc of subpoena to Stites & therefore does not oppose motion to quash Certificate of Svc encl.
PATON,W.D. Assistant General Counsel for Enforcement. #487 4716. 87/10/29. Commissioners. 6pp. 43255:056-43255:060.

P. Operating license stage documents & correspondence

8711040298 FOIA request for documents provided by Dept of Labor to NRC re C Jones & any & all other Dept of Labor complaints from plant from May 1985 to present.
BAUMAN,L. Government Accountability Project. 87/08/06. NRC - No Detailed Allegation Given. 2pp. 43278:270-43278:271.

8710050208 Final response to FOIA request for documents.App I documents available in PDR.App F & H documents being made available in PDR & forwarded Portion of App H document & all of App G documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/30. RUBINTON,D.S. Government Accountability Project. 7pp. 43464:095-43464:120.

8711030268 Forwards description of change in initial test program,per FSAR Section 14.Description addresses deletion of reactor upper internals & reactor head installation as prerequisites to moveable incore detector sys checkout procedure.
VAUGHN,G.E. Houston Lighting & Power Co. 87/10/22. Document Control Branch (Document Control Desk). 4pp. 43250:313-43250:316.

8711020456 Advises that effective 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43252:241-43252:242.

8711090109 Advises that util intends to incorporate two listed addl arrangements from Wyle Test Rept 53575 into facility design criteria for installation of wiring & cable w/o special documentation for Unit 2 compliance w/Reg Guide 1.75.
WISENBURG,M.R. Houston Lighting & Power Co. 87/10/29. Document Control Branch (Document Control Desk). 3pp. 43321:106-43321:108.

8711050205 Forwards description of change in initial test program. Completion of preoperational testing of safety-related heat trace panels delayed from 870930 until prior to initial criticality.
VAUGHN,G.E. Houston Lighting & Power Co. 87/10/30. Document Control Branch (Document Control Desk). 5pp. 43293:214-43293:218.

8711090005 Advises that,based on reanalysis of NRR costs included in invoices D0155 & D0156,credit for plant due to util as highlighted in listed table through 840623 Detailed NRR review costs encl.
HOLLOWAY,C.J. License Fee Management Branch. 87/11/04. GOLDBERG,J.H. Houston Lighting & Power Co. 17pp. 43315:098-43315:114.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711110011 Ninth partial response to FOIA request for records,including notes of interview of K McMahon.Forwards App K documents. App K & L documents partially & completely withheld (ref FOIA Exemptions 6 & 7,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. DIXON Government Accountability Project. 4pp. 43346:136-43346:198.

--8711110029 Partially withheld comments re Bostrom-Bergen allegations made in 840118 ltr to JB Martin of NRC.Marked-up partially withheld 831213 sworn statement by GW Dossey & partially withheld 831227 interview of K McMahon also encl.
SHACKLETON,O.C. Office of Investigations. 84/01/26. Office of Investigations. 23pp. 43346:176-43346:198.

8711170099 Application for amend to License NPF-71 & FSAR,allowing response time of 8 s for overtemp delta-T & overpower delta-T instrumentation based on supporting analysis discussed in encl safety evaluation Fee paid.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 13pp. 43375:082-43375:161.

--8711170111 Proposed Tech Specs,allowing response time of 8 s for overtemp delta-T & overpower delta-T instrumentation based on supporting analysis discussed in encl safety evaluation for significant hazards considerations.
* Houston Lighting & Power Co. 87/11/12, 67pp. 43375:095-43375:161.

8711170179 Application for amend to License NPF-71,changing Tech Spec 6.5.1.8 to require that plant operations review committee meeting minutes be sent to vice president,nuclear plant operations instead of group vice president,nuclear.Fee paid
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 4pp 43383:021-43383.025.

-8711170181 Proposed Tech Specs,changing Tech Spec 6.5.1.8 re recipient of plant operations review committee meeting summary.
* Houston Lighting & Power Co. 87/11/12. 1p. 43383.025-43383:025.

8711170227 Application for amend to License NPF-71,revising Tech Spec 6.5.2.2 to authorize appointment of addl nuclear safety review board members by group vice president,nuclear.Fee paid.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 4pp. 43383:040-43383:045.

-8711170237 Proposed Tech Specs,authorizing appointment of addl nuclear safety review board members by group vice president.
* Houston Lighting & Power Co. 87/11/12. 2pp. 43383:044-43383.045.

8711170291 Application for amend to License NPF-71,revising Tech Specs 3.0.4,4.0.3 & 4.0.4 in accordance w/Generic Ltr 87-09.Fee paid.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 5pp. 43384.047-43384:062.

-8711170294 Proposed changes to Tech Specs 3.0.4,4.0.3 & 4.0.4 in accordance w/ Generic Ltr 87-09.
* Houston Lighting & Power Co. 87/11/12. 11pp. 43384.052-43384.062.

8711190117 Forwards results of qualitative evaluation of essential cooling pond seepage,per NRC request Seepage rate of no concern to safe operation of UHS during design basis events.
WISENBURG,M.R. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 8pp. 43400:227-43400:234.

8711250051 Submits fee for 871009 submittal of QA program for radwaste mgt.
WISENBURG,M.R. Houston Lighting & Power Co. 87/11/17 Document Control Branch (Document Control Desk). 3pp. 43739:162-43739:164.

8711200313 Summarizes 871023 site meeting w/util & consultants re description of component cooling water design change needed to fix flow induced vibration problem List of attendees & meeting handouts encl.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. GOLDBERG,J.H. Houston Lighting & Power Co. 23pp. 43417:234-43417:256.

8711300283 Submits description of changes to initial testing program, including rev to FSAR Section 14.2, "Loss of Offsite Power (LOOP) Test & Containment HVAC Penetration Space ..." Changes will be incorporated in future FSAR amend.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/20. Document Control Branch (Document Control Desk). 12pp. 43465:105-43465:116.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710050208 Final response to FOIA request for documents.App I documents available in PDR.App F & H documents being made available in PDR & forwarded.Portion of App H document & all of App G documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/30. RUBINTON,D.S. Government Accountability Project. 7pp. 43464:095-43464:101.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030509 Ack receipt of 870917 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-39 & 50-499/87-39.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/30. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43255:196-43255:211.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:338.

8711090323 Insps 50-498/87-60 & 50-499/87-60 cancelled.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43321:129-43321:130.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 11pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 11pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 12pp. 43487:001-43487:121.

8711200272 Forwards Insp Repts 50-498/87-58 & 50-499/87-58 on 870907-1016.No violations or deviations noted
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43410:087-43410:103.

-8711200279 Insp Repts 50-498/87-58 & 50-499/87-58 on 870907-1016.No violations noted.Major areas inspected:licensee action on previous insp findings,piping sys as-built verification, reactor pressure boundary piping & safety-related piping.
JOHNSON,C.E., GARRISON,D.L., CONSTABLE,G.L. Region 4, Ofc of the Director. 87/11/16. 15pp. 43410.089-43410.103.

8711230191 Forwards Insp Repts 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:151-43421:157.

-8711230230 Insp Rept 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.Major areas inspected: implementation of corrective actions for emergency preparedness appraisal deficiencies.
TERC,N.M., FISHER,W.L. Region 4, Ofc of the Director. 87/11/06 5pp. 43421.153-43421:157.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 118pp 43444:195-43444:314.

8711230279 Ack receipt of 870928 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-27 & 50-499/87-27.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/19. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:084-43421:089.

8711240132 Forwards Insp Repts 50-498/87-68 & 50-499/87-68 on 871019- 1106.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/20. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43431:125-43431:130.

-8711240139 Insp Repts 50-498/87-68 & 50-499/87-68 on 871019-1106 No violations or deviations noted.Major areas inspected:HX repairs & installation of containment penetrations.
GILBERT,L.D., IRELAND,R.E. Region 4, Ofc of the Director. 87/11/19. 4pp 43431:127-43431:130.

8711300092 Forwards Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820.No violations or deviations noted
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43470.101-43470:105.

-8711300097 Partially withheld Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plans & procedures,mgt effectiveness,security organization & audits.
KELLY,J.A., CALDWELL,R.A., EARNEST,A.B. Region 4, Ofc of the Director. 87/11/12. 2pp. 43470.104-43470:105.

R. Periodic operating reports & related correspondence

8711200222 Monthly operating rept for Oct 1987.W/871112 ltr.
PARKEY,G.L., VAUGHN,G.E. Houston Lighting & Power Co. 87/10/31. 7pp. 43416:323-43416.329.

S. Reportable occurrences, LERs & related correspondence

8711020140 Final deficiency rept re failure of standby diesel generator fuel injection nozzles initially reported on 870728. Defective spray nozzle tip,fuel oil filters & lubricating oil replaced.All spray nozzle tips examined for cracks.
GOLDBERG,J.H. Houston Lighting & Power Co. 87/10/23. Document Control Branch (Document Control Desk). 4pp. 43239.020-43239.023.

8711060238 Part 21 rept re component cooling water HXs.Initially reported on 871029.Detailed info will be submitted in deficiency rept by 871105.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43303:354-43303:355.

8711100262 Final Part 21 & deficiency rept re failure of tubes in component cooling water HXs.Initially reported on 871006. Discussions w/vendor,Struthers Wells-Gulfport,Inc indicated that shell side flow induced vibration problem existed.
GOLDBERG,J.H. Houston Lighting & Power Co. 87/11/05. Document Control Branch (Document Control Desk). 6pp. 43333:349-43333:354.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assesament (Post 870411). 20pp. 43385:215-43385:234

*8711230374 LER 87-011-00:on 871017,actuation of control room ventilation to recircula*tion mode occurred.Caused by failure of toxic gas monitor printed circuit board.Board replaced & monitor restored to normal operation.W/871111 ltr.
AYALA,C., VAUGHN,G.E. Houston Lighting & Power Co. 87/11/11. 4pp. 43419.049-43419:052.

8711300226 PNO-IV-87-060:on 871122,auxiliary feed sys vibration resulting in pipe failure occurred.Occurrence will impact startup schedule.Licensee investigating failure & NRC monitoring activities.
CONSTABLE,G.L. Region 4, Ofc of the Director. 87/11/23. 2pp. 43472:330-43472:331.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

A. Application/construction stage documents & correspondence

8711040298 FOIA request for documents provided by Dept of Labor to NRC re C Jones & any & all other Dept of Labor complaints from plant from May 1985 to present.
BAUMAN,L. Government Accountability Project 87/08/06. NRC - No Detailed Affiliation Given. 2pp. 43278:270-43278:271.

8710050208 Final response to FOIA request for documents App I documents available in PDR App F & H documents being made available in PDR & forwarded.Portion of App H document & all of App G documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/30.
RUBINTON,D.S. Government Accountability Project. 7pp. 43464:095-43464:120.

8711020456 Advises that effective 871025,JL Pellet will assume position & duties of section chief of Operator Licensing Section in Div of Reactor Safety,replacing R Cooley.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43252:241-43252:242.

8711090109 Advises that util intends to incorporate two listed addl arrangements from Wyle Test Rept 53575 into facility design criteria for installation of wiring & cable w/o special documentation for Unit 2 compliance w/Reg Guide 1.75.
WISENBURG,M.R. Houston Lighting & Power Co. 87/10/29. Document Control Branch (Document Control Desk). 3pp. 43321:106-43321:108.

8711090005 Advises that,based on reanalysis of NRR costs included in invoices D0155 & D0156,credit for plant due to util as highlighted in listed table through 840623.Detailed NRR review costs encl.
HOLLOWAY,C.J. License Fee Management Branch. 87/11/04. GOLDBERG,J.H. Houston Lighting & Power Co. 17pp. 43315:098-43315:114.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711110011 Ninth partial response to FOIA request for records,including notes of interview of K McMahon.Forwards App K documents. App K & L documents partially & completely withheld (ref FOIA Exemptions 6 & 7,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. DIXON Government Accountability Project. 4pp. 43346:138-43346:198.

--8711110029 Partially withheld comments re Bostrom-Bergen allegations made in 840118 ltr to JB Martin of NRC Marked-up partially withheld 831213 sworn statement by GW Dossey & partially withheld 831227 interview of K McMahon also encl.
SHACKLETON,O.C. Office of Investigations. 84/01/26. Office of Investigations. 23pp. 43346:176-43346:198.

8711190117 Forwards results of qualitative evaluation of essential cooling pond seepage,per NRC request.Seepage rate of no concern to safe operation of UHS during design basis events.
WISENBURG,M.R. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 6pp. 43400:227-43400:234.

8711250051 Submits fee for 871009 submittal of QA program for radwaste mgt.
WISENBURG,M.R. Houston Lighting & Power Co. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43739:162-43739:164.

8711200313 Summarizes 871023 site meeting w/util & consultants re description of component cooling water design change needed to fix flow induced vibration problem.List of attendees & meeting handouts encl.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. GOLDBERG,J.H. Houston Lighting & Power Co. 23pp. 43417:234-43417:256.

F. Security, medical, emergency & fire protection plans

8711160145 Forwards FEMA Region VI exercise evaluation rept of util 870408 exercise & FEMA 870930 memo to NRR.No deficiencies noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/10. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43364:247-43364:319.

8711230191 Forwards Insp Repts 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:151-43421:157.

--8711230230 Insp Rept 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.Major areas inspected: implementation of corrective actions for emergency preparedness appraisal deficiencies.
TERC,N.M. Region 4, Ofc of the Director. 87/11/06. 5pp. 43421:153-43421:157.

8711200187 Advises that 871008 changes to emergency plan consistent w/provisions of 10CFR50.54(q) & 10CFR50,App E & acceptable. Changes do not decrease effectiveness of plan.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43413:144-43413:145.

8711300092 Forwards Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43470:101-43470:105.

--8711300097 Partially withheld Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plans & procedures,mgt effectiveness,security organization & audits.
KELLY,J.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/12. 2pp. 43470:104-43470:105.

G. Adjudicatory correspondence

8711040092 NRC Staff consent to motion to quash subpoena filed by E Stites.* Staff concedes possibility of deficiencies in svc of subpoena to Stites & therefore does not oppose motion to quash.Certificate of Svc encl.
PATON,W.D. Assistant General Counsel for Enforcement. #487 4716. 87/10/29. Commissioners. 5pp. 43255:056-43255:060.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710050208 Final response to FOIA request for documents.App I documents available in PDR.App F & H documents being made available in PDR & forwarded.Portion of App H document & all of App G documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/30.
RUBINTON,D.S. Government Accountability Project. 7pp. 43464:095-43464:101.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870720). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8711030509 Ack receipt of 870917 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-39 & 50-499/87-39.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/30. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43255:196-43255:211.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04 Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711090323 Insps 50-498/87-60 & 50-499/87-60 cancelled.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/04. GOLDGERG,J.H. Houston Lighting & Power Co. 2pp. 43321:129-43321:130.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/00 Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/00 Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711180008 Responds to NRC 870922 ltr re violations noted in Insp Repl 50-400/87-48.Corrective actions:procedure will be revised to require use of black electromagnetic Zinc-coated bolting matl for future installation of duct flanges.
GOLDBERG,J.H. Houston Lighting & Power Co. 87/11/12. Document Control Branch (Document Control Desk). 6pp. 43386:085-43386:091.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711200272 Forwards Insp Repts 50-498/87-58 & 50-499/87-58 on 870907-1016.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43410:087-43410:103.

--8711200279 Insp Repts 50-498/87-58 & 50-499/87-58 on 870907-1016.No violations noted.Major areas inspected:licensee action on previous insp findings,piping sys as-built verification, reactor pressure boundary piping & safety-related piping.
JOHNSON,C.E., GARRISON,D.L., CONSTABLE,G.L. Region 4, Ofc of the Director. 87/11/16. 15pp. 43410:089-43410:103.

8711230191 Forwards Insp Repts 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/17. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:151-43421:157.

--8711230230 Insp Rept 50-498/87-67 & 50-499/87-67 on 871019-22.No violations or deviations noted.Major areas inspected: implementation of corrective actions for emergency preparedness appraisal deficiencies.
TERC,N.M., FISHER,W.L. Region 4, Ofc of the Director. 87/11/06. 5pp. 43421:153-43421:157.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711230279 Ack receipt of 870928 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-27 & 50-499/87-27.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/18. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43421:084-43421:089.

8711240132 Forwards Insp Repts 50-498/87-68 & 50-499/87-68 on 871019- 1106.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/20. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43431:125-43431:130.

--8711240139 Insp Repts 50-498/87-68 & 50-499/87-68 on 871019-1106.No violations or deviations noted.Major areas inspected:HX repairs & installation of containment penetrations.
GILBERT,L.D., IRELAND,R.E. Region 4, Ofc of the Director. 87/11/19 4pp 43431:127-43431:130.

8711300092 Forwards Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820.No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43470:101-43470:105.

--8711300097 Partially withheld Insp Repts 50-498/87-43 & 50-499/87-43 on 870622-0820 *(ref 10CFR73.21).No violations or deviations noted.Major areas* inspected:security plans & procedures,mgt effectiveness,security organization & audits.
KELLY,J.A., CALDWELL,R.A., EARNEST,A.B. Region 4, Ofc of the Director. 87/11/12. 2pp. 43470:104-43470:105.

S. Reportable occurrences, LERs & related correspondence

8711020140 Final deficiency rept re failure of standby diesel generator fuel injection nozzles.Initially reported on 870728. Defective spray nozzle tip,fuel oil filters & lubricating oil replaced.All spray nozzle tips examined for cracks.
GOLDBERG,J.H. Houston Lighting & Power Co. 87/10/23. Document Control Branch (Document Control Desk). 4pp. 43239:020-43239:023.

8711060238 Part 21 rept re component cooling water HXs.Initially reported on 871029.Detailed info will be submitted in deficiency rept by 871105.
VAUGHN,G.E. Houston Lighting & Power Co. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43303:354-43303:355.

8711100282 Final Part 21 & deficiency rept re failure of tubes in component cooling water HXs.Initially reported on 871006. Discussions w/vendor,Struthers Wells-Gulfport,Inc indicated that shell side flow induced vibration problem existed
GOLDBERG,J.H. Houston Lighting & Power Co. 87/11/05. Document Control Branch (Document Control Desk). 6pp. 43333:349-43333:354.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W., Events Assessment Branch. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy *statement on deferred plants.Svc list encl.*
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711160030 Forwards Structural & Geosciences Branch observation & findings re concrete module on (C3-02) - const assurance program.Observation & findings should be identified to Region V lead reviewer.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/11/09. KIRCH,D.F. Region 5, Ofc of the Director. 7pp. 43362:175-43362:181.

8711200023 Forwards 28 pages of fee data for costs billed on invoices F1475 & F1476 for plant for 6-month review period ending on 861220,per 871028 request.W/o encl.
DIGGS,R.M. License Fee Management Branch. 87/11/13. SORENSEN,G.C. Washington Public Power Supply System. 1p. *43407:032-43407:034.*

--8711200036 Requests supporting documentation providing basis for OL application *review costs for period of 860622-1220. Documentation & verification requirements for* public fund expenditures exist since WPPSS is state municipal corp.
SORENSEN,G.C. Washington Public Power Supply System. 87/10/28. HOLLOWAY,C.J. *License Fee Management Branch. 2pp. 43407:033-43407:034.*

8711300181 Advises that QA program description for preservation stage, submitted in Section 17.3 to FSAR,satisfies requirements of 10CFR50,App B & acceptable.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/11/20. SORENSEN,G.C. Washington Public Power Supply System. 1p. 43467:235-43467:235.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - *Interim Rept."*
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to *Nitrogen Gas Intrusion." Svc list encl.*
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 118pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 *NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.*
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43467:001-43467:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711300190 Discusses violation noted during Insp Rept 50-508/82-04 re questionable welds.Items identified on Nonconformance Rept (NCR 15313) & implementation of corrective action will be entered into site tracking sys & accomplished at restart
OLSON,P.D. Washington Public Power Supply System. 87/11/23. Document Control Branch (Document Control Desk). 2pp. 43467:275-43467:276.

S. Reportable occurrences, LERs & related correspondence

8711170100 Final deficiency rept re failure of LPSI pump when energized initially reported on 840523 Results of C.E analytical & test program showed that excessive shaft deflection eliminated by use of larger diameter motor shaft.
OLSON,P.D., CHERRY,J.M. Washington Public Power Supply System. 87/11/13. Document Control Branch (Document Control Desk). 5pp. 43383:011-43383:015.

DOCKET 50-522 SKAGIT NUCLEAR POWER PROJECT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

DOCKET 50-523 SKAGIT NUCLEAR POWER PROJECT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 6pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8410310317 *"Palo Verde Nuclear Generating Station Control Room Human Factors* Study:Executive Summary Rept Suppl 2."
* Torrey Pines Technology, GA-C16398 S02. 84/10/31. 17pp. 27193:247-27193:263.

8711030552 Advises that util will review security logs on periodic instead of daily basis,per 871008 change in reporting requirements & 860505 notice of violation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43251:319-43251:319.

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350-43320:355.

--8711100188 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed:annunciator goals,maint backlog,training,fire doors & performance indicators
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320:355.

8711190080 Temporary Change Notices 1 & 2 to Rev 5 to Emergency Plan Implementing Procedure EPIP-33, "Offsite Assistance." W/ 871029 ltr & revised index.
PIOGGIA,M., BROWN,W.S., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. 25pp. 43395:327-43395:351.

8711060152 Forwards Control Copy Numbers 8-3,8-4 & 8-8 of Amend 16 to security plan replacing pages of security plan currently held by NRC.Encl withheld (ref 10CFR2.790).
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43303:222-43303:223.

8711060197 Forwards emergency planning implementing procedure (EPIP) checklist for review & completion.Checklist provided to verify holder of set of EPIPs & current rev of each EPIP held by recipient ofc correct.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 19pp. 43303:070-43303.088.

8711250279 Forwards change to facility emergency plan,per 10CFR50.54(q) W/o encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43460:021-43460.021.

P. Operating license stage documents & correspondence

8711040235 Corrected ltr providing info util received from C-E & KSB Pump Co re KSB reactor coolant pump shaft cracks experienced in European power facilities.Subj shaft cracks &/or failure at European facilities is not safety concern for plant.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/08. Document Control Branch (Document Control Desk). 3pp. 43290:329-43290.331.

8711030275 Provides listed info re plans to reduce number of bogus annunciators & target goals,per 871014 meeting.Initial goals for units will be evaluated & adjusted in Dec 1988,based on results of annunciator evaluation program.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43250:317-43250.318.

8711030260 Informs that date for formalizing program to trend maint backlog scheduled for 871228,per 871026 telcon.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/27. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43251:347-43251.348.

8711040259 Forwards corrected 871008 & 21 ltrs re reactor coolant pump shafts.W/o encls.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Document Control Branch (Document Control Desk). 1p. 43285:354-43285.354.

8711090126 Forwards Amends 25,14 & 3 to Licenses NPF-14,NPF-51 & NPF-65,respectively & safety evaluation.Amends revise Section 6 of Tech Specs to incorporate changes reflecting revised organizational structure of plant.
LICITRA,E.A. Project Directorate V. 87/10/30. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 43315:151-43315.233.

--8711090136 Amends 25,14 & 3 to Licenses NPF-41,NPF-51 & NPF-65, respectively,revising Section 6 of Tech Spech to incorporate changes reflecting revised organizational structure of plant.
KNIGHTON,G.W. Project Directorate V. 87/10/30. 75pp. 43315:154-43315.228.

--8711090142 Safety evaluation supporting Amends 25,14 & 3 to Licenses NPF-41,NPF-51 & NPF-65,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 5pp. 43315:229-43315:233.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc Search Associates. 2pp. 43258:339-43258.346.

--8606060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258.352.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402.046.

8711120128 Advises that util will implement augmented vibration monitoring program for each reactor coolant pump,per 871104 meeting w/NRC.Response to NRC questions re reactor coolant pump cracking & util 871104 meeting presentation encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 72pp. 43349:001-43349.072.

8711160307 Revised application for amends to Licenses NPF-41 & NPF-51, revising Tech Spec Pages 3/4 1-21 & 3/4 1-22 re movable control assemblies.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43369:198-43369.205.

--8711160310 Revised Tech Spec Pages 3/4 1-21 & 3/4 1-22 re movable control assemblies.
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/10. 6pp. 43369:200-43369.205.

8711240247 Forwards responses to equipment qualification audit open items,per NRC audit during wk of 871102.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 10pp. 43442:004-43442.013.

8711240255 Application for amends to Licenses NPF-41,NPF-51 & NPF-65, changing Tech Specs to correct Table 3.3-6 re measurement ranges of main steam effluent line monitors.Fee paid.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43442:171-43442:176.

--8711240266 Proposed Tech Specs,correcting measurement ranges of main steam effluent line monitors in Table 3.3-6.
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. 3pp. 43442:176-43442:178.

8711250278 Discusses consideration of full power licensing of facility. Updated matl,including revised briefing slides for full power briefing,revised Attachment 1 to proposed full power license & proposed SSER 12,encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/23. ZECH, ROBERTS, BERNTHAL Commissioners. 30pp. 43463:022-43463:060.

--8711250046 Trip rept of 871028-30 visit to KSB pump mfg in Frankenthal, Germany & GRS in Garshing,Germany to learn more about cracking problem encountered in KSB pumps used in European plants as well as at Palo Verde.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp. 43463.088-43463:160.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,(E(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226.206-43226:207.

8711030552 Advises that util will review security logs on periodic instead of daily basis,per 871008 change in reporting requirements & 860505 notice of violation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43251:319-43251:319.

8711020108 Provides preliminary results of reactor coolant pump shaft insp for potential fatigue cracking,including comparison of results w/European insp results,action plan for facility & justification for operation of units.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43237:095-43237:105.

8711040195 Corrected ltr providing preliminary results of reactor coolant pump shafts insp for potential fatigue cracking, including comparison of results w/European insp results, action plan for facility & justification for unit operation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43289:142-43289:152.

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350 43320 355.

--8711100188 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed:annunciator goals,maint backlog,training,fire doors & performance indicators.
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320.355.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 11pp. 43324:228-43324:339.

8711190186 Forwards Insp Rept 50-528/87-35 on 871019-27.No violations noted.
PATE,R.J. Region 5, Ofc of the Director. 87/11/05. VANBRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43401:319-43401:326.

--8711190196 Insp Rept 50-528/87-35 on 871019-27.No violations noted. Major areas inspected:inservice insp activities & NRC Insp Procedures 30703,73051,73052,73753 & 73755.
WAGNER,W.J., RICHARDS,S. Region 5, Ofc of the Director. 87/11/05. 6pp. 43401:321-43401:326.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170284 Forwards info re reactor coolant pump shaft insps,including description of use of spectrum analysis to provide earlier determination of increasing shaft vibration.Shafts behaving like healthy shafts having no abnormal vibrations.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/12. Document Control Branch (Document Control Desk). 9pp. 43385:195-43385:203.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711170290 Monthly operating repts for Oct 1987.W/871112 ltr.
HULL,J.L., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/31. 17pp. 43384:063-43384:079.

S. Reportable occurrences, LERs & related correspondence

8711090340 PNO-V-87-069:on 871015,licensee informed resident inspectors of findings from ultrasonic exams of reactor coolant pump shafts as result of mfg experiences in Europe re crack indicators at end of impeller keyway.
RICHARDS,S., BALL,J. Region 5, Ofc of the Director. 87/10/15. 2pp. 43321:133-43321:134.

8711030412 Forwards examples of weak LER content discussed w/util at 871014 mgt meeting important functions discussed only effective if event rept complete in every detail.Response clarifying issues listed in encl requested within 30 days.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/28. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 43250:310-43250:312.

8711040001 LER 87-022-00:on 871001,determined that new fuel handling crane not surveillance tested prior to use on 870925 & 1001. Caused by inadequate guidance to personnel using crane.Test performed & caution tag attached to crane.W/871028 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/28. 4pp. 43273:357-43273:360.

8711040012 PNO-V-87-072:on 871029 severe thunderstorm struck site, knocking out one source of offsite power & 26 of 39 emergency sirens in Maricopa County.Unit 1 fuel bldg door damaged & two individuals standing nearby injured.
SORENSEN,C., BALL,J. Region 5, Ofc of the Director. 87/10/30. 1p. 43290:168-43290:168.

8711120071 Special Rept 1-SR-87-023:on 870930,cathodic protection sys for diesel generator fuel oil storage tanks inoperable for more than 30 days.Caused by delay in delivery of anode bed backfill matl.Mod completion expected by 871215.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43349:360-43349:361.

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusual event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

8711300193 LER 87-026-00:on 871027,automatic actuation of balance of plant ESF occurred due to inadvertent containment purge isolated actuation signal.Caused by personnel error. Responsible individual will be reinstructed.W/871124 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/24. 4pp. 43470:350-43470:353.

V. Operator Examinations

8711020058 Certifies that util requalification training program based on sys approach to training,per 10CFR55.4.License training programs accredited by Natl Nuclear Accrediting Board on 870722.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. *43233:185-43233:185.*

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8711030562 Advises that util will review security logs on periodic instead of daily basis,per 871008 change in reporting requirements & 860605 notice of violation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43251:318-43251:319.

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350-43320:355.

--8711100188 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed:annunciator goals,maint backlog,training,fire doors & performance indicators.
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320:355.

8711190080 Temporary Change Notices 1 & 2 to Rev 5 to Emergency Plan Implementing Procedure EPIP-33, "Offsite Assistance." W/ 871029 ltr & revised index.
PIOGGIA,M., BROWN,W.S., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. 25pp. 43395:327-43395:351.

8711060152 Forwards Control Copy Numbers 8-3,8-4 & 8-8 of Amend 16 to security *plan replacing pages of security plan currently held by NRC.Encl withheld (rel* 10CFR2.790).
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43303:222-43303:223.

8711060197 Forwards emergency planning implementing procedure (EPIP) checklist for review & completion.Checklist provided to verify holder of set of EPIPs & current rev of each EPIP held by recipient ofc correct.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 19pp. 43303:070-43303:088.

8711250278 Forwards change to facility emergency plan per 10CFR50.54(q).W/o encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43460:021-43460:021.

P. Operating license stage documents & correspondence

8711040235 Corrected ltr providing info util received from C-E & KSB Pump Co re KSB reactor coolant pump shaft cracks experienced in European power facilities.Subj shaft cracks &/or failure at European facilities is not safety concern for plant.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/08. Document Control Branch (Document Control Desk). 3pp. *43290:328-*43290:331.

8711030275 Provides listed info re plans to reduce number of bogus annunciators & target goals,per 871014 meeting.Initial goals for units will be evaluated & adjusted in Dec 1988,based on results of annunciator evaluation program.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43250:317-43250:318.

8711030260 Informs that date for formalizing program to trend maint backlog scheduled *for 871228,per 871028 telcon.*
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/27. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43251:347-43251:348.

8711040259 Forwards corrected 871008 & 21 ltrs re reactor coolant pump shafts.W/o encls.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Document Control Branch (Document Control Desk). 1p. 43285:354-43285:354.

*8711090126 Forwards Amends 25,14 & 3 to Licenses NPF-14,NPF-51 & NPF-65,re*spectively & safety evaluation.Amends revise Section 6 of Tech Specs to incorporate changes reflecting revised organizational structure of plant.
LICITRA,E.A. Project Directorate V. 87/10/30. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 43315:151-43315:293.

--8711090136 Amends 25,14 & 3 to Licenses *NPF-41,NPF-51 & NPF-65,* respectively,revising Section 6 of Tech Specs to incorporate changes reflecting revised organizational structure of plant.
KNIGHTON,G.W. Project Directorate V. 87/10/30. 75pp. 43315:154-43315:228.

--8711090142 Safety evaluation supporting Amends 25,14 & 3 to Licenses NPF-41,NPF-51 & NPF-65,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 5pp 43315:228-43315:233.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43258:346.

--8606060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy *statement on delayed plants Svc list encl.*
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711120128 Advises that util will implement augmented vibration monitoring program for each reactor coolant pump,per 871104 meeting w/NRC.Response to NRC questions re reactor coolant pump cracking & util 871104 meeting presentation encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 72pp. 43349:001-43349:072.

8711160307 Revised application for amends to Licenses NPF-41 & NPF-51, revising Tech Spec Pages 3/4 1-21 & 3/4 1-22 re movable control assemblies.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43369:198-43369:205.

--8711160310 Revised Tech Spec Pages *3/4 1-21 & 3/4 1-22 re movable control as*semblies.
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/10. 6pp. 43369:200-43369:205.

8711240247 Forwards responses to equipment qualification audit open items,per NRC audit during wk of 871102.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 10pp. 43442:004-43442:013.

8711240255 Application for amends to Licenses NPF-41,NPF-51 & NPF-85, changing Tech Specs to correct Table 3.3-6 re measurement ranges of main steam effluent line monitors.Fee paid.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43442:171-43442:176.

--8711240266 Proposed Tech Specs,correcting measurement ranges of main steam effluent line monitors in Table 3.3-6.
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. 3pp. 43442:176-43442:178.

8711250278 Discusses consideration of full power licensing of facility. Updated matl,including revised briefing slides for full power briefing,revised Attachment 1 to proposed full power license & proposed SSER 12,encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/23. ZECH Commissioners. 30pp. 43463:022-43463:060.

-8711250253 Confirmatory order modifying license (effective immediately) to include listed commitments by licensee re augmented vibration monitoring program.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/19. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 7pp. 43463:061-43463:067.

-8711250046 Trip rept of 871028-30 visit to KSB pump mfg in Frankenthal, Germany & GRS in Garching,Germany to learn more about cracking problem encountered in KSB pumps used in European plants as well as at Palo Verde.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp. 43463:068-43463:180.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711030552 Advises that util will review security logs on periodic instead of daily basis per 871008 change in reporting requirements & 860505 notice of violation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/20. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43251:319-43251:319.

8711020108 Provides preliminary results of reactor coolant pump shaft insp for potential fatigue cracking,including comparison of results w/European insp results,action plan for facility & justification for operation of units.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43237:095-43237:105.

8711040195 Corrected ltr providing preliminary results of reactor coolant pump shafts insp for potential fatigue cracking, including comparison of results w/European insp results, action plan for facility & justification for unit operation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43289:142-43289:152.

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350-43320:355.

-8711100188 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed:annunciator goals,maint backlog,training,fire doors & performance indicators.
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320:355.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711170284 Forwards info re reactor coolant pump shaft insps,including description of use of spectrum analysis to provide earlier determination of increasing shaft vibration.Shafts behaving like healthy shafts having no abnormal vibrations.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/12. Document Control Branch (Document Control Desk). 9pp. 43385:195-43385:203.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/18. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711170290 Monthly operating repts for Oct 1987.W/871112 ltr.
HULL,J.L., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/31. 17pp. 43384:063-43384:079.

S. Reportable occurrences, LERs & related correspondence

8711020410 Special Rept 2-SR-87-002-01:on 870222,inoperability of high-range noble gas activity monitor RU-144 exceeded 72 h Tech Spec limit.Caused by performance of maint work on monitor.Voltage supply replaced & monitor returned to svc.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. Document Control Branch (Document Control Desk). 2pp. 43235:263-43235:264.

8711020479 Supplemental Special Rept 2-SR-86-037-01:on 861107,Tech Spec requirement violated Caused by inoperability of containment monitor RU-1 for more than 72 h due to inoperable particulate channel.Channel tested & declared operable.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. Document Control Branch (Document Control Desk). 2pp. 43235:164-43235:165.

8711030019 Special Rept 2-SR-87-021-01:on 870625,condenser evacuation sys high range monitor inoperable for greater than 72 h. Caused by microprocessor lockup.Central processing unit replaced.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. Document Control Branch (Document Control Desk). 2pp. 43252:214-43252:216.

8711030169 Supplis Special Rept 2-SR-86-029.On 870801,containment bldg atmosphere radiation monitor declared inoperable.Caused by faulty diaphram in discharge solenoid valve.Valve rebuilt & returned to operable status.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. Document Control Branch (Document Control Desk). 2pp. 43255:360-43255:361.

8711030412 Forwards examples of weak LER content discussed w/util at 871014 mgt meeting.Important functions discussed only effective if event rept complete in every detail.Response clarifying issues listed in encl requested within 30 days.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/28. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 43250:310-43250:312.

8711090151 LER 87-018-00,on 871004,ESF signal initiated on Train "B" & cross-tripped Train "A" as designed.Caused by spurious signal due to voltage spike caused by electronic noise.Plant change package initiated.W/871029 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. 4pp. 43313:175-43313:178.

8711090345 Special Rept 2-SR-87-025:on 871002,radiation monitoring unit RU-142 declared inoperable for greater than 72 h.Caused by intermittent fluctuations occurring in CPU board reset switch.Monitors declared operable & returned to svc.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Document Control Branch (Document Control Desk). 3pp. 43321:135-43321:137.

8711040012 PNO-V-87-072:on 871029 severe thunderstorm struck site, knocking out one source of offsite power & 26 of 39 emergency sirens in Maricopa County.Unit 1 fuel bldg door damaged & two individuals standing nearby injured.
SORENSEN,C., BALL,J. Region 5, Ofc of the Director. 87/10/30. 1p. 43290:168-43290:168.

8711100283 Special Rept 2-SR-87-026:on 871007,radiation monitor inoperable for greater than 72 h.Caused by noises in air pump.RU-1 declared operable after satisfactory installation & testing of replacement air pump.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43330:227-43330:228.

8711120157 Special Rept 2-SR-87-027:on 871009,high range noble gas monitor inoperable for greater than 72 h.Caused by malfunctioning of RU-143 SMIC display board.Display board replaced.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43365:280-43365:281.

8711160076 Special Rept 2-SR-87-005-01:on 870110,high-range noble gas activity monitor inoperable for greater than 72 h.Monitor removed from svc to allow replacement of memory chip as sys upgrade.Monitor declared operable on 870316.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43365:090-43365:091.

8711160187 LER 87-020-00:on 871013,control room essential filtration actuation signal automatically initiated on Train B & cross tripped Train A as designed.Caused by voltage spike.Plant change package approved for plant.W/871109 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/09. 4pp. 43365:204-43365:207.

8711250185 Special Rept 2-SR-87-028:on 871014,post-accident sampling sys (PASS) inoperable due to radioactive water leak.Caused by leakage through PASS sample isolation valve.PASS sample isolation valve & liquid septum replaced.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43460:100-43460:101.

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusal event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

8711300175 Suppl 2 to Special Rept 2-SR-86-008:on 860326,condenser evacuation sys high-range radiation monitor declared inoperable & exceeded Tech Spec limit.Caused by moisture in in process/sample flow media causing flow filter clogging.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:065-43467:066.

8711300177 LER 87-016-01:on 870816,control room essential filtration actuation initiated on ESFAS Channels A & B.Caused by voltage spike on RU-30.Monitor reset,Train B returned to svc & procedural change initiated.W/871124 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/24. 4pp. 43470:358-43470:361.

V. Operator Examinations

8711020058 Certifies that util requalification training program based on sys approach to training,per 10CFR55.4.License training programs accredited by Natl Nuclear Accrediting Board on 870722.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43233:185-43233:185.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350-43320:355.

-8711100186 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed:annunciator goals,maint backlog,training,fire doors & performance indicators.
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320:355.

8711190080 Temporary Change Notices 1 & 2 to Rev 5 to Emergency Plan Implementing Procedure EPIP-33, "Offsite Assistance." W/ 871029 ltr & revised index.
PIOGGIA,M., BROWN,W.S., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. 25pp. 43395:327-43395:351.

8711060152 Forwards Control Copy Numbers 8-3,8-4 & 8-9 of Amend 16 to security plan replacing pages of security plan currently held by NRC.Encl withheld (ref 10CFR2.790).
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43303:222-43303:223.

8711060197 Forwards emergency planning implementing procedure (EPIP) checklist for review & completion.Checklist provided to verify holder of set of EPIPs & current rev of each EPIP held by recipient ofc correct.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/04. Document Control Branch (Document Control Desk). 19pp. 43303:070-43303:088.

8711190147 Forwards response to violation noted in Insp Rept 50-530/87-28 on 870826-0918.Response withheld (ref 10CFR73.21 & 2.790(d)).
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/07. Document Control Branch (Document Control Desk). 1p. 43397:004-43397:004.

8711250279 Forwards change to facility emergency plan,per 10CFR50.54(q).W/o encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/18. Document Control Branch (Document Control Desk). 1p. 43460:021-43460:021.

P. Operating license stage documents & correspondence

8711040235 Corrected ltr providing info util received from C-E & KSB Pump Co re KSB reactor coolant pump shaft cracks experienced in European power facilities.Subj shaft cracks &/or failure at European facilities is not safety concern for plant.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/08. Document Control Branch (Document Control Desk). 3pp. 43290:329-43290:331.

8711030275 Provides listed info re plans to reduce number of bogus annunciators & target goals,per 871014 meeting.Initial goals for units will be evaluated & adjusted in Dec 1988,based on results of annunciator evaluation program.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/23. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43250:317-43250:318.

8711090157 Certifies that item 1.a of Attachment 1 to License NPF-65 completed for initial entry into Mode 2.Operability of all sys required for entry into Mode 2 demonstrated by meeting acceptance criteria of Tech Specs.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/25. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43313:311-43313:311.

8711030260 Informs that date for formalizing program to trend maint backlog scheduled for 871228,per 871026 telcon.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/27. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43251:347-43251:348.

8711040259 Forwards corrected 871006 & 21 ltrs re reactor coolant pump shafts.W/o encls.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Document Control Branch (Document Control Desk). 1p. 43285:354-43285:354.

8711090126 Forwards Amends 25,14 & 3 to Licenses NPF-14,NPF-51 & NPF-65,respectively & safety evaluation.Amends revise Section 6 of Tech Specs to incorporate changes reflecting revised organizational structure of plant.
LICITRA,E.A. Project Directorate V. 87/10/30. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 43315:161-43315:233.

-8711090136 Amends 25,14 & 3 to Licenses NPF-41,NPF-51 & NPF-65, respectively,revising Section 6 of Tech Specs to incorporate changes reflecting revised organizational structure of plant.
KNIGHTON,G.W. Project Directorate V. 87/10/30. 75pp. 43315:154-43315:228.

-8711090142 Safety evaluation supporting Amends 25,14 & 3 to Licenses NPF-41,NPF-51 & NPF-65,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/30. 5pp. 43315:228-43315:233.

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

8711120128 Advises that util will implement augmented vibration monitoring program for each reactor coolant pump,per 871104 meeting w/NRC.Response to NRC questions re reactor coolant pump cracking & util 871104 meeting presentation encl.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/05. Document Control Branch (Document Control Desk). 72pp. 43349:001-43349:072.

8711170285 Forwards results of leakage monitoring testing of sys outside containment which could contain radioactive fluids following accident,per commitment to implement program in response to NUREG-0737,Item III.D.1.1.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/13. Document Control Branch (Document Control Desk). 22pp. 43384:019-43384:040.

8711240247 Forwards responses to equipment qualification audit open items,per NRC audit during wk of 871102.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 10pp. 43442:004-43442:013.

8711240255 Application for amends to Licenses NPF-41,NPF-51 & NPF-65, changing Tech Specs to correct Table 3.3-6 re measurement ranges of main steam effluent line monitors Fee paid.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43442:171-43442:178.

-8711240266 Proposed Tech Specs,correcting measurement ranges of main steam effluent line monitors in Table 3.3-6.
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/20. 3pp. 43442:176-43442:178.

8711250174 Informs that proper closing date re proposed consumation of two sale & leaseback transactions rescheduled to date no earlier than 871208.Util receipt of amend to OL during wk of 871130 also confirmed.
COUGHLIN,F.J. Mudge, Rose, Guthrie, Alexander & Ferden. 87/11/20. KNIGHTON,G.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43460:097-43460:099.

8711250278 Discusses consideration of full power licensing of facility. Updated mail,including revised briefing slides for full power briefing,revised Attachment 1 to proposed full power license & proposed SSER 12,encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/23. ZECH, ROBERTS, BERNTHAL Commissioners. 30pp. 43463:022-43463:060.

-8711250253 Confirmatory order modifying license (effective immediately) to include listed commitments by licensee re augmented vibration monitoring program.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/19. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 7pp 43463:061-43463:067.

-8711250046 Trip rept of 871028-30 visit to KSB pump mfg in Frankenthal, Germany & GRS in Garshing,Germany to learn more about cracking problem encountered in KSB pumps used in European plants as well as at Palo Verde.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp. 43463:068-43463:180.

8711180065 TECHNICAL SPECIFICATIONS FOR PALO VERDE NUCLEAR GENERATING STATION,UNIT 3.Docket No. 50-530.(Arizona Nuclear Power Project)
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). NUREG-1287. 87/11/30. 400pp. 43386:112-43387:240.

Q. Inspection reports, IE Bulletins & correspondence

8012170482 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8711020108 Provides preliminary results of reactor coolant pump shaft insp for potential fatigue cracking,including comparison of results w/European insp results,action plan for facility & justification for operation of units.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43237:095-43237:105.

8711040195 Corrected ltr providing preliminary results of reactor coolant pump shafts insp for potential fatigue cracking, including comparison of results w/European insp results, action plan for facility & justification for unl operation.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/21. Document Control Branch (Document Control Desk). 11pp. 43289:142-43289:152.

8711090264 Forwards Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 of meeting on 871014.NRC understanding of key points addressed during meeting summarized.Util will provide description of commitments re annunciators by 871026.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43320:350-43320:355.

8711100188 Meeting Repts 50-528/87-36,50-529/87-35 & 50-530/87-37 on 871014.Major areas discussed annunciator goals,maint backlog,training,fire doors & performance indicators.
RICHARDS,S.A. Region 5, Ofc of the Director. 87/10/20. 4pp. 43320:352-43320:355.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. Consolidated Edison Co. of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43355:003-43355:119.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711190147 Forwards response to violation noted in Insp Rept 50-530/87-28 on 870828-0918.Response withheld (ref 10CFR73.21 & 2.790(d)).
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/07. Document Control Branch (Document Control Desk). 1p. 43397:004-43397:004.

8711170284 Forwards info re reactor coolant pump shaft insps,including description of use of spectrum analysis to provide earlier determination of increasing shaft vibration.Shafts behaving like healthy shafts having no abnormal vibrations.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/12. Document Control Branch (Document Control Desk). 9pp. 43385:195-43385:203.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-106, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

R. Periodic operating reports & related correspondence

8711170290 Monthly operating repts for Oct 1987.W/871112 ltr.
HULL,J.L., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/31. 17pp. 43384:063-43384:079.

S. Reportable occurrences, LERs & related correspondence

8711020367 PNO-V-87-070:on 871025,reactor brought critical following dilution of RCS.Actual critical boron concentration 1,010 ppm w/Group 5 control bank 60 inches withdrawn.Resident inspector witnessed approach.
RICHARDS,S., IVEY,K. Region 5, Ofc of the Director. 87/10/26. 1p. 43238:143-43238:143.

8711030412 Forwards examples of weak LER content discussed w/util at 871014 mgt meeting.Important functions discussed only effective if event rept complete in every detail.Response clarifying issues listed in encl requested within 30 days.
KIRSCH,D.F. Region 5, Ofc of the Director. 87/10/28. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 3pp. 43250:310-43250:312.

8711040012 PNO-V-87-072:on 871029 severe thunderstorm struck site, knocking out one source of offsite power & 26 of 39 emergency sirens in Maricopa County.Unit 1 fuel bldg door damaged & two individuals standing nearby injured.
SORENSEN,C. Region 5, Ofc of the Director. 87/10/30. 1p. 43290:168-43290:168.

8711160232 Special Rept 3-SR-87-007:on 871013,emergency diesel generator A tripped on incomplete sequence.Caused by defective power resistor due to overheating & fatigue. Design change initiated to replace power resistors.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/09. Document Control Branch (Document Control Desk). 3pp. 43364:350-43364:352.

8711250198 Special Rept 3-SR-87-005:on 871020,condenser evacuation sys radioactive gaseous effluent monitors declared inoperable due to erratic readings on RU-141.Caused by noise within detector.Detector replaced & surveillance commenced.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/18. Document Control Branch (Document Control Desk). 2pp. 43460:219-

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusual event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:284-43466:285.

8711300256 LER 87-005-00:on 871030,while unit in mode 3,main steam isolation sys automatically actuated.Caused by faulty logic card for MSIV-170.Faulty logic card replaced.W/871124 ltr.
BRADISH,T.R., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/24. 4pp. 43472:128-43472:131.

V. Operator Examinations

8711020058 Certifies that util requalification training program based on sys approach to training,per 10CFR55.4 License training programs accredited by Natl Nuclear Accrediting Board on 870722.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/10/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43233:185-43233:185.

8711250278 Discusses consideration of full power licensing of facility. Updated matl,including revised briefing slides for full power briefing,revised Attachment 1 to proposed full power license & proposed SSER 12,encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/23. ZECH, ROBERTS, BERNTHAL Commissioners. 30pp. 43463:022-43463:060.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

8711100431 Generic Ltr 87-15 to all holders of CPs for nuclear power plants re policy statement on deferred plants.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 46pp. 43402:001-43402:046.

DOCKET STN-50-546 MARBLE HILL NUCLEAR STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

DOCKET STN-50-547 MARBLE HILL NUCLEAR STATION, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

DOCKET 50-601 RESAR SP/90

A. Application/construction stage documents & correspondence

8711050222 Notification of 871030 meeting w/NRC in Bethesda,MD to discuss Westinghouse PWR licensing initiatives Agenda encl.
HODGES,M.W. Reactor Systems Branch. 87/10/28. THADANI,A.C. Assistant Director for Systems. 3pp. 43301:094-43301:096.

8711050183 Advises that technical reviewers for standardized LWR plants should be reminded of responsibility for assuring that safety-related structures,sys & components within scope of review classified as safety-related by applicant.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/11/02. CHENG,Y., MARSH,L., BAGCHI,G. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43300:029-43300:031.

K. Utility Final Safety Analysis Report (FSAR) & amends

8711020192 Forwards nonproprietary & proprietary Amend 1 to RESAR-SP/90 PDA Module 2, "Regulatory Conformance." Proprietary amend withheld (ref 10CFR2.790).
JOHNSON,W.J. Westinghouse Electric Corp. 87/10/08. RUBENSTEIN,L. Standardization & Non-Power Reactor Project Directorate. 4pp. 43238:103-43238:129.

8711020200 Requests that proprietary Amend 1 to RESAR-SP/90 PDA Module 2, "Regulatory Conformance" be withheld from public disclosure,per 10CFR2.790.
WIESEMANN,R.A. Westinghouse Electric Corp. 87/10/08. RUBENSTEIN,L. Standard-

' Westinghouse Electric Corp. 87/09/30. 13pp. 43238:117-43238:129.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

A. Application/construction stage documents & correspondence

8711020282 Informs that effective 871025,JL Pettet w/l replace R Cooley as section *chief at Operator Licensing Section in Div of Reactor Safety.*
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/26. KLEIN,D.E. Texas, Univ. of, Austin, TX 2pp 43236:068-43236:069.

8711200382 Advises that NETL project progress continues w/projected completion date of 880610.Present figures indicate 46% completion by mid-Oct.Key items & date estimates listed.
BAUER,T.L. Texas, Univ. of, Austin, TX. 87/11/06. CONSTABLE,G.L. Region 4, Ofc of the Director. 2pp. 43417:033-43417:034.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH

8711160172 Forwards Safety Insp Repts 50-006/87-03 & 70-0008/87-03 on 871019-23.No violations identified.
SHAFER,W.D. Region 3, Ofc of the Director. 87/11/10. MADIA,W.J. Battelle Memorial Institute. 2pp. 43368:262-43368:269.

--8711160188 Health & Safety Insp Repts 50-006/87-03 & 70-0008/87-03 on 871019-23.No noncompliances noted.Major areas inspected: nuclear criticality safety,radiation protection,spent fuel handling & mgt & organization control.
FRANCE,G.M., GREGER,L.R. Region 3, Ofc of the Director. *87/11/09.* 6pp. 43368:264-43368:269.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

8711030338 Responds to 870827 request for 10-day extensions to complete Jul/Aug & Sept/Oct 1987 physical inventories.New License Condition 101 to Amend SG-1 to License SNM-42 being issued. License condition automatically terminates on 871215.
BRACH,E.W. Licensing Branch. 87/09/11. BOYD,C.C. Babcock & Wilcox Co. 1p. *43259:033-43259:033*

8711030471 Issues License Condition 103 to Amend SG-1 to License SNM-42 as listed,per 870916 request to extend time limit for verification of tamper-safe devices & gross weights on scrap receipts from Oak Ridge to 48 hrs.
BRANCH,E.W. Licensing Branch. 87/09/18. BOYD,C.C. Babcock & Wilcox Co. 1p. 43280:317-43280:317.

8711100278 Issues License Condition 2.4 to Amend SG-1 of License SNM-42 changing due date from 870925 to 1218,as requested in 870916 ltr,for submittal of fundamental nuclear mat'l control plan as required per 10CFR74.51(c)(1).NRC plan review dates encl.
BRACH,E.W. Licensing Branch. 87/09/21. BOYD,C.C. Babcock & Wilcox Co. 2pp 43340:263-43340:264.

8711040100 Issues License Condition 102 to Amend SG-1 to License SNM-42 as listed,per 870304 request for exemption from 10CFR70.58(g)(3) for DOE/NRC Form-741 Document PCR-FZF-115
BRACH,E.W. Licensing Branch. 87/09/22. BOYD,C.C. Babcock & Wilcox Co. 1p. 43279:053-43279:053.

8711040354 Application for amend to License SNM-42,revising Page III.1-2,Section III,Chapter 1 to change wording re posting nuclear criticality safety limits,labeling of vessels containing SNM & nuclear criticality safety insps.Fee paid.
BOYD,C.C. Babcock & Wilcox Co. 87/10/19. ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 43279:046-43279:052.

8711240130 Forwards Insp Rept 70-0027/87-19 on 871019-23.No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director. 87/11/17. TETRAULT,R.E. Babcock & Wilcox Co. 2pp. 43431:001-43431:003.

--8711240135 Partially withheld Insp Rept 70-0027/87-19 on 871019-23.No violations noted.Major areas inspected:security plan & implementing procedures,security organization,locks,keys & combinations & physical barriers - protected areas.
TILLMAN,A., MASYNK,O., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/11/18. 1p. 43431:003-43431:003.

8711240188 Responds to violations noted in Insp Rept 70-0027/87-14 & remits payment for 871022 notice of violation & proposed imposition of civil penalty in amount of $12,500.Corrective actions individual responsible for evaluations terminated.
TETRAULT,R.E. Babcock & Wilcox Co. 87/11/20. Ofc of Enforcement (Post 870413). *13pp. 43432:061-43432:073.*

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8711030436 Responds to 871009 rev to Hematite,MO facility security plan.Condition 12.1 to Amend MPP-3 to License SNM-33 revised as listed.
BRACH,E.W. Licensing Branch. 87/10/21. ESKRIDGE,H. Combustion Engineering, Inc. 1p. 43280:360-43280:360.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

8711200161 Responds to recipient 870707 ltr requesting NRC views on C Virostek ltr re 1965 exhumation of burial trenches at NUMEC Parks Township,PA facility.Search for 100 kg of missing high enriched U discussed.W/o encl Insp repts.
STELLO,V. Ofc of the Executive Director for Operations. 87/09/03. SPECTER,A. Senate 4pp. 43414:238-43414:284.

SPECTER,A. Senate 87/07/07. Congressional Affairs. 2pp. 43414:242-43414:243.

--8711200186 *Summary of 650825 meeting w/M Klein,P Gaughran,V D'Amico, J Scammahorn,B West & E Kurzius re WANL-NUMEC contract for recovery of scrap matl.LC Solom 650825 & EB Tremmel 650929 telcon records encl.*
HAYCOCK,T.J. Atomic Energy Commission. 65/08/28. Atomic Energy Commission. 8pp. 43414:244-43414:251.

--8711200196 Forwards six memos covering activities of NUMEC personnel at burial site for period of 651011-16 & 35 photographs.W/o encl photographs.
FOSTER,D.L. Atomic Energy Commission. 65/10/20. HAYCOCK,T.J. Atomic Energy Commission. 2pp. 43414:252-43414:284.

--8711200212 Describes NUMEC 651011 activities at site in Apollo,PA. Dragline used to remove matls from 1963 pit.Matls included drum tops,shipping container inserts,stanchion supports & residues from burnt roof of Apollo U facility.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 6pp. 43414:254-43414:259.

--8711200216 *Describes NUMEC 651012 activities re continuing search of burial pits at* Apollo site.Results of spot radiation surveys discussed.Two bags emitting low level of radiation found
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 5pp. 43414:260-43414:264.

--8711200235 Describes NUMEC 651013 activities continuing in search of burial pits at Apollo site.NUMEC personnel expect to find appreciable quantity of U in combustible matl removed from pits.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. *4pp. 43414:265-43414:268.*

--8711200247 Describes NUMEC 651014 activities during search of burial pits at Apollo site.Some matl found emitting low level radiation.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 5pp. 43414:269-43414:273.

--8711200253 Describes NUMARC 651015 activities during search of burial pits at Apollo site.Small quantities of U found in mud at digging site.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 4pp. 43414:274-43414:277.

--8711200264 Describes NUMEC 651016 activities during search of burial pits at Apollo site.*Nine cans discovered containing crucibles & some slag matl giving highest reading* of radioactivity of matls found.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 7pp. 43414:278-43414:284.

8711300184 Ack receipt of 871022 ltr informing NRC of steps taken to correct violations noted in Insp Repts 70-0135/87-02 & 70-0364/87-02.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/27. COLEMAN,W.L. Babcock & Wilcox Co. 1p. 43471:029-43471:033.

--8711300216 *Responds to items of noncompliance noted in Insp Repts 70-0135/87-02* & 70-0364/87-02 on 870504-07.Corrective actions revised emergency procedure being prepared to address issue re full dress drills.
CULBERSON,D.G. Babcock & Wilcox Co. 87/10/22. MARTIN,T.T. Region 1, Ofc of the Director. 4pp. 43471:030-43471:033.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

8711030330 Responds to 870724 submittal of changes to physical safeguards plan per 10CFR70.32(d) & 70.34.Changes acceptable.Safeguards Amend SG-2 to License SNM-124 amended by revising Condition 9.1.A,9.1.B & 9.1.C as stated in encl.
BRACH,E.W. Licensing Branch. 87/09/14. LONG,J.A. Nuclear Fuel Services, Inc. *(subs. of Getty Oil Co.). 2pp. 43258:336-43258:337.*

8711040074 Issues new License Condition 2.21 to Amend SG-2 to License SNM-*124,extending date until 871204 for licensee to submit fundamental nuclear matl* control plan per 870911 request. Projected schedule for NRC review & approval of plan listed.
BRACH,E.W. Licensing Branch. 87/09/21. LONG,J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp 43281:094-43281:095.

8711030349 Forwards page changes to Rev 5 of safeguards contingency plan to reflect organization structure changes.Changes withheld *(ref 10CFR85).*
JOHNSON,S.C. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/10/13. STOHR,J.P. Region 2, Ofc of the Director. 1p. 43259:036-43259:036.

8711030387 Forwards Rev 15 to physical safeguards plan,incorporating recent changes at company & including revised organizational charts.Rev withheld (ref 10CFR95).
JOHNSON,S.C. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/10/16. STOHR,J.P. Region 2, Ofc of the Director. 1p. 43258:227-43258:227.

8711030527 Forwards Rev 10 to site training & qualification plan, reflecting organizational structure changes within security dept.Rev withheld (ref 10CFR95).
JOHNSON,S.C. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/10/16. STOHR,J.P. Region 2, Ofc of the Director. 1p. 43280:282-43280:282.

8711130261 Ack receipt of 870918 & 1002 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 70-0143/87-25.Example 5 violation concluded to have occurred,per encl reasons.
GRACE,J.N. Region 2, Ofc of the Director. 87/10/26. LONG,J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 3pp. 43356:308-43356:310.

8711090363 Forwards Insp Rept 70-0143/87-37 on 871005-06 & notice of violation.Notice of violation withheld (ref 10CFR2.790(d) & 73.21).
CLINE,W.E. Region 2, Ofc of the Director. 87/10/30. LONG,J.A. Nuclear Fuel Services, Inc. *(subs. of Getty Oil Co.). 2pp. 43313:275-43313:277.*

8711090360 Partially withheld Insp Rept 70-0143/87-37 on 871005-07 (ref 10CFR2.790 & 73.21).Violations noted.Major areas inspected:physical security event on 871002 & program for protection of unclassified safeguards info.
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 87/10/30. 1p. 43313:277-43313:277.

8711090102 Responds to violation noted in Insp Rept 70-0143/87-33. Corrective actions:vehicle gamma exposure rate surveys for all exclusive shipments initiated & Procedure NFS-HS-B-39 under review & will be revised.
LONG,J.A. Nuclear Fuel Services, Inc. (subs of Getty Oil Co.). 87/11/02. COLLINS,D.M. Region 2, Ofc of the Director. 3pp. 43400:220-43400:222.

8711090116 Forwards Insp Rept 70-0143/87-35 on 870908-1002,notice of violation & attachment to insp rept.Notice of violation & attachment to rept withheld (ref 10CFR2.790).
CLINE,W.E. Region 2, Ofc of the Director. 87/11/03. LONG,J.A. Nuclear Fuel Services, Inc (subs. of Getty Oil Co.). 2pp. 43314:332-43314:337.

--8711090119 Insp Rept 70-0143/87-35 on 870908-1002.Two violations noted. Major areas inspected:facility operations,nuclear criticality safety,radiation protection,radwaste mgt,matl control & accounting & physical protection.
LEE,T.D., MCALPINE,E.J. Region 2, Ofc of the Director. 87/10/28. 4pp. 43314:334-43314:337.

8711160057 Forwards proprietary Insp Rept 70-0143/87-36 on 871013-16 & notice of violation Encls withheld (ref 10CFR2.790(d) & 73.21).
CLINE,W.E. Region 2, Ofc of the Director. 87/11/03. LONG,J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 43364:228-43364:230.

8711120097 Confirms agreement w/plan to dispose of contamination soil at Erwin wastewater treatment plant by blending matl w/other excavation backfill at site,per telecon.Future excavation will provide greater dilution of matl.
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/09. MOBLEY,M. Tennessee, State of. 2pp. 43348:322-43348:323.

8711190165 Ack receipt of 871102 response to notice of violation from Insp Rept 70-0143/87-33.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/13. LONG,J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 1p. 43396:336-43396:336.

8711230407 Forwards Insp Rept 70-0143/87-38 on 871005-30.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 87/11/18. LONG,J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 43424:274-43424:281.

--8711230421 Safety & Safeguards Insp Rept 70-0143/87-38 on 871005-30.No violations or deviations noted.Major areas inspected: licensee action on previous insp findings,operations, nuclear criticality safety & radiation protection.
LEE,T.D., MCALPINE,E.J. Region 2, Ofc of the Director. 87/11/17. 6pp. 43424:276-43424:281.

DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

8711200161 Responds to recipient 870707 ltr requesting NRC views on C Virostek ltr re 1965 exhumation of burial trenches at NUMEC Parks Township,PA facility.Search for 100 kg of missing high enriched U discussed.W/o encl Insp repts.
STELLO,V. Ofc of the Executive Director for Operations. 87/09/03. SPECTER,A. Senate. 4pp. 43414:238-43414:284.

--8711200166 Requests NRC views on encl C Virostek undated ltr re bomb- grade U in Parks Township,PA.
SPECTER,A. Senate. 87/07/07 Congressional Affairs. 2pp 43414:242-43414:243.

--8711200186 Summary of 650825 meeting w/M Klein,P Gaughran,V D'Amico, J Scammahorn,B West & E Kurzius re WANL-NUMEC contract for recovery of scrap matl LC Solem 650825 & EB Trammel 650929 telcon records encl
HAYCOCK,T.J. Atomic Energy Commission. 65/08/26. Atomic Energy Commission. 6pp. 43414:244-43414:251.

--8711200196 Forwards six memos covering activities of NUMEC personnel at burial site for period of 651011-16 & 35 photographs.W/o encl photographs.
FOSTER,D.L. Atomic Energy Commission. 65/10/20. HAYCOCK,T.J. Atomic Energy Commission. 2pp. 43414:252-43414:284.

--8711200212 Describes NUMEC 651011 activities at site in Apollo,PA. Dragline used to remove matls from 1963 pit.Matls included drum tops,shipping container inserts,stanchion supports & residues from burnt roof of Apollo U facility.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 6pp. 43414:254-43414:259.

--8711200218 Describes NUMEC 651012 activities re continuing search of burial pits at Apollo site.Results of spot radiation surveys discussed.Two bags emitting low level of radiation found.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 5pp. 43414:260-43414:264.

--8711200235 Describes NUMEC 651013 activities continuing in search of burial pits at Apollo site.NUMEC personnel expect to find appreciable quantity of U in combustible matl removed from pits.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 4pp. 43414:265-43414:268.

--8711200247 Describes NUMEC 651014 activities during search of burial pits at Apollo site.Some matl found emitting low level radiation.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 5pp. 43414:269-43414:273.

--8711200253 Describes NUMARC 651015 activities during search of burial pits at Apollo site.Small quantities of U found in mud at digging site.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 4pp. 43414:274-43414:277.

--8711200264 Describes NUMEC 651016 activities during search of burial pits at Apollo site.Nine cans discovered containing crucibles & some slag matl giving highest reading of radioactivity of matls found.
FOSTER,D.L. Atomic Energy Commission. 65/10/19. HAYCOCK,T.J. Atomic Energy Commission. 7pp. 43414:278-43414:284.

8711300184 Ack receipt of 871022 ltr informing NRC of steps taken to correct violations noted in Insp Repts 70-0135/87-02 & 70-0364/87-02.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/27. COLEMAN,W.L. Babcock & Wilcox Co. 1p. 43471:029-43471:033.

--8711300216 Responds to items of noncompliance noted in Insp Repts 70-0135/87-02 & 70-0364/87-02 on 870504-07.Corrective actions:revised emergency procedure being prepared to address issue re full dress drills.
CULBERSON,D.G. Babcock & Wilcox Co. 87/10/22. MARTIN,T.T. Region 1, Ofc of the Director. 4pp. 43471:030-43471:033.

DOCKET 70-0371 UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT

8711030534 Grants extension from 870925 to 871224 for submittal of fundamental nuclear matl control plan,per 870903 request. License Condition 2.3 added to Amend SG-1 to License SNM-368.Proposed schedule for review listed.
BRACH,E.W. Licensing Branch. 87/09/21. COLLOPY,T.J. United Nuclear Corp. (subs of UNC Resources, Inc.). 2pp. 43280:280-43280:281.

8711020504 Forwards Safeguards Insp Rept 70-0371/87-04 on 870609-12.No violations noted.Steps taken to correct violation noted in NRC 861118 ltr verified.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/26. KAUFMAN,N.C. United Nuclear Corp. (subs. of UNC Resources, Inc.). 2pp. 43234:117-43234:121

--8711020518 Matl Control & Accounting Insp Rept 70-0371/87-04 on 870609- 12.No violation noted.Major areas inspected:facility organization & mgt controls,operations & internal controls & licensee action on previously identified enforcement item.
DELLA RATTA,A., KEIMIG,R.R. Region 1, Ofc of the Director. 87/10/19. 3pp. 43234:119-43234:121.

8711300038 PNO-I-87-111:on 871125,fire occurred in contaminated area of facility.Caused by spontaneous combustion of slightly contaminated zircalloy in vacuum cleaner.Region I will review incident during next insp.
ROTH,J., BELLAMY,R. Region 1, Ofc of the Director. 87/11/25. 1p. 43470:057-43470:057.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

8711030421 Informs that recipient 870923 request for exemption from submittal of fundamental nuclear matl control plan approved. Condition 2.3 to Amend SG-1 of License SNM-639 issued.
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 87/10/16. MCGOVERN,J. Cintichem, Inc. 2pp. 43259:316-43259:317.

8711300061 Forwards Operational Safety Review Insp Rept 70-0687/87-04 on 870518-22 & notice of violation.Team observed number of conditions re facilities that warrant attention of mgt. Licensee adequately addressed work control practices.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. MCGOVERN,J.J. Cintichem, Inc. 3pp. 43470:283-43470:326.

--8711300081 Notice of violation from insp on 870518-22.Violations noted: failure to write,review & approve procedure detailing proper use of raschig rings & storage of loose combustibles in exhaust fan room.
* Region 1, Ofc of the Director. 87/11/25. 3pp. 43470:286-43470:288.

--8711300095 Insp Rept 70-0687/87-04 on 870518-22.Violations noted.Major areas inspected:conditions at licensee facilities to determine existence of potential safety hazards which could impact upon public health & safety.
ROTH,J., AMATO,C.G., CLARK,A.T. Region 1, Ofc of the Director. 87/11/23. 38pp. 43470:289-43470:326.

DOCKET 70-0734 GA TECHNOLOGIES, INC., SAN DIEGO, CA

8711030422 Responds to 870730 ltr requesting time extension for submittal of fundamental nuclear matl control plan per new regulatory requirement.Granting of request will not affect public health or safety.New License Condition 2.5 issued.
BRACH,E.W. Licensing Branch. 87/08/27. ASMUSSEN,K.E. GA Technologies, Inc./ General Atomic Co. 2pp. 43259:318-43259:319.

8711230197 Forwards Safeguards Insp Rept 70-0734/87-13 on 871109-13.No violations noted.Rept withheld (ref 10CFR2.790(d)).
MONTGOMERY,J.L. Region 5, Ofc of the Director. 87/11/19. RADEMACHER,R.N. GA Technologies, Inc./General Atomic Co. 2pp. 43422:255-43422:256.

DOCKET 70-0820 UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, RI

8711230423 Forwards Safety Insp Rept 70-0820/87-02 on 870827-28.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/18. GREGG,R.J. UNC Recovery Systems. 2pp. 43424:241-43424:246.

--8711230428 Insp Rept 70-0820/87-02 on 870827-28.No violations noted.Major areas inspected:status of decommissioning of site & bldgs & conduct of verification survey by NRC contractor. Water samples from selected wells obtained.
ROTH,J., PASCIAK,W.J. Region 1, Ofc of the Director. 87/11/18. 4pp. 43424:243-43424:246.

DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

8711200332 "Groundwater Monitoring Program." W/871028 ltr.
OLSEN,A.F. Babcock & Wilcox Co. 87/10/31. ROUSE,L.C. Division of Fuel Cycle, Medical, Academic & Commercial Use Safety 870413-870728. 7pp. 43414:285-43414:290.

8711300207 Forwards Insp Rept 70-0824/87-04 on 871029-30.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/19. EANES,J.A. Babcock & Wilcox Co. 2pp. 43467:236-43467:240.

--8711300214 Insp Rept 70-0824/87-04 on 871029-30 No violations or deviations noted Major areas inspected review & evaluation of licensee emergency preparedness program.
KREH,J L., DECKER,T.R. Region 2, Ofc of the Director. 87/11/19. 3pp. 43467:239-43467 240.

DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

8711300154 Ack receipt of 871016 ltr informing NRC of steps taken to correct violations noted in Insp Repts 30-00763/87-01 & 70-0938/87-01.Understanding from 871102 telcon that application for amend will be submitted by 871104 confirmed.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/27. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 43467:116-43467:119.

--8711300167 Responds to violations noted in Insp Repts 30-00763/87-01 & 70-0938/87-01 on 870420-23.Corrective actions vault posted as high radiation area & individuals responsible for waste shipments advised of requirement to list nuclides.
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 87/10/16. Region 1, Ofc of the Director. 2pp. 43467:118-43467:119.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

8711230205 Issues Amend 9 to License SNM-1050,extending expiration date to 880430,per 870925 application.All other conditions of license remain unchanged.SER supporting amend to license encl.
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/17. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 1p. 43426:001-43426:003.

--8711230209 SER recommending approval of 870925 application for amend to License SNM-1050,extending expiration date to 880430.
MCCAUGHEY,D.A., SWIFT,J.J. Fuel Cycle Safety Branch. 87/11/17. 2pp. 43426:002-43426:003.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8711030521 Ack receipt of 861107 & 870218 ltrs transmitting revs to Chapters 1.0 & 4.0 & Chapter 2-a,respectively,of physical security plan.License Condition 9.1 to Amend SG-1 to License SNM-1067 revised as stated.
BRACH,E.W. Licensing Branch. 87/08/28. LICHTENBERGER Combustion Engineering, Inc. 2pp. 43280:278-43280:279.

8711050013 Application for amend to License SNM-1067,eliminating requirements for *labeling vessels/containers w/radioactive mat'l* labels & revising number & location of criticality detectors in Bldg 5 & 17 & calibr of detectors.Fee paid.
SHEERAN,R.E. Combustion Engineering, Inc. 87/10/09. ROUSE,L.C. Fuel Cycle Safety Branch. 7pp. 43301:147-43301:153.

8711030353 Confirms 871020 telcon re final submittal of fundamental nuclear matl control plan,per 10CFR74.31(b).Draft sections did 871019 adequately address final fundamental nuclear matl control plan review comments & concerns.
BRACH,E.W. Licensing Branch. 87/10/27. MCGILL,P. Combustion Engineering, Inc. 2pp. 43259:037-43259:038.

8711040220 Discusses insp conducted at facility on 871005-09 & 19-23. Deficiencies in radiation protection program noted. Corrective actions that have been undertaken or to be undertaken listed.Addl violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/10/27. MCGILL,P. Combustion Engineering, Inc. 3pp. 43280:278-43280:280.

8711090198 PNO-I-87-103:on 871105,licensee discovered radiation levels of up to 0.4 mRem/h in unrestricted area.Contamination appeared to be in soil.Licensee immediately restricted access to & posted area.
ROTH,J., PASCIAK,W. Region 1, Ofc of the Director. 87/11/06. 2pp. 43313:195-*43313:196.*

8711190271 Notification of Significant Licensee Meeting 87-138 on 871201 w/licensee in King of Prussia,PA for enforcement conference to discuss deficiencies in radiation protection & mgt controls identified in Insp Rept 70-1100/87-05.
ROTH,J. Region 1, Ofc of the Director. 87/11/17. Region 1, Ofc of the Director. 2pp. 43404:310-43404:311.

8711200168 Forwards Insp Rept 70-1100/87-05 on 871005-09 & 19-23. Enforcement conference scheduled for 871201 to discuss short & long-term corrective actions & program upgrades.Need for enforcement actions will be subj of later correspondence.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/17. MCGILL,P. Combustion Engineering, Inc. 2pp. 43403:010-43403:033.

--8711200176 Insp Rept 70-1100/87-05 on 871005-09 & 19-23.Violations noted.Major areas inspected:radiological controls including, 870812 pellet shop incident,reviews of allegations & implementation of radiation protection program.
GRESICK-CIOFFI, SHANBAKY,M.M. Region 1, Ofc of the Director. 87/11/10. 20pp. 43403:012-43403:033.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

8711100003 Rev 18 to application for amend to License SNM-1097,revising Part I of license application currently approved by Condition 9 of license.Fee paid.
WINSLOW,T.P. General Electric Co, 87/10/23. Office of Nuclear Material Safety & Safeguards,Director. 156pp. 43339:164-43339:319.

--8711100007 Forwards fee for processing Rev 18 to application for amend to License SNM-1097.
FOLECK,R.H. General Electric Co. 87/10/27. WEISS,D. License Fee Management Branch. 1p. 43339:318-43339:319.

8711030545 Responds to 861210 submittal of revised pages to fundamental nuclear matl control plan re timing of reviews & audits. License Conditions 2.1 & 6.1 to Amend SG-1 to License SNM-1097 revised,effective immediately.
BRACH,E.W. Licensing Branch. 87/08/26. WINSLOW,T.P. General Electric Co. 2pp. 43280:285-43280:286.

8711030398 Informs that vendor 870612 proposed revs to fundamental nuclear matl *control plan & Rev.on 8 870529 evaluation memo concerns will be addressed in* NRC review of Chapter 4.Use of current plan recommended until changes approved.
BRACH,E.W. Licensing Branch. 87/09/22. WINSLOW,T.P. General Electric Co 1p 43259:041-43259:041.

8711180017 Application for amend to License SNM-1097,requesting one time authorization to receive residual SNM contained in empty GE scrap zircaloy tubing.Fee paid.Details of application withheld (ref 10CFR2.790).
WINSLOW,T.P. General Electric Co. 87/10/20. BRACH,E.W. Licensing Branch 2pp. 43394:311-43394:312.

8711020228 Ack receipt of 871002 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-1113/87-10.Staff analysis encl to clarify basis of enforcement action.
STOHR,J.P. Region 2, Ofc of the Director. 87/10/23. LEES,E.A. General Electric Co 4pp. 43234:191-43234:194.

8711160285 Ack receipt of response to NRC request made during Insp 70-1113/87-12 on 870824-28 for five split samples & for analytical data on five samples.NRC will provide contract lab results.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/09. LEES,E.A. General Electric *Co. 1p. 43389:188-43389:188.*

8711170159 Forwards Amend 12 to License SNM-1097 & SER.Amend changes Condition 9 to include date of 871023 & Condition 11 to authorize storage of digest *sludge.Condition 12 deleted.*
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/12. WINSLOW,T.P. General Electric Co. 1p. 43385:256-43385:261.

--8711170173 Amend 12 to License SNM-1097,authorizing use of U enriched in U-235 & Pu in accordance w/statements & conditions of 871023 application.
ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/11/12. 1p. 43385:257-43385:257.

--8711170196 SER recommending approval of GE application for amend to License SNM-1097,incorporating existing Condition 12 into new Section 1.18.10 & proposing new Section 1.8.11 for storage of digest sludge.
BIDINGER,G.H., SWIFT,J.J. Fuel Cycle Safety Branch. 87/11/12. 2pp. 43385:258-*43385:259.*

--8711170202 Recommends categorical exlusion for GE 871023 application for amend to License SNM-1097,allowing administrative changes & authorizing accumulation of *treated sanitary sludge.Environ assessment & EIS unwarranted.*
ROUSE,L.C. Fuel Cycle Safety Branch. 87/11/12. Fuel Cycle Safety Branch. 2pp. 43385:260-43385:261.

8711230389 Forwards revised Page 9 to Insp Rept 70-1113/87-12 on 870824-28.Noted changes are of administrative control nature.
COLLINS,D.M. Region 2, Ofc of the Director. 87/11/16. LEES,E.A. General Electric Co. 1p. 43419:005-43419:006

--8711230392 Revised Page 9 to Insp Rept 70-1113/87-12.
Region 2, Ofc of the Director. 87/11/16. 1p. 43419:006-43419:006.

DOCKET 70-1143 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

8711040217 Forwards Encl 4 of NRC 870929 ltr re Combined Insps 70-1143/87-01 & 30-06134/87-02.Encl inadvertently omitted during reproduction of rept & transmittal ltr.
BELLAMY,R.R. Region 1, Ofc of the Director. 87/10/27. SLEMBER,R. Westinghouse Electric Corp. 3pp. 43290:321-43290:323.

8711300139 Ack receipt of 871026 ltr informing NRC of steps taken to correct violations noted in Insps 70-1143/87-01 & 30-06134/87-02.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. SLEMBER,R. Westinghouse Electric Corp. 1p 43472:343-43472:351.

--8711300161 Responds to NRC 870929 ltr re violations noted in Insps 70-1143/87-01 & 30-06134/87-02.Corrective actions:live operating procedures written & approved to cover listed aspects of waste packaging & shipping.Related info encl.
FERRIS,M.J. Westinghouse Electric Corp. 87/10/26. RUSSELL,W.T. Region 1, Ofc of the Director. 6pp. *43472:344-43472:351.*

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC

8711030336 Ack receipt of 870807 & 13 ltrs re receipt of cylinders & corresponding samples of low enriched UF6 from USSR.Methods described in ltrs appropriate based on unique situation dictated by circumstances.
BRACH,E.W. Licensing Branch. 87/09/03. SANDERS,C.F. Westinghouse Electric Corp. 1p. 43259:032-43259:032.

8711040166 Forwards proprietary response to items of noncompliance noted in Insp *Rept 70-1151/87-11 on 870706-10 & 23-24. Response withheld (ref 10CFR2.790).*
LOCH,E.P. Westinghouse Electric Corp. 87/09/04. STOHR,J.P. Region 2, Ofc of the Director. 1p. 43290:023-43290:023.

*8711030428 Responds to 870731 & 0810 ltrs re changes to certain measurement meth*ods for low enriched U processed at facility.Changes acceptable & should be included in next fundamental nuclear matl control plan.
BRACH,E.W. Licensing Branch. 87/09/08. SANDERS,C.F. Westinghouse Electric Corp. 1p. 43280:359-43280:359.

8711040160 Discusses 870820 ltr re plans to wash & recertify low enriched UF6 cylinders within southwest plant expansion for relocated scrap recovery.Attachments in accordance w/870812 discussion.
BRACH,E.W. Licensing Branch. 87/09/10. SANDERS,C.F. Westinghouse Electric Corp. 2pp. 43278:110-43278:111.

8711030368 Grants 870824 & 28 requests to expand License Condition 1.6 to include IBFA rod scales & any other tube or rod scales that meet *linearity criteria.Changes* should be included in next submittal of fundamental nuclear matl control plan.
BRACH,E.W. Licensing Branch. 87/09/14. SANDERS,C.F. Westinghouse Electric Corp. 2pp. 43262:081-43262:082.

8711130204 Forwards Insp Rept 70-1151/87-14 on 871005-09.No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director. 87/10/30. LOCH,E.P. Westinghouse Electric Corp. 2pp. 43355:120-43355:122

--8711130216 Partially withheld Insp Rept 70-1151/87-14 on 871005-09 (ref 10CFR2.790) Major areas inspected:followup on inspector identified item & measurements.
BATES,J.W., MCALPINE,E.J. Region 2, Ofc of the Director. 87/10/29. 1p. 43355:122-43355:122.

DOCKET 70-1201 BABCOCK & WILCOX CO., LYNCHBURG, VA

8711040043 Informs that revised 10CFR74 fundamental nuclear matl control plan acceptable.New safeguards Amend SG-1 to License SNM-1168 will be issued to require implementation of revised plan.
BRACH,E.W. Licensing Branch. 87/10/22. WATTERS,J.P. Babcock & Wilcox Co. 3pp. 43280:142-43280:144.

DOCKET 70-1257 ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA

8711030414 Informs that safeguard plan acceptable.NRC revising License Condition 1.1 of Amend SG-2 to License SNM-1227 w/immediate effect.Encl to 870729 ltr withheld from public disclosure (ref 10CFR2.790(d)9(1).
BRACH,E.W. Licensing Branch. 87/08/25. SCHNEIDER,R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 2pp. 43258:264-43258:265.

8711030359 Responds to 870819 request for one-time extension of 30-day reporting requirement of 10CFR74.35(b) Understands that licensee will be withdrawing request,per 870821 telcon. License Fee Mgt Branch contacted to refund fee.
BRACH,E.W. Licensing Branch. 87/09/01. SCHNEIDER,R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 1p. 43258:137-43258:137.

8711170175 Confirms 871105 telcon re disposal of sewage sludge at Richland,WA.Disposal of sewage sludge containing low concentrations of U in landfill appropriate.
SWIFT,J.J. Fuel Cycle Safety Branch. 87/11/06. STRONG,T.R. Washington, State of. 2pp. 43385:273-43385:274.

8711240008 Forwards Matl Control & Accountability Safeguards Insp Rept 70-1257/87-07 on 871005-09 & 27.No violations or deviations noted.Rept withheld (ref 10CFR2.790).
MONTGOMERY,J.L. Region 5, Ofc of the Director. 87/11/12. MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 2pp. 43437:359-43437:360.

DOCKET 70-1359 IRT CORP., SAN DIEGO, CA

8711170208 Forwards request for addl info re recipient 870521 renewal application for License SNM-1405 Requested possession limits inappropriately described.Response required within 90 days of ltr date
PENNINGTON,W.S. Fuel Cycle Safety Branch. 87/11/09. MASCHKA,P.R. IRT Corp 8pp. 43385:302-43385:308.

DOCKET 70-1428 TRANSNUCLEAR, INC., FALLS CHURCH, VA

8711300024 Informs of enriched U shipment in form of U aluminum alloy fuel elements.Details of shipment as required in 10CFR73.72(a) listed.
OSGOOD,S. Transnuclear, Inc. 87/10/05. HILLMAN,C. Division of Safeguards & Transportation (Post 870413). 5pp. 43463:269-43463:272

DOCKET 70-2951 MANHATTAN COLLEGE, BRONX, NY

8711200167 Forwards Safeguards Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/13. BERLIN,R.E. Manhattan College, Riverdale, NY. 2pp. 43402:347-43402:351.

--8711200185 Insp Repts 50-199/87-01 & 70-2951/87-01 on 871007 & 08 Licensee in compliance.Major areas inspected:nuclear matl control & accounting & physical security,including organization & operation,inventory,records & repts.
DELLA-RATTA,A., SCHULINGKAMP,C., KEIMIG,R.R. Region 1, Ofc of the Director. 87/11/13. 3pp. 43402:349-43402:351.

DOCKET 70-3041 INTERNATIONAL FREIGHT FORWARDERS, INC., ATLANTA, GA

8711060295 Provides advance notification of shipment from Savannah,GA to Aiken,SC.Encl safeguards info withheld.
HALPAUS,P. International Freight Forwarders, Inc. 87/10/22. HILLMAN,C. NRC - No Detailed Affiliation Given. 1p. 43311:089-43311:089.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0370 AMERSHAM CORP.

8711160248 Advises that QA program approval for radioactive matl package:0370 expires on 871130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified
MACDONALD,C.E. Transportation Branch. 87/11/12. BAGBY,L. Amersham Corp. 1p. 43370:091-43370:091.

DOCKET 71-0484 NEBRASKA PUBLIC POWER DISTRICT

8711160251 Advises that QA program approval for radioactive matl package:0484,expires on 871130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 87/11/12. PILANT,J.M. Nebraska Public Power District. 1p. 43369:345-43369:345.

DOCKET 71-0485 WASHINGTON PUBLIC POWER SUPPLY SYSTEM

8711160295 Notifies that QA program approval for Radioactive Matl Package 0485 expires on 871130.Renewal of program should be requested 30 days prior to expiration date.Application fee required.
MACDONALD,C.E. Transportation Branch. 87/11/12. SMITH,K.A. Washington Public Power Supply System. 1p. 43371:241-43371:241.

DOCKET 71-0486 INTEC INSPECTION, INC.

8711160180 Advises that QA program approval for radioactive matl package:0486 expires on 871130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 87/11/12. BAKER,T. Industrial Test & Inspection. 1p. 43363:336-43363:336.

DOCKET 71-0518 ULTRA TECHNOLOGY, INC.

8711160230 Advises that QA program approval for radioactive matl package:0518 expires on 871130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 87/11/12. Ultra Technology, Inc. 1p. 43369:328-43369:328.

DOCKET 71-0551 SIEMENS MEDICAL SYS, INC.

8711200379 Forwards QA program for approval.Fee paid.
HORNDASCH,A. Siemens Medical Systems, Inc. (subs. of Siemens Capital Corp.). 87/10/27. MCDONALD,C. Office of Nuclear Material Safety & Safeguards,Director. 1p. 43414:301-43414:322.

--8711200383 "QA Program for Siemens Shipping Containers for Therapy Sources."
Siemens Medical Systems, Inc. (subs. of Siemens Capital Corp.). 87/10/27. 20pp. 43414:302-43414:322.

DOCKET 71-0578 FLORIDA, UNIV. OF, GAINSVILLE

8711090023 Forwards QA program approval for radioactive matl package: 0578,Rev 1.
MACDONALD,C.E. Transportation Branch. 87/11/05. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 1p. 43315:148-43315:150.

--8711090129 QA program approval for radioactive matl package:0578,Rev 1.
MACDONALD,C.E. Transportation Branch. 87/11/05. 1p. 43315:149-43315:150.

DOCKET 71-0607 MORRISON KNUDSEN CO.

8711040301 Forwards newly revised QA program for review & approval.Fee paid.
MARUDAS,D. MK-Ferguson Co. 87/10/15. Office of Nuclear Material Safety & Safeguards,Director. 1p. 43278:311-43278:316.

--8711040305 Rev 1 to QA program.
MARUDAS,D., BADEN,D. MK-Ferguson Co. 87/10/15. 5pp. 43278:312-43278:316.

DOCKET 71-0632 QUALITY ENERGY SERVICES & TESTS CORP.

8711090058 Advises that address listed on license submitted under ref cover ltr requires rev.QA manager presides at listed address.Location & ofc where radiography performed in Tulsa,OK listed.
POTTER,R.J. Questech, Inc. 87/10/30. MACDONALD,C.E. Transportation Branch. 2pp. 43324:009-43324:010.

DOCKET 71-0636 PIPING SPECIALISTS, INC.

8711060150 Forwards QA program approval of radioactive matl package: 0636,Rev 0.
MACDONALD,C.E. Transportation Branch. 87/11/05. ROUDEBUSH,F.L. Piping Specialists, Inc. 1p. 43309:342-43309:343.

--8711060163 QA program approval for radioactive matl package.0636 Rev 0.
MACDONALD,C.E. Transportation Branch. 87/11/05. 1p. 43309:343-43309:343.

DOCKET 71-0637 WESTERN STRESS, INC.

8711090110 Forwards Rev 0 to QA program approval for radioactive matl package.0637.
MACDONALD,C.E. Transportation Branch. 87/11/05. FRONGILLO,F. Western Stress, Inc. 1p. 43316:025-43316:026.

--8711090112 QA program approval for radioactive matl package.0637,Rev 0.
MACDONALD,C.E. Transportation Branch. 87/11/05. 1p. 43316:026-43316:026.

DOCKET 71-0638 WESTINGHOUSE ELECTRIC CORP.

8711060252 Forwards QA program approval for radioactive matl package: 0638,Rev 0.
MACDONALD,C.E. Transportation Branch. 87/11/05. NARDI,A.J. Westinghouse Electric Corp. 1p. 43310:345-43310:346.

--8711060257 QA program approval for radioactive matl package 0636,Rev 0.
MACDONALD,C.E. Transportation Branch 87/11/05 1p. 43310.346-43310.346.

DOCKET 71-0639 WOS TESTING CO., INC.

8711050113 Requests review of encl QA program General license & application for license also encl.Fee paid.
WOS,G.F. Wos Testing Co., Inc. 87/10/14. GORDON,L. Office of Nuclear Material Safety & Safeguards,Director. 1p. 43300.236-43300.339.

--8711050117 License 12-24959-01 for Wos Testing Co,Inc,authorizing use of 100 Ci Ir-192 sealed sources for use in Tech Op Model 660 exposure device & 200 Ci Ir-192 sealed sources for use in SPEC Model 2-T exposure device for Industrial radiography.
MADERA,J.R. Region 3, Ofc of the Director. 87/09/30. 2pp. 43300.237-43300.238.

--8711050123 Application for license Supporting QA program encl.
WOS,G.F. Wos Testing Co., Inc. 87/03/12. 2pp. 43300.239-43300.240.

--8711050131 Rev 0 to "10CFR19,20,30,34 & 71 QA Program for Industrial Radiography for Wos Testing Inc."
WOS,G.F. Wos Testing Co., Inc. 87/03/12. 99pp. 43300.241-43300.339.

DOCKET 71-0640 PUBLIC SERVICE CO. OF INDIANA

8711090003 Forwards QA program approval for radioactive matl package: 0640,Rev 0.
MACDONALD,C.E. Transportation Branch 87/11/05. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43315.096-43315.097.

--8711090006 QA program approval for radioactive matl package 0640,Rev 0.
MACDONALD,C.E. Transportation Branch 87/11/05. 1p. 43315.097-43315.097

DOCKET 71-0642 RTS TECHNOLOGY, INC.

8711060276 Forwards QA program description for review & approval Fee paid.
MUNRO,J.J. RTS Technology, Inc. 87/10/26. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43311.005-43311.024.

--8711060283 "QA Program Description."
RTS Technology, Inc. 87/10/26. 17pp. 43311.007-43311.024.

DOCKET 71-0645 HOUSTON LIGHTING & POWER

8711250051 Submits fee for 871009 submittal of QA program for radwaste mgt.
WISENBURG,M.R. Houston Lighting & Power Co. 87/11/17. Document Control Branch (Document Control Desk) 3pp. 43739.162-43739.164.

DOCKET 71-4909 MODEL: GE-21PF-1, GENERAL ELECTRIC CO.

8711060190 Application for amend to license,renewing certificate for GE-21PF-1 package.Description of operating procedures,QC acceptance tests & maint programs for license encl per 870826 request.Fee paid.
WINSLOW,T.P. General Electric Co. 87/10/21. MACDONALD,C.E. Transportation Branch. 4pp. 43310.005-43310.008.

DOCKET 71-5450 MODEL: RCC, -1, -2, -3, -4, WESTINGHOUSE ELECTRIC CORP.

8711230094 Application for Certificate of Compliance 5450 authorizing use of Models RCC,RCC-1,RCC-2,RCC-3 & RCC-4.
MROCZKA,E.J., SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 87/11/03. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43416.041-43416.042.

8711230179 Notifies that NRC registered recipient in accordance w/ provision of Paragraph 71.12 of 10CFR71 as user of Certificate of Compliance 5450,per 871103 request.
MACDONALD,C.E. Transportation Branch. 87/11/19. KANGLEY,J.P. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 1p. 43428.266-43428.266.

DOCKET 71-5580 MODEL: S5W POWER UNIT, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 43428.175-43428.177.

DOCKET 71-5757 MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 43428.175-43428.177.

DOCKET 71-5830 MODEL: SNAP 21, NAVY, DEPT. OF

8711230006 Requests registration as user of Model DP-4.
MAUCK,C.J. Energy, Dept. of. 87/10/28. MACDONALD,C.E. Transportation Branch. 2pp. 43416.068-43416.069.

8711230124 Requests registration as user of Model SNAP 21.
MAUCK,C.J. Energy, Dept. of. 87/11/03. MACDONALD,C.E. Transportation Branch. 2pp. 43425.358-43425.359.

DOCKET 71-6003 MODEL: M-130, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 43428.175-43428.177.

DOCKET 71-6142 MODEL: BETTIS WASTE, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428.175-43428.177.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

8711230055 Application for amend to Certificate of Compliance 6294 for Model UNC-2901,allowing optional use of ceramic sheet insulation to replace asbestos in top & bottom of drum.One oversize drawing encl.Fee paid.
ESKRIDGE,H.E. Combustion Engineering, Inc. 87/10/14. MACDONALD,C.E. Transportation Branch. 5pp. 43425.224-43425.230.

--8711230067 Requests submittal of fee for 871014 application for amend to Certificate of Compliance 6294.
JACKSON,G. License Fee Management Branch. 87/11/06. ESKRIDGE,H.E. Combustion Engineering, Inc. 1p. 43425.229-43425.229.

--8711230075 Forwards fee for 871014 application for amend to Certificate of Compliance 6294.
ESKRIDGE,H.E. Combustion Engineering, Inc. 87/11/13. JACKSON,G. License Fee Management Branch. 1p. 43425.230-43425.230.

8711040060 Requests that listed changes be included in 871014 amend request for Model UNC-2901 to facilitate unloading pellet tray holder.Rev 1 to Drawing NFM-D-4266 incorporating changes encl.
ESKRIDGE,H.E. Combustion Engineering, Inc. 87/10/20. MACDONALD,C.E. Transportation Branch. 3pp. 43280.080-43280.082.

8711050288 Requests registration as user of Model UNC-2901.
NARDI,A.J. Westinghouse Electric Corp. 87/10/23. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43311.090-43311.091.

8711110028 Informs that licensee registered as user of Certificates of Compliance 9044 & 6294 in accordance w/10CFR71.12,as requested in 871005 & 23 ltrs.
MACDONALD,C.E. Division of Safeguards & Transportation (Post 870413). 87/11/09. NARDI,A.J. Westinghouse Electric Corp. 1p. 43347.301-43347.301.

8711160034 Forwards Certificate of Compliance 6241,Rev 11 for Model UNC-2901 shipping package.
MACDONALD,C.E. Transportation Branch. 87/11/09. ESKRIDGE,H.E. Combustion Engineering, Inc. 2pp. 43362.040-43362.045.

--8711160043 Certificate of Compliance 6294,Rev 11,for Model UNC-2901. Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/11/09. 4pp. 43362.042-43362.045.

DOCKET 71-6406 MODEL: NONE, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428.175-43428.177.

DOCKET 71-6441 MODEL: D2G POWER UNIT, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428.175-43428.177.

DOCKET 71-6717 MODEL: 6717-B, GAMMA INDUSTRIES, INC.

8711100432 Notification of registration as user of Models 6717,9126, 9127,9128 & 9135 in response to 871013 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. FERGUSON,E.B. EG&G Florida, Inc. (subs. of EG&G, Inc.). 1p. 43342.209-43342.209.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9036,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461.225-43461.225.

DOCKET 71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.

8711100056 Notifies of address change beginning 871102.All correspondence & shipments to be directed to listed address.
Nuclear Assurance Corp. 87/10/15. NRC - No Detailed Affiliation Given. 2pp. 43340.001-43340.002.

DOCKET 71-9021 MODEL: 750, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315.146-43315.147.

cates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 1p. 43342:204-43342:204.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9022 MODEL: CE-250-2, COMBUSTION ENGINEERING, INC.

8711040006 Forwards Rev 11 to Certificate of Compliance 9022 for Model CE-250-2 shipping package
MACDONALD,C.E. Transportation Branch. 87/10/30. LICHTENBERGER Combustion Engineering, Inc. 2pp. 43280.086-43280.091.

-8711040010 Certificate of Compliance 9022,Rev 11,for Model CE-250-2. Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/10/30. 4pp. 43280.088-43280.091.

DOCKET 71-9023 MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP.

8711100056 Notifies of address change beginning 871102 All correspondence & shipments to be directed to listed address.
* Nuclear Assurance Corp. 87/10/15. NRC - No Detailed Affiliation Given. 2pp. 43340:001-43340:002.

DOCKET 71-9028 MODEL: 684 & 684E, TECH/OPS, INC.

8711100497 Notification of registration as user of Models 9028,9032 & 9033 in response to 871005 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. SMITH,S.B. Amoco Oil Co. 1p. 43342:301-43342:301.

DOCKET 71-9032 MODEL: 650, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315:146-43315:147.

8711100403 Advises of registration as user of Certificates of Compliance 9021,9032,9033 & 9053,per 871022 request. Recipient already registered for Certificates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 1p. 43342:204-43342:204.

8711100497 Notification of registration as user of Models 9028,9032 & 9033 in response to 871005 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. SMITH,S.B. Amoco Oil Co. 1p. 43342:301-43342:301.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9033 MODEL: 660 & 660E, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315:146-43315:147.

of Compliance
istered for Certifi-

Columbia Gas
342:204.

9033 in re-

Oil Co. 1p.

Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9035 MODEL: 680 & 680E, TECH/OPS, INC.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

8711110028 Informs that licensee registered as user of Certificates of Compliance 9044 & 6294 in accordance w/10CFR71.12,as requested in 871005 & 23 ltrs.
MACDONALD,C.E. Division of Safeguards & Transportation (Post 870413). 87/11/09
NARDI,A.J. Westinghouse-Electric Corp. 1p. 43347:301-43347:301.

DOCKET 71-9053 MODEL: 683, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315:146-43315:147.

8711100403 Advises of registration as user of Certificates of Compliance 9021,9032,9033 & 9053,per 871022 request. Recipient already registered for Certificates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 1p. 43342:204-43342:204

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9070 MODEL: N-55, NUCLEAR PACKAGING, INC.

8711040222 Forwards nonproprietary Rev 2 to "SAR N-55 for NUPAC N-55 Packaging," revised per NRC 870513 comments.Proprietary info contained on Drawing X 65-200D.Affidavit & insert/delete instructions encl.
TEMUS,C.J. Nuclear Packaging, Inc. 87/10/09. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 6pp. 43277:290-43278:043.

-8711040227 Nonproprietary Rev 2 to "SAR for NUPAC N-55 Packaging."
* Nuclear Packaging, Inc. 87/09/30. 108pp. 43277:296-43278:043.

DOCKET 71-9080 MODEL: HN-600 & NUPAC 100, WESTINGHOUSE-HITTMAN NUCLEAR

8711100483 Notification of registration as user of Model 9080 in response to 871008 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. TORRES,J.L. Energy, Dept. of. 1p. 43342:272-43342:272.

DOCKET 71-9098 MODEL: UCC-20WC-2 & 2A, CINTICHEM, INC.

8711050182 Forwards Certificate of Compliance 9098,Rev 6 for Models CI-20WC-2 & CI-20WC-2A shipping packages.
MACDONALD,C.E. Transportation Branch 87/11/04. STRACK,R.A. Cintichem, Inc. 1p. 43301:157-43301:160.

-8711050187 Certificate of Compliance 9098,Rev 6,for Models CI-20WC-2 & CI-20WC-2A.Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/11/04. 3pp. 43301:158-43301:160

DOCKET 71-9102 MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.

8711040017 Forwards Rev 5 to Certificate of Compliance 9102,for Model NPI-20WC-6 shipping package.
MACDONALD,C.E. Transportation Branch. 87/10/30. TURKANIS,M.M. Neutron Products, Inc. 1p. 43280:092-43280:095.

-8711040023 Certificate of Compliance 9102,Rev 5,for Model NPI-20WC-6. Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/10/30. 3pp. 43280:093-43280:095.

DOCKET 71-9103 MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.

8711100056 Notifies of address change beginning 871102.All correspondence & shipments to be directed to listed address
* Nuclear Assurance Corp. 87/10/15. NRC - No Detailed Affiliation Given. 2pp. 43340:001-43340:002.

DOCKET 71-9107 MODEL: 771, TECH/OPS, INC.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9119 MODEL: BAPL 5910 BRDCQ, ENERGY, DEPT. OF

8711230161 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428:175-43428:177.

DOCKET 71-9126 MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.

8711100432 Notification of registration as user of Models 6717,9126, 9127,9128 & 9135 in response to 871013 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. FERGUSON,E.B. EG&G Florida, Inc. (subs. of EG&G, Inc.). 1p. 43342:209-43342:209.

DOCKET 71-9127 MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.

8711100432 Notification of registration as user of Models 6717,9126, 9127,9128 & 9135 in response to 871013 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. FERGUSON,E.B. EG&G Florida, Inc. (subs. of EG&G, Inc.). 1p. 43342:209-43342:209.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9128 MODEL: C-8, GAMMA INDUSTRIES, INC.

8711100432 Notification of registration as user of Models 6717,9126, 9127,9128 & 9135 in response to 871013 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. FERGUSON,E.B. EG&G Florida, Inc. (subs. of EG&G, Inc.). 1p. 43342:209-43342:209.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9135 MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.

8711100432 Notification of registration as user of Models 6717,9126, 9127,9128 & 9135 in response to 871013 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. FERGUSON,E.B. EG&G Florida, Inc. (subs. of EG&G, Inc.). 1p. 43342:209-43342:209.

8711250127 Notification of registration as user of Certificates of Compliances 6717,9021,9032,9033,9035,9053,9107,9127,9128 & 9135 in response to 871007 request.
MACDONALD,C.E. Transportation Branch. 87/11/23. DAVIS,G.T. Public Service Co. of Indiana, Inc. 1p. 43461:225-43461:225.

DOCKET 71-9141 MODEL: 900, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). *87/10/22. Office of Nuclear Material Safety & Safeguards,Director.* 2pp. 43315:146-43315:147.

8711100403 Advises of registration as user of Certificates of Compliance 9021,9032,9033 & 9053,per 871022 request. Recipient already registered for Certificates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 1p. 43342:204-43342:204.

DOCKET 71-9143 MODEL: 920, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315:146-43315:147.

8711100403 Advises of registration as user of Certificates of Compliance 9021,9032,9033 & 9053,per 871022 request. Recipient already registered for Certificates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 1p. 43342:204-43342:204.

DOCKET 71-9147 MODEL: 650, TECH/OPS, INC.

8711090017 Requests registration as secondary user of Amersham Corp Models 650,660 & 660E,683,750,850,900 & 920.
BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.). 87/10/22. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43315:146-43315:147.

8711100403 Advises of registration as user of Certificates of Compliance *9021,9032,9033 & 9053,per 871022* request. Recipient already registered for Certificates of Compliance 9141,9143 & 9147.
MACDONALD,C.E. Transportation Branch. 87/11/09. BECKETT,A.S. Columbia Gas Transmission Corp. (subs. of Columbia Gas Sys, Inc.) 1p. 43342:204-43342:204.

DOCKET 71-9183 MODEL: NAC-1, NUCLEAR ASSURANCE CORP.

8711030440 *Forwards Rev 1 to "Repair Procedure - NAC-1E Shipping Cask," first* transmitted per 870903 ltr & inadvertently omitted from 870930 ltr.Rev 1 incorporates comments from NRC/Nuclear Assurance Corp 870902 meeting.
DIXON,G.N. Nuclear Assurance Corp. 87/10/02. MACDONALD,C.E. NRC - No Detailed Affiliation Given. 1p. 43258:260-43258:260.

8711100056 Notifies of address change beginning 871102.All correspondence & shipments to be directed to listed address.
* Nuclear Assurance Corp. 87/10/15. NRC - No Detailed Affiliation Given. 2pp. 43340:001-43340:002.

8711090086 Advises of completion of repair & annual insp & testing of NAC-1E cask in accordance w/provisions of Rev 6 to Certificate of Compliance 9183.Cask acceptable for use.
DANESE,F.L. Nuclear Assurance Corp. 87/10/26. MACDONALD,C.E. Transportation Branch. 2pp. 43324:043-43324:044.

DOCKET 71-9200 MODEL: 125-B, ENERGY, DEPT. OF

8711090095 Forwards Rev 7 to "SAR for NuPac 125-B Fuel Shipping Cask." Rev corrects *two inconsistencies recently identified during fabrication of 125-B package & to* identify cadmium plating option for fasteners.
JOHNSON,R.A. Nuclear Packaging, Inc. 87/10/12. MACDONALD,C.E. Transportation Branch. 5pp. *43308:324-43309:010.*

--**8711090096** Rev 7 to "SAR for NuPac 125-B Fuel Shipping Cask."
* Nuclear Packaging, Inc. 87/10/31 35pp. 43308:329-43309:010.

DOCKET 71-9212 MODEL: 72-B, NUCLEAR PACKAGING, INC.

8711030308 Confirms plans for 871106 meeting w/NRC to discuss on-going development activities for NuPac Model 72-B cask for transport of remote-handled transuranic waste.Waiver of NRC filing & licensing review fee requested.
QUINN,G.J. Nuclear Packaging, Inc. QUINN,G.J. Pacific Nuclear Systems, Inc. 87/10/16. CHAPPELL,R. Transportation Branch. 2pp. 43259:352-43259:353.

DOCKET 71-9215 MODEL: NPI-20WC-6 MKII, NEUTRON PRODUCTS, INC.

8711040118 Forwards Certificate of Compliance 9215,Rev 0,for Model NPI-20WC-6 MkII & safety evaluation.
MACDONALD,C.E. Transportation Branch. 87/10/30. TURKANIS,M.M. Neutron Products, Inc. 1p. 43280:236-43280:246.

--**8711040123** Certificate of Compliance 9125,Rev 0,for Model NPI-20WC-6 MkII.
MACDONALD,C.E. Transportation Branch. 87/10/30. 2pp. 43280:237-43280:238.

--**8711040127** SER concluding that Model NPI-20WC-6 MkII meets performance requirements of 10CFR71.
MACDONALD,C.E. Transportation Branch. 87/10/30. 8pp. 43280:239-43280:246.

DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

8711060164 Requests registration as user of Model CNS-1-13G.
SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/10/26. MACDONALD,C.E. NRC - No Detailed Affiliation Given. 2pp. 43310:322-43310:323.

8711200386 Requests registration as user of Model CNS-1-13G.
OLSEN,A.F. Babcock & Wilcox Co. 87/10/30. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43414:325-43414:326.

8711230023 Requests registration as user of Model CNS 1-13G.
TIERNAN,J.A. Baltimore Gas & Electric Co. 87/10/30. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43416:115-43416:116.

8711110098 Informs of registration in accordance w/provision of 10CFR71.12,as user of Certificate of Compliance 9216,per 871028 request.
MACDONALD,C.E. Transportation Branch. 87/11/09. SIMPSON,E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 1p. 43346:079-43346:079.

8711230125 Notification of registration as user of Certificate of Compliance 9216,per 871030 request.
MACDONALD,C.E. Transportation Branch. 87/11/19. Baltimore Gas & Electric Co. 1p. 43425:307-43425:307.

DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.

8711100138 Forwards application for certification of ANF-250 package to requirements of 10CFR71 & to requirements of Safety Series 6.Fee paid.
GERRALD,L.D. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 87/10/12. MACDONALD,C.E. Transportation Branch. 4pp. 43340:035-43340:216.

--**8711100146** Application for certification of ANF-250 shipping container for transport of radioactive matls.
* *Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.).* 87/10/30. 178pp. 43340:039-43340:216.

DOCKET 71-9783 MODEL: S5W ITR, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5767,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43426:175-43426:177.

DOCKET 71-9784 MODEL: LWBR NEW FUEL, ENERGY, DEPT. OF

8711250230 Informs that Certificate of Compliance 9784 terminated per 870625 re-

8711030425 Forwards Certificate of Compliance 9786,Rev 0,for Model S3G core basket disposal container assembly.
MACDONALD,C E. Transportation Branch. 87/10/30. ENGEL,W.P. Energy, Dept. of. 1p. 43281:001-43281:006.

-8711030434 Rev 0 to Certificate of Compliance 9786 for Model S3G core basket disposal container assembly.
MACDONALD,C E. Office of Nuclear Material Safety & Safeguards,Director. 87/10/30. 5pp. 43281:002-43281:006.

DOCKET 71-9788 MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428:175-43428:177.

DOCKET 71-9789 MODEL: A1W-3, ENERGY, DEPT. OF

8711230058 Forwards request for addl info re 830512 request for approval of Model A1W-3 core barrel & thermal shield disposal container NRC should be advised within 30 days from ltr date when info will be provided.
MACDONALD,C E. Transportation Branch. 87/11/19. ENGEL,W.P. Energy, Dept. of. 3pp. 43416:190-43416:192.

DOCKET 71-9790 MODEL: A1W-3, ENERGY, DEPT. OF

8711120008 Requests addl info re 830331 ltr requesting approval of A1W-3 barrel & shroud disposal container.
MACDONALD,C E. Transportation Branch. 87/11/09. ENGEL,W.P. Energy, Dept. of. 2pp. 43348:113-43348:114.

DOCKET 71-9791 MODEL: PWR-2, ENERGY, DEPT. OF

8711230151 Application for renewal of Certificates of Compliance 5580, 5757,6003,6142,6406,6441,9119,9783,9788 & 9791.
ENGEL,W.P. Energy, Dept. of. 87/11/10. MACDONALD,C E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 43428:175-43428:177.

8711200314 Forwards Certificate of Compliance 9860 for Model DT-14A, Rev 1 to DD-326, "SAR for Packaging (Oak Ridge Y-12 Plant Model DT-14A Package for Enriched U)" & Suppl 1,Rev 2 to SAR.DOE found repts acceptable.
MAUCK,C.J. Energy, Dept. of. 87/11/03. MACDONALD,C.E. Transportation Brar 2pp. 43414:156-43414:237.

-8711200350 Certificate of Compliance 9860,Rev 3,for Model DT-14A.
TORRES,J.L. Energy, Dept. of. 87/11/02. 6pp. 43414:158-43414:163.

-8711200343 Rev 1 to "SAR for Packaging (Oak Ridge Y-12 Plant Model DT-Package for Enriched U)."
TAYLOR,R.G. Martin Marietta Energy Systems, Inc. Y/DD-326 R01. 84/01/13. 39 43414:164-43414:201.

-8711200368 Suppl 1,Rev 2 to "SAR for Packaging (Oak Ridge Y-12 Plant Model 14A Package for Enriched U.)"
CADELLI,G., KENNEDY,W.R. E.I. du Pont de Nemours & Co., Inc. DPSPU-85-12 S1 R2. 87/07/17. 36pp. 43414:202-43414:237.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO.

8711030499 Informs that listed documents,marked as proprietary,will be withheld f public disclosure per 10CFR2.790.Licensee should notify NRC of change in basis withholding info.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 8707 87/10/29. BARNHART,V.J. General Nuclear Systems, Inc. 2pp. 43263:1 43263:154.

DOCKET 72-0003 CAROLINA POWER & LIGHT CO.

8711030497 Advises that 851014,22,1209,860113,30,0710,22,870102,08 & 0217 s mittals of documents listed in encl re NUTECH drawings will be withheld 10CFR2.790).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 8707 87/10/29. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43280:302-43280:304.

10CFR COMMISSION MEETING RECORDS

8711040208 Transcipt of 871029 meeting re affirmation/discussion & vote in Washington,DC Pp 1-13.
* Commissioners 87/10/29 17pp. 43281:035-43281:051.

8711090002 *Revised staff requirements memo re Commission 871021 briefing in* Washington,DC on federally funded research development clr.
CHILK,S.J. *Office of the Secretary of the Commission.* M871021B 87/11/04.
STELLO,V. Ofc of the Executive Director for Operations. 1p. 43315:095-43315.095.

8711100418 Staff requirements memo re 871021 briefing on status of unresolved safety/generic issues Staff requested to provide another briefing which focuses on progress & improvements in processing & resolving generic issues & USIs
CHILK,S.J. Office of the Secretary of the Commission. M871021A. 87/11/06.
STELLO,V. Ofc of the Executive Director for Operations. 1p. 43342:205-43342:205.

8711100435 *Transcript of 871104 "Briefing on ISAP" in Washington,DC Pp 1-32 Re'ated* documentation encl.
* *Commissioners. 87/11/04. 45pp. 43342:210-43342:255.*

8711110099 Transcript of 871105 affirmation/discussion & vote in Washington,DC.Pp 1-5
* Commissioners. 87/11/05. 9pp. 43343:001-43343.009.

8711110107 Transcript of 871103 briefing on status of high level waste issues in Washington,DC.Pp 1-36 Supporting documentation encl.
* Commissioners. 87/11/03. 54pp. 43342:302-43342:355.

8711160212 Staff requirements memo re 871022 briefing in Washington,DC re emergency planning rule.Chairman Zech requested Ofc of Secretary to schedule SECY-87-257 for affirmation on 871029.
CHILK,S.J. Office of the Secretary of the Commission. M871022. 87/11/12. Office of the Secretary of the Commission. 1p. 43369:342-43369:342.

8711170084 *Staff requirements memo re Commission 871029 affirmation/ discussion &* vote in Washington,DC on SECY-87-257 concerning emergency planning rule.
CHILK,S.J. Office of the Secretary of the Commission. M871029. 87/11/12.
PARLER,W.C. Office of the General Counsel. 1p. 43375:062-43375:062.

8711170047 Staff requirements memo re Commission 871105 affirmation/ discussion & vote in Washington,DC on SECY-87-217 concerning review of ALAB-832 emergency planning issues.
CHILK,S.J. Office of the Secretary of the Commission. M871105A. 87/11/12.
PARLER,W.C. Office of the General Counsel 1p. 43373:067-43373:067.

8711170106 Staff requirements memo re Commission 871103 briefing in Washington,DC on status & ongoing efforts to meet NRC congressional mandate to license DOE high level radwaste repository.
CHILK,S.J. Office of the Secretary of the Commission. M871103. 87/11/13.
STELLO,V. Ofc of the Executive Director for Operations. 1p. 43365:244-43365:244.

8711180054 *Transcript of 871109 briefing in Washington,DC re facility steam generator* tube rupture event.Pp 1-56.Supporting documentation encl.
* *Commissioners 87/11/09. 80pp. 43394:319-43395:037.*

8711250208 Staff requirements memo re Commission 871109 briefing in Washington,DC on 870715 steam generator tube rupture event.
BATES,A L. Office of the Secretary of the Commission. M871109. 87/11/24.
STELLO,V. Ofc of the Executive Director for Operations. 1p. 43461:341-43461:341.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

8711040197 Transcript of Subcommittee on Instrumentation & Control Sys meeting in *Washington DC.Pp 1-179 Supporting documentation encl.*
* ACRS - Advisory Committee on Reactor Safeguards. 87/10/29. 197pp. 43253:086-43253:282.

8711060054 Transcript of ACRS Subcommittee on Auxiliary Sys 871001 meeting in Washington,DC.Pp 1-195 Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/10/01. 382pp. 43294:305-43295:326.

8711090128 Transcript of ACRS Subcommittee on Systematic Assessment of Operating Experience 871103 hearing in Washington,DC re role of AEOD.Pp 1-178.
* *ACRS - Advisory Committee on Reactor Safeguards. 87/11/03. 182pp. 43301:180-*43301:361.

8711130045 Transcript of ACRS Subcommittee on TVA Organizational Issues meeting on 871104 in Washington,DC.Pp 1-339.Supporting documentation encl.Oversize literature encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/04. 450pp. 43350:174-43351:266.

8711160091 Transcript of ACRS 331st meeting on 871105 in Washington,DC re USI A-44, "Station Blackout." Pp 1-160.Supporting documentation encl.
* *ACRS - Advisory Committee on Reactor Safeguards. 87/11/05. 163pp. 43358.001-*43358.184.

8711160093 Transcript of ACRS 331st general meeting on 871106 in Washington,DC.Pp 1-222.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/06. 322pp. 43358:185-43359:180.

8711170148 Comments on potential problems that need to be addressed re high level & low level radwaste mgt research activities.
KERR,W. ACRS - Advisory Committee on Reactor Safeguards. 87/11/10. ZECH,L.W. Commissioners. 2pp. 43448:325-43448:326.

8711200108 *Discusses ACRS 331st meeting on 871105-07 re development of radiation* protection stds.Recommends that NRC continue support of & lend encouragement to *work of interagency committee & related efforts of EPA.*
KERR,W. ACRS - Advisory Committee on Reactor Safeguards. 87/11/10. ZECH,L.W. *Commissioners. 2pp. 43448:327-43448:328.*

8711250153 Transcript of 871118 meeting re thermal hydraulic phenomena in Washington,DC Pp 1-134.Supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/18. 146pp. 43436:144-43436.290.

8711250161 Transcript of ACRS 871117 meeting re DHR sys in Washington, DC.Pp 1-*194.Supporting documentation encl.*
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/17. 213pp. 43436.291-43439:143.

8711300019 Transcript of ACRS 871119 meeting in Washington,DC re thermal hydraulic phenomena.Pp 299-441.Supporting documentat on encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/19. 204pp. 43458:221-43459:066

8711300023 Transcript of ACRS 871118 meeting in Washington,DC re thermal hydraulic phenomena.Pp 135-298 Supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/18. 216pp. 43458:001-43456.220.

ADVCM NRC ADVISORY COMMITTEE

8711040094 *Forwards draft minutes of 871015-16 meeting of High Level Waste Licens-*ing Support Sys Advisory Committee,attendees list & presentation matl.Next meeting *will be held on 871118-20 in Denver,CO.W/o encl minutes*
BELLMAN,H. Conservation Foundation. 87/10/27. High Level Waste Licensing Sup*port System Advisory Committee. 91pp. 43280:145-43280.235.*

COMMISSION NRC COMMISSIONERS

8710020063 Forwards GAO rept, "Nuclear Regulation Efforts to Ensure Nuclear Power *Plant Safety Can be Strengthened." Rept raises serious questions as to whether NRC* has adequately pursued important criteria & enforced existing safety regulations.
D'AMATO,A M. Senate. 87/09/22. ZECH,L.W. Commissioners. 4pp. 43448:321-43448:324.

8710230006 Responds to recipient 870818 ltr requesting prevention of plant restart until previously identified mgt,reactor safety & emergency planning concerns satisfactorily addressed. Resolution of emergency planning issues required by FEMA.
ZECH,L.W. Commissioners. 87/10/09. BARRY,C.V. Massachusetts, Commonwealth of. 3pp. 43460:293-43460.299.

--8710230013 *Urges Commission action validating findings of FEMA rept, "Self-Initiated* Review & Interim Finding." Rept concludes util offsite plans inadequate to protect *public health & safety.Public hearing prior to plant restart also requested.*
BARRY,C.V. Massachusetts, Commonwealth of. 87/08/18. ZECH,L. Commissioners. *4pp. 43460.296-43460.299.*

8711020060 *Responds to 871023 ltr re emergency planning rule & Congressional ltrs* received on morning of NRC 871022 meeting.Commission stands by 871021 ltr that process could hardly have been more open for addressing issue.
ZECH,L.W. Commissioners. 87/10/27. MARKEY,E J., ATKINS,C.G., MRAZEK,R J. House of Rep. 6pp. 43463:298-43463.313.

8711020133 Weekly info rept for wk ending 871023.
REHM,T.A. Ofc of the Executive Director for Operations. 87/10/28 35pp. 43239:164-43239:198.

8711050151 Informs that NRC study of Ofc of Investigations briefing paper on TVA will be conducted under sole direction of JM Taylor,*Deputy Executive Director for Region*al Operations.
STELLO,V. Ofc of the Executive Director for Operations. 87/10/30. ZECH, ROBERTS, BERNTHAL Commissioners. 1p. 43299:277-43299:277.

8711090066 Weekly info rept for wk ending 871030.
REHM,T.A Ofc of the Executive Director for Operations 87/11/04. 29pp. 43316:255-43316:283.

8711100377 Requests that Zech provide all memoranda,telephone logs & notes re communication w/other agencies & outside agencies re proposed emergency planning rule between 871013 & 29.
MOYNIHAN,D.P. Senate. 52FR6980. 87/10/29. ZECH Commissioners. 1p. 43343:321-43343:321.

8711130264 Weekly info rept for wk ending 871106.
REHM,T.A. Ofc of the Executive Director for Operations. 87/11/10. 34pp. 43360:137-*43360.170.*

8711200084 *Forwards NRC quarterly status rept for Third Quarter CY87, per House* Rept 87-850 Regulatory delays in rept not impacted by schedules for resolving offsite *emergency preparedness issues w/exception of Seabrook & Shoreham.*
ZECH,L.W. Commissioners. 87/11/13. BEVILL,T. House of Rep., Appropriations. 19pp. 43463:273-43463:291.

8711240269 Forwards comments on recommendations re nuclear safety policy questions adopted by task force during Natl Governors Assoc 79th annual meeting on 870728-28.NRC favors close & cooperative working relationship w/state govt.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. SUNUNU,J.H. New Hampshire, State of. MOORE,A.A. West Virginia, State of. 6pp. 43446:090-43446:095.

8711250018 *Provides info re NRC estimates for emergency response data sys stated* during 871001 testimony.NRC executed contract w/ El Intl,Inc for implementation & maint.
ZECH,L.W. Commissioners. 87/10/27. SHARP,P. House of Rep., Energy & Com*merce. 1p. 43448:317-43448:317.*

8711250030 Weekly info rept for wk ending 871113.
REHM,T.A. Ofc of the Executive Director for Operations. 87/11/19. 31pp. 43449:009-43449:039.

8711250070 Advises that NRC will respond to 870922 questions re GAO rept "Nuclear Regulation & Efforts to Ensure Nuclear Power Plant Safety Can Be Strengthened," in rept that will be submitted to Congress by 871113.
ZECH,L.W. Commissioners. 87/10/09. D'AMATO,A.M. Senate. 2pp. 43448:319-43448:320.

8711250107 Responds to 870831 ltr re security at national & local level at facilities NRC concluded that no substantial health & safety issues exists that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 5pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711250120 Responds to request for NRC comments on H.R.1654 & H.R.2726, bills proposing Administrative Law Judges Corps Act. Commission concerned w/potential effect act will have on ASLB & NRC use of judges.
ZECH,L.W. Commissioners. 87/10/15. RODINO,P.W. House of Rep., Judiciary. 3pp. 43461:222-43461:224.

8711250147 Informs of nomination of KE Perkins,TA Murley & N Zuber for 1987 Congressional Excellence Award Dedication & Initiative exhibited by Perkins,Murley & Zuber make outstanding candidates for award.Nominating statements encl.
CARR,K.M. Commissioners. 87/10/30. MORELLA,C.A. House of Rep. 4pp. 43461:260-43461:263.

8711250265 Responds to 871014 ltr re concerns for adequacy of notification of plant events to town of Hinsdale,NH. Response to Board of Selectmen for town of Hinsdale encl.
STELLO,V. Ofc of the Executive Director for Operations. 87/11/19. GREGG,J. House of Rep. 2pp. 43463:004-43463:012.

--8711250270 Forwards Town of Hinsdale,NH Board of Selectmen 870921 ltr re concerns over continued communication problems concerning notification of plant events.
GREGG,J. House of Rep. 87/10/14. ZECH,L.W. Commissioners. 1p. 43463:010-43463:012.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

8711020053 Notification of contract execution,Mod 5,to "ELKON/TRAC."
Contractor:Energy,Inc.
EDGEWORTH,P. Contract Administration Branch. FIN D-1661. NRC-04-86-112. 87/10/28. FOREHAND,W. Program Management, Policy Development & Analysis Staff (Post 870413). ANDETTE,R. NRC - No Detailed Affiliation Given. 1p. 43241:001-43241:003.

--8711020056 Mod 5,extending period of performance to 871130,to "ELKON/ TRAC."
MASINGTON,D.K. Energy, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1661. NRC-04-86-112. 87/10/28. 2pp. 43241:002-43241:003.

8711020055 Notification of contract execution,Mod 7,to "Teleprocessing Svcs Support."
Contractor:DOJ,Justice Computer Svc,Computer Technology & Telecommunications Staff.
KNOX,E. Contract Administration Branch. NRC-33-86-265. 87/10/28. MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). DIEHL,D. NRC - No Detailed Affiliation Given. 1p. 43240:130-43240:132.

--8711020065 Mod 7,extending period of performance through 871230 & increasing interagency agreement amount,to "Teleprocessing Svcs Support."
GUGLIELMO,F.A. Justice, Dept. of. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-33-86-265. 87/10/28. 2pp. 43240:131-43240:132.

8711020110 Corrected notification of contract execution,Mod 5,to "Technical Support Svcs for Data Telecommunication Equipment" Contractor,SBA Subcontractor:Pallen-Johnson Assoc,Inc.
VELEZ,P. Contract Administration Branch. FIN D-1869. NRC-10-85-283. 87/10/23. EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post 870413). BROWNELL,B. NRC - No Detailed Affiliation Given. 1p. 43239:360-43239:360.

8711020134 Notification of contract execution,Mod 5,to "Teleprocessing Svcs Support."
Contractor:DOJ.
KNOX,E. Contract Administration Branch. FIN D-1376. NRC-33-86-265. 87/09/24. MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). DIEHL,D. NRC - No Detailed Affiliation Given. 1p. 43239:199-43239:200.

--8711020145 Mod 5,deobligating funds,to "Teleprocessing Svcs Support."
GUGLIELMO,F.A. Justice, Dept. of. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1376. NRC-33-86-265. 87/09/24. 1p. 43239:200-43239:200.

8711020191 Notification of contract execution,Mod 8,to "Program to Support Operator Licensing Activities." Contractor: Sonalysts,Inc.
BELL,S. Contract Administration Branch. FIN D-1332. NRC-03-86-054. 87/10/28. BAJWA,S.S Planning, Program & Management Support Branch (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 43239:356-43239:357.

--8711020196 Mod 8,increasing amount obligated under contract,to "Program to Support Operator Licensing Activities."
* Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1332. *NRC-03-86-054. 87/10/28. 1p 43239:357-43239:357.*

8711020244 Corrected notification of contract execution,Mod 4,to "Technical Support Svcs for Data Telecommunication Equipment." Contractor:SBA Subcontractor:Pallen-Johnson Assoc,Inc.
VELEZ,P. Contract Administration Branch. FIN D-1869. NRC-10-85-283. 87/10/20. EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post 870413). BROWNELL,B. NRC - No Detailed Affiliation Given. 1p. 43239:264-43239:264.

8711020328 Notification of contract execution,Mod 6,to "Teleprocessing Svcs Support."
Contractor:DOJ,Justice Mgt Div.
KNOX,E. Contract Administration Branch. FIN D-1376. NRC-33-86-265. 87/09/24. MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). DIEHL,D. NRC - No Detailed Affiliation Given. 1p. 43239:283-43239:284.

--8711020333 Mod 6,deobligating funds,to "Teleprocessing Svcs Support."
GUGLIELMO,F.A. Justice, Dept. of. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1376. NRC-33-86-265. 87/09/24. 1p. 43239:284-43239:284.

8711030354 Notification of contract execution,Mod 1,to "Region V Data Entry Svcs"
Contractor:SBA Subcontractor:Phoenix Intl.
DORSEY,M. Contract Administration Branch. NRC-32-87-307. 87/10/29. HAMLL K. Office of Administration & Resources Management, Director (Post 870413). FRIGILLANA,E. NRC - No Detailed Affiliation Given. 1p. 43259:039-43259:040.

--8711030361 *Mod 1,providing administrative change to correct contractor address,to* "Region V Data Entry Svcs."
* Small Business Administration * Phoenix International. WIGGINS,E.J Division of Contracts (Post 870413). NRC-32-87-307. 87/10/29. 1p. 43259:040-43259:040.

8711030376 Final response to FOIA request for documents.App C document re Contract NRC-02-87-003 encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). NRC-02-87-003. 87/10/30. BAUMAN,L. Government Accountability Project. 2pp. 43259:053-43259:060.

--8711030395 Notification of contract execution,Mod 2,to "Support for Negotiated Rulemaking." Contractor:Council on Environ Quality.
LITTLE,M. Contract Administration Branch (860421-870413). FIN D-1050-7. NRC-02-87-003. 87/04/08. EVANS,J.D. Office of Nuclear Material Safety & Safeguards,Director. KALMAN,K. NRC - No Detailed Affiliation Given. 12pp. 43259:058-43259:069.

8711030397 Notification of contract execution,Mod 9,to "Review of RETRAN Computer Code & Confirmatory Licensing Calculations." Contractor:SBA Subcontractor:Intl Technical Svcs.
BAZIN,J. Contract Administration Branch. FIN D-1350. NRC-03-86-053. 87/10/29. BAJWA,S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY,C. NRC - No Detailed Affiliation Given. 1p. 43258:225-43258:226.

--8711030401 Mod 9,providing addl funding for task orders issued under Task VIII,to "Review of RETRAN Computer Code & Confirmatory Licensing Calculations."
* Small Business Administration. * International Technical Services, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1350. NRC-03-86-053. 87/10/29. 1p. 43258:226-43258:226.

8711030405 Notification of contract execution,Mod 1,to "Health Physics Technical Assistance." Contractor:Knox Consultants,Inc.
BELL,S. Contract Administration Branch. FIN D-1743. NRC-04-87-080. 87/10/29. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413) 1p. 43259:070-43259:071.

--8711030417 Mod 1,changing contractor address & increasing obligated amount by contract,to "Health Physics Technical Assistance."
* Knox Consultants, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1743. NRC-04-87-080. 87/10/29. 1p. 43259:071-43259:071.

8711040018 Notification of contract execution,Mod 35,to "Technical Assistance in Support of NRC Reactor Licensing Actions." Contractor:Science Applications Intl Corp.
FIELDS,J. Contract Administration Branch. NRC-03-82-096. 87/10/20. BAJWA,S. Planning, Program & Management Support Branch (Post 870411). WEST,K.S. NRC - No Detailed Affiliation Given. 2pp. 43260:096-43260:097.

--8711040024 Mod 35,changing project officer to KS West,to "Technical Assistance in Support of NRC Reactor Licensing Actions."
* Science Applications International Corp. (formerly Science Applications, Inc) WIGGINS,E.J. Division of Contracts (Post 870413). NRC-03-82-096. 87/10/20. 1p. 43260:097-43260:097.

8711040027 Notification of contract execution,Mod 6,to "Cognitive Modeling Behavior of Nuclear Power Plant Personnel." Contractor:Westinghouse.
HAGEY,H. Contract Administration Branch. FIN D-1167. NRC-04-85-103. 87/10/22. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413). RYAN,T.G. NRC - No Detailed Affiliation Given. 1p. 43260:098-43260:099.

--8711040032 Mod 6,correcting general & administrative rate base,to "Cognitive Modeling Behavior of Nuclear Power Plant Personnel."
NOGA,D.M. Westinghouse Electric Corp. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1167. NRC-04-85-103. 87/10/22. 1p. 43260:099-43260:099.

8711040241 Notification of contract execution: "Assess NRC Policy & Procedures for Work Performed by DOE Natl Labs," awarded to SBA Subcontractor:Irving Burton Assoc,Inc.
THOMPSON,R.D. Division of Contracts (Post 870413). NRC-39-88-229. 87/10/20. MASON,E. Policy & Program Management Staff (Post 870413). HALMAN,E.L. NRC - No Detailed Affiliation Given. 1p. 43278:128-43278:235.

--8711040255 Contract: "Assess NRC Policy & Procedures for Work Performed by DOE Natl Labs" awarded to SBA Subcontractor:Irving Burton Assoc,Inc.
* Small Business Administration. BURTON,I. Irving Burton Associates, Inc. SWAILES,M.P. Division of Contracts (Post 870413). NRC-39-88-229. 87/10/20. 107pp. 43278:129-43278:235.

8711050133 Notification of contract execution,Mod 4,to "Neotectonics Studies of Earthquake Zones in Eastern US." Contractor:Univ of South Carolina.
HUGHES,A. Contract Administration Branch. FIN B-8287. NRC-04-84-119. 87/11/03. FOREHAND,W. Office of Nuclear Regulatory Research, Director (Post 860720). ZURFLUEH,E. *NRC - No Detailed Affiliation Given. 1p. 43301:161-43301:162.*

--8711050134 Mod 4,deobligating excess funds remaining in contract while closeout process continues for "Neotectonics Studies of Earthquake Zones in Eastern US."
BECKHAM,J.S. South Carolina, Univ. of, Columbia, SC. BELL,S.A. Division of Contracts (Post 870413). FIN B-8287. NRC-04-84-119. 87/11/03. 1p. 43301:162-43301:162.

8711060131 Notification of contract execution,Mod 8,to "Stochastic Analysis of Solute Transport in Unsaturated Soils." Contractor:Massachusetts Inst of Technology,Ofc of Sponsored Director.
BELL,S. Contract Administration Branch. FIN B-8956. NRC-04-83-174. 87/11/02. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413). NICHOLSON,T. NRC - No Detailed Affiliation Given. 1p. 43309:339-43309:341.

--8711060145 Mod 8,extending period of performance of contract under Article II & correcting amounts shown under Article III,to "Stochastic Analysis of Solute Transport in Unsaturated Soils."
CULLITON,J.J. Massachusetts Institute of Technology, Cambridge, MA. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-8956. NRC-04-83-174. 87/10/15. 2pp. 43309:340-43309:341.

8711060176 Notification of contract execution,Mod 2,to "Investigation of Quaternary Displacement on Washita Valley Fault in Murray County,OK." Contractor:Univ of Arkansas.
EDGEWORTH,P. Contract Administration Branch. FIN G-1101. NRC-04-87-110. 87/11/05. ARLOTTO,G.A. Division of Engineering (Post 870413). MCMULLEN,R. NRC - No Detailed Affiliation Given. 1p. 43309:346-43309:347.

--8711060199 Mod 2,changing project officer to R McMullen,to "Investigation of Quaternary Displacement on Washita Valley Fault in Murray County,OK."
* Arkansas, Univ. of, Fayetteville, AR. WIGGINS,E.J. Division of Contracts (Post 870413). FIN G-1101. NRC-04-87-110. 87/11/03. 1p. 43309:347-43309:347.

8711060162 Notification of contract execution,Mod 5,to "Technical Assistance for Design Insp Svcs." Contractor:Westec Svcs, Inc.
BAZIN,J.P. Contract Administration Branch. FIN B-8762. NRC-05-86-165. 87/11/05. BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411). BERKSON,H. NRC - No Detailed Affiliation Given. 1p. 43310:324-43310:326.

--8711060189 Mod 5,providing incremental funds,changing Project Officer to H Berkson & correcting typos,to "Technical Assistance for Design Insp Svcs."
* Westec Services, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-8762. NRC-05-86-165. 87/11/05. 2pp. 43310:325-43310:326.

8711060220 Notification of contract execution,Mod 13 to, "Technical Assistance Assessment of Repository Siting & Design." Contractor:US Bureau of Mines.
LITTLE,M. Division of Contracts (Post 870413). FIN B-6934-5. NRC-02-80-075. 87/11/05. TEN EYCK,E.L. Program Management, Policy Development & Analysis Staff (Post 870413). TIKTINSKY,D. NRC - No Detailed Affiliation Given. 1p. 43310:014-43310:015.

--8711060284 Mod 13,extending period of performance completion date,to "Technical Assistance Assessment of Repository Siting & Design."
WHITTLETON,T.R. Interior, Dept. of, Bureau of Mines. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-6934-5. NRC-02-80-075. 87/11/05. 1p. 43310:015-43310:015.

8711090007 Notification of contract execution,Mod 4,to "Assessment & Application of Thermal-Hydraulic Phenomena for Severe Accident Decisions." Contractor:Univ of California.
FIELDS,J. Contract Administration Branch. NRC-04-87-396. 87/11/05. SHERON,B. Division of Reactor & Plant Systems (Post 870413). ELTAWILA,F. NRC - No Detailed Affiliation Given. 1p. 43316:249-43316:250.

--8711090014 Mod 4,designating new project officer,to "Assessment & Application of Thermal-Hydraulic Phenomena for Severe Accident Decisions."
* California, Univ. of, Santa Barbara, CA. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-04-87-396. 87/11/05. 1p. 43316:250-43316:250.

8711090021 Notification of contract execution,Mod 1,to "Ergonomic Chairs For Consolidation Into White Flint One & Two." Contractor:Harter Corp.
PAGE,M. Contract Administration Branch. FIN B-2462. NRC-10-87-212. 87/11/05. MONTGOMERY,J.M. Ofc of Consolidation (Post 870413). ISELIN,R.E. NRC - No Detailed Affiliation Given. 1p. 43323:356-43323:357.

--8711090030 Mod 1,adding incremental funding,to "Ergonomic Chairs for Consolidation Into White Flint One & Two."
* Harter Corp. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-2462. NRC-10-87-212. 87/11/05. 1p. 43323:357-43323:357.

8711090034 Notification of contract execution,Mod 2,to "Operating Reactor Plant Specific Reviews." Contractor:SBA. Subcontractor:Viking Sys Intl.
FIELDS,J.A. Contract Administration Branch. FIN D-1762. NRC-03-87-028. 87/11/05. *BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411).* POSLUSNY,C. NRC - No Detailed Affiliation Given. 1p. 43323:358-43323:359.

--8711090050 Mod 2,correcting typo on Mod 1 & providing Incremental funding,to "Operating Reactor Plant Specific Reviews."
* Small Business Administration. * Viking Systems International. WIGGINS,E.J. *Division of Contracts (Post 870413). FIN D-1782. NRC-03-87-028. 87/11/05. 1p. 43323:359-43323:359.*

8711090041 Notification of contract execution,Mod 10,to "ADP Sys Development." Contractor:Sys Automation Corp.
BELL,S. Contract Administration Branch. FIN B-8166. NRC-33-87-224. 87/11/04. *EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post* 870413). SCATTOLINI,L. NRC - No Detailed Affiliation Given. 1p. 43316:251-43316:252.

--8711090048 Mod 10,providing incremental funding,to "ADP Sys Development."
* System Automation Corp. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-8166. NRC-33-87-224. 87/11/04. 1p. 43316:252-43316:252.

8711090055 Notification of contract execution,Mod 10,to "Sys Engineering Expertise." Contractor:MITRE Corp.
FIELDS,J.A. NRC - No Detailed Affiliation Given. NRC-04-84-399. 87/10/26. GUSTAVE,R.P. Program Management, Policy Development & Analysis Staff (Post 870413). *CLEARY,D. NRC - No Detailed Affiliation Given. 1p. 43324:005-43324:006.*

--8711090059 Mod 10,changing NRC project officer to D Cleary,to "Sys Engineering Expertise."
* Mitre Corp. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-04-84-399. 87/10/26. 1p. 43324:006-43324:006.

8711090057 Notification of contract execution,Mod 10,to "Nemaha Ridge Seismic Research Program " Contractor:Univ of Oklahoma.
HAGEY,H. Contract Administration Branch. *FIN B-8136. NRC-04-82-006. 87/11/05.* ARLOTTO,G.A. Division of Engineering (Post 870413). ZURFLUEH,E.G. NRC - No Detailed Affiliation Given. 1p. 43324:007-43324:008.

--8711090065 Mod 10,changing project officer,to "Nemaha Ridge Seismic Research Program."
* Oklahoma, Univ. of, Norman, OK. WIGGINS,E. Division of Contracts (Post 870413). FIN B-8136. NRC-04-82-006. 87/11/05. 1p. 43324:008-43324:008.

8711090099 Notification of contract execution,Mod 27,to "Reactor Effluent & Environ Radioactivity Stds." Contractor:NBS.
KNOX,E. Contract Administration Branch. *FIN B-5118. NRC-05-72-100. 87/09/28.* BAJWA,S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY,C. NRC - No Detailed Affiliation Given. 1p. 43316:021-43316:023.

--8711090103 Mod 27,correcting total amount of funding to date & changing NRC contacts,to "Reactor Effluent & Environ Radioactivity Stds."
MCGUFFIN,J.C. Commerce, Dept. of, National Bureau of Standards. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-5118. NRC-05-72-100. 87/09/28. 2pp. 43316:022-43316:023.

8711090235 Notification of contract execution,Mod 2,to "Water Hammer Due to Check Valve Failure." Contractor:MIT.
DORSEY,M. Contract Administration Branch. NRC-04-87-112. 87/11/05. SHERON,B.W. Division of Reactor & Plant Systems (Post 870413). ZUBER,N. NRC - No Detailed Affiliation Given. 1p. 43324:047-43324:048.

--8711090249 Mod 2,designating new project officer,to "Water Hammer Due to Check Valve Failure."
** Massachusetts Institute of Technology, Cambridge, MA. WIGGINS,E.J. Division of* Contracts (Post 870413). NRC-04-87-112. 87/11/05. 1p. 43324:048-43324:048.

8711160039 Notification of contract execution,Mod 2,to "Data Entry/ Processing FBI Cards Criminal History Rule." Contractor: Kenrob & Assoc,Inc.
VITALE,P. Contract Administration Branch. FIN D-1433. NRC-33-87-225. 87/11/05. *BRADY,R. Division of Security (Post 870413). BRADSHAW,B. NRC - No Detailed Affiliation Given. 1p. 43361:357-43361:360.*

--8711160046 Mod 2,modifying Section H.11 re security background investigations,to "Data Entry/Processing FBI Cards Criminal History Rule."
SWAILES,M.P. Small Business Administration. ROBINSON,K.W. Kenrob & Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 870413) FIN D-1433. NRC-33-87-225. 87/11/05. 3pp. 43361:358-43361:360.

8711160050 Notification of contract execution,Mod 13, to "Technical Assistance for Facilities Requiring Special Assistance." Contractor:Parameter,Inc.
MEEHAN,B. Contract Administration Branch. FIN D-2102. NRC-05-86-156. 87/11/05. AXELRAD,J.A. Ofc of Special Projects. CORLEY,D. NRC - No Detailed Affiliation Given. 1p. 43362:162-43362:163.

--8711160056 Mod 13,increasing funds,to "Technical Assistance for Facilities Requiring Special Assistance."
* Parameter, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-2102. NRC-05-86-156. 87/11/05. 1p. 43362:163-43362:163.

8711160051 Notification of contract execution,Mod 7,to "Thermal Mixing." Contractor:Univ of California,Santa Barbara.
EDGEWORTH,P.J. Contract Administration Branch. NRC-04-86-111. 87/11/05. SHERON,B.W. Division of Reactor & Plant Systems (Post 870413). TOVMASSIAN,H NRC - No Detailed Affiliation Given. 1p. 43362:171-43362:172.

--8711160052 Mod 7,changing project officer to H Tovmassian,to "Thermal Mixing."
* California, Univ. of, Santa Barbara, CA. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-04-86-111. 87/11/05. 1p. 43362:172-43362:172.

8711160053 Notification of contract execution,Mod 3,to "Technical Assistance In Development of Engineering Criteria & Requirements for Alternative Near-Surface Methods for...." Contractor: USAE Waterways Experiment Station.
LITTLE,M. Contract Administration Branch. FIN D-1071-7. NRC-02-87-006. 87/11/03. FUNCHES,J.L. Program Management, Policy Development & Analysis Staff (Post 870413). KANE,J. NRC - No Detailed Affiliation Given. 1p. 43362:001-43362:002.

--8711160066 Mod 3,providing incremental funding,to "Technical Assistance In Development of Engineering Criteria & Requirements for Alternative Near-Surface Methods for Disposal of Low-Level Radwaste."
* Army, Dept. of, Army Engineer Waterways Experiment Station. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1071-7. NRC-02-87-006. 87/11/03. 1p. 43362:002-43362:002.

8711160244 Notification of contract execution,Mod 7,to "Technical Assistance In Hydrogeology - Project B - Analysis." Contractor:Nuclear Waste Consultants,Inc.
WIGGINS,E.J. Contract Administration Branch. NRC-02-85-009. 87/11/03. SURMEIR,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). POHLE,J. NRC - No Detailed Affiliation Given. 1p. 43370:146-43370:148.

--8711160249 Mod 7,extending period of performance for one addl month at no addl cost,to "Nuclear Waste Consultants,Inc."
LOGSDON,M.J. Nuclear Waste Consultants, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-02-85-009. 87/10/27. 2pp. 43370:147-43370:148.

8711160269 Notification of contract execution,Mod 16,to "Review & Evaluation of Comanche Peak Program Plan." Contractor: Teledyne Engineering Svcs.
HAGEY,H. Contract Administration Branch. FIN D-1338. NRC-03-85-067. 87/11/05. *GRIMES,C.I. Ofc of Special Projects. LYONS,J. NRC - No Detailed Affiliation Given.* 1p. 43370:092-43370:094.

--8711160264 Mod 16,adding incremental funds,to "Review & Evaluation of Comanche Peak Program Plan."
* Teledyne Engineering Services. WIGGINS,E.J. Division of Contracts (Post 870413). *FIN D-1338. NRC-03-85-067. 87/11/05.* 2pp. *43370:093-43370:094.*

8711160296 Notification of contract execution,Mod 6,to "Technical Assistance In Hydrogeology - Part A - Testing." Contractor: Williams & Assoc,Inc.
LITTLE,M. Contract Administration Branch. NRC-02-85-008. 87/11/03. SURMEIR,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). POHLE,J. *NRC - No Detailed Affiliation Given. 1p. 43370:015-43370:017.*

--8711160298 Mod 6,providing no cost extension to 871130,to "Technical Assistance In Hydrogeology - Part A - Testing."
WILLIAMS,R.E. Williams & Associates. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-02-85-008. 87/11/03. 2pp. 43370:016-43370:017.

8711160303 Notification of contract execution: "Welding Technology & Codes Course," awarded to American Welding Inst
UMBEL,D. Contract Negotiation Branch-2. FIN B-8789. NRC-26-88-317. 87/11/10.
SPESSARD,R.L. Division of Operational Assessment (Post 870413). ANDERSON,R L.
NRC - No Detailed Affiliation Given. 1p. 43369:349-43370:013.

--8711160305 Contract: "Welding Technology & Codes Course," awarded to American Welding Inst.
VANDERVELDT,H. American Welding Institute. THOMPSON,R.D. Division of Contracts (Post 870413). FIN B-8789. NRC-26-88-317. 87/11/10. 24pp. 43369:350-43370:013.

8711170084 Notification of cooperative agreement,Mod 1,to "Maint & Operation of LPDR," Contractor:Washington Univ.
NIEMEYER,E. Contract Negotiation Branch-1. NRC-39-88-171. 87/11/05.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 1p. 43408:179-43408:199.

--8711170087 Mod 1,changing cooperative agreement number from NRC-10-88-171 to NRC-39-88-171,to "Maint & Operation of LPDR."
* Washington Univ., St. Louis, MO. NIEMEYER,E. Division of Contracts (Post 870413).
NRC-39-88-171. 87/11/05. 1p. 43374:360-43374:360.

--8711200312 Notification of cooperative agreement: "Maint & Operation of LPDR," awarded to Washington Univ - Olin Library.
NIEMEYER,E. Contract Negotiation Branch-1. NRC-39-88-171. 87/11/05.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). SOUDER,J. NRC - No Detailed Affiliation Given. 1p. 43408:180-43408:181.

--8711200318 Notice of cooperative agreement: "Maint & Operation of LPDR," awarded to Washington Univ,Olin library.
POLMAR,S.K. Washington Univ., St. Louis, MO. NIEMEYER,E. NRC - No Detailed Affiliation Given. NRC-10-88-171. 87/11/02. 18pp. 43408:182-43408:199.

8711170203 Notification of contract execution,Mod 8,to "Commercial Facilities Mgt of One White Flint North." Contractor:Parsons Brinckerhoff Maint Svcs,Inc.
PAGE,M. Contract Administration Branch. FIN B-1400. NRC-10-87-171. 87/11/06.
MATTIA,M.J. Division of Facilities & Operations Support (Post 870413). FISHER,L.
NRC - No Detailed Affiliation Given. 1p. 43385:278-43385:283.

--8711170211 Mod 8,extending contract term until 881106 & revising prices for basic monthly svcs,to "Commercial Facilities Mgt of One White Flint North."
NOAL,R. Parsons Brinckerhoff Maintenance Services, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-1400. NRC-10-87-171. 87/11/06. 5pp. 43385:279-43385:283.

8711180023 Notification of contract execution. "On-Call Maint for US NRC Microcomputers & Related Equipment," awarded to Automation Mgt Consultants,Inc.
DEMARCO,D. Contract Negotiation Branch-2. FIN B-8174. NRC-39-88-170. 87/10/30.
EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post 870413). OLIVER,D. NRC - No Detailed Affiliation Given. 1p. 43389:016-43389:075.

--8711180033 Contract: "On-Call Maint for US NRC Microcomputers & Related Equipment," awarded to Automation Mgt Consultants,Inc.
POSTELLE,P.N. Automatic Management Consultants, Inc. THOMPSON,R.D. Division of Contracts (Post 870413). FIN B-8174. NRC-39-88-170. 87/10/30. 58pp. 43389:017-43389:075.

8711180074 Notification of contract execution,Mod 9,to "Program to Support Operator Licensing Activities." Contractor: Sonalysts,Inc.
BELL,S. Contract Administration Branch. FIN D-1332. NRC-03-86-054. 87/11/17.
BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411).
PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 43389:079-43389:081.

--8711180080 Mod 9,revising indirect rates,to "Program to Support Operator Licensing Activities."
* Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1332.
NRC-03-86-054. 87/11/17. 2pp. 43389:080-43389:081.

8711180075 Notification of contract execution,Mod 13,to "Operation & Maint of NRC Document Control Sys." Contractor:SBA. Subcontractor:Technassociates,Inc.
PAGE,M. Contract Administration Branch. NRC-10-86-251. 87/11/02. MAGEE,W.A.
Division of Information Support Services (Post 870413). COLLINS,M.D. NRC - No Detailed Affiliation Given. 1p. 43389:082-43389:085.

--8711180079 Mod 13,changing project officer to MD Collins & performance evaluation board membership,to "Operation & Maint of NRC Document Control Sys."
SWAILES,M.P. Small Business Administration. MOWERY,E.C. Technassociates, Inc.
WIGGINS,E.J. Division of Contracts (Post 870413). NRC-10-86-251. 87/11/02. 3pp.
43389:083-43389:085.

8711180077 Notification of contract execution,Mod 14,to "Operation & Maint of NRC Document Control Sys." Contractor:SBA. Subcontractor:Technassociates,Inc.
PAGE,M. Contract Administration Branch. NRC-10-86-251. 87/11/17. MAGEE,W.A.
Division of Information Support Services (Post 870413). SKOCZLAS,J. NRC - No Detailed Affiliation Given. 1p. 43389:086-43389:087.

--8711180081 Mod 14,raising limit on overtime premium costs,to "Operation & Maint of NRC Document Control Sys."
* Small Business Administration. * Technassociates, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-10-86-251. 87/11/17. 1p. 43389:087-43389:087.

8711180097 Notification of contract execution,Mod 12,to "Long-Term Performance of Matls Used for High Level Waste Packaging." Contractor:BMI.
BELL,S. Contract Administration Branch. NRC-04-82-015. 87/11/17. GUSTAVE,R.
Program Management, Policy Development & Analysis Staff (Post 870413). KIM,K.
NRC - No Detailed Affiliation Given. 1p. 43389:099-43389:101.

--8711180098 Mod 12,extending period of performance to 871002 at no addl cost,to "Long-Term Performance of Matls Used for High Level Waste Packaging."
SEWELL,H.M. Battelle Memorial Institute, Columbus Laboratories. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-04-82-015. 87/11/17. 2pp. 43389:100-43389:101.

8711180102 Notification of contract execution,Mod 14,to "Automated Data Processing Sys Maint." Contractor:SBA Subcontractor: Technassociates,Inc.
LITTLE,M. Contract Administration Branch. FIN D-1391. NRC-33-86-266. 87/11/16.
EYSYMONTT,G.P. Office of Administration & Resources Management, Director (Post 870413). BURTON,J. NRC - No Detailed Affiliation Given. 1p. 43394:313-43394:314.

--8711180104 Mod 14,providing incremental funding,to "Automated Data Processing Sys Maint."
* Small Business Administration. * Technassociates, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1391. NRC-33-86-266. 87/11/16. 1p. 43394:314-43394:314.

8711180126 Notification of contract execution,Mod 4,to "Integrated Library Sys." Contractor:On-Line Computer Sys,Inc.
VELEZ,P. Contract Administration Branch. NRC-33-86-268. 87/11/17.
EYSYMONTT,G. Division of Computer & Telecommunications Services (Post 870413)
REDMOND,J. NRC - No Detailed Affiliation Given. 1p. 43389:092-43389:094.

--8711180130 Mod 4,modifying completion date for acquisition sys & key personnel,to "Integrated Library Sys."
LYNN,D.L. ONLINE Computer Systems, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-33-86-268. 87/11/17. 2pp. 43389:093-43389:094.

8711190002 Notification of contract execution,Mod 14,to "Technical Assistance for Facilities Requiring Special Assistance." Contractor:Parameter,Inc.
MEEHAN,B. Contract Administration Branch. FIN D-2102. NRC-05-86-156. 87/11/17.
AXELRAD,J.A. Ofc of Special Projects. CORLEY,D. NRC - No Detailed Affiliation Given. 1p. 43395:042-43395:043.

--8711190006 Mod 14,increasing funds,to "Technical Assistance for Facilities Requiring Special Assistance."
* Parameter, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-2102.
NRC-05-86-156. 87/11/17. 1p. 43395:043-43395:043.

8711190244 Notification of contract execution,Mod 1,to "Maint & Operation of LPDR." Contractor:Florida Intl Univ.
HOYLE,A. Contract Negotiation Branch-2. NRC-10-87-426. 87/09/22
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 1p. 43404:289-43404:290.

--8711190247 Mod 1,deleting Cooperative Agreement Number NRC-10-87-462 & inserting NRC-10-87-426,to "Maint & Operation of LPDR."
* Florida International Univ., Miami, FL. HOYLE,A. Division of Contracts (Post 870413). NRC-10-87-426. 87/09/22. 1p. 43404:290-43404:290.

8711200356 Notification of contract execution,Mod 6,to "Demountable Wall Sys for NRC Consolidation." Contractor:Transwall Corp.
PAGE,M. Contract Administration Branch. NRC-10-87-203. 87/11/19.
MONTGOMERY,J.M. Ofc of Consolidation (Post 870413). ISELIN,R. NRC - No Detailed Affiliation Given. 1p. 43416:324-43416:327.

--8711200364 Mod 6,adding item to pricelist for Bldg 1,revising completion schedule & changing invoice procedures to include retainage for punchlist repairs,to "Demountable Wall Sys for NRC Consolidation."
AIKENS,H.H. Transwall Corp. WIGGINS,E.J. Division of Contracts (Post 870413).
NRC-10-87-203. 87/11/19. 3pp. 43416:325-43416:327.

8711230029 Notification of contract execution,Mod 4,to "Long-Range Plan for PDR Branch." Contractor:JA Lipkin,Inc.
KNOX,E. Contract Administration Branch. NRC-17-87-157. 87/11/18. CHILK,S.J.
Office of the Secretary of the Commission. SHELBURNE,E. NRC - No Detailed Affiliation Given. 1p. 43416:127-43416:128.

--8711230032 Mod 4,extending period of performance until 871123 & revising schedule of deliverable to, "Long-Range Plan for PDR Branch."
* Joel A. Lipkin, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-17-87-157. 87/11/18. 1p. 43416:128-43416:128.

8711230059 Notification of grant execution,Mod 10,to "Thermal-Hydraulic Transients Behavior of Coolant in Simulated Reactor-Coop." Grantee:Univ of Maryland.
BELL,S. Contract Administration Branch. FIN G-1043. NRC-G-04-82-013. 87/11/10.
FOREHAND,W. Office of Nuclear Regulatory Research, Director (Post 860720).
SCOTT,H. NRC - No Detailed Affiliation Given. 1p. 43416:193-43416:194.

--8711230068 Mod 10,extending grant period from 870930 through 880531,to "Thermal-Hydraulic Transients Behavior of Coolant in Simulated Reactor-Coop."
MEDINA,V. Maryland, Univ. of, College Park, MD. WIGGINS,E.J. Contract Administration Branch. FIN G-1043. NRC-G-04-82-013. 87/11/19. 1p. 43416:194-43416:194.

8711230103 Notification of contract execution,Mod 2,to "Region V Data Entry Svcs." Contractor:Phoenix Intl.
DORSEY,M. Contract Administration Branch. FIN B-8891. NRC-32-87-307. 87/11/18.
HAMILL,K., FRIGILLANA,E. NRC - No Detailed Affiliation Given. 1p. 43425:345-43425:347.

--8711230110 Mod 2,deobligating funds from amount obligated under contract & correcting accounting & appropriation data,to "Region V Data Entry Svcs."
* Small Business Administration. * Phoenix International. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-8891. NRC-32-87-307. 87/11/18. 2pp. 43425:346-43425:347.

8711230104 Notification of contract execution,Mod 2,to "Ergonomic Chairs for Consolidation Into White Flint One & Two." Contractor:Harter Corp.
PAGE,M. Contract Administration Branch. FIN B-2462. NRC-10-87-212. 87/11/18.
MONTGOMERY,J.M. Ofc of Consolidation (Post 870413). ISELIN,R.E. NRC - No Detailed Affiliation Given. 1p. 43416:215-43416:216.

--8711230112 Mod 2,adding incremental funding to, "Ergonomic Chairs for Consolidation Into White Flint One & Two."
* Harter Corp. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-2462. NRC-10-87-212. 87/11/18. 1p. 43416:216-43416:216.

8711230216 Notification of grant execution,Mod 11,to "Thermal-Hydraulic Transients Behavior of Coolant in Simulated Reactor-Coop." Grantee:Univ of Maryland.
BELL,S. Contract Administration Branch. FIN G-1043. NRC-G-04-82-013. 87/11/16.
FOREHAND,W. Office of Nuclear Regulatory Research, Director (Post 860720).
SCOTT,H. NRC - No Detailed Affiliation Given. 1p. 43426:004-43426:005.

--8711230234 Mod 11,correcting mod number of previous mod,to "Thermal- Hydraulic Transients Behavior of Coolant in Simulated Reactor-Coop."
* Maryland, Univ. of, College Park, MD. WIGGINS,E.J. Division of Contracts (Post 870413). FIN G-1043. NRC-G-04-82-013. 87/11/18. 1p. 43426:005-43426:005.

BELL,S. Contract Administration Branch. NRC-33-86-291. 87/11/05. EYSYMONTT,G. Division of Computer & Telecommunications Services (Post 870413). MCCLENDON,H. NRC - No Detailed Affiliation Given. 1p. 43425:318-43425:319.

--8711230282 Mod 9,extending period of performance to 871130,to "Conversion & Implementation of Contract Preparation Sys."
COOPER,R.A. CRC Systems, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1428. NRC-33-86-291. 87/11/05. 1p. 43425:319-43425:319.

8711230349 Notification of contract execution,Mod 1,to "Survey of State & Tribal Emergency Response Capabilities for Radiological Transportation Incidents." Contractor:Indiana Univ Foundation
FLYNN,M.J. Contract Negotiation Branch-1. FIN D-1054-7. NRC-02-87-001. 87/11/19. TEN EYCK,E.O. Program Management, Policy Development & Analysis Staff (Post 870413) GORDON,L. NRC - No Detailed Affiliation Given. 1p. 43426:050-43426:051.

--8711230370 Mod 1,correcting error in duration of contract period to indicate Sept 1987 - Feb 1988,to "Survey of State & Tribal Emergency Response Capabilities for Radiological Transportation Incidents."
FARQUHAR,W.E. Indiana Univ. Foundation, Indianapolis, IN. HAGAN,T.F. Division of Contracts (Post 870413). FIN D-1054-7. NRC-02-87-001. 87/11/19. 1p. 43426:051-43426:051.

8711230393 Notification of contract execution, "Fabrication & Installation of Conference Table & Four Video Cabinets in Commissioners Hearing Room,White Flint North," awarded to Production House,Inc.
MCLEAREN,T. Division of Contracts (Post 870413). FIN B-2461. NRC-39-88-232. 87/11/18. MONTGOMERY,J. Ofc of Consolidation (Post 870413). PLEASANT,E. NRC - No Detailed Affiliation Given. 1p. 43448:239-43448:307.

--8711230398 Contract: "Fabrication & Installation of Conference Table & Four Video Cabinets in Commissioners Hearing Room,White Flint North," awarded to Production House,Inc.W/four oversize drawings.
* Production House, Inc. HAGAN,T.F. Division of Contracts (Post 870413). FIN B-2461. NRC-39-88-232. 87/11/18. 61pp. 43448:240-43448:307.

8711240259 Notification of contract execution,Mod 1,to "On-line Plant Analyzer Utilization in Control Room for Surveillance of Plant Safety." Contractor:Dynatrek,Inc.
BRENNAN,P.A. Contract Administration Branch. FIN D-1652. NRC-04-85-139. 87/11/20. SHERON,B.W. Division of Reactor & Plant Systems (Post 870413). TOVMASSIAN,H. NRC - No Detailed Affiliation Given. 1p. 43446:087-43446:089.

--8711240267 Mod 1,extending period of performance w/o addl cost,to "On- Line Plant Analyzer Utilization in Control Room for Surveillance of Plant Safety."
FABIC,S. Dynatrek, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1652. NRC-04-85-139. 87/11/20. 2pp. 43446:088-43446:089.

8711240280 Notification of contract execution,Mod 7,to "Telecommunications Network Analysis" Contractor:CRC Sys, Inc.
LITTLE,M. Contract Administration Branch. FIN D-1869. NRC-10-86-246. 87/11/18. EYSYMONTT,G. Division of Computer & Telecommunications Services (Post 870413). WOODALL,K. NRC - No Detailed Affiliation Given. 1p. 43446:108-43446:110.

--8711240291 Mod 7,increasing funds,to "Telecommunications Network Analysis."
COOPER,R.A. CRC Systems, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1869. NRC-10-86-246. 87/11/18. 2pp. 43446:109-43446:110.

8711250034 Notification of contract execution,Mod 6,to "ADP Info Technology Support Ctr." Contractor:Network Solutions,Inc.
PAGE,M. Contract Administration Branch. NRC-33-86-289. 87/11/05. MAGEE,W.A. Division of Information Support Services (Post 870413). VAN DUSER,K. NRC - No Detailed Affiliation Given. 1p. 43463:314-43463:316.

--8711250036 Mod 6,terminating contract w/no cost settlement to "ADP Info Technology Support Ctr."
EVANS,R.L. Network Solutions, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-33-86-289. 87/11/05. 2pp. 43463:315-43463:316.

8711250056 Notification of contract execution,Mod 28,to "Reactor Effluent & Environ Radioactivity Stds." Contractor:NBS.
KNOX,E. Contract Administration Branch. FIN B-5118. NRC-05-72-100. 87/11/18. BAJWA,S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY,C. NRC - No Detailed Affiliation Given. 1p. 43449:084-43449:089.

--8711250064 Mod 28,providing FY88 work & extending period of performance to 880930,to "Reactor Effluent & Environ Radioactivity Stds."
MCGUFFIN,J.C. Commerce, Dept. of, National Bureau of Standards. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-5118. NRC-05-72-100. 87/11/18. 5pp. 43449:085-43449:089.

8711250256 Notification of contract execution,Mod 9,to "Commercial Facilities Mgt of One White Flint North." Contractor: Parsons Brinckerhoff Maint Svcs,Inc.
PAGE,M. Contract Administration Branch. FIN D-2316. NRC-10-87-171. 87/11/18. MATTIA,M.J. Division of Facilities & Operations Support (Post 870413). FISHER,L. NRC - No Detailed Affiliation Given. 1p. 43463:001-43463:003.

--8711250264 Mod 9,correcting errors made on prior Mod 8 & adding incremental funding,to "Commercial Facilities Mgt of One White Flint North."
* Parsons Brinckerhoff Maintenance Services, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-2316. NRC-10-87-171. 87/11/18. 2pp. 43463:002-43463:003.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

8710050208 Final response to FOIA request for documents.App I documents available in PDR.App F & H documents being made available in PDR & forwarded.Portion of App H document & all of App G documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/30. RUBINTON,D.S. Government Accountability Project. 7pp. 43464:095-43464:120.

--8512110164 Statement of policy on confidentiality.Identity of confidential source will be divulged outside NRC to min extent possible.
CHILK,S.J. Office of the Secretary of the Commission. 85/11/19. 19pp. 43464:102-43464:120.

SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:307-43240:308.

8711020003 Partial response to FOIA request for documentation re restart & util response to Confirmatory Action Ltr 86-10. App A documents available in PDR.App A Documents 1-13 also available in LPDR
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43240:309-43240:310.

8711020039 Partial response to FOIA request App M document re proposed AO rept on Univ of Cincinnati encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. GORDON,J. Public Citizen's Critical Mass Energy Project. 2pp. 43240:350-43240:357.

--8711020071 Forwards proposed AO rept on 840904 misadministration of radiopharm I-125 radiation source,implanted in patient for treatment of brain tumor,leaked Bioassay showed deposition of 557 uCi of I-125 in thyroid.
XEPPLER,J.G. Region 3, Ofc of the Director. 86/12/12. KELTEMES,C.J. Office for Analysis & Evaluation of Operational Data. Director. 4pp. 43240:354-43240:357.

8711020082 Final response to FOIA request for documents.Forwards documents listed in App B.App B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. MILLER,J.A. Kenney & Kearney. 2pp. 43240:161-43240:306.

--8711020098 "Investigation of Former Radium Processing Site."
ENG,J. New Jersey, State of. 80/12/31. 122pp. 43240:185-43240:306.

8711020118 FOIA request for records documenting util responses to IE Compliance Bulletin 86-001.
SORGI,D. Massachusetts, Commonwealth of. IEB-86-001. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:064-43240:065.

8711020127 Final response to FOIA request for records.App A & B records available in PDR & App B records encl
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/27. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43240:066-43240:070.

--8711020128 Informs that all applicable GE BWR facilities in Region I have appropriately responded to IE Bulletin 86-001, "Min Flow Logic Problems That Could Disable RHR Pumps."
EBNETER,S.D. Region 1, Ofc of the Director. IEB-86-001. 86/10/07. JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413) 2pp. 43240:069-43240:070.

8711020167 Partial response to FOIA request for documents,including notice of establishment of advisory committee to negotiate proposed rule re mgt of records.App C document already available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. BAUMAN,L. Government Accountability Project. 2pp. 43239:201-43239:205.

8711020230 FOIA request for all records re degradation of svc water piping at plant
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:001-43240:002.

8711020237 Partial response to FOIA request re degradation of svc water piping at plant Documents listed in App A available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43240:003-43240:004.

8711020297 Final response to FOIA request for documents.App B documents encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. FELTON,J.M. Nuclear Licensing Reports. 3pp. 43238:247-43238:258.

--8711020308 Package of undated draft speech outline,speech outline fill data,speech notes & statistical case data.
HAYES,B.B. Office of Investigations. 87/10/28. 8pp. 43238:250-43238:258.

8711030030 FOIA request for rulemaking package on use of terms "important to safety" & "safety-related" as set forth in SECY-86-164.
GORMAN,K.L. Affiliation Not Assigned. 87/08/20. Division of Rules & Records (Post 870413). 1p. 43263:310-43263:310.

8711030040 Final response to FOIA request for SECY-86-164, "Proposed Rule on Important-to-Safety Issue." App A document completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. GORMAN,K.L. Affiliation Not Assigned. 3pp. 43263:311-43263:313.

8711030060 FOIA request for records re facility,including documents pertaining to 870629,0701 & 07 meeting between util & Region III.
KEEGAN,M.J. Safe Energy Coalition of Michigan. 87/07/07. NRC - No Detailed Affiliation Given. 1p. 43264:297-43264:297.

8711030066 Final response to FOIA request for records App A & B documents available in PDR.App A documents encl.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. KEEGAN,M. Safe Energy Coalition of Michigan. 3pp. 43264:298-43264:311.

--8711030072 Submits daily staff notes for 870626 Staff will meet w/util on 870629 & independent oversight committee to review current status of facility & readiness to exceed current 50% power restriction.
STRASMA,J. Region 3, Ofc of the Director. 87/06/26. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:301-43264:303.

--8711030075 Submits daily staff notes for 870629.Regional administrator & representatives from EDO & NRR will meet w/util to review facility performance to assess util request for approval to operate at Test Condition 3.
STRASMA,J. Region 3, Ofc of the Director. 87/06/29. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:304-43264:306.

gation & corrective actions re unplanned reactor trip.
GREENMAN,E.G. Region 3, Ofc of the Director. 87/07/06 SYLVIA,B.R. Detroit Edison Co. 1p. 43264:307-43264:307.

8711030084 Submits daily staff notes On 870707,AB Davis & staff met w/util to discuss results of licensee investigation into unplanned mode change from cold to hot shutdown on 870626 & proposed corrective actions.
MARABITO,R. Region 3, Ofc of the Director. 87/07/07. REHM,T.A. Ofc of the Executive Director for Operations. 3pp. 43264:308-43264:310.

8711030089 Submits daily staff notes for 870709 Licensee presented results of investigations & proposed corrective action re 870626 unplanned heatup event resulting in operating mode change from cold to hot shutdown on 870707 in Chicago,IL.
STELLO,V. Ofc of the Executive Director for Operations. 87/07/10. ZECH, ROBERTS, BERNTHAL Commissioners. 1p. 43264:311-43264:311.

8711030079 FOIA request for documents generated in connection w/Stello 870121 memo establishing Comanche Peak rept review group, notes of Stello meeting w/involved individuals & region-wide training program & guidance plan.
BAUMAN,L. Government Accountability Project. 87/09/01. NRC - No Detailed Affiliation Given. 2pp. 43263:322-43263:323.

8711030088 Partial response to FOIA request re plant App A records available in PDR App B records encl & in PDR.App C documents completely withheld (ref FOIA Exemption 5).App D documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 10pp. 43263:324-43264:048.

8711030130 Advises of specific regional actions in response to Ofc of Inspector & Auditor rept.Listed activities conducted re training of supervisors & staff.Policy guides encl.W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director. 87/04/14. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 43263:334-43263:336.

8711030141 Discusses training to employees identified as result of Comanche Peak investigative rept.Conduct of training by JW Rode recommended.
LEAGUE,K.E. Region 4, Ofc of the Director. 87/08/07. MARTIN,R.D. Region 4, Ofc of the Director. 4pp. 43263:337-43263:340.

8711030156 Requests recipient assistance in arranging for five listed courses,especially conflict resolution,to be made available to Region IV personnel.Need for training identified in Ofc of Inspector & Auditor rept.Regional ofc policy guides encl.
POWERS,D.A. Region 4, Ofc of the Director. 87/08/31. FOSTER,W.H. Region 4, Ofc of the Director. 45pp. 43263:341-43264:025.

8711030159 Partially withheld memo re interim followup actions taken to reach final resolution to issues treated in Ofc of Inspector & Auditor Rept File 86-10.Format for preparation of statements discussed.
MARTIN,R.D. Region 4, Ofc of the Director. 86/12/31. PHILLIPS,H.S. NRC - No Detailed Affiliation Given. 4pp. 43264:037-43264:040.

8711030274 Forwards listed policy guides on training issues.Addl training policy guides will be forwarded upon completion.W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director. 87/05/28. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 9pp. 43264:026-43264:034.

8711030281 Discusses actions planned re rept of Comanche Peak rept review group.Review will be used to establish actions which will improve Region IV operations.
MARTIN,R.D. Region 4, Ofc of the Director. 87/08/26. TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 2pp. 43264:035-43264:036.

8711030489 Describes nature & content of communications training contracted to offer employees.
RODE,J.W. Affiliation Not Assigned. 87/10/29. LEAGUE,K. Region 4, Ofc of the Director. 8pp. 43264:041-43264:048.

8711030126 FOIA request for records re NRC hiring of H Bellman of Madison,WI,to facilitate & mediate procedural rules of licensing procedure process as neutral party.
BAUMAN,L. Government Accountability Project. 87/09/24. NRC - No Detailed Affiliation Given. 3pp. 43262:227-43262:229.

8711030133 Partial response to FOIA request for records re HS Bellman. Forwards App A document.Document also available in PDR.App B documents totally withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 4pp. 43262:230-43262:237.

8711030135 Resume of HS Bellman.
BELLMAN,H.S. Affiliation Not Assigned. 87/10/29. 4pp. 43262:234-43262:237.

8711030166 Final response to FOIA request for documents,including V Stello 870414 memo re Comanche Peak Rept Review Group.Encl App B documents also in PDR.App B & C documents partially & completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 5pp. 43259:320-43259:350.

8711030175 Partially deleted memo discussing implementation of recommendations of Comanche Peak Rept Review Group re investigation Rept 86-10,addressing allegations of Region IV mgt wrongdoing re insp activities.
STELLO,V. Ofc of the Executive Director for Operations. 87/04/14. ZECH Commissioners. 25pp. 43259:326-43259:350.

8711030167 Partial response to FOIA request.App B documents,re steam line failure at Detroit Edison Monroe plant,encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SEPE,L.K. Haight, Dickson, Brown & Bonesteel. 2pp. 43262:238-43262:243.

8711030200 Trip rept of 850212 visit to Detroit Edison Monroe power plant re steam line failure.Brevity of time between detectable leak & rupture undermines assumptions re slow leak-before-break in steam lines.
SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 85/02/13. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 43262:242-43262:243.

8711030226 FOIA request for SECY-86-164 re definition of importance to safety & safety-related.
JOHNSON,M. NUS Corp. CD-LIS-87-623. 87/09/08. Division of Rules & Records (Post 870413). 1p. 43262:223-43262:223.

GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. JOHNSON,M. NUS Corp. 3pp. 43262:224-43262:226.

8711030233 FOIA request for SECY-87-146 & SECY-86-164 to be placed in PDR.
CONNOR,L. Doc-Search Associates. 87/10/20. Division of Rules & Records (Post 870413). 1p. 43262:218-43262:218.

8711030236 Partial response to FOIA request for records App A document, consisting of SECY-86-164, "Proposed Rule on Important-to-Safety Issues" withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. CONNOR,L. Doc-Search Associates. 3pp. 43262:220-43262:222.

8711030299 FOIA request for SECY-81-576.
PHILLIPS,J.L. J.L. Phillips Investigative Services. 87/10/28. Office of Administration & Resources Management, Director (Post 870413). 1p. 43258:299-43258:299.

8711030300 FOIA request for documents re commitments made by util to NRC concerning improvements to plant hardware or procedures, per fire protection requirements of 10CFR50,App R.
SORGI,D. Massachusetts, Commonwealth of. 87/00/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43262:115-43262:116.

8711030304 Partial response to FOIA request for documents re plant fire protection.Forwards App B documents.Apps A & B documents also available in PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43262:117-43262:131.

8711030309 Discusses NRC Fire Protection Insp 86-36 on 861020-24, including degraded fire barriers,fire sys,medical exams on fire brigade members,quarterly drills/training & records.W/ 870429 "Fire Protection Documentation Index."
ZIEMIANSKI,E. Boston Edison Co. 86/10/29. OXSEN,A.L., BROSEE,N., LUTTON Boston Edison Co. 12pp. 43262:120-43262:131.

8711030306 Final response to FOIA request for SECY-81-576.Rept available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. PHILLIPS,J. J.L. Phillips Investigative Services. 1p. 43258:300-43258:300.

8711030315 FOIA request for Ofc of Investigations & Ofc of Inspector & Auditor repts re UCS request for NRC investigation whether GPU made mail false statements concerning environ qualification of safety equipment at facility.
WEISS,E.R. Union of Concerned Scientists. 87/10/15. NRC - No Detailed Affiliation Given. 1p. 43258:301-43258:301.

8711030322 Partial response to FOIA request for documents.App A documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). IEIN-70-01. 87/10/30. WEISS,E.R. Union of Concerned Scientists. 2pp. 43258:302-43258:303.

8711030332 FOIA request for summary of Exxon Nuclear Fuel Co fuel performance for 1985,GN Ward 860716 ltr,AE Scherer 860801 ltr re C-E CY85 fuel performance & B&W 1985 fuel performance rept.
CONNOR,L. Doc-Search Associates. 87/10/12. Division of Rules & Records (Post 870413). 1p. 43258:338-43258:338.

8711030339 Partial response to FOIA request.Forwards documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. CONNOR,L. Doc-Search Associates. 2pp. 43258:339-43259:021.

-8608060190 Forwards performance info for C-E supplied nuclear fuel for CY85 on plant-by-plant basis,per NRC 860618 request.Info includes number of fuel assemblies & fuel rods irradiated &/or discharged & batch average burnups.
SCHERER,A.E. Combustion Engineering, Inc. LD-86-034. 86/08/01. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:347-43258:352.

-8711030352 Forwards summary of Exxon Nuclear fuel performance through Dec 1985 per 860619 request.
WARD,G.N. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc). GNW.083.86. 86/07/16. BERLINGER,C.H. Reactor Systems Branch (PWR-A). 6pp. 43258:341-43258:346.

-8711030384 "B&W 1985 Fuel Performance Rept."
MITCHELL,D.B., NEWMAN,L.W., WAMPLER,T.N. Babcock & Wilcox Co 86/00/30. 28pp. 43258:353-43259:021.

8711030376 Final response to FOIA request for documents.App C document re Contract NRC-02-87-003 encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). NRC-02-87-003. 87/10/30. BAUMAN,L. Government Accountability Project. 2pp. 43259:053-43259:069.

-8711030395 Notification of contract execution,Mod 2,to "Support for Negotiated Rule-making." Contractor:Council on Environ Quality.
LITTLE,M. Contract Administration Branch (860421-870413). FIN D-1056-7. NRC-02-87-003. 87/04/08. EVANS,J.D. Office of Nuclear Material Safety & Safeguards,Director. KALMAN,K. NRC - No Detailed Affiliation Given. 12pp. 43259:058-43259:069.

8711030392 Partial response to FOIA request for documents re Confirmatory Action Ltr 86-10.Forwards App C documents.App B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). CAL-86-10. 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 4pp. 43256:202-43258:136.

-8711030457 Provides addl info re Confirmatory Action Ltr 86-10 as committed in util 860829 response ltr.Revised safety evaluation clarifying intent & assumptions re controlled leak path in RHR sys encl.
LYDON,J.M. Boston Edison Co. CAL-86-10. 86/09/17. STROSNIDER,J. Region 1, Ofc of the Director. 8pp. 43256:206-43258:136.

8711030461 FOIA request for documents re NRC/util meeting in Nov 1986 concerning plant.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43260:247-43260:248.

8711030467 Partial response to FOIA request for documents re plant. Forwards App B documents.App A & B documents available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43280:249-43280:277.

--8711030474 Summarizes status of staffing improvements in nuclear operations dept Related info encl.
BIRD,R.G. Boston Edison Co. 87-041. 87/03/01. MURLEY,T.E. Region 1, Ofc of the Director. 16pp. 43280:252-43280:267.

--8711030483 Provides status of backlog reduction Actions taken over recent months to reduce work backlog listed Related info encl.
BIRD,R.G. Boston Edison Co. 87-042. 87/03/01. MURLEY,T.E. Region 1, Ofc of the Director. 10pp. 43280:268-43280:277.

8711030492 Responds to appeal re denial of FOIA request for documents concerning IE Notice 85-097.Portion of document will continue to be withheld (ref FOIA Exemption 6).
STELLO,V. Ofc of the Executive Director for Operations. IEIN-85-097. 87/11/02. BAUMAN,L. Government Accountability Project. 1p. 43256:214-43256:214.

8711030493 *Partial response to FOIA request for documents re analog trip sys.App B* documents encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43262:244-43262:334.

--8711040035 Package consisting of Rev 0 to Safety Evaluation SE-1806 re analog trip sys for reactor protection sys & ECCS at plant, App C,Rev 0 to PDC-84-70, "Analog Trip Sys for Reactor Protection Sys & ECCS at Pilgrim Station" & 870917 ofc memo
* Boston Edison Co 85/03/29. 87pp. 43262:248-43262:334.

8711030506 Appeals denial of FOIA request for Commission to release documents requested on 860318 by GAP App N document should be released.
BAUMAN,L. Government Accountability Project. 87/10/06. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43256:215-43256:222.

8711040034 Appeals denial of FOIA request for items listed in App K.
BAUMAN,L. Government Accountability Project. 87/09/23. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43280:100-43280:100.

8711040036 FOIA request for documents re bid abstract that resulted from 870605 Solicitation RS-ASB-87-342.
REDHOLZ,R. Neal R. Gross & Co., Inc. 87/10/23. FLEENOR,C. Division of Contracts (Post 870413). 1p. 43280:112-43280:112.

8711040042 Final response to FOIA request for documents.Forwards App A documents Documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. REDHOLZ,R. Neal R. Gross & Co., Inc. 2pp. 43280:113-43280:127.

--8711040045 Package of abstract of offers from Solicitation RS-ASB-87-342 in response to FOIA request.
FLEENOR,C.M. Division of Contracts (Post 870413). 87/08/07. 13pp. 43280:115-43280:127.

8711040054 Responds to appeal re FOIA request for documents concerning IE Info Notice 85-097.Documents listed in encl app will continue to be withheld (ref FOIA Exemption 6).
STELLO,V. Ofc of the Executive Director for Operations. IEIN-85-097. 87/11/02. BAUMAN,L. Government Accountability Project. 2pp. 43280:101-43280:102.

8711040143 Appeals denial of FOIA request for items listed in encl App E & F.
RUSSELL,L.R. Turley, W., PC. 87/08/19. MARTIN,R.D. Region 4, Ofc of the Director. MARTIN,R.D. Ofc of the Executive Director for Operations. 1p. 43278:242-43278:250.

8711040151 Responds to 870819 appeal re denial of FOIA request for documents re Kerr-McGee Sequoyah & Gore facilities.Records listed on encl App E & F will continue to be partially & totally withheld (ref FOIA Exemptions 6 & 4,respectively).
STELLO,V. Division of Rules & Records (Post 870413). 87/11/02. RUSSELL,L.R. Turley, W., PC. 4pp. 43278:251-43278:254.

8711040159 *Forwards 830418 rept of allegation re Pullman-Higgins technician* allegedly signing off on NDE work in turbine bldg not actually done Allegation history & poor performance by Pullman-Higgins discussed.
CERNE,A. Region 1, Ofc of the Director. 83/04/18. GALLO,R. Region 1, Ofc of the Director. 1p. 43280:103-43280:111.

--8711040183 Rept of allegation re J Padovano,Pullman-Higgins technician, signing off on NDE work in turbine bldg not actually done.
CERNE,A.C. Region 1, Ofc of the Director. 83/04/18. 1p. 43280:104-43280:111.

8711040239 FOIA request for documents & all records generated in connection w/all NRC insps or investigations on allegations raised by L Penzes from 1983 to present re San Onofre seismic design.
BAUMAN,L. Government Accountability Project. 87/07/09. NRC - No Detailed Affiliation Given. 3pp. 43279:067-43279:069.

8711040263 FOIA request for plant PRA & related documentation.
SHOLLY,S.C. MHB Technical Associates. 87/10/15. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43278:044-43278:045.

8711040265 Responds to appeal re denial of FOIA request for documents concerning individual allegations from 1983 to present re San Onofre seismic design.Three documents withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 2pp. 43279:065-43279:066.

8711040274 Appeals denial of FOIA request for documents re info provided by Dept of Labor to NRC.No response received since 870814 form ltr ack receipt of request.
BAUMAN,L. Government Accountability Project. 87/10/20. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43278:268-43278:268.

8711040275 Appeals denial of FOIA request for documents requested on 870709.Response to appeal expected within 20 working days of receipt.
BAUMAN,L. Government Accountability Project. 87/09/28. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43279:064-43279:064.

8711040276 Partial response to FOIA request for documents re Dept of Labor decision & final order in Atchison vs Brown & Root case.Forwards App D documents App D documents placed in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. BAUMAN,L. Government Accountability Project. 3pp. 43281:011-43281:017.

--8711040308 Forwards Secretary of Labor decision & final order in Atchison Section 210 case.W/o encl.
BROWN,W.L. Region 4, Ofc of the Director. 83/06/15. LIEBERMAN,J. Office of the Executive Legal Director (Pre 860701). 1p. 43281:014-43281:014

--8711040311 Forwards ALJ recommended decision re Atchison vs Brown & Root.Decision is supplemental to Secretary of Labor decision in same case which author sent 10 days earlier.
BROWN,W.L. Region 4, Ofc of the Director. 83/06/28. LIEBERMAN,J. Office of the Executive Legal Director (Pre 860701). 1p. 43281:015-43281:017.

8711040284 Final response to FOIA request for plant PRA.Forwards App A document.App A document also placed in PDR.Util has not filed PRA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/02. SHOLLY,S.C. MHB Technical Associates. 1p. 43278:046-43278:054

--8711040299 Forwards current integrated schedule for PRA activities at plant.All activities for Contract XT60000054 completed & no longer shown on schedule.Next status rept will be provided by 870410
EMERSON,F.A. Carolina Power & Light Co. GL-87-02. 87/03/19. HELME,R.E. Carolina Power & Light Co. 7pp. 43278:048-43278:054

8711040289 Final response to appeal of denial of FOIA request for documents.Records subj to request referred to another federal agency for review & direct response.No further action being taken on 871020 appeal.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. BAUMAN,L. Government Accountability Project. 1p. 43278:269-43278:269.

8711040294 Partial response to FOIA request re documents.Forwards Apps A & B documents.App A documents available in PDR.App B documents withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/09/24. BAUMAN,L. Government Accountability Project. 4pp. 43279:070-43279:073.

8711040298 FOIA request for documents provided by Dept of Labor to NRC re C Jones & any & all other Dept of Labor complaints from plant from May 1985 to present.
BAUMAN,L. Government Accountability Project. 87/08/06. NRC - No Detailed Affiliation Given. 2pp. 43278:270-43278:271.

8711040344 Responds to appeal re denial of FOIA request for documents re Ofc of Investigations Investigation 4-84-050.Forwards portions of transmittal memo listed on app.Remaining documents continue to be withheld (ref FOIA Exemptions 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/03. BAUMAN,L. Government Accountability Project. 3pp. 43278:255-43278:267.

--8711040351 Partially deleted memo forwarding draft proposed enforcement action re harassment & intimidation at plant for comment by 860225.
VOLLMER,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 86/02/19. MARTIN,R.D. Region 4, Ofc of the Director. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). CUNNINGHAM,G.H. Office of the Executive Legal Director (Pre 860701). 1p. 43278:259-43278:267.

8711040380 Final response to FOIA request for documents re SECY-86-229 subj on AOs.App N records withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. GORDON,J. Public Citizen's Critical Mass Energy Project. 4pp. 43279:330-43279:335

8711060139 *Final response to FOIA request for documents including J Philips 821018* memo re delegation of authority.Encl App C & D documents & App F documents in PDR.App C & F documents partially & totally withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/20. CONDIT,R.E. Government Accountability Project. 6pp. 43310:279-43310:321.

--8411090394 SECY-84-417 Recommends that Commission delegate authority to *Director of Ofc of Investigations to issue subpoenas during course of investigations.*
DIRCKS,W.J. Ofc of the Executive Director for Operations. 84/10/26. 3pp. 43310:307-43310:312.

--8711060149 Partially withheld memo forwarding final rule on delegation of subpoena authority to EDO.W/o encl.
PHILIPS,J. Division of Rules & Records (Pre 870413). 82/10/18. ABRAMS,N.E. Office *of the Executive Legal Director (Pre 860701)* 1p. 43310:287-43310:306.

--8711060181 Advises that Ofc of Investigations (OI) delegated authority to issue subpoenas under Section 161c of Atomic Energy Act of 1954.OI should perform listed actions prior to issuance of subpoena.
PALLADINO,N.J. Commissioners. 85/01/11. HAYES,B.B. Office of Investigations. 1p. 43310:313-43310:313.

--8711060202 Draft Commission paper amending functions of Ofc of Investigations (OI) in Subpart B of 10CFR1.Commission delegated authority to OI to issue subpoenas on 850111. Related info encl.
HAYES,B.B. Office of Investigations. 87/10/29. 6pp. 43310:314-43310:321.

8711060187 FOIA request for documents NRC Proposals NRC-26-87-416, NRC-26-87-*417 & NRC-26-87-418 requested.*
RAZDAN,K.B. Techknow, Inc. NRC-26-87-416. 87/09/22. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 1p. 43310:021-43310:021.

8711060203 Partial response to FOIA request for documents re technical/ mgt proposals.Forwards App A documents.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. RAZDAN,K.B. *Techknow, Inc. 2pp. 43310:022-43310:051.*

--8711060291 Package consisting of partially withheld Technical/Mgt Proposal RS-OIE-87-120, "Specialized Technical Training in BWR Training" & RS-OIE-87-125, "Specialized Technical Training in PWR Training."
* Resource Technical Services, Inc. 87/03/19. 28pp. 43310:024-43310:051.

8711060300 Partial response to FOIA request.Documents listed in App A available in PDR & also maintained in LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43311:003-43311:004.

8711090028 FOIA request for documents re formation of Allegation Review Committee (ARC) & findings of 870625 & 0715 ARC meetings
BAUMAN,L. Government Accountability Project. 87/09/24. NRC - No Detailed Affiliation Given. 2pp. 43323:299-43323:300.

8711090036 Final response to FOIA request.App A documents re mgt of allegations already available in PDR.App B document encl & available in PDR.App C documents completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.R. Division of Rules & Records (Post 870413). 87/10/29. BAUMAN,L. Government Accountability Project. 6pp. 43323:301-43323:310.

-8706220086 Informs of establishment of Allegation Review Committee charged w/reviewing all new allegations & setting forth course of action for evaluation,follow-up & final disposition.
GRIMES,C.I. Ofc of Special Projects. 87/06/15. Ofc of Special Projects. 2pp. 43323:307-43323:310.

8711090047 Partial response to FOIA request for documents,including PNO-I-86-028 re event at plant.Forwards App E documents.App D & E documents also available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43315:234-43315:243.

-8711090149 Package of handwritten excerpts from NRC Headquarters Operations Officer log re leakage past two isolation valves.Reportable Event Numbers 04186 & 04198.
* NRC - No Detailed Affiliation Given. 86/04/12. 5pp. 43315:239-43315:243.

8711090069 FOIA request for documents re insp ref in encl JB Martin 831201 ltr & BNL work as consultant to NRC re plant.
HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 87/09/14. NRC - No Detailed Affiliation Given. 4pp. 43323:291-43323:295.

-8711090073 Advises that NRC employees listed in encl will need unescorted access badges for all areas of facility for special insp during 831128-1210.Employees should be provided addl training in emergency response & security.W/o encl.
MARTIN,J.B. Region 5, Ofc of the Director. 83/12/01. SCHUYLER,J.O. Pacific Gas & Electric Co. 1p. 43323:295-43323:295.

8711090080 Final response to FOIA request for documents.App A documents available in PDR.No records located re Item 1 of request.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. HAMILN,J.B. Shaw, Pittman, Potts & Trowbridge. 3pp. 43323:296-43323:298.

8711090085 Appeals denial of FOIA request dtd 870910.
BAUMAN,L. Government Accountability Project. 87/09/16. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43323:280-43323:280.

8711090089 Response to appeal of denial of FOIA request for documents re Insp Rept 50-455/87-07 & 50-446/87-08.Documents listed in encl app will continue to be withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/04. BAUMAN,L. Government Accountability Project. 3pp. 43323:281-43323:290.

8711100454 Appeals denial of FOIA request for documents.
BAUMAN,L. Government Accountability Project. 87/10/15. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43342:286-43342:286.

8711100458 Responds to appeal re denial of FOIA request for document listed in encl app.Appeal denied due to document being draft & predecisional in nature.Document withheld (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations. 87/11/06. BAUMAN,L. Government Accountability Project. 2pp. 43342:287-43342:288.

8711100469 Final response to FOIA request for documents re Tech Specs for each operating reactor.Requested info contained in operating reactor license stage files for each reactor available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. SILBERG,J. Shaw, Pittman, Potts & Trowbridge. 1p. 43342:299-43342:299.

8711100491 FOIA request for figure included in Tech Specs for each operating nuclear power reactor which shows licensee offsite organization & relationship to onsite organization.
SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. 87/10/06. NRC - No Detailed Affiliation Given. 1p. 43342:300-43342:300.

8711110011 Ninth partial response to FOIA request for records,including notes of interview of K McMahon.Forwards App K documents. App K & L documents partially & completely withheld (ref FOIA Exemptions 6 & 7,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. DIXON, DEVINE Government Accountability Project. 4pp. 43346:138-43346:198.

--8711110017 Forwards partially withheld info documenting Wagner efforts in support of Allegation 99 re Bostrom-Bergen/Meddco Metals.
CANTER,H. Region 5, Ofc of the Director. 84/07/06. SHACKELTON,O. Office of Investigations. 33pp. 43346:143-43346:175.

--8711110029 Partially withheld comments re Bostrom-Bergen allegations made in 840118 ltr to JB Martin of NRC.Marked-up partially withheld 831213 sworn statement by GW Dossey & partially withheld 831227 interview of K McMahon also encl.
SHACKLETON,O.C. Office of Investigations. 84/01/28. Office of Investigations. 23pp. *43346:176-43346:198.*

--8711110017 Forwards partially withheld info documenting Wagner efforts in support of Allegation 99 re Bostrom-Bergen/Meddco Metals.
CANTER,H. Region 5, Ofc of the Director. 84/07/06. SHACKELTON,O. Office of Investigations. 33pp. 43346:143-43346:175.

8711110039 FOIA request for records on summary of 870902-04 audit re implementation of piping generic technical issue resolutions.
BAUMAN,L. Government Accountability Project. 87/10/07. NRC - No Detailed Affiliation Given. 2pp. 43347:058-43347:059.

8711110049 Partial response to FOIA request for documents re implementation of piping generic technical issue resolution.Forwards documents listed in App A.App documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. BAUMAN, Government Accountability Project. 2pp. 43347:060-43347:298.

--8711110102 Rev 1 to CT-1-137-702-S25R, "Pipe Support Calculation." Supporting documentation encl.
PATEL,P.C. Stone & Webster, Inc. 86/10/31. 94pp. 43347:062-43347:155.

--8711110114 Rev 1 to CT-1-137-701-S25R, "Pipe Support Calculation."
MATTA,G., DALAL,N.K. Stone & Webster, Inc. 87/02/19. 66pp. 43347:156-43347:220.

--8711110132 Rev 1 to Calculation CT-1-032, "Texas Util Generating Co Comanche Peak Steam Electric Station Containment Spray Sys 16454-NP(H)."
YADAR,R.L. Stone & Webster, Inc. 86/07/31. 79pp. 43347:221-43347:298.

8711110056 Partial response to FOIA request for documents re event at plant.Forwards documents listed in App B & C.Documents also available in PDR.App D documents partially withheld & App E records withheld (ref FOIA Exemptions 6,7 & 5,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. TAYLOR, Dallas Times Herald, Dallas, TX. 6pp. 43346:199-43347:057.

--8703200064 Discusses Ofc of Investigations Rept 4-86-005 re restart of facility.No regulatory action required.Analysis of rept will not be prepared since matter referred to DOJ.
LIEBERMAN,J. Assistant General Counsel for Enforcement. 87/02/06. DENTON, Office of Nuclear Reactor Regulation, Director (851126-870411). TAYLOR,J.M. Office of Inspection & Enforcement, Director (820201-870413). MARTIN,R. Region 4, Office of the Director. 1p. 43346:348-43346:348.

--8711110116 Requests review of any info re draft or proposed final rept identified in NUREG-1179 prior to public release.
HAYES,B.B. Office of Investigations. 86/03/11. STELLO,V. Ofc of the Executive Director for Operations. 39pp. 43346:208-43346:247.

--8711110143 Forwards draft response to recommendations made by Sequoyah independent lessons learned group.NRC plans to publish modified version of draft response as app to lessons learned group rept by Aug.
DAVIS,J.G. Office of Nuclear Material Safety & Safeguards,Director. 86/07/ STELLO,V. Ofc of the Executive Director for Operations. 66pp. 43346:248-43346:

--8711110144 Requests copies of interview statements & repts as generated re ongoing investigation of facility.
TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 86/07/ HAYES,B.B. Office of Investigations. 1p. 43346:328-43346:328.

--8711110146 Forwards index of documents referred by DH Grimsley 86 memo.Some documents being withheld per Exemptions 5 & 7A. Documents being returned.
CATER,C.W. Office of Investigations. 86/06/01. REED,C.A. NRC - No Detailed Affiliation Given. 1p. *43346:329-43346:329.*

--8711110148 Forwards errata sheet & informs that only change is deletion of "frequently" from second line of Point 4 on Page 4. Related info encl.
TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 86/05/ REHM,T. Ofc of the Executive Director for Operations. MAUSSHARDT,D.G. Office of Nuclear Material Safety & Safeguards,Director. PARLER,W.C. Commissioners. 1 43346:330-43346:341.

--8711110150 Lists documents reviewed by DOJ to determine whether or not release would interfere w/potential actions.Related info encl.
BEACH,A.B. Enforcement Staff, IE (Pre 870413). 86/10/26. *Enforcement Staff* (Pre 870413). 2pp. 43347:002-43347:003.

--8711110152 Informs that Ofc of Investigation (OI) intends to refer encl OI rept of investigation to DOJ for prosecutive consideration as discussed in referral ltr attd to rept.
HAYES,B.B. Investigation Br,Div of Fuel Facilities,Materials & Safeguards,IE (Pre 830103). 86/12/09. FITZGERALD,J. Assistant General Counsel for Adjudication Opinions. 1p.0. 43347:004-43347:004.

--8711110163 Informs that NRC will review exhibits resulting from interviews with quoyah Fuels Corp operators & supervisors. NRC also confirms 860930 telcon.
KEARNEY,M.S. NRC - No Detailed Affiliation Given. 86/09/30. HUTCHISON, Office of Investigations. 1p. 43346:342-43346:342.

--8711110164 Forwards Pages 27-32 to JC Brower testimony given on 860109 before Kerr-McGee internal investigation team.W/o encl. Related info encl.
WACKERLY,P. Kerr-McGee Corp. 86/12/09. LEWIS,D. Investigation Br,Div of Fuel Facilities,Materials & Safeguards,IE (Pre 830103). 2pp. 43347:005-43347:006.

--8711110156 Submits rept of investigation re suspected intentional violations of quoyah Fuels facility procedures,suspected falsification of required records.
HAYES,B.B. Investigation Br,Div of Fuel Facilities,Materials & Safeguards,IE (Pre 830103). 87/01/14. MARTIN,R.D. Region 4, Ofc of the Director. 3pp. 43347:009-43347:010.

--8711110157 Forwards relevant pages of pleading filed by Native Americans for Clean Environ (NACE) in facility UF6 to UF4 proceeding in which NACE requests staff produce certain documents.
RUTBERG,J. Hearing Branch 2. 86/12/22. FORTUNA,R.A. Office of Investigations BANGART,R.L. Region 4, Ofc of the Director. PARTLOW,J.G. Ofc of Inspection & Enforcement, Director (820201-870413). 2pp. 43347:011-43347:012.

--8711110158 Forwards rept of investigation for whatever action DOJ deems appropriate.
HAYES,B.B. Office of Investigations. 87/01/14. TOENSING,V. Justice, Dept of, Attorney General, Office of. 3pp. 43346:343-43346:345.

--8711110160 Native Americans for Clean Environ response to NRC Staff rept on implications of accident,request for order from presiding officer directing production of documents & addl complaints.
IKARD,J.A. Ikard, J. MLA. 86/12/22. Atomic Safety and Licensing Board Panel. 4pp 43347:013-43347:016.

--8711110181 Forwards Ofc of Investigations Rept of Investigations 4-86-005,which has been sanitized of info re individuals granted confidential status.
HAYES,B.B. Office of Investigations. 87/07/17. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 43347:017-43347:017.

--8711110162 Responds to L Robinson 870113 memo & informs that info re request withheld per Exemption 7A.
HUNT,J. Office of Investigations. 87/04/27. REED,C.A. NRC - No Detailed Affiliation Given. 2pp. 43346:346-43346:347.

--8711110163 Requests that encl Kerr-McGee Ofc of Investigations rept be transmitted to Ofc of Congressional Affairs in coordination w/completion of rept so that obligation may be met.
KAMMERER,C. Office of Congressional Affairs. 86/03/21. HAYES,B. Office of Investigations. 1p. 43347:018-43347:018.

--8711110164 Expresses confidence that NRC will respond to Congressman Markey request for NRC Ofc of Investigations draft rept into matl false statements re operation of Kerr-McGee Sequoyah facility in fashion consistent w/individuals rights.
MOORHEAD,C.J. House of Rep. 86/10/17. ZECH,L.W. Commissioners. 1p. 43346:358-43346:358.

--8711110165 Requests preparation of sanatized version of Investigation Rept 4-86-005 re Sequoyah Fuels facility.Enforcement Action EA-87-108 being developed as result of subj rept & DOJ declination to prosecute matter.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-108. 87/06/10. HAYES,B.B. Office of Investigations. 1p. 43346:359-43346:359.

--8711110166 Discusses Ofc of Investigations rept re util accident. Recognizes adverse implications that premature release of rept could have on possible civil & criminal action.
MARKEY,E.J. House of Rep. 86/10/17. ZECH,L.W. Commissioners. 1p. 43347:019-43347:057.

--8711110167 Partially withheld memo re sample of boat cover.
HERR,R.K. NRC - No Detailed Affiliation Given. 86/03/12. NRC - No Detailed Affiliation Given. 8pp. 43346:349-43346:356.

--8711110168 Requests promptest attention towards completion of rept re investigation of Kerr-McGee.Rept not completed & delivered to DOJ in early Nov as planned.Resources heavily committed in round-the-clock coverage.
STELLO,V. Ofc of the Executive Director for Operations. 86/11/24. HAYES,B. Office of Investigations. 1p. 43346:357-43346:357.

--8711110169 Forwards incomplete draft Ofc of Investigations rept, including associated exhibits re alleged matl false statements by Kerr-McGee Sequoyah Fuels Corp employees.W/o encl.
KAMMERER,C. Office of Congressional Affairs. 86/10/17. MARKEY,E.J. House of Rep., Energy & Commerce. 1p. 43347:001-43347:001.

--8711110170 Forwards Investigation Rept 4-86-005 re Kerr-Mcgee Corp Sequoyah facility.Independent review may be required.
STELLO,V. Ofc of the Executive Director for Operations. 87/01/21. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125:870411). TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 43346:360-43346:360.

--8711120040 Notice.Evidentiary hearing in Sequoyah Fuels facility proceeding will begin 870112 until 0116 if necessary.
FRYE,J.H. Atomic Safety and Licensing Appeal Panel. MLA. 87/01/02. 1p. 43347:007-43347:007.

8711110138 FOIA request for abstract of FY87 Small Business Innovation Research Phase I & Phase II selectees as well as list of Phase I proposers.Info shou'd include principal investigator,company,address,phone number & project title.
SAMET,K.S. Small Business High Technology Institute. 87/10/23. ROBINSON,L. NRC - No Detailed Affiliation Given. 1p. 43346:032-43346:032.

8711110142 Final response to FOIA request for documents,including abstracts of FY87 Small Business Innovation Research Program Phase I selectees.Forwards App A documents.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. SAMET,K.S. Small Business High Technology Institute. 2pp. 43346:033-43346:072.

--8711110145 Advises offerors that Small Business Innovation Research Program Phase II awards made under subj request for proposal for NRC.Three awards made,of ten proposals received.
THOMPSON,R.D. Contract Negotiation Branch-2. NRC-04-87-364. 87/10/22. Affiliation Not Assigned. 1p. 43346:035-43346:036.

--8711110147 Advises offeror that Small Business Innovation Research Program Phase I awards made under subj request for proposal for NRC.Of 111 proposals received,10 awards effective on 870930,made.Award info listed.Related matl encl.
THOMPSON,R.D. Contract Negotiation Branch-2. NRC-04-87-365. 87/10/19. Affiliation Not Assigned. 37pp. 43346:036-43346:072.

8711120045 Partial response to FOIA request for documents re GAO rept concerning NRC safety std & insp & enforcement effort. Forwards App C document.App C document also in PDR.App D documents withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. BAUMAN,L. Government Accountability Project. 5pp. 43346:034-43348.042.

--8711120057 Discusses draft GAO rept entitled "NRC Safety Stds & Insp & Enforcement Efforts." Not appropriate for NRC to issue press release responding to rept.Recipient issue/comment paper will be used to respond to media inquiries.
INGRAM,F. Office of Governmental & Public Affairs (Post 870413). 87/06/30. NEWBERRY,S. Ofc of the Executive Director for Operations. 1p. 43348.042-

8711120055 FOIA request for all documents between NRC & EG&G & subsidiaries,including any documented relationship w/LASL, LLL & INEL & nuclear power plants.
ATKINSON,M. Culinary Workers Union. 87/09/25. GRIMSLEY,D. NRC - No Detailed Affiliation Given. 1p. 43348:329-43348:329.

8711120065 Final response to FOIA request for documents re EG&G for FY79 & FY82-86.Forwards App A printouts.Documents listed on printouts available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. ATKINSON,M. Culinary Workers Union. 2pp. 43348.330-43348:358.

--8711120073 "FIN Listing by DOE Ofc/Contractor/NRC Ofc,FY 79 & FY82-86."
* NRC - No Detailed Affiliation Given. FIN A-0200. 87/09/23. 28pp 43348.332-43348:358

8711120080 Partial response to FOIA request for documents re facility. Forwards Apps F & G documents.Documents also in PDR.App G document partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/09. TAYLOR,J.H. Dallas Times Herald, Dallas, TX. 4pp. 43348:006-43348.017.

--8711120092 Partially deleted ltr re 860312 canvas boat cover sample. Results of direct & removable alpha surveys for U contamination listed.Sample forwarded to D Mellard for chemical analysis.W/Rev 0 to Regional Ofc Policy Guide 1503.
EVERETT,R.J. Region 4, Ofc of the Director. 86/04/15. Affiliation Not Assigned. 7pp 43348.011-43348.017.

8711130193 Final response to FOIA request for documents.No addl agency records located.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. TAYLOR,J. Dallas Times Herald, Dallas, TX. 1p. 43360.078-43360.078.

8711130214 Second appeal for response to FOIA request for documents re Rhone-Poulenc,Inc license or amend to license & regulation of radwaste coming from company Freeport,TX rare earths facility.
BUNCH,W.G. Henry & Kelley. 87/09/29. ROBINSON,L. Freedom of Information & Privacy Acts Branch. 2pp. 43360.080-43360.081.

8711130230 Appeals denial of FOIA request for documents due to lack of response.
BUNCH,W.G. Henry & Kelley. 87/06/26. ROBINSON,L. Freedom of Information & Privacy Acts Branch. 2pp. 43360.082-43360.087.

8711130286 Final response to FOIA request for documents & appeal re denial of documents re U Mill Tailings Remedial Control Act site near Falls City,TX.Forwards App A documents.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. BUNCH,W.G. Henry & Kelley. 2pp. 43360.088-43360.103.

--8711130303 Trip rept of 870604-05 visits to U Mill Tailings Remedial Control Act sites near Falls City,TX to observe characteristics of site prior to review of draft RAP & draft environ assessment/EIS.Attendees list & related info encl.
BILLIORN,S.G. Operations Branch. 87/06/30. LOHAUS,P.H. Operations Branch. 10pp. 43360.090-43360.099.

--8711130313 Discusses State of TX regulation of Conoco,Inc Conquista Project & Rhone-Poulenc Freeport facility per 870904 ltr. NRC has no jurisdiction over specific licensing & disposal activities in State of TX.W/o encls.
DENTON,H.R. Office of Governmental & Public Affairs (Post 870413). 87/09/30. GRAMM,P. Senate. 4pp. 43360.100-43360.103.

--8711130303 Trip rept of 870604-05 visits to U Mill Tailings Remedial Control Act sites near Falls City,TX to observe characteristics of site prior to review of draft RAP & draft environ assessment/EIS.Attendees list & related info encl.
BILHORN,S.G. Operations Branch. 87/06/30. LOHAUS,P.H. Operations Branch. 10pp. 43360.090-43360.099.

--8711130313 Discusses State of TX regulation of Conoco,Inc Conquista Project & Rhone-Poulenc Freeport facility,per 870904 ltr. NRC has no jurisdiction over specific licensing & disposal activities in State of TX.W/o encls.
DENTON,H.R. Office of Governmental & Public Affairs (Post 870413). 87/09/30. GRAMM,P. Senate. 4pp. 43360.100-43360.103.

8711130339 FOIA request for documents re all reactor technology memos.
CONNOR,L. Doc-Search Associates. 87/10/26. Division of Rules & Records (Post 870413). 1p. 43360.194-43360.194.

8711130351 Final response to FOIA request for documents.No agency records subj to request located.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. CONNOR,L. Doc-Search Associates. 1p. 43360:195-43360:195.

8711160001 Final response to FOIA request for documents.App B documents encl & available in PDR.No records located subj to item 1 of request.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 2pp. 43363:271-43363:334.

--8711160002 SECY-76-545 Requests Commission approval of NRR program to evaluate operating power reactors re current licensing criteria & document results of evaluation.
RUSCHE,B.C. Office of Nuclear Reactor Regulation, Director. 76/11/12. 58pp. 43363:277-43363:334.

8711160003 Final response to FOIA request.App C document re summary of 861124 meeting w/util in Plymouth,MA concerning licensee corrective action programs encl & available in PDR & LPDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43362:193-43362.322.

--8711160005 Agenda for 861124 meeting w/util to discuss operations, radiological,technical,maint & mgt svc status,containment enhancement design,organization & staffing,App R/fire protection & emergency planning.Viewgraphs encl.
* NRC - No Detailed Affiliation Given. 86/11/24. NRC - No Detailed Affiliation Given.

8711160008 Partial response to FOIA request for documents.Forwards App G records.App F & G documents available in PDR & LPDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43362:323-43363:027.

--8711160012 Viewgraphs from 860519 meeting re util response to Confirmatory Action Ltr CAL-86-10,860612 "Program for Excellence" task force rept & facility operation.
* Boston Edison Co. CAL-86-10. 86/05/19. 60pp. 43362:328-43363:027.

8711160015 FOIA request for BK Grimes 790613 memo to SE Bryan referenced in NRC Insp Manual Part 9900 technical guidance, STS Section 3.0, "Voluntary Entry Into Action Statements."
JOHNSON,M. NUS Corp. 87/10/21. Division of Rules & Records (Post 870413). 1p. 43363:040-43363:040.

8711160020 Final response to FOIA request.App A document re clarification of STS concerning ac & dc distribution encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. JOHNSON,M. NUS Corp. 2pp. 43363:041-43363:044.

--7908070039 Discusses review of STS relative to AC & DC electrical power distribution.For short time,it is safer to permit plant operations to continue rather than require initiation of shutdown transient.
GRIMES,B.K. Assistant Director for Systems Engineering (Pre 791030). 79/06/13. BRYAN,S.E. Div of Reactor Operations Inspections, IE. 2pp. 43363:043-43363:044.

8711160041 Responds to FOIA request for documents re Confirmatory Action Ltr CAL-86-10.App B documents available in PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). CAL-86-10. 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43369:334-43369:337.

8711160055 Final response to FOIA request for documents re State of NV radiation control program.Forwards App A & B documents.App A & B documents available in PDR.Rept may be obtained from SR Marshall at State of NV,Dept of Human Resources.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. MCGEHEE,F.M. Citizen Alert. 3pp. 43370:037-43370:058.

--8711160075 Forwards follwup rept & evaluation of State of NV radiation control program for 861121-870605.Findings of adequacy & compatibility to be withheld pending further improvements in program.Deficiencies found in two Category I indicators.
HORNOR,J.W. Region 5, Ofc of the Director. 87/08/27. NUSSBAUMER,D.A. NRC - No Detailed Affiliation Given. 12pp. 43370:046-43370:057.

--8711160084 Ack receipt of 870803 ltr re review of State of NV Agreement State radiation program.Plans outlined in ltr urged to be implemented as soon as possible.
KAMMERER,C. State, Local & Indian Tribe Programs. 87/09/17. GRIEPENTROG,J. Nevada, State of. 1p. 43370:058-43370:059.

8711160058 FOIA request for documents re util "Semiannual Rept on Status of Reactor Const."
BAUMAN,L. Government Accountability Project. 87/08/31. NRC - No Detailed Affiliation Given. 3pp. 43362:148-43362:150.

8711160064 Final response to FOIA request.No documents subj to request located.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. BAUMAN,L. Government Accountability Project. 1p. 43362:151-43362:151.

8711160068 FOIA request for documents re 870804 notice of violation (Insp Repts 50-445/87-07 & 50-446/87-06) & 870706 meeting presentation.
BAUMAN,L. Government Accountability Project. 87/08/24. NRC - No Detailed Affiliation Given. 2pp. 43362:152-43362:153.

8711160069 FOIA request for repts of violations noted in C Kammerer 870707 ltr to State of NV Dept of Human Resources re improvements in radiation control program.
MCGEHEE,F.M. Citizen Alert. 87/10/14. NRC - No Detailed Affiliation Given. 1p. 43370:036-43370:036.

8711160080 Final response to FOIA request.App A documents re EA-87-122 & util reply to notice of violation available in PDR.Addl documents available in file FOIA 87-429 under recipient name.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). EA-87-122. 87/11/12. BAUMAN,L. Government Accountability Project. 2pp. 43362:154-43362:155.

8711170001 FOIA request for documents on util commitments to NRC re improvements to facility hardware or procedures concerning ATWS,including original commitment,changes to commitment & when & how commitment met.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43373:253-43373:254.

8711170003 Partial response to FOIA request for documentation re ATWS rule & Generic Ltr 83-28.Forwards App B documents.Apps A & B documents available at PDR & LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). GL-83-28. 87/11/12. SORGI,D. Massachusetts, Commonwealth of. 11pp. 43373:255-43374:358.

--8711170005 Rev 1 to Procedure 3.M.1-1, "Preventive Maint."
* Boston Edison Co. 87/11/12. 2pp. 43373:266-43373:267.

--8711170006 Rev 2 to Procedure 3.M.1-1.2, "Electrical."
* Boston Edison Co. 78/09/05. 6pp. 43373:268-43373:279.

--8711170007 Rev 0 to Procedure TP 81-09, "Scram Air Header Depressurization."
* Boston Edison Co. 81/03/05. 6pp. 43373:280-43373:285.

--8711170008 Rev 0 to Temporary Procedure TP 81-13, "ATWS-ARI Auto Reset Time Delay Change Pilgrim Nuclear Power Station 1 On-Line."
* Boston Edison Co. 81/03/25. 5pp. 43373:286-43373:290.

--8711170009 Rev 3 to Procedure 3.M.3-6, "Insp & Overhaul of 480 Volt Load Ctr Breakers."
* Boston Edison Co. 81/06/05. 5pp. 43373:291-43373:295.

--8711170010 Rev 0 to Procedure 2.2.126, "ATWS."
* Boston Edison Co. 82/04/28. 4pp. 43373:296-43373:304.

--8711170020 Rev 8 to Procedure 8.M.1-29, "ATWS Functional & Trip Unit Calibr Test."
* Boston Edison Co. 83/03/17. 11pp. 43373:305-43373:315.

--8711170032 Package of documents re util actions concerning ATWS, including purchase orders,correspondence w/GE,work instructions,field rev notices & maint requests.
* Boston Edison Co. 87/11/12. 325pp. 43373:316-43374:358.

8711170038 FOIA request for License 37-23341-01 & relative mails up to & including most recent license renewal &/or amend.
O'HARA,D.P. O'Hara & Hanlon. 87/10/14. GRIMSLEY,D. Division of Rules & Records (Post 870413). 1p. 43373:071-43373:071.

8711170042 Final response to FOIA request for documents re License 37-23341-01.Forwards App A documents.App A documents available in PDR.App B documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. O'HARA,D.P. O'Hara & Hanlon. 4pp. 43373:072-43373:248.

--8410030192 Amend 1 to License 37-23341-01 for Interstate Nuclear Svc Corp,authorizing 50 g U-235 & 1 kg U-238 for collecting, laundering & decontaminating contaminated clothing & other launderable nonapparel items.
KINNEMAN,J.D. Region 1, Ofc of the Director. 84/09/13. 2pp. 26813:203-26813:257.

--8410030201 Forwards revised application for amend to License 37-23341-01,including numbered,dtd & revised pages.Fee paid.
JOHNSTONE,G.A. Interstate Nuclear Services. 02743. 84/08/03. DAVIS,J. Region 1, Ofc of the Director. 1p. 43373:097-43373:097.

--8410030207 Application for license for Interstate Nuclear Svc Corp authorizing use of 2.5 Ci of any SNM for decontamination of laundry.
JOHNSTONE,G.A. Interstate Nuclear Services. 02743. 84/08/03. 51pp. 43373:098-43373:148.

--8501090076 Amend 2 to License 37-23441-01 for Interstate Nuclear Svcs, to allow for 50 g SNM & 1 kg source matl,adding W Roschewski as alternate facility radiation safety officer & deleting MC Connelly.
DAVIS,J. Region 1, Ofc of the Director. 84/12/21. 1p. 43373:093-43373:093.

--8501090091 Application amending 841109 amend request for License 37-23441-01,adding W Roschewski as alternate facility radiation safety officer & deleting MC Connelly.Fee paid.
JOHNSTONE,G.A. Interstate Nuclear Services. 03147. 84/11/26. KINNEMAN,J Region 1, Ofc of the Director. 15pp. 43373:149-43373:163.

--8501090098 Application for amend to License 37-23441-01,to allow use of 50 g SNM & 1 kg source matl.Fee paid.
JOHNSTONE,G.A. Interstate Nuclear Services. 03147. 84/11/09. MURLEY,T.E. Region 1, Ofc of the Director. 13pp. 43373:078-43373:090.

--8508220001 Amend 3 to License 37-23341-01 for Interstate Nuclear Svcs, changing Conditions 12 & 16.
DAVIS,J. Region 1, Ofc of the Director. 85/07/02. 1p. 43373:094-43373:094.

--8508220002 Forwards Amend 3 to License 37-23341-01.
DAVIS,J. Region 1, Ofc of the Director. 03951. 85/07/02. JOHNSTONE,G.A. Interstate Nuclear Services. 2pp. 43373:091-43373:092.

--8508220003 Forwards Rev 1 to application to amend License 37-23341-01, modifying nuclear laundry control point,deleting T Nally & M Gerstner,adding V Outman & G Mensing & including current facility diagram outlining waste storage.Fee paid.
JOHNSTONE,G.A., ROSCHEWSKI,W.R. Interstate Nuclear Services. 03951. 85/06/03. KINNEMAN,J. Region 1, Ofc of the Director. 2pp. 43373:170-43373:225.

--8508220004 Rev 1 to application for amend to License 37-23341-01, authorizing use of any byproduct matl w/Atomic Numbers 1-83, SNM & source matl associated w/ contaminated laundry & decontamination waste.
JOHNSTONE,G.A. Interstate Nuclear Services. 03951. 85/06/03. 54pp. 43373:172-43373:225.

--8607300534 Amend 4 to License 37-23341-01 for Interstate Nuclear Svc Corp,amending license in entirety.
GLENN,J.E. Region 1, Ofc of the Director. 86/05/27. 2pp. 43373:095-43373:096.

--8607300545 Forwards application for amend to License 37-23341-01, authorizing possession & use of 5 mCi of any radioactive matl for calibr of instruments & substituting B Eide for B Bosco as radiation safety officer.Fee paid.
JOHNSTONE,G. Interstate Nuclear Services. 105178. 86/03/07. KINNEMAN,J. Region 1, Ofc of the Director. 2pp. 43373:226-43373:248.

--8607300549 Application for amend to License 37-23341-01,authorizing possession & use of 5 mCi of any radioactive matl for calibr of instruments & substituting B Eide for B Bosco as radiation safety officer.Fee paid.
JOHNSTONE,G.A. Interstate Nuclear Services. 105178. 86/03/07. 22pp. 43373:228-43373:248.

--8711170071 Forwards M Terpilak resume.M Terpilak employed as Health Physics Consultant to assist in training,licensing & internal audits of nuclear laundry facilities under Licenses 20-03529-01,37-15278-01,37-23341-01 & 53-13668-01.
JOHNSTONE,G.A. Interstate Nuclear Services. GAJ/028V/84. 84/04/03. HICKEY,J.H. NRC - No Detailed Affiliation Given. 6pp. 43373:164-43373:169.

8711170050 Appeals denial of FOIA request for documents listed in DH Grimsley 870918 ltr as App A1 & B1.
BAUMAN,L. Government Accountability Project. 87/09/23. CHILK,S. Office of the Secretary of the Commission. 1p. 43375:031-43375:031.

8711170052 Responds to appeal re denial of FOIA request for documents. Release of documents could stifle honest & frank communication within agency.Documents continue to be withheld (ref FOIA Exemption 5).
CHILK,S.J. Office of the Secretary of the Commission. 87/11/13. BAUMAN,L. Government Accountability Project. 2pp. 43375:032-43375:039.

8711170152 Final response to FOIA request for SECY-87-047.Forwards App G document.Document also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/13. FLORA,J.W. Flora, J.W. 2pp. 43385:245-43385:255.

--8711170162 SECY-87-047 Discusses regulatory effectiveness review program annual rept for FY86,per NUREG-0885,Issue 5.Program proven beneficial as means of assessing effectiveness of safeguards programs against design basis threats of sabotage.
STELLO,V. Ofc of the Executive Director for Operations. 87/02/10. 6pp 43385:250-43385:255.

8711170222 FOIA request for listed documents,including name & mailing address of contractors who have provided EEO investigative svcs/case analyses & proposed disposition writing to agency during past 3 yrs
RAYBURN,J.E. Kensington Associates. 87/10/16. NRC - No Detailed Affiliation Given. 2pp. 43385:340-43385:341.

8711170225 Final response to FOIA request for documents,including purchase orders to Sacal Corp,Baldwin & Assoc & Omega Group,per 871106 telcon Forwards App A documents Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/13 RAYBURN,J.E. Kensington Associates. 2pp. 43385:342-43385:349.

--8711170232 Package consisting of purchase orders to Sacal Corp,Baldwin & Assoc,Inc & Omega Group,Inc.
* NRC - No Detailed Affiliation Given. 87/11/13. 6pp. 43385:344-43385:349.

8711180043 Appeals denial of 860318 FOIA request Apps H & I of NRC 870901 response should be released.Response to appeal requested with'n 20 working days of receipt of ltr.
BAUMAN,L. Government Accountability Project. 87/09/16. CHILK,S. Office of the Secretary of the Commission. 1p. 43389:308-43389:320.

8711180076 Responds to 870916 appeal of NRC 870901 denial of FOIA Request 86-168 Documents 11,12 & 13 encl Documents listed in App H partially & documents in App I completely withheld (ref FOIA Exemptions 6 & 7).
CHILK,S.J. Office of the Secretary of the Commission. 87/11/16 BAUMAN,L. Government Accountability Project. 2pp. 43389:321-43389:323.

--8711180085 Rev 4 to Procedure 11-2, "Level I & II NDE Personnel Control & Administration Exam,Qualification & Certification." Copyrighted matl.
SWISHER,K., BAIR,A. Pullman Power Products Corp. (formerly Pullman, Inc.). 81/10/23 42pp. 43389:323-43389:323.

--8711180099 Rev 4 to Procedure XVIII-1, "Internal Auditing Procedures of Field QA Programs by Quality Engineering Group." Copyrighted matl.
GERR,D.F., ECK,A.A. Pullman Power Products Corp. (formerly Pullman, Inc.). 83/02/23. 19pp. 43389:323-43389:323.

--8711180101 Rev 1 to Procedure XVIII-4, "Site Internal QA Audit Program." Copyrighted matl.
SWISHER,K., HINKLEY,H. Pullman Power Products Corp. (formerly Pullman, Inc.). 83/02/28. 17pp. 43389:323-43389:323.

--8711180085 Rev 4 to Procedure 11-2, "Level I & II NDE Personnel Control & Administration Exam,Qualification & Certification." Copyrighted matl.
SWISHER,K., BAIR,A. Pullman Power Products Corp. (formerly Pullman, Inc.). 81/10/23. 42pp. 43389:323-43389:323.

--8711180099 Rev 4 to Procedure XVIII-1, "Internal Auditing Procedures of Field QA Programs by Quality Engineering Group." Copyrighted matl.
GERR,D.F., ECK,A.A. Pullman Power Products Corp. (formerly Pullman, Inc.). 83/02/23. 19pp. 43389:323-43389:323.

--8711180101 Rev 1 to Procedure XVIII-4, "Site Internal QA Audit Program." Copyrighted matl.
SWISHER,K., HINKLEY,H. Pullman Power Products Corp. (formerly Pullman, Inc.). 83/02/28. 17pp. 43389:323-43389:323.

8711180136 Appeal from partial denial of FOIA request for release of SECY-86-384, "Notice of Proposed Rulemaking to Govern Accuracy & Completeness of Licensee Communication w/NRC."
RADER,R.M. Conner & Wetterhahn. 87/10/15. CHILK,S.J. NRC - No Detailed Affiliation Given. 3pp. 43394:282-43394:284

8711180141 Responds to appeal re partial denial of FOIA request for documents.SJ Chilk 870211 memo to WC Parler & V Stello encl. Ltr represents final action on 871015 FOIA appeal Documents withheld (ref FOIA Exemption 5).
CHILK,S.J. Office of the Secretary of the Commission. 87/11/16. RADER,R.M. Conner & Wetterhahn. 2pp. 43394:285-43394:292.

--8706090216 Advises that Commission (w/Chairman Zech & Commissioners Roberts,Bernthal & Carr approving) agreed to publication of proposed rulemaking to govern accuracy & completeness of licensee communication w/NRC.
CHILK,S.J. Office of the Secretary of the Commission. 52FR7432. 87/02/11.
PARLER,W.C. Office of the General Counsel. 14pp. 43394:287-43394:292.

8711190050 Final response to FOIA request for document re addl info requested on *NRC Bulletin 85-003.Forwards App A document. Document being placed in PDR*
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). IEB-85-003. 87/11/16. GRABER,L. NUS Corp. 2pp. 43395:045-43395:047.

--8711190068 Requests for addl info re review of responses to *Action Item e of IE Bulletin* 85-003.
* NRC - No Detailed Affiliation Given. IEB-85-003. 87/11/16. 1p. 43395:047-43395:047.

8711190061 FOIA request for documents, including encl to NRC 870922 ltr requesting addl info on NRC Bulletin 85-003.
GRABER,L. NUS Corp. CD-LIS-87-769. 87/11/03. Division of Rules & Records (Post 870413). 1p. 43395:044-43395:044.

8711190072 Eleventh partial response to FOIA request for documents, including radiation & process monitor resume & qualification status.Encl App L documents partially withheld (ref FOIA Exemption 6).Documents in PDR & LPDR in San Luis Abispo,CA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/16. GARDE,B.P. Government Accountability Project. 3pp. 43406:277-43406:325.

--8711190075 Partially deleted package consisting of info re ANSI N18.1-1971 qualification & radiation & process monitor resume & qualification status.
* Pacific Gas & Electric Co. 87/11/16. 44pp. 43406:282-43406:325.

8711190228 Final response to FOIA request for documents.No addl agency records subj to request located.No further action taken on 860303 appeal.
ROBINSON,L. Division of Rules & Records (Post 870413). 87/11/17. GARDE,B. Government Accountability Project. 1p. 43404:357-43404:362.

8711200124 Final response to FOIA request for records re summary of 870902-04 audit *concerning implementation of piping generic technical issue resolutions.Forwards App* B documents App B & C documents available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/17. BAUMAN,L. Government Accountability Project. 3pp. 43425:338-43425:344

--8711200130 15454-N(C)-007 R01 Rev 1 to "Documentation of ASME III NA-1140 Review for Piping & Supports." Copyright mail.W/3 oversize encls
GREEN,W.H., COKONIS,A.J., MCQUAID,P.J. Stone & Webster Engineering Corp. 87/08/10. 30pp. 43425:343-43425:344

8711200311 FOIA request for documents re installation & use of plant-specific nuclear power plant control room simulator.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43416:002-43416:003

8711200344 Final response to FOIA request for documents App B documents encl & available in PDR.App A documents also available in PDR
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/18. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43416:004-43416:011.

--8711230074 Package consisting of viewgraphs re util simulator status, requalification plans for reactor operators/senior reactor operators prior to startup,training schedule & control of reactor operator/senior reactor operator overtime.
* *Boston Edison Co. 87/11/18. 5pp. 43416:007-43416:011*

8711240231 Final response to FOIA request for documents re waste shipments to Conoco,Inc from Rhone-Poulenc,Inc.Forwards App C document App C document *placed in PDR.App D document withheld in entirety (ref FOIA Exemption 4)*
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23 BUNCH,W. Henry & Kelley. 4pp. 43446:111-43448:238

--8711240296 Computer printout of waste shipments to Conoco,Inc from Rhone-Poulenc,Inc
* Office of Nuclear Material Safety & Safeguards,Director. 8394 87/10/20. 700pp. 43446:119-43448:238.

8711250126 FOIA request for records prepared by or for NUMARC re outage of facility.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43463:294-43463:295.

8711250129 Partial response to FOIA request for records prepared by or for NUMARC.Documents listed in App B already available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/20 SORGI,D. Massachusetts, Commonwealth of. 2pp. 43463:296-43463:297

8711250166 Further response to appeals of FOIA request for records re evaluation of *issue-specific action plans re plant Documents I.2.b & I.10 addressed in responses to* FOIA 86-A-203 & 86-A-204 & contained in other documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/19. GARDE,B.P. Government Accountability Project. 1p. 43461:143-43461:221.

8711250157 FOIA request for listed documents,including encls from NRC 870831 ltr requesting addl info on GPU Topical Repts TR-033 & TR-040 & encl to NRC meeting summary dtd 870819 re SPDS.
GRABER,L. NUS Corp. *CD-LIS-87-743. 87/10/20. Division of Rules & Records (Post* 870413). 1p. 43461:304-43461:304.

8711250162 Final response to FOIA request for documents listed in App A.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/20. GRABER,L. NUS Corp. 2pp. 43461:305-43461:318.

--8711250165 Package consisting of requests for addl info re GPU Topical Repts TR-033, "Methods for Generation of Core Kinetics Data for Retran-02" & TR-040, "Steady-State & Quasi-Steady-State Methods Used in Analysis." SPDS meeting *summary encl.*
* Division of Rules & Records (Post 870413). 87/11/20. 12pp. 43461:307-43461:318.

8711250194 FOIA request for documents re PSAR Amend 4 for plant.
CONNOR,L. Doc-Search Associates. 87/11/25. Division of Rules & Records (Post 870413). 1p. 43461:337-43461:337.

8711250196 Final response to FOIA request for documents.No records subj to request located.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/24. CONNOR,L. Doc-Search Associates. 1p. 43461:338-43461:338.

8711250236 Seventh partial response to FOIA request.Forwards *App O & P* documents App O documents available in PDR.App P documents partially withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/23. DEVINE, DIXON Government Accountability Project. 5pp. *43462:156-43462:260.*

--8711250247 Requests investigation of 840319 allegations of intimidation involving K Dukes,Bechtel const superintendent against two contractor employees.
MARTIN,J.B. Region 5, Ofc of the Director. 84/03/28. SHACKLETON,O. Region 5, Ofc of the Director. 5pp. 43462:165-43462:171.

--8711250256 *Discusses Inquiry into 840322 allegations of threats & intimidation of QC* inspectors by Bechtel supervisor at plant.Bechtel removed supervisor at util request.No further actions by region ofc necessary,based on util actions.
MURPHY,D.D., ROBINSON,L.L. Office of Investigations. 84/06/15. SHACKLETON,O. *Office of Investigations. 1p. 43462:172-43462:172.*

--8711250263 Forwards closing rept on Inquiry O5 84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted matl also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

--8711250266 Partially deleted memo re 840323 telephonic rept to author concerning armed responders concerns w/possibility that response to security alarms in hot areas may be required.
SCHAEFER,D.W. NRC - No Detailed Affiliation Given. 84/03/23. NRC - No Detailed Affiliation Given. 1p. 43462:245-43462:245.

--8711250274 Partially deleted memo re telcon request for addl info concerning DW Schaefer 840323 memo concerning radiation protection training of security guards.
SCHUSTER,M.D. NRC - No Detailed Affiliation Given. 84/03/26. NRC - No Detailed Affiliation Given. 2pp. 43462:246-43462:247.

--8711250277 Partially deleted ltr discussing telcons & meetings in which concerns re security officers not receiving required training in radiation & respiratory protection at plant expressed.Partially deleted statement of concerns encl.
SCARANO,R.A. Region 5, Ofc of the Director. 84/04/12. Affiliation Not Assigned. 2pp. 43462:248-43462:249.

--8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:260.

--8711300009 Partially withheld ltr confirming NRC understanding of concerns re welding at plant per 831104 telcon.Partially deleted statement of concerns encl.
KIRSCH,D.F. Region 5, Ofc of the Director. 83/11/08. Affiliation Not Assigned. 5pp. 43462:230-43462:244.

--8711250247 Requests investigation of 840319 allegations of intimidation involving K Dukes,Bechtel const superintendent against two contractor employees.
MARTIN,J.B. Region 5, Ofc of the Director. 84/03/26. SHACKLETON,O. Region 5, Ofc of the Director. 5pp. 43462:165-43462:171.

--8711250256 Discusses inquiry into 840322 allegations of threats & intimidation of QC inspectors by Bechtel supervisor at plant.Bechtel removed supervisor at util request.No further actions by region ofc necessary,based on util actions.
MURPHY,D.D., ROBINSON,L.L. Office of Investigations. 84/06/15. SHACKLETON,O. Office of Investigations. 1p. 43462:172-43462:172.

--8711250263 Forwards closing rept on Inquiry Q5-84-018 re allegations of threats & intimidation.Review util actions resulted in determination that no further action required by region ofc. Partially deleted matl also encl.
SHACKLETON,O.C. Region 5, Ofc of the Director. 84/06/15. MARTIN,J.B. Region 5, Ofc of the Director. 60pp. 43462:173-43462:229.

--8711250266 Partially deleted memo re 840323 telephonic rept to author concerning armed responders concerns w/possibility that response to security alarms in hot areas may be required.
SCHAEFER,D.W. NRC - No Detailed Affiliation Given. 84/03/23. NRC - No Detailed Affiliation Given. 1p. 43462:245-43462:245.

--8711250274 Partially deleted memo re telcon request for addl info concerning DW Schaefer 840323 memo concerning radiation protection training of security guards.
SCHUSTER,M.D. NRC - No Detailed Affiliation Given. 84/03/26. NRC - No Detailed Affiliation Given. 2pp. 43462:246-43462:247.

--8711250277 Partially deleted ltr discussing telcons & meetings in which concerns re security officers not receiving required training in radiation & respiratory protection at plant expressed.Partially deleted statement of concerns encl.
SCARANO,R.A. Region 5, Ofc of the Director. 84/04/12. Affiliation Not Assigned. 2pp. 43462:248-43462:249.

--8711250280 Partially deleted ltr forwarding repts documenting results of insp of concerns re fire stop foam installation practices noted in 840202 memo.Region activities completed.
BISHOP,T.W. NRC - No Detailed Affiliation Given. 84/09/25. Affiliation Not Assigned. 30pp. 43462:250-43462:260.

--8711300009 Partially withheld ltr confirming NRC understanding of concerns re welding at plant per 831104 telcon.Partially deleted statement of concerns encl.
KIRSCH,D.F. Region 5, Ofc of the Director. 83/11/08. Affiliation Not Assigned. 5pp. 43462:230-43462:244.

8711300005 FOIA request for five categories of documents re Pesses Co (METCO Site),License STB-1254.
PHILLIPS,J.L. J.L. Phillips Investigative Services. 87/10/26. NRC - No Detailed Affiliation Given. 1p. 43463:181-43463:181.

8711300006 Partial response to FOIA request for five categories of documents re Pesses Co (METCO Site),License STB-1254. Forwards documents listed in App B.Apps A & B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/24. PHILLIPS,J.L. J.L. Phillips Investigative Services. 3pp. 43463:182-43463:268.

--8711300011 Forwards "Guidelines for Decontamination of Facilities & Equipment Prior to Release For Unrestricted Use or Termination of Licenses For Byproduct,Source or Special Nuclear Matl."
KINNEMAN,J.D. Region 1, Ofc of the Director. 85/09/04. WILSON,R.W. Dollar Savings. 1p. 43463:185-43463:185.

--8711300012 "Guidelines For Decontamination of Facilities & Equipment Prior to Release For Restricted Use or Termination of Licenses For Byproduct,Source or SNM."
* NRC - No Detailed Affiliation Given. 82/07/31. 9pp. 43463:186-43463:194.

--8711300013 Forwards J Yuskos rept outlining results of visit to METCOA site.
MCDONALD,D.J. Pennsylvania, Commonwealth of. 85/11/14. LOHAUS,P.H. Region 1, Ofc of the Director. 7pp. 43463:195-43463:201.

--8711300015 Requests that inspector visit former Pesses facility in Solon,Ohio to make preliminary survey for thorium in bldg,on surrounding grounds & in soil to resolve problems presented by Pesses Co property in Pulaski,Pennsylvania.
JOYNER,J.H. Region 1, Ofc of the Director. 86/03/21. AXELSON,W. Region 3, Ofc of the Director. 1p. 43463:202-43463:202.

--8711300016 Insp Repts 40-8406/85-01 & 30-19410/85-01 on 851009.Major areas inspected:assessment of procedures to restrict access to areas where radioactive matls located & observation of general condition of site,storage containers & facilities.
SCOVILL,V.R., KINNEMAN,J.D. Region 1, Ofc of the Director. 30-19410/85-01. 86/

--8711300017 Amend 2 to License STB-1254 for Pesses Co,amending l conse h entre ty.
GUINN,P.R. Materials Licensing Branch. 81/08/14. 4pp. 43463:206-43463:209

--8711300018 Requests addl info in support of 800820 application for renewal of L cense STB-1254,including detailed info re procedures for burial of licensed mat
GUINN,P.R. Materials Licensing Branch. 17232. 81/08/14. PESSES,M. Pesses C 1p. 43463:210-43463:268.

GEN TEC IS GENERIC TECHNICAL ISSUES

8711020077 Forwards nonproprietary WCAP-11620 & proprietary WCAP-11618, Ad Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Desg Basis for Kewaunee," for resolution of USI A-2.
HINTZ,D.C. Wisconsin Public Service Corp. NRC-87-140. 87/10/26. Document Co trol Branch (Document Control Desk). 3pp. 43226:214-43226:248.

8711020192 Forwards nonproprietary & proprietary Amend 1 to RESAR-SP/90 PD Module 2, "Regulatory Conformance." Proprietary amend withheld (ref 10CFR2.79
JOHNSON,W.J. Westinghouse Electric Corp. NS-NRC-87-3270. 87/10/
RUBENSTEIN,L. Standardization & Non-Power Reactor Project Directorate. 4p 43238:103-43238:128.

--8711020289 Nonproprietary Amend 1 to RESAR-SP/90 PDA Module 2, "Regulato Conformance."
* Westinghouse Electric Corp. 87/09/30. 13pp. 43238:117-43238:129.

8711020303 Forwards updated table of plant action items w/revised implementato dates.Requests correct TAC numbers for encl listed items to facilitate cross-referenc sys w/util AEP.NRC numbers Reg Guide 1.97 schedule will be updated.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co AEP:NRC:0994. 87/10/27. MURLEY,T.E. NRC - No Detailed Affiliation Given. 11p 43237:322-43237:332

8711040197 Transcript of Subcommittee on Instrumentation & Control Sys meeting Washington DC Pp 1-179.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/10/29. 197pp. 43253:08 43253:282.

8711050243 Summary of Operating Reactor Events Meeting 87-37 on 871027 Vie graphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. IEIN-82-30. 87/10/28. ROSSI,C.E. Divs of Operational Events Assessment (Post 870411). 20pp. 43340:269-43340:288.

8711160072 Forwards Insp Rept 50-261/87-30 on 870911-1010 No violations or de ations noted.
VERRELLI,D.M. Region 2, Ofc of the Director. 87/10/27. UTLEY,E.E. Carolina Pow & Light Co. 2pp. 43365:097-43365:118.

--8711160081 Insp Rept 50-261/87-30 on 870911-1010.No violations or deviatio noted.Major areas inspected:Tech Spec compliance, including observance of any li ing conditions for operation,site security & emergency preparedness.
KRUG,H.E., LATTA,R.M., FREDRICKSON,P. Region 2, Ofc of the Director. 87/10/ 20pp. 43365:099-43365:118.

8711160091 Transcript of ACRS 331st meeting on 871105 in Washington,DC re USI 44, "Station Blackout." Pp 1-160.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/11/05. 163pp. 43358:0 43358:164.

8711160144 Forwards Safety Insp Rept 50-331/87-26 on 870901-1010 & notice violation.Description of actions to improve performance re vendor info requested.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/04. LIU,L. Iowa Elec Light & Power Co. 2pp. 43366:212-43366:223.

--8711160193 Insp Rept 50-331/87-26 on 870901-1010.Violations noted.Major ar inspected:licensee action on previous insp findings, operato safety,maint,surveillance,LERs,review & followup of vendor info & generic ltr follow
JACKIW,I.N. Region 3, Ofc of the Director. GL-85-06. 87/11/03. 9pp. 43366:2 43366:223.

8711200293 Comments on proposed Rev 2 to Reg Guide 1.100 re seismic qualificat of electrical & mechanical equipment for nuclear power plants.
FAY,C.W. Wisconsin Electric Power Co. GL-87-02. 87/11/09. Rules & Procedu Branch. 2pp. 43410:071-43410:072.

8711230395 Comments on Rev 2 to Reg Guide 1.100, "Seismic Qualification of Elec cal & Mechanical Equipment For Nuclear Power Plants." Recommends deleting eq ment & piping supports from scope of Reg Guide 1.100.
SMITH,N.P. Seismic Qualification Utility Group. 52FR32980 00006. 87/11/03. Rules Procedures Branch. 2pp. 43424:293-43424:294.

8711250027 Requests extension of 871201 deadline for submitting implementat schedule under Generic Ltr 87-02, "Verification of Seismic Adequacy of Mechanica Electrical Equipment in Operating Reactors,USI A-46."
FAY,C.W. Wisconsin Electric Power Co. GL-87-02. 87/11/20. Document Con Branch (Document Control Desk). 2pp. 43457:297-43457:310.

--8711250062 Provides position on staff guidance identified in Generic Ltr 87-02, "Ve cation on Seismic Adequacy of Mechanical & Electrical Equipment in Operat Reactors,USI A-46." Generic implementing procedure will be completed in 1988.
SMITH,N.P. Seismic Qualification Utility Group. GL-87-02. 87/10/09. MURLEY,T Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 43457:2 43457:310.

8711250103 Forwards draft safety evaluation re fracture toughness requirements protection against PTS events.Facility meets 10CFR50.61 requirements for 40 CY operation.
PATEL,C.P. Project Directorate II-2. TAC 59988. 87/11/25. STEWART,W.L. Virg Power (Virginia Electric & Power Co.). 9pp. 43462:003-43462:011.

8711300047 Forwards info on regional insp re Mark I containment mods (USI A-7) c ducted on 871005-09.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. FVY 87-109. 87/11/

I&E INSPECTION AND ENFORCEMENT

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs "
* Ofc of Inspection & Enforcement, Director (820201-870413). TAC 48771. 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). IEIN-82-41. 83/06/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges- Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-86-067. 87/10/29. Consolidated Edison Co of New York, Inc. 89pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co of New York, Inc. 112pp. 43324:228-43324:339

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-82-19. 87/11/06. Consolidated Edison Co. of New York, Inc. 117pp. 43355:003-43355:119.

8711020239 EN-87-092:on or about 871028,notice of violation & proposed imposition of civil penalty in amount of $5,000 will be issued to licensee Action based on violation involving extremity overexposure,failure to train & evaluate people.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-180. 87/10/23. 1p. 43234:199-43234:199.

8711020245 PNO-III-87-136A:on 871024,female guard employed by facility found stabbed to death.Male security officer employed by facility will be charged w/first degree murder,site access authorization suspended since 871024
CREED,J., MALLETT,B. Region 3, Ofc of the Director. 87/10/29. 1p. 43237:287-43237:287.

8711020310 EN-87-090:on 871026,notice of violation & proposed imposition of civil penalty in amount of $2,500 will be issued to licensee based on several violations,including failure to perform surveys to identify high radiation area.
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-155. 87/10/21. 1p. 43236:033-43236:033.

8711020314 PNO-III-87-136:on 871024,dead body of female security officer employed by Burns,Inc found in home of second female security officer on duty.Cause not yet released.Licensee withdrew second security guard site access authorization.
CREED,J., MALLETT,B. Region 3, Ofc of the Director. 87/10/26. 1p. 43237:321-43237:321.

8711020367 PNO-V-87-070:on 871025,reactor brought critical following dilution of RCS Actual critical boron concentration 1,010 ppm w/Group 5 control bank 60 inches withdrawn.Resident Inspector witnessed approach
RICHARDS,S., IVEY,K. Region 5, Ofc of the Director. 87/10/26. 1p. 43238:143-43238:143.

8711020393 PNO-III-87-137:*on 871027,reactor srammed & ECCS actuation occurred* due to deenergized bus L12.Caused by operator mistakenly tripping supply breaker from transformer to bus. Power restored.
KNOP,R., FORNEY,W. Region 3, Ofc of the Director. 87/10/27. 2pp. 43235:238-43235:239.

8711020517 PNS-V-87-008:on 871024,licensed plant operator reportedly arrested by Kennewick City Police Dept & charged w/discharge of firearm within city limits & reckless endangerment. *Licensee suspended employee unescorted access to plant.*
SCHAEFER,D., SCHUSTER,M. Region 5, Ofc of the Director. 87/10/26. 1p. 43238:032-43238:032.

8711030038 *PNO-V-87-071:on 871024,main furnace at Precision Castparts Corp* exploded.Caused by water invading evacuated chamber of arc furnace.All furnace debris packaged & shipped for burial as low specific activity waste.
RIEDLINGER,B. Region 5, Ofc of the Director. 87/10/27. 1p. 43252:115-43252:115.

8711030148 PNO-IV-87-056:on 871024,State of AR notified NRC that Agreement State licensee received damaged Ohmart Model ES-2 flow meter w/partially exposed source containing 1.2 Ci Cs-137.Motor surveyed.Investigation continuing.
SANBORN,G. Region 4, Ofc of the Director. 87/10/26. 1p. 43252:022-43252:022.

8711030409 EN-87-096:on 871030,order suspending license & order to show cause issued to Tracer Profiles,Inc due to failure to respond to notice of violation & three *confirmation of action ltrs after repeated requests from NRC.*
ANDERSON,C., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-204. 87/10/30. 1p. 43260:309-43260:309.

8711030517 EN-87-093:*on 871029,notice of violation & proposed imposition of civil* penalty in amount of $25,000 will be issued based on event in which both MSIVs rendered inoperable for approx 4 h w/reactor critical.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-182. 87/10/26. 1p. 43251:271-43251:271.

8711040012 PNO-V-87-072:on 871029 severe thunderstorm struck site, knocking out one source of offsite power & 26 of 39 emergency sirens in Maricopa County.Unit 1 *fuel bldg door damaged & two individuals standing nearby injured.*
SORENSEN,C., BALL,J. Region 5, Ofc of the Director. 87/10/30. 1p. 43290:166-43290:166.

8711040381 *PNO-IV-87-057:on 871022 & 26,temporary worker alarmed portal monitor* while exiting radiation control area.Survey identified Co-60 particle on workers sleeve.Shirt had been taken home,washed & worn again.Nothing found at residence.
MURRAY,B. Region 4, Ofc of the Director. 87/10/30. 1p. 43290:332-43290:332.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. *Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.*

8711050049 EN-87-097:on 871030,confirmatory order modifying License 34-19089-01,effective immediately,issued to incorporate revised decontamination plans for London Road facility,per 870723 order modifying license
FLACK,E., LIEBERMAN,J. *Ofc of Enforcement (Post 870413). EA-87-212. 87/11/02.* 1p. 43302:043-43302:043

8711050124 EN-87-095:on 871103,notice of violation & proposed imposition of civil penalties *in amount of $50,000 will be issued* Action based on violations in areas of procurement & vendor interface program.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-142. 87/10/29. 1p. 43293:243-43293:243.

8711060073 PNO-III-87-130:on 871006,loaded .25 caliber automatic pistol found during search of tractor-trailer delivering empty radwaste container to plant protected area.Individual denied site access & detained until arrival of police.
MADEDA,T., CREED,J.R Region 3, Ofc of the Director. 87/10/06. 1p 43308:254-43308:254.

8711090035 EN-87-060A:on 871105,order imposing civil penalty in amount of $75,000 *issued to licensee based on* two violations re access control & search.NRC concluded that violation did occur following review of util 870826 response.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-098. 87/11/05. 1p. 43314:356-43314:356.

8711090064 EN-87-053A:on 871105,licensee issued order imposing civil penalty in amount of $5,000 based on licensee 870826 & 1001 insufficient responses to violations re failure to maintain surveillance of high radiation area & to post warning sign.
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413) EA-87-121. 87/11/05. 1p. 43314:061-43314:061.

8711090130 PNO-I-87-102:on 871105,licensee commenced shutdown as result of degraded conditions in both steam-driven auxiliary feedwater pumps.Duration of shutdown to restore both pumps to operable condition unknown
TRIPP,L., WIGGINS,J. Region 1, Ofc of the Director. CAL-87-15. 87/11/05. 2pp 43314:322-43314:323.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16 Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288

8711090198 PNO-I-87-103:on 871105,licensee discovered radiation levels of up to 0.4 mRem/h in unrestricted area.Contamination appeared to be in soil.Licensee immediately restricted access to & posted area.
ROTH,J., PASCIAK,W. Region 1, Ofc of the Director. 87/11/06 2pp. 43313:195-43313:196

8711090340 PNO-V-87-069:on 871015,licensee informed resident inspectors of findings from ultrasonic exams of reactor coolant pump shafts as result of mfg experiences in Europe re crack indicators at end of impeller keyway.
RICHARDS,S., BALL,J Region 5, Ofc of the Director. 87/10/15. *2pp* 43321:133-43321:134

8711100072 PNS-V-87-004B:on 870618,Sacramento Narcotics Task Force arrested six persons involved in possession,sale & use of cocaine.Util clerk indicated transactions conducted in site parking lot or offsite,not at facility.
SCHAEFER,D., SCHUSTER,M. Region 5, Ofc of the Director. 87/11/05. 1p 43330:187-43330:187.

8711100317 EN-87-098:on or about 871105,confirmatory order will be issued to util based on 870911 safety limit violation.Order confirms util commitment to remove personnel involved from licensed duties & to provide NRC w/copy of investigation
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-185. 87/11/04. 1p. 43344:245-43344:245.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130006 EN-87-075B:on 871106,notice of violation & proposed imposition of civil *penalties in amount of $5,000 will be issued.Proposed action previously on hold due* to need to receive addl info
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-128. 87/11/03. 1p. 43355:360-43355:360.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-86-108. *87/11/19.* Consolidated Edison Co. of New York, Inc. *119pp. 43444:195-43444:314.*

8711130017 EN-87-099:on or about 871109,notice of violation & proposed imposition of civil penalty in amount of $50,000 will be issued Action based on violation re inoperability of control room emergency ventilation sys.*Violations mitigated 50% .*
MILANO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-194. 87/11/04. 1p. 43350:173-43350:173.

8711130105 PNO-V-87-073:on 871107,unit trip manually initiated.Caused by *failure of* motor-operated disconnect in main generator 25 kV isophase bus C.Repair & unit outage will take between 2 wks & 2 months,depending on availability of parts.
MENDONCA,M., NARBUT,P. Region 5, Ofc of the Director. 87/11/09. 1p. 43355:123-43355:123.

8711130170 PNO-II-87-075:on 871021 & 25,voiding noted in vessel head regions.Caused by mispositioned manual valve in nitrogen vent line.Investigation continuing.
SCOTT,M. Region 2, Ofc of the Director. 87/10/28. 1p. 43357:269-43357:269.

8711130217 PNO-II-87-077:Chem-Nuclear Sys,Inc reported small liquid leak from facility radwaste shipment when parked at truck stop near Winchester,VA.Chem-Nuclear dispatched survey crew by aircraft.Shipment will be returned to licensee.
POTTER,J. Region 2, Ofc of the Director. 87/11/04. 1p. 43357:360-43357:360.

8711130367 PNO-II-87-076:on 871027,employee of Fluor Constructors, O Shirley,died after being severely burned in accident at facility switchyard.Fluor employees walked out on 871028 in sympathy of death.OSHA inspectors investigating accident.
CHRISTENSEN,H. Region 2, Ofc of the Director. 87/10/28. 1p. 43357:086-43357:086.

8711160035 PNO-I-87-104:on 871107 & 08,util identified potential breach of security vital area barrier & series of radiological problems.Ongoing maint & mod work onsite suspended.Licensee presently evaluating situation.
LYASH,J., BLOUGH,R. Region 1, Ofc of the Director. 87/11/09. 1p. 43364:186-43364:186.

8711160176 PNO-V-87-074:on 871110,county inadvertently actuated emergency notification sys(sirens) Caused by wrong sequence being entered into sys while performing weekly silent test. Corrective action under investigation.
FISH,R., NARBUT,P. Region 5, Ofc of the Director. 87/11/10. 1p. 43368:261-43368:261.

8711160202 PNO-III-87-140:on 871111,oiler on foedwater block valve exploded in turbine bldg,injuring two workers.One individual taken to local hosp & later transferred to Kalamazoo,MI hosp for surgery & second worker treated at plant.
BURGESS,B., GULDEMOND,W. Region 3, Ofc of the Director. 87/11/12. 1p. 43365:187-43365:187.

8711170190 PNO-IV-87-058:on 871109,radioactive matl mistakenly released from radiologically controlled site & subsequently dumped at Coffey County landfill.Licensee retrieved all but 3 of 39 places of duct & associated hardware from dump.
JAUDON,J., YANDELL,L. Region 4, Ofc of the Director. 87/11/12. 2pp. 43381:042-43381:043.

8711160025 PNO-I-87-105:on 871112,plant experienced complete loss of offsite power.Cause associated w/switchyard icing due to adverse weather conditions.Licensee continuing to determine cause of loss of offsite power.Ice & salt being removed.
BLOUGH,R. Region 1, Ofc of the Director. 87/11/12. 2pp. 43391:359-43391:360.

8711160031 PNS-I-87-018:on 871112,handgun detected in duffle bag of contract security guard.Guard denied access to plant & suspended pending further investigation.Plant security personnel confirmed that guard was licensed to carry gun.
BAILEY,R., KEIMIG,R. Region 1, Ofc of the Director. 87/11/13. 1p. 43391:317-43391:317.

8711160100 PNO-I-87-105A:as of 871112,offsite power remained unavailable to site.Personnel shutdown emergency diesel generator B due to problem w/transformer C,resulting in another shutdown cooling isolation.Switchyards sprayed.
BLOUGH,R. Region 1, Ofc of the Director. 87/11/12. 1p. 43395:051-43395:051.

8711160132 PNO-I-87-105B:on 871112,offsite power reestablished to vital & nonvital buses via backfeeding through main & auxiliary transformers after loss of power.Loss of power possibly caused by icing in switchyard.Switchyard sprayed.
WIGGINS,J., ABRAHAM,K. Region 1, Ofc of the Director. 87/11/13. 2pp. 43391:281-43391:282.

8711190133 PNO-TMI-87-004:on 871026,improperly solidified shipment of Class B waste identified.Waste transported to Barnwell disposal site from facility.Corrective actions to be submitted to state no later than 871125.
COLLINS,D., MOSLAK,T., TRAVERS,W. Region 1, Ofc of the Director. 87/11/12 1p. 43397:091-43397:091.

8711190134 PNO-I-87-106:NRC dispatched augmented insp team to facility to commence insp on 871115.Insp will focus on sequence of events & licensees response re 871112 loss of offsite power. Team expected onsite 871115-20.
WIGGINS,J. Region 1, Ofc of the Director. 87/11/13. 1p. 43397:092-43397:092.

8711200098 EN-87-100:on 871113,notice of violation & proposed imposition of civil penalty in amount of $50,000 will be issued based on licensee failure to establish & implement procedures for safe shutdown evolutions following fire.
MILANO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-124. 87/11/19. 1p. 43410:168-43410:168.

8711200327 PNO-IV-87-058A:on 871116,bag found at Coffey County landfill containing radioactive rags that had been released at facility for disposal as trash.Cause unknown.Licensee will perform radiological survey of trench where bag found.
JAUDON,J., YANDELL,L. Region 4, Ofc of the Director. 87/11/17. 2pp. 43410:043-43410:044.

8711230287 PNO-I-87-107:on 871117,turbine reactor tripped due to spuriously generated turbine thrust bearing trip.Caused by technician inadvertently tripping power switch on turbine rotor position drawer.Offsite transformer inspected.
WIGGINS,J. Region 1, Ofc of the Director. 87/11/18. 1p. 43422:252-43422:252.

8711230365 PNS-I-87-019:on 871118,nonspecific bomb threats received over plant internal telephone sys.Steps to heighten security awareness among plant & security supervisors taken. Investigation initiated by licensee.
KEIMIG,R., JOYNER,J.H. Region 1, Ofc of the Director. 87/11/19. 2pp. 43424:232-43424:233.

8711230396 PNO-I-87-109:on 871118,NRC informed by licensee mgt that large majority of members of Intl Brotherhood of Electrical Workers voted to reject contract offer.Picket lines may be set up at midnight.Criticality anticipated by early 871119.
COWGILL,C., BETTENHAUSEN,L. Region 1, Ofc of the Director. 87/11/19. 1p. 43419:001-43419:001.

8711230433 PNO-V-87-075:on 871111,control room/technical support ctr essential HVAC sys Train B failed to start during planned testing.Licensee believes tampering occurred to cause miswiring.Plans for addressing tampering being formulated.
D'ANGELO,T., MILLER,L. Region 5, Ofc of the Director 87/11/13. 1p. 43423:044-

ontaminated area of
aminated zircalloy in

'/25. 1p. 43470:057-

le overturned on
l dispatched per-
leanup.
2pp. 43467:330-

8711300159 PNO-V-87-076:on 871123-24,two moderate earthquakes centered near Westmoreland,CA occurred,triggering seismic alarms at San Onofre.Unusual event declared.Plant sys & components not adversely affected.Effects on other locations noted.
JOHNSON,P., CILLIS,M., WAGNER,W. Region 5, Ofc of the Director. 87/11/24. 2pp. 43466:294-43466:295.

8711300197 PNO-III-87-139A:updates 871031 incident re children patients trick or treating in contaminated lab.Survey of hallway outside of lab & lab show no detectable contamination. Special Region III insp began on 871117.Deficiencies noted.
WIEDEMAN,D., MALLETT,B. Region 3, Ofc of the Director. CAL. 87/11/19. 2pp. 43472:126-43472:127.

8711300226 PNO-IV-87-060:on 871122,auxiliary feed sys vibration resulting in pipe failure occurred.Occurrence will impact startup schedule.Licensee investigating failure & NRC monitoring activities.
CONSTABLE,G.L. Region 4, Ofc of the Director. 87/11/23. 2pp. 43472:330-43472:331.

8711300279 PNO-III-87-142:on 871121,licensee employee allegedly forced out of car,containing Troxler moisture density gauge in trunk,at gunpoint at fast food restaurant in Detroit,MI. Theft reported to police.
REICHHOLD,W., BURGIN,R. Region 3, Ofc of the Director. 87/11/23. 1p. 43471:077-43471:077.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8708170057 Forwards SAIC-87/3059, "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review." Rept constitutes final rept for Task 3 under Task Order 6.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/08/10. WEST,S. NRC - No Detailed Affiliation Given. 1p. 43359:283-43359:289.

--8708170081 SAIC-87/3059 "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/08/10. NRC - No Detailed Affiliation Given. 6pp. 43359:284-43359:289.

8711020019 Forwards safety evaluation accepting util 870716 & 0921 revised solid waste process control programs.Programs submitted per SSER 2,Section 11.4 which states that NRC must approve program prior to operation after first refueling.
PAULSON,W.A. Project Directorate IV. TAC 65875. 87/10/26. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43240:315-43240:317.

--8711020033 Safety evaluation supporting plant solid waste process control program,submitted per Section 11.4 of SSER 2 (NUREG-0989).Approval required prior to startup from first refueling outage.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/26. 1p. 43240:317-43240:317.

8711020075 Forwards safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data.Revised Tech Specs should be in place prior to June 1988 completion date.
WIGGINTON,D.L. Project Directorate III-3. 87/10/22. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43240:178-43240:180.

--8711020080 Safety evaluation supporting util 861202 & 870206 ltrs providing addl info re NUREG-0737,Item III.A.2.2 concerning meteorological data upgrades.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 1p. 43240:180-43240:180.

8711020077 Forwards nonproprietary WCAP-11820 & proprietary WCAP-11819, "Addl Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee," for resolution of USI A-2.
HINTZ,D.C. Wisconsin Public Service Corp. NRC-87-140. 87/10/26. Document Control Branch (Document Control Desk). 3pp. 43226:214-43226:246.

8711020124 Forwards Amend 82 to License NPF-7 & safety evaluation. Amend revises Tech Spec 3/4.6.3,Table 3.6-1 to correct inconsistency between util 801210 response to NUREG-0737 & Tech Spec for specifying containment isolation signal.
ENGLE,L.B. Project Directorate II-2. TAC 65496. 87/10/22. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43239:154-43239:163.

--8711020149 Amend 82 to License NPF-7,revising Tech Spec 3/4.6.3,Table 3.6-1 to correct inconsistency between util 801210 response to NUREG-0737 & Tech Spec for specifying containment isolation signal to be Phase B instead of Phase A.
BERKOW,H.N. Project Directorate II-2. 87/10/22. 7pp. 43239:157-43239:161.

--8711020160 Safety evaluation supporting Amend 82 to License NPF-7.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/22. 2pp. 43239:162-43239:163.

8711020152 Forwards safety evaluation re TMI Action Item II.K.3.31, "Compliance to 10CFR50.46." Facility meets requirements of action item & 10CFR50.46.
GRIMES,C.I. Ofc of Special Projects. 87/10/26. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 43238:320-43238:325.

--8711020154 Safety evaluation re TMI Action Item II.K.3.31 re plant- specific calculations to show compliance w/10CFR50.46. Facility meets requirements of action item & 10CFR50.46.
* Ofc of Special Projects. 87/10/26. 4pp. 43238:322-43238:325.

8711020226 Forwards insp Rept 50-029/87-06 on 870427-0720.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/10/23. HEIDER,L.H. Yankee Atomic Electric Co. 2pp. 43234:153-43234:190.

--8711020234 Insp Rept 50-029/87-06 on 870427-0720.No violations noted. Three inadequacies noted.Major areas inspected:licensee action on previous findings,operational safety verification & radiological controls.
ELSASSER,T. Region 1, Ofc of the Director. GL-82-33. 87/10/23. 36pp. 43234:155-43234:190.

8711020369 Forwards rept which represents best estimate analytical study of potential for increased pressurizer PORV opening resulting from turbine trip w/o reactor trip below 30% power transient (P-8 setpoint study),per NUREG-0737.
AINGER,K.A. Commonwealth Edison Co. 3789K. 87/10/30. Document Control Branch (Document Control Desk). 12pp. 43236:245-43236:256.

8711020468 Forwards response to 870723 request for addl info on performance testing & design of pressurizer safety & relief valves,per NUREG-0737,Item II.D.1.W/two oversize drawings.
PAPANIC,G. Yankee Atomic Electric Co. FYR 87-111. 87/10/27. FAIRTILE,M.B. Project Directorate I-3. 67pp. 43236:046-43236:102.

8711030070 NUREG-1214 R02 HISTORICAL DATA SUMMARY OF THE SYSTEMATIC ASSESSMENT OF LICENSEE PERFORMANCE.
RAMEY-SMITH,A. Division of Licensee Performance & Quality Evaluation (Post 870411). 87/10/31. 70pp. 43243:337-43244:046

8711030077 NUREG/CR-4942 EQUIPMENT OPERABILITY DURING STATION BLACK-OUT EVENTS.
JACOBUS,M.J., NICOLETTE,V.F., PAYNE,A.C. Sandia National Laboratories. FIN A-1302. SAND87-0750. 87/10/31. Division of Reactor & Plant Systems (Post 870413). 51pp. 43243:285-43243:336.

8711030080 NUREG-0020 V11 N06 LICENSED OPERATING REACTORS STATUS SUMMARY REPORT.Data As Of May 31,1987.(Gray Book I)
SCHWARTZ,I. Division of Computer & Telecommunications Services (Post 870413). 87/10/31. 481pp. 43242:164-43243:284.

8711030139 NUREG/CR-4966 EVALUATION OF UNCERTAINTIES IN IRRADIATED HARDWARE CHARACTERIZATION.
BEDORE,N., LEVIN,A., TUITE,P. Waste Management Group, Inc. FIN D-1709. 87/10/31. Division of Engineering (Post 870413). 102pp. 43242:062-43242:163.

8711030161 Responds to NRC 870914 ltr re Insp Rept 50-412/87-50. Corrective actions:post-accident sampling sys procedures rewritten,per NUREG-0737,Item II.B.3 & Procedure P.O 2.43.01 Sections N & O approved per Item II F.1-1.
CAREY,J.J. Duquesne Light Co. 87/10/14. MARTIN,T.T. Region 1. Ofc of the Director. 7pp. 43255:302-43255:307.

8711030174 Advises that util 850110 request for rescission of 830708 confirmatory order inappropriate due to continuing uncertainties w/BWR piping.Order may be rescinded after issuance of Rev 2 to NUREG-0313.
CROCKER,L.P. Project Directorate II-3. TAC 57339. 87/10/29. O'REILLY,J.P. Georgia Power Co. 4pp. 43264:267-43264:270.

8711030215 NUREG-0540 V09 N08 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. August 1-31,1987.
* Div's'on of Publication Services (Post 870413). 87/10/31. 403pp. 43241:019-43242:061.

8711030219 NUREG-0020 V11 N05 LICENSED OPERATING REACTORS STATUS SUMMARY REPORT.Data As Of April 30,1987.(Gray Book I)
SCHWARTZ,I. Division of Computer & Telecommunications Services (Post 870413). 87/10/31. 495pp. 43244:047-43245:181.

8711030225 NUREG-1286 SAFETY EVALUATION REPORT RELATED TO THE RE-START OF RANCHO SECO NUCLEAR GENERATING STATION,UNIT 1 FOLLOWING THE EVENT OF DECEMBER 26,1985.Docket No. 50-312.(Sacramento Municipal Utility District)
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/10/31. 199pp. 43256:001-43256:199.

8711030302 Forwards Page 16 for inclusion in 870922 comments on draft NUREG-1150, "Reactor Risk Ref Document." Page missing from original transmittal.
NEWTON,R.A. Westinghouse Operating Plants Owners Group. 52FR7950 00023. 87/10/26. NRC - No Detailed Affiliation Given. 3pp. 43252:098-43252:100.

8711030351 Ack receipt of 870428 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/87-01.Addl info re psychological testing for supervisors requested as discussed w/M Hamm during 871022 telcon.
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/29. TREVORS,G.A. Nebraska Public Power District. 2pp. 43255:357-43255:359.

8711030372 Comments re proposed SRP Section 3.6.3, "Leak-Before-Break Evaluation Procedure."
KEISER,H.W. Pennsylvania Power & Light Co. 52FR32626 00016. 87/10/19. MEYER,D.L. Rules & Procedures Branch. 2pp. 43255:268-43255:267.

8711030429 Forwards Relief Request RV-2 from ASME code quarterly testing frequency of valves in RCS high point vent sys.Vents required by NUREG-0737,Item II.B.1 beyond design basis of plant.Requests relief be granted by 871113.
ZIMMERMAN,S.R. Carolina Power & Light Co. NLS-87-234. 87/10/30. Document Control Branch (Document Control Desk). 4pp. 43251:030-43251:033.

8711040003 Submits addl info re 871015 application for amends to Licenses NPF-14 & NPF-22.Safety analysis in application concentrated on ECCS response time & diesel generator load sequencing.Both meet requirements of SER (NUREG-0776).
KEISER,H.W. Pennsylvania Power & Light Co. PLA-2934. 87/10/30. BUTLER,W.R. Project Directorate I-2. 2pp. 43289:356-43289:357.

8711050121 Comments on proposed Rev 2 of Reg Guide 1.100 re definition of similarity as used in procedure of seismically qualifying plant equipment through application of 1987 IEEE-344.
GRIDLEY,R. Tennessee Valley Authority. 52FR32980 00003. 87/10/30. Rules & Procedures Branch. 2pp. 43293:244-43293:247.

8711050190 Comment on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Util suggests that no changes necessary in US LWRs as result of Chernobyl accident.
EDWARDS,D.W. Yankee Atomic Electric Co. 52FR33304 00001. 87/10/30. Rules & Procedures Branch. 5pp. 43292:088-43292:092.

8711050209 Requests comment period for SRP Section 3.6.3 be extended for addl 30-day period.
SORENSEN,G.C. Washington Public Power Supply System. 52FR32626 00018. 87/10/22. MYER,D.L. Rules & Procedures Branch. 2pp. 43305:068-43305:069.

8711050243 Summary of Operating Reactor Events Meeting 87-37 on 871027. Viewgraphs & summary of reactor scrams encl
LANNING,W. Events Assessment Branch. OREM 87-037. 87/10/28. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43340:269-43340:288.

8711050268 Comments on proposed SRP 3.6.3, "Leak-Before-Break Evaluation Procedures." Intent of assumption re pressurizations associated w/area equivalent to cross-section of controlling pipe questioned.
BRADBURY,R.B. Stone & Webster Engineering Corp. 52FR32626 00019. 87/10/21. Rules & Procedures Branch. 4pp. 43292:115-43292:118.

8711060009 Comment opposing NUREG-1150 re risk assessment.Addl safety improvements not warranted on rational basis by NUREG-1150. Exclusion of catastrophic events from analysis recommended.
CAISLEY,J. Organization for Economic Cooperation & Development (Paris). 52FR7950 00044. 87/10/14. Committee on the Safety of Nuclear Installation. 3pp. 43308:272-43308:274.

8711060023 Forwards Safety Insp Rept 50-412/87-60 on 870829-1009.No violations noted.
WIGGINS,J.T. Region 1, Ofc of the Director. 87/11/01. CAREY,J.J. Duquesne Light Co. 2pp. 43308:175-43308:191.

--8711060026 Insp Rept 50-412/87-60 on 870829-1009.No violations noted. Major areas inspected:licensee actions on previous findings, site activities,startup test program implementation & pressurizer pressure transmitter inoperability.
TRIPP,L.E. Region 1, Ofc of the Director. 87/10/29. 16pp. 43308:177-43308:191.

8711060112 Forwards comments on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Recommends that NRC reassess safety concerns identified in NUREG-1251.
SCHERER,A.E. Combustion Engineering, Inc. LO-87-061. 87/11/02. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 43308:192-43308:195.

8711060148 NUREG/CR-5035 DATA BASE OF SYSTEM-AVERAGE DOSE RATES AT NUCLEAR POWER PLANTS.Final Report.
BEAL,S.K., BRITZ,W.L., COHEN,S.C. Science & Engineering Associates, Inc. FIN D-1424. 87/10/31. Division of Regulatory Applications (Post 870413). 79pp. 43309:011-43309:090.

8711060213 Forwards SALP Repts 50-275/87-29 & 50-323/87-29 for Aug 1986 - Jul 1987.Overall performance acceptable.Mgt meeting to discuss results of assessment & progress of action plan rpt in util 870615 ltr scheduled for 871030.
MARTIN,J.B. Region 5, Ofc of the Director. 87/10/21. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 43307:191-43307:233.

--8708270170 Forwards DOE/INEL analysis of LER quality for facility during Aug 1986 - Jul 1987.Overall quality scored above industrial average.Quality of discussions of root cause, corrective actions & safety sys responses improved.
WILLIAMS,M.H. Trends & Patterns Analysis Branch. 87/08/20. KIRSCH,D.F. Region 5, Ofc of the Director. 50pp. 43307:234-43307:283.

8711060223 NUREG/CR-4134 R01 REPOSITORY ENVIRONMENTAL PARAMETERS AND MODELS RELEVANT TO ASSESSING THE PERFORMANCE OF HIGH-LEVEL WASTE PACKAGES (BASALT,TUFF AND SALT).
CLAIBORNE,H.C., CROFF,A.G., GRIESS,J.C. Oak Ridge National Laboratory. FIN B-0288. ORNL/TM-9522. 87/10/31. Division of High Level Waste Management (Post 870413). 247pp. 43309:091-43309:337.

8711060227 Forwards Addendum 1 to "Monticello DCRDR Summary Rept," for review.Addendum provides resolution of remaining human engineering deficiencies,including annunciator sys,offgas sys & traversing in-core probe sys.
MUSOLF,D. Northern States Power Co. GL-82-33. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:285-43303:329.

8711060256 Forwards addl justification for reducing inservice testing check valve disassembly frequency,consisting of insp results summary for eight valves & justification for less frequent insps,per discussions in 861224 & 870219 ltrs.Fee paid.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 6211-87-2197. 87/11/03. Document Control Branch (Document Control Desk). 9pp. 43303:118-43303:127.

8711060269 Submits description of planned redesign of gas tray portion of post-accident sampling sys to eliminate gaseous iodine & particulate sampling capability for NRC review.
MUSOLF,D. Northern States Power Co. 87/10/30. Document Control Branch (Document Control Desk). 2pp. 43303:103-43303:104.

8711060281 Responds to NRC 870911 ltr providing results of review of util LERs & requesting util plans for improving LER quality. Util has reviewed LER assessment rept & taken appropriate action using rept & NUREG-1022 as feedback to LER writers.
SHELTON,D.C. Toledo Edison Co. 1-782. 87/10/26. Document Control Branch (Document Control Desk). 1p. 43303:069-43303:069.

8711060294 NUREG/CR-4722 SOURCE TERM ESTIMATION USING MENU-TACT.
SJOREEN,A., MCKENNA,T., JULIUS,J. Oak Ridge National Laboratory. FIN A-9079. ORNL/6314. 87/10/31. Division of Operational Assessment (Post 870413). 65pp. 43311:025-43311:088.

8711090039 Forwards Rev 1 to SAR-VEPCO-005, "SPDS SAR for VEPCO NUREG-0696 Computer Project,North Anna & Surry Nuclear Power Stations," reflecting as-built sys,per util 861215 commitment.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 86-053B. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43316:018-43316:066.

--8711090045 SAR-VEPCO-005 R01 Rev 1 to "SPDS SAR for VEPCO NUREG-0696 Computer Project, North Anna & Surry Nuclear Power Stations."
HURT,W.L. Energy, Inc. 87/08/28. 46pp. 43316:021-43316:066.

8711090182 Forwards summary status of util position re each item for Generic Ltr 83-02 concerning NUREG-0737 Tech Spec requirements.Discussion of util continued position that Tech Specs for listed open items unwarranted also encl.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. FVY 87-105. 87/11/03. ROONEY,V.L. Project Directorate I-3. 24pp. 43321:225-43321:248.

8711090188 Comment on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation in US" Recommends that severe accident considerations be taken into account when designing shared sys.
JOHNSON,W.J. Westinghouse Electric Corp. 52FR33304 00003. 87/11/02. NRC - No Detailed Affiliation Given 8pp. 43313:330-43313:337.

8711090211 NUREG/CR-4735 V02 EVALUATION AND COMPILATION OF DOE WASTE PACKAGE TEST DATA Biannual Report:August 1986 - January 1987.
INTERRANTE,C., ESCALANTE,E., FRAKER,A. Commerce, Dept. of, National Bureau of Standards FIN A-4171. 87/10/31. Division of High Level Waste Management (Post 870413). 137pp 43315:244-43316:020.

8711090267 NUREG-0040 V11 N03 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report,July-September 1987.(White Book)
* Division of Reactor Inspection & Safeguards (Post 870411). 87/10/31. 166pp. 43316:029-43316:194.

8711090336 NUREG/CR-4799 RELAP5/MOD2 ASSESSMENT SIMULATION OF SEMISCALE MOD-2C TEST S-NH-3.
MEGAHED,M.M. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6827. EGG-2519. 87/10/31. Division of Reactor & Plant Systems (Post 870413). 53pp. 43316:195-43316:248.

8711090388 NUREG/CR-4701 V02 SAFETY ASSESSMENT OF ALTERNATIVES TO SHALLOW LAND BURIAL OF LOW-LEVEL RADIOACTIVE WASTE.Volume 2 Environmental Conditions Affecting Reliability Of Engineered Barriers.
CERVEN,F., OTIS,M.D. EG&G Idaho, Inc (subs. of EG&G, Inc.). FIN A-6845-7. EGG-2465. 87/09/30. Division of Engineering (Post 870413). 45pp. 43323:232-43323:279.

8711090389 NUREG/CR-4715 AN AGING ASSESSMENT OF RELAYS AND CIRCUIT BREAKERS AND SYSTEM INTERACTIONS.
TOMAN,G.J., BACANSKAS,V.P., SHOOK,T.A. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52017. 87/06/30. Division of Engineering (Post 870413). 86pp. 43323:050-43323:231.

8711100095 NUREG/CR-4909 MELPROG-PWR/MOD0:A MECHANISTIC CODE FOR ANALYSIS OF REACTOR CORE MELT PROGRESSION AND VESSEL ATTACK UNDER SEVERE ACCIDENT CONDITIONS.
CAMP,W.J., YOUNG,M.F., TOMKINS,J.L. Sandia National Laboratories. FIN A-1342. SAND85-0237. 87/04/30. Division of Reactor Accident Analysis (Post 870413). 156pp. 43339:008-43339:163.

8711100129 NUREG/CR-2331 V07 N1 SAFETY RESEARCH PROGRAMS SPONSORED BY OFFICE OF NUCLEAR REGULATORY RESEARCH.Quarterly Progress Report, January-March 1987.
WEISS,A.J. Brookhaven National Laboratory. FIN A-3014. BNL-NUREG-51454. 87/07/31. Office of Nuclear Regulatory Research, Director (Post 860720). 75pp. 43338:265-43338:338.

8711100172 Forwards Safety Insp Rept 50-263/87-12 on 870825-1007.No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/11/02. LARSON,C.E Northern States Power Co. 2pp 43324:340-43324:351.

--8711100175 Insp Rept 50-263/87-12 on 870825-1007.No violations or safety concerns noted.Major areas inspected:licensee action on previous insp findings,operational safety verification, surveillance,maint & LERs.
JACKIW,I.N. Region 3, Ofc of the Director. 87/10/30. 10pp. 43324:342-43324:351.

8711100260 NUREG/CR-5036 COST ANALYSIS FOR IMPLEMENTATION OF PROPOSED CHANGES IN VITAL AREA REQUIREMENTS.
CLAIBORNE,E., WATLINGTON,B., SIMION,G. Science & Engineering Associates, Inc. FIN D-1424. 87/10/31. Division of Regulatory Applications (Post 870413). 122pp. 43342:060-43342:181.

8711100261 NUREG/CR-4766 TRANSPORT BEHAVIOR OF IODINE IN EFFLUENT RADIOACTIVITY MONITORING SYSTEMS.
EDSON,J.L., DUCE,S.W., TKACHYK,J.W. EG&G Idaho, Inc (subs. of EG&G, Inc.). FIN A-6832. EGG-2480. 87/10/31. Division of Engineering (Post 870413). 35pp. 43341:253-43341:286.

8711100270 NUREG/CR-4995 EXPERIMENTAL ASSESSMENT OF THE SEALING PERFORMANCE OF BENTONITE BOREHOLE PLUGS.
SAWYER,W.D., DAEMEN,J.J. Arizona, Univ. of, Tucson, AZ. FIN B-6627. 87/10/31. Division of Engineering (Post 870413). 307pp. 43343:010-43343:316.

8711100276 Forwards description & results of control room emergency lighting sys survey performed during Cycle 5/6 refueling outage,per 861218 commitment & NUREG-0700.
BRONS,J.C New York Power Authority (formerly Power Authority of the State of New York). IPN-87-050. 87/11/02. Document Control Branch (Document Control Desk). 5pp. 43330:229-43330:233.

8711100279 Forwards Vols 1 & 2 to "DCRDR Supplemental Summary Rept." Rept provides description of human engineering discrepancy, priority rating,recommended corrections & proposed schedules for implementation of changes.
SHIFFER,J.D. Pacific Gas & Electric Co. DCL-87-261. 87/11/03. Document Control Branch (Document Control Desk). 2pp. 43325:001-43328:030.

8711100309 Provides addl info re performance testing of relief & safety valves,per NUREG-0737,Item II.D.1 & 870617 request. Evaluation of 83 supports for original design loads performed.Mods identified & installed.
COCKFIELD,D.W. Portland General Electric Co. TAC 44625. 87/10/30. Document Control Branch (Document Control Desk). 7pp. 43335:001-43335:007.

8711100350 Forwards Rev 1 to NUREG-0302 in response to 870911 ltr. Attention directed to Item 5 on Page 21.3(a)-3 re applicability of 10CFR21 to calibr svc vendors.W/o encl.
STONE,J.C. Vendor Inspection Branch. 87/11/09. MCROBERTS,W.A. Ladish Co. 1p. 43343:360-43343:360.

8711100354 Forwards "Millstone Unit 3 Natural Circulation Sys Comparison," per NUREG-1031 (SER) requirements.Plant meets testing comparison requirement of Branch Technical Position RSB 5-1, "Design Requirements for RHR Sys" & SER.Fee paid.
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. B12722. 87/11/06. Document Control Branch (Document Control Desk) 2pp. 43335:264-43335:261.

8711100368 NUREG/CR-4763 V02 CANADIAN SEISMIC AGREEMENT.Annual Report
WETMILLER,R.J., LYONS,J.A., SHANNON,W.E. Canadian Commercial Corp. FIN D-1139. 87/10/31. Division of Engineering (Post 870413). 30pp. 43336:226-43336:264.

8711100380 Ack receipt of 870720 ltr re 10CFR21.Part 21 only requires that internal procedures for evaluating & reporting identify responsible officer.Rev 1 to NUREG-0302 encl to clarify issue.W/o encl.
STONE,J.C. Vendor Inspection Branch 87/11/09. ROGERS,G.R. Pelham, Inc. 3pp. 43335:213-43335:216.

8711100384 NUREG-0896 S07 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF SEABROOK STATION,UNITS 1 AND 2.Docket Nos. 50-443 And 50-444.(Public Service Company Of New Hampshire,et al)
* Division of Reactor Projects - I/II (Post 870411). 87/10/31. 76pp. 43341:170-43341:252.

8711100388 Responds to NRC 870610 request for addl info re TMI Item II.D.1 of NUREG-0737, "Performance Testing of Relief & Safety Valves." Remaining questions will be addressed by 880205.
WOODY,C.O. Florida Power & Light Co. L-87-448. 87/11/06. Document Control Branch (Document Control Desk). 8pp. 43334:346-43334:353.

8711100407 NUREG/CR-4887 POSTCON:A POSTPROCESSOR AND UNIT CONVERSION PROGRAM FOR THE CONTAIN COMPUTER CODE.
WASHINGTON,K.E. Sandia National Laboratories. FIN A-1198. SAND87-0582 87/05/31. Office of Nuclear Regulatory Research, Director (Post 860720). 230pp. 43340:309-43341:177.

8711100461 Forwards proprietary "Conduit Fire Protection Research Program," for review & acceptance for ref in licensing actions Affidavit supporting request for proprietary treatment encl.Fee paid.Rept withheld (ref 10CFR2.790).
FAY,C.W. Wisconsin Electric Power Co. VPNPD-87-469. 87/11/04. Division of Engineering & Systems Technology (Post 870411). 10pp. 43336:092-43336:100.

8711110056 Partial response to FOIA request for documents re event at plant.Forwards documents listed in App B & C.Documents also available in PDR.App D documents partially withheld & App E records withheld (ref FOIA Exemptions 6,7 & 5,respectively).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. TAYLOR,J Dallas Times Herald, Dallas, TX. 8pp. 43346:190-43346:347.

--8711110116 Requests review of any info re draft or proposed final rept identified as NUREG-1179 prior to public release.
HAYES,B.B. Office of Investigations. 88/03/11. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 43346:208-43346:247.

--8711110143 Forwards draft response to recommendations made by Sequoyah accident lessons learned group.NRC plans to publish modified version of draft response as appx to lessons learned group rept by Aug.
DAVIS,J.G. Office of Nuclear Material Safety & Safeguards,Director. 88/07/17. STELLO,V. Ofc of the Executive Director for Operations. 68pp. 43346:246-43346:327.

8711110094 Memorandum & order (ruling on applicant motion for summary disposition of Contention 92).* Applicant motion granted since no genuine issue as to any matl fact exists.Served on 871109.
MARGULIES,M.B., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. #487 4794. OL-3. 87/11/06. Long Island Lighting Co. 17pp. 43332:331-43332:347.

8711130133 Discusses review of surveillance testing performed due to 870430 plant shutdown.Performance of listed tests no longer required by Tech Specs terminated.
TAYLOR,J.W. Dairyland Power Cooperative. LAC-12426. 87/11/05. Document Control Branch (Document Control Desk). 2pp. 43364:170-43364:171.

8711130145 Comment on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Recommends NRC reassess safety concerns in NUREG-1251 & delete concerns only loosely tied to Chernobyl.
SCHERER,A.E. Combustion Engineering, Inc. 52FR33304 00002. 87/11/02. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 43364:202-43364:206.

8711130194 Comment supporting draft NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Concern expressed re areas identified in NUREG as warranting further study or analysis.
LEE,B. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 52FR33304 00004. 87/11/03. Rules & Procedures Branch. 16pp. 43359:290-43359:304.

8711130238 Comment re draft NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Rept does not demonstrate need to reexamine current planning bases for ingestion pathway planning.
MYERS,J.F. North Caroline, State of. 52FR33304 00006. 87/10/29. NRC - No Detailed Affiliation Given. 2pp. 43357:328-43357:329.

8711130354 Comment on NUREG-1251 "Implementation Of Accident at Chernobyl For Safety Regulation of Commercial Nuclear Power Plants In US." Rept fails to recognize flaws in application of safety regulations.
MURPHY,S. Nuclear Information & Resource Service. 52FR33304 00005. 87/11/04. CHILK,S.J. Office of the Secretary of the Commission. 8pp. 43361:096-43361:103.

8711160022 NUREG/CR-4930 CRACK-ARREST BEHAVIOR IN SEN WIDE PLATES OF QUENCHED AND TEMPERED A 533 GRADE B STEEL TESTED UNDER NONISOTHERMAL CONDITIONS.
NAUS,D.J., BASS,B.R., PUGH,C.E. Oak Ridge National Laboratory. FIN B-0119. ORNL-6388. 87/08/31. Division of Engineering (Post 870413). 200pp. 43361:147-43361:356.

8711160040 NUREG/CR-4941 THE APPLICATION OF VALUE-IMPACT ANALYSIS TO USI A-45.Summary Report Of UCLA Studies On Value-Impact Analysis In Relation To USI A-45.
CAVE,L., KASTENBERG,W.E. Sandia National Laboratories. * California, Univ. of, Los Angeles, CA. FIN A-1309. SAND87-7116. 87/09/30. Division of Reactor & Plant Systems (Post 870413). 226pp. 43363:045-43363:270.

8711160078 Requests corrective action plans & schedule to bring design into compliance w/Commission 840615 order re Suppl 1 to NUREG-0737, "Requirements for Emergency Response Capability."
HOOD,D.S. Project Directorate II-3. TAC 51105. 87/11/09. TUCKER,H.B. Duke Power Co. 3pp. 43363:028-43363:030.

8711160112 *Advises that new & upgraded instrumentation described in util 841130 Reg Guide 1.97 Implementation rept in response to Suppl 1 to NUREG-0737,installed during last two refueling outages Revised description implementation plans encl.*
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). JPN-87-055. 87/11/11. Document Control Branch (Document Control Desk). 7pp. 43364:008-43364:014.

8711160184 Forwards application for amend to License DPR-6,changing Tech Specs administratively to reflect features & terminology used w/new out-of-core power range nuclear instrumentation.Licensing topical repts encl.Fee paid.
BERRY,K.W. Consumers Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43366:081-43366:198.

--8711160246 NEDO-30883-A "Nuclear Measurement Analysis & Control Logarithmic Radiation Monitor (NUMAC-LRM)," Licensing topical rept.
REIGEL,D.W., ROBARE,D.J. General Electric Co. 87/01/31. 62pp. 43366:103-43366:164.

8711160184 NUREG/CR-4976 PLANT RHIZOSPHERE PROCESSES INFLUENCING RADIONUCLIDE MOBILITY IN SOIL.
CATALDO,D.A., COWAN,C.E., MCFADDEN,K.M. Battelle Memorial Institute, Pacific Northwest Laboratories. FIN B-2870. PNL-6277. 87/10/31. Division of Engineering (Post 870413). 76pp. 43371:242-43371:323.

8711170043 NUREG/CR-4727 SWISS SUSTAINED HEATED METALLIC MELT/CONCRETE INTERACTIONS WITH OVERLYING WATER POOLS.
BLOSE,R.E., GRONAGER,J.E., SUO-ANTTILA,A. Sandia National Laboratories. FIN A-1218. SAND85-1546. 87/06/30. Division of Reactor Accident Analysis (Post 870413). 265pp. 43372:153-43373:059.

8711170099 Application for amend to License NPF-71 & FSAR,allowing response time of 8 s for overtemp delta-T & overpower delta-T instrumentation based on supporting analys's discussed in encl safety evaluation.Fee paid.
VAUGHN,G.E. Houston Lighting & Power Co. ST-HL-AE-2409. 87/11/12. Document Control Branch (Document Control Desk). 13pp. 43375:082-43375:161.

8711170119 Requests that NRC reevaluate conclusion on acceptability of facility recirculation pump trip design based on info provided,per 10CFR50.62.Commitment re schedule to upgrade sys will not be submitted until issue resolved.
ZIMMERMAN,S.R. Carolina Power & Light Co. NLS-87-244. 87/11/13. Document Control Branch (Document Control Desk). 7pp. 43382:261-43382:267.

8711170127 Forwards insp actions taken for plant BWR stainless steel piping,per Generic Ltr 84-11 on IGSCC.Actions taken to mitigate IGSCC during const recommended by Rev 1 to NUREG-0313.
HALL,D.P. Illinois Power Co. GL-84-11. 87/11/12. Document Control Branch (Document Control Desk). 4pp. 43384:261-43384:254.

8711170152 Final response to FOIA request for SECY-87-047.Forwards App G *document.Document also available in PDR.*
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/13. FLORA,J.W. Flora, J.W. 2pp. 43385:245-43385:255.

--8711170162 SECY-87-047 Discusses regulatory effectiveness review program annual rept for FY86,per NUREG-0885,Issue 6.Program proven beneficial as means of assessing effectiveness of safeguards programs against design basis threats of sabotage.
STELLO,V. Ofc of the Executive Director for Operations. 87/02/19. 6pp. 43385:250-43385:255.

8711170179 Application for amend to License NPF-71,changing Tech Spec 6.5.1.8 to require that plant operations review committee meeting minutes be sent to vice president,nuclear plant operations instead of group vice president,nuclear.Fee paid.
VAUGHN,G.E. Houston Lighting & Power Co. ST-HL-AE-2412. 87/11/12. Document Control Branch (Document Control Desk). 4pp. 43383:021-43383:025.

--8711170181 Proposed Tech Specs,changing Tech Spec 6.5.1.8 re recipient of plant operations review committee meeting summary.
* Houston Lighting & Power Co. 87/11/12. 1p. 43383:025-43383:025.

8711170187 Forwards draft Integrated Control Sys Tuning Procedure STP-660, "Integrated Control Sys Tuning at Power." Submittal of procedure completes util response to request for addl info in NUREG-1266.
FIRLIT,J.F. Sacramento Municipal Utility District. AGM/NPP 87-366. 87/11/05. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43384:255-43384:309.

8711170191 Requests addl info re advanced LWR requirements document, Chapters 3 & 4.Schedule for review of Chapters 3 & 4 based upon receipt of response by 871231.
LEECH,P.H. Standardization & Non-Power Reactor Project Directorate. 87/11/13. KINTNER,E.E. General Public Utilities Corp. - GPU Service Corp. 7pp. 43385:235-43385:241.

8711170212 Forwards safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
WESSMAN,R.H. Project Directorate I-3. TAC 47313. 87/11/13. BIRD,R.G. Boston *Edison Co. 2pp. 43385:284-43385:287.*

--8711170219 Safety evaluation supporting licensee program for verifying correct performance of operating activities which meets requirements of NUREG-0737,Item I.C.6.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 2pp. 43385:286-43385:287.

8711170285 Forwards results of leakage monitoring testing of sys outside containment which could contain radioactive fluids following accident,per commitment to implement program in response to NUREG-0737,Item III.D.1.1.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 161-00653/ACR/S. 87/11/13. Document Control Branch (Document Control Desk). 22pp. 43384:019-43384:040.

8711180047 NUREG/CR-4950 V02 THE SHORELINE ENVIRONMENT ATMOSPHERIC DISPERSION EXPERIMENT (SEADEX) Meteorological And Gas Tracer Data.
JOHNSON,W.B., CANTRELL,B.K., MORLEY,B.M. SRI International. FIN B-6793. 87/10/31. Division of Engineering (Post 870413). 500pp. 43387:241-43389:015.

8711180060 NUREG/CR-5034 AN UPDATE OF MIDCONTINENT TECTONISM.
HINZE,W.J., BRAILE,L.W., KELLER,G.R. Purdue Univ., West Lafayette, IN. FIN B-8077. 87/10/31. Division of Engineering (Post 870413). 62pp. 43394:001-43394:064.

8711180064 NUREG/CR-5040 RADIONUCLIDE MIGRATION AROUND URANIUM ORE BODIES - ANALOGUE OF RADIOACTIVE WASTE REPOSITORIES.Annual Report For 1984-1985.
AIREY,P.L., DUERDEN,P., ROMAN,D. Australian Atomic Energy Commission. FIN B-6661. AAEC/C55. 87/11/30. Division of Engineering (Post 870413). 200pp. 43394:065-43394:281.

8711180065 NUREG-1287 TECHNICAL SPECIFICATIONS FOR PALO VERDE NUCLEAR GENERATING STATION,UNIT 3.Docket No. 50-530 (Arizona Nuclear Power Project)
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/30. 400pp. 43386:112-43387:240.

8711180096 Responds to NRC 871016 ltr re violations noted in insp. Corrective actions:evaluation of NUREG-CR/3597 completed to provide suppl data demonstrating that performance requirements met.
COCKFIELD,D.W. Portland General Electric Co. 87/11/13. Document Control Branch (Document Control Desk). 4pp. 43398:182-43398:185.

8711190250 Responds to 870921 request re "Completion of Review of NUREG-0737,Item II.D.1 - Safety & Relief Valve Testing for Units 1 & 2." Method developed & procedures will be revised to verify operability of pressurizer safety valves.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). TAC 44622. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43400:330-43400:331.

8711190267 Petition per 10CFR2.206 requesting investigation of plant security problems resulting from easy access to cooling lake which may be exploited by terrorists.Supporting info & Certificate of mailing encl.
EYE,R.V. Nuclear Awareness Network. 2.206. 87/11/12. Commissioners. 12pp. 43400:060-43400:074.

8711190360 Forwards NUREG-1231, "SER re B&W Owners Group Plant Reassessment Program." NRC unable to reach final conclusion on acceptability of human factors portion of program. Consideration of NRC recommendations requested.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/06. WILGUS,W.S. Babcock & Wilcox Operating Plants Owners Group. 237pp. 43406:001-43406:237.

8711200077 Discusses license condition re SPDS per NRC 851125 & 860131 requests & Suppl 1 to NUREG-0737.Physical location of primary SPDS & current containment isolation display retained.Commitments will be implemented prior to start-up.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. B12712. 87/11/13. Document Control Branch (Document Control Desk). 11pp. 43406:238-43406:248.

8711200146 *Forwards response to NRC topic evaluations status of integrated safety assessment program topics & review of draft NUREG-1165 Attachment A provides discussion on scope, evaluation & prioritization of each topic.*
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. A06748. 87/11/13. Document Control Branch (Document Control Desk). 51pp. 43417:147-43417:197.

8711200188 Summary of 871020-22 meetings w/util re conversion of Tech Specs to format & content of STS for Westinghouse PWRs (NUREG-0452).List of attendees encl.
MCDONALD,D.G. Project Directorate II-2. TAC 63038. 87/11/06. Project Directorate II-2. 4pp. 43414:339-43414:342.

8711200293 Comments on proposed Rev 2 to Reg Guide 1.100 re seismic qualification of electrical & mechanical equipment for nuclear power plants.
FAY,C.W. Wisconsin Electric Power Co. GL-87-02. 87/11/09. Rules & Procedures Branch. 2pp. 43410:071-43410:072.

8711200339 Forwards safety evaluation re emergency operating procedures upgrade program per TMI Action Item I.C.1.Eight procedures validated on simulator & actions *acceptable.*
FERGUSON,R.L. Project Directorate I-4. TAC 65842. 87/11/16. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 6pp. 43425:190-43425:195.

8711200349 Comment opposing NUREG-1251 which states that low lessons to be learned from Chernobyl accident w/respect to safety regulation of US reactors.
HIATT,S.L. Ohio Citizens for Responsible Energy. 52FR33304 00007. 87/11/02. NRC - No Detailed Affiliation Given. 11pp. 43412:344-43412:354.

8711230004 Forwards Amends 74 & 66 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends revise limiting condition for operation & action & surveillance requirements of Tech Spec 3.6.1.7 re containment ventilation sys.
REEVES,E.A. Project Directorate II-1. TAC 65454. 87/11/16. MCDONALD,R.P. Alabama Power Co. 2pp. 43416:045-43416:067.

--8711230016 Safety evaluation supporting Amends 74 & 66 to Licenses NPF-2 & NPF-8,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 4pp. 43416:064-43416:067.

8711230035 Comments supporting rev of NUREG-1150 re analysis & quantification of uncertainties in all PRAs & safety analyses.
CULLINGFORD,M. International Atomic Energy Agency. 52FR7950 00045. 87/10/19. STELLO,V. Ofc of the Executive Director for Operations. 120pp. 43418:178-43418:288.

8711230145 Forwards SER accepting plant SPDS for operation while open issues resolved.Util requested to submit rept re actions to be taken to comply w/requirements of Suppl 1 to NUREG-0737. Audit Rept SAIC-86/3097 also encl.
HOPKINS,J.B. Project Directorate II-1. TAC 51287. 87/11/13. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43426:052-43426:151.

--8711230147 SER accepting plant SPDS for operation while open items to Suppl 1 to NUREG-0737 resolved.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/13. 8pp. 43426:054-43426:061.

8711230155 Submits procedure for insp of pressurizer code safety valves after each lift involving loop seal or water discharge,per TW Alexion 870910 request.
SCHNELL,D.F. Union Electric Co. ULNRC-1681. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43419:147-43419:148.

8711230264 Forwards insp Rept 50-395/87-30 on 871020-30 & notice of violation.Attention invited to unresolved item identified in rept.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43419:173-43419:184.

--8711230287 Notice of violation from insp on 871020-23.Violation noted: Improper installation of Raychem splices/sleeves & V-stub taped splices not environmentally qualified per NUREG-0588.
HERDT,A.R. Region 2, Ofc of the Director. 87/11/16. 3pp. 43419:175-43419:177.

8711230326 NUREG-0090 V10 N01 REPORT TO CONGRESS ON ABNORMAL OCCURRENCES:January-March 1987.
* Office for Analysis & Evaluation of Operational Data, Director. 87/10/31. 58pp. 43426:226-43426:282.

8711230334 NUREG/CR-4990 HEAVY-SECTION STEEL TECHNOLOGY PROGRAM:Five Year Plan,FY 1988-1990.
PUGH,C.E. Oak Ridge National Laboratory. FIN B-0119. ORNL/TM-10526. 87/09/30. Division of Engineering (Post 870413). 190pp. 43444:315-43445:143.

8711230343 NUREG-0540 V09 N09 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. September 1-30,1987.
* Division of Publication Services (Post 870413). 87/11/30. 513pp. 43426:283-43428:076.

8711230401 NUREG/CR-5010 RELAP5/MOD2 ASSESSMENT USING SEMISCALE EXPERIMENTS S-NH-1 AND S-LH-2.
YUANN,R., LIANG,K., JACOBSON,J.L. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6827. EGG-2520. 87/10/31. Division of Reactor Accident Analysis (Post 870413). 73pp. 43425:231-43425:302.

8711230410 Provides schedule for 1989 installation of block valves,per NRC request for addl info re past analysis supporting NUREG-0737,Item II.D.1 compliance of pressurizer block valves & PORV.
SMEDLEY,R.W. Consumers Power Co. TAC 44604. 87/11/17. Document Control Branch (Document Control Desk). 2pp. 43424:265-43424:266.

8711240087 Clarifies util 870531 submittal re App R compliance assessment rept,per 871020 & 21 meetings.Revs to Oct 1986 request for addl info,App R compliance assessment rept & addl backup info to support NRC review of rept encl.
MEDFORD,M.O. Southern California Edison Co. GL-86-10. 87/11/20. Document Control Branch (Document Control Desk). 200pp. 43434:211-43435:081.

8711240142 Forwards listed documents in response to 870331 request for addl info re NUREG-0737,Item II.D.1, "Performance Testing of Relief & Safety Valves." Documents include, "AE Project Plan for Evaluation of..." & "Evaluation of Pressurizer...."
LEBLOND,P.C. Commonwealth Edison Co. 3848K. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43428:093-43429:246.

--8711240173 "Evaluation of Zion Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737."
RACO,R.J., ARMSTRONG,B.A. O'Donnell & Associates, Inc. 87/03/31. 53pp. 43429:195-43429:248.

8711240197 Forwards addl info re NUREG-0737,Item II.E.4.1, "Dedicated Hydrogen Penetrations," per 870514 telcon.Vent portion of containment atmosphere dilution sys redundant & can withstand single failure due to alternate power supply.
GRIDLEY,R. Tennessee Valley Authority. 87/11/20. Document Control Branch (Document Control Desk). 5pp. 43431:356-43431:360.

8711240278 Advises that insp of coated weld samples completed per procedure consistent w/guidance in SSER 12 (NUREG-0797).Util prepared to support NRC Office of Special Projects review & assessment of insp results.
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). TXX-6909. 87/11/20. Document Control Branch (Document Control Desk). 2pp. 43459:178-43459:179.

8711250003 NUREG/CR-5014 PARAMETRIC STUDY OF PIPE WHIP ANALYSIS.
CHUN,R.C., CHUANG,T.Y. Lawrence Livermore National Laboratory. FIN A-0136. UCRL-21177. 87/10/31. Division of Engineering (Post 870413). 50pp. 43449:327-43450:015.

8711250072 NUREG/CR-2000 V06 N9 LICENSEE EVENT REPORT (LER) COMPILATION:For Month Of September 1987.
* Oak Ridge National Laboratory. FIN A-9135. ORNL/NSIC-200. 87/10/31. Office for Analysis & Evaluation of Operational Data, Director. 81pp. 43450:016-43450:095.

8711250095 Forwards SER re util response to TMI Item II.D.1, "Performance Testing of Relief & Safety Valve." Responses acceptable.
WIGGINTON,D.L. Project Directorate III-3. 87/11/17. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 43448:336-43448:361.

--8711250106 SER re TMI Action Item II.D.1, "Relief & Safety Valve Testing."
* NRC - No Detailed Affiliation Given. FIN A-6492. 87/11/17. 24pp. 43448:338-43448:361.

8711250102 NUREG-0304 V12 N03 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Compilation For Third Quarter 1987,July-September.
* Division of Publication Services (Post 870413). 87/11/30. 60pp. 43460:306-43460:356.

8711250119 NUREG-0762 R01 STANDARD FORMAT AND CONTENT FOR EMERGENCY PLANS FOR FUEL-CYCLE AND MATERIALS FACILITIES.Draft Report For Comment.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 87/11/30. 35pp. 43450:155-43450:189.

8711250143 NUREG/CR-4550 V01 ANALYSIS OF CORE DAMAGE FREQUENCY FROM INTERNAL EVENTS: METHODOLOGY GUIDELINES.
HARPER,F.T., CAMP,A.L. Sandia National Laboratories. DROUIN,M.T. Science Applications International Corp. (formerly Science Applications, Inc.). FIN A-1228. SAND86-2084. 87/09/30. Division of Reactor Accident Analysis (Post 870413). 145pp. 43450:190-43451:121.

8711250145 NUREG-1231 SAFETY EVALUATION REPORT RELATED TO THE BABCOCK AND WILCOX OWNERS GROUP PLANT REASSESSMENT PROGRAM.
SIEGEL,B. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/30. 245pp. 43449:095-43449:326.

8711250149 Forwards informal Rept EGG-NTA-7507, "Technical Evaluation Rept for Oconee Nuclear Station Units 1,2 & 3 Response to NRC,NRR Generic Ltr 83-37." Util not in conformance w/six listed action items.
PASTIS,H.N. Project Directorate II-3. 87/11/19. TUCKER,H.B. Duke Power Co. 4pp. 43461:264-43461:303.

8711250160 NUREG/CR-5011 APPLICATION OF THE ADAPTIVE-PREDICTIVE CONTROLLERS TO PLANT SAFETY SURVEILLANCE UTILIZING ON-LINE PLANT ANALYZER.
FABIC,S. Dynatrek, Inc. FIN D-1652. 87/10/31. Division of Reactor & Plant Systems (Post 870413). 142pp. 43461:002-43461:142.

8711250268 Forwards safety evaluation accepting util 830815 & 870109 responses to Open Issues 4.2.4.1 & 4.2.4.2 re reactor protection sys control sys & process computer,respectively, to integrated plant safety assessment rept,Topic VII-1.A.
MULLER,D.R. Project Directorate III-2. TAC 49369. 87/11/20. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43463:013-43463:016.

8711300001 Forwards safety evaluation & technical evaluation rept re offsite dose calculation manual,Rev 4.Typos & problems re liquid flows & gaseous effluent pathways noted.Offsite dose calculation manual should be revised by 880401.
CLARK,R.J. Project Directorate I-2. TAC 64657. 87/11/23. BAUER,E.G. Philadelphia Electric Co. 5pp. 43464:035-43464:061.

--8711300003 Safety evaluation supporting Rev 4 to offsite dose calculation manual.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/23. 2pp. 43464:040-43464:041.

8711300034 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000,per Enforcement Action EA-87-163.Corrective actions:operators disciplined & supervisor counseled.Escalation of penalty unwarranted.
TUCKER,H.B. Duke Power Co. EA-87-163. 87/11/25. Document Control Branch (Document Control Desk). 17pp. 43473:056-43473:073.

8711300041 Forwards addl info re elimination of resistance temp detector bypass sys,per K Jabbour 871106 request.Revised Tech Spec Page 3/4.3-1 re frequency of testing for detector encl.Addl info withheld.
TUCKER,H.B. Duke Power Co. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43469:173-43469:174.

8711300046 Forwards Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30 & notice of violation.
ZECH,G.G. Ofc of Special Projects. 87/11/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 43473:016-43473:048.

--8711300054 Notice of violation from insp on 870901-30.Violation noted: licensee failed to establish measures to assure NUREG-0737 requirements re containment high-range radiation monitoring sys correctly translated into specs & procedures.
ZECH,G.G. Ofc of Special Projects. 50-296/87-33. 87/11/19. 3pp. 43473:019-43473:021.

--8711300062 Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33 on 870901-30.Violations noted:Major areas inspected:operational safety,maint observation,surveillance testing observation, ROs,restart test program & info notice review.
PAULK,G.L., CHRISTNOT,E.F., JOHNSON,A. Region 2, Ofc of the Director. 50-296/87-33. 87/11/18. 25pp. 43473:022-43473:048.

8711300063 Forwards comments on NUREG/CR-4330 re review of LWR requirements.Statement that requirement changes would have small benefit to existing plants untrue.Elimination of duplicate functions could results in savings to util.
GRIDLEY,R. Tennessee Valley Authority. 87/11/23. MURLEY,T.E. NRC - No Detailed Affiliation Given. 7pp. 43469:326-43469:332.

8711300082 Ack receipt of 871014 ltr informing NRC of status of actions planned to address improvement & unresolved items in Insp Rept 50-412/87-50 re implementation of certain NUREG-0737 TMI Action Plan requirements.
MARTIN,T.T. Region 1, Ofc of the Director. 87/11/25. CAREY,J.J. Duquesne Light Co. 2pp. 43467:108-43467:115.

8711300099 Requests review & approval of util 870601 amend request. Proposed revs update LOCA limited max allowable linear heat rate to reflect NUREG-0630 cladding swelling & rupture models for LOCA analysis.
TUCKER,H.B. Duke Power Co. 87/11/24. Document Control Branch (Document Control Desk). 2pp. 43467:101-43467:102.

8711300144 Discusses methodology for treating seismic anchor motions in evaluation of shutdown sys piping at plant for NRC concurrence,per NUREG/CR-0098 & SEP Topic III-6.Criteria will be revised & commitments will proceed upon concurrence.
PAPANIC,G. Yankee Atomic Electric Co. FYR 87-118. 87/11/23. FAIRTILE,M. Project Directorate I-3. 2pp. 43471:068-43471:069.

8711300203 Comment opposing conclusions reached in NUREG-1251 re potassium iodide (KI).NUREG-1251 ignores safety benefits of KI.
MORRIS,A. ANBEX, Inc. 52FR33304 00008. 87/11/13. Division of Rules & Records (Post 870413). 5pp. 43467:339-43467:343.

8711300261 Informs of calibr problems associated w/reactor vessel head level monitor portion of inadequate core cooling sys. Unacceptable string error found.Testing initiated to restore instrument strings to acceptable tolerance limits.
TUCKER,H.B. Duke Power Co. 87/11/20. Document Control Branch (Document Control Desk). 3pp. 43467:263-43467:265.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

8012170462 IE Bulletin 80-25, "Operating Problems W/Target Rock Safety- Relief Valves at BWRs."
* Ofc of Inspection & Enforcement, Director (820201-870413). TAC 48771. 80/12/19. Consolidated Edison Co. of New York, Inc. 5pp. 43226:201-43226:205.

8305110473 IE Info Notice 83-39, "Failure of Safety/Relief Valves to Open at BWRs - Interim Rept."
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212-870413). TAC 48771. 83/08/17. Consolidated Edison Co. of New York, Inc. 2pp. 43226:206-43226:207.

8706230066 Forwards draft NRR Ofc Ltr 100, "Procedure for Preparing NRR Ofc Ltrs." Ofc ltrs should provide NRR policy,define responsibilities,authorities & procedures & *establish requirements re managing & carrying out NRR functions.*
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/06/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 43463:317-43464:034.

--8709030153 Submits Rev 2 to NRR Ofc Ltr 101, "Delegation of Signature Authority." Redelegation of responsibilities & authorities delineated in encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 43463:322-43463:334.

--8707290087 Submits NRR Ofc Ltr 102,clarifying policy on placing documents & correspondence in Document Control Sys,Central Files & PDR.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/07/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43463:335-43463:340.

--8708170009 Submits NRR Ofc Ltr 104,establishing guidelines for processing FOIA requests.Guidelines ensure that requests thoroughly researched & responses completed & timely.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 43463:341-43463:345.

--8708070081 NRR Ofc Ltr 105,Guidelines for NRR response to requests for technical assistance through Office of General Counsel established Objectives & responsibilities discussed.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43463:346-43463:348.

--8711170108 Submits NRR Ofc Ltr 107, "Review of Draft Documents Submitted by Applicants,Licensees or Vendors." Ltr provides guidance for NRR review & handling of draft documents for review & comment.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/06. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43463:349-43463:351.

--8711020158 Submits NRR Ofc Ltr 200 re travel procedures.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 43463:352-43464:002.

--8711300021 Submits NRR Ofc Ltr 201, "Procedures & Project Manager Responsibilities for License Fee Determinations & Reporting." Project manager responsibilities delineated in encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43464:003-43464:009.

--8708250230 NRR Ofc Ltr 700 providing procedures for handling requests for staff members to present technical papers at prof society meetings & other technical conferences & implementing NRC Manual Chapter 3205 on subj.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43464:010-43464:013.

--8708270050 Submits NRR Ofc Ltr 1000 establishing NRR procedures for requesting Ofc of Investigations to conduct investigations into matters involving wrongdoing on part of employees of licensees or licensee contractors.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 43464:014-43464:021.

--8708270091 Discusses NRR Ofc Ltr 1001 *re policy & procedure for disposition of investigation repts received from Ofc of Investigations.Purpose,background,responsibilities & procedure addressed.*
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/08/20. NRC - No Detailed Affiliation Given. 4pp. 43464:022-43464:029.

--8711300027 Submits NRR Ofc Ltr 1400, "Foreign Travel Approval Procedures." Div responsibilities delineated in encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/07/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 43464:030-43464:034.

8710230213 NRC Info Notice 87-055, "Portable Moisture/Density Gauges: Recent Incidents of Portable Gauges Being Stolen or Lost." Svc list encl.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-87-031. 87/10/29. Consolidated Edison Co. of New York, Inc. 8pp. 43324:139-43324:227.

8710290234 NRC Info Notice 87-056, "Improper Hydraulic Control Unit Installation at BWR Plants." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/04. Consolidated Edison Co. of New York, Inc. 112pp. 43324:228-43324:339.

8711020017 NRC Info Notice 87-057, "Loss of Emergency Boration Capability Due to Nitrogen Gas Intrusion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-62-19. *87/11/06. Consolidated Edison Co. of New York, Inc. 118pp. 43355:003-43355:119.*

8711020023 Forwards FJ Congel 871021 memo to RW Knmm of FEMA & Ross undated comments,raising serious questions re NRC candor, openness & integrity of rulemaking process on emergency planning.Response to listed questions requested.
MARKEY,E.J. House of Rep. 52FR6980. 87/10/27. ZECH,L.W. Commissioners. 3pp. 43232:348-43232:354.

--8711020038 Discusses assumptions upon which util offsite emergency plan review would be conducted by FEMA,per 871015 meeting re evaluation criteria.Ross comments on lack of cooperation of state &/or local govt for offsite emergency planning encl.
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 52FR6980. 87/10/21. KRIMM,R.W. Federal Emergency Management Agency. 4pp. 43232:351-43232:354.

8711020160 Suggests that NRC misleading public re position on state & local govt co-*operation w/util emergency planning Encl info indicates reversal to SECY-87-257* position.State & county request suspension of rulemaking & rescission of FEMA order.
BROWN,H.H. Kirkpatrick & Lockhart. BROWN,H.H. New York, State of. BROWN,H.H. Suffolk County, NY. 52FR6980. 87/10/28. PARLER,W. Office of the General Counsel 2pp. 43235:039-43235:043.

--8711020214 Provides followup on issues of 871015 meeting re development of criteria for evaluation of util offsite emergency plans. Names of ANL staff needed for addl resources listed.FEMA prepared to begin work w/NRC on 871026.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/16. STELLO,V.J. Ofc of the Executive Director for Operations. 2pp. 43235:041-43235:043.

8711040251 Forwards AEOD/S703, "Special Study Rept on Radiation Overexposure Events Involving Industrial Field Radiography." Equipment problems involved in approx 40% of events. Virtually all events preventable by radiation surveys.
BLACK,K. Nonreactor Assessment Staff. AEOD/S703. 87/10/22. ALEXANDER,R. Radiation Protection & Health Effects Branch. MILLER,W.L. Medical, Academic & Commercial Use Safety Branch. 2pp. 43281:071-43281:093.

--8711040254 "Special Study Rept on Radiation Overexposure Events Involving Industrial Field Radiography."
PETTIJOHN,S.L. Office for Analysis & Evaluation of Operational Data, Director. AEOD/S703. 87/10/31. 21pp. 43281:073-43281:093.

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2.206. 87/10/19. Union of Concerned Scientists. 84pp. 43279:243-43279:329.

--8711040349 Notice of Issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2.206. 87/10/19. 3pp. 43279:327-43279:329.

8711040315 Forwards NRR rept, "Incentive Regulation of Nuclear Power Plants by State PUCs,Updated Rept - Sept 1987." Rept released for placement in PDR.
PETERSON,J.C. Policy Development & Technical Support Branch (Post 870411). 87/11/02. Document Control Branch (Document Control Desk). 1p. 43278:317-43279:047.

--8711040326 Forwards "Incentive Regulation of Nuclear Power Plants by State PUCs,Updated Rept - Sept 1987." Rept covers methodology & potential financial costs of incentives. Comments requested.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/13. STELLO,V., TAYLOR,J., REHM,T. Ofc of the Executive Director for Operations. 2pp. 43278:318-43278:047.

--8711040330 "Incentive Regulation of Nuclear Power Plants by State PUCs, Updated Rept - Sept 1987."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/09/30. 88pp. 43278:320-43278:047.

8711050040 NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/06. Consolidated Edison Co. of New York, Inc. 116pp. 43397:142-43397:257.

8711050111 Forwards "Suppl to Post-Exercise Assessment,Version 2, 861110-1203 Remedial Exercise of Radiolgical Emergency Preparedness Plans of Westchester,Rockland & Orange Counties," including corrected tables.
KRIMM,R.W. Federal Emergency Management Agency. 87/10/26. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43291:246-43292:039.

--8711060007 "Suppl to Post-Exercise Assessment,Version 2,861110-1203 Remedial Exercise of Radiological Emergency Preparedness Plans of Westchester,Rockland & Orange Counties."
* Federal Emergency Management Agency. 87/09/16. 118pp. 43291:249-43292:039.

8711050243 Summary of Operating Reactor Events Meeting 87-37 on 871027. Viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. OREM-87-037. 87/10/28. ROSSI,C.E. Division of *Operational Events Assessment (Post 870411). 20pp. 43340:269-43340:288.*

8711060087 Forwards FES "Alternative Cooling Water Sys,Savannah River Plant Aiken,SC." FES addresses issues re implementation of cooling water sys for major sources of thermal effluents at Savannah River plant.Press release re FES encl.
MORGAN,R.L. Energy, Dept. of. 87/10/27. MILLER,M.A. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43305:070-43307:102.

--8711060124 FES "Alternative Cooling Water Sys,Savannah River Plant, Aiken,SC."
* Energy, Dept. of. 87/10/31. 750pp. 43305:073-43307:102.

8711090140 NRC Info Notice 87-058, "Continuous Communications Following Emergency Notifications." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/16. Consolidated Edison Co. of New York, Inc. 113pp. 43404:176-43404:288.

8711100139 Requests approval to present & submit encl invited paper, entitled, "Burnup Credit Considerations in Dry Spent Fuel Storage Licensing" at 871115-19 ANS Winter meeting in Los Angeles,CA.
ROBERTS,J.P. Fuel Cycle Safety Branch. 87/10/27. ROUSE,L.C. Fuel Cycle Safety Branch. 2pp. 43341:321-43341:330.

--8711100149 Paper entitled, "Burnup Credit Considerations in Dry Spent Fuel Storage Licensing" to be presented at 871115-19 ANS 1987 Winter meeting.
ROBERTS,J.P. Fuel Cycle Safety Branch. 87/10/31. 8pp. 43341:323-43341:330.

8711110027 Forwards FR notice of amends issued or proposed to be issued per Public Law 97-415,enacted on 830104,amended Section 189 of Atomic Energy Act of 1954.W/o encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/03. BREAUX,J.B. Senate, Environment & Public Works. 2pp. 43347:299-43347:300.

8711110045 Response of FEMA to applicant objection in nature of motion in limine to admission into evidence of certain portions of FEMA prefiled testimony.* Certificate of Svc encl.
FLYNN,H.J. Federal Emergency Management Agency. #487 4778. OL. 87/10/30. Atomic Safety and Licensing Board Panel. 7pp. 43332:173-43332:179.

8711120027 NRC Info Notice 87-059, "Potential RHR Pump Loss." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/11/17. Consolidated Edison Co. of New York, Inc. 120pp. 43487:001-43487:121.

8711130008 Suppl 2 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-86-108. 87/11/19. Consolidated Edison Co. of New York, Inc. 119pp. 43444:195-43444:314.

8711160145 Forwards FEMA Region VI exercise evaluation rept of util 870408 exercise & FEMA 870930 memo to NRR.No deficiencies noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/11/10. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 43364:247-43364:319.

8711170183 Forwards AEOD Technical Review Rept AEOD/T711, "Review of Data on Teletherapy Misadministrations Reported to State of NY Subj of PNO-I-87-074A," per V Miller 870826 memo.Summary of reviewed data discussed.
BLACK,K. Nonreactor Assessment Staff. AC65-1 28. 87/11/13. MILLER,V. Medical, Academic & Commercial Use Safety Branch. 2pp. 43385:292-43385:301.

--8711170184 Undated AEOD/T711, "Review of Data on Teletherapy Misadministrations Reported to State of NY Subj of PNO-I-87-074A."
PETTIJOHN,S. Office for Analysis & Evaluation of Operational Data, Director. AEOD/T711. 87/11/13. 8pp. 43385:294-43385:301.

8711170226 Summary of Operating Reactors Events Meeting 87-38 on 871103.List of attendees,viewgraphs & summary of reactor scrams encl.
LANNING,W. Events Assessment Branch. OREM-87-038. 87/11/05. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 20pp. 43385:215-43385:234.

8711180111 Requests that encl discussion topics be reviewed to identify areas of mutual interest re advance BWR that may have been omitted & list of specific questions concerning addl topics identified.Requests comments by 871214.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/11/16. SHAO,L. Division of Engineering & Systems Technology (Post 870411). ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). CONGEL,F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43389:095-43389:098.

--8711180114 Informs that L Rubenstein & D Scaletti of NRR plan to visit Japan in Dec 1987 to meet w/entities directly involved in Japanese BWR design & licensing process.Requests meetings be scheduled beginning wk of 871207.Discussion topics encl.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/10/23. HAUBER,R.D. International Programs. 3pp. 43389:096-43389:098.

8711190314 Notifies that State of WV 830920 submittal of state & local plans for radiological emergencies re plant acceptable. Adequacy of public alert & notification sys verified by FEMA on 851227.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43402:205-43402:205.

8711200329 Forwards "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification." Recommends frequency of full-cycle tests be increased & addl test be performed.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43412:035-43412:275.

--8711200331 "St Lucie Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification."
* Federal Emergency Management Agency. 87/10/13. 236pp. 43412:038-43412:275.

8711200375 Forwards "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification," final rept.Recommends that util increase frequency of full cycle tests of alert & notification sys to once per month.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/29. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43411:130-43412:034.

--8711200381 "Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys OA Verification," final rept.
* Federal Emergency Management Agency. 87/09/30. 262pp. 43411:131-43412:034.

8711230424 Forwards preliminary addendum summarizing 19 deficiencies observed at 871014 joint exercise of offsite radiological emergency preparedness plans involving State of WA & Cowlitz County & State of OR & Columbia County.
KRIMM,R.W. Federal Emergency Management Agency. 87/11/16. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 5pp. 43424:236-43424:240.

8711240232 Forwards draft policy for application of license boundaries at non-power reactors for review & comment.Review should consider procedures being used at non-power reactors to determine whether problems may exist w/implementation.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/18. MARTIN,T.T. Region 1, Ofc of the Director. STOHR,J.P. Region 2, Ofc of the Director. HIND,J.A. Region 3, Ofc of the Director. 4pp. 43445:325-43445:329.

--8711240235 Discusses Policy & Guidance Directive FC 83-19 re jurisdiction at reactor facilities.
CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 83/09/16. Region 1, Ofc of the Director. 1p. 43445:328-43445:329.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents.
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711250200 Forwards "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.Deficiency re unsuccessful activation of Pope County emergency operations ctr identified.Emergency plan adequate.
KRIMM,R.W. Federal Emergency Management Agency. 87/11/18. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 43459:276-43459:355.

--8711250202 "Final Radiological Emergency Preparedness Exercise Rept," of 870318 exercise & remedial drill conducted on 870611.
* Federal Emergency Management Agency. 87/09/15. 76pp. 43459:277-43459:355

PR PROPOSED RULE

8710160023 Forwards Senator GJ Humphrey motion for leave to file Amicus Curiae in response to applicant motion for vacation of stay & brief Amicus Curiae.
HUMPHREY,G.J. Senate. #487 4690. OL-1. 87/10/13. Docketing & Services Branch. 1p. 43048:069-43048:095.

--8710160027 Senator GJ Humphrey motion for leave to file Amicus Curiae brief in response to applicant motion for vacation of stay.* Response will be filed by C O B 871013.
HUMPHREY,G.J. Senate. OL-1. 87/10/13. Commissioners. 3pp. 43048:070-43048:072.

--8710160031 Brief Amicus Curiae of US Senator GJ Humphrey in response to applicant motion for vacation of stay.Financial qualification of lead owner & adequacy of emergency plan should be resolved before stay lifted.W/Certificate of Svc.
HUMPHREY,G.J. Senate. OL-1. 87/10/13. Commissioners. 23pp. 43048:073-43048:095.

8711020004 Press Release 87-136 re Chairman LW Zech announcement of 871022 public meeting on proposed final rule changes re emergency planning for nuclear power plants.
* NRC - No Detailed Affiliation Given. 52FR6980. 87/10/09. 1p. 43232:360-43232:360.

8711020011 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
BREAUX,J. Senate. 52FR6980. 87/10/21. ZECH,L. Commissioners. 2pp. 43227:229-43227:230.

8711020023 Forwards FJ Congel 871021 memo to RW Krimm of FEMA & Ross undated comments,raising serious questions re NRC candor, openness & integrity of rule-making process on emergency planning.Response to listed questions requested.
MARKEY,E.J. House of Rep. 52FR6980. 87/10/27. ZECH,L.W. Commissioners. 3pp. 43232:348-43232:354.

--8711020038 Discusses assumptions upon which util offsite emergency plan review would be conducted by FEMA,per 871015 meeting re evaluation criteria.Ross comments on lack of cooperation of state &/or local govt for offsite emergency planning encl.
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 52FR6980. 87/10/21. KRIMM,R.W. Federal Emergency Management Agency. 4pp. 43232:351-43232:354.

8711020026 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.Urges Commission to reject NRC recommendations.
DUKAKIS,M.S. Massachusetts, Commonwealth of. 52FR6980. 87/10/20. ZECH,L.W. Commissioners. 1p. 43227:228-43227:228.

8711020042 Urges consideration of proposed rule 10CFR50 re offsite emergency response planning for nuclear power plants in most open & public manner.
HOCHBRUECKNER, MARKEY,E.J., DOWNEY,T.J. House of Rep. 52FR6980. 87/10/01. ZECH,L.W. Commissioners. 4pp. 43226:249-43226:252.

8711020047 Discusses proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
MARKEY,E.J., ATKINS,C.G., MRAZEK,R.J. House of Rep. 52FR6980. 87/09/22. ZECH,L.W. Commissioners. 2pp. 43226:268-43226:269.

8711020060 Responds to 871023 ltr re emergency planning rule & Congressional ltrs received on morning of NRC 871022 meeting.Commission stands by 871021 ltr that process could hardly have been more open for addressing issue.W/o encls.
ZECH,L.W. Commissioners. 52FR6980. 87/10/27. MARKEY,E.J. House of Rep. 1p. 43233:186-43233:186.

8711020067 Responds to 870922 ltr re handling of communications concerning Commission proposed amend of emergency planning rule on state &/or local nonparticipation in emergency planning.Final decision on rule to be made in open process.
ZECH,L.W. Commissioners. 52FR6980. 87/10/21. MARKEY,E.J., ATKINS,C.G., DOWNEY,T.J. House of Rep. 6pp. 43233:187-43233:194.

--8711020093 Requests that written & verbal communications re draft rule concerning emergency planning requirements for nuclear power plants be maintained & made matter of public record. Maintaining open record essential to public credibility.
MARKEY,E.J., ATKINS,C.G., MRAZEK,R.J. House of Rep. 52FR6980. 87/09/22. ZECH,L.W. Commissioners. 2pp. 43233:193-43233:194.

8711020111 Requests notification as soon as Commission decides to take action on proposed emergency planning rule, "Licensing of Nuclear Power Plants Where State &/or Local Govts Decline to Cooperate in Offsite Emergency Planning."
HUMPHREY,G.J. Senate. 52FR6980. 87/10/09. ZECH,L.W. Commissioners. 1p. 43233:216-43233:216.

8711020130 Notifies that public briefing tentatively scheduled for 871022 to discuss proposed changes to emergency planning rules & options paper prepared to consider thousands of public comments received,in response to 871001 ltr.
ZECH,L.W. Commissioners. 52FR6980. 87/10/09. HOCKBRUECKNER, MARKEY,E.J., DOWNEY,T.J. House of Rep. 52pp. 43233:224-43233:279.

8711020180 Suggests that NRC misleading public re position on state & local govt cooperation w/util emergency planning.Encl info indicates reversal to SECY-87-257 position.State & county request suspension of rulemaking & rescission of FEMA order.
BROWN,H.H. Kirkpatrick & Lockhart. BROWN,H.H. New York, State of. BROWN,H.H. Suffolk County, NY. 52FR6980. 87/10/28. PARLER,W. Office of the General Counsel. 2pp. 43235:039-43235:043.

-8711020214 Provides followup on issues of 871015 meeting re development of criteria for evaluation of util offsite emergency plans. Names of ANL staff needed for addl resources listed FEMA prepared to begin work w/NRC on 871026.
MCLOUGHLIN,D. Federal Emergency Management Agency. 87/10/16. STELLO,V.J. Ofc of the Executive Director for Operations. 2pp. 43235:041-43235:043

8711020432 Responds to 871023 request for disclosure of communications re NRC proposed emergency planning rule change.NRC prefers to avoid procedural burden of scope envisioned in request. NRC decision will be based on public rulemaking record.
ZECH,L.W. Commissioners. 52FR6980. 87/10/27. SHARP,P.R. House of Rep., Energy & Commerce. 1p. 43235:056-43235:067.

-8711020463 Forwards Congressman E Markey ltr requesting info re Commission communications w/outside parties concerning emergency planning rule.
SHARP,P.R. House of Rep., Energy & Commerce. 52FR6980. 87/10/23. ZECH,L.W. Commissioners. 1p. 43235:065-43235:067.

8711020450 Responds to 871023 ltr re proposed rule 10CFR50 & congressional ltrs received on morning of 871022 meeting. Commission stands behind 871021 ltr declaring process for proposed rule open.
ZECH,L.W. Commissioners. 52FR6980. 87/10/27. ATKINS,C.G., MRAZEK,R.J., MAVROULES,N. House of Rep. 5pp. 43237:192-43237:206.

-8711020458 Renews 870922 request for Commission to keep public log of all written & verbal comments re draft emergency planning rule.Chronology of all communications since 871013 also requested.
MARKEY,E.J., ATKINS,C.G., MRAZEK,R.J. House of Rep. 52FR6980. 87/10/23. ZECH,L.W. Commissioners. 2pp. 43237:205-43237:206.

8711030059 Comment representing Phillips Exeter Academy of Exeter on proposed rule 10CFR50 re offsite emergency planning at nuclear power plant sites.Academy opposes rule.W/Certificate of Svc encl.
BECKETT,W.H. Holland, Donovan, Beckett, Welch & Hermans. BECKETT,W.H. Phillips Exeter Academy, Exeter, NH. 52FR6980 10132. 87/10/02. Docketing & Services Branch. 3pp. 43252:102-43252:104.

8711100289 Comment supporting proposed rule 10CFR50 re policy statement on nuclear power plant standardization.Option to replicate plant designs should be retained.Proposed policy on fees should probably be waived for first application.
STONE,R.H. Bechtel Power Corp. 52FR34884 00002. 87/10/30. Docketing & Services Branch. 19pp. 43330:208-43330:226.

8711100290 Urges Commission to file proposed rule 10CFR50 re evaluation of adequacy of offsite emergency planning w/Ofc of FR certifying technical correction of error in transmittal of final rule.
MCGRANERY,J.P. Scientists & Engineers for Secure Energy. 52FR6980. 87/11/04. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 43344:263-43344:264.

8711100291 Comment opposing proposed rule 10CFR50 re backfit analysis. Util believes application of backfit criteria to all mods required by NRC beyond initial licensing basis of plant more reasonable.
GRIDLEY,R. Tennessee Valley Authority. 52FR34223 00028. 87/10/19. Docketing & Services Branch. 2pp. 43329:115-43329:116.

8711100310 Requests that NRC make public log of all communications & related documents re proposed rule 10CFR50 concerning change to emergency planning regulations,per 871023 ltr from some House of Representative members.
KERRY,J., GORE,A., MITCHELL,G. Senate. 52FR6980. 87/10/28. ZECH,L.W. Commissioners. 2pp. 43335:048-43335:049.

8711100311 Comment opposing proposed rule 10CFR50, "Rev of Backfitting Process for Power Reactors." Proposed rule too vague & lacks clear criteria to guide NRC on taking economic considerations into account in determining need for backfit.
BOSSONG,K. Public Citizen's Critical Mass Energy Project. 52FR34223 00029. 87/10/20. Docketing & Services Branch. 2pp. 43335:050-43335:051.

8711100319 Comment on proposed rule 10CFR35 re medical use of byproduct matl.Supports need for examining patients prior to therapy w/radiopharms.Opposes need for examining patients prior to use of iodine for diagnostic purposes.
CARRIER,J.W. Central Maine Medical Center, Lewiston, ME. 52FR36942 00002. 87/10/30. Docketing & Services Branch. 1p. 43335:194-43335:194.

8711100321 Comment on proposed rule 10CFR35 re basic QA in radiation therapy.Paragraph (c) should be revised to state that dosage calibr or measurement of I-131 sod.um iodide be verified by second individual.Paragraphs (a) & (b) should be deleted.
PONTO,J.A Iowa, Univ. of, Iowa City, IA. 52FR36942 00003. 87/10/22. Docketing & Services Branch. 2pp. 43335:192-43335:193.

8711100324 Comments opposing M Lewis comment on deferred plant policy statement.No evidence that innumerable const difficulties claimed by Lewis exists.Const difficulties identified & corrective actions taken or recorded for future action.
SORENSEN,G.C. Washington Public Power Supply System. 52FR8075. 87/10/28. Office of the Secretary of the Commission 2pp. 43335:171-43335:172.

8711100333 "Commission Policy Statement on Deferred Plants," 10CFR50 final policy statement Statement presents policy of NRC re procedures that apply to nuclear power plants while in deferred status & being reactivated.
CHILK,S.J. Office of the Secretary of the Commission. 52FR8075. 87/10/07. 16pp 43335:067-43335:082.

8711100336 Comment on proposed rule 10CFR35 re basic QA in radiation therapy.Recommends diagnostic use of radiated no-131 or radiolodinated radiopharms be excluded from Paragraph 35.39.
MAXON,H.R. Cincinnati, Univ. of, College of Medicine, Cincinnati, OH. 52FR36942 00001. 87/10/26. Docketing & Services Branch. 1p. 43335:289-43335:289.

8711100347 Comments on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.Opposes rule.
HOLT,J., HOLT,S. Affiliation Not Assigned. 52FR6980 11557. 87/09/15. Docketing & Services Branch. 1p. 43344:243-43344:243.

8711100351 Comment supporting proposed rule 10CFR35 re implementation of previously unrequired QA programs & expansion of certain existing guidelines.
BENEDETTO,A.R. Affiliation Not Assigned. 52FR36942 00004. 87/10/30. Docketing & Services Branch. 5pp. 43335:205-43335:209.

8711100377 Requests that Zech provide all memoranda,telephone logs & notes re communication w/other agencies & outside agencies re proposed emergency planning rule between 871013 & 29.
MOYNIHAN,D.P. Senate. 52FR6980. 87/10/29. ZECH Commissioners. 1p. 43343:321-43343:321.

8711100399 "Policy & Procedure for Enforcement Actions," 10CFR2 revised policy statement.Enforcement policy revised to further explain enforcement actions (EA) involving individuals & to describe criteria to be used for reopening closed EAs.
CHILK,S.J. Office of the Secretary of the Commission. 52FR36215. 87/09/23. 68pp 43345:013-43345:080.

8711100400 Proposed rule 10CFR35, "Basic QA in Radiation Therapy." Rule would require medical licensees to implement certain QA steps that will reduce chance of misadministrations.
CHILK,S.J. Office of the Secretary of the Commission. 52FR36942. 87/09/29. 34pp. 43336:058-43336:091.

8711100466 Denies request for mod of composition of negotiating committee in order to achieve more even balance between groups supporting & opposing repository.
CHILK,S.J. Office of the Secretary of the Commission. 51FR45338. 87/09/15. MILLS,L.E. Edison Electric Institute. 3pp. 43335:258-43335:263.

8711100489 Comment supporting proposed rule 10CFR50 re rev of backfitting process for nuclear power plants.Remainder of paragraph beginning w/"such documented evaluation" should be printed as separate paragraph.
WOODY,C.O. Florida Power & Light Co. 52FR34223 00026. 87/10/16. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43335:288-43335:288.

8711110006 Comment supporting proposed rule 10CFR50 re backfitting stds & procedures.Supports desirability for clarification & endorses NUMARC comments.
SELMAN,M. Consolidated Edison Co. of New York, Inc. 52FR34223 00027. 87/10/09. Docketing & Services Branch. 1p. 43345:251-43345:251.

8711110021 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
STRUCK,M. Affiliation Not Assigned. 52FR6980 11556. 87/10/14. Docketing & Services Branch. 1p. 43345:263-43345:263.

8711110033 Comments on proposed rule 10CFR35 re basic QA in radiation therapy & comprehensive QA in medical use & std of care. Believes that no program could be implemented to provide reduction in possibility of misadministrations.
MOWER,H.W. Danbury Hosp., Danbury, CT. 52FR36942 00005. 87/10/30. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 43345:293-43345:295.

8711110034 Comment supporting proposed rule 10CFR50 re nuclear power plant standardization policy statement.Policy statement constitutes important first step in establishing strong regulatory framework to enhance safety of nuclear plants.
BRADBURY,R.G. Stone & Webster, Inc. 52FR34884 00001. 87/10/30. Docketing & Services Branch. 2pp. 43345:296-43345:297.

8711110036 Final rule 10CFR50, "Mod of GDC 4 Requirements for Protection Against Dynamic Effects of Postulated Pipe Ruptures." Rule allows for removal of pipe whip restraints & jet impingement barriers.
CHILK,S.J. Office of the Secretary of the Commission. 52FR28393. 87/10/22. 34pp. 43345:211-43345:244.

8711110062 Proposed rule 10CFR35, "Comprehensive QA in Medical Use & Std of Care." NRC considering amends to rule that apply to use of byproduct matl for radiation therapy & diagnostic uses involving large radiation dosages.
CHILK,S.J. Office of the Secretary of the Commission. 52FR36949. 87/09/19. 17pp. 43346:001-43346:017.

8711110085 "Nuclear Power Plant Standardization," 10CFR50 policy statement.NRC will be issuing revised policy statement to encourage use of std plant designs & provide info re certification of plant designs.
CHILK,S.J. Office of the Secretary of the Commission. 52FR34884. 87/09/09. 14pp. 43345:347-43346:360.

8711110130 Comment on proposed rule 10CFR35, "Comprehensive QA in Medical Use & Std Care."
BENEDETTO,A.R. Affiliation Not Assigned. 52FR36949 00001. 87/10/30. Docketing & Services Branch. 6pp. 43346:018-43346:022.

8711120005 Comment opposing policy statement on reactor standardization.
PERKINS,J. Affiliation Not Assigned. 52FR34884 00003. 87/10/27. CHILK,S. Office of the Secretary of the Commission. 4pp. 43350:126-43350:126.

8711160032 Comments on revised policy statement of policy & procedure for enforcement actions.Review of NRC publications on assessed fines & radiation doses, to people would seem to indicate great discrepancy in favor of fines.
DANIELSON,T.S. Indiana, State of. 52FR36215. 87/10/20. NRC - No Detailed Affiliation Given. 1p. 43364:245-43364:246.

--8711170184 Undated AEOD/T711, "Review of Data on Teletherapy Misadministrations Reported to State of NY Subj of PNO-I-87-074A."
PETTIJOHN,S. Office for Analysis & Evaluation of Operational Data, Director. AEOD/T711. 87/11/13. 8pp. 43385:294-43385:301.

8711190082 Forwards 10 documents under AC-56-1 for new rulemaking.
HAISFIELD,M. NRC - No Detailed Affiliation Given. AC56-1-01. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43403:232-43404:112.

--8711190146 Requests meeting w/NRC re completion of rulemaking procedure & beginning of UMTRAP site licensing.
VOIGT,W R. Energy, Dept. of. AC56-1-06. 87/09/18. ARLOTTO,G A. Division of Engineering (Post 870413). 2pp. 43404:111-43404:112.

8711200209 Comment supporting proposed rule 10CFR35 re basic QA in radiation therapy.Immediate establishment of rules within suggested state regulations for control of radiation suggested.
EURE,J A. Iowa, State of. 52FR36942 00014. 87/11/13. Docketing & Services Branch. 1p. 43403:231-43403:231.

8711200210 Comment opposing proposed rule 10CFR35 re basic QA in radiation therapy.
HAMMES,R J. Veterans Admin. Medical Center, Madison, WI. 52FR36942 00008. 87/11/03. Office of the Secretary of the Commission. 1p. 43408:230-43408:230.

8711200214 Comment supporting proposed rule 10CFR50 re policy statement & proposed rulemaking on nuclear power plant standardization.
SCHERER,A.E. Combustion Engineering, Inc. 52FR34884 00005. 87/11/11. CHILK,S J. Office of the Secretary of the Commission. 8pp. 43408:232-43408:239.

8711200216 Comment opposing proposed rule 10CFR35 re QA in radiation therapy.
WILSON,M.A. Wisconsin, Univ. of, Madison, WI. 52FR36942 00007. 87/11/05. Docketing & Services Branch. 1p. 43408:240-43408:240.

8711200229 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning
SANDLER,M S. Affiliation Not Assigned. 52FR6980 11564. 87/11/14. Office of the Secretary of the Commission. 1p. 43408:276-43408:276.

8711200231 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning
WEISS,E.R. Union of Concerned Scientists. 52FR6980 11568. 87/10/28. ZECH,L.W., ROBERTS,T.M., BERNTHAL,F.M. Commissioners. 2pp. 43408:277-43408:278.

8711200234 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
ANDERSON,L.R. Affiliation Not Assigned. 52FR6980 11565. 87/11/09. ZECH,L. Commissioners. 1p. 43408:279-43408:279.

8711200236 Comment opposing proposed rule 10CFR35 re basic QA in radiation therapy.Number of misadministrations will not be reduced by rev to rule.
CAPESTRAIN,R. St. John's Hosp., Springfield, IL. 52FR36942 00010. 87/11/05. Docketing & Services Branch. 2pp. 43408:280-43408:281.

8711200240 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
EUSTIS,W.E. Ecological Enterprises, Inc. 52FR6980 11567. 87/10/23. ZECH,L. Commissioners. 1p. 43417:035-43417:035.

8711200241 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
YOUNGBLOOD,S. Affiliation Not Assigned. 52FR6980 11566. 87/10/16. Commissioners. 1p. 43408:282-43408:282.

8711200245 Comment opposing proposed rule 10CFR35 re basic QA in radiation therapy.Selection of iodine as separate category of radiopharm objectionable.
HOFFER,P.B. Yale Univ., New Haven, CT. 52FR36942 00012. 87/11/09. Docketing & Services Branch. 2pp. 43408:283-43408:284.

8711200249 Proposed rule 10CFR40, "U...Tailings Regulations.Groundwater Protection & Other Issues." Action taken to comply w/mandate in U Mill Tailings Radiation Act & NRC Authorization Act for FY83.
CHILK,S. Office of the Secretary of the Commission. 49FR46425. 87/11/06. 77pp. 43408:285-43408:361.

8711200251 Comment on proposed rule 10CFR50 re policy statement on nuclear power plant standardization.Proposed regulatory changes should appropriately address certification of distinct reactor types.
ARTIGAS,R. General Electric Co. 52FR34884 00004. 87/10/23. Office of the Secretary of the Commission. 3pp. 43410:078-43410:080.

8711200252 Comment opposing proposed rule 10CFR35 re basic QA in radiation therapy & comprehensive QA in medical use & std of care.Suggested changes listed.
MARCUS,C.S. California, Univ. of, Los Angeles, CA. 52FR36942 00003. 87/10/19. Docketing & Services Branch. 5pp. 43410:081-43410:085.

8711200255 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
MORRIS,R. Affiliation Not Assigned. 52FR6980 11558. 87/11/05. Docketing & Services Branch. 1p. 43413:161-43413:161.

8711200261 Comment supporting proposed rule 10CFR50 re nuclear power plant standardization policy statement.Commission urged to move forward w/proposed rulemaking packages & regulatory guidelines to aid in full industry implementation.
JOHNSON,W.J. Westinghouse Electric Corp. 52FR34884 00006. 87/11/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 43413:153-43413:153.

8711200270 Comment supporting proposed rule 10CFR50 re standardization of nuclear power plant designs.
TUTHILL,J. Affiliation Not Assigned. 52FR34884 00007. 87/10/16. Office of the Secretary of the Commission. 1p. 43410:225-43410:225.

8711200282 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
LEDNER,J.S., LEDNER,S.P. Affiliation Not Assigned. 52FR6980 11562. 87/11/09. Docketing & Services Branch. 1p. 43410:222-43410:222.

8711200284 Comment opposing proposed rule 10CFR2 re policy statement, policy & procedure for enforcement action.Current limit on civil penalties has no deterrent value.
HIATT,S.L. Ohio Citizens for Responsible Energy. 52FR36216 00001. 87/11/05. NRC - No Detailed Affiliation Given. 3pp. 43410:219-43410:221.

8711200289 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
PAULSEN,P.C. Affiliation Not Assigned. 52FR6980 11563. 87/11/07. Docketing & Services Branch. 2pp. 43410:200-43410:203.

8711200292 Comment opposing proposed rule 10CFR35 concerning radiation therapy.Goal of reducing errors commended but regulations will not reduce errors by individuals who do not request clarification of orders.
ZENGER,G.H. Zenger, G.H., MD. 52FR36942 00015. 87/11/13. Docketing & Services Branch. 2pp. 43410:073-43410:074.

8711200296 Comment supporting proposed rule 10CFR2 re enforcement actions,revising policy statement of Vol 52,No 187,Pages 36,215 to 36,228.
DEMA,J.S. Reliance Electric Co. (subs. of Exxon Corp.). 52FR36215 00003. 87/10/13. Docketing & Services Branch. 1p. 43410:070-43410:070.

8711200304 Comment opposing proposed rule 10CFR35 concerning changes in radiation therapy & radiopharm regulations.Unreasonable restriction will be placed on use of 5 uCi I-131 dose for thyroid radioactive iodine uptake studies.
COLE,R.L. Affiliation Not Assigned. 52FR36942 00009. 87/11/04. NRC - No Detailed Affiliation Given. 1p. 43410:069-43410:069.

8711230084 Comment opposing proposed rule 10CFR2 re revised policy statement on enforcement actions.Escape clauses for utils in proposed policy noted & vigor of NRC enforcement questioned.
NEMETHY,E. Ecology/Alert. 52FR36215 00002. 87/11/11. Docketing & Services Branch. 2pp. 43418:021-43418:022.

8711230089 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
SARGENT,P.F. Affiliation Not Assigned. 52FR6980 11559. 87/11/02. NRC - No Detailed Affiliation Given. 1p. 43418:005-43418:005.

8711230129 Comment opposing proposed rule 10CFR35 re nuclear medicine & radiation therapy.Complete review of patient chart & patient exam prior to administration for diagnostic use not practical or necessary.
HELLMAN,J.P. Affiliation Not Assigned. 52FR36942 00013. 87/11/05. Docketing & Services Branch. 2pp. 43418:356-43418:357.

8711230143 Comment opposing proposed rule 10CFR50 re rev of backfitting process for power reactors.Commission should reject proposed rev because supporting argument incorrect as matter of law.
REYNOLDS,N.S. Nuclear Utility Backfitting & Reform Group. 52FR34223 00001. 87/11/13. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 43418:175-43418:177.

8711230146 Forwards author 871012 & 30 ltrs to NL McElroy re 10CFR35, "Basic QA in Radiation Therapy."
SIEGEL,B.A. Mallinckrodt Institute of Radiology at Washington University Medical Center, St. 52FR36942 00016. 87/11/13. Docketing & Services Branch. 1p. 43419:149-43419:155.

--8711230201 Comment opposing proposed rule 10CFR35 re radiation therapy. Author poses listed questions re stringency of dosage regulations of I-131 & I-125.
SIEGEL,B.A. Mallinckrodt Institute of Radiology at Washington University Medical Center, St. 52FR36942 00016. 87/10/12. MCELROY,N.L. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 43419:150-43419:152.

--8711230214 Comment opposing proposed rule 10CFR35 re radiation therapy. Author requests change of wording for 35.39(b) & (c) re dosages of I-131.
SIEGEL,B.A. Mallinckrodt Institute of Radiology at Washington University Medical Center, St. 52FR36942 00016. 87/10/30. MCELROY,N.L. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 43419:163-43419:165.

8711230152 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
LAVALLE,K.P. New York, State of. 52FR6980 11560. 87/11/05. Commissioners. 2pp. 43418:121-43418:122.

8711230156 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.
CLARKE,C.C. Affiliation Not Assigned. 52FR6980 11561. 87/10/29. Commissioners. 2pp. 43418:113-43418:114.

8711240245 Comments on proposed rule 10CFR35 re problem w/Co-60 teletherapy equipment accuracy & performance of timer that determines treatment time EL Julian 871118 memo to J Milligan re copyright matl encl.
GLASSER,H. Nuclear Associates, Inc. 52FR36942. 87/11/04. Docketing & Services Branch. 9pp. 43442:185-43442:193.

8711250048 Comment on proposed rule 10CFR35 re physical measurement for brachytherapy & advent of remote afterloading brachytherapy & high activity sources.Literature describing currently available instrument to perform measurement encl.
GLASSER,H. Nuclear Associates, Inc. 52FR36949 00002. 87/11/04. Docketing & Services Branch. 8pp. 43460:081-43460:088.

8711250053 Comment supporting proposed rule 10CFR35 re basic QA in radiation therapy.
GLASSER,H. Nuclear Associates, Inc. 52FR36942 00011. 87/11/09 Docketing & Services Branch. 8pp. 43460:089-43460:096.

PROJ PROJECTS - PREDOCKET LICENSING

8711020146 Summary of 871014 meeting w/Urenco,Inc in Silver Spring,MD re possible schedules for forthcoming application for U enrichment facility.List of meeting attendees encl.
CLARK,A.T. *Fuel Cycle Safety Branch. 87/10/19. TERRY,G.A Fuel Cycle Safety Branch.* 3pp. 43240:094-43240:096.

8711030016 Advises that outstanding sections of SER write-ups for MHTGR needed by 871120,per SJ Chik 871026 memo to V Stello.
WILLIAMS,P. NRC - No Detailed Affiliation Given. 87/10/30. FLACK,J. NRC - No Detailed Affiliation Given. BALL,S. Oak Ridge National Laboratory. KROEGER,P. Brookhaven National Laboratory. 2pp. *43264:098-43264:100.*

-8711030017 Advises that staff should complete policy papers for consideration of major issues involved in review of advanced reactors & provide papers to Commission in early 1988.
CHILK,S.J. Office of the Secretary of the Commission. COMFB-87-7. 87/10/26. STELLO,V. Ofc of the Executive Director for Operations. 1p. 43264:100-43264:100.

8711030497 Advises that 851014,22,1209,860113,30,0710,22,870102,08 & 0217 submittals of documents listed in encl re NUTECH drawings will be withheld (ref 10CFR2.790).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. UTLEY,E.E. Carolina Power & Light Co. 3pp. 43280:302-43280:304.

8711030499 *Informs that listed documents,marked as proprietary,will be withheld from* public disclosure per 10CFR2.790.Licensee should notify NRC of change in basis for withholding info.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 87/10/29. BARNHART,V.J. General Nuclear Systems, Inc. 2pp. 43263:153-43263:154.

8711030532 *Notification of 871104 meeting w/DOE in Bethesda,MD to discuss NRC* comments on DOE sponsored power reactor inherently safe module (PRISM) conceptual LMR design proposed by GE.Proposed agenda encl.
KING,T.L. *Advanced Reactors Generic Issues Branch. 87/10/29.* BECKJORD,E., SPEIS,T., MORRIS,B. NRC - No Detailed Affiliation Given. 3pp. 43262:335-43262:337.

8711090051 Advises that DOE Operational Readiness Review Board will convene during wk of 871130 to evaluate radwaste treatment sys test performance & readiness for hot radioactive operations.
MAESTAS,E. Energy, Dept. of, Idaho Operations Office. 28737. 87/10/20. SHADLEY,D., CLARK,D., DAVISON,N. *Energy, Dept. of. 2pp. 43323:360-43323:361.*

8711100096 Trip rept of 871021-22 visit to West Valley Demonstration Project re details of recommendation in supernatant treatment sys SER that DOE conduct hot test run of sys prior to commencing continuous operation.
HURT,R.D. Fuel Cycle Safety Branch. 87/11/06. ROUSE,L.C. Fuel Cycle Safety Branch. 2pp. 43340:026-43340:027.

8711100106 Notification of 871110 meeting w/DOE,GA Technologies & Bechtel Group,Inc in Bethesda,MD to discuss status of NRC review of modular HTGR & plans for NRC/DOE interaction subsequent to issuing SER on modular HTGR.
KING,T.L. Advanced Reactors Generic Issues Branch. 87/11/04. BECKJORD,E., SPEIS,T., MORRIS,B. NRC - No Detailed Affiliation Given. 2pp. 43340:028-43340:029.

8711100197 *Forwards draft "Sys 80+ TM Design Certification Licensing Review Bases,"* dtd 871020 by M Green of C-E,per 870720 marked-up matl.
VISSING,G.S. Standardization & Non-Power Reactor Project Directorate. 87/11/03. Standardization & Non-Power Reactor Project Directorate. 2pp. 43342:027-43342:059.

-8711100213 Draft "Sys 80+TM Design Certification Licensing Review Bases."
Combustion Engineering, Inc. 87/10/29. 31pp. 43342:029-43342:059.

8711100247 Discusses 871016 meeting w/DOE re Project 673 concerning SAFR accident analyses given in Chapter 15 & App A of SAFR preliminary safety info document (PSID) Meeting agenda,list of attendees & questions encl.Response expected by 871130.
MORRIS,B.M. Division of Regulatory Applications (Post 870413). 87/11/02. GAVIGAN,F.X. Energy, Dept. of. 11pp. 43340:252-43340:262.

8711170163 Requests info re plant response to seven bounding events intended to mechanistically define accidents & bound uncertainties for selected site suitability source terms,per 871016 meeting.Response requested by 871127.
MORRIS,B.M. Division of Regulatory Applications (Post 870413). 87/11/10. GAVIGAN,F.X. Energy, Dept. of. 11pp. 43385:262-43385:272.

8711170191 *Requests addl info re advanced LWR requirements document, Chapters 3* & 4.Schedule for review of Chapters 3 & 4 based upon receipt of response by 871231.
LEECH,P.H. Standardization & Non-Power Reactor Project Directorate. 87/11/13. KINTNER,E.E. General Public Utilities Corp. - GPU Service Corp. 7pp. 43385:235-43385:241.

8711200380 *Advises that JV Massey no longer employed at facility & any future correspondence* should be directed to NW Edwards. Requests that other NRC personnel be provided w/info.
MURILLO,D.M. Nutec, Inc. 28738. 87/10/30. ROBERTS,J. Fuel Cycle Safety Branch. 1p. 43414:323-43414:324.

8711230034 Summary of 871029 meeting w/C-E in Bethesda MD re executive overview of *CESSAR-DC Sys 80+ design certification program. List of attendees & viewgraphs* encl.
VISSING,G.S. Standardization & Non-Power Reactor Project Directorate. 87/11/10. Standardization & Non-Power Reactor Project Directorate. 60pp. 43416:129-43416:188.

8711230041 Forwards Rev 1 to "West Valley Demonstration Project,Safety Analysis Rept,Vol IV,Lag Storage & Supercomputer Operation." *Ack of receipt requested.*
BIXBY,W.W. Energy, Dept. of, Idaho Operations Office. 28714. 87/10/21. HURT,R.D. NRC - No Detailed Affiliation Given. 3pp. 43414:001-43414:155.

-8711230044 Rev 1 to "West Valley Demonstration Project,Safety Analysis Rept,Vol IV,Lag Storage & Supercompactor Operation."
ENGLERT,J.P., DOOLEY,D.A., VALENTI,P.J. Energy, Dept. of. 28714. 87/09/30. 110pp 43414:004-43414:155.

8711230095 Notification of 871119 meeting w/C-E in Bethesda,MD re details of C-E Sys 80+ design.List of requested participants from NRR encl.
VISSING,G.S. Standardization & Non-Power Reactor Project Directorate. 87/11/18. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 4pp. 43416:211-43416:214.

8711230135 Notification of 871208 meeting w/DOE & IT Corp in Bethesda,MD to discuss DOE advanced reactor severe accident program.
VISSING,G.S. Standardization & Non-Power Reactor Project Directorate. 87/11/18. *RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate.* 3pp. 43425:311-43425:313.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

8711020161 Part 21 rept on QA controls re NDE records utilized by Eastern Testing & Insp,Inc during performance of NDE svcs at facility.Names of individuals informing NRC & identification of basic svcs containing defect provided.
GALLAGHER,J.W. *Philadelphia Electric Co. 87/10/19.* RUSSELL,W.T. *Region 1,* Ofc of the Director. 5pp. 43234:122-43234:127.

8711020251 LER 87-048-00 on *870422,3 of 16 conductors considered worst-case vertical* drop cables failed high potential test.Lab testing found silicone rubber cables more susceptible to impact damage.Root cause unknown.W/871026 ltr.
LONG,J.L., NOBLES,L.M. Tennessee Valley Authority. 87/10/26. 4pp. 43234:208-43234:212.

8711030123 Interim Part 21 & deficiency rept re failure of Morrison-Knudsen high-voltage cable insulation on diesel generators. Initially reported on 870928.Cable will be replaced using proper insulation &/or terminations.Final rept by 880529.
GRIDLEY,R. Tennessee Valley Authority. 87/10/26. Document Control Branch (Document Control Desk). 4pp. 43252:023-43252:026.

8711030502 Responds to NRC 870508 ltr re violations noted in Insp 99900836/87-01.Corrective actions,notice of violation & nonconformance denied for listed reasons.
RUDIS,M.A. Rockwell Engineering Co., Inc. 87/10/30. NRC - No Detailed Affiliation Given. 6pp. 43255:277-43255:281.

8711040332 Third interim Deficiency & Part 21 Repts CAQR WBP 870995 & CAQR WBP 870996 re failed motor pinion keys & shaft in Limitorque operator.Initially reported on 861009.Addl failed keys & shafts identified.Next rept expected by 880502.
GRIDLEY,R. Tennessee Valley Authority. *CAQR WBP 870995 87/11/02.* Document Control Branch (Document Control Desk). 7pp. 43290:061-43290:067.

8711060160 *Part 21 & deficiency rept re solid state protection sys motor-driven relay* contacts Inductive current interruptive capacity.Initially reported on 870110.Hardware mods to affected circuits planned prior to fuel load.
RICE,P.D. Georgia Power Co. GN-1407. 87/10/20. Document Control Branch (Document Control Desk). 2pp. 43303:186-43303:187.

8711060238 Part 21 rept re component cooling water HXs.Initially reported on 871029.Detailed info will be submitted in deficiency rept by 871105.
VAUGHN,G.E. Houston Lighting & Power Co. ST-HL-AE-2405. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43303:354-43303:355.

8711090027 Supplemental Part 21 & deficiency rept re potential degradation in C-E pressurizer heater sheaths furnished by Watlow Electric Mfg Co.Initially reported on *870511.Welded or swelled magnesium oxide sleeve could cause fracture.*
SCHERER,A.E. Combustion Engineering, Inc. LD 87-060. 87/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43314:026-43314:028.

8711090113 Interim Part 21 & deficiency rept re inductive current interruptive capacity of solid state protection sys motor driven relay contacts.Shunt suppression device will be added to solenoid.
GUCWA,L.T. Georgia Power Co. SL-3508. 87/11/02. Document Control Branch (Document Control Desk). 2pp. 43315:001-43315:002.

8711090294 Advises that Part 21 Defect 21-87-03 re damaged high pressure core spray diesel generator exciter leads will be replaced during Dec 1987 instead of during fall *maint outage due to schedule constraints.*
HALL,D.P. Illinois Power Co. U-601078. 87/11/03. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 43322:154-43322:154.

8711100282 Final Part 21 & deficiency rept re failure of tubes in component cooling water HXs.Initially reported on 871006. Discussions w/vendor,Struthers Wells-Gulfport,Inc indicated that shell side flow induced vibration problem existed.
GOLDBERG,J.H. Houston Lighting & Power Co. ST-HL-AE-2400. 87/11/05. Document Control Branch (Document Control Desk). 6pp. 43333:348-43333:354.

8711100361 *Part 21 & deficiency rept re air pressure regulators on Imo Delaval,Inc* standby diesel generators.Regulators not installed on diesel generators or in stock or on order. Bellofram Type 50 & 60 air regulators included in program.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43334:344-43334:345.

8711130297 Part 21 rept & deficiency rept re defective GE CR205X series auxiliary contacts.Initially reported on 871027.Contacts for loads listed in Attachment 3 will be replaced on Unit 1 by 880701 & by 881101 on Unit 2.
DIETZ,C.R. Carolina Power & Light Co. BSEP/87-1205. 87/10/30. GRACE,J.N. Region 2, Ofc of the Director. 24pp. 43356:336-43356:359.

8711170276 Part 21 rept re defective Limitorque SMB-00 dc motor operators.Initially reported on *871106 Defective motor operators will be returned to mfg for repair.*
MUSOLF,D. Northern States Power Co. 87/11/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 43385:184-43385:187.

8711190145 Part 21 rept re possibility of overload of emergency diesel generator during loss of offsite power & LOCA event. Initially reported on 871111.Design changes to ensure that total diesel load requirement below rating underway.
SATLER,W.F. Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 87/11/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43401:336-43401:337.

8711200050 Ack receipt of 871002 ltr re application of 10CFR21. Understanding of 10CFR21 generally acceptable.Procedure to implement requirements should include provisions for notifying mgt of any deviations.
STONE,J.C. Vendor Inspection Branch. 87/11/18. ROY,J.S. American Cast Iron Pipe Co. 1p. 43417:297-43417:297.

8711300263 LER 87-070-00:on 871021,discovered voltage regulator problem on emergency diesel generator 2A-A.Caused by installation of defective component Defective voltage regulator repaired.W/ 871120 ltr.
LONG,J.L., SMITH,S.J. Tennessee Valley Authority. 87/11/19. 4pp. 43465:089-43465:092.

QA999 QUALITY ASSURANCE INSPECTIONS

8711030248 Forwards QA Program Insp Rept 99900002/87-01 on 870824-28 & notice of nonconformance.Most serious finding was unresolved item re allegation that oversized fuel pellets had been put in trays containing acceptable fuel pellets by employees.
MERSCHOFF,E.W. Vendor Inspection Branch. 87/10/28. MCGILL,P.L. Combustion Engineering, Inc. 5pp. 43252:344-43252:359.

--8711030281 Notice of nonconformance from Insp on 870824-28. Nonconformance noted end cap protection not installed on machined end of guide tubes although sequence signed off as complete on Traveller ES 120-B.
* Vendor Inspection Branch. 87/10/28. 2pp. 43252:349-43252:350.

--8711030270 QA Program Insp Rept 99900002/87-01 on 870824-28. Noncompliance noted:Major areas inspected:tubing fabrication & testing,fuel pellet mfg & testing & followup corrective action on previous insp findings.
CILMBERG,R.L., STONE,J.C. Vendor Inspection Branch. 87/10/16. 6pp. 43252:351-43252:359.

8711030329 Advises that GE has completed responses to balance of so-called Stokes items & review of unresolved item 86-01-07. Responses & related documentation available for insp at San Jose.
STUART,I.F. General Electric Co. 87/10/23. MERSCHOFF,E.W. Vendor Inspection Branch. 1p. 43251:257-43251:257.

8711030502 Responds to NRC 870508 ltr re violations noted in Insp 99900836/87-01.Corrective actions:notice of violation & nonconformance denied for listed reasons.
RUDIS,M.A. Rockwell Engineering Co., Inc. 87/10/30. NRC - No Detailed Affiliation Given. 5pp. 43255:277-43255:281.

8711040271 Forwards Insp Rept 99900824/87-01 on 870805-07 & notice of nonconformance.Corrective actions requested within 30 days.
MERSCHOFF,E.W. Vendor Inspection Branch. 87/10/28. DUNLOP,R.C. SOR, Inc. (Static O-Ring). 4pp. 43290:001-43290:011.

--8711040283 Notice of nonconformance from Insp on 870805-07. Nonconformance noted Adjustment Screw #02/103 P inspected in accordance w/Drawing 8305-034,Rev 1,dtd 840622 instead of Rev 2,dtd 861113.
* Vendor Inspection Branch. 87/10/28. 1p. 43290:005-43290:005.

--8711040293 Insp Rept 99900824/87-01 on 870805-07.Nonconformance noted. Major areas inspected:actions taken to correct setpoint drift in differential pressure switches & to select diaphragm matl in switches & implementation of QA program.
NAIDU,K.R. Division of Reactor Inspection & Safeguards (Post 870411). STONE,J.C. Vendor Inspection Branch. 87/10/16. 6pp. 43290:006-43290:011.

8711060132 Forwards Insp Rept 99900400/87-01 on 870928-1001.Weaknesses noted in documentation of recommendation disposition process.
STONE,J.C. Vendor Inspection Branch. 87/11/02. ROGERS,R.P. Babcock & Wilcox Co. 4pp. 43303:260-43303:288.

--8711060138 Insp Rept 99900400/87-01 on 870928-1001.Major areas inspected determination if recommendations developed under Safety & Performance Improvement Program being adequately tracked & accounted for during review & disposition process.
STOLZ,J.F. Project Directorate I-4. 87/10/30. 25pp. 43303:264-43303:288.

8711060147 Forwards corrected page to 871028 ltr forwarding Insp Rept 99900002/87-01.Ltr contained typo in third paragraph.
STONE,J.C. Vendor Inspection Branch. 87/11/02. MCGILL,P.L. Combustion Engineering, Inc. 5pp. 43303:217-43303:221.

8711060153 Ack receipt of 871020 ltr & all documents requested by author 870821 ltr re Allegation RIV-86-A-060.Recipient ltr was unsealed & several documents appear to have been lost in transit.Assistance in furnishing documents requested.
NOLAN,H.L. Hadco & Associates, Inc. 87/10/29. MERSCHOFF,E.W. Vendor Program Br,Div of QA,Vendor & Technical Training Center Programs,IE. 1p. 43303:224-43303:225.

--8711060173 Forwards listed documents re allegations made by HL Nolan, President of Hadco & Assoc re use of E-Brite 26-1 metal in nuclear reactor facilities & use of fraudulent test data to obtain code approvals for Code Cases 1496 & 1505.W/o encl.
MERSCHOFF,E.W. Vendor Inspection Branch. 87/05/26. MILLMAN,J. American Society of Mechanical Engineers. 1p. 43303:225-43303:225.

8711060297 Responds to NRC 871001 ltr re violations noted in QA Program Insp Rept 99900378/87-01.Corrective actions:yearly indoctrination seminar will be held on 871026 & reviewed on yearly audit checklist & calibr tag marked properly.
SWANSON,N.E. Namco Controls. 87/10/29. MERSCHOFF,E.W. Vendor Inspection Branch. 2pp. 43304:014-43304:015.

8711100305 Ack receipt of 870714 ltr responding to concerns noted in notice of violation/nonconformance from Insp Rept 99900387/87-01.
STONE,J.C. Division of Reactor Inspection & Safeguards (Post 870411). 87/11/09. BIJARCHI,I. Sorrento Electronics, Inc. 1p. 43335:012-43335:012.

8711100338 Ack receipt of 851127 ltr informing NRC of corrective actions taken re nonconformances noted in Insp Rept 99900844/85-01.Expresses apologies for not responding to ltr in timely fashion.Response adequate.
STONE,J.C. Vendor Inspection Branch. 87/11/09. MOTT,J.E. Technology for Energy Corp. 1p. 43333:360-43333:360.

8711100350 Forwards Rev 1 to NUREG-0302 in response to 870911 ltr. Attention directed to Item 5 on Page 21.3(a)-3 re applicability of 10CFR21 to calibr svc vendors.W/o encl.
STONE,J.C. Vendor Inspection Branch. 87/11/09. MCROBERTS,W.A. Ladish Co. 1p. 43343:360-43343:360.

8711100359 Ack receipt of 871030 ltr informing NRC of steps taken to correct violations noted in Insp 99901097/87-01.
STONE,J.C. Vendor Inspection Branch. 87/11/09. JEANES,J. Southwestern Laboratories. 1p. 43334:159-43334:159.

8711100363 Confirms 871105 telcon re Insp 99900005/88-01 on 880104-08 concerning QA program implementation.
STONE,J.C. Vendor Inspection Branch. 87/11/09. SLEMBER,R. Westinghouse Electric Corp. 1p. 43334:160-43334:160.

8711100380 Ack receipt of 870720 ltr re 10CFR21.Part 21 only requires that internal procedures for evaluating & reporting identify responsible officer.Rev 1 to NUREG-0302 encl to clarify issue.W/o encl.
STONE,J.C. Vendor Inspection Branch. 87/11/09. ROGERS,G.R. Pelham, Inc. 3pp. 43335:213-43335:215.

8711120075 Forwards Insp Rept 99901099/87-01 on 870721-24 & notice of nonconformance.Steps taken to correct nonconformances requested within 30 days.
STONE,J.C. Vendor Inspection Branch. 87/11/10. CASALE,T. C&S Valve Co. 4pp. 43350:103-43350:121.

--8711120076 Notice of nonconformance from Insp on 870721-24. Nonconformance noted:facility QA deficiency repts not properly closed out & signed off.Matl release,verification & matl cutting activities not documented & signed off.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/10. 2pp. 43350:107-43350:108.

--8711120078 Insp Rept 99901099/87-01 on 870721-24 Nonconformances noted. Major areas inspected:allegations re inadequate transfer of matl heat codes & improper selection & use of matl of const for valve parts.
HARPER,J.C. Division of Reactor Inspection & Safeguards (Post 870411). BAKER,E.T. Vendor Inspection Branch 87/11/09. 13pp. 43350:109-43350:121.

8711130004 Forwards Insp Rept 99900064/87-01 on 870914-18 & notices of violation & nonconformance.
MERSCHOFF,E.W. Vendor Inspection Branch. 87/11/10. SCHMIDT,W.J. Ingersoll-Rand Co. 4pp. 43350:138-43350:161.

--8711130005 Notice of violation from insp on 870914-18.Violation noted: 10CFR21 procedures do not ensure notification of responsible officer in cases re finding defect in safety-related basic component.
* NRC - No Detailed Affiliation Given. 87/11/10. 1p. 43350:142-43350:142.

--8711130007 Notice of nonconformance from insp on 870914-18. Nonconformance noted:three suppliers not on approved vendors list & QC dept had no listing of calibr stds.
* NRC - No Detailed Affiliation Given. 87/11/10. 3pp. 43350:143-43350:145.

--8711130009 Insp Rept 99900064/87-01 on 870914-18.Violations & noncompliance noted Major areas inspected:evaluation of implementation of QA program in areas of training, qualification & control of purchased matl.
CONWAY,J.T. Division of Reactor Inspection & Safeguards (Post 870411). STONE,J.C. Vendor Inspection Branch. 87/10/29. 16pp. 43350:146-43350:161.

8711130013 Confirms 871103 telcon w/CE Thornton concerning Insp Rept 99900866/87-01 re implementation of QA program on 871116-20.
STONE,J.C. Vendor Inspection Branch. 87/11/10. CAMP,B.H. Hub, Inc. 1p. 43350:169-43350:169.

8711160133 Confirms 871109 telcon between JJ Petrosino & RJ Helfner re Insp at Mount Vernon,IL plant on 871116-20.Insp will concern alleged problems in establishment & execution of quality related activities.
STONE,J.C. Vendor Inspection Branch. 87/11/12. HENSON,L. Nutherm International, Inc. 1p. 43368:270-43368:270.

8711160229 Forwards Insp Rept 99901095/87-01 on 870928-1002 & notices of violation & nonconformance.Description of corrective actions required within 30 days.
STONE,J.C. Vendor Inspection Branch. 87/11/12. WALS,H. CIM Corp. 4pp. 43368:303-43368:316.

--8711160247 Notice of violation from Insp on 870928-1002.Violations noted:failure to specify 10CFR21 applicability to listed purchase orders to Industrial Stainless Supply,Aluminum Fasteners,C&M Corp & Temroc Metals.
* Vendor Inspection Branch. 87/11/12. 1p. 43368:307-43368:307.

--8711160254 Notice of nonconformance from Insp on 870928-1002. Nonconformances noted:matl test repts not supplied for listed purcahse orders,Thermometer SN-2319 not calibr since 830804 & forms not approved or ref in QCP-42,Rev 12.
* Vendor Inspection Branch. 87/11/12. 2pp. 43368:308-43368:309.

--8711160261 Insp Rept 99901095/87-01 on 870928-1002.Violations & nonconformances noted.Major areas inspected:followup of allegation re welder qualification & implementation of QA program for fabrication of spent fuel storage racks.
CULIMBERG,R.L. Office of Nuclear Reactor Regulation, Director (Post 870411).
BAKER,E.T. Vendor Inspection Branch. 87/11/10. 6pp. 43368:310-43368.315.

8711180171 Confirms 871112 telcon re insp conducted on 871207-11 concerning implementation of QA program.
STONE,J.C. Vendor Inspection Branch. 87/11/16. LEES,E.V. General Electric Co. 1p. 43395.114-43395:114.

8711190162 Forwards Insp Rept 99900403/87-04 on 870915-16.GE requested to submit written summary description of more formalized programmatic controls to be established for training svcs activity,by 880201.
STONE,J.C. Vendor Inspection Branch. 87/11/17. FELMUS,N.L. General Electric Co. 2pp. 43400:154-43400:169.

--8711190175 Insp Rept 99900403/87-04 on 870915-16.No violations or noncompliances noted.Major areas inspected:insp performed to determine GE conformance to requirements of 10CFR50,App B & 10CFR21 in performance of contractual work.
HAASS,W.P. Safeguards Branch. POTAPOVS,U. Vendor Inspection Branch. 87/11/17. 14pp. 43400:156-43400:169.

8711200050 Ack receipt of 871002 ltr re application of 10CFR21. Understanding of 10CFR21 generally acceptable.Procedure to implement requirements should include provisions for notifying mgt of any deviations.
STONE,J.C. Vendor Inspection Branch. 87/11/18. ROY,J.S. American Cast Iron Pipe Co. 1p. 43417:297-43417:297.

8711240288 Responds to nonconformance & violations noted in QA Program Insp Rept 99901047/86-02.Corrective actions:quality & engineering personnel reindoctrinated w/ respect to discrepancy reporting requirements of Procedure QP-07.
JONES,D.F. Pacific Nuclear Systems, Inc. 5100.86. 86/09/29. HEISHMAN,R.F. Vendor Program Br,Div of QA,Vendor & Technical Training Center Programs,IE. 18pp. 43442.110-43442:139.

--8711240300 Rev 6 to Quality Procedure QP-7, "Discrepancy Reporting & Control."
* Pacific Nuclear Systems, Inc. 85/09/26. 12pp. 43442:128-43442:139.

8711250204 Responds to NRC 871020 ltr re nonconformance noted in QA Program Insp Rept 99900403/87-03 on 870615-0806.No evidence of nonconformance to documented requirements found.Earlier engineering conclusions formally documented.
STUART,I.F. General Electric Co. 87/11/18. STONE,J.C. Division of Reactor Inspection & Safeguards (Post 870411). 2pp. 43457:359-43457:360.

REGGD REGULATORY GUIDES

8711020115 Forwards Amend 14 to License NPF-47 & safety evaluation. Amend defers installation of neutron flux instrumentation that conforms to Rev 2 to Reg Guide 1.97 until prior to startup from second refueling outage.
PAULSON,W.A. Project Directorate IV. TAC 65984. 87/10/26. OEDDENS,J.C. Gulf States Utilities Co. 3pp. 43239:145-43239:153.

--8711020121 Amend 14 to License NPF-47,deferring installation of neutron flux instrumentation that conforms to Rev 2 to Reg Guide 1.97 until prior to startup from second refueling outage.
CALVO,J.A. Project Directorate IV. 87/10/26. 3pp. 43239:148-43239:160.

8711020303 Forwards updated table of plant action items w/revised implementation dates.Requests correct TAC numbers for encl listed items to initiate cross-reference sys w/util.AEP:NRC numbers.Reg Guide 1.97 schedule will be updated.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.).
AEP:NRC:0994. 87/10/27. MURLEY,T.E. NRC - No Detailed Affiliation Given. 11pp. 43237.322-43237:332.

8711020329 Forwards Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No *violations or deviation noted.*
CALLAN,L.J. Region 4, Ofc of the Director. 87/10/28. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43233:325-43233:335.

--8711020433 Insp Repts 50-313/87-34 & 50-368/87-34 on 870928-1002.No violations or deviations noted.Major areas inspected: *verification of Reg Guide 1.97 conformance* for Unit 2 & followup of previously identified items.
RICK,G.A., SEIDLE,W.C. Region 4, Ofc of the Director. 50-368/87-34. 87/10/20. 7pp. 43233:327-43233:335.

8711050121 Comments on proposed Rev 2 of Reg Guide 1.100 re definition of similarity as used in procedure of seismically qualifying plant equipment through application of 1987 IEEE-344.
GRIDLEY,R. Tennessee Valley Authority. 52FR32980 00003. 87/10/30. Rules & Procedures Branch. 2pp. 43293:244-43293:247.

8711050164 Comments on Aug 1987 proposed Rev 2 to Reg Guide 1.100,Task EE108-5 re seismic qualification practices for plant equipment,including IEEE 344 (1987).Util requests that NRC consider discussed items prior to finalization.
TUCKER,H.B. Duke Power Co. 52FR32980 00002. 87/10/27. Rules & Procedures Branch. 3pp. 43293:224-43293:226.

8711060155 Informs of util intent to use ASME Boiler & Pressure Vessel Code Case N-237-2, "Hydrostatic Testing of Internal Piping, Section III,Div 1,Classes 2 & 3" for second 10-yr insp intervals,per Reg Guide 1.84.
WOODY,C.O. Florida Power & Light Co. L-87-435. 87/10/30. Document Control *Branch (Document Control Desk).* 2pp. *43303:226-43303:227.*

8711090109 Advises that util intends to incorporate two listed addl arrangements from Wyle Test Rept 53575 into facility design criteria for installation of wiring & cable w/o special documentation for Unit 2 compliance w/Reg Guide 1.75.
WISENBURG,M.R. *Houston Lighting & Power Co. ST-HL-AE-2403. 87/10/29.* Document Control Branch (Document Control Desk). 3pp. 43321:106-43321:108.

8711090376 Submits addl info to suppl util 861230 response to NRC safety evaluation which assessed conformance of plant to Reg Guide 1.97.Util does not intend to implement any changes to *instrumentation monitoring variable during Jul 1988 outage.*
WOODY,C.O. Florida Power & Light Co. L-87-434. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43321:141-43321:141.

8711100338 *Comment supporting draft reg guide,Task EE 006-5 re batteries.No major* problems involved in having guide apply to replacement batteries also.
BELLACK,J.H. Affiliation Not Assigned. 52FR34860. 87/10/21. AGGARWAL,S.K. Rules & Procedures Branch. 1p. 43344:244-43344:244.

8711100244 *Forwards response to NRC Technical Evaluation Rept EGG-NTA-7762 re* conformance of facility to Reg Guide 1.97, Rev 2.
SILADY,J.A. Commonwealth Edison Co. 3770K/BS. 87/10/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 43355:283-43355:298.

8711160078 *Requests corrective action plans & schedule to bring design into compli*ance w/Commission 840615 order re Suppl 1 to NUREG-0737, "Requirements for Emergency Response Capability."
HOOD,D.S. Project Directorate II-3. TAC 51104. 87/11/09. TUCKER,H.B. Duke Power Co. 3pp. 43363:028-43363:030.

8711160112 Advises that new & upgraded instrumentation described in util 841130 Reg Guide 1.97 implementation rept in response to Suppl 1 to NUREG-0737,installed during last two refueling outages.Revised description implementation plans encl.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New *York). JPN-87-055. 87/11/11. Document Control Branch* (Document Control Desk). 7pp. 43364:008-43364.014.

8711170234 Forwards Rev 1 to WCAP-11374, "Analysis of Capsule U From Callaway Unit 1 Reactor Vessel Radiation Surveillance Program." Rev corrects plant heatup & *cooldown operating limit curves & Reg Guide 1.99* reactor trip NDT calculations.
SCHNELL,D.F. Union Electric Co. ULNRC-1675. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43380:280-43381:020.

8711190174 Summarizes agreements reached during 870901 meeting & 871029 & 30 *discussions w/NRC re document revs to Restart Criteria CEB-CI-21.89* for rigorous analysis piping.
GRIDLEY,R. Tennessee Valley Authority. 87/11/17. Document Control Branch (Document Control Desk). 3pp. 43400:151-43400.153.

8711200090 Forwards EGG-NTA-7643, "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," re emergency response capability,for review & comment within 60 days.Some exceptions to reg guide unjustified.
OLSHAN,L. Project Directorate III-2. 87/11/06. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 43408:077-43408:102.

--8711060162 EGG-NTA-7643 Preliminary "Conformance to Reg Guide 1.97:Byron Units 1 & 2 & Braidwood Units 1 & 2," technical evaluation rept.
STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6483. GL-82-33. 87/06/31. NRC - No Detailed Affiliation Given. 23pp. 43408:080-43408:102.

8711200293 Comments on proposed Rev 2 to Reg Guide 1.100 re seismic qualification of electrical & mechanical equipment for nuclear power plants.
FAY,C.W. Wisconsin Electric Power Co. 52FR32980 00005. 87/11/09. Rules & Procedures Branch. 2pp. 43410:071-43410:072.

8711230248 Advises that source range neutron flux instrument NI-9 will be removed & replaced during 7R refueling outage.Evaluation of benefit of repairing detector will be made if outage occurs prior to scheduled refueling outage.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 5211-87-2214. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43419:258-43419.258.

8711230259 Forwards SER accepting Reg Guide 1.97,Rev 3 except for accumulator tank level & pressure,containment atmosphere temp & atmospheric dump valves.Addl info need to close open issues outlined in SER.Technical evaluation rept also encl.
HOPKINS,J.B. Project Directorate II-1. TAC 51137. 87/11/13. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43426:194-43426:225.

--8711230262 Safety evaluation supporting conformance to Reg Guide 1.97, Rev 3.
* Project Directorate II-1. 87/11/13. 4pp. 43426:196-43426:225.

8711230383 Clarifies util 871028 ltr summarizing 10CFR50.59 changes to facility in 1986.Containment hydrogen monitor will continue to be operated,per Tech Specs.Commitment made in 840329 ltr will be revised re operation of instrument.
TUCKER,H.B. Duke Power Co. TAC 51104. 87/11/19. Document Control Branch (Document Control Desk). 2pp. 43419.007-43419.008.

8711230395 Comments on Rev 2 to Reg Guide 1.100, "Seismic Qualification of Electrical & Mechanical Equipment For Nuclear Power Plants." Recommends deleting equipment & piping supports from scope of Reg Guide 1.100.
SMITH,N.P. Seismic Qualification Utility Group. 52FR32980 00006. 87/11/03. Rules & Procedures Branch. 2pp. 43424:293-43424:294.

8711230411 Comment supporting proposed Rev 2 to Reg Guide 1.100, "Seismic Qualification of Electric & Mechanical Equipment for Nuclear Power Plants."
SHIPWAY,G.D., SKREINER,K.M., BAUER,J.T. Institute of Electrical & Electronics Engineers. 52FR32980 00004. 87/10/29. Division of Rules & Records (Post 870413). 2pp. 43418:358-43418:359.

8711240026 *Interim Deficiency Rept CP-86-81 re calculations for balance of plant* safety-related instrument setpoints.Initially reported on 861107.Evaluation continuing.Next report will be submitted by 880218.
COUNSIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). CP-86-81. 87/11/18. Document Control Branch (Document Control Desk). 1p. 43444:116-43444:116.

8711250054 RO:on 870804,diesel generators 2A & 2B exceeded 11 s allowable time to achieve 4160 volts ac.Rept to be submitted on 871112 will be submitted on 871125 to include delayed info,per Regulatory Position c.3.b of Reg Guide 1.108,Rev 1.
TUCKER,H.B. Duke Power Co. 87/11/12. Document Control Branch (Document Control Desk). 1p. 43457:072-43457.072.

8711300037 Forwards progress update on equipment installation,including clarification of util position on separation criteria & SPDS for each position,per Rev 2 to Reg Guide 1.97.
ANDREWS,R.L. Omaha Public Power District. LIC-87-657. 87/11/24. Document Control Branch (Document Control Desk). 22pp. 43489:233-43489:304.

8711250128 FOIA request for records prepared by or for NUMARC re outage of facility. SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43463:294-43463:295

8711250129 Partial response to FOIA request for records prepared by or for NUMARC.Documents listed in App B already available in PDR. GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/20. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43463:296-43463:297.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8410310317 GA-C16398 S02 "Palo Verde Nuclear Generating Station Control Room Human Factors Study:Executive Summary Rept Suppl 2."
* Torrey Pines Technology. 84/10/31. 17pp. 27193:247-27193:263.

8707290122 Forwards SAIC-87/3050, "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 2 - Operating Experience Reviews." Rept constitutes final rept for Task 2 under Task Order 6.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/07/17. WEST,S. NRC - No Detailed Affiliation Given. 1p. 43359:305-43359:311.

--8707290126 SAIC-87/3050 "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 2 - Operating Experience Reviews."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/07/17. NRC - No Detailed Affiliation Given. 6pp. 43359:306-43359:311.

8706170057 Forwards SAIC-87/3059, "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review." Rept constitutes final rept for Task 3 under Task Order 6.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/06/10. WEST,S. NRC - No Detailed Affiliation Given. 1p. 43359:283-43359:289.

--8706170081 SAIC-87/3059 "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/06/10. NRC - No Detailed Affiliation Given. 6pp. 43359:284-43359:289

8709040375 Forwards SAIC-87/3051, "Final Human Factors Evaluation of B&W Reassessment Program & Findings:Task 4 - Operator Burden Project/Sensitivity Study."
Carlow Assoc will provide rept on methodology of project
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/09/01. WEST,S. NRC - No Detailed Affiliation Given. 1p.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

8711020209 Notification of CRGR Meeting 124 on 871112 in Bethesda,MD to discuss proposed amends to 10CFR21 re reporting of defects & noncompliance & 10CFR50.55(e) re reporting of defects in design & const
JORDAN,E.L. Committee to Review Generic Requirements. 87/10/28.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards,Director. MARTIN,T.T. Region 1, Ofc of the Director. ROSS,D.F. Office of Nuclear Regulatory Research, Director (Pre 860720). 2pp. 43256:200-43256:201.

8711050190 Comment on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Util suggests that no changes necessary in US LWRs as result of Chernobyl accident
EDWARDS,D.W. Yankee Atomic Electric Co. 52FR33304 00001. 87/10/30. Rules & Procedures Branch. 5pp. 43292:088-43292:092.

8711060112 Forwards comments on NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Recommends that NRC reassess safety concerns identified in NUREG-1251.
SCHERER,A.E. Combustion Engineering, Inc. LD-87-061. 87/11/02. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 43308:192-43308:195.

8711130194 Comment supporting draft NUREG-1251, "Implications of Accident at Chernobyl for Safety Regulation of Commercial Nuclear Power Plants in US." Concern expressed re areas identified in NUREG as warranting further study or analysis.
LEE,B. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 52FR33304 00004. 87/11/03. Rules & Procedures Branch. 15pp. 43359:290-43359:304.

8711170252 Requests review of VIPRE computer code be completed in FY88 & resubmittal of Vols 1-3 & revised version of Vol 4.Effort required to perform BWR review expected to be less than for PWR review.
YUNG,Y.Y. Utility Group for Regulatory Applications. YUNG,Y.Y. Washington Public Power Supply System. 87/11/09. NORBERG,J.A. Reactor Systems Branch. 3pp. 43382:268-43382:281.

--8711170268 Advises of request by Util Group for Regulatory Action to submit 23 copies of VIPRE code documentation.Repts will be transmitted under separate cover.
SRIKANTIAH,G.S. Electric Power Research Institute. 85/01/03. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). 2pp. 43382:279-43382:280.

--8711170262 Forwards VIPRE-01, "Thermal-Hydraulic Analysis Code for Reactor Cores." Rept to complete set of VIPRE documents forwarded on 870801,per Util Group for Regulatory Action request.W/o encl.
SRIKANTIAH,G.S. Electric Power Research Institute. 85/08/21. GILL,A. NRC - No Detailed Affiliation Given. 1p. 43382:281-43382:281.

8711180095 Summary of 871027 meeting w/NUMARC,BNL,INEL & Science Applications Intl Corp re status of Tech Spec Improvement Program-related topical rept reviews & probabilistic methodologies relevant to reviews.Attendance list encl.
WOHL,M.L. Technical Specifications Branch. 87/11/10. BUTCHER,E.J. Technical Specifications Branch. 3pp. 43389:088-43389:091.

--8710300025 Notification of 871027 meeting w/NUMARC,SAIC,BNL & INEL in Bethesda,MD,to exchange status briefings & coordinate future activities re Tech Specs Improvement Program.
BUTCHER,E.J. Technical Specifications Branch. 87/10/23. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 2pp. 43389:091-43389:091.

8711200349 Comment opposing NUREG-1251 which states that few lessons to be learned from Chernobyl accident w/respect to safety regulation of US reactors.
HIATT,S.L. Ohio Citizens for Responsible Energy. 52FR33304 00007. 87/11/02. NRC - No Detailed Affiliation Given. 11pp. 43412:344-43412:354.

8711230237 Notifies of CRGR Meeting 125 on 871125 to discuss RES document package for initiation of Severe Accident Policy Implementation effort.
JORDAN,E.L. Committee to Review Generic Requirements. 87/11/17.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards,Director. MARTIN,T.T. Region 1, Ofc of the Director. ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 43428:240-43428:241.

8711230395 Comments on Rev 2 to Reg Guide 1.100, "Seismic Qualification of Electrical & Mechanical Equipment For Nuclear Power Plants." Recommends deleting equipment & piping supports from scope of Reg Guide 1.100.
SMITH,N.P. Seismic Qualification Utility Group. 52FR32980 00006. 87/11/03. Rules & Procedures Branch. 2pp. 43424:293-43424:294.

8711240257 Summary of CRGR Meeting 123 on 871021 re proposed SERs approving WCAP-11325, "Steam Generator Lo Lo Water ..." WCAP-11342,Amend 19 to NEDE-24011-A-P & Amend 17 to NEDE-24011-P-A.Attendees list & related info encl.
JORDAN,E.L. Committee to Review Generic Requirements. 87/11/06. STELLO,V. Ofc of the Executive Director for Operations. 44pp. 43446:043-43446:086.

SECY POSITION PAPERS BEFORE THE COMMISSION

8709080332 SECY-87-219 Recommends that Commission approve staff plan to extend benefits of ISAP approach to all licensees as element of implementation program for severe accident policy statement.
STELLO,V. Ofc of the Executive Director for Operations. 87/08/31. 11pp. 43362:182-43362:192.

8711060139 Final response to FOIA request for documents,including J Philips 821018 memo re delegation of authority.Encl App C & D documents & App F documents in PDR.App C & F documents partially & totally withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/29. CONDIT,R.E. Government Accountability Project. 6pp. 43310:278-43310:321.

--8411090394 SECY-84-417 Recommends that Commission delegate authority to Director of Ofc of Investigations to issue subpoenas during course of investigations.
DIRCKS,W.J. Ofc of the Executive Director for Operations. 84/10/26. 3pp. 43310:307-43310:312.

8711120003 SECY-87-267 Provides Commission w/second quarterly progress rept on prelicensing phase of DOE civilian high level radwaste mgt program.
STELLO,V. Ofc of the Executive Director for Operations. 87/10/26. 28pp. 43348:055-43348:112.

8711120030 Forwards SECY-87-267 on second quarterly progress rept re prelicensing phase of DOE civilian high level radwaste mgt program approved for release to PDR.
BATES,A. Docketing & Services Branch. 87/11/04. SHELBURNE,B. Public Document Branch. 1p. 43348:210-43348:210.

8711160001 Final response to FOIA request for documents.App B documents encl & available in PDR.No records located subj to Item 1 of request
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 2pp. 43363:271-43363:334.

--8711160002 SECY-76-545 Requests Commission approval of NRR program to evaluate operating power reactors re current licensing criteria & document results of evaluation.
RUSCHE,B.C. Office of Nuclear Reactor Regulation, Director. 76/11/12. 58pp. 43363:277-43363:334.

8711170152 Final response to FOIA request for SECY-87-047.Forwards App G document.Document also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/13. FLORA,J.W. Flora, J.W. 2pp. 43385:245-43385:255.

--8711170162 SECY-87-047 Discusses regulatory effectiveness review program annual rept for FY86,per NUREG-0885,Issue 5.Program proven beneficial as means of assessing effectiveness of safeguards programs against design basis threats of sabotage.
STELLO,V. Ofc of the Executive Director for Operations. 87/02/19. 6pp. 43385:250-43385:255.

8711170239 Forwards SECY-87-256 & SECY-87-262 to be placed in files & made available in PDR.Previous release of SECY-87-220 confirmed.W/o encls.
BATES,A. Operations Branch. 87/11/13. SHELBURNE,B. Public Document Branch. 1p. 43385:207-43385:207.

STATE PROG STATE PROGRAMS

8710230006 Responds to recipient 870818 ltr requesting prevention of plant restart until previously identified mgt,reactor safety & emergency planning concerns satisfactorily addressed. Resolution of emergency planning issues required by FEMA.
ZECH,L.W. Commissioners. 87/10/09. BARRY,C.V. Massachusetts, Commonwealth of. 3pp. 43460:293-43460:299.

--8710230013 Urges Commission action validating findings of FEMA rept, "Self-Initiated Review & Interim Finding." Rept concludes util offsite plans inadequate to protect public health & safety.Public hearing prior to plant restart also requested.
BARRY,C.V. Massachusetts, Commonwealth of. 87/09/18. ZECH,L. Commissioners. 4pp. 43460:296-43460:299.

8710300132 Ack receipt of 870630 ltr in response to NRC comments & recommendations following 1987 review of state radiation control program.State of CO radiation control program adequate to protect public health & safety.
KAMMERER,C.C. State, Local & Indian Tribe Programs. 87/10/27. VERNON,T.A. Colorado, State of. 3pp. 43251:262-43251:264.

--8711020160 Discusses actions instituted to address comments in NRC 870918 ltr.Div will reorganize,effective 870702,Licenses overdue for insps will be given highest priority for completion & tracking sys for insps will be instituted
VERNON,T.M. Colorado, State of. 87/06/30. KRAMMERER,C.C. State, Local & Indian Tribe Programs. 4pp. 43251:265-43251:268.

8711020082 Final response to FOIA request for documents.Forwards documents listed in App B.App B documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. MILLER,J.A. Kennoy & Kearney. 2pp. 43240:181-43240:306.

--8711020098 "Investigation of Former Radium Processing Site."
ENG,J. New Jersey, State of. 80/12/31. 122pp. 43240:185-43240:306.

8711020230 FOIA request for all records re degradation of svc water piping at plant.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43240:001-43240:002.

8711020237 Partial response to FOIA request re degradation of svc water piping at plant.Documents listed in App A available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/28. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43240:003-43240:004

8711030356 Transcript of Natl State Liason Officers 870909 meeting in Bethesda,MD.Pp 1-214.Related info encl.
* Office of Governmental & Public Affairs (Post 870413). 87/09/09. 217pp. 43259:099-43259:315.

8711030383 Transcript of Natl State Liason Officers 870910 meeting in Bethesda,MD.Pp 215-343.Supporting documentation encl.
* Office of Governmental & Public Affairs (Post 870413). 87/09/10. 190pp. 43260:308-43261:137.

8711030461 FOIA request for documents re NRC/util meeting in Nov 1986 concerning plant.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 43260:247-43260:248.

8711030467 Partial response to FOIA request for documents re plant. Forwards App B documents.App A & B documents available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/10/30. SORGI,D. Massachusetts, Commonwealth of. 3pp. 43280:249-43280:277.

8711040278 Forwards Governor Schaefer 871015 ltr re State of MD comments on commitment to excellence action plan,for info & use in revising plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/10/30. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43291:024-43291:034.

-8711040292 Forwards comments on facility commitment to excellence action plan,published by util on 870807.Primary concern to ensure that facility operated in manner to protect health & safety of public.Util should provide backup communications.
SCHAEFER,W.D. Maryland, State of. 87/10/15. RUSSELL,W.T. Region 1, Ofc of the Director. 9pp. 43291:026-43291:034.

8711060298 FOIA request for documents prepared for or by NUMARC.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 2pp. 43311:001-43311:002.

8711060300 *Partial response to FOIA request.Documents listed in App A available in* PDR & also maintained in LPDR in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/03. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43311:003-43311:004.

8711090047 Partial response to FOIA request for documents,including PNO-I-86-028 re event at plant.Forwards App E documents.App D & E documents also available in PDR & LPDR located in Plymouth,MA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/04. SORGI,D. *Massachusetts, Commonwealth of. 3pp.* 43315:234-43315:243.

8711090221 Forwards,for info & use in revising commitment to excellence action plan,CBaces 871021 ltr forwarding Commonwealth of PA comments on excellence action plan.
WENZINGER,E. Region 1, Ofc of the Director. 87/11/04. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43322:347-43322:353.

-8711090228 Forwards comments prepared by Peach Bottom working group on commitment to excellence plan.Commonwealth reserves right to comment on any future plan revs.
BACAS,C. Pennsylvania, Commonwealth of. 87/10/28. RUSSELL,W.T. Region 1, Ofc of the Director. 5pp. 43322:349-43322:353.

8711130286 *Final response to FOIA request for documents & appeal re denial of documents* re U Mill Tailings Remedial Control Act site near Falls City,TX.Forwards App A documents.Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/10. BUNCH,W.G. Henry & Kelley. 2pp. 43360:088-43360:103.

-8711130313 Discusses State of TX regulation of Conoco,Inc Conquiste Project & Rhone-Poulenc Freeport facility,per 870904 ltr. NRC has no jurisdiction over specific licensing & disposal activities in State of TX.W/o encls.
DENTON,H.R. Office of Governmental & Public Affairs (Post 870413). 87/09/30. GRAMM,P. Senate. 4pp. 43360:100-43360:103.

8711130319 Informs that latest rev to State of LA radiation regulations became effective on publication of notice in State of LA register,Vol 13,Number 10,on 871020.Notice encl.
SPELL,W.H. Louisiana, State of. 87/10/26. MARTIN,R.D. Region 4, Ofc of the Director. 2pp. 43357:269-43357:291.

8711160032 *Comments on revised policy statement of policy & procedure for enforcement actions.*Review of NRC publications on assessed fines & radiation doses to people wou'd seem to indicate great discrepancy in favor of fines.
DANIELSON,T.S. Indiana, State of. 52FR36215. 87/10/20. NRC - No Detailed Affiliation Given. 1p. 43364:245-43364:246.

8711160055 Final response to FOIA request for documents re State of NV radiation control program.Forwards App A & B documents.App A & B documents available in PDR.Rept may be obtained from SR Marshall at State of NV,Dept of Human Resources.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/11/12. MCGEHEE,F.M. Citizen Alert. 3pp. 43370:037-43370:058.

-8711160075 Forwards followup rept & evaluation of State of NV radiation control program for 861121-870605.Findings of adequacy & compatibility to be withheld pending further improvements in program.Deficiencies found in two Category 1 indicators.
HORNOR,J.W. Region 5, Ofc of the Director. 87/09/27. NUSSBAUMER,D.A. NRC - No Detailed Affiliation Given. 12pp. 43370:046-43370:057.

-8711160084 Ack receipt of 870803 ltr re review of State of NV Agreement State radiation program.Plans outlined in ltr urged to be implemented as soon as possible.
KAMMERER,C. State, Local & Indian Tribe Programs. 87/09/17. GRIEPENTROG,J. Nevada, State of. 1p. 43370:058-43370:058.

8711170075 Forwards state responses to data requests OCA-10 through OCA-26 re nuclear decommissioning financial committee & facility decommissioning fund.
SMUKLER,L.M. New Hampshire, State of. 87/11/09. HOLMES,M.W. New Hampshire, State of. 273pp. 43383:046-43383:309.

8711170116 Offers no comments on util 870226 request to amend License DPR-49,consisting of Change RTS-216,updating ATWS design basis.
HOUVENAGLE,T. Iowa, State of. 87/11/12. VIRGILIO,M.J. Project Directorate III-1. 1p. *43362:316-43362:315.*

8711190119 Responds to NRC 871027 ltr re Amend 15 to License R-95.EP2 will not be modified during const & after completion of Ctr for Atmospheric Chemistry Studies bldg.Provisions made to notify workers during const in event of emergency.
DIMEGLIO,A.F. Rhode Island, State of. 87/11/09. MICHAELS,T. Standardization & Non-Power Reactor Project Directorate. 2pp. 43398:021-43398:022.

8711200397 Forwards bonding info re Malapai Resources Co Permit 478,per request. *POLTRONE,R. Wyoming, State of. 87/07/23. ROSE,H. Uranium Recovery Field Ofc,* R4. 10pp. 43415:360-43418.360.

8711230399 Forwards "Quarterly Operations Rept,Jul-Sept 1987 for Irigaray Mine Site." BROWN,K.J., WICHERS,D.L. Malapai Resources Co. 87/10/30. GIURGEVICH,B. Wyoming, State of. 1p. 43428:267-43429.092.

8711240005 Requests change for name of contact person for New York State Energy Ofc Documents sent to J Dunkleberger should instead be sent to D Ross at listed address.
GLEASON,E.J. New York, State of. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43437:358-43437:358.

8711240151 Advises of change to contact person from J Dunkleberger to D Ross.
GLEASON,E.J. New York, State of. 87/11/16. CAPRA,B. Project Directorate I-1. 1p. 43460:305-43460:305.

8711250126 FOIA request for records prepared by or for NUMARC re outage of facility.
SORGI,D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY,D.H. NRC - No *Detailed Affiliation Given. 2pp 43463:284-43463:285.*

8711250129 Partial response to FOIA request for records prepared by or for NUMARC.Documents listed in App B already available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/20. SORGI,D. Massachusetts, Commonwealth of. 2pp. 43463:286-43463:287.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8410310317 GA-C16398 S02 "Palo Verde Nuclear Generating Station Control Room Human Factors Study Executive Summary Rept Suppl 2."
* Torrey Pines Technology. 84/10/31. 17pp. 27193:247-27193:263.

8707290122 Forwards SAIC-87/3050, "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 2 - Operating Experience Reviews." Rept constitutes final rept for Task 2 under Task Order 6
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/07/17. WEST,S. NRC - No Detailed Affiliation Given. 1p. 43359:305-43359:311.

-8707290126 SAIC-87/3050 "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 2 - Operating Experience Reviews."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/07/17. NRC - No Detailed Affiliation Given. 6pp. 43359:306-43359:311.

8708170057 Forwards SAIC-87/3059, "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review." Rept constitutes final rept for Task 3 under Task Order 6.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, *Inc.). NRC-03-87-029. 87/08/10. WEST,S. NRC - No Detailed Affiliation Given.* 1p 43359:283-43359:289.

-8708170081 SAIC-87/3059 "Human Factors Evaluation of B&W Reassessment Program & Findings:Task 3 - Procedures Review."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/08/10. NRC - No Detailed Affiliation Given. 6pp. 43359:284-43359:289.

8709040375 Forwards SAIC-87/3051, "Final Human Factors Evaluation of B&W Reassessment Program & Findings:Task 4 - Operator Burden Project/Sensitivity Study." Carlow Assoc will provide rept on methodology of project.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/09/01. WEST,S. NRC - No Detailed Affiliation Given. 1p. 43359:269-43359:280.

-8709040403 SAIC-87/3051 "Final Human Factors Evaluation of B&W Reassessment Program & Findings:Task 4 - Operator Burden Project/Sensitivity Study."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/09/01. NRC - No Detailed Affiliation Given. 11pp. 43359:270-43359:280.

8710010311 Responds to 870810 ltr requesting info re UCS 870210 petition requesting mods to B&W facilities,per E Gallizzi *870726* ltr to recipient requesting support of petition. Gallizzi statements discussed.Petition under review.
STELLO,V. Ofc of the Executive Director for Operations. 2.20S. 87/09/28. YOUNG,C.W. House of Rep. 12pp. 42885:344-42885:355.

8711020077 Forwards nonproprietary WCAP-11620 & proprietary WCAP-11619, "Addl Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee," for resolution of USI A-2.
HINTZ,D.C. Wisconsin Public Service Corp. NRC-87-140. 87/10/26. Document Control Branch (Document Control Desk). 3pp. 43226:214-43226:248.

-8711020085 Requests that proprietary WCAP-11619, "Addl Technical Basis for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee," *be withheld from public disclosure per 10CFR2.790(b)(4).*
WIESEMANN,R.A. Westinghouse Electric Corp. CAW-87-102. 87/10/16. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43226:217-43226:223.

-8711020090 WCAP-11620 Nonproprietary WCAP-11620, "Addl Technical Bases for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Kewaunee."
ROARTY,D.H., LEE,Y.S., KIM,C.C. Westinghouse Electric Corp. 87/10/31. 26pp. 43226:224-43226:248.

8711030230 Forwards proprietary BAW-10169P, "B&W Safety Analysis Methodology for Recirculating Steam Generator Plants." Rept describes B&W calculation methods for *Westinghouse PWRs. Affidavit also encl.Rept withheld (ref 10CFR2.790).Fee paid.*
TAYLOR,J.H. Babcock & Wilcox Co. JHT/87-228. 87/10/22. NORBERG,J.A. Division of Engineering & Systems Technology (Post 870411). 9pp. 43251:323-43251:331.

8711030295 Ack that rev to util Topical Rept DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design," contains minor statistical error,per 871016 ltr.Revised document scheduled to be submitted by 870129.
TUCKER,H.B. Duke Power Co. TAC 66148. 87/10/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43252:101-43252:101.

8711030302 Forwards Page 16 for Inclusion in 870922 comments on draft NUREG-1150, "Reactor Risk Ref Document." Page missing from original transmittal.
NEWTON,R.A. Westinghouse Operating Plants Owners Group. 52FR7650 00023. *87/10/26. NRC - No Detailed Affiliation Given. 3pp 43252:098-43252:100.*

8711030350 Forwards Rev 1 to WCAP-11563, "Analysis of Capsule X From Alabama Power Co JM Farley Unit 1 Reactor Vessel Radiation Surveillance Program." No technical changes to pressure-temp limits or operating procedures required.
MCDONALD,R.P. Alabama Power Co. 87/10/28. Document Control Branch (Document Control Desk). 1p. 43260:077-43260:164.

-8711030374 WCAP-11563 R01 Rev 1 to "Analysis of Capsule X From Alabama Power Co JM Farley Unit 1 Reactor Vessel Radiation Surveillance Program."
MEYER,T.A. Westinghouse Electric Corp. 87/09/30. 87pp. 43260:078-43260:164.

8711040296 Director's Decision DD-87-18 under 10CFR2.206 denying UCS 870210 petition to suspend B&W OLs & CPs based on safety deficiencies.Allegations present no substantial health & safety issues.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). DD-87-18. 87/10/19. Union of Concerned Scientists, 84pp. 43279:243-43279:329.

--8711040349 Notice of issuance of Director's Decision DD-87-18 under 10CFR2.206 denying UCS petition to suspend B&W OLs & CPs.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). DD-87-18. 87/10/19. 3pp. 43279:327-43279:329.

8711040333 Forwards Topical Rept VP-NOS-35, "North Anna Unit 2,Cycle 5 Core Performance Rept," for info.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 87-631. 87/10/28. Document Control Branch (Document Control Desk). 1p. 43285:298-43285:348.

--8711040339 VP-NOS-35 "North Anna Unit 2,Cycle 5 Core Performance Rept."
REITLER,E.C., ROGERS,P.S., PIERCE,N.S. Virginia Power (Virginia Electric & Power Co.). 87/09/30. 50pp. 43285:299-43285:348

8711050053 Informs of 871117 technical advisory group meeting w/ Duke Power Co in Charlotte,NC info re reservations, transportation & meeting minutes provided List of code applications/phenomena for distribution requested.
PALJUG,J.R. Babcock & Wilcox Co. ESC-857. 87/10/29. LEE,R. NRC - No Detailed Affiliation Given. 1p. 43302:042-43302:042.

8711050116 Requests processing of encl ltr & assigns distribution code.
PARKS,J. License Fee Management Branch. 87/11/03. MCKNIGHT,J. Document Control Branch (Document Control Desk). 1p. 43293:219-43293:223.

--8711050168 Forwards Suppl 1 to ASEA-Atom,Inc Topical Rept TR UR 85-225 P, "ASEA-Atom BWR Control Blades for US BWRs," per 871028 telcon.Docketing fee paid.W/o encl.
THORNBURG,H.D. Innovative Technologies, Inc. 87/10/30. DIGGS,R. License Fee Management Branch. 1p. 43293:220-43293:220.

--8711050179 Forwards Suppl 1 to TR UR 85-225 P, "ASEA-Atom BWR Control Blades for US BWRs," for NRC approval C-Lattice design & associated impact on mechan'cal & nuclear characteristics of control rod design discussed.W/o encl.
TENERZ,E. ASEA Atom, Inc. 87/10/15. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43293:221-43293:223.

8711050207 Requests names of individual's to be assigned to design QA audit of GE advanced BWR,per J Sniezek 871022 memo.TE Murley draft memo re design QA audit of GE encl.
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 87/11/03. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). PARTLOW,J.G. Division of Reactor Inspection & Safeguards (Post 870411). SHAO,L. Division of Engineering & Systems Technology (Post 870411). 4pp. 43301:070-43301:073.

8711050218 Summary of 871007 meeting w/Hydrogen Control Owners Group (HCOG) re HCOG submittals on methods for calculating equipment temp based on quarter scale test data & impact of station blackout considerations on HCOG programs.W/ encl.
KINTNER,L.L. Project Directorate II-2. 87/10/30. Project Directorate II-2. 8pp. 43301:074-43301:081.

8711090132 Forwards proprietary Suppl 1 to WCAP-10841, "Qualification of PHOENIX/POLCA Nuclear Design & Analysis Programs for BWRs."
JOHNSON,W.J. Westinghouse Electric Corp. NS-NRC-87-3284. 87/10/30. HODGES,M.W. Reactor Systems Branch. 2pp. 43313:167-43313:169.

--8711100052 Requests withholding of encl Suppl 1 to WCAP-10841, "Response to NRC Questions on Proprietary WCAP-10841, 'Qualification of PHOENIX/POLCA Nuclear Design & Analysis Programs for BWRs'," per 10CFR9.5(4).
WIESEMANN,R.A. Westinghouse Electric Corp. AW-87-111. 87/10/30. RUBENSTEIN,L.E. Standardization & Non-Power Reactor Project Directorate. 1p. 43313:168-43313:169.

8711090178 Forwards BAW-10155A, "FOAM2 - Computer Program to Calculate Core Swell Level & Mass Flow Rate During Small Break LOCA," accepted version NRC ltr of acceptance & 861104 SER included.Restrictions re pressure & mass flow ranges noted.
TAYLOR,J.H. Babcock & Wilcox Co. JHT/87-202. 87/09/23. NORBERG,J.A. NRC - No Detailed Affiliation Given. 1p. 43321:004-43321:080.

--8711090380 BAW-10155A "FOAM2 - Computer Program to Calculate Core Swell Level & Mass Flow Rate During Small Break LOCA," accepted version.
* Babcock & Wilcox Co. 87/10/31. 59pp. 43321:005-43321:080.

8711090373 Forwards proprietary Suppl 1 to WCAP-11287, "QUAD+ BWR Critical Power Correlation Development Rept," in response to NRC 870807 request for addl info.Suppl withheld (ref 10CFR9.5(4)).
JOHNSON,W.J. Westinghouse Electric Corp. NS-NRC-87-3283. 87/10/30. HODGES,M.W. Reactor Systems Branch. 2pp. 43321:138-43321:140.

--8711090377 Requests that encl proprietary Suppl 1 to WCAP-11287, "QUAD+ BWR Critical Power Correlation Development Rept," be withheld (ref 10CFR9.5(4)).
WIESEMANN,R.A. Westinghouse Electric Corp. AW-87-112. 87/10/30. RUBENSTEIN,L.E. Standardization & Non-Power Reactor Project Directorate. 1p. 43321:140-43321:140.

8711100158 Forwards Amend 15 to License NPF-47 & safety evaluation. Amend revises Tech Specs re maint & surveillance for TDI emergency diesel generators.
PAULSON,W.A. Project Directorate IV. TAC 65130. 87/11/02. DEDDENS,J.C. Gulf States Utilities Co. 2pp. 43341:332-43341:342.

--8711100168 Amend 15 to License NPF-47,revising Tech Specs re maint & surveillance of TDI emergency diesel generators.
CALVO,J.A. Project Directorate IV. 87/11/02. 6pp. 43341:334-43341:339.

8711100361 Part 21 & deficiency rept re air pressure regulators on Imo Delaval,Inc standby diesel generators.Regulators not installed on diesel generators or in stock or on order. Bellofram Type 50 & 60 air regulators included in program.
MEDFORD,M.O. Southern California Edison Co. 87/11/04. Document Control Branch (Document Control Desk). 2pp. 43334:344-43334:345.

8711100370 Forwards WCAP-11553, "Analysis of Capsule U From Wolf Creek Nuclear Operating Corp Wolf Creek Reactor Vessel Radiation Surveillance Program." Tech Spec change request will be submitted by 880620 to update Figures 3.4-2,3 4-3 & 3.4-4.
BAILEY,J.A. Wolf Creek Nuclear Operating Corp. ET 87-0346. 87/11/04. Document Control Branch (Document Control Desk). 1p. 43338:069-43338:171.

--8711100376 WCAP-11553 "Analysis of Capsule U From Wolf Creek Nuclear Operating Corp Wolf Creek Reactor Vessel Radiation Surveillance Program."
YANICHKO,S.E., LIPPINCOTT,E.P., MEYER,T.A. Westinghouse Electric Corp. 87/Ca/31. 101pp. 43338:071-43338:171.

8711130097 Forwards revised "Human Factors Review of Rept of B&W Owners Group Operator Support Committee Safety & Performance Improvement Program Operator Burden Project." Rev reflects thrust recipient described to author during 870820 telcon.
MALONE,T.B. Carlow Associates, Inc. 87/08/20. GOODMAN,M.J. NRC - No Detailed Affiliation Given. 1p. 43354:032-43354:049.

--8711130099 "Human Factors Review of Rept of B&W Owners Group Operator Support Committee Safety & Performance Improvement Program Operator Burden Project."
* Carlow Associates, Inc. 87/08/20. GOODMAN,M.J. NRC - No Detailed Affiliation Given. 18pp. 43354:033-43354:049.

8711130209 Forwards ltr documenting Science Application Intl Corp review of question of whether or not operator errors considered in B&W operator burden project.
LINER,R.T. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. 87/11/04. WEST,S. NRC - No Detailed Affiliation Given. 3pp. 43355:311-43355:313.

8711130327 Responds to FJ Miraglia 870925 ltr providing NRC point of contact for C-E Owners Group.Listing of technical issues which have NRC interface encl.
GASPER,J.K. C-E Operating Plants Owners Group. CEOG-87-611. 87/11/04. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 6pp. 43361:125-43361:130.

8711160164 Forwards responses to Sandia & NRC comments on heat loss Rept HGN-085 re results of analytical simulations of 1/4- scale test facility & Mark III containment,per 871007 meeting.
LANGLEY,J.R. Hydrogen Control Owners Group. HGN-128. 87/11/06. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 43366:032-43366:054.

8711160164 Forwards application for amend to License DPR-6,changing Tech Specs administratively to reflect features & terminology used w/new out-of-core power range nuclear instrumentation.Licensing topical repts encl.Fee paid.
BERRY,K.W. Consumers Power Co. 87/11/09. Document Control Branch (Document Control Desk). 1p. 43366:081-43366:198.

--8711160246 NEDO-30883-A "Nuclear Measurement Analysis & Control Logarithmic Radiation Monitor (NUMAC-LRM)," licensing topical rept.
REIGEL,D.W., ROBARE,D.J. General Electric Co. 87/01/31. 62pp. 43366:100-43366:164.

--8711160260 NEDO-31399 "Nuclear Measurement Analysis & Control DC Wide Range Monitor (NUMAC-DCWRM)," licensing summary.
REIGEL,D.W., ROBARE,D.J. General Electric Co. 87/04/30. 34pp. 43366:165-43366:198.

8711160183 Forwards Rev 10 to ANF-1A, "QA Program for Nuclear Fuels," for review & approval Changes minor & do not materially change scope or content of program.
VOLMER,C.J. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). CJV:87:102. 87/11/10. Document Control Branch (Document Control Desk). 1p. 43365:208-43365:280.

--8711160196 ANF-1A R10 Rev 10 to "QA Program for Nuclear Fuels."
MCCULLUGH,R.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 87/11/10. 72pp. 43365:209-43365:280.

8711160262 Confirms that 15% damping value used during design of cable tray supports in TDI diesel generator bldg,in response to request.
CROLEY,B. Sacramento Municipal Utility District. DTS 87-104. 87/11/09. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 43371:216-43371:216.

8711170063 Forwards NP-2511-CCM-A,Revs 2 to "VIPRE-01:Thermal-Hydraulic Analysis Code for Reactor Cores Vol 1:Matamatical Modeling," "...Vol 2:Users Manual," "...Vol 3:Programmers Manual," & final rept "...Vol 4:Applications."
SRIKANTIAH,G. Electric Power Research Institute. 87/08/25. LYONS,J.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43375:275-43380:279.

--8711170066 Grants permission to copy NP-2511-CCM-A, "Thermal-Hydraulic Analysis of Code for Reactor Cores," Vols 1-4,for purposes of placing rept on microfiche.
WICKWAR,G. Electric Power Research Institute. 87/11/13. NORBERG,J.A. NRC - No Detailed Affiliation Given. 1p. 43375:276-43375:276.

--8711170068 Requests written permission to copy Vols 1-4 of NP-2511-CCM-A, "VIPRE-01"Thermal-Hydraulic Analysis Code for Reactor Cores."
NORBERG,J.A. Division of Engineering & Systems Technology (Post 870411). 87/09/22. SRIKANTIAH,G. Electric Power Research Institute. 1p. 43375:277-43375:277.

--8711170077 NP-2511-CCM-A V01 R2 Rev 2 to "VIPRE-01:Thermal-Hydraulic Code for Reactor Cores Vol 1:Mathematical Modeling."
STEWART,C.W., CUTA,J.M., MONTGOMERY,S.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 85/07/31. 295pp. 43375:278-43376:214.

--8711170078 NP-2511-CCM-A V02 R2 Rev 2 to "VIPRE-01:Thermal-Hydraulic Code for Reactor Cores Vol 2:Users Manual."
CUTA,J.M., KOONTZ,A.S., STEWART,C.W. Battelle Memorial Institute, Pacific Northwest Laboratories. 85/07/31. 650pp. 43376:215-43378:202.

--8711170086 NP-2511-CCM-A V03 R2 Rev 2 to "VIPRE-01:Thermal Hydraulic Code for Reactor Cores Vol 3:Programmers Manual."
STEWART,C.W., KOONTZ,A.S., CUTA,J.M. Battelle Memorial Institute, Pacific Northwest Laboratories. 85/07/31. 174pp. 43378:203-43379:015.

--8711170088 NP-2511-CCMA VOL 4 "VIPRE-01:Thermal-Hydraulic Code for Reactor Cores Vol 4: Applications."
CUTA,J.M., STEWART,C.W., KOONTZ,A.S. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/04/30. 500pp. 43379:016-43380:279.

8711170234 Forwards Rev 1 to WCAP-11374, "Analysis of Capsule U From Callaway Unit 1 Reactor Vessel Radiation Surveillance Program." Rev corrects plant heatup & cool'down operating limit curves & Reg Guide 1.99 reactor trip NDT calculations.
SCHNELL,D.F. Union Electric Co. ULNRC-1675. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43380:280-43381:020.

--8711170248 WCAP-11374 R01 Rev 1 to WCAP-11374, "Analysis of Capsule U From Callaway Unit 1 Reactor Vessel Radiation Surveillance Program."
LOTT,R.G., YANICHKO,S.E., LOCANTE,J. Westinghouse Electric Corp. 87/06/30. 104pp. 43380:282-43381:020.

8711180095 Summary of 871027 meeting w/NUMARC,BNL,INEL & Science Applications Intl Corp re status of Tech Spec Improvement Program-related topical rept reviews & probabilistic methodologies relevant to reviews Attendance list encl.
WOHL,M.L. Technical Specifications Branch. 87/11/10. BUTCHER,E.J. Technical Specifications Branch. 3pp. 43389:088-43389:090.

--8710300025 Notification of 871027 meeting w/NUMARC,SAIC,BNL & INEL in Bethesda,MD,to exchange status briefings & coordinate future activities re Tech Specs Improvement Program.
BUTCHER,E.J. Technical Specifications Branch. 87/10/23. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 2pp. 43389:091-43389:091.

8711180122 Notification of 871202 meeting w/B&W,BNL,BNWL & Duke Power Co in Bethesda,MD to discuss B&W topical repts on reload methodologies to be used for refueling Duke Power Co recirculating steam generator PWRs.Meeting agenda encl.
HSII,Y. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 3pp. 43394:316-43394:317.

8711190259 Forwards safety evaluation supporting plant electrical distribution sys design (ref TDI diesel generators).Approval of design required before performance of loss of offsite power test.
KNIGHTON,G.W. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). TAC 66305. 87/11/10. ANDOGNINI,G.C. Sacramento Municipal Utility District 2pp. 43404:291-43404:309

--8711190265 Safety evaluation supporting util 861219 ltr & related submittals re design mods to emergency electrical distribution sys (ref TDI diesel generators).
* Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 87/11/10. 17pp. 43404:293-43404:309.

8711190312 Notification of 871119 meeting w/Westinghouse in Bethesda,MD to discuss use of PHOENIX code for PWRs.
COLLINS,T.E. Reactor Systems Branch. 87/11/16. HODGES,M.W. Reactor Systems Branch. 2pp. 43416:039-43416:040.

8711190366 Forwards Addendum 2 to NUSCO-152, "Physics Methodology for PWR Reload Design," per request.Addendum summarizes comparison of zero power physic test data & at power measurements to predictions for Cycle 1.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. B12705. 87/11/13. Document Control Branch (Document Control Desk). 2pp. 43401:236-43401:304.

--8711190389 NUSCO-152 ADD 02 Addendum 2 to "Physics Methodology for PWR Reload Design."
* NUS Corp. 87/10/30. 67pp. 43401:236-43401:304.

8711200189 Forwards "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987," containing correct baseline schedules for forthcoming integrated license amends.
WOODY,C.O. Florida Power & Light Co. L-87-474. 87/11/16. Document Control Branch (Document Control Desk). 1p. 43417:281-43417:288.

--8711200230 "Integrated Schedule Turkey Point Nuclear Power Plant Regulatory Rept Nov 1987."
* Florida Power & Light Co. 87/11/30. 27pp. 43417:282-43417:288.

8711230315 Forwards proprietary Vol III of CENPD-276-P, "CEUPR C-E Upper Plenum Refill/Reflood Code," describing E-E model for assessing refill/reflood performance of PWRs employing upper plenum injection during LOCA.Rept withheld (ref 10CFR2.790).
SCHERER,A.E. Combustion Engineering, Inc. LD-87-063. 87/11/18. NORBERG,J.A. Division of Engineering & Systems Technology (Post 870411). 6pp. 43418:122-43418:127.

8711240058 Forwards "Reload Safety Evaluation,Beaver Valley Nuclear Plant Unit 1 Cycle 7," documenting evaluation of Cycle 7 reload design,including affects of 10% steam generator tube plugging,upflow conversion & thimble plug removal.
SIEBER,J.D. Duquesne Light Co. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43430:256-43430:274.

--8711240070 "Reload Safety Evaluation,Beaver Valley Nuclear Plant Unit 1 Cycle 7."
DZENIS,E.A. Westinghouse Electric Corp. 87/10/31. 18pp. 43430:258-43430:274.

*8711240108 Forwards proprietary & nonproprietary versions of Suppls 2 to WCAP-*11317 & WCAP-11318,respectively,entitled, "Verification of Fracture Mechanics Analysis Techniques Used In Support...." WCAP-11317 withheld (ref 10CFR2.790).
SIEBER,J.D. Duquesne Light Co. 87/11/10. Document Control Branch (Document Control Desk). 2pp. 43459:128-43459:177.

--8711240204 Requests that proprietary Suppl 2 to WCAP-11317, "Verification of *Fracture Mechanics Analysis Techniques Used in Support of Technical Justification for* Eliminating Large Primary Loop Pipe Rupture...," be withheld per 10CFR2.790.
WIESEMANN,R.A. Westinghouse Electric Corp. CAW-87-115. 87/11/06. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43469:130-43469:136.

--8711240117 WCAP-11318 S02 Nonproprietary Suppl 2 to "Verification of Fracture Mechanics Analysis Techniques Used In Support of Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Beaver Valley...."
WITT,F.J., PALUSAMY,S.S., SWAMY,S.A. Westinghouse Electric Corp. 87/11/30. 42pp. 43459:137-43459:177.

8711240134 Forwards addl info re proposed standby liquid control sys mod to comply w/10CFR50.62 & Attachment A to NEDC 87-153, "Standby Liquid Control Sys Control Capacity Equivalency Rept," dtd 870721.Final configuration will be as indicated.
TREVORS,G.A. Nebraska Public Power District. NLS8700601. 87/11/18. Document Control Branch (Document Control Desk). 8pp. 43430:340-43430:355

--8711240141 NEDC 87-153 ATT A Attachment A to "Standby Liquid Control Sys Control Capacity Equivalency Rept."
EARLE,R.T., CASEY,D.F. General Electric Co. 87/07/21. 10pp. 43430:346-43430:355.

8711240252 Notification of 871203 meeting w/Westinghouse,Sandia & utils in Bethesda,MD to discuss Westinghouse ECCS evaluation model using SECY-83-472 *approach for analysis of Westinghouse two- loop upper plenum injection* plants.Meeting agenda encl.
HSII,Y.G. Reactor Systems Branch. 87/11/19. HODGES,M.W. Reactor Systems Branch. 4pp. 43460:300-43460:303.

8711240307 Forwards WCAP-11618, "Westinghouse Owners Group MERITS Program,Phase II,Task 5,Criteria Application." Rept intended to be licensing basis for *specifying limiting conditions for operation in owners group restructured Tech Specs.*
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-87-43. 87/11/12. Document Control Branch (Document Control Desk). 2pp. 43441:001-43442:003.

--8711240311 WCAP-11618 "Westinghouse Owners Group MERITS Program,Phase II,Task 5, Criteria Application."
ANDRACHEK,J.D., BENCINI,R.L., HOWARD,R.C. Westinghouse Operating Plants *Owners Group. 87/11/30. 300pp. 43441:003-43442:003.*

8711250068 Notification of 871202 meeting w/BWR Owners Group in Bethesda,MD to discuss BWR Owners Group Tech Spec improvement program plan & highlights of topical rept.
BUTCHER,E.J. Technical Specifications Branch. 87/11/18. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 1p. 43460:304-43460:304.

8711250107 Responds to 870831 ltr re security at national & local level at facilities.NRC concluded that no substantial health & safety issues exists that would warrant suspension or revocation of any license or permit for facilities.
ZECH,L.W. Commissioners. 87/10/27. CLINTON,B. Arkansas, State of. 6pp. 43461:356-43462:002.

--8711250144 Addresses serious problems re erosion of public confidence in ability of NRC to safeguard public adequately from dangers of nuclear power plant accidents
CLINTON,B. Alaska, State of. 87/08/31. LANDO,L.W. Commissioners. 2pp. 43462:001-43462:002.

8711250245 Discusses 871007 meeting w/NRC re implications of current core design trends on ATWS rule.Meeting attendance roster encl.
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-87-50. 87/11/23. THADANI,A.C. Assistant Director for Systems. 4pp. 43459:282-43459:285.

87113002 19 Forwards Westinghouse nonproprietary WCAP-11672 & proprietary WCAP-11671, "Point Beach Unit 2 Steam Generator Tube..." Application for withholding proprietary rept encl. WCAP-11671 withheld (ref 10CFR2.790).
FAY,C.W. Wisconsin Electric Power Co. VPNPD-87-512. 87/11/24. Document Control Branch (Document Control Desk) 2pp. 43471:128-43471:225.

--8711300227 Requests that proprietary rept entitled "Point Beach Unit 2 Steam Generator Tube Fatigue Presentation" be withheld from public disclosure (ref 10CFR2.790(b)(4)) Affidavit encl.
WIESEMANN,R.A. Westinghouse Electric Corp. CAW-87-118. 87/11/20. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 43471:130-43471:139.

--8711300232 WCAP-11672 Nonproprietary "Point Beach Unit 2 Steam Generator Tube Fatigue Presentation."
* Westinghouse Electric Corp. 87/11/30. 87pp. 43471:140-43471:225.

WASTE MGT NUCLEAR WASTE MANAGEMENT

8711030001 Forwards remedial action agreement for UK-008,transmitted as documentation of owner concurrence in application for supplemental stds.W/o encl.
ANDERSON,J.R. Energy, Dept. of. 87/09/16. PETTENGILL,H. Uranium Recovery Field Ofc, R4. 1p. 43264:237-43264:237.

*8711030164 Forwards remedial action agreement for UK-008,transmitted as documenta*tion of owner concurrence in application of supplemental stds W/o encl.
ANDERSON,J.R. Energy, Dept. of. 87/10/02. PETTENGILL,H. Uranium Recovery Field Ofc, R4. 1p. 43264:245-43264:245.

8711030183 Forwards onsite const review rept for Durango site.Review conducted on 871006 in company of M Scoularis.Inspector found site to be in compliance w/RAP & *RAP.*
HAWKINS,E.F. Region 4, Ofc of the Director. 87/10/20. ANDERSON,J.R. Energy, Dept. of. 1p. 43264:246-43264:250.

--8711030176 Submits review of const activities at Durango UMTRAP for assessment of whether QC program functioning in manner that assures compliance w/RAP & EPA std.Review conducted on 871008.
*JACOBY,D.L. Uranium Recovery Field Ofc, R4. OLSEN,T.T. Region 4, Ofc of the Di*rector. 87/10/16. Uranium Recovery Field Ofc, R4. 4pp. 43264:247-43264:250.

8711030198 Forwards review comments on "Evaluation of Rock for Riprap at Mexican Hat,UT," per 870731 request.Info insufficient to justify use of proposed Athambra limestone or oversizing methodology.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/16. D'ANTONIO,J.R. Energy, *Dept. of. 3pp. 43263:115-43263:117.*

8711030213 Summary of 871008 onsite const review w/DOE,State of CO,task force & radiological assessment coordinators in Durango,CO re whether QA program functioning in manner that assures compliance w/RAP & EPA stds.
OLSEN,T.T., JACOBY,D.L., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/16. Uranium Recovery Field Ofc, R4. 4pp. 43264:127-43264:130.

UMTRAP Supporting info,including calculations & cost estimates,encl.
WATHEN,T.R. MK-Ferguson Co. 87/09/24. OLDHAM,J.G. MK-Ferguson Co. 20pp. 43264 212-43264:231.

8711030282 Forwards "Radiological & Engineering Assessment for Property GJ-00343-CS," for review & approval.Rept includes justification checklist,property condition description, considerations & cost breakdown.
VIRGONA,J.E. Energy, Dept. of. 87/09/29. HEYER,R. Uranium Recovery Field Ofc, R4. 1p. 43262 089-43262:114.

--8711030433 "Radiological & Engineering Assessment for Property GJ-00343-CS."
VIRGONA,J. Energy, Dept. of. 87/09/30. 25pp. 43262.090-43262.114.

8711160286 Requests that provision to Riverton subcontract documents be revised,as stated,per encl NRC 870909 request.W/o encl.
ANDERSON,J.R. Energy, Dept. of. 87/10/22. OLDHAM,J. MK-Ferguson Co. 1p. 43370:150-43370.150.

8711170090 Forwards Cathness Mining Corp reclamation plan for McBryde Joint Venture,for info.
SNELL,W.D. Texas, State of. 87/10/08. SMITH,R.D. Uranium Recovery Field Ofc, R4. 4pp 43375.063-43375.066.

8711200366 Ack receipt of 871008 partial copy of Cathness Mining Corp reclamation plan.Licensee should be prepared to justify background Ra-226 concentrations.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 87/10/30. SNELL,W.D. Texas, State of. 2pp 43414 299-43414:300.

8711230007 Forwards DOE/EA-0332, "Environ Assessment of Remedial Action at Mexican Hat U Mill Tailings Site,Mexican Hat,UT." Encl finding of no significant impact has determined that preparation of EIS not required.
ANDERSON,J.R. Energy, Dept. of. 87/10/28. Affiliation Not Assigned. 12pp. 43415.001-43415.293.

--8711230011 DOE/EA-0332 "Environ Assessment of Remedial Action at Mexican Hat U Mill Tailings Site,Mexican Hat,UT."
* Energy, Dept. of. 87/10/31. 300pp. 43415.013-43415:293.

8711230302 Forwards second transmittal of justification documentation & design rationale for drain at Lakeview,OR UMTRA disposal cell.
ANDERSON,J.R. Energy, Dept. of. 87/11/02. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 1p. 43425.320-43425.337.

--8711230312 Forwards discussion of design rationale & series of calculations by TAC showing sensitivity analysis of drain for seeps at Lakeview,OR disposal site.Encls answer questions posed by NRC at 871001 meeting.
ANDERSON,J.R. Energy, Dept. of. 87/11/02. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 17pp. 43425.321-43425.337.

XPORTLIC EXPORT AND IMPORT LICENSES

8711020008 License for Mitsui & Co (USA),Inc to export 746.0 kg U-235, contained in 22,563.0 kg U,to Tokyo,Japan.
PETERSON,M.R. Assistant Director for International Security. MBK-K1-R3 (A). 87/10/27. 2pp. 43240:313-43240.314.

8711020045 License for Mitsui & Co (USA),Inc to export 342.0 kg U-235, contained in 10,633.0 kg U,to Tokyo,Japan.
PETERSON,M.R. Assistant Director for International Security. MBK-K1-R3 (B). 87/10/27. 2pp. 43240:358-43240.359.

8711020046 Informs that License XSNM-2336 may be issued.No matl changed circumstances since issuance of License XSNM-1435.
MOORE,R.N. International Programs. 87/10/27. International Programs. 1p. 43240.360-43240:360.

8711020084 Application to amend license,to allow export of 250,000 kg natural U to Netherlands & United Kingdom within next few wks.
HEGARTY,M.E. Edlow International Co. 87/10/26. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 43239:138-43239:138.

8711020113 Requests that license application be withdrawn.
GRAY,D.A. Transnuclear, Inc. 87/10/22. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 43240.057-43240:057.

8711020148 Ltr of assurance re export of 746 kg U-235,contained in 22,563 kg U,to Japan.
TOSHIKAGE,M. Japan, Govt. of. 87/10/22. ROONEY,J.M. Energy, Dept. of. 1p. 43240.097-43240.097.

8711020163 License for Edlow Intl Co to export 724 kg U-235,contained in 18,090 kg U,to Spain.
PETERSON,M.R. Assistant Director for International Security. ENUSA-E-1. 87/10/29. 2pp. 43238.335-43238:336.

8711020166 Ltr of assurance re export of 342 kg U-235,contained in 10,633 kg U,to Japan.
TOSHIKAGE,M. Japan, Govt. of. 87/10/22. ROONEY,J.M. Energy, Dept. of. 1p. 43238:337-43238:337.

8711020182 Ltr of assurance re export of 724 kg U-235 contained in 18,090 kg U to Spain.
FLINGOU,C. European Communities, Commission of. 87/10/23. ROONEY,J.M. Energy, Dept. of. 1p. 43239:359-43239:359.

8711020293 Amend 1 to license for Edlow Intl Co to export feed matl of Canadian origin,to EURATOM community or US.
PETERSON,M.R. Assistant Director for International Security. EIC-GNL. 87/10/29. 1p. 43239.281-43239.281.

8711020323 Informs that License XSNM-2337 may be issued.No matl changed circumstances since issuance of XSNM-1435.
MOORE,R.N. Assistant Director for International Security. 87/10/27. Assistant Director for International Security. 1p. 43239.282-43239:282.

ELDRIDGE,B.H. General Electric Co. 87/10/26. WRIGHT,B.L. International Program
1p. 43309:338-43309:338.

8711060170 Requests advise as to status of Amend 5 to license for export
Switzerland.Licensee will like to know causes of holdup on getting needed ltr of assu
ance from Italy.
ELDRIDGE,B.H. General Electric Co. 87/10/27. WRIGHT,B.L. NRC - No Detailed A
filiation Given. 1p. 43309:344-43309:344.

8711060174 Forwards GE 871027 ltr re Amend 5 to License XSNM-1227 expressing
concern re delay in issuance of amend.Assistance in obtaining assurance
requested.W/o encl.
PETERSON,M.R. Assistant Director for International Security. 87/11/03. ROONEY
Energy, Dept. of. 1p. 43309:345-43309:345.

8711060201 Amend 4 to license for GE to extend expiration date from 880101
911231.
PETERSON,M.R. Assistant Director for International Security. BHE 87-129. 87/11/0
1p. 43310:012-43310:012.

8711060207 Forwards GE application for amend to export license, increasing quantity
matl to be exported by addl 3,967 kg & enrichment from 3.85 w/o to 4.0 w/o Ltr
assurance required.W/o encl.
PETERSON,M.R. Assistant Director for International Security. 87/11/02. ROONEY
Energy, Dept. of. 1p. 43310:338-43310:338.

8711060214 Amend 4 to license for GE to export components & associated equipme
of two BWRs w/power levels of 2894 MWt,to Taipei, Taiwan.
PETERSON,M.R. Assistant Director for International Security. BHE 87 127. 87/11/0
1p. 43310.013-43310.013.

8711060245 License for Mitsubishi Intl Corp to export 705 kg U-235, contained
20,413 kg U,to Japan.
PETERSON,M.R. Assistant Director for International Security. HSA-6487-04. 87/1
03. 2pp. 43310:343-43310:344.

8711060273 Application to amend license,increasing quantity of matl authorized
export from 3,055 kg,contained in 126,585 kg U to 3,208 kg U-235,conta ned
130,552 kg U & extending license expiration from 880101 to 991231.
ELDRIDGE,B.H. General Electric Co. 87/10/28. WRIGHT,B.L. NRC - No Detailed
filiation Given. 1p. 43310:353-43310:353.

8711060285 License for Edlow Intl Co to export 293 kg U-235,contained in 8,470
U,enriched to 3.45% w/o max,to Japan.
PETERSON,M.R. Assistant Director for International Security. KLK-39. 87/11/05. 2p
43310:019-43310:020.

8711060293 Application to amend license,extending expiration date from 871231
911231.
ELDRIDGE,B.H. General Electric Co. 87/10/26. WRIGHT,B.L. International Progra
1p. 43310:360-43310:360.

8711090009 Forwards Edlow Intl Co 871029 ltr requesting withdrawal of export licen
application.W/o encl.
PETERSON,M.R. Assistant Director for International Security. 87/11/
THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affa
1p. 43323:348-43323:348.

8711090010 Application to amend license,to export 412.41 kg U contained in 188.14
U-235 to Japan.
YOSHIMURA,T. Nissho Iwai American Corp. FDN-87-043. 87/10/26. MOORE,R
Assistant Director for International Security. 7pp. 43323:349-43323:355.

8711090016 Amend 6 to license for GE to export components & associated equipm
of BWR,w/power level of 2,436 MWT.
PETERSON,M.R. Assistant Director for International Security. BHE 87-128. 87/11/
1p. 43324:002-43324:002.

8711090026 Requests Executive Branch position re encl Nissho Iwai American C
871026 request to increase quantity of U to JRR-2 research reactor in Japan.W
encl.
PETERSON,M.R. Assistant Director for International Security. 87/11/
THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affa
1p. 43324:004-43324:004.

8711090026 Requests Executive Branch position re encl Nissho Iwai American C
871026 request to increase quantity of U to Japan.
PETERSON,M.R. Assistant Director for International Security. 87/11/
THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affa
1p. 43324:067-43324:074.

--8711090038 Application for amend to export license,increasing quantity of U to 76
kg & U-235 to 34.63 kg to Japan.
YOSHIMURA,T. Nissho Iwai American Corp. FDN-87-044. 87/10/26. MOORE,R
Assistant Director for International Security. 7pp. 43324:068-43324:074.

8711090042 Advises that NRC found no matl changed circumstances associated w
cense XSNM-2339 from issuance of License XSNM-1435.License may be issued.
MOORE,R.N. Assistant Director for International Security. 87/11/03. Assistant Di
tor for International Security. 1p. 43316:253-43316:253.

8711090063 Amend 6 to export license for GE Technical Svc Co,Inc, extending exp
tion date to 911231 & increasing quantity of of matl to 7,400 kg U-235,contained
270,000 kg U,to Switzerland.
PETERSON,M.R. Assistant Director for International Security. 87/11/09.
43316:254-43316:254.

8711090074 Application to amend license to export 7,400 kg U-235 contained
270,000 kg U to Switzerland.
FLINGOU,C. EURATOM Supply Agency. 87/11/03. ROONEY,J.M. Energy, Dept.
1p. 43324:011-43324:011.

8711090094 Requests withdrawal of 790416 application for license to export 40,704 kg natural U as U-308 to Brazil.
FISK,R.H. Edlow International Co 87/10/29. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 43316:284-43316:284.

8711090107 Amend 10 to license for GE & GE Technical Svcs Co,Inc,to export components & associated equipment of BWR to Japan & extending expiration date to 911231.
PETERSON,M.R. Assistant Director for International Security. BHE 87.126. 87/11/03. 1p. 43316:024-43316:024.

8711090117 Requests Executive Branch position re encl Nissho Iwai American Corp application for amend to export license, increasing quantity of U to Japan.W/o encl.
PETERSON,M.R. Assistant Director for International Security. 87/11/03. THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 43316:027-43316:027.

8711090135 Amend 1 to license for Nuclear Metals,Inc,to export 40,000 kg depleted U in form of metal to United Kingdom.
PETERSON,M.R. Assistant Director for International Security. 87/11/05. 1p. 43324:046-43324:046.

8711090256 Application to amend license,extending expiration date to 911231.
ELDRIDGE,B.H. General Electric Co. 87/10/26. WRIGHT,B.L. NRC - No Detailed Affiliation Given. 1p. 43324:049-43324:049.

8711090272 Ltr of assurance re export of 293 kg U-235,contained in 8,470 kg U,to Japan.
TOSHIKAGE,M. Japan, Govt. of. 87/11/02. ROONEY,J.M. Energy, Dept. of. 1p. 43324:050-43324:050.

8711090089 *Ltr of assurance re export of 705 kg U-235,contained in 20,413 kg U,to Japan*
TOSHIKAGE,M. Japan, Govt. of. 87/11/02. ROONEY,J.M. Energy, Dept. of. 1p. 43340:018-43340:019.

8711170033 Order (CLI-87-11).* Order denying intervenors application for stay re importation of U ore & U oxide into US. Intervenors failed to demonstrate that vendors likely to prevail on merit of appeal.Served on 871026.
CHILK,S.J. Office of the Secretary of the Commission. #487 4798. CLI-87-11. 87/10/26. ZECH,L.W., ROBERTS,T.M., BERNTHAL,F.M. Commissioners. 2pp. 43368:126-43368:127.

8711190017 *Decision CLI-87-9.* Director of Ofc of Governmental & Public Affairs directed to act promptly on four pending import license applications consistent w/Commission interpretation of Anti-Apartheid Act.Served on 870921.
CHILK,S.J. Office of the Secretary of the Commission. #487 4832. CLI-87-09. 87/09/21. 21pp. 43392:001-43392:021.

8711190032 Order CLI-87-10.* Order directing NRC to issue orders to ensure existing licenses bar imports of U ore & U oxide from South Africa & all U imports from parastatal organizations. Served on 870921.
CHILK,S.J. Office of the Secretary of the Commission. #487 4830. CLI-87-10. 87/09/21. Office of Governmental & Public Affairs (Post 870413). 7pp. 43392:187-43392:192.

8711190034 Forwards Braunkohle Transport USA 870313 & 0729 notices of withdrawal of applications for import of South African U under Licenses ISNM-87003,ISNM-87004,IU-87001 & IU-87002. Served on 870902.
JULIAN,E.J. Docketing & Services Branch. *#487 4825. 87/08/02.* Docketing & Services Branch. 3pp. 43392:184-43392:186.

8711190048 Response of Advanced Nuclear Fuels Corp to stay applications.* Petitioners 870217 applications for stay re issuance of NRC license to import enriched U hexafluoride of South African origin shou'd be denied.W/Certificate of Svc.
VOIGT,H.H. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.)
VOIGT,H.H. LeBoeuf, Lamb, Leiby & MacRae. *#487 4828. 87/09/29.* Commissioners 14pp. 43392:109-43392:122.

8711190054 Application for stay.* Commission 870921 Order CLI-87-9, granting applications *to import South African source U under Licenses* ISNM-87005,ISNM-87006,IU-87005 & IU-87008 shou'd be stayed pending judicial review.W/Certificate of Svc.
GREENBERG,E.V. Joint Intervenors - South African Imports. GREENBERG,E.V. Lawyers Committee for Civil Rights Under Law. GREENBERG,E.V. Galloway & Greenberg. *#487 4827. CLI-87-09. 87/09/24.* Commissioners. 8pp. 43393:329-43393:336.

8711190066 Application for stay of order implementing Commission 870921 order denying 870217 petition to revoke 11 licenses to import South African source U hexafluoride,pending judicial review.W/Certificate of Svc.
GREENBERG,E.V. Joint Intervenors - South African Imports. GREENBERG,E.V. Lawyers Committee for Civil Rights Under Law. GREENBERG,E.V. Galloway & Greenberg. *#487 4831. CLI-87-10. 87/09/24.* NRC - No Detailed Affiliation Given. 9pp. 43393:292-43393:300.

8711240082 Forwards Matl Control & Accounting Safeguards Insp Rept 110-03943/87-01 on 871030 & 1102.No violations noted.Rept withheld (ref 10CFR2.790).
MONTGOMERY,J.L. Region 5, Ofc of the Director. 87/11/12. UHOV,P. Marubeni America Corp. (subs. of Marubeni Corp.) *2pp. 43431:039-43431:040.*

8711240304 Executive Branch position re Edlow Intl Co application for license to export 100,000 Ci bulk gaseous tritium for R&D to Japan.Recommends that license be issued.
STRATFORD,R.J. State, Dept. of, Bureau of Oceans & Intl Environ & Scientific Affairs. 87/11/17. SHEA,J.R. NRC - No Detailed Affiliation Given. 1p. 43445:360-43445:360.

8711250014 Executive Branch position re Transnuclear,Inc application to export addl 67,075 kg natural U to France for enrichment at EURODIF.Recommends license be amended as requested.
STRATFORD,R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 87/11/17. SHEA,J.R. International Programs. 3pp. 43448:314-43448:316.

8711250045 License for Edlow Intl Co to export 100,000 Ci H-3 to Japan.
PETERSON,M.R. Assistant Director for International Security. 87/11/20. 1p. *43449:076-43449:076.*

8711250049 License for ISOTEC,Inc to export 700 kg deuterium oxide containing 50 kg deuterium gas,to Finland.No more than 10 kg deuterium or 50 kg deuterium oxide exported in any one shipment.
PETERSON,M.R. Assistant Director for International Security. 87/11/13. 1p. 43449:083-43449:083.

8711250055 Amend 6 to license for Transnuclear,Inc increasing quantity for export from 648,226 kg natural U in form of UF6 to 715,301 kg,to France.
PETERSON,M.R. Assistant Director for International Security. COG 470. 87/11/19. 1p. 43460:360-43460:360.

8711250105 Amend 2 to license for Edlow Intl Co,adding CERN as addl intermediate consignee.
PETERSON,M.R. Assistant Director for International Security. 87/11/19. 1p. 43462:012-43462:012.

8711250136 Executive Branch position re Isotec,Inc application for authorization to export 700 kg H2O & 50 kg H2 gas.Issuance of license recommended provided no more than 10 kg H2 or 50 kg H2O exported in single shipment.
STRATFORD,R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 87/11/09. SHEA,J.R. International Programs. 1p. 43460:359-43460:359.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABELSON,H.	8711040178	50-333 P
ABRAHAM,K.	8711180132	50-293 S
ADAMS,A.	8711100019	50-186 P
ADENSAM,E G.	8711020030*	50-348 P
ADENSAM,E.G.	8711020059*	50-324 P
ADENSAM,E.G.	8711020091*	50-395 P
ADENSAM,E.G.	8711230009*	50-348 P
ADKINS,T.E.	8711240189	50-259 F
AFFOLTER,R.D.	8711090290*	50-483 S
AFFOLTER,R D.	8711230450	50-483 S
AIKENS,H.H.	8711200364*	CONTRACT
AINGER,K.A	8711020369	50-454 P
AIREY,P.L.	8711180064	NUREG
AKSTULEWICZ,F.	8711250109	50-213 P
ALBERSHEIM,S.R.	8711110008*	50-255 P
ALDEN,W.M.	8711120018	50-352 R
ALDEN,W.M.	8711200309	50-277 R
ALDEN,W.M.	8711200387	50-352 R
ALDEN,W.M.	8711240206	50-352 P
ALDEN,W.M.	8711250261	50-352 R
ALEXANDER,R J.	8711300245	50-155 S
ALEXANDRU,R S.	8711180082*	50-445 A
ALEXICH,M.P.	8711020303	50-315 P
ALEXICH,M.P.	8711030034	50-315 P
ALEXICH,M.P.	8711030294	50-315 P
ALEXICH,M P.	8711030375	50-315 F
ALEXICH,M P.	8711030382*	50-315 F
ALEXICH,M.P.	8711030472	50-316 P
ALEXICH,M P.	8711030539	50-315 P
ALEXICH,M.P.	8711090253	50-315 P
ALEXICH,M.P.	8711130299	50-316 Q
ALEXICH,M P.	8711170240	50-315 P
ALEXICH,M.P.	8711190120	50-315 P
ALEXICH,M.P.	8711230346	50-316 F
ALEXICH,M.P.	8711240229	50-316 P
ALEXICH,M P.	8711250190	50-315 Q
ALEXICH,M.P.	8711300040	50-315 F
ALEXICH,M.P.	8711300086	50-315 P
ALEXICH,M.P.	8711300124	50-315 P
ALEXICH,M.P.	8711300187	50-315 Q
ALEXICH,T.W.	8711050255	50-483 P
ALEXICH,T.W.	8711090364	50-483 P
ALGER,D.M.	8711020317	50-186 Q
ALLEN,C.M.	8711030095	50-373 P
ALLEN,C.M.	8711090326	50-373 P
ALLEN,C.M.	8711100443	50-374 P
ALLEN,C.M.	8711170243	50-237 F
ALLEN,C.M.	8711170299	50-373 P
ALLEN,C.M.	8711240072	50-374 P
ALLEN,C.M.	8711250017	50-373 P
ALLEN,R.E.	8711130330	50-382 S
AMATO,C.G.	8711040225*	50-289 Q
AMATO,C.G.	8711090242*	50-354 Q
AMATO,C.G.	8711300096*	70-687
AMATO,C.G.	8711300218*	50-289 Q
ANAND,R K.	8711250281	50-341 P
ANDERSON,B.	8710190037	50-282 P
ANDERSON,C.	8711030409	I&E
ANDERSON,C.	8711250178*	50-245 Q
ANDERSON,C.J.	8711020513*	50-277 Q
ANDERSON,C.J.	8711050001	50-219 Q
ANDERSON,C.J.	8711130239*	50-247 Q
ANDERSON,J.D.	8711040182	50-440 F
ANDERSON,J.R.	8711030001	WASTE MGT
ANDERSON,J.R.	8711030154	WASTE MGT
ANDERSON,J.R.	8711160286	WASTE MGT
ANDERSON,J.R.	8711230007	WASTE MGT
ANDERSON,J.R.	8711230302	WASTE MGT
ANDERSON,J.R.	8711230312*	WASTE MGT
ANDERSON,L.R.	8711200234	50-322 H
ANDERSON,R.D.	8711020334	50-293 R
ANDERSON,R O.	8711100398*	50-282 P
ANDOGNINI,G.C.	8711020371	50-312 F
ANDOGNINI,G.C.	8711020411	50-312 Q
ANDOGNINI,G.C.	8711020475	50-312 Q
ANDOGNINI,G.C.	8711100059	50-312 P
ANDOGNINI,G.C.	8711190086	50-312 P
ANDOGNINI,G.C.	8711230220	50-312 S
ANDOGNINI,G.C.	8711230432	50-312 F
ANDOGNINI,G.C.	8711240057	50-312 S
ANDRACHEK,J.D.	8711240311*	TOPREP
ANDREW,M.D.	8711100368	NUREG
ANDREWS,G.L.	8709090378*	50-247 Q
ANDREWS,R.K.	8711030107	40-8904
ANDREWS,R.K.	8711160301	40-8904
ANDREWS,R.L.	8604160094	50-285 F
ANDREWS,R.L.	8701140166	50-285 S
ANDREWS,R.L.	8711020264	50-285 S
ANDREWS,R.L.	8711020395	50-285 P
ANDREWS,R.L.	8711020597	50-285 F
ANDREWS,R.L.	8711030468	50-285 F
ANDREWS,R.L.	8711100348	50-285 P
ANDREWS,R.L.	8711100355	50-285 Q
ANDREWS,R.L.	8711100364	50-285 F
ANDREWS,R.L.	8711100505	50-285 F
ANDREWS,R.L.	8711110025	50-285 P
ANDREWS,R.L.	8711160100	50-285 S
ANDREWS,R.L.	8711160199	50-285 S
ANDREWS,R.L.	8711170136	50-285 Q
ANDREWS,R.L.	8711200148	50-285 P
ANDREWS,R.L.	8711200334	50-285 Q
ANDREWS,R.L.	8711230246	50-285 P
ANDREWS,R.L.	8711230337	50-285 R
ANDREWS,R.L.	8711230375	50-285 F
ANDREWS,R.L.	8711230382	50-285 F
ANDREWS,R.L.	8711240086	50-285 P
ANDREWS,R.L.	8711240097	50-285 F
ANDREWS,R.L.	8711250229	50-285 Q
ANDREWS,R.L.	8711300037	50-285 P
ANDREWS,R.L.	8711300128	50-285 S
ANDREWS,R.L.	8711300208	50-285 P
ANDRUS,N.J.	8711160308	40-4492
ANTHONY,J.M.	8711040345*	50-327 P
ANTHONY,P.	8711020348	50-341 S
ANTHONY,P.	8711020404	50-341 S
ANTHONY,P.	8711020510	50-341 S
ANTHONY,P.	8711050158	50-341 S
ANTHONY,P.	8711050172	50-341 S
ANTHONY,P.	8711060083	50-341 S
ANTHONY,P.	8711100352	50-341 S
ANTHONY,P.	8711200121	50-341 S
ANTHONY,P.	8711300068	50-341 S
ANTHONY,P.M.	8711190270	50-341 R
ANTHONY,R.L.	8711040080	50-352 G
ANTHONY,R.L.	8711190058	50-352 G
ANTHONY,R.L.	8711240021	50-352 G
ARILDSEN,J.A.	8711200207*	50-413 V
ARMSTRONG,G A.	8711240173*	50-295 P
ARROS,J.K.	8711170021	50-445 G
ARROS,J.K.	8711170040	50-445 G
ARTIGAS,R.	8711200251	PR
ASHLEY,G.R.	8711180082*	50-445 A
ATKINS,C.G.	8711020047	PR
ATKINS,C.G.	8711020093*	PR
ATKINS,C.G.	8711020458*	50-322 H
ATKINSON,M.	8711120055	FOIA
AULUCK,R.	8711100382	50-327 P
AUSTIN,G.	8711160149	50-295 R
AUSTIN,J.H.	8711060237	50-277 P
AUSTIN,J.H.	8711100195	50-277 P
AUSTIN,J.H.	8711300277	50-277 P
AYALA,C.	8711230374	50-498 S
BACANSKAS,V.P.	8711090399	NUREG
BACAS,C.	8711090228*	50-277 U
BACHMANN,R.G.	8711240022	50-443 G
BACKUS,R.A.	8711040106	50-443 G
BACKUS,R.A.	8711040106	50-443 G
BACKUS,R.A.	8711040108	50-443 G
BACKUS,R.A.	8711040108	50-443 G
BACKUS,R.A.	8711110088	50-443 G
BACKUS,R.A.	8711110088	50-443 G
BACKUS,R.A.	8711190007	50-443 G
BACKUS,R.A.	8711190007	50-443 G
BACKUS,R.A.	8711190011*	50-443 G
BACKUS,R.A.	8711190011*	50-443 G
BACKUS,R.A.	8711190024*	50-443 G
BACKUS,R.A.	8711190024*	50-443 G
BACKUS,R.A.	8711190037	50-443 G
BACKUS,R.A.	8711190038*	50-443 G
BACKUS,R.A.	8711190038*	50-443 G
BADEN,D.	8711040305*	71-607
BAILEY,J.A.	8711030508	50-424 P
BAILEY,J.A.	8711030548	50-424 P
BAILEY,J.A.	8711040133	50-425 E
BAILEY,J.A.	8711040133	50-425 E
BAILEY,J.A.	8711100370	50-482 P
BAILEY,J.A.	8711130052	50-425 Q
BAILEY,J.A.	8711130168	50-424 E
BAILEY,J.A.	8711130168	50-424 E
BAILEY,J.A.	8711300205	50-424 P
BAILEY,R.	8711180031	50-213 S
BAILEY,R.J.	8711240019*	50-443 Q
BAILEY,R.J.	8711300174*	50-277 Q
BAIR,A.	8711180085*	FOIA
BAIRD,J.B.	8711160130*	50-382 Q
BAIRD,J.B.	8711180278*	50-267 Q
BAKER,E.T.	8711120078*	QA999
BAKER,E.T.	8711160281*	QA999
BAKER,R.D.	8711090266	50-321 S
BAKER,R.D.	8711170233	50-321 S
BAKER,R.D.	8711230177	50-366 S
BAKER,S.J.	8711030006	40-1162
BAKER,S.J.	8711160191	40-1162
BALL,J.	8711040012	50-528 S
BALL,J.	8711090340	50-528 S
BANGART,R.L.	8711160278*	50-267 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
BARBER,G.S.	8711030496*	50-443	V
BARISH,V.J.	8711040114	50-445	G
BARNES,I.	8711200158*	50-445	Q
BARNES,I.	8711250148*	50-445	Q
BARNES,I.	8711250187*	50-445	Q
BARR,R.C.	8711300109*	50-344	Q
BARRY,C.V.	8710230013*	50-293	F
BARTH,R.P.	8711250091*	50-320	F
BARTLETT,B.L.	8711040378*	50-482	Q
BARTON,J.J.	8711100343	50-219	F
BASKIN,K.P.	8711030251	50-206	Q
BASKIN,K.P.	8711030321	50-206	P
BASKIN,K.P.	8711030328*	50-206	P
BASS,B.R.	8711160022	NUREG	
BASSETT,C.H.	8711230304*	50-335	Q
BATES,A.	8711120030	SECY	
BATES,A.	8711170239	SECY	
BATES,A.L.	8711250208	50-336	S
BATES,G.	8711300129	I&E	
BATES,J.W.	8711130216*	70-1151	
BAUER,J.T.	8711230411	REGGD	
BAUER,T.L.	8711200382	50-602	A
BAUMAN,L.	8711030079	50-445	A
BAUMAN,L.	8711030126	FOIA	
BAUMAN,L.	8711030506	FOIA	
BAUMAN,L.	8711040034	FOIA	
BAUMAN,L.	8711040239	50-206	Q
BAUMAN,L.	8711040274	FOIA	
BAUMAN,L.	8711040275	FOIA	
BAUMAN,L.	8711040298	50-498	P
BAUMAN,L.	8711090028	50-445	A
BAUMAN,L.	8711090085	FOIA	
BAUMAN,L.	8711100454	FOIA	
BAUMAN,L.	8711110039	50-445	A
BAUMAN,L.	8711160058	FOIA	
BAUMAN,L.	8711160068	50-445	Q
BAUMAN,L.	8711170050	FOIA	
BAUMAN,L.	8711180043	FOIA	
BAUSER,M.A.	8711110068	50-335	G
BAUSER,M.A.	8711110068	50-335	G
BAXTER,T.A.	8711190030	50-320	G
BAXTER,T.A.	8711190030	50-320	G
BAYLESS,B.	8711300161	50-263	S
BAZIN,J.	8711030397	CONTRACT	
BAZIN,J.P.	8711050182	CONTRACT	
BEACH,A.B.	8711110150*	40-8027	
BEAL,S.K.	8711060148	NUREG	
BEASLEY,C.	8711040113	50-445	G
BECK,J.W.	8711160053*	50-445	A
BECK,J.W.	8711160058*	50-445	A
BECK,J.W.	8711160061*	50-445	A
BECK,J.W.	8711300074	50-446	S
BECK,J.W.	8711300112	50-445	S
BECK,J.W.	8711300120	50-445	Q
BECK,J.W.	8711300168	50-445	S
BECK,J.W.	8711300188	50-445	A
BECK,J.W.	8711300249	50-445	S
BECKETT,A.S.	8711090017	71-9021	
BECKETT,W.H.	8711030059	PR	
BECKETT,W.H.	8711030059	PR	
BECKHAM,J.S.	8711050134*	CONTRACT	
BEDESEM,P.	8711160276	50-275	R
BEDESEM,P.	8711240067	50-275	R
BEDORE,N.	8711030139	NUREG	
BEHNKE,C.	8711230272*	50-317	R
BEHNKE,C.	8711230276*	50-317	R
BEILMAN,T.P.	8711100429	50-316	S
BEILMAN,T.P.	8711110149	50-316	S
BEILMAN,T.P.	8711130095	50-316	S
BELANGER,R.R.	8711100349	50-443	S
BELISLE,G.A.	8711160238*	50-327	Q
BELL,S.	8711020191	CONTRACT	
BELL,S.	8711030405	CONTRACT	
BELL,S.	8711060131	CONTRACT	
BELL,S.	8711090041	CONTRACT	
BELL,S.	8711180074	CONTRACT	
BELL,S.	8711180097	CONTRACT	
BELL,S.	8711230059	CONTRACT	
BELL,S.	8711230216	CONTRACT	
BELL,S.	8711230278	CONTRACT	
BELL,S.A.	8711050134*	CONTRACT	
BELLACK,J.H.	8711100336	REGGD	
BELLAMY,R.	8711300038	70-371	
BELLAMY,R.R.	8711040217	70-1143	
BELLMAN,H.	8711040094	ADVCM	
BELLMAN,H.S.	8711030135*	FOIA	
BENCINI,R.L.	8711240311*	TOPREP	
BENEDETTO,A.R.	8711100351	PR	
BENEDETTO,A.R.	8711110130	PR	
BENNETT,W.B.	8711230441*	50-298	Q
BENSON,D.L.	8711130071	50-280	S
BENSON,D.L.	8711130208	50-280	S
BENSON,D.L.	8711200194	50-281	S
BENSON,D.L.	8711300050	50-280	S
BENSON,D.L.	8711300057	50-280	S
BERATTA,J.P.	8711040338	50-220	Q
BERATTA,J.P.	8711160052	50-220	S
BERATTA,J.P.	8711300180	50-220	F
BERGERON,M.P.	8711040374*	50-201	P
BERKMAN,D.	8711090022*	50-341	Q
BERKOW,H.N.	8711020149*	50-339	P
BERKOW,H.N.	8711050248*	50-335	P
BERKOW,H.N.	8711050277*	50-335	P
BERKOW,H.N.	8711230048*	50-416	P
BERNARD,J.A.	8711090155	50-20	Q
BERNARD,J.A.	8711250203	50-20	S
BERRY,G.A.	8711040069	50-443	G
BERRY,G.A.	8711040079	50-443	G
BERRY,G.A.	8711040186	50-443	G
BERRY,G.A.	8711110048	50-443	G
BERRY,G.A.	8711170024	50-443	G
BERRY,G.A.	8711190042	50-443	G
BERRY,G.A.	8711240101	50-443	G
BERRY,K.W.	8711160164	60-155	P
BERRY,K.W.	8711300134	50-255	P
BETTENHAUSEN,L.	8710300116	50-244	Q
BETTENHAUSEN,L.	8711050098	50-213	Q
BETTENHAUSEN,L.	8711180049*	50-219	Q
BETTENHAUSEN,L.	8711200120*	50-219	P
BETTENHAUSEN,L.	8711200132*	50-219	P
BETTENHAUSEN,L.	8711230396	50-219	S
BETTENHAUSEN,L.	8711300030	50-423	Q
BETTENHAUSEN,L.	8711300042	50-244	Q
BEYEA,J.	8711240015	50-443	T
BEYEA,J.	8711240027*	50-443	T
BEYEA,J.	8711240027*	50-443	T
BHAMBRI,V.B.	8711300117*	50-305	P
BIBB,H.E.	8711230162*	50-335	Q
BICEHOUSE,H.	8711090194*	50-309	Q
BIDINGER,G.H.	8711170196*	70-1113	
BILHORN,S.G.	8711130303*	FOIA	
BINZ,R.	8711200333*	50-354	P
BIRD,R.G.	8711020334	50-293	R
BIRD,R.G.	8711030474*	50-293	P
BIRD,R.G.	8711030483*	50-293	P
BIRD,R.G.	8711050119	50-293	Q
BIRD,R.G.	8711060142	50-293	P
BIRD,R.G.	8711060247	50-293	P
BIRD,R.G.	8711090208	50-293	Q
BIRD,R.G.	8711170218	50-293	Q
BIRD,R.G.	8711200244	50-293	S
BIRD,R.G.	8711230109	50-293	S
BIRD,R.G.	8711230290	50-293	R
BIRD,R.G.	8711300133	50-293	S
BIRD,R.G.	8711300163	50-293	S
BIRELY,W.C.	8711060116	50-277	S
BIRELY,W.C.	8711100417	50-278	S
BIRELY,W.C.	8711180003	50-278	S
BIRELY,W.C.	8711300195	50-277	S
BIRELY,W.C.	8711300259	50-277	S
BISHOP,J.C.	8711040264	40-9392	
BISHOP,T.W.	8711250280*	50-275	Q
BISSETT,P.	8711240088*	50-293	Q
BIXBY,W.W.	8711230041	PROJ	
BIXEL,D.A.	8711110010*	50-255	P
BLACK,K.	8711040251	ORG	
BLACK,K.	8711170183	ORG	
BLAKE,J.J.	8711020301*	50-338	Q
BLAKE,J.J.	8711130058*	50-259	Q
BLAKE,J.J.	8711130264*	50-260	Q
BLAKE,J.J.	8711190172*	50-348	Q
BLAKE,J.J.	8711200116*	50-413	Q
BLAKE,J.J.	8711230338*	50-369	Q
BLOCH,P.B.	8711240093	50-445	G
BLOSE,R.E.	8711170043	NUREG	
BLOSSER,J.D.	8710220095	50-483	R
BLOSSER,J.D.	8711030459	50-483	S
BLOSSER,J.D.	8711090279	50-483	S
BLOSSER,J.D.	8711090385	50-483	S
BLOSSER,J.D.	8711170206	50-483	R
BLOSSER,J.D.	8711190177	50-483	S
BLOSSER,J.D.	8711190307	50-483	S
BLOSSER,J.D.	8711230450	50-483	S
BLOSSER,J.D.	8711300240	50-483	S
BLOSSOM,J.N.	8711030037	40-8452	
BLOUGH,A.	8711230384*	50-293	Q
BLOUGH,A.R.	8711020406	50-293	R
BLOUGH,A.R.	8711180049*	50-219	Q
BLOUGH,A.R.	8711230453*	50-387	Q
BLOUGH,A.R.	8711300076	50-293	R
BLOUGH,R.	8711160035	50-293	S
BLOUGH,R.	8711180025	50-293	S
BLOUGH,R.	8711180100	50-293	S
BLUMBERG,N.	8711040181*	50-277	Q
BLUMBERG,N.	8711160148*	50-218	Q
BLUMBERG,N.	8711240088*	50-293	Q
BLUMBERG,N.J.	8711190269*	50-352	Q
BOARDMAN,G.R.	8711090106*	50-271	Q
BOARDMAN,J.	8711060184*	50-313	Q
BOARDMAN,J.R.	8711250243*	50-313	Q
BOCANEGRA,R.	8711180153*	50-373	Q
BOGER,B.A.	8711100033	50-352	F
BOHN,T.S.	8707150732*	50-352	F
BONNEAU,C.	8711100398*	50-282	F
BONNETT,J.R.	8711040377*	50-271	F
BOOKER,J.E.	8711030448	50-458	P
BOOKER,J.E.	8711050035	50-458	P
BOOKER,J.E.	8711090139	50-458	S
BOOKER,J.E.	8711090173	50-458	S
BOOKER,J.E.	8711090176	50-458	P
BOOKER,J.E.	8711090212	50-458	P
BOOKER,J.E.	8711090289	50-458	S
BOOKER,J.E.	8711100269	50-458	S
BOOKER,J.E.	8711100375	50-458	P
BOOKER,J.E.	8711100444	50-458	P
BOOKER,J.E.	8711100510	50-458	Q
BOOKER,J.E.	8711170189	50-458	S
BOOKER,J.E.	8711180168	50-458	S
BOOKER,J.E.	8711190194	50-458	P
BOOKER,J.E.	8711200265	50-458	P
BOOKER,J.E.	8711230451	50-458	S
BOOKER,J.E.	8711300131	50-458	S
BOOKER,J.E.	8711300257	50-458	S
BORDINE,T.C.	8711180083	50-255	Q
BOSSONG,K.	8711100311	PR	
BOSTED,C.J.	8711060123*	50-397	Q
BOURNIA,A.	8711050240	50-285	P
BOURNIA,A.	8711100430	50-285	S
BOURNIA,A.	8711160054	50-285	P
BOURNIA,A.	8711230019	50-285	P
BOURNIA,A.	8711240249	50-285	P
BOYAR,J.W.	8711060078	50-237	S
BOYD,C.C.	8711040354	70-27	
BOYLE,M.L.	8711020099	50-245	Q
BOYLE,M.L.	8711250112*	50-213	P
BRACH,E.W.	8711030330	70-143	
BRACH,E.W.	8711030336	70-1151	
BRACH,E.W.	8711030338	70-27	
BRACH,E.W.	8711030353	70-1100	
BRACH,E.W.	8711030359	70-1257	
BRACH,E.W.	8711030368	70-1151	
BRACH,E.W.	8711030398	70-1113	
BRACH,E.W.	8711030414	70-1257	
BRACH,E.W.	8711030422	70-734	
BRACH,E.W.	8711030428	70-1151	
BRACH,E.W.	8711030436	70-36	
BRACH,E.W.	8711030521	70-1100	
BRACH,E.W.	8711030534	70-371	
BRACH,E.W.	8711030545	70-1113	
BRACH,E.W.	8711040043	70-1201	
BRACH,E.W.	8711040074	70-143	
BRACH,E.W.	8711040100	70-27	
BRACH,E.W.	8711040180	70-1151	
BRACH,E.W.	8711100278	70-27	
BRADBURY,R.B.	8711050266	NUREG	
BRADBURY,R.B.	8711110034	PR	
BRADFORD,W.H.	8711130294*	50-348	Q
BRADISH,T.R.	8711040001	50-528	S
BRADISH,T.R.	8711090151	50-529	S
BRADISH,T.R.	8711160187	50-529	S
BRADISH,T.R.	8711300177	50-529	S
BRADISH,T.R.	8711300193	50-528	S
BRADISH,T.R.	8711300266	50-530	S
BRADLEY,E.J.	8711170028	50-352	P
BRADLEY,E.J.	8711200347	50-352	P
BRADLEY,E.J.	8711230173	50-352	P
BRADLEY,E.J.	8711230350	50-277	P
BRAILE,L.W.	8711180060	NUREG	
BRANCH,E.W.	8711030471	70-27	
BREAUX,J.	8711020011	50-322	P
BRENNAN,P.A.	8711240259	CONTRACT	
BREWER,C.O.	8711040337*	50-327	P
BREWER,D.R.	8711020036*	50-250	Q
BREWER,D.R.	8711190285*	50-250	Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
BREY,H.L.	8711020503	50-267	F
BREY,H.L.	8711170205	50-267	P
BREY,H.L.	8711190092	50-267	J
BREY,H.L.	8711190090*	50-267	J
BREY,H.L.	8711240214	50-267	P
BRIGGS,L.	8711240088*	50-293	Q
BRIGHT,G.O	*8711110084*	*50-320*	*G*
BRITZ,W.L.	8711060148	NUREG	
BROCK,M.T.	8711110053	50-443	G
BROCK,M.T.	8711110065*	50-443	G
BROCK,M.T.	8711110065*	50-443	G
BROCK,M.T.	8711110069*	50-443	G
BROCK,M.T.	8711110069*	50-443	G
BROCK,M.T.	*8711110078*	*50-443*	*G*
BROCK,M.T.	8711190037	50-443	G
BROCKMANN,J.E.	8711170043	NUREG	
BRONS,J.C.	8711100276	50-286	P
BRONS,J.C.	8711160060	50-286	Q
BRONS,J.C.	8711160112	50-333	P
BRONS,J.C.	8711190111	50-286	Q
BRONS,J.C.	8711190343	50-286	P
BRONS,J.C.	8711240092	50-333	F
BROOKS,C.A	8711300062*	50-259	Q
BROOKS,R.H.	8711020365	50-259	R
BROOKS,R.H.	8711040055	50-390	Q
BROOKS,R.H.	8711050125	50-327	R
BROOKS,R.H.	8711170097	50-390	A
BROOKS,R.H.	8711230329	50-390	A
BROWN,E.A.	8711100416	50-443	P
BROWN,E.A.	8711170031	50-443	G
BROWN,G.A.	8711130212*	50-397	Q
BROWN,H.H.	8711020180	PR	
BROWN,H.H.	8711020180	PR	
BROWN,H.H.	8711020180	PR	
BROWN,H.H.	*8711170025*	*50-322*	*G*
BROWN,H.H.	8711170026	50-322	G
BROWN,H.H.	8711170025	50-322	G
BROWN,H.H.	8711170025	50-322	G
BROWN,K.J.	8711230357	40-8684	
BROWN,K.J.	8711230399	40-8684	
BROWN,N.H.	8711190132	50-269	F
BROWN,N.H.	8711230111	50-269	F
BROWN,W.L.	8711040308*	FOIA	
BROWN,W.L.	8711040311*	FOIA	
BROWN,W.S.	8711190080	50-528	F
BROWNLEE,V.L.	8711030182	50-424	Q
BROWNLEE,V.L.	8711130064	50-321	Q
BROWNLEE,V.L.	8711130086	50-413	Q
BROWNLEE,V.L.	8711130137	50-369	Q
BROWNLEE,V.L.	8711130219	50-425	Q
BROWNLEE,V.L.	8711130222	50-269	Q
BROWNLEE,V.L.	8711160090	50-280	Q
BROWNLEE,V.L.	8711190234	50-321	Q
BRUNET,J.R.	8711180042	50-255	F
BRUNET,J.R.	8711180056	50-255	F
BRUNET,J.R.	8711180087	50-255	F
BRUNET,J.R.	8711180124	50-255	F
BRYANT,J.C.	8711130227*	50-269	Q
BUCKLEY,B.C.	8711030334	50-400	P
BUCKLEY,B.C.	8711240303	50-400	P
BUCKLEY,B.C.	8711250043	50-400	P
BUCKMAN,F.W.	8711020364	50-255	Q
BUCKMAN,F.W.	8711030234	50-255	P
BUCKMAN,F.W.	8711090278	50-255	K
BUCKMAN,F.W.	8711160195*	50-155	P
BUNCH,W.G.	8711130214	FOIA	
BUNCH,W.G.	8711130230	FOIA	
BURDICK,T.M.	8711020421*	50-150	V
BURDICK,T.M.	8711300242*	50-454	V
BURDOIN,J.F.	8711240131*	50-275	Q
BURGESS,B.	8711160202	50-255	S
BURGESS,B.L.	8711030087*	50-255	Q
BURGESS,B.L.	8711160136	50-255	R
BURGESS,B.L.	8711230276*	50-255	Q
BURGESS,B.L.	8711230327	50-255	R
BURGIN,D.	*8711100464*	*50-272*	*F*
BURGIN,R.	8711300279	I&E	
BURKE,F.	8711180037	50-312	P
BURNETT,P.T.	8711190286*	50-83	Q
BURNETT,P.T.	8711200123*	50-416	Q
BURNETT,R.F.	8711030421	70-687	
BURNS,W.E.	8711100179	50-424	S
BURNS,W.E.	*8711160126*	*50-424*	*S*
BURNS,W.E.	8711160179	50-424	S
BURNS,W.E.	8711160242	50-424	S
BURRIS,S.P.	8711190274*	50-400	Q
BURTON,I.	8711040255*	CONTRACT	
BUTCHER,E.J.	8710300025*	REVIEW GR	P
BUTCHER,E.J.	8711250068	TOPREP	
BUTCHER,R.C.	8711130073*	50-416	Q
BUTLER,W.R.	8711020246	50-322	P
BUTLER,W.R.	8711020259*	50-322	P
BUTLER,W.R.	8711020417	50-387	P
BUTLER,W.R.	*8711200013*	*50-387*	*P*
BUTLER,W.R.	8711200018*	50-387	P
BUTLER,W.R.	8711230020*	50-354	P
BUTLER,W.R.	8711230331	50-387	P
BUTLER,W.R.	8711230341*	50-387	P
BUTLER,W.R.	8711240263*	50-272	P
BUTTERFIELD,L.	8711030272	50-237	F
BUTTERFIELD,L.	*8711060105*	*50-295*	*Q*
BUTTERFIELD,L.	8711060160	50-454	Q
BUTTERFIELD,L.	8711060195*	50-454	Q
BYRAM,R.G.	8711100408	50-387	S
BYRD,R.	8711100330	50-416	S
CADELLI,G.	8711200368*	71-9860	
CADWALLADER,J.	8711100375	50-458	F
CAISLEY,J.	8711060009	NUREG	
CALDWELL,C.W.	8711240228*	50-312	Q
CALDWELL,J.L.	8711240077*	50-338	Q
CALDWELL,R.A.	8711230402*	50-313	Q
CALDWELL,R.A.	8711300087*	50-498	Q
CALLAN,L.J.	8711020120	50-285	Q
CALLAN,L.J.	8711020213	50-252	P
CALLAN,L.J.	8711020249	50-188	P
CALLAN,L.J.	8711020255	50-112	P
CALLAN,L.J.	8711020282	50-192	P
CALLAN,L.J.	8711020325	50-287	P
CALLAN,L.J.	8711020329	50-313	Q
CALLAN,L.J.	8711020340	50-72	P
CALLAN,L.J.	8711020366	50-458	P
CALLAN,L.J.	*8711020379*	*50-267*	*Q*
CALLAN,L.J.	8711020386	50-284	P
CALLAN,L.J.	8711020397*	50-267	Q
CALLAN,L.J.	8711020402	50-128	P
CALLAN,L.J.	8711020413	50-59	P
CALLAN,L.J.	8711020416	50-445	A
CALLAN,L.J.	8711020428	50-285	P
CALLAN,L.J.	8711020443	50-382	P
CALLAN,L.J.	8711020445	50-262	P
CALLAN,L.J.	8711020448	50-482	P
CALLAN,L.J.	8711020456	50-498	P
CALLAN,L.J.	8711020477	50-298	Q
CALLAN,L.J.	8711020508	50-313	P
CALLAN,L.J.	8711020521	50-482	Q
CALLAN,L.J.	8711030011	50-313	Q
CALLAN,L.J.	8711030098	50-482	P
CALLAN,L.J.	8711030122	50-298	V
CALLAN,L.J.	8711030218	50-298	H
CALLAN,L.J.	8711030351	50-298	Q
CALLAN,L.J.	8711030509	50-498	Q
CALLAN,L.J.	8711040360	50-482	Q
CALLAN,L.J.	8711050038	50-482	Q
CALLAN,L.J.	8711090156	50-298	Q
CALLAN,L.J.	8711090166	50-298	F
CALLAN,L.J.	8711090205	50-285	Q
CALLAN,L.J.	8711090268	50-267	Q
CALLAN,L.J.	8711090323	50-498	Q
CALLAN,L.J.	8711090332	50-267	Q
CALLAN,L.J.	8711090343	50-298	Q
CALLAN,L.J.	8711090347	50-298	Q
CALLAN,L.J.	8711090358	50-298	F
CALLAN,L.J.	8711100166	50-285	Q
CALLAN,L.J.	8711100207	50-267	Q
CALLAN,L.J.	8711100218	50-285	Q
CALLAN,L.J.	8711100233	50-267	Q
CALLAN,L.J.	8711100259	50-267	Q
CALLAN,L.J.	8711100334	50-298	F
CALLAN,L.J.	8711130103	50-267	Q
CALLAN,L.J.	8711130121	50-482	Q
CALLAN,L.J.	8711130268	50-458	Q
CALLAN,L.J.	8711130372	50-285	V
CALLAN,L.J.	8711160124	50-382	Q
CALLAN,L.J.	8711160145	50-498	F
CALLAN,L.J.	8711160263	50-267	Q
CALLAN,L.J.	8711170095	50-482	Q
CALLAN,L.J.	8711170231	50-298	Q
CALLAN,L.J.	8711170260	50-313	Q
CALLAN,L.J.	8711190246	50-482	Q
CALLAN,L.J.	8711190358	50-482	Q
CALLAN,L.J.	8711200034	50-458	Q
CALLAN,L.J.	8711200101	50-298	V
CALLAN,L.J.	8711200125	50-313	Q
CALLAN,L.J.	8711200185	50-382	Q
CALLAN,L.J.	8711200272	50-498	Q
CALLAN,L.J.	8711200300	50-285	F
CALLAN,L.J.	8711200313	50-498	P
CALLAN,L.J.	8711200393	50-313	F
CALLAN,L.J.	8711230169	50-382	P
CALLAN,L.J.	8711230191	50-498	Q
CALLAN,L.J.	8711230263	50-285	F
CALLAN,L.J.	8711230277	50-285	F
CALLAN,L.J.	8711230279	50-498	Q
CALLAN,L.J.	8711230342	50-313	Q
CALLAN,L.J.	8711230360	50-313	Q
CALLAN,L.J.	8711230430	50-298	Q
CALLAN,L.J.	8711240047	50-382	P
CALLAN,L.J.	*8711240132*	*50-498*	*Q*
CALLAN,L.J.	8711250205	50-382	Q
CALLAN,L.J.	8711250238	50-313	Q
CALLAN,L.J.	8711300092	50-498	Q
CALLAN,L.J.	8711300146	50-482	Q
CALVO,J.A.	8705080060	50-267	P
CALVO,J.A.	8711020121*	50-458	P
CALVO,J.A.	8711030063*	50-298	P
CALVO,J.A.	8711100083*	50-458	P
CALVO,J.A.	8711100168*	50-458	P
CALVO,J.A.	8711100225*	50-482	P
CALVO,J.A.	8711130243*	50-482	P
CALVO,J.A.	8711230213	50-482	Q
CALVO,J.A.	8711230243*	50-482	P
CAMILLERI,T.J.	8711020002	50-461	S
CAMILLERI,T.J.	8711300096	50-461	S
CAMP,A.L.	8711250143	NUREG	
CAMP,W.J.	8711100095	NUREG	
CAMPBELL,J.G.	8711040343	50-368	P
CAMPBELL,J.G.	8711050003	50-368	P
CAMPBELL,T.G.	8711030265	50-313	P
CAMPBELL,T.G.	*8711030452*	*50-368*	*P*
CAMPBELL,T.G.	8711030490	50-368	P
CANT,G.	8711020239	50-186	Q
CANTER,H.	8711110017*	50-276	P
CANTRELL,B.K.	8711180047	NUREG	
CANTRELL,F.	8711240077*	50-338	Q
CANTRELL,F.S.	8711160097*	50-280	Q
CAPESTRAIN,R.	8711200236	PR	
CAPPUCCI,A.J.	8711040269	50-331	P
CAPRA,R.A.	8711030091	50-333	Q
CAPRA,R.A.	8711030446*	50-247	P
CAPRA,R.A.	8711030481	50-318	P
CAPRA,R.A.	8711040244*	50-333	P
CAPRA,R.A.	8711120021*	50-317	P
CAPRA,R.A.	8711200057*	50-286	P
CAPRA,R.A.	8711200071*	50-247	P
CAPRA,R.A.	8711240287*	50-247	P
CAPRA,R.A.	8711250041	50-247	Q
CAPRA,R.A.	8711250060*	50-247	P
CAPSTICK,R.W.	8711050108	50-271	H
CAPSTICK,R.W.	8711060109	50-271	P
CAPSTICK,R.W.	8711090182	50-271	P
CAPSTICK,R.W.	8711230186	50-271	P
CAPSTICK,R.W.	8711300047	50-271	Q
CAREY,J.J.	8711030181	50-412	Q
CAREY,J.J.	8711030311	50-412	P
CAREY,J.J.	8711030519	50-412	P
CARFAGNO,S.P.	8711090106*	50-271	Q
CARGILL,E.M.	8711030512*	50-458	P
CARLILE,T.S.	8711240195	40-7580	
CARNS,N.S.	8711130330	50-382	S
CARNS,N.S.	8711190188	50-382	S
CARNS,N.S.	8711190277	50-382	S
CARR,K.M.	8711250147	COMMISSIO	N
CARRIER,J.W.	8711100319	PR	
CASEY,D.F.	8711240141*	50-298	P
CASTLEMAN,P.L.	8711030228*	50-286	Q
CATALDO,D.A.	8711160184	NUREG	
CATCHPOLE,G.J.	8711160313	40-8926	
CATCHPOLE,G.J.	8711160314	40-8926	
CATER,C.W.	8711110146*	FOIA	
CAVE,L.	8711160040	NUREG	
CERNE,A.	8711040158	FOIA	
CERNE,A.C.	8711040183*	FOIA	
CERVEN,F.	8711090388	NUREG	
CHAFFEE,A.E.	8711170123	50-312	Q
CHAMBERLAIN,D.	8711200063*	50-458	Q
CHAN,T.L.	8711130304	50-344	P
CHAN,T.L.	8711130306	50-344	S
CHAN,T.L.	8711130355	50-344	P
CHAN,T.L.	8711250134	50-344	P
CHANEY,H.	8711130298*	50-72	Q
CHASE,G.	8711180283	40-8452	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
CHEA,K.	8711100297*	50-269	P
CHERRY,J.M.	8711170100	50-508	S
CHEUNG,L.	8711090387*	50-293	Q
CHEUNG,L.S.	8711130239*	50-247	Q
CHEUNG,L.S.	8711250255*	50-309	Q
CHILK,S.	8711200249	PR	
CHILK,S.J.	8512110154*	FOIA	
CHILK,S.J.	8706090216*	FOIA	
CHILK,S.J.	8711030017*	PROJ	
CHILK,S.J.	8711040053	60-276	G
CHILK,S.J.	8711040071	50-424	G
CHILK,S.J.	8711090092	10CFR	
CHILK,S.J.	8711100333	PR	
CHILK,S.J.	8711100399	PR	
CHILK,S.J.	8711100400	PR	
CHILK,S.J.	8711100418	10CFR	
CHILK,S.J.	8711100466	PR	
CHILK,S.J.	8711110036	PR	
CHILK,S.J.	8711110082	PR	
CHILK,S.J.	8711110085	PR	
CHILK,S.J.	8711110092	50-322	G
CHILK,S.J.	8711160212	10CFR	
CHILK,S.J.	8711170033	XPORTLIC	
CHILK,S.J.	8711170047	50-322	F
CHILK,S.J.	8711170052	FOIA	
CHILK,S.J.	8711170064	10CFR	
CHILK,S.J.	8711170106	10CFR	
CHILK,S.J.	8711180076	FOIA	
CHILK,S.J.	8711180141	FOIA	
CHILK,S.J.	8711190017	XPORTLIC	
CHILK,S.J.	8711190032	XPORTLIC	
CHILK,S.J.	8711240012	50-275	G
CHIN,B.	8711050009*	50-293	F
CHRISTENSEN,H.	8711130367	50-302	S
CHRISTINZIANO	8711250261	50-352	R
CHRISTMAN,J.N.	8711040110	50-322	G
CHRISTMAN,J.N.	8711040110	50-322	G
CHRISTNOT,E.F.	8711300062*	50-259	Q
CHRISTOFFER,G.	8711090046*	50-454	Q
CHRISTOFFER,G.	8711300236*	50-331	Q
CHUANG,T.Y.	8711250003	NUREG	
CHUN,R.C.	8711250003	NUREG	
CICOTTE,G.R.	8711190107*	50-206	Q
CILIMBERG,R.L.	8711030270*	QA999	
CILIMBERG,R.L.	8711160281*	QA999	
CILLIS,M.	8711130156*	50-312	Q
CILLIS,M.	8711300159	50-89	S
CIPRIANI,J.	8711170133	50-346	R
CLAIBORNE,E.	8711100260	NUREG	
CLAIBORNE,H.C.	8711060223	NUREG	
CLARK,A.T.	8711020146	PROJ	
CLARK,A.T.	8711300095*	70-687	
CLARK,C.	8711190126*	50-361	Q
CLARK,L.	8711090155	50-20	Q
CLARK,L.	8711250203	50-20	S
CLARK,P.R.	8711050231	50-219	R
CLARK,P.R.	8711170220	50-289	Q
CLARK,R.J.	8711050184	50-352	P
CLARK,R.J.	8711050228	50-352	P
CLARK,R.J.	8711100036*	50-352	P
CLARK,R.J.	8711100040*	50-352	P
CLARK,R.J.	8711130347	50-352	P
CLARK,R.J.	8711160036	50-353	A
CLARK,R.J.	8711300001	50-352	P
CLARKE,C.C.	8711230156	PR	
CLEVELAND,J.E.	8711050246	40-8905	
CLINE,W.E.	8711090116	70-143	
CLINE,W.E.	8711090152	50-261	Q
CLINE,W.E.	8711090252	50-424	F
CLINE,W.E.	8711090309	50-395	F
CLINE,W.E.	8711090353	70-143	
CLINE,W.E.	8711130204	70-1151	
CLINE,W.E.	8711160057	70-143	
CLINE,W.E.	8711200345	50-321	Q
CLINE,W.E.	8711230012	50-302	Q
CLINE,W.E.	8711230407	70-143	
CLINE,W.E.	8711240130	70-27	
CLINE,W.E.	8711250241	50-348	F
CLINE,W.E.	8711300022	50-324	Q
CLINTON,B.	8711250144*	50-171	G
COCKFIELD,D.W.	8711030266	50-344	P
COCKFIELD,D.W.	8711030290	50-344	P
COCKFIELD,D.W.	8711100309	50-344	P
COCKFIELD,D.W.	8711160138	50-344	P
COCKFIELD,D.W.	8711160140*	50-344	P
COCKFIELD,D.W.	8711160140*	50-344	P
COCKFIELD,D.W.	8711160140*	50-344	P
COCKFIELD,D.W.	8711180001	50-344	P
COCKFIELD,D.W.	8711180005*	50-344	P
COCKFIELD,D.W.	8711190098	50-344	Q
COCKFIELD,D.W.	8711190238	50-344	P
COCKFIELD,D.W.	8711190246*	50-344	P
COCKFIELD,D.W.	8711230356	50-344	Q
COCKFIELD,D.W.	8711240029	50-344	P
COCKFIELD,D.W.	8711240192	50-344	P
COCKFIELD,D.W.	8711250272	50-344	Q
COCKFIELD,D.W.	8711300244	50-344	K
COE,D.H.	8711240226*	50-312	Q
COHEN,S.	8711100260	NUREG	
COHEN,S.C.	8711060148	NUREG	
COKONIS,A.J.	8711200130*	50-445	A
COLBURN,T.G.	8711160028	50-440	P
COLE,R.L.	8711200304	PR	
COLEY,J.L.	8711200116*	50-413	Q
COLLINGS,S.P.	8711030204	40-8829	
COLLINGS,S.P.	8711060014	40-8943	
COLLINGS,S.P.	8711060025*	40-8943	
COLLINS,D.	8711190133	50-320	S
COLLINS,D.M.	8711020321	50-416	F
COLLINS,D.M.	8711130054	50-400	F
COLLINS,D.M.	8711130115	50-280	Q
COLLINS,D.M.	8711130160	50-321	F
COLLINS,D.M.	8711130202	50-302	F
COLLINS,D.M.	8711160010	50-269	F
COLLINS,D.M.	8711160083	50-400	F
COLLINS,D.M.	8711160285	70-1113	
COLLINS,D.M.	8711190165	70-143	
COLLINS,D.M.	8711190212	50-269	Q
COLLINS,D.M.	8711230172	50-297	Q
COLLINS,D.M.	8711230210	50-321	Q
COLLINS,D.M.	8711230238*	50-321	Q
COLLINS,D.M.	8711230241	50-302	Q
COLLINS,D.M.	8711230250*	50-302	Q
COLLINS,D.M.	8711230286	50-335	Q
COLLINS,D.M.	8711230297*	50-335	Q
COLLINS,D.M.	8711230389	70-1113	
COLLINS,D.M.	8711240052	50-348	Q
COLLINS,D.M.	8711240053*	50-348	Q
COLLINS,D.M.	8711300199	50-424	Q
COLLINS,D.M.	8711300207	70-824	
COLLINS,D.M.	8711300225*	50-424	Q
COLLINS,T.E.	8711190312	TOPREP	
COLLINS,T.P.	8711240060*	50-348	Q
COLOMBO,R.W.	8711190161*	50-312	P
COLOMBO,R.W.	8711200198	50-312	F
COMFORT,G.	8711300095*	70-687	
CONGEL,F.J.	8711020038*	PR	
CONKLIN,C.	8711090171*	50-244	Q
CONKLIN,C.	8711250013*	50-293	Q
CONLON,T.E.	8711130075*	50-250	Q
CONLON,T.E.	8711130158*	50-251	Q
CONLON,T.E.	8711200378*	50-269	Q
CONLON,T.E.	8711230295*	50-395	Q
CONNER,T.B.	8711110052	50-352	G
CONNER,T.B.	8711110052	50-352	G
CONNOR,L.	8711030233	FOIA	
CONNOR,L.	8711030332	FOIA	
CONNOR,L.	8711130339	FOIA	
CONNOR,L.	8711250194	50-397	P
CONSTABLE,G.L.	8711200279*	50-498	Q
CONSTABLE,G.L.	8711300226	50-498	S
CONVERSE,R.J.	8711020136	50-333	Q
CONVERSE,R.J.	8711100323	50-333	Q
CONVERSE,R.J.	8711100514	50-333	R
CONWAY,J.T.	8711090361*	50-298	Q
CONWAY,J.T.	8711130009*	QA999	
CONWAY,T.W.	8711110008*	50-255	P
CONWAY,T.W.	8711110012*	50-255	P
COOK,J.	8711100514	50-333	R
COOK,K.W.	8711020277	50-382	R
COOK,K.W.	8711100265	50-382	Q
COOK,K.W.	8711160092	50-382	P
COOK,K.W.	8711160117	50-382	Q
COOK,K.W.	8711160142	50-382	R
COOK,K.W.	8711160209	50-382	P
COOK,K.W.	8711160239	50-382	F
COOPER,R.A.	8711230282*	CONTRACT	
COOPER,R.A.	8711240291*	CONTRACT	
COOPER,T.A.	8711110117*	50-413	Q
COPCUTT,B.G.	8711300160*	50-62	Q
CORIA,A.M.	8711090385	50-483	S
CORREIA,R.P.	8711060184*	50-313	Q
CORWIN,W.R.	8711160022	NUREG	
COSTANTINO,C.J.	8711020296*	50-382	P
COSTANZI,F.A.	8711040321	50-201	P
COSTELLO,J.B.	8711060209	50-280	F
COTTER,B.P.	8711040057	50-352	
COTTER,B.P.	8711110057	50-443	
COTTER,B.P.	8711190003	50-322	
COTTER,B.P.	8711190019	50-322	
COTTER,B.P.	8711190048	50-336	
COUGHLIN,F.J.	8711250174	50-530	
COUNSIL,W.G.	8711020229	50-445	
COUNSIL,W.G.	8711020238	50-445	
COUNSIL,W.G.	8711020337	50-445	
COUNSIL,W.G.	8711020372	50-445	
COUNSIL,W.G.	8711020401	50-445	
COUNSIL,W.G.	8711020415	50-445	
COUNSIL,W.G.	8711020435	50-445	
COUNSIL,W.G.	8711020460	50-445	
COUNSIL,W.G.	8711020473	50-445	
COUNSIL,W.G.	8711020483	50-445	
COUNSIL,W.G.	8711020490	50-445	
COUNSIL,W.G.	8711030276	50-445	
COUNSIL,W.G.	8711030278	50-445	
COUNSIL,W.G.	8711030358	50-445	
COUNSIL,W.G.	8711030505	50-445	
COUNSIL,W.G.	8711040046	50-445	
COUNSIL,W.G.	8711040048	50-445	
COUNSIL,W.G.	8711040144	50-445	
COUNSIL,W.G.	8711040148	50-445	
COUNSIL,W.G.	8711040194	50-445	
COUNSIL,W.G.	8711040242	50-445	
COUNSIL,W.G.	8711040358	50-445	
COUNSIL,W.G.	8711050177	50-445	
COUNSIL,W.G.	8711060018	50-445	
COUNSIL,W.G.	8711060021	50-446	
COUNSIL,W.G.	8711100372	50-445	
COUNSIL,W.G.	8711100487	50-445	
COUNSIL,W.G.	8711110165	50-445	
COUNSIL,W.G.	8711120049	50-446	
COUNSIL,W.G.	8711120068	50-445	
COUNSIL,W.G.	8711130015	50-445	
COUNSIL,W.G.	8711130110	50-445	
COUNSIL,W.G.	8711130125	50-445	
COUNSIL,W.G.	8711130128	50-446	
COUNSIL,W.G.	8711130157	50-445	
COUNSIL,W.G.	8711130178	50-445	
COUNSIL,W.G.	8711130245	50-445	
COUNSIL,W.G.	8711130308	50-445	
COUNSIL,W.G.	8711130345	50-445	
COUNSIL,W.G.	8711160067	50-445	
COUNSIL,W.G.	8711160087	50-445	
COUNSIL,W.G.	8711160107	50-445	
COUNSIL,W.G.	8711160253	50-445	
COUNSIL,W.G.	8711160287	50-445	
COUNSIL,W.G.	8711170096	50-445	
COUNSIL,W.G.	8711170101	50-445	
COUNSIL,W.G.	8711170107	50-445	
COUNSIL,W.G.	8711170112	50-445	
COUNSIL,W.G.	8711170130	50-445	
COUNSIL,W.G.	8711170142	50-446	
COUNSIL,W.G.	8711170170	50-445	
COUNSIL,W.G.	8711170177	50-445	
COUNSIL,W.G.	8711170186	50-445	
COUNSIL,W.G.	8711170236	50-446	
COUNSIL,W.G.	8711170275	50-445	
COUNSIL,W.G.	8711170283	50-445	
COUNSIL,W.G.	8711180038	50-445	
COUNSIL,W.G.	8711180046	50-445	
COUNSIL,W.G.	8711180071	50-445	
COUNSIL,W.G.	8711190088	50-445	
COUNSIL,W.G.	8711190222	50-445	
COUNSIL,W.G.	8711200079	50-445	
COUNSIL,W.G.	8711230171	50-445	
COUNSIL,W.G.	8711230183	50-445	
COUNSIL,W.G.	8711230186	50-445	
COUNSIL,W.G.	8711230227	50-445	
COUNSIL,W.G.	8711230270	50-445	
COUNSIL,W.G.	8711230317	50-445	
COUNSIL,W.G.	8711230438	50-445	
COUNSIL,W.G.	8711230439	50-445	
COUNSIL,W.G.	8711240010	50-445	
COUNSIL,W.G.	8711240028	50-445	
COUNSIL,W.G.	8711240064	50-445	
COUNSIL,W.G.	8711240084	50-445	
COUNSIL,W.G.	8711240128	50-445	
COUNSIL,W.G.	8711240154	50-445	
COUNSIL,W.G.	8711240156	50-445	
COUNSIL,W.G.	8711240168	50-445	
COUNSIL,W.G.	8711240187	50-445	
COUNSIL,W.G.	8711240242	50-445	
COUNSIL,W.G.	8711240278	50-445	
COUNSIL,W.G.	8711240305	50-445	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
COUNSIL,W.G.	8711240310	50-445	S
COUNSIL,W.G.	8711250039	50-445	Q
COUNSIL,W.G.	8711250040	50-445	S
COUNSIL,W.G.	8711250073	50-445	S
COUNSIL,W.G.	*8711250139*	*50-445*	*S*
COUNSIL,W.G.	8711250183	50-445	V
COUNSIL,W.G.	8711250195	50-445	S
COUNSIL,W.G.	8711250209	50-445	K
COUNSIL,W.G.	8711300058	50-445	S
COUNSIL,W.G.	8711300074	50-445	S
COUNSIL,W.G.	8711300112	50-445	S
COUNSIL,W.G.	8711300120	50-445	Q
COUNSIL,W.G.	8711300168	50-445	S
COUNSIL,W.G.	8711300188	50-445	A
COUNSIL,W.G.	8711300201	50-445	Q
COUNSIL,W.G.	8711300234	50-445	S
COUNSIL,W.G.	8711300243	50-445	S
COUNSIL,W.G.	8711300249	50-445	S
COWAN,C.E.	8711160184	NUREG	
COWARD,G.	8711100160	50-312	Q
COWARD,G.A.	8711190155	50-312	P
COWARD,G.A.	8711250023	50-312	P
COWGILL,C.	8711230396	50-219	S
COWGILL,C.J.	8711020051*	50-244	Q
COWGILL,C.J.	8711300052*	50-244	Q
COWLES,R.B.	8711020290	50-354	S
COWLES,R.B.	8711050089	50-354	S
COWLES,R.B.	*8711050153*	*50-354*	*S*
COWLES,R.B.	8711100306	50-354	S
COWLES,R.B.	8711110030	50-354	S
COWLES,R.B.	8711190201	50-354	S
CRANE,E.D.	8711190225*	50-327	Q
CRAWFORD,J.D.	8711240262	60-259	R
CREED,J.	8711020245	50-305	S
CREED,J.	8711020314	50-306	S
CREED,J.R.	8711060073	50-341	S
CREED,J.R.	8711230405*	50-265	Q
CREED,J.R.	8711240203*	50-346	Q
CRLENJAK,R.V.	8711230162*	50-335	Q
CROCKER,D.M.	8711110095*	50-322	G
CROCKER,L.P.	8711030168	50-366	P
CROCKER,L.P.	*8711030174*	*50-366*	*Q*
CROCKER,L.P.	8711040286	50-269	P
CROCKER,L.P.	8711100465*	50-369	P
CROCKER,L.P.	8711130275	50-321	P
CROCKER,L.P.	8711200009	50-424	P
CROCKER,L.P.	8711200018	50-321	P
CROCKER,L.P.	8711200080*	50-413	P
CROCKER,L.P.	8711200138	50-269	P
CROCKER,L.P.	8711200224*	50-413	P
CROFF,A.G.	8711060223	NUREG	
CROLEY,B.	8711160113	50-312	P
CROLEY,B.	8711160201	50-312	S
CROLEY,B.	8711160243	50-312	F
CROLEY,B.	8711160262	50-312	S
CROWLEY,B.R.	*8711200116**	*50-413*	*Q*
CRUTCHFIELD,D.	8711060179	50-313	Q
CRUTCHFIELD,D.	8711090008	50-341	Q
CRUTCHFIELD,D.	8711100068	50-483	P
CRUTCHFIELD,D.	8711100091	50-312	Q
CRUTCHFIELD,D.	8711190360	50-269	P
CRUTCHFIELD,D.	8711230073*	50-341	P
CRUTCHFIELD,D.	8711240232	ORG	
CRUTCHFIELD,D.	8711250031*	50-344	F
CULBERSON,D.G.	8711300216*	70-136	
CULLINGFORD,M.	8711230035	NUREG	
CULLITON,J.J.	8711060145*	CONTRACT	
CUMMINS,J.E.	8711040378*	50-482	Q
CUNNINGHAM,L.J.	8711110007	50-255	P
CUNNINGHAM,R.E.	8710230213	50-3	Q
CUNNINGHAM,R.E.	8711030497	50-260	Y
CUNNINGHAM,R.E.	8711030499	50-280	Y
CUNNINGHAM,R.E.	8711240235*	ORG	
CURRAN,D.	8711040065	50-443	G
CURRAN,D.	8711040065	50-443	G
CURRAN,D.	8711110056	50-443	G
CURRAN,D.	8711110058	50-443	G
CUTA,J.M.	8711170077*	TOPREP	
CUTA,J.M.	8711170078*	TOPREP	
CUTA,J.M.	*8711170086**	*TOPREP*	
CUTA,J.M.	8711170088*	TOPREP	
D'AMATO,A.M.	8710020063	COMMISSION	
D'ANGELO,T.	8711230433	50-312	S
DAEMEN,J.J.	8711100270	NUREG	
DALAL,N.K.	8711110114*	50-445	A
DAMON,D.J.	8711300242*	50-454	V
DANCE,H.C.	8711130073*	50-416	Q
DANCE,H.C.	8711130248*	50-395	Q
DANCE,H.C.	8711130294*	50-348	Q
DANESE,F.L.	8711090086	71-9183	
DANIELSON,D.H.	8711020398*	50-263	Q
DANIELSON,D.H.	8711160115*	50-457	Q
DANIELSON,T.S.	*8711160032*	*PR*	
DAVES,G.	8711200333*	50-354	P
DAVID,W.F.	8711060193	50-460	P
DAVIDSON,B.S.	8711090255*	50-220	Q
DAVIS,A.B.	8711030053*	50-301	Q
DAVIS,A.B.	8711020419	50-237	Q
DAVIS,A.B.	8711030021	50-483	Q
DAVIS,A.B.	8711030043	50-301	Q
DAVIS,A.B.	8711190227	50-440	Q
DAVIS,A.B.	*8711200032*	*50-254*	*Q*
DAVIS,J.	8501090076*	FOIA	
DAVIS,J.	8508220001*	FOIA	
DAVIS,J.	8508220002*	FOIA	
DAVIS,J.E.	8711030459	50-483	S
DAVIS,J.G.	8711110143*	FOIA	
DAVISON,W.S.	8711250267	50-397	S
DAWSON,M.	8711180124	50-255	F
DE AGAZIO,A.W.	8711160048	50-346	F
DEAGAZIO,A.W.	8711230245	50-346	P
DEAN,G.B.	8711110043	50-271	G
DECKER,T.R.	8711130122*	50-280	Q
DECKER,T.R.	8711230257*	50-302	Q
DECKER,T.R.	8711300214*	70-824	
DEDDENS,J.C.	*8711050081*	*50-458*	*Q*
DEDDENS,J.C.	8711100478	50-458	F
DEDDENS,J.C.	8711190215	50-458	P
DEDDENS,J.C.	8711200330	50-458	Q
DEDDENS,J.C.	8711300229	50-458	S
DEFAYETTE,R.	8711020377*	50-346	Q
DEFAYETTE,R.	8711090083*	50-282	Q
DEFAYETTE,R.	8711230455*	50-266	Q
DEFAYETTE,R.	8711300262*	50-305	Q
DELANO,C.M.	8711040019*	50-293	P
DELGEORGE,L.O.	8711050007	50-295	Q
DELLA RATTA,A.	8711020518*	70-371	
DELLA-RATTA,A.	8711200165*	50-199	Q
DEMA,J.S.	8711200206	PR	
DEMARCO,D.	*8711160023*	*CONTRACT*	
DENTON,H.R.	8711130313*	FOIA	
DESMOND,T.P.	8711160051*	50-445	A
DEV,M.	8711040181*	50-277	Q
DEV,M.	8711250255*	50-309	Q
DEWEASE,J.G.	8711040007	50-382	P
DEWEESE,C.E.	8711040340*	50-327	P
D'CHARRY,R.D.	8711200277	PR	
DICK,G.F.	8711130334	50-313	P
DIEDERICH,G.J.	8711030510	50-373	S
DIEDERICH,G.J.	8711050141	50-374	S
DIEDERICH,G.J.	8711130101	50-373	R
DIEDERICH,G.J.	8711160160	50-374	S
DIEDERICH,G.J.	8711200322	50-373	S
DIEDERICH,G.J.	*8711230031*	*50-374*	*S*
DIEDERICH,G.J.	8711240190	50-374	S
DIETZ,C.R.	8711030543	50-324	Q
DIETZ,C.R.	8711130297	50-324	S
DIETZ,C.R.	8711300079	50-324	F
DIETZ,C.R.	8711300173	50-324	Q
DIGGS,R.M.	8711020156	50-458	P
DIGGS,R.M.	8711090013	50-341	F
DIGGS,R.M.	8711090018	50-413	P
DIGGS,R.M.	8711090121	50-410	P
DIGGS,R.M.	8711090370	50-206	P
DIGGS,R.M.	8711100114	50-293	F
DIGGS,R.M.	8711100165	50-412	P
DIGGS,R.M.	8711180139	50-317	P
DIGGS,R.M.	8711200023	50-460	A
DIGGS,R.M.	8711250069	50-389	P
DIGNAN,T.G.	8711040058	50-443	G
DIGNAN,T.G.	8711040058	50-443	G
DIGNAN,T.G.	8711040075	50-271	G
DIGNAN,T.G.	8711040075	50-271	G
DIGNAN,T.G.	8711040082	50-271	G
DIGNAN,T.G.	8711040082	50-271	G
DIGNAN,T.G.	8711040112	50-443	G
DIGNAN,T.G.	8711040112	50-443	G
DIGNAN,T.G.	*8711040139*	*50-443*	*G*
DIGNAN,T.G.	8711040139	50-443	G
DIGNAN,T.G.	8711110063	50-443	G
DIGNAN,T.G.	8711110063	50-443	G
DIGNAN,T.G.	8711200374*	50-443	G
DIGNAN,T.G.	*8711200374**	*50-443*	*G*
DIGNAN,T.G.	8711240043	50-443	G
DIGNAN,T.G.	8711240043	50-443	G
DIIANNI,D.C.	8711050149	50-263	P
DIMEGLIO,A.F.	8711190119	50-193	P
DINUNNO,J.J.	8711110009*	50-255	P
DINUNNO,J.J.	8711110012*	50-255	P
DIPPELL,R.E.	8711110105*	50-322	G
DIRCKS,W.J.	8411090394*	FOIA	
DIXON,G.N.	8711030440	71-9183	
DODD,C.J.	8711100012*	50-213	N
DONOHEW,J.N.	8711250028	50-327	P
DOOLEY,D.A.	*8711230044**	*PROJ*	
DORSEY,M.	8711030354	CONTRACT	
DORSEY,M.	8711090235	CONTRACT	
DORSEY,M.	8711230103	CONTRACT	
DOUGLASS,S.J.	8711040186	40-8794	
DOWD,P.A.	*8711040019**	*50-293*	*P*
DOWNEY,T.J.	8711020042	PR	
DOWNEY,T.J.	8711020458*	50-444	H
DRAGOUN,T.	8711040184*	50-293	Q
DRISKILL,D.D.	8711300164*	50-482	Q
DROMERICK,A.W.	8711030317	50-219	P
DROMERICK,A.W.	8711160070	50-219	P
DROMERICK,A.W.	8711200004	50-219	P
DROMERICK,A.W.	8711200162	50-219	P
DROSTE,J.B.	*8711030494*	*50-315*	*S*
DROUIN,B.	8711230405*	50-255	Q
DROUIN,B.S.	8711160065*	50-255	Q
DROUIN,M.T.	8711250143	NUREG	
DRUGA,R.J.	8711040137	50-334	R
DRYSDALE,J.A.	*8711100368*	*NUREG*	
DUCE,S.W.	8711100261	NUREG	
DUDLEY,N.	8711020306*	50-443	V
DUERDEN,P.	8711180064	NUREG	
DUGGAN,J.G.	8711240203*	40-7580	
DUGSTAD,D.	8711100275	50-282	R
DUKAKIS,M.S.	8711020026	PR	
DUNLOP,A.	8711090321*	50-456	Q
DUNN,G.A.	8711030065*	50-440	S
DUNN,G.A.	8711030082*	50-440	S
DUNN,G.A.	8711190091	50-440	R
DZENIS,E.A.	8711030544*	50-315	P
DZENIS,E.A.	8711230013*	50-413	P
DZENIS,E.A.	8711240070*	50-334	P
EAPEN,P.K.	*8711020412**	*50-412*	*Q*
EAPEN,P.K.	8711020451*	50-272	Q
EARLE,R.T.	8711240141*	50-298	P
EARNEST,A.B.	8711300097*	50-498	Q
EBNETER,S.D.	8711020128*	FOIA	
EBNETER,S.D.	8711200007	50-327	Q
EBNETER,S.D.	8711250224	50-438	Q
ECCLESTON,K.	8711020175	50-261	V
ECCLESTON,K.T.	8711050206	50-261	P
ECK,A.A.	8711180099*	FOIA	
ECONOMOS,N.	8711020301*	50-338	Q
EDELMAN,M.R.	8711030047	50-440	S
EDELMAN,M.R.	8711040182	50-440	F
EDELMAN,M.R.	8711050221	50-440	P
EDELMAN,M.R.	*8711100410*	*50-440*	*F*
EDELMAN,M.R.	8711160219	50-440	Q
EDELMAN,M.R.	8711160294	50-440	P
EDELMAN,M.R.	8711190091	50-440	R
EDELMAN,M.R.	8711190115	50-440	S
EDELMAN,M.R.	8711200278	50-440	Q
EDELMAN,M.R.	8711240094	50-440	P
EDELMAN,M.R.	8711240210	50-440	P
EDELMAN,M.R.	8711300255	50-440	F
EDGEWORTH,P.	8711020053	CONTRACT	
EDGEWORTH,P.	8711060176	CONTRACT	
EDGEWORTH,P.J.	8711160051	CONTRACT	
EDISON,G.E.	8711130329	50-289	P
EDISON,G.E.	8711200014	50-289	P
EDSON,J.L.	8711100261	NUREG	
EDWARDS,D.W.	8711050190	NUREG	
EENIGENBURG,E.	8711030125	50-249	S
EENIGENBURG,E.	8711040331	50-237	S
EENIGENBURG,E.	8711060078	50-237	S
EENIGENBURG,E.	8711190249	50-237	S
EENIGENBURG,E.	8711200029	50-237	S
EENIGENBURG,E.	8711200112	50-237	S
EENIGENBURG,E.	8711200143	50-237	S
EENIGENBURG,E.	8711200153	50-237	R
EENIGENBURG,E.	8711230158	50-237	S
EGER,W.	8711240285	50-213	S
EGGELING,W.S.	8711040147	50-445	G
EGGELING,W.S.	8711040147	50-445	G
EGGELING,W.S.	8711040157	50-445	G
EGGELING,W.S.	*8711040157*	*50-445*	*G*
EGGELING,W.S.	8711170016	50-445	G
EGGELING,W.S.	8711170016	50-445	G
ELDER,J.H.	8711300060	50-146	H

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ELDRIDGE,B.H.	8711060128	XPORTLIC
ELDRIDGE,B.H.	8711060170	XPORTLIC
ELDRIDGE,B.H.	8711060273	XPORTLIC
ELDRIDGE,B.H.	8711060293	XPORTLIC
ELDRIDGE,B.H.	8711090256	XPORTLIC
ELIN,J.O.	8711020361*	50-113 V
ELIN,J.O.	8711020505*	50-344 V
ELIN,J.O.	8711170214*	50-27 V
ELLERSHAW,L.E.	8711110125*	50-445 Q
ELLERSHAW,L.E.	8711250148*	50-445 Q
ELLIS,D.W.	8711230109	50-293 S
ELLISON,R.H.	8711190306*	50-332 P
ELLISON,R.H.	8711190310*	50-332 P
ELLWANGER,J.R.	8711160236	50-247 S
ELMS,A.L.	8711160292	50-423 R
ELSASSER,T.	8711020234*	50-29 Q
EMERSON,F.A.	8711040299*	50-324 P
EMRATH,R.M.	8711190225*	50-327 Q
ENG,J.	8711020098*	FOIA
ENGEL,W.P.	8711230151	71-5560
ENGLE,L.	8711200276	50-388 F
ENGLE,L.B.	8711020124	50-338 P
ENGLEHART,R.W.	8711110012*	50-255 P
ENGLERT,J.P.	8711230044*	PROJ
ENNIS,J.D.	8711090158*	50-261 Q
ENNIS,J.D.	8711090360*	70-143
ENNIS,J.D.	8711200351*	50-321 Q
ENOS,J.T.	8711020217	50-313 F
ENOS,J.T.	8711050188	50-313 F
ERICKSON,P.B.	8711100109	50-10 F
ERICKSON,R.A.	8711160065*	50-255 Q
ERVIN,A.M.	8711050148	50-354 S
ESCALANTE,E.	8711090211	NUREG
ESCHELS,C.	8711230021	50-397 P
ESELGROTH,P.W.	8711250265*	50-309 Q
ESKRIDGE,H.E.	8711040060	71-6294
ESKRIDGE,H.E.	8711230055	71-6294
ESKRIDGE,H.E.	8711230075*	71-6294
EURE,J.A.	8711200209	PR
EURY,L.W.	8711090369	50-400 K
EURY,L.W.	8711100123	50-400 P
EURY,L.W.	8711230378	50-324 P
EURY,L.W.	8711300147	50-400 P
EUSTIS,W.E.	8711200240	PR
EVANS,M.	8711240088*	50-293 Q
EVANS,R.L.	8711250036*	CONTRACT
EVERETT,R.J.	8711120092*	FOIA
EVERETT,R.J.	8711200306*	40-8027
EYE,R.V.	8711190267	50-462 G
FABIC,S.	8711240267*	CONTRACT
FABIC,S.	8711250160	NUREG
FANTACCI,C.L.	8711030512*	50-458 R
FARMER,F.J.	8710200033*	50-269 P
FARQUHAR,W.E.	8711230370*	CONTRACT
FARRELL,R.E.	8711130108*	50-267 Q
FAWCETT,D.	8711020015	50-272 F
FAY,C.W.	8711030312	50-266 P
FAY,C.W.	8711100461	50-266 F
FAY,C.W.	8711130171	50-266 R
FAY,C.W.	8711160120	50-266 F
FAY,C.W.	8711170139	50-301 P
FAY,C.W.	8711170199	50-301 S
FAY,C.W.	8711180013	50-266 Q
FAY,C.W.	8711180014*	50-266 Q
FAY,C.W.	8711200271	50-301 Q
FAY,C.W.	8711200293	50-266 P
FAY,C.W.	8711250027	50-266 P
FAY,C.W.	8711300212	50-301 Q
FAY,C.W.	8711300218	50-301 P
FAY,C.W.	8711300233	50-301 P
FERGUSON,R.L.	8711200010	50-423 P
FERGUSON,R.L.	8711200259	50-423 P
FERGUSON,R.L.	8711200339	50-423 P
FERGUSON,R.L.	8711240160	50-423 P
FERRIS,M.J.	8711300151*	70-1143
[illegible]	8711130234	50-263 F
	8711130305*	50-263 F
	8711100292	50-219 S
	8711130079	50-219 S
	[illegible]	50-219 P
		50-219 S
		50-219 R
		50-219 S
		50-219 P
		50-219 S
		50-219 S
		50-219 S
		CONTRACT
FIELDS,J.	8711090007	CONTRACT
FIELDS,J.A.	8711090034	CONTRACT
FIELDS,J.A.	8711090055	CONTRACT
FIERCE,A.R.	8711190026	50-443 G
FIERCE,A.R.	8711190041*	50-443 G
FIRLIT,J.F.	8711030188	50-312 P
FIRLIT,J.F.	8711050140	50-312 P
FIRLIT,J.F.	8711090163	50-312 S
FIRLIT,J.F.	8711090206	50-312 P
FIRLIT,J.F.	8711090238	50-312 S
FIRLIT,J.F.	8711090245	50-312 P
FIRLIT,J.F.	8711100396	50-312 P
FIRLIT,J.F.	8711130010	50-312 S
FIRLIT,J.F.	8711170187	50-312 P
FIRLIT,J.F.	8711170253	50-312 P
FIRLIT,J.F.	8711180037	50-312 P
FIRLIT,J.F.	8711240209	50-312 P
FISCHER,D.C.	8711200373	50-272 P
FISCHER,D.C.	8711240254	50-272 P
FISH,R.	8711160175	50-275 S
FISH,R.F.	8711130212*	50-397 Q
FISH,R.F.	8711240009	50-206 F
FISHER,W.L.	8711090160*	50-298 Q
FISHER,W.L.	8711160130*	50-382 Q
FISHER,W.L.	8711160278*	50-267 Q
FISHER,W.L.	8711200295	40-8027
FISHER,W.L.	8711230230*	50-498 Q
FISK,R.H.	8711090094	XPORTLIC
FITZPATRICK,E.	8711020273	50-456 S
FITZPATRICK,E.	8711020531	50-456 S
FITZPATRICK,E.	8711090033	50-456 S
FITZPATRICK,E.	8711090115	50-456 S
FITZPATRICK,E.	8711100332	50-456 S
FITZPATRICK,E.	8711190219	50-456 R
FITZPATRICK,E.	8711240144	50-456 S
FLACK,E.	8711020310	50-62 Q
FLACK,E.	8711050049	I&E
FLACK,E.	8711090064	I&E
FLACK,E.	8711130006	I&E
FLAHERTY,J.M.	8711190249	50-237 S
FLEENOR,C.M.	8711040045*	FOIA
FLINCHBAUGH,T.	8711060268*	50-5 R
FLINGOU,C.	8711020182	XPORTLIC
FLINGOU,C.	8711090074	XPORTLIC
FLYNN,H.J.	8711110045	50-443 G
FLYNN,M.J.	8711230349	CONTRACT
FOLECK,R.H.	8711100007*	70-1113
FORNEY,W.	8711020393	50-440 S
FORNEY,W.L.	8711020478	50-295 Q
FORNEY,W.L.	8711160177	50-237 Q
FORNEY,W.L.	8711160192*	50-237 Q
FORNEY,W.L.	8711200286	50-373 Q
FORNEY,W.L.	8711200299*	50-373 Q
FORNEY,W.L.	8711300166	50-454 Q
FOSTER,D.L.	8711200196*	70-135
FOSTER,D.L.	8711200212*	70-135
FOSTER,D.L.	8711200218*	70-135
FOSTER,D.L.	8711200235*	70-135
FOSTER,D.L.	8711200247*	70-135
FOSTER,D.L.	8711200253*	70-135
FOSTER,D.L.	8711200264*	70-135
FOSTER,J.	8711190156*	50-305 Q
FOX,E.F.	8711040225*	50-289 Q
FOX,E.F.	8711090242*	50-354 Q
FOX,E.F.	8711300218*	50-289 Q
FOX,J.	8711090171*	50-244 Q
FRAKER,A.	8711090211	NUREG
FRANCE,G.M.	8711160188*	50-6 Q
FRANK,F.	8711160205	50-320 F
FRANKS,O.K.	8711300130*	50-329 Q
FRANTZ,E.R.	8711100360*	50-423 E
FRAZIER,V.E.	8711090351	50-261 R
FREDRICKSON,P.	8711130225*	50-324 Q
FREDRICKSON,P.	8711160081*	50-261 Q
FREDRICKSON,P.	8711190274*	50-400 Q
FREEMAN,M.D.	8711160225	40-8768
FREEMAN,M.D.	8711230144	40-8768
FRISCH,R.R.	8711030456	50-155 P
FRISCH,R.R.	8711090029	50-155 F
FRISCH,R.R.	8711170128	50-155 Q
FRISCH,R.R.	8711190325	50-155 P
FRISCH,R.R.	8711300245	50-155 S
FRYE,J.H.	8711040066	40-8027
FRYE,J.H.	8711120040*	40-8027
GAD,R.K.	8711040097	50-445 G
GAD,R.K.	8711040097	50-445 G
GAD,R.K.	8711040146	50-445 G
GAD,R.K.	8711040146	50-445 G
GAD,R.K.	8711190009	50-445 G
GAD,R.K.	8711190009	50-445 G
GAGLIARDO,J.E.	8711040291	50-298 Y
GAGLIARDO,J.E.	8711090216	50-368 Y
GAGLIARDO,J.E.	8711090224	50-382 Y
GAGLIARDO,J.E.	8711090374	50-265 Y
GALANTI,D.M.	8711230405*	50-265 G
GALANTO,J.	8711230445	50-219 S
GALLAGHER,J.W.	8711020161	50-277 S
GALLAGHER,J.W.	8711130274	50-277 G
GALLAGHER,J.W.	8711190108	50-352 G
GALLAGHER,J.W.	8711200357*	50-352 I
GALLAGHER,J.W.	8711230371*	50-277 S
GALLAGHER,J.W.	8711240001	50-171 S
GALLO,R.J.	8711020295	50-443 Y
GALLO,R.M.	8711030475	50-443 Y
GALLO,R.M.	8711040200	50-334 G
GALLO,R.M.	8711090190	50-334 Y
GALLO,R.M.	8711130169	50-166 Y
GALLO,R.M.	8711180028	50-423 Y
GALLO,R.M.	8711180029	50-272 Y
GALLO,R.M.	8711180156	50-289 G
GALLO,R.M.	8711230294	50-309 Y
GALLO,R.M.	8711230385	50-387 Y
GALLO,R.M.	8711230408*	50-387 Y
GANUS,W.J.	8711170034*	40-8905
GARCIA,P.J.	8711090053	40-8905
GARCIA,P.J.	8711230080	40-8905
GARDE,B.P.	8711040135	50-445 G
GARDE,B.P.	8711190051	50-445 G
GARDE,B.P.	8711190051	50-445 G
GARDNER,R.N.	8711090172*	50-461 S
GARDNER,R.N.	8711300113*	50-254 S
GARLAND,T.R.	8711160184	NUREG Y
GARNER,B.	8711190229	50-308 Y
GARNER,L.W.	8711130225*	50-324 G
GARRISON,D.L.	8711200279*	50-498 Y
GASPER,J.K.	8711130327	TOPREP
GAUTAM,A.S.	8711090172*	50-461 G
GAZICA,M.K.	8711240147*	50-295 Y
GAZICA,M.N.	8711240161*	50-295 Y
GEARS,G.	8711200046	50-259 Y
GEHR,D.F.	8711180099*	FOIA
GEORGIAN,L.	8711250191	50-245 Y
GEORGIEV,G.B.	8711250232*	50-438 Y
GERRALD,L.D.	8711100138	71-9217
GILBERT,J.E.	8711130235	50-317 Y
GILBERT,L.D.	8711130270*	50-458 Y
GILBERT,L.D.	8711240139*	50-498 Y
GILBERT,R.A.	8711160099	50-331 Y
GILL,C.F.	8711300072*	50-150 G
GILL,C.F.	8711300194*	50-483 Y
GIRARD,E.H.	8711130058*	50-259 G
GIRARD,E.H.	8711230338*	50-369 G
GLASSER,H.	8711240245	PR
GLASSER,H.	8711250048	PR
GLASSER,H.	8711250053	PR
GLEASON,E.J.	8711240005	STATE PRO G
GLEASON,E.J.	8711240151	STATE PRO G
GLEASON,J.P.	8711190023	50-322 Y
GLEASON,J.P.	8711190043	50-322 G
GLENN,J.E.	8607300534*	FOIA
GODFREY,P.	8711100260	NUREG
GOEBEL,J.	8711170137	50-247 S
GOLDBERG,J.H.	8711020140	50-498 Y
GOLDBERG,J.H.	8711100282	50-498 Y
GOLDBERG,J.H.	8711180008	50-499 Y
GOLDIN,A.S.	8711060148	NUREG
GOLIAN,C.	8711180064	NUREG
GONZALES,R.	8711230003	40-8629
GONZALES,R.O.	8711030032	40-8629
GONZALES,R.O.	8711030039*	40-8629
GONZALES,R.O.	8711030057	40-8629
GOOD,G.M.	8711130212*	50-397 Y
GOODEN,A.	8711130122*	50-280 Y
GORDON,A.W.	8711160163	50-259 G
GORDON,C.Z.	8711130186*	50-184 Y
GORDON,C.Z.	8711130283*	50-412 G
GORE,A.	8711100310	PR
GORMAN,K.L.	8711030030	FOIA
GRABER,L.	8711190061	50-312 G
GRABER,L.	8711250157	50-219 G
GRACE,J.N.	8711020350	50-338 Y
GRACE,J.N.	8711020362*	50-338 Y
GRACE,J.N.	8711130069	50-369 G
GRACE,J.N.	8711130077*	50-369 G
GRACE,J.N.	8711130081*	50-250 G
GRACE,J.N.	8711130091	50-424 G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
GRACE,J.N.	8711130112	50-400	Q	GRIDLEY,R.	8711060156	50-259	Q	GRIMSLEY,D.H.	8711120045	FOIA	
GRACE,J.N.	8711130138	50-269	Q	GRIDLEY,R.	8711100291	PR		GRIMSLEY,D.H.	8711120065	FOIA	
GRACE,J.N.	8711130160	50-366	P	GRIDLEY,R.	8711100315	50-438	Q	GRIMSLEY,D.H.	8711120080	40-8027	
GRACE,J.N.	8711130161	50-302	Q	GRIDLEY,R.	8711100402	50-259	F	GRIMSLEY,D.H.	8711130193	FOIA	
GRACE,J.N.	8711130196	50-424	Q	GRIDLEY,R.	8711160129	50-390	S	GRIMSLEY,D.H.	8711130286	FOIA	
GRACE,J.N.	8711130197	50-336	P	GRIDLEY,R.	8711160139	50-327	Q	GRIMSLEY,D.H.	8711130351	FOIA	
GRACE,J.N.	8711130240*	50-366	P	GRIDLEY,R.	8711170102	50-327	Q	GRIMSLEY,D.H.	8711160001	FOIA	
GRACE,J.N.	8711130246	50-400	P	GRIDLEY,R.	8711170145	50-327	P	GRIMSLEY,D.H.	8711160003	50-293	F
GRACE,J.N.	8711130259	50-269	P	GRIDLEY,R.	8711170154	50-327	Q	GRIMSLEY,D.H.	8711160008	50-293	P
GRACE,J.N.	8711130271	50-366	P	GRIDLEY,R.	8711190123	50-327	F	GRIMSLEY,D.H.	8711160020	FOIA	
GRACE,J.N.	8711130279	50-269	P	GRIDLEY,R.	8711190129	50-327	P	GRIMSLEY,D.H.	8711160041	50-293	P
GRACE,J.N.	8711130291	70-143		GRIDLEY,R.	8711190174	50-327	P	GRIMSLEY,D.H.	8711160055	FOIA	
GRACE,J.N.	8711130331	50-62	Q	GRIDLEY,R.	8711190207	50-327	Q	GRIMSLEY,D.H.	8711160064	FOIA	
GRACE,J.N.	8711130357	50-348	Q	GRIDLEY,R.	8711190223	50-327	P	GRIMSLEY,D.H.	8711160080	FOIA	
GRACE,J.N.	8711130365*	50-348	Q	GRIDLEY,R.	8711200358	50-327	P	GRIMSLEY,D.H.	8711170003	50-293	P
GRACE,J.N.	8711160222	50-400	Q	GRIDLEY,R.	8711240068	50-259	Q	GRIMSLEY,D.H.	8711170042	FOIA	
GRACE,J.N.	8711190141	50-413	Q	GRIDLEY,R.	8711240177	50-327	P	GRIMSLEY,D.H.	8711170152	FOIA	
GRACE,J.N.	8711190178	50-321	Q	GRIDLEY,R.	8711240197	50-259	P	GRIMSLEY,D.H.	8711170225	FOIA	
GRACE,J.N.	8711190179	50-400	Q	GRIDLEY,R.	8711250136	50-327	P	GRIMSLEY,D.H.	8711180050	50-312	Q
GRACE,J.N.	8711190208	50-302	Q	GRIDLEY,R.	8711250192	50-327	Q	GRIMSLEY,D.H.	8711190072	50-275	P
GRACE,J.N.	8711190258	50-400	Q	GRIDLEY,R.	8711250223	50-390	S	GRIMSLEY,D.H.	8711240231	FOIA	
GRACE,J.N.	8711190261	50-424	P	GRIDLEY,R.	8711250246	50-327	Q	GRIMSLEY,D.H.	8711250156	FOIA	
GRACE,J.N.	8711200316	50-261	Q	GRIDLEY,R.	8711300063	NUREG		GRIMSLEY,D.H.	8711250162	50-219	P
GRACE,J.N.	8711200319*	50-261	Q	GRIDLEY,R.	8711300091	50-259	Q	GRIMSLEY,D.H.	8711250236	50-275	Q
GRACE,J.N.	8711200337	50-250	R	GRIDLEY,R.L.	8711030045	50-259	F	GRIMSLEY,D.H.	8711300006	40-8406	
GRACE,J.N.	8711230105	50-336	P	GRIDLEY,R.L.	8711100401	50-327	F	GRIMSLEY,D.R.	8711090036	50-445	A
GRACE,J.N.	8711230160	50-280	Q	GRIDLEY,R.L.	8711160168	40-1341		GRISAK,G.E.	8711190001	40-8904	
GRACE,J.N.	8711230323	50-250	P	GRIDLEY,R.L.	8711160258	40-1341		GRISAK,G.E	8711230086*	40-8904	
GRACE,J.N.	8711240069	50-336	Q	GRIDLEY,R.L.	8711180134	50-269	F	GRONAGER,J.E.	8711170043	NUREG	
GRACE,J.N.	8711240089	50-302	P	GRIDLEY,R.L.	8711240189	50-269	F	GROPP,R.W.	8711120023*	50-352	R
GRACE,J.N.	8711240312	50-250	Q	GRIDLEY,R.L.	8711300126	50-327	F	GROPP,R.W.	8711200387	50-352	R
GRACE,J.N.	8711300217	50-348	Q	GRIDLEY,R.L.	8711300162	50-259	F	GROTENHUIS,M.	8711190109	50-10	F
GRACE,S	8711230141	40-8904		GRIDLEY,R.L.	8711300178	50-259	F	GROTENHUIS,M.	8711190370	50-237	P
GRACE,S.	8711230204	40-8904		GRIDLEY,R.L.	8711300260	50-327	F	GRUNSEICH,R.W.	8711240078	50-322	S
GRACE,S.R.	8711030097	40-299		GRIESS,J.C.	8711060223	NUREG		GRUNSEICH,R.W.	8711250262	50-322	S
GRACE,S.R.	8711050186	40-8684		GRIFFIN,H.B.	8711300164*	50-482	Q	GUCWA,L.T.	8610280555	50-321	P
GRACE,S.R.	8711200377	40-8684		GRIMES,B.K.	7908070039*	FOIA		GUCWA,L.T.	8710270209	50-424	Q
GRACE,S.R.	8711230008	40-8768		GRIMES,C.I.	8706220086*	50-445	A	GUCWA,L.T.	8711020281	50-424	P
GRACE,S.R.	8711230076	40-8904		GRIMES,C.I.	8711020125	50-446	A	GUCWA,L.T.	8711040231	50-424	F
GRACE,S.R.	8711230176	40-8905		GRIMES,C.I.	8711020152	50-445	A	GUCWA,L.T.	8711060271	50-424	Q
GRANT,E.R	8711170180	50-458	S	GRIMES,C.I.	8711160029	50-445	A	GUCWA,L.T.	8711060280	50-321	Q
GRANT,E.R.	8711090130	50-458	S	GRIMES,C.I.	8711170216	50-445	A	GUCWA,L.T.	8711090011	50-366	Q
GRANT,E.R.	8711090173	50-458	S	GRIMES,C.I.	8711200149	50-445	A	GUCWA,L.T.	8711090037	50-321	F
GRANT,E.R.	8711100269	50-458	S	GRIMES,C.I.	8711200160	50-445	Q	GUCWA,L.T.	8711090113	50-424	S
GRANT,E.R.	8711190168	50-458	S	GRIMSLEY,D.	8711200124	50-445	A	GUCWA,L.T.	8711090266	50-321	S
GRANT,E.R.	8711230451	50-458	S	GRIMSLEY,D.	8711200344	50-293	P	GUCWA,L.T.	8711100179	50-424	S
GRANT,E.R.	8711300131	50-458	S	GRIMSLEY,D.	8711250129	FOIA		GUCWA,L.T.	8711120137	50-366	S
GRANT,E.R.	8711300257	50-458	S	GRIMSLEY,D.	8711250196	50-397	P	GUCWA,L.T.	8711130254*	50-366	P
GRANT,N.W.	8711230444	50-260	R	GRIMSLEY,D.H.	8710050208	50-498	P	GUCWA,L.T.	8711160074	50-321	R
GRANT,W.B.	8711230408*	50-331	Q	GRIMSLEY,D.H.	8711020003	50-293	Q	GUCWA,L.T.	8711160108	50-321	P
GRAY,D.A.	8711020113	XPORTLIC		GRIMSLEY,D.H.	8711020039	FOIA		GUCWA,L.T.	8711160126	50-424	S
GRAY,M.K.	8711100208	50-311	S	GRIMSLEY,D.H.	8711020082	FOIA		GUCWA,L.T.	8711160179	50-424	S
GRAY,M.K.	8711300098	50-311	S	GRIMSLEY,D.H.	8711020127	FOIA		GUCWA,L.T.	8711160189	50-321	F
GREEN,W.H.	8711200130*	50-445	A	GRIMSLEY,D.H.	8711020167	FOIA		GUCWA,L.T.	8711160242	50-424	S
GREENBERG,E.V.	8711190054	XPORTLIC		GRIMSLEY,D.H.	8711020237	FOIA		GUCWA,L.T.	8711170233	50-321	S
GREENBERG,E.V.	8711190054	XPORTLIC		GRIMSLEY,D.H.	8711020297	FOIA		GUCWA,L.T.	8711170248	50-424	F
GREENBERG,E.V.	8711190064	XPORTLIC		GRIMSLEY,D.H.	8711030040	FOIA		GUCWA,L.T.	8711230177	50-366	S
GREENBERG,E.V.	8711190066	XPORTLIC		GRIMSLEY,D.H.	8711030066	50-341	P	GUCWA,L.T.	8711230283	50-424	F
GREENBERG,E.V.	8711190066	XPORTLIC		GRIMSLEY,D.H.	8711030088	50-445	A	GUCWA,L.T.	8711230292	50-424	P
GREENBERG,E.V.	8711190066	XPORTLIC		GRIMSLEY,D.H.	8711030133	FOIA		GUCWA,L.T.	8711240090	50-424	P
GREENMAN,E.G.	8711030078*	50-341	P	GRIMSLEY,D.H.	8711030166	50-445	A	GUCWA,L.T.	8711250214	50-321	F
GREGER,L.R.	8711030381*	50-266	Q	GRIMSLEY,D.H.	8711030167	FOIA		GUCWA,L.T.	8711250273	50-424	F
GREGER,L.R.	8711060171*	50-409	Q	GRIMSLEY,D.H.	8711030231	FOIA		GUENTHER,S.	8711130146*	50-369	Q
GREGER,L.R.	8711160188*	50-6	Q	GRIMSLEY,D.H.	8711030236	FOIA		GUGLIELMO,F.A.	8711020065*	CONTRACT	
GREGER,L.R.	8711230408*	50-331	Q	GRIMSLEY,D.H.	8711030304	50-293	F	GUGLIELMO,F.A.	8711020145*	CONTRACT	
GREGER,L.R.	8711300072*	50-160	Q	GRIMSLEY,D.H.	8711030306	FOIA		GUGLIELMO,F.A.	8711020333*	CONTRACT	
GREGER,L.R.	8711300194*	50-483	Q	GRIMSLEY,D.H.	8711030322	FOIA		GUINN,P.R.	8711300017*	40-8406	
GREGER,L.R.	8711300276*	50-123	Q	GRIMSLEY,D.H.	8711030339	50-29	P	GUINN,P.R.	8711300018*	40-8406	
GREGG,H.	8711090387*	50-293	Q	GRIMSLEY,D.H.	8711030376	FOIA		GULDEMOND,W.	8711160202	50-255	S
GREGG,J.	8711100013*	50-443	U	GRIMSLEY,D.H.	8711030392	50-293	P	GULDEMOND,W.G.	8711020373	50-346	Q
GREGG,J.	8711250270*	50-271	F	GRIMSLEY,D.H.	8711030467	50-293	P	GULDEMOND,W.G.	8711030074	50-255	Q
GRESICK-CIOFFI	8711200176*	70-1100		GRIMSLEY,D.H.	8711030493	50-293	P	GULDEMOND,W.G.	8711060268	50-409	Q
GRESICK-CIOFFI	8711240175*	50-412	Q	GRIMSLEY,D.H.	8711040042	FOIA		GULDEMOND,W.G.	8711100172	50-263	Q
GRIDLEY,R.	8710080441	50-327	P	GRIMSLEY,D.H.	8711040276	FOIA		GULDEMOND,W.G.	8711160105	50-155	Q
GRIDLEY,R.	8711020292	50-259	Q	GRIMSLEY,D.H.	8711040284	50-324	P	GULDEMOND,W.G.	8711160144	50-331	Q
GRIDLEY,R.	8711020427	50-327	P	GRIMSLEY,D.H.	8711040289	FOIA		GULDEMOND,W.G.	8711160166*	50-331	Q
GRIDLEY,R.	8711020523	50-327	Q	GRIMSLEY,D.H.	8711040294	FOIA		GULDEMOND,W.G.	8711230265	50-255	Q
GRIDLEY,R.	8711030123	50-390	S	GRIMSLEY,D.H.	8711040380	FOIA		GULDEMOND,W.G.	8711230446	50-266	Q
GRIDLEY,R.	8711030335	50-327	P	GRIMSLEY,D.H.	8711060139	FOIA		GULDEMOND,W.G.	8711300252	50-305	Q
GRIDLEY,R.	8711030337	50-269	P	GRIMSLEY,D.H.	8711060203	FOIA		GUTHRIE,S.C.	8711090022*	50-341	Q
GRIDLEY,R.	8711040189	50-269	Q	GRIMSLEY,D.H.	8711060300	50-293	P	HAAG,R.	8711060184*	50-313	Q
GRIDLEY,R.	8711040213	50-390	S	GRIMSLEY,D.H.	8711090047	50-293	S	HAAG,R.C.	8711130270*	50-458	Q
GRIDLEY,R.	8711040317	50-390	S	GRIMSLEY,D.H.	8711090080	50-275	P	HAASS,W.P.	8711190175*	QA999	
GRIDLEY,R.	8711040332	50-390	S	GRIMSLEY,D.H.	8711100469	FOIA		HAGAN,T.F.	8711230370*	CONTRACT	
GRIDLEY,R.	8711040335	50-390	S	GRIMSLEY,D.H.	8711110011	50-275	P	HAGAN,T.F.	8711230398*	CONTRACT	
GRIDLEY,R.	8711050121	REGGD		GRIMSLEY,D.H.	8711110049	50-445	A	HAGEY,H.	8711040027	CONTRACT	
GRIDLEY,R.	8711050155	50-390	S	GRIMSLEY,D.H.	8711110056	40-8027		HAGEY,H.	8711090057	CONTRACT	
GRIDLEY,R.	8711050173	50-327	Q	GRIMSLEY,D.H.	8711110142	FOIA		HAGEY,H.	8711160259	50-445	A

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
HAGINS,E.E.	8711240030	50-443	G	HAWKINS,E.F.	8711230176	40-8905		HICKEY,J.P.	8711170054*	50-320	G
HAIN,S.	8711240281	50-298	F	HAWKINS,E.F.	8711230403	40-8911		HICKEY,J.P.	8711170059*	50-320	G
HAISFIELD,M	8711190082	PR		HAWKINS,F.	8711060184*	50-313	Q	HICKEY,J.P.	8711170059*	50-320	G
HALE,C.J.	8711110125*	50-445	Q	HAWKINS,F.	8711110117*	50-413	Q	HIGGINS,W.R.	8711020280*	50-395	S
HALE,C.J.	8711200156*	50-445	Q	HAYCOCK,T.J.	8711200186*	70-135		HIGGINS,W.R.	8711250180	50-395	S
HALE,M.W.	8711160015	50-400	R	HAYES,B.B.	8711020308*	FOIA		HILL,J.E.	8711300130*	50-323	Q
HALL,D.P.	8711090294	50-461	S	HAYES,B.B.	8711060202*	FOIA		HILL,W.M.	8711110117*	50-413	Q
HALL,D.P.	8711090311	50-461	P	HAYES,B.B.	8711110116*	FOIA		HIMLER,J.C.	8711300117*	50-305	P
HALL,D.P.	8711170127	50-461	Q	HAYES,B.B.	8711110152*	FOIA		HIND,J.A.	8711060274	50-155	Q
HALL,J.R.	8711110113	50-155	F	HAYES,B.B.	8711110156*	40-8027		HIND,J.A.	8711190191	50-237	F
HALLER,W.A.	8711030525	50-369	S	HAYES,B.B.	8711110158*	40-8027		HIND,J.A.	8711240261	50-346	Q
HALLER,W.A.	8711160211	50-369	S	HAYES,B.B.	8711110161*	40-8027		HIND,J.A.	8711300065	50-155	Q
HALPAUS,P.	8711060295	70-3041		HAYES,B.B.	8711300164*	50-482	Q	HINDS,J.M.	8711020338*	50-295	Q
HALTIWANGER,J.	8711170091	50-395	R	HAYNES,J.G.	8711020058	50-528	V	HINDS,J.M.	8711020489*	50-295	Q
HAMILTON,P.	8711230290	50-293	R	HAYNES,J.G.	8711020410	50-529	S	HINDS,J.M.	8711040072*	50-483	Q
HAMILTON,P.J.	8711200244	50-293	S	HAYNES,J.G.	8711020479	50-529	S	HINDS,J.M.	8711090285*	50-483	Q
HAMILTON,P.J.	8711300133	50-293	S	HAYNES,J.G.	8711030019	50-529	S	HINDS,J.M.	8711300171*	50-454	Q
HAMILTON,P.J.	8711300163	50-293	S	HAYNES,J.G.	8711030169	50-529	S	HINDS,J.R.	8711100367	50-275	S
HAMLIN,J.B.	8711090069	50-275	Q	HAYNES,J.G.	8711040001	50-528	S	HINKLEY,H.	8711180101*	FOIA	
HAYMER,C.G.	8711020431	50-321	P	HAYNES,J.G.	8711040235	50-528	P	HINTZ,D.C.	8711020077	50-305	P
HAMMES,R.J.	8711200210	PR		HAYNES,J.G.	8711040259	50-528	P	HINTZ,D.C.	8711160122	50-305	P
HAMPTON,J.W.	8711200363*	50-413	Q	HAYNES,J.G.	8711060197	50-528	P	HINTZ,D.C.	8711240200	50-305	P
HANNEN,R.L.	8711170185	50-331	R	HAYNES,J.G.	8711090151	50-529	S	HINTZ,D.C.	8711300114	50-305	P
HANNEN,R.L.	8711240313	50-331	S	HAYNES,J.G.	8711090345	50-529	S	HINZE,W.J.	8711180060	NUREG	
HANNON,J.N.	8711030470	50-261	V	HAYNES,J.G.	8711100283	50-529	S	HIRT,J.A.	8711170151	50-387	B
HANSEL,J.	8711040113	50-445	G	HAYNES,J.G.	8711120071	50-528	S	HOBBS,S.H.	8711160095	50-416	P
HANSEL,J.L.	8711040114	50-445	G	HAYNES,J.G.	8711120157	50-529	S	HOBE,M.A.	8711240170	50-165	A
HANSEL,J.L.	8711190012	50-445	G	HAYNES,J.G.	8711160076	50-529	S	HOCHBRUECKNER	8711020042	PR	
HARBUCK,C.C.	8711030015*	50-313	Q	HAYNES,J.G.	8711160187	50-529	S	HODGDON,A.P.	8711110073	50-271	G
HARDGROVE,T.W.	8710060198	40-2259		HAYNES,J.G.	8711160232	50-530	S	HODGDON,A.P.	8711110083	50-271	G
HARDGROVE,T.W.	8711060004	40-2259		HAYNES,J.G.	8711170290	50-528	R	HODGES,M.W.	8711050222	50-601	A
HARDING,W.E.	8711040369*	50-201	P	HAYNES,J.G.	8711190080	50-528	F	HOFFER,P.B	8711200245	PR	
HARE,E.A.	8711020421*	50-150	V	HAYNES,J.G.	8711250185	50-529	S	HOGG,J.F.	8711300240	50-483	S
HARLEY,S.	8711020094	50-302	P	HAYNES,J.G.	8711250198	50-530	S	HOGG,S.	8711240201	40-8604	
HARPER,F.T.	8711250143	NUREG		HAYNES,J.G.	8711300175	50-529	S	HOLAHAN,G.	8710080027*	50-254	F
HARPER,J.C.	8711120078*	QA999		HAYNES,J.G.	8711300177	50-529	S	HOLAHAN,G.M.	8711050161	50-312	F
HARRELL,E.W.	8711090199	50-338	S	HAYNES,J.G.	8711300193	50-528	S	HOLAHAN,G.M.	8711130296	50-312	C
HARRELL,E.W.	8711160214	50-338	S	HAYNES,J.G.	8711300256	50-530	S	HOLAHAN,G.M.	8711130348	50-275	F
HARRELL,E.W.	8711190264	50-339	S	HEGARTY,M.E.	8711020084	XPORTLIC		HOLESINGER,D.L.	8711160270	50-461	S
HARRELL,E.W.	8711240191	50-339	S	HEHL,C.W.	8711020414	50-150	V	HOLLAND,W.E.	8711160097*	50-280	C
HARRELL,E.W.	8711240198	50-339	S	HEIDER,L.H.	8711170249	50-29	R	HOLLOWAY,C.J.	8711090005	50-498	I
HARRELL,P.H.	8711020132*	50-285	Q	HEITNER,K.L.	8711020378	50-267	F	HOLLOWAY,C.J.	8711180067	50-409	I
HARRIS,J.R.	8711130075*	50-250	Q	HEITNER,K.L.	8711050242	50-267	S	HOLMES,R.D.	8711160205	50-320	I
HARRIS,J.R.	8711200376*	50-269	Q	HEITNER,K.L.	8711110126	50-267	P	HOLT,J.	8711100347	PR	
HARRIS,R.H.	8711230271*	50-353	Q	HEITNER,K.L.	8711200022	50-267	P	HOLTZMAN,R.B.	8711090320*	50-295	C
HARRISON,J.J.	8711020385	50-263	Q	HEITNER,K.L.	8711200394	50-267	P	HON,A.L.	8711190326*	50-208	C
HARRISON,J.J.	8711090164	50-461	Q	HEITNER,K.L.	8711230203	50-267	P	HOOD,D.	8711100459	50-369	F
HARRISON,J.J.	8711090169*	50-461	Q	HELLMAN,J.P.	8711230129	PR		HOOD,D.	8711240172	50-327	F
HARRISON,J.J.	8711160111	50-457	Q	HENNINGER,R.J.	8711100095	NUREG		HOOD,D.S.	8711020197	50-327	S
HARRISON,J.J.	8711300089	50-254	Q	HERDT,A.R.	8711020279	50-338	Q	HOOD,D.S.	8711020354	50-369	I
HARRISON,J.J.	8711300101*	50-254	Q	HERDT,A.R.	8711130055	50-250	Q	HOOD,D.S.	8711130335	50-369	I
HARRISON,S.	8711090211	NUREG		HERDT,A.R.	8711130068	50-269	Q	HOOD,D.S.	8711160078	50-369	I
HART,R.D.	8711300254	50-250	S	HERDT,A.R.	8711130072*	50-250	Q	HOOKER,C.A.	8711060144*	50-133	C
HASSE,R.A.	8711200041*	50-254	Q	HERDT,A.R.	8711130082	50-269	Q	HOPKINS,J.	8711100079	50-395	I
HAUGHEY,M.	8711020137	50-410	P	HERDT,A.R.	8711130106	50-302	Q	HOPKINS,J.A.	8711200041*	50-254	C
HAUGHEY,M.	8711020193	50-220	F	HERDT,A.R.	8711130154	50-261	Q	HOPKINS,J.B.	8711020089	50-395	I
HAUGHEY,M.F.	8711040020	50-220	P	HERDT,A.R.	8711130228	50-280	Q	HOPKINS,J.B.	8711040232	50-395	I
HAUGHEY,M.F.	8711040216	50-410	P	HERDT,A.R.	8711130250*	50-280	Q	HOPKINS,J.B.	8711040273	50-395	I
HAUGHNEY,C.J.	8711030228*	50-286	Q	HERDT,A.R.	8711130256	50-424	Q	HOPKINS,J.B.	8711050139	50-395	I
HAUGHNEY,C.J.	8711090022*	50-341	Q	HERDT,A.R.	8711130263*	50-424	Q	HOPKINS,J.B.	8711090341	50-395	I
HAVERKAMP,D.R.	8711180048*	50-443	Q	HERDT,A.R.	8711190170	50-348	Q	HOPKINS,J.B.	8711110103	50-395	I
HAWKINS,E.F.	8711030003	40-4492		HERDT,A.R.	8711190278	50-83	Q	HOPKINS,J.B.	8711160125	50-395	I
HAWKINS,E.F.	8711030032	40-8829		HERDT,A.R.	8711200105	50-413	Q	HOPKINS,J.B.	8711230145	50-395	I
HAWKINS,E.F.	8711030039*	40-8829		HERDT,A.R.	8711200107	50-416	Q	HOPKINS,J.B.	8711230259	50-395	I
HAWKINS,E.F.	8711030049	40-8452		HERDT,A.R.	8711200169	50-424	Q	HOPKINS,J.B.	8711250033	50-395	I
HAWKINS,E.F.	8711030086	40-8904		HERDT,A.R.	8711200191	50-338	Q	HOPKINS,P.C.	8711130248*	50-395	C
HAWKINS,E.F.	8711030097	40-299		HERDT,A.R.	8711200371	50-269	Q	HORN,G.R.	8711160293	50-298	F
HAWKINS,E.F.	8711030101	40-8681		HERDT,A.R.	8711230264	50-395	Q	HORNDASCH,A.	8711200378	71-551	
HAWKINS,E.F.	8711030106	40-3453		HERDT,A.R.	8711230287*	50-395	Q	HORNOR,J.W.	8711180075*	FOIA	
HAWKINS,E.F.	8711030113	40-8714		HERDT,A.R.	8711230324	50-369	Q	HOSEY,C.M.	8711180220*	50-302	C
HAWKINS,E.F.	8711030118	40-8452		HERDT,A.R.	8711230454	50-261	Q	HOSEY,C.M.	8711180226*	50-269	C
HAWKINS,E.F.	8711030129	40-8904		HERDT,A.R.	8711240018	50-324	Q	HOSEY,C.M.	8711230253*	50-321	C
HAWKINS,E.F.	8711030142	40-1162		HERDT,A.R.	8711240031	50-338	Q	HOSEY,C.M.	8711230304*	50-335	C
HAWKINS,E.F.	8711030163	WASTE MGT		HERMANN,R.A.	8711250232*	50-438	Q	HOSEY,C.M.	8711240060*	50-348	C
HAWKINS,E.F.	8711030170	40-8084		HERR,R.K.	8711110167*	FOIA		HOSEY,C.M.	8711300247*	50-424	C
HAWKINS,E.F.	8711030183	40-6659		HEWARD,R.W.	8711160160	50-146	S	HOSLER,C.L.	8711080258	50-5	F
HAWKINS,E.F.	8711030198	WASTE MGT		HEYER,R.S.	8711030014	40-8903		HOSLER,C.L.	8711240240	50-5	F
HAWKINS,E.F.	8711030213	WASTE MGT		HEYER,R.S.	8711030104	40-8914		HOUSE,J.E.	8711090320*	50-295	C
HAWKINS,E.F.	8711090075*	40-6659		HEYER,R.S.	8711030137	40-8084		HOUVENAGLE,T.	8711170116	50-331	I
HAWKINS,E.F.	8711200257	40-1341		HEYER,R.S.	8711030185	40-6622		HOWARD,K.E.	8711240277*	50-331	I
HAWKINS,E.F.	8711200366	WASTE MGT		HEYER,R.S.	8711030232	40-8905		HOWARD,R.C.	8711240311*	TOPREP	
HAWKINS,E.F.	8711200377	40-8684		HEYER,R.S.	8711030310	40-8907		HOWE,A.	8711130281	50-400	S
HAWKINS,E.F.	8711200400	40-8452		HEYER,R.S.	8711080210	40-8905		HOWE,A.J.	8711020304	50-400	S
HAWKINS,E.F.	8711230003	40-8829		HIATT,S.L.	8711200284	PR		HOWELL,S.H.	8711030464*	50-155	I
HAWKINS,E.F.	8711230008	40-8768		HIATT,S.L.	8711200349	NUREG		HOYLE,A.	8711190244	CONTRACT	
HAWKINS,E.F.	8711230052	40-8829		HICKEY,J.P.	8711170044	50-320	G	HOYLE,A.	8711190247*	CONTRACT	
HAWKINS,E.F.	8711230065	40-8102		HICKEY,J.P.	8711170044	50-320	G	HOYLE,J.C.	8711190015	50-269	C
HAWKINS,E.F.	8711230184	40-8698		HICKEY,J.P.	8711170054*	50-320	G	HOYLE,J.C.	8711190021	50-440	C

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOYLE,J.C.	8711190028	50-445 G
HOYLE,J.C.	8711190031	50-456 G
HSII,Y.	8711180122	50-369 P
HSII,Y.G.	8711240252	TOPREP
HUDSON,F.G.	8711090068	50-269 P
HUDSPETH,J.B.	8711200217	50-348 F
HUDSPETH,J.B.	8711240046	50-348 F
HUEY,F.R.	8711190326*	50-206 Q
HUG,M.T.	8711020436	50-323 S
HUG,M.T.	8711230436	50-275 S
HUGHES,A.	8711050133	CONTRACT
HUKILL,H.D.	8711020462	50-289 P
HUKILL,H.D.	8711020525	50-289 S
HUKILL,H.D.	8711030056	50-289 P
HUKILL,H.D.	8711040185	50-289 F
HUKILL,H.D.	8711050103	50-289 S
HUKILL,H.D.	8711050180	50-289 P
HUKILL,H.D.	8711060045	50-289 S
HUKILL,H.D.	8711060113	50-289 S
HUKILL,H.D.	8711060255	50-289 S
HUKILL,H.D.	8711060258	50-289 Q
HUKILL,H.D.	8711120099	50-289 P
HUKILL,H.D.	8711120146*	50-289 P
HUKILL,H.D.	8711130012	50-289 F
HUKILL,H.D.	8711180162*	50-289 Q
HUKILL,H.D.	8711230192	50-289 R
HUKILL,H.D.	8711230246	50-289 P
HUKILL,H.D.	8711240075	50-289 P
HULL,J.L.	8711170290	50-528 R
HUMPHREY,G.J.	8710160023	50-443 G
HUMPHREY,G.J.	8710160027*	50-443 G
HUMPHREY,G.J.	8710160031*	50-443 G
HUMPHREY,G.J.	8711020111	PR
HUMPHREYS,L.L.	8711050231	50-219 R
HUNN,CUTT,D.M.	8711130270*	50-458 O
HUNSADER,S.C.	8711090352	60-456 P
HUNSADER,S.C.	8711100390	50-456 O
HUNSADER,S.C.	8711160147	50-456 O
HUNSADER,S.C.	8711170265	50-454 P
HUNSADER,S.C.	8711190102	50-456 R
HUNSADER,S.C.	8711100214	50-456 F
HUNSADER,S.C.	8711250035	50-454 K
HUNSADER,S.C.	8711300103	50-456 O
HUNSADER,S.C.	8711300104	50-457 O
HUNSTAD,A.A.	8711300100	50-282 S
HUNSTAD,A.A.	8711300142	50-282 S
HUNSTAD,A.A.	8711300253	50-282 S
HUNT,D.	8711030319*	50-412 P
HUNT,J.	8711110162*	FOIA
HUNTER,D.R.	8711040378*	50-482 Q
HUNTER,D.R.	8711090022*	50-341 Q
HUNTER,J.G.	8711020412*	50-412 Q
HURLEY,J.	8711050226	50-416 F
HURLEY,J.	8711190148	50-416 F
HURT,R.D.	8711100096	PROJ
HURT,W.L.	8711090045*	50-260 P
IGNATONIS,A.J.	8711300062*	50-259 Q
IKARD,J.A.	8711110160*	40-8027
IMBRO,E.V.	8711200044*	50-327 Q
INGRAM,F.	8711120057*	FOIA
INTERRANTE,C.	8711090211	NUREG
IPPOLITO,T.A.	8005080081	50-321 F
IRELAND,R.E.	8711020307*	50-267 Q
IRELAND,R.E.	8711130124*	50-482 Q
IRELAND,R.E.	8711240139*	50-498 Q
IRWIN,D.P.	8711170045	50-322 G
IRWIN,D.P.	8711170045	50-322 G
IRWIN,D.P.	8711240023	50-322 G
IRWIN,D.P.	8711240023	50-322 G
IVEY,K.	8711020367	50-530 S
JABBOUR,K.	8711200213	50-413 P
JABBOUR,K.M.	8711160068	50-369 P
JABBOUR,K.N.	8711020057	50-413 P
JABBOUR,K.N.	8711020074*	50-413 P
JABBOUR,K.N.	8711130312	50-413 P
JABBOUR,K.N.	8711200045	50-413 P
JABBOUR,K.N.	8711200075	50-413 P
JABBOUR,K.N.	8711200388	50-413 P
JABBOUR,K.N.	8711230184	50-413 P
JACKIW,I.N.	8711060270*	50-409 Q
JACKIW,I.N.	8711100175*	50-263 Q
JACKIW,I.N.	8711160109*	50-155 Q
JACKIW,I.N.	8711160193*	50-331 Q
JACKSON,G.	8711230067*	71-6294
JACKSON,R.	8711200112	50-237 S
JACOBSON,J.L.	8711230401	NUREG
JACOBUS,M.J.	8711030077	NUREG
JACOBY,D.L.	8711030118	40-8452
JACOBY,D.L.	8711030178*	WASTE MGT
JACOBY,D.L.	8711030213	WASTE MGT
JAFFE,D.H.	8711030413	50-336 P
JAFFE,D.H.	8711100357	50-336 P
JAFFE,D.H.	8711200320	50-336 P
JAFFE,D.H.	8711250100	50-336 P
JANUSKA,A.G.	8711190153*	50-373 Q
JAPE,F.	8711130102*	50-269 Q
JAPE,F.	8711130103*	50-302 Q
JAPE,F.	8711130266*	50-424 Q
JAPE,F.	8711190286*	50-83 Q
JAPE,F.	8711200123*	50-416 Q
JAPE,F.	8711200173*	50-424 Q
JAPE,F.	8711240033*	50-338 Q
JAUDON,J.	8711170190	50-482 S
JAUDON,J.	8711200327	50-482 S
JAUDON,J.P.	8711020397*	50-267 Q
JAUDON,J.P.	8711030015*	50-313 Q
JAUDON,J.P.	8711100214*	50-267 Q
JAUDON,J.P.	8711250215*	50-382 Q
JAUDON,J.P.	8711300223	50-313 P
JEANES,J.W.	8711090088	QA999
JENISON,K.	8711190289*	50-327 Q
JENKINS,T.F.	8711110076*	50-443 G
JENSEN,C.M.	8711250009	50-112 P
JENSEN,H.	8711200239	50-354 R
JOHNSON,A.	8711300062*	50-259 Q
JOHNSON,A.G.	8711230379	50-243 F
JOHNSON,B.D.	8711060135	50-255 S
JOHNSON,B.D.	8711170160	50-255 F
JOHNSON,B.D.	8711200181	50-255 S
JOHNSON,B.D.	8711240138	50-255 S
JOHNSON,B.D.	8711300213	50-255 S
JOHNSON,C.E.	8711200278*	50-498 Q
JOHNSON,G.E.	8711040084	50-322 G
JOHNSON,G.E.	8711040096	50-322 G
JOHNSON,G.E.	8711110070	50-322 G
JOHNSON,G.E.	8711170023	50-322 G
JOHNSON,G.E.	8711170054*	50-320 G
JOHNSON,G.E.	8711170059*	50-320 G
JOHNSON,G.E.	8711240024	50-322 G
JOHNSON,I.M.	8711020224	50-249 Q
JOHNSON,I.M.	8711020429	50-254 Q
JOHNSON,I.M.	8711030524	50-237 P
JOHNSON,I.M.	8711090317*	50-237 Q
JOHNSON,I.M.	8711170118	50-254 P
JOHNSON,I.M.	8711170271	50-454 F
JOHNSON,I.M.	8711240238	50-254 P
JOHNSON,I.M.	8711300083	50-254 P
JOHNSON,J.R.	8711040177*	50-97 Q
JOHNSON,J.R.	8711040379*	50-220 Q
JOHNSON,J.R.	8711180069*	50-220 Q
JOHNSON,J.R.	8711200097*	50-333 Q
JOHNSON,M.	8711030226	FOIA
JOHNSON,M.	8711160015	FOIA
JOHNSON,P.	8711300159	50-69 S
JOHNSON,P.H.	8711060123*	50-397 Q
JOHNSON,P.H.	8711190326*	50-206 Q
JOHNSON,R.A.	8711090095	71-9200
JOHNSON,S.C.	8711030349	70-143
JOHNSON,S.C.	8711030387	70-143
JOHNSON,S.C.	8711030527	70-143
JOHNSON,W.	8711060184*	50-313 Q
JOHNSON,W.B.	8711160047	NUREG
JOHNSON,W.D.	8711030015*	50-313 Q
JOHNSON,W.G.	8711110111*	50-322 G
JOHNSON,W.J.	8711020192	50-601 K
JOHNSON,W.J.	8711040319	50-317 P
JOHNSON,W.J.	8711090132	TOPREP
JOHNSON,W.J.	8711090188	NUREG
JOHNSON,W.J.	8711090373	TOPREP
JOHNSON,W.J.	8711200261	PR
JOHNSTON,G.W.	8711020361*	50-113 V
JOHNSTON,K.E.	8711090098*	50-275 Q
JOHNSTON,W.V.	8711020073	50-322 Q
JOHNSTON,W.V.	8711020407	50-412 Q
JOHNSTON,W.V.	8711020441	50-272 Q
JOHNSTON,W.V.	8711020497	50-277 Q
JOHNSTON,W.V.	8711020522	50-309 Q
JOHNSTON,W.V.	8711040164	50-277 Q
JOHNSTON,W.V.	8711050100	50-213 Q
JOHNSTON,W.V.	8711090383	50-293 Q
JOHNSTON,W.V.	8711130207	50-247 Q
JOHNSTON,W.V.	8711160007	50-353 A
JOHNSTON,W.V.	8711160138	50-219 Q
JOHNSTON,W.V.	8711160165	50-410 Q
JOHNSTON,W.V.	8711190252	50-352 Q
JOHNSTON,W.V.	8711230226	50-353 Q
JOHNSTON,W.V.	8711230239	50-336 Q
JOHNSTON,W.V.	8711240002	50-410 Q
JOHNSTON,W.V.	8711240083	50-293 Q
JOHNSTON,W.V.	8711250170	50-245 Q
JOHNSTON,W.V.	8711250177	50-220 Q
JOHNSTON,W.V.	8711250249	50-309 Q
JOHNSTON,W.V.	8711300051	50-410 Q
JOHNSTON,W.V.	8711300270	50-387 Q
JOHNSTONE,G.	8607300545*	FOIA
JOHNSTONE,G.A.	8410030201*	FOIA
JOHNSTONE,G.A.	8410030207*	FOIA
JOHNSTONE,G.A.	8501090091*	FOIA
JOHNSTONE,G.A.	8501090098*	FOIA
JOHNSTONE,G.A.	8508220003*	FOIA
JOHNSTONE,G.A.	8508220004*	FOIA
JOHNSTONE,G.A.	8607300548*	FOIA
JOHNSTONE,G.A.	8711170071*	FOIA
JONAS,S.A.	8711190008	50-443 Q
JONES,D.F.	8711240298	QA999
JONES,G.Z.	8711240161*	50-295 P
JONES,J.D.	8711160037	50-312 P
JONES,R.	8711030143	40-8681
JONES,S.B.	8711030398	50-259 S
JONES,S.B.	8711040011	50-260 S
JONES,S.B.	8711170298	50-296 S
JONES,W.B.	8711100214*	50-267 Q
JONES,W.B.	8711200063*	50-458 Q
JONES,W.G.	8711190230*	50-327 P
JONES,W.G.	8711190237*	50-327 P
JORDAN,E.L.	8305110473	50-3 Q
JORDAN,E.L.	8711020209	REVIEW GR P
JORDAN,E.L.	8711230237	REVIEW GR P
JORDAN,E.L.	8711240257	REVIEW GR P
JOSEPH,M.A.	8711020359	60-267 S
JOSEPH,M.A.	8711060038	50-267 S
JOSEPH,M.A.	8711160235	50-267 S
JOSIGER,W.A.	8711130165	50-286 Q
JOSIGER,W.A.	8711190124	50-286 R
JOYCE,J.W.	8711240176*	50-259 P
JOYCE,J.W.	8711240185*	50-259 P
JOYCE,J.W.	8711240194*	50-259 P
JOYCE,J.W.	8711240225*	50-259 P
JOYNER,J.H.	8711230365	50-277 S
JOYNER,J.H.	8711300015*	40-8406
JULIAN,C.A.	8711130174	50-348 V
JULIAN,C.A.	8711130220	50-395 Q
JULIAN,C.A.	8711130241	50-338 V
JULIAN,C.A.	8711160236*	50-327 Q
JULIAN,C.A.	8711190171	50-321 V
JULIAN,C.A.	8711190347	50-269 P
JULIAN,C.A.	8711200198	50-413 V
JULIAN,C.A.	8711230316	50-302 V
JULIAN,E.J.	8711190034	XPORTLIC
JULIUS,J.	8711060284	NUREG
KALMAN,G.	8711030316	50-312 P
KALMAN,G.	8711030423	50-312 P
KALMAN,G.	8711030516	50-312 P
KALMAN,G.	8711050227	50-312 P
KAMMERER,C.	8711110163*	FOIA
KAMMERER,C.	8711110169*	40-8027
KAMMERER,C.	8711160084*	FOIA
KAMMERER,C.C.	8710300132	STATE PRO G
KANE,W.	8711230376	50-293 Q
KANE,W.F.	8710280274	50-293 P
KANE,W.F.	8711020437	50-293 P
KANE,W.F.	8711020442*	50-293 P
KANE,W.F.	8711090144	50-277 Q
KANE,W.F.	8711090165	50-410 Q
KANE,W.F.	8711090174*	50-410 Q
KANE,W.F.	8711160040	50-219 Q
KANE,W.F.	8711190204	50-293 S
KANE,W.F.	8711200114*	50-219 P
KANTER,L.E.	8711300158*	50-409 P
KAPLAN,A.	8711100437	50-440 S
KAPPEL,W.M.	8711040369*	50-201 P
KAPPEL,W.M.	8711040374*	50-201 P
KASTENBERG,W.E.	8711160040	NUREG
KAUFMAN,M.A.	8711050009*	50-293 F
KEARNEY,M.S.	8711110163*	40-8027
KEEGAN,M.J.	8711030060	50-341 P
KEIMIG,R.	8711180031	50-213 S
KEIMIG,R.	8711230365	50-277 S
KEIMIG,R.R.	8711090131*	50-289 Q
KEIMIG,R.R.	8711200165*	50-199 Q
KEIMIG,R.R.	8711240019*	50-443 Q
KEIMIG,R.R.	8711300174*	50-277 Q
KEIMIG,R.R.	8711020518*	70-371
KEISER,H.W.	8711020169	50-387 F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
KEISER,H.W.	8711030372	50-387	H
KEISER,H.W.	8711030455	50-388	P
KEISER,H.W.	8711040003	50-387	P
KEISER,H.W.	8711090281	50-387	Q
KEISER,H.W.	8711090319	50-387	P
KEISER,H.W.	8711120098	50-387	F
KEISER,H.W.	8711170151	50-387	R
KELLER,G.R.	8711180060	NUREG	
KELLER,R	8711020306*	50-443	V
KELLER,R.M.	8711030496*	50-443	V
KELLER,R.M.	8711040307	50-336	V
KELLER,R.M.	8711130181*	50-166	V
KELLER,R.M.	8711180035*	50-272	V
KELLER,R.M.	8711180063*	50-423	V
KELLER,R.M.	8711230301*	50-309	V
KELLER,R.M.	8711300118	50-170	V
KELLEY,D.L.	8711030193*	50-445	Q
KELLY,D.L.	8711240234*	50-445	Q
KELLY,J.A.	8711170109*	50-482	Q
KELLY,J.A.	8711300097*	50-499	Q
KELLY,J.E.	8711100095	NUREG	
KELLY,J.L.	8711030408	50-259	R
KELLY,J.L.	8711100014	50-327	P
KELLY,J.L.	8711100356	50-327	R
KELLY,J.L.	8711200085	50-259	R
KELLY,J.L.	8711240270	50-259	R
KELLY,L.	8711190124	50-286	R
KELLY,W.J.	8711250212	50-275	S
KELSEY,B.R.	8711040159*	40-2061	
KELSEY,B.R.	8711040159*	40-2061	
KEMPER,J.S.	8711100328	50-277	P
KEMPER,J.S.	8711100365	50-352	P
KEMPER,J.S.	8711100393	50-352	P
KEMPER,J.S.	8711230219*	50-352	P
KEMPER,J.S.	8711300002	50-277	P
KENNEDY,W.G.	8711240226*	50-312	Q
KENNEDY,W.R.	8711200368*	71-9060	
KEPPLER,J.G.	8711020071*	FOIA	
KEPPLER,J.G.	8711230221	50-327	P
KEPPLER,J.G.	8711240044	50-445	G
KERCH,H.W.	8711230271*	50-353	Q
KERR,W.	8711170148	ACRS	
KERR,W.	8711200108	ACRS	
KERRY,J.	8711100310	PR	
KERSHUL,B.	8711030355	50-344	S
KERSHUL,B.	8711020343	50-344	S
KERSHUL,B.	8711100413	50-344	S
KERSHUL,B.	8711110151	50-344	S
KERSHUL,B.	8711240171	50-344	S
KERSHUL,B.	8711240297	50-344	S
KILGORE,B.E.	8711190033	50-327	S
KILGORE,B.E.	8711300107	50-327	S
KILGORE,B.E.	8711300119	50-327	S
KIM,C.C.	8711020090*	50-305	P
KING,L.P.	8711240077*	50-338	Q
KING,T.L.	8711030532	PROJ	
KING,T.L.	8711100106	PROJ	
KINGSLEY,O.D.	8711020470	50-416	S
KINGSLEY,O.D.	8711030528	50-416	Q
KINGSLEY,O.D.	8711040109	50-416	P
KINGSLEY,O.D.	8711050118	50-416	S
KINGSLEY,O.D.	8711050226	50-416	F
KINGSLEY,O.D.	8711100330	50-416	S
KINGSLEY,O.D.	8711130085	50-416	P
KINGSLEY,O.D.	8711130126	50-416	F
KINGSLEY,O.D.	8711160095	50-416	R
KINGSLEY,O.D.	8711160103	50-416	S
KINGSLEY,O.D.	8711190148	50-416	F
KINGSLEY,O.D.	8711250218	50-416	P
KINGSLEY,O.D.	8711300048	50-416	R
KINGSLEY,O.D.	8711300266	50-416	P
KINNEMAN,J.D.	8410030192*	FOIA	
KINNEMAN,J.D.	8711300011*	40-8406	
KINNEMAN,J.D.	8711300016*	40-8406	
KINTNER,L.L.	8711030415	50-416	P
KINTNER,L.L.	8711050218	50-416	P
KINTNER,L.L.	8711060010	50-416	P
KINTNER,L.L.	8711200006	50-416	P
KINTNER,L.L.	8711200087	50-416	P
KINTNER,L.L.	8711200099	50-416	P
KINTNER,L.L.	8711230026	50-416	P
KIRCHNER,G.J.	8711130101	50-373	R
KIRSCH,D.F.	8711030412	50-528	S
KIRSCH,D.F.	8711040031	50-206	P
KIRSCH,D.F.	8711300009*	50-275	Q
KIRSCH,D.F.	8711300122	50-344	Q
KIRSCH,D.F.	8711300157	50-460	A
KIRSCH,D.F.	8711300181	50-508	A
KLAUSE,R.P.	8711040204*	50-445	A
KLAUSE,R.P.	8711040247*	50-445	A
KLEINSORGE,W.P.	8711130264*	50-280	Q
KLIMA,D.L.	8711250141	50-387	P
KLINE,J.R.	8711040117	50-322	G
KLINE,J.R.	8711110094	50-322	G
KNIGHTON,G.W.	8711030323*	50-312	P
KNIGHTON,G.W.	8711030462*	50-312	P
KNIGHTON,G.W.	8711030536*	50-312	P
KNIGHTON,G.W.	8711050232*	50-312	P
KNIGHTON,G.W.	8711090136*	50-528	P
KNIGHTON,G.W.	8711130324*	50-344	F
KNIGHTON,G.W.	8711130359*	50-344	P
KNIGHTON,G.W.	8711160031	50-397	P
KNIGHTON,G.W.	8711190259	50-312	S
KNODE,R	8711160227	40-8829	
KNOP,R.	8711020393	50-440	S
KNOX,E.	8711020055	CONTRACT	
KNOX,E.	8711020134	CONTRACT	
KNOX,E.	8711020328	CONTRACT	
KNOX,E.	8711090099	CONTRACT	
KNOX,E.	8711230029	CONTRACT	
KNOX,E.	8711250056	CONTRACT	
KOBER,R.W.	8711030100	50-244	Q
KOBER,R.W.	8711170120	50-244	F
KOBER,R.W.	8711240119	50-244	P
KOBER,R.W.	8711300235	50-244	P
KONKLIN,J.E.	8711030228*	50-286	Q
KONWINSKI,G.R.	8711030049	40-8452	
KONWINSKI,G.R.	8711030113	40-8714	
KONWINSKI,G.R.	8711030183	40-8659	
KONWINSKI,G.R.	8711090075*	40-8659	
KONWINSKI,G.R.	8711230065	40-8102	
KOONTZ,A.S.	8711170078*	TOPREP	
KOONTZ,A.S.	8711170086*	TOPREP	
KOONTZ,A.S.	8711170088*	TOPREP	
KOSHY,T.	8711250178*	50-245	Q
KOTRICH,E.J.	8711190311*	50-237	S
KOWALSKI,S.J.	8711030362	50-353	Q
KOZUP,C.S.	8711060135	50-255	S
KOZUP,C.S.	8711180124	50-255	F
KOZUP,C.S.	8711200181	50-255	S
KOZUP,C.S.	8711230415	50-255	S
KOZUP,C.S.	8711240138	50-255	S
KOZUP,C.S.	8711300213	50-255	S
KRAUSE,C.W.	8711130171	50-266	R
KREH,J.L.	8711300214*	70-824	
KRIMM,R.W.	8711050111	50-3	F
KRIMM,R.W.	8711230424	50-344	F
KRIMM,R.W.	8711250200	50-313	F
KRUG,H.E.	8711160081*	50-261	Q
KUEMIN,J.L.	8711230415	50-255	S
KUNCL,L.G.	8711020344	50-298	P
KUNCL,L.G.	8711030024	50-298	P
KUNCL,L.G.	8711030402*	50-298	V
KUNCL,L.G.	8711090298	50-298	P
KURDENOK,G	8711020531	50-456	S
KUZO,G.B.	8711230253*	50-321	Q
KWOK,K.S.	8711250203	50-20	S
L'HEUREUX,P.F.	8711090378	50-213	S
LABRUNA,S.	8711020290	50-354	S
LABRUNA,S.	8711050089	50-354	S
LABRUNA,S.	8711050146	50-354	S
LABRUNA,S.	8711050153	50-354	S
LABRUNA,S.	8711100306	50-354	S
LABRUNA,S.	8711110030	50-354	S
LABRUNA,S.	8711190201	50-354	S
LABRUNA,S.	8711200239	50-354	R
LACEY,W.S.	8711020268	50-412	S
LACEY,W.S.	8711020392	50-412	S
LACEY,W.S.	8711030546	50-412	S
LACEY,W.S.	8711050129	50-334	F
LACEY,W.S.	8711130307	50-412	S
LACEY,W.S.	8711130341	50-334	S
LACEY,W.S.	8711160114	50-412	S
LACEY,W.S.	8711160157	50-412	S
LACEY,W.S.	8711160207	50-412	S
LACEY,W.S.	8711190109	50-412	S
LACEY,W.S.	8711190198	50-412	S
LACEY,W.S.	8711200088	50-412	S
LACEY,W.S.	8711230229	50-412	S
LACEY,W.S.	8711300102	50-334	S
LADLOW,C.C.	8711090389	NUREG	
LAGRAFF,M.B.	8711190004*	40-8904	
LAINAS,G.C.	8711030357*	50-400	P
LAMONTAGNE,M.	8711100368	NUREG	
LANCASTER,W.	8711090131*	50-289	Q
LANCASTER,W.K.	8711300174*	50-277	Q
LANEY,R.V.	8711050231	50-219	R
LANGE,D.	8711300056*	50-410	Q
LANGE,D.J.	8711180169*	50-410	Q
LANGE,D.J.	8711230406*	50-387	V
LANGE,D.J.	8711240003*	50-410	Q
LANGE,D.J.	8711240111	50-387	V
LANGLEY,J.R.	8711160164	TOPREP	
LANKSBURY,R.	8711090321*	50-456	Q
LANNING,W.	8711050243	50-364	S
LANNING,W.	8711170226	50-250	S
LANPHER,L.C.	8711240025	50-322	G
LANPHER,L.C.	8711240025	50-322	G
LARRAGOITE,L.S.	8711090202	50-318	P
LARSON,C.E.	8711100360	50-263	Q
LARSON,C.E.	8711130305*	50-263	F
LATHAM,S.B.	8711040088	50-322	G
LATHAM,S.B.	8711040088	50-322	G
LATHAM,S.B.	8711110077	50-322	G
LATHAM,S.B.	8711110077	50-322	G
LATHAM,S.B.	8711170019	50-322	G
LATHAM,S.B.	8711170019	50-322	G
LATHAM,S.B.	8711190013	50-322	G
LATHAM,S.B.	8711190013	50-322	G
LATHAM,S.B.	8711190060	50-322	G
LATHAM,S.B.	8711190060	50-322	G
LATHAM,S.B.	8711240013	50-322	G
LATHAM,S.B.	8711240013	50-322	G
LATHAM,S.B.	8711240025	50-322	G
LATHAM,S.B.	8711240025	50-322	G
LATTA,R.M.	8711160081*	50-261	Q
LAVALLE,K.P.	8711230162	50-322	H
LAVELY,P.	8711230220	50-312	S
LAVELY,P.	8711240057	50-312	S
LAWSON,D.	8711240144	50-456	S
LAWTON,J.D.	8711250081*	50-320	F
LAZARUS,W.J.	8711040225*	50-269	Q
LAZARUS,W.J.	8711090171*	50-244	Q
LAZARUS,W.J.	8711090242*	50-354	Q
LAZARUS,W.J.	8711130188*	50-164	Q
LAZARUS,W.J.	8711130263*	50-412	Q
LAZARUS,W.J.	8711250013*	50-293	Q
LAZARUS,W.J.	8711300218*	50-269	Q
LAZO,R.M.	8711110112	50-250	Q
LEAGUE,K.E.	8711030141*	50-445	A
LEANING,J.	8711240015	50-443	T
LEANING,J.	8711240027*	50-443	T
LEBLOND,P.C.	8711020390	50-295	P
LEBLOND,P.C.	8711030550	50-295	P
LEBLOND,P.C.	8711040306	50-295	P
LEBLOND,P.C.	8711240129	50-295	P
LEBLOND,P.C.	8711240142	50-295	P
LEDNER,J.S.	8711200282	PR	
LEE,B.	8711130194	NUREG	
LEE,T.D.	8711090119*	70-143	
LEE,T.D.	8711230421*	70-143	
LEE,Y.S.	8711020090*	50-305	P
LEECH,P.H.	8711170191	PROJ	
LEEMON,R.J.	8711300168*	50-409	P
LEITCH,G.M.	8711050169	50-171	S
LEITCH,G.M.	8711050175	50-171	S
LEITMAN,L.W.	8711130079	50-219	S
LEITMAN,L.W.	8711190262	50-219	S
LEITMAN,L.W.	8711230233	50-219	S
LEMONS,J.R.	8711090219	50-317	P
LEMONS,J.R.	8711130235	50-317	S
LEMONS,J.R.	8711160162	50-318	S
LEMONS,J.R.	8711230269	50-317	R
LEMPGES,T.E.	8711100404	50-410	P
LEMPGES,T.E.	8711130034	50-220	Q
LEMPGES,T.E.	8711130113	50-410	S
LEMPGES,T.E.	8711130166	50-410	S
LEMPGES,T.E.	8711160226	50-220	Q
LEMPGES,T.E.	8711160240	50-220	R
LEMPGES,T.E.	8711180030	50-410	R
LEMPGES,T.E.	8711190065	50-220	S
LEMPGES,T.E.	8711190280	50-220	S
LEMPGES,T.E.	8711240120	50-410	S
LEMPGES,T.E.	8711240150	50-410	S
LEMPGES,T.E.	8711240182	50-220	S
LEMPGES,T.E.	8711240196	50-220	S
LEMPGES,T.E.	8711240221	50-220	S
LEMPGES,T.E.	8711240223	50-220	S
LEMPGES,T.E.	8711240233	50-410	S
LEMPGES,T.E.	8711240275	50-410	S
LEMPGES,T.E.	8711250006	50-410	S
LEMPGES,T.E.	8711250128	50-410	S
LEMPGES,T.E.	8711250250	50-410	S
LENAHAN,J.J.	8711130102*	50-269	Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
LENAHAN,J.J.	8711130109*	50-302	Q
LENAHAN,J.J.	8711200173*	50-424	Q
LEONARD,J.D.	8711020092*	50-322	Q
LEONARD,J.D.	8711100434	50-322	Q
LEONARD,J.D.	8711190164	50-322	P
LEONARD,J.D.	8711240086*	50-322	Q
LEONARD,J.D.	8711250239	50-322	P
LEONARD,J.D.	8711300136	50-322	J
LEROY,S.E.	8711020398	50-369	S
LEROY,S.E.	8711060180	50-369	S
LEROY,S.E.	8711090012	50-369	S
LEROY,S.E.	8711100406	50-369	S
LESSER,M.S.	8711130096*	50-413	Q
LETSCHE,K.J.	8711110077	50-322	G
LETSCHE,K.J.	*8711110077*	*50-322*	*G*
LETSCHE,K.J.	8711190027*	50-322	G
LETSCHE,K.J.	8711190027*	50-322	G
LETSCHE,K.J.	8711240013	50-322	G
LETSCHE,K.J.	8711240013	50-322	G
LEVIN,A.	8711030139	NUREG	
LEVIN,H.	8711110064	50-445	G
LEVIN,H.A.	8711170021	50-445	G
LEVIN,H.A.	8711170040	50-445	G
LEVIN,H.A.	8711190044	50-445	G
LEVIN,J.M.	8711230363*	50-313	Q
LEVINE,J.M.	8711030343	50-313	S
LEVINE,J.M.	8711060243	50-368	S
LEVINE,J.M.	8711170273*	50-313	Q
LEVINE,J.M.	8711200131*	50-313	Q
LEWIS,S.H.	8711040099	40-2061	
LEWIS,S.H.	8711240040	50-320	G
LIANG,K.	8711230401	NUREG	
LICITRA,E.A.	8711090126	50-528	P
LIDIAK,E.G.	8711180060	NUREG	
LIEBERMAN,J.	8703200064*	40-8027	
LIEBERMAN,J.	8711020239	50-186	Q
LIEBERMAN,J.	8711020310	50-62	Q
LIEBERMAN,J.	8711030409	I&E	
LIEBERMAN,J.	8711030517	50-301	Q
LIEBERMAN,J.	8711040236	50-416	Q
LIEBERMAN,J.	8711050049	I&E	
LIEBERMAN,J.	8711050124	50-348	Q
LIEBERMAN,J.	8711060177	50-250	Q
LIEBERMAN,J.	8711090035	50-250	Q
LIEBERMAN,J.	8711090064	I&E	
LIEBERMAN,J.	8711090078*	50-250	Q
LIEBERMAN,J.	8711100317	50-219	Q
LIEBERMAN,J.	8711110165*	40-8027	
LIEBERMAN,J.	8711130006	I&E	
LIEBERMAN,J.	8711130017	50-483	Q
LIEBERMAN,J.	*8711200098*	*50-261*	*Q*
LINER,R.T.	8707290122	TOPREP	
LINER,R.T.	8708170057	TOPREP	
LINER,R.T.	8709040375	TOPREP	
LINER,R.T.	8711130209	TOPREP	
LINVILLE,J.C.	8711050041	50-277	R
LINVILLE,J.C.	8711090147*	50-277	Q
LINVILLE,J.C.	8711090250*	50-353	Q
LINVILLE,J.C.	8711130111	50-277	R
LINVILLE,J.C.	8711250237	50-277	R
LINZER,M.	8711080211	NUREG	
LIPPINCOTT,E.P.	8711100376*	50-482	P
LIPPOLD,W.J.	8711090303	50-318	P
LITTLE,M.	*8711030395**	*FOIA*	
LITTLE,M.	8711060220	CONTRACT	
LITTLE,M.	8711160053	CONTRACT	
LITTLE,M.	8711160286	CONTRACT	
LITTLE,M.	8711180102	CONTRACT	
LITTLE,M.	8711240280	CONTRACT	
LIVERMORE,H.H.	8711130272*	50-425	Q
LIZALEK,J.	8711040331	50-237	S
LO,R.	8711230062	50-322	P
LOCANTE,J.	8711170248*	50-483	P
LOCH,E.P.	8711040186	70-1151	
LOCKE,R.F.	8711050055	50-133	J
LOGSDON,M.J.	8711160249*	CONTRACT	
LOGUE,R.H.	8711040190	50-352	S
LOGUE,R.H.	8711060116	50-277	S
LOGUE,R.H.	8711100417	50-278	S
LOGUE,R.H.	8711180003	50-278	S
LOGUE,R.H.	8711190263	50-352	S
LOGUE,R.H.	8711200154	50-352	S
LOGUE,R.H.	8711230419	50-352	S
LOGUE,R.H.	8711250219	50-352	S
LOGUE,R.H.	8711300195	50-277	S
LOGUE,R.H.	8711300269	50-277	S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
LONG,J.L.	8711020251	50-327	S
LONG,J.L.	8711300263	50-327	S
LONG,W.O.	8711030058	50-298	P
LOOMIS,L.E.	8711200208	50-423	S
LORION,J.	8711040186	50-250	G
LOTT,R.G.	8711170248*	50-483	P
LOUDERBACK,T.E.	8711170004	40-8714	
LOUDERBACK,T.E.	8711170178	40-8714	
LOUDERBACK,T.E.	8711170244	40-8714	
LOUDERBACK,T.E.	8711230268	40-8714	
LUEHMAN,J.	8711030517	50-301	Q
LUEHMAN,J.	8711050124	50-348	Q
LUEHMAN,J.	8711100317	50-219	Q
LYASH,J.	8711160035	50-293	S
LYDON,J.M.	*8711030457**	*50-293*	*P*
LYNCH,D.	8711180144	50-263	P
LYNN,D.L.	8711180130*	CONTRACT	
LYONS,J.A.	8711100368	NUREG	
LYONS,P.J.	8711160213	40-269	
LYONS,P.J.	8711170046	40-269	
MACDONALD,C.E.	8711030425	71-9086	
MACDONALD,C.E.	8711030434*	71-9086	
MACDONALD,C.E.	8711040006	71-9022	
MACDONALD,C.E.	8711040010*	71-9022	
MACDONALD,C.E.	8711040017	71-9102	
MACDONALD,C.E.	8711040023*	71-9102	
MACDONALD,C.E.	8711040118	71-9215	
MACDONALD,C.E.	8711040123*	71-9215	
MACDONALD,C.E.	8711040127*	71-9215	
MACDONALD,C.E.	8711050182	71-9098	
MACDONALD,C.E.	8711050187*	71-9098	
MACDONALD,C.E.	8711060150	71-636	
MACDONALD,C.E.	8711060163*	71-636	
MACDONALD,C.E.	8711060252	71-638	
MACDONALD,C.E.	8711060257*	71-638	
MACDONALD,C.E.	8711090003	71-640	
MACDONALD,C.E.	8711090006*	71-640	
MACDONALD,C.E.	8711090023	71-578	
MACDONALD,C.E.	8711090110	71-637	
MACDONALD,C.E.	8711090112*	71-637	
MACDONALD,C.E.	8711090129*	71-578	
MACDONALD,C.E.	8711100403	71-9021	
MACDONALD,C.E.	8711100432	71-6717	
MACDONALD,C.E.	8711100483	71-9080	
MACDONALD,C.E.	8711100497	71-9028	
MACDONALD,C.E.	8711110028	71-6294	
MACDONALD,C.E.	8711110098	71-9216	
MACDONALD,C.E.	8711120008	71-9090	
MACDONALD,C.E.	8711160034	71-6294	
MACDONALD,C.E.	8711160043*	71-6294	
MACDONALD,C.E.	*8711160189*	*71-488*	
MACDONALD,C.E.	8711160230	71-518	
MACDONALD,C.E.	8711160248	71-370	
MACDONALD,C.E.	8711160251	71-464	
MACDONALD,C.E.	8711160295	71-465	
MACDONALD,C.E.	8711230058	71-9089	
MACDONALD,C.E.	8711230125	71-9216	
MACDONALD,C.E.	8711230179	71-5450	
MACDONALD,C.E.	8711250127	71-6717	
MACDONALD,C.E.	8711250220	71-9084	
MACDONALD,J.B.	8711020038*	50-260	Q
MACDONALD,J.B.	8711190285*	50-250	Q
MACLEAN,P.	8711060184*	50-313	Q
MADDEN,P.M.	*8711300095**	*70-687*	
MADDEN,T.	8711090131*	50-289	Q
MADEDA,T.	8711060073	50-341	S
MADEDA,T.J.	8711300071*	50-155	Q
MADERA,J.R.	8711050117*	71-639	
MADSEN,G.L.	8711200063*	50-458	Q
MADSEN,G.L.	8711230441*	50-298	Q
MAESTAS,E.	8711090051	PROJ	
MALAMOUTH,T.G.	8711160165*	50-266	F
MALLANDA,J.J.	8711040102	50-445	G
MALLANDA,J.J.	8711170039	50-445	G
MALLETT,B.	8711020245	50-305	S
MALLETT,B.	8711020314	50-305	S
MALLETT,B.	8711300197	I&E	
MALLETT,B.S.	8711030102	50-305	F
MALLETT,B.S.	8711200140	50-282	F
MALLETT,B.S.	8711230390	50-255	Q
MALLETT,B.S.	8711240113	50-331	F
MALLETT,B.S.	8711240283*	50-346	Q
MALLETT,B.S.	8711300071*	50-155	Q
MALLETT,B.S.	8711300084	50-409	F
MALLETT,B.S.	8711300087	50-305	F
MALLOY,M.	8711090355	50-445	Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
MANGAN,C.V.	8711050203	50-410	P
MANGAN,C.V.	*8711080027*	*50-410*	*S*
MANGAN,C.V.	8711060036	50-410	S
MANGAN,C.V.	8711100353	50-220	P
MANGAN,C.V.	8711130092	50-220	F
MANGAN,C.V.	8711170192	50-410	Q
MANGAN,C.V.	8711190136	50-220	P
MANGAN,C.V.	8711190335	50-410	P
MANGAN,C.V.	8711230181	50-410	P
MANGAN,C.V.	8711240158*	50-410	P
MARABITO,R.	8711030084*	50-341	P
MARCUS,C.S.	8711200252	PR	
MARGULIES,M.B.	8711040059	50-322	G
MARGULIES,M.B.	8711040081	50-322	G
MARGULIES,M.B.	8711040117	50-322	G
MARGULIES,M.B.	8711110040	50-322	G
MARGULIES,M.B.	8711110094	50-322	G
MARGULIES,M.B.	8711170027	50-322	G
MARGULIES,M.B.	8711170035	50-322	G
MARKEY,E.J.	8711020023	50-322	H
MARKEY,E.J.	8711020042	PR	
MARKEY,E.J.	8711020047	PR	
MARKEY,E.J.	8711020393*	PR	
MARKEY,E.J.	8711020458*	50-322	H
MARKEY,E.J.	8711110168*	40-8027	
MARSHALL,B.M.	8711120009	50-338	S
MARSHALL,J.S.	8711160107	50-445	S
MARSHALL,J.S.	8711160253	50-445	S
MARSHALL,J.S.	8711230171	50-445	S
MARSHALL,J.S.	8711230183	50-445	S
MARSHALL,J.S.	8711230186	50-445	A
MARSHALL,J.S.	8711230227	50-445	S
MARSHALL,J.S.	8711230317	50-445	S
MARSHALL,J.S.	8711230438	50-445	S
MARSHALL,J.S.	8711230439	50-445	S
MARSHALL,J.S.	8711240010	50-445	S
MARSHALL,J.S.	8711240026	50-445	S
MARSHALL,J.S.	8711240064	50-445	S
MARSHALL,J.S.	8711240128	50-445	A
MARSHALL,J.S.	8711240156	50-445	S
MARSHALL,J.S.	8711240168	50-445	S
MARSHALL,J.S.	8711240187	50-445	S
MARSHALL,J.S.	8711240242	50-445	S
MARSHALL,J.S.	8711240278	50-445	Q
MARSHALL,J.S.	8711240305	50-445	Q
MARSHALL,J.S.	8711240310	50-445	S
MARSHALL,J.S.	8711250039	50-445	Q
MARSHALL,J.S.	8711250040	50-445	S
MARSHALL,J.S.	8711250073	50-445	S
MARSHALL,J.S.	8711250130	50-445	S
MARSHALL,J.S.	*8711250183*	*50-445*	*V*
MARSHALL,J.S.	8711250185	50-445	S
MARSHALL,J.S.	8711300058	50-445	S
MARSHALL,W.J.	8711190132	50-289	F
MARSHALL,W.J.	8711230111	50-289	F
MARTIN,D.W.	8711190161*	50-312	P
MARTIN,D.W.	8711200199	50-312	F
MARTIN,J.B.	8711060213	50-275	Q
MARTIN,J.B.	8711090073*	50-275	Q
MARTIN,J.B.	8711090264	50-528	Q
MARTIN,J.B.	8711250247*	50-275	P
MARTIN,R.D.	8711030130*	50-445	A
MARTIN,R.D.	8711030169*	50-445	A
MARTIN,R.D.	*8711030274**	*50-445*	*A*
MARTIN,R.D.	8711030281*	50-445	A
MARTIN,R.D.	8711090159	50-382	P
MARTIN,R.D.	8711090356	50-482	P
MARTIN,R.D.	8711160246	50-266	Q
MARTIN,R.D.	8711300102	50-267	F
MARTIN,R.D.	8711300228	50-482	Q
MARTIN,R.E.	8711060102	50-335	R
MARTIN,R.H.	8711190104	50-458	R
MARTIN,T.T.	8711020504	70-371	
MARTIN,T.T.	8711040174	50-289	Q
MARTIN,T.T.	8711040220	70-1100	
MARTIN,T.T.	8711040223	50-289	Q
MARTIN,T.T.	8711050043	50-387	F
MARTIN,T.T.	8711050103	50-272	F
MARTIN,T.T.	8711090122	50-289	Q
MARTIN,T.T.	8711090170	50-244	Q
MARTIN,T.T.	8711090191	50-309	Q
MARTIN,T.T.	8711090231	50-354	Q
MARTIN,T.T.	8711090239	50-220	Q
MARTIN,T.T.	8711130178	50-184	Q
MARTIN,T.T.	8711130260	50-412	Q
MARTIN,T.T.	8711200157	50-199	Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
MARTIN,T.T.	8711230212	50-245	Q
MARTIN,T.T.	8711230366	50-293	Q
MARTIN,T.T.	8711230423	70-820	
MARTIN,T.T.	8711240016	50-443	Q
MARTIN,T.T.	8711240032	50-245	Q
MARTIN,T.T.	8711240056	50-322	Q
MARTIN,T.T.	8711240162	50-412	Q
MARTIN,T.T.	8711250012	50-293	Q
MARTIN,T.T.	8711300081	70-687	
MARTIN,T.T.	8711300082	50-412	Q
MARTIN,T.T.	8711300123	50-213	F
MARTIN,T.T.	8711300139	70-1143	
MARTIN,T.T.	8711300154	70-938	
MARTIN,T.T.	8711300165	50-277	Q
MARTIN,T.T.	8711300184	70-135	
MARTIN,T.T.	8711300200	50-289	Q
MARTIN,T.T.	8711300209	50-272	F
MARTIN,W.G.	8711240019*	50-443	Q
MARUDAS,D.	8711040301	71-607	
MARUDAS,D.	8711040305*	71-607	
MASINGTON,D.K.	8711020056*	CONTRACT	
MASSE,F.	8711300167*	70-938	
MASYNK,O.	8711240135*	70-27	
MATCHETT,S.D.	8711110090	50-322	G
MATHIS,J.L.	8711130073*	50-416	Q
MATTA,G.	8711110114*	50-445	A
MATTHEWS,D.B.	8710230331*	50-155	F
MATTHEWS,P.J.	8711190016*	50-443	G
MATTHEWS,T.P.	8711230337	50-285	R
MAUCK,C.J.	8711200314	71-9860	
MAUCK,C.J.	8711230006	71-5830	
MAUCK,C.J.	8711230124	71-5830	
MAUDLIN,P.J.	8711100095	NUREG	
MAVROULES,N.	8711020458*	50-444	H
MAVROULES,N.	8711100192*	50-443	H
MAXON,H.R.	8711100335	PR	
MAXWELL,D.C.	8711200153	50-237	R
MAXWELL,G.F.	8711190274*	50-400	Q
MAZZAFERRO,P.	8711190065	50-220	S
MAZZAFERRO,P.	8711190280	50-220	S
MAZZAFERRO,P.	8711240162	50-220	S
MAZZAFERRO,P.	8711240196	50-220	S
MAZZAFERRO,P.	8711240221	50-220	S
MCALPINE,E.J.	87110901197	70-143	
MCALPINE,E.J.	8711130216*	70-1151	
MCALPINE,E.J.	8711230421*	70-143	
MCALPINE,E.J.	8711300025*	50-324	Q
MCCABE,E.C.	8711050105*	50-213	Q
MCCABE,E.C.	8711300032*	50-423	Q
MCCAUGHEY,D.A.	8711230209*	70-1068	
MCCLESKEY,J.N.	8711040067	50-322	G
MCCLESKEY,J.N.	8711040067	50-322	G
MCCORMICK,W.T.	8711030464*	50-155	P
MCCOY,F.R.	8711190289*	50-327	Q
MCCOY,J.W.	8711030319*	50-412	P
MCCULLUGH,R.W.	8711160196*	TOPREP	
MCDONALD,D.G.	8711050220	50-250	P
MCDONALD,D.G.	8711200188	50-250	P
MCDONALD,D.J.	8711300013*	40-8406	
MCDONALD,R.P.	8711020486	50-348	S
MCDONALD,R.P.	8711030350	50-348	P
MCDONALD,R.P.	8711030533	50-348	Q
MCDONALD,R.P.	8711100313	50-348	Q
MCDONALD,R.P.	8711100512	50-348	S
MCDONALD,R.P.	8711130261	50-348	P
MCDONALD,R.P.	8711160101	50-348	S
MCDONALD,R.P.	8711160121	50-348	S
MCDONALD,R.P.	8711160134	50-348	S
MCDONALD,R.P.	8711180119	50-364	S
MCDONALD,R.P.	8711190139	50-364	S
MCDONALD,R.P.	8711190233	50-364	R
MCDONALD,R.P.	8711200049	50-348	S
MCDONALD,R.P.	8711200103	50-348	R
MCDONALD,R.P.	8711230293	50-348	Q
MCDONALD,R.P.	8711250029	50-348	F
MCDONALD,R.P.	8711300064	50-348	Q
MCDONALD,R.P.	8711300069	50-348	P
MCDONALD,R.P.	8711300135	50-348	Q
MCDONALD,R.P.	8711300224	50-364	P
MCEACHERN,P.	8711110047	50-443	G
MCEACHERN,P.	8711110047	50-443	G
MCEACHERN,P.	8711110065*	50-443	G
MCEACHERN,P.	8711110065*	50-443	G
MCEACHERN,P.	8711110069*	50-443	G
MCEACHERN,P.	8711110069*	50-443	G
MCEACHERN,P.	8711110078	50-443	G
MCEACHERN,P.	8711110078	50-443	G
MCELHINNEY,T.F.	8711190285*	50-250	Q
MCFADDEN,J.R.	8711300095*	70-687	
MCFADDEN,K.M.	8711160184	NUREG	
MCGEHEE,F.M.	8711160069	FOIA	
MCGRANE,J.P.	8711130211*	50-219	S
MCGRANERY,J.P.	8711100290	PR	
MCGUFFIN,J.C.	8711090103*	CONTRACT	
MCGUFFIN,J.C.	8711250064*	CONTRACT	
MCGUIRE,D.R.	8711090158*	50-261	Q
MCGUIRE,D.R.	8711090360*	70-143	
MCGUIRE,D.R.	8711200351*	50-321	Q
MCGUIRE,D.R.	8711230014*	50-302	Q
MCGUIRE,D.R.	8711240135*	70-27	
MCIVOR,T.J.	8711160100	50-285	S
MCIVOR,T.J.	8711300128	50-285	S
MCKENNA,T.	8711060294	NUREG	
MCKERNON,T.O.	8711130270*	50-458	Q
MCKIBBEN,J.C.	8711020317	50-186	Q
MCLEAREN,T.	8711230393	CONTRACT	
MCLOUGHLIN,D.	8711020214*	PR	
MCLOUGHLIN,D.	8711190314	50-334	F
MCLOUGHLIN,D.	8711200329	50-335	F
MCLOUGHLIN,D.	8711200375	50-280	F
MCMURRAY,C.M.	8711040088	50-322	G
MCMURRAY,C.M.	8711040088	50-322	G
MCMURRAY,C.M.	8711170019	50-322	G
MCMURRAY,C.M.	8711170019	50-322	G
MCNEIL,S.A.	8711120020	50-317	P
MCNEIL,S.A.	8711200117	50-317	P
MCNEILL,C.A.	8711020050	50-272	P
MCNEILL,C.A.	8711020409	50-272	P
MCNEILL,C.A.	8711060249	50-272	Q
MCNEILL,C.A.	8711090150	50-272	P
MCNEILL,C.A.	8711160217	50-272	P
MCNEILL,C.A.	8711160288	50-354	P
MCNEILL,C.A.	8711200093	50-354	P
MCNEILL,C.A.	8711200155	50-311	P
MCNEILL,C.A.	8711200220	50-354	R
MCNEILL,C.A.	8711230037	50-354	P
MCNEILL,C.A.	8711240081	50-354	P
MCNEILL,C.A.	8711300067	50-272	P
MCNUTT,G.	8711240225*	50-259	P
MCNUTT,G.R.	8711030273*	50-259	P
MCNUTT,G.R.	8711030289*	50-259	P
MCNUTT,G.R.	8711030293*	50-259	P
MCPEEK,E.W.	8711160065*	50-255	Q
MCQUAID,P.J.	8711200130*	50-445	A
MEADE,K.E.	8711200315	50-328	S
MEADE,K.E.	8711300088	50-327	S
MEADE,K.E.	8711300185	50-327	S
MEDFORD,M.O.	8711020428	50-361	Q
MEDFORD,M.O.	8711060301	50-361	P
MEDFORD,M.O.	8711090217	50-361	P
MEDFORD,M.O.	8711100271	50-206	S
MEDFORD,M.O.	8711100341	50-206	P
MEDFORD,M.O.	8711100361	50-206	S
MEDFORD,M.O.	8711190183	50-206	P
MEDFORD,M.O.	8711230218	50-206	P
MEDFORD,M.O.	8711240017*	50-206	F
MEDFORD,M.O.	8711240035	50-206	P
MEDFORD,M.O.	8711240087	50-361	F
MEDFORD,M.O.	8711300115	50-361	P
MEDINA,V.	8711230068*	CONTRACT	
MEEHAN,B.	8711160050	CONTRACT	
MEEHAN,B.	8711190002	CONTRACT	
MEGAHED,M.M.	8711090336	NUREG	
MELLEN,L.S.	8711110117*	50-413	Q
MENDONCA,M.	8711130105	50-323	S
MENDONCA,M.M.	8711030529*	50-344	Q
MENDONCA,M.M.	8711240131*	50-275	Q
MENDONCA,M.M.	8711300109*	50-344	Q
MENGERS,C.A.	8711040190	50-352	S
MENGERS,C.A.	8711190263	50-352	S
MENGERS,C.A.	8711200154	50-352	S
MENGERS,C.A.	8711230419	50-352	S
MENGERS,C.A.	8711250219	50-352	S
MENGERS,C.A.	8711300265	50-352	S
MERKLE,J.G.	8711160022	NUREG	
MERSCHOFF,E.W.	8711030248	QA999	
MERSCHOFF,E.W.	8711040271	QA999	
MERSCHOFF,E.W.	8711060173*	QA999	
MERSCHOFF,E.W.	8711130004	QA999	
MESERVE,R.A.	8711190077	40-2061	
MESERVE,R.A.	8711190077	40-2061	
MEYER,G.W.	8711040177*	50-97	Q
MEYER,T.A.	8711030374*	50-348	P
MEYER,T.A.	8711100376*	50-482	P
MEYER,T.A.	8711170182*	50-244	F
MICHAELS,T.S.	8711040260	50-193	P
MICHAELS,T.S.	8711200081	50-193	P
MICHAUD,P.W.	8711130109*	50-267	Q
MIDDLETON,L.L.	8711200309	50-277	R
MIKALIAKE,J.	8711160066	50-318	P
MILANO,P.	8711130017	50-493	Q
MILANO,P.	8711200098	50-261	Q
MILLARD,H.T.	8711030287	50-274	P
MILLARD,H.T.	8711250225	50-274	Q
MILLER,C.A.	8711020296*	50-382	P
MILLER,D.B.	8711090378	50-213	S
MILLER,D.B.	8711190103	50-213	R
MILLER,D.B.	8711240285	50-213	S
MILLER,D.E.	8711060171*	50-409	Q
MILLER,G.	8711160142	50-382	R
MILLER,H.J.	8711060185	50-454	Q
MILLER,H.J.	8711090269	50-254	P
MILLER,H.J.	8711300258	50-331	Q
MILLER,H.J.	8711300264*	50-331	Q
MILLER,J.R.	8402030155	50-344	P
MILLER,L.	8711170185	50-331	R
MILLER,L.	8711230433	50-312	S
MILLER,L.R.	8711090022*	50-341	Q
MILLER,M.A.	8711030111	50-425	A
MILLER,M.A.	8711100022	50-424	P
MILLER,M.A.	8711130278	50-425	A
MILLER,M.A.	8711130302	50-424	P
MILLER,M.A.	8711250047	50-424	P
MILLER,M.A.	8711250113	50-425	P
MILLER,M.A.	8711250227	50-424	P
MILLER,M.S.	8711190013	50-322	G
MILLER,M.S.	8711190013	50-322	G
MILLER,M.S.	8711190060	50-322	G
MILLER,M.S.	8711190060	50-322	G
MILLER,W.H.	8711130294*	50-348	Q
MILTENBERGER,S.	8711030208	50-272	V
MIRAGLIA,F.J.	8711100431	50-3	P
MIRAGLIA,F.J.	8711250046*	50-530	P
MIRANDA,A.	8711160162	50-318	S
MITCHELL,D.B.	8711030384*	FOIA	
MITCHELL,G.	8711100310	PR	
MITZELFELT,R.	8711030012	40-8904	
MITZELFELT,R.	8711160200	40-8905	
MIZUNO,G.S.	8711040103	50-445	G
MOFFATT,L.W.	8711040140	50-302	S
MOFFATT,L.W.	8711100240	50-302	S
MOFFATT,L.W.	8711130293	50-302	S
MOHN,S.E.	8711190206	50-335	S
MOHN,S.E.	8711300110	50-335	S
MONTGOMERY,J.L.	8711230197	70-734	
MONTGOMERY,J.L.	8711230332	50-344	Q
MONTGOMERY,J.L.	8711240006	70-1257	
MONTGOMERY,J.L.	8711240082	XPORTLIC	
MONTGOMERY,S.D.	8711100308*	50-282	P
MONTGOMERY,S.D.	8711170077*	TOPREP	
MOORE,J.E.	8711040111*	50-445	G
MOORE,J.E.	8711170014	50-445	G
MOORE,R.N.	8711020046	XPORTLIC	
MOORE,R.N.	8711020323	XPORTLIC	
MOORE,R.N.	8711090042	XPORTLIC	
MOORHEAD,C.J.	8711110164*	40-8027	
MOORMAN,J.H.	8711130309*	50-348	V
MORFIS,R.	8711200255	PR	
MORGAN,H.E.	8711020502	50-361	S
MORGAN,H.E.	8711040044	50-362	S
MORGAN,H.E.	8711050273	50-361	S
MORGAN,H.E.	8711100358	50-206	S
MORGAN,H.E.	8711130062	50-361	S
MORGAN,H.E.	8711130205	50-361	S
MORGAN,H.E.	8711130215	50-361	S
MORGAN,H.E.	8711170098	50-361	S
MORGAN,H.E.	8711170174	50-361	S
MORGAN,H.E.	8711170241	50-362	S
MORGAN,H.E.	8711190084	50-361	P
MORGAN,H.E.	8711190090	50-206	P
MORGAN,H.E.	8711300045	50-206	S
MORGAN,R.E.	8711020335	50-261	S
MORGAN,R.E.	8711090019	50-261	P
MORGAN,R.E.	8711090351	50-261	P
MORGAN,R.E.	8711160289	50-261	P
MORGAN,R.L.	8711060087	ORG	
MORGAN,W.E.	8711190125	50-237	P
MORLEY,B.M.	8711180047	NUREG	
MORRILL,P.J.	8711020505*	50-344	V
MORRILL,P.J.	8711170214*	50-27	V
MORRIS,A.	8711300203	NUREG	
MORRIS,B.M.	8711100247	PROJ	
MORRIS,B.M.	8711170163	PROJ	
MORZENTI,S.P.	8711030547	40-8857	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MORZENTI,S.P.	8711160268	40-8857
MORZENTI,S.P.	8711230093	40-8857
MOSLAK,T.	8711190133	50-320 S
MOWER,H.W.	8711110033	PR
MOWERY,E.C.	8711160079*	CONTRACT
MOXLEY,M.	8711160210	40-1162
MOYNIHAN,D.P.	8711100377	PR
MRAZEK,R.J.	8711020047	PR
MRAZEK,R.J	8711020093*	PR
MRAZEK,R.J.	8711020458*	50-322 H
MROCZKA,E.J.	8711020151	50-213 P
MROCZKA,E.J.	8711020151	50-213 P
MROCZKA,E.J	8711020151	50-213 P
MROCZKA,E.J.	8711020313	50-245 Q
MROCZKA,E.J.	8711020313	50-245 Q
MROCZKA,E.J	8711020357	50-336 Q
MROCZKA,E.J.	8711020357	50-336 Q
MROCZKA,E.J.	8711030214	50-213 P
MROCZKA,E.J.	8711050021	50-336 Q
MROCZKA,E.J.	8711050021	50-336 Q
MROCZKA,E.J.	8711060077	50-213 F
MROCZKA,E.J	8711060200	50-423 P
MROCZKA,E.J	8711060200	50-423 P
MROCZKA,E.J	8711090100	50-336 P
MROCZKA,E.J.	8711090100	50-336 P
MROCZKA,E.J.	8711090330	50-213 H
MROCZKA,E.J.	8711090330	50-213 H
MROCZKA,E.J.	8711090330	50-213 H
MROCZKA,E.J.	8711100354	50-423 E
MROCZKA,E.J.	8711100354	50-423 E
MROCZKA,E.J.	8711100378	50-245 Q
MROCZKA,E.J.	8711100378	50-245 Q
MROCZKA,E.J.	8711100378	50-336 P
MROCZKA,E.J.	8711100378	50-336 P
MROCZKA,E.J.	8711170250	50-213 F
MROCZKA,E.J.	8711190368	50-423 P
MROCZKA,E.J.	8711190368	50-423 P
MROCZKA,E.J.	8711200077	50-423 E
MROCZKA,E.J.	8711200077	50-423 E
MROCZKA,E.J.	8711200146	50-213 P
MROCZKA,E.J.	8711230084	71-5450
MROCZKA,E.J.	8711230084	71-5450
MROCZKA,E.J.	8711230142	50-213 P
MROCZKA,E.J.	8711230284	50-423 P
MROCZKA,E.J	8711230284	50-423 P
MROCZKA,E.J	8711230307	50-213 P
MROCZKA,E.J.	8711230443	50-245 F
MROCZKA,E.J.	8711230443	50-245 F
MROCZKA,E.J.	8711240098	50-213 P
MROCZKA,E.J.	8711240140	50-213 F
MROCZKA,E.J.	8711240193	50-245 Q
MROCZKA,E.J	8711240193	50-245 Q
MULDER,R.U.	8711300150*	50-62 Q
MULLER,D.R.	8711100198*	50-454 P
MULLER,D.R.	8711120022	50-254 P
MULLER,D.R.	8711120028*	50-254 P
MULLER,D.R.	8711190207	50-461 P
MULLER,D.R.	8711190355	50-374 P
MULLER,D.R.	8711190365*	50-374 P
MULLER,D.R.	8711250091	50-237 P
MULLER,D.R.	8711250268	50-237 P
MULLETT,D.J.	8711110071	50-271 G
MULLETT,D.J.	8711110075*	50-271 G
MULLETT,D.J.	8711190052	50-271 G
MULLETT,D.J.	8711190055*	50-271 G
MULLIKIN,R.P.	8711040378*	50-462 Q
MULLIKIN,R.P.	8711090361*	50-298 Q
MUNRO,J.F.	8711130309*	50-348 V
MUNRO,J.F.	8711200207*	50-413 V
MUNRO,J.J.	8711060276	71-642
MUNRO,P.S.	8711100368	NUREG
MURILLO,D.M.	8711200380	PROJ
MURLEY,T.E.	8706230066	ORG
MURLEY,T.E.	8707290087*	ORG
MURLEY,T.E.	8708070081*	ORG
MURLEY,T.E.	8708170009*	ORG
MURLEY,T.E.	8708260230*	ORG
MURLEY,T.E.	8708270050*	ORG
MURLEY,T.E.	8708270091*	ORG
MURLEY,T.E.	8709030153*	ORG
MURLEY,T.E.	8711020168*	ORG
MURLEY,T.E.	8711020174	50-271 P
MURLEY,T.E.	8711030050	50-320 P
MURLEY,T.E.	8711030403	50-275 P
MURLEY,T.E.	8711040296	50-269 G
MURLEY,T.E.	8711040326*	ORG
MURLEY,T.E.	8711040340*	50-269 Q
MURLEY,T.E.	8711060027	ORG
MURLEY,T.E.	8711160045	50-440 H
MURLEY,T.E.	8711160290*	50-440 H
MURLEY,T.E.	8711170108*	ORG
MURLEY,T.E.	8711200106	50-219 P
MURLEY,T.E.	8711250253*	50-530 P
MURLEY,T.E.	8711300021*	ORG
MURLEY,T.E.	8711300027*	ORG
MURPHY,A.P.	8711230166	50-271 F
MURPHY,D.D.	8711250256*	50-275 P
MURPHY,G.	8711020102*	50-327 P
MURPHY,K.E.	8711160019	50-245 S
MURPHY,K.G.	8711300275*	50-387 O
MURPHY,S.	8711130354	NUREG
MURPHY,W.P.	8711090105	50-271 O
MURPHY,W.P.	8711170254	50-271 R
MURRAY,B.	8711020529*	50-482 Q
MURRAY,B.	8711040381	50-458 S
MURRAY,B.	8711130298*	50-72 O
MURRAY,J.P.	8711110050	40-8027
MUSOLF,D.	8711060227	50-263 P
MUSOLF,D.	8711060264	50-263 P
MUSOLF,D.	8711060269	50-263 P
MUSOLF,D.	8711060307	50-282 O
MUSOLF,D.	8711100276	50-282 R
MUSOLF,D.	8711100369	50-282 P
MUSOLF,D.	8711100392*	50-282 P
MUSOLF,D.	8711160094	50-263 R
MUSOLF,D.	8711170056	50-263 P
MUSOLF,D.	8711170276	50-263 S
MUSOLF,D.	8711300100	50-282 S
MUSOLF,D.	8711300142	50-282 S
MUSOLF,D.	8711300161	50-263 S
MUSOLF,D.	8711300253	50-282 S
MYERS,J.F.	8711130238	NUREG
MYRABO,A.L.	8711160094	50-263 R
NACY,G.	8711170223*	50-244 F
NAIDU,K.R.	8711040293*	OA999
NAIK,J.A.	8711020356	50-327 S
NAIK,J.A.	8711230193	50-327 S
NANSTAD,R.K.	8711160022	NUREG
NAPUDA,G.	8711040181*	50-277 O
NARBUT,P.	8711130105	50-323 S
NARBUT,P.	8711160176	50-275 S
NARBUT,P.P.	8711090098*	50-275 Q
NARDI,A.J.	8711060288	71-6294
NARDI,A.J.	8711100374	50-22 R
NARDONE,P.	8711160096	50-443 R
NAUMAN,D.A.	8711020265	50-395 S
NAUMAN,D.A.	8711100371	50-395 F
NAUMAN,D.A.	8711160143	50-395 V
NAUMAN,D.A.	8711170091	50-395 R
NAUMAN,D.A.	8711170193	50-395 F
NAUMAN,D.A.	8711170255	50-395 F
NAUMAN,D.A.	8711190112	50-395 P
NAUMAN,D.A.	8711230121	50-395 Q
NAUMAN,D.A.	8711250079	50-395 F
NAUMAN,D.A.	8711250180	50-395 S
NAUS,D.J.	8711160022	NUREG
NEIGHBORS,J.D.	8711200051	50-286 P
NELSON,T.A.	8711160160	50-323 S
NEMETH,E.	8711230004	PR
NERON,G.	8711170018	50-336 R
NEWBURGH,G.	8711160104	50-245 R
NEWMAN,L.W.	8711030384*	FOIA
NEWSOME,R.W.	8711190172*	50-348 O
NEWTON,R.A.	8711030302	NUREG
NEWTON,R.A.	8711240307	TOPREP
NEWTON,R.A.	8711250245	TOPREP
NICHOLAS,J.B.	8711020529*	50-482 Q
NICHOLSON,L.E.	8711160097*	50-260 O
NICOLETTE,V.F.	8711030077	NUREG
NIEMEYER,E.	8711170084	CONTRACT
NIEMEYER,E.	8711170087*	CONTRACT
NIEMEYER,E.	8711200312*	CONTRACT
NIEMEYER,E.	8711200310*	CONTRACT
NIGHTINGALE,T.	8711180084	NUREG
NIMITZ,R.L.	8711040184*	50-260 O
NITZ,K.C.	8711180047	NUREG
NOAL,R.	8711170211*	CONTRACT
NOBLES,L.M.	8711020251	50-327 S
NOBLES,L.M.	8711020356	50-327 S
NOBLES,L.M.	8711060253	50-327 S
NOBLES,L.M.	8711130110	50-327 S
NOBLES,L.M.	8711170277	50-327 S
NOBLES,L.M.	8711190033	50-327 S
NOBLES,L.M.	8711190235*	50-327 S
NOBLES,L.M.	8711200315	50-328 S
NOBLES,L.M.	8711230193	50-327 S
NOGA,D.M.	8711040032*	CONTRACT
NOLAN,H.L.	8711060153	OA999
NORBERG,J.A.	8711170068*	TOPREP
NORELIUS,C.E.	8711020322	50-295 Q
NORELIUS,C.E.	8711020363	50-440 P
NORELIUS,C.E.	8711020383	50-440 Q
NORELIUS,C.E.	8711060216	50-483 Q
NORELIUS,C.E.	8711090062	50-282 Q
NORELIUS,C.E.	8711090276	50-483 Q
NORELIUS,C.E.	8711090305	50-440 Q
NORELIUS,C.E.	8711160198	50-10 P
NORELIUS,C.E.	8711160273	50-440 Q
NORELIUS,C.E.	8711230368	50-440 P
NORELIUS,C.E.	8711300138	50-409 P
NORMAN,D.E.	8711130124*	50-482 Q
NORRHOLM,L.J.	8711030228*	50-206 Q
NORRIS,B.S.	8711130181*	50-166 V
NORRIS,B.S.	8711230301*	50-309 V
NORRIS,J.A.	8711030206	50-295 P
NORTH,P.J.	8711300036	50-269 S
NOVACHEK,F.J.	8711200287	50-267 R
O'BRIEN,J.P.	8711190326*	50-206 Q
O'CONNOR,P.W.	8608010294	50-482 P
O'CONNOR,P.W.	8711100183	50-482 P
O'CONNOR,P.W.	8711110122	50-482 Q
O'CONNOR,P.W.	8711130237	50-482 P
O'CONNOR,P.W.	8711160300	50-482 P
O'CONNOR,P.W.	8711170058	50-482 P
O'CONNOR,P.W.	8711230087	50-482 S
O'CONNOR,P.W.	8711230222	50-482 P
O'CONNOR,T.A.	8711250381*	50-320 F
O'HARA,D.P.	8711170039	FOIA
OBERG,C.T.	8711230422*	40-2917
OBERSTEGBRINK,W.	8711240048	50-322 G
OLESKEY,S.H.	8711190037	50-443 G
OLIVEIRA,W.	8711180149*	50-219 Q
OLIVEIRA,W.	8711240088*	50-293 Q
OLMSTEAD,C.A.	8711020332	50-344 S
OLMSTEAD,C.A.	8711020343	50-344 S
OLMSTEAD,C.A.	8711030355	50-344 S
OLMSTEAD,C.A.	8711100413	50-344 S
OLMSTEAD,C.A.	8711110151	50-344 S
OLMSTEAD,C.A.	8711170092	50-344 R
OLMSTEAD,C.A.	8711200340	50-344 S
OLMSTEAD,C.A.	8711230364	50-344 S
OLMSTEAD,C.A.	8711240171	50-344 S
OLMSTEAD,C.A.	8711240207	50-344 S
OLSEN,A.F.	8711200332	70-824
OLSEN,A.F.	8711200366	71-0216
OLSEN,T.	8711230003	40-8629
OLSEN,T.T.	8711030176*	WASTE MGT
OLSEN,T.T.	8711030213	WASTE MGT
OLSHAN,L.	8711200000	50-454 P
OLSHAN,L.N.	8711020088	50-454 P
OLSHAN,L.N.	8711100190	50-454 P
OLSON,P.D.	8711170100	50-508 S
OLSON,P.D.	8711300190	50-508 Q
ORDERS,W.	8711130146*	50-369 Q
ORDERS,W.T.	8711110117*	50-413 Q
ORSER,W.S.	8711020348	50-341 S
ORSER,W.S.	8711020404	50-341 S
ORSER,W.S.	8711020510	50-341 S
ORSER,W.S.	8711030466	50-341 P
ORSER,W.S.	8711050159	50-341 S
ORSER,W.S.	8711050172	50-341 S
ORSER,W.S.	8711060983	50-341 S
ORSER,W.S.	8711060185	50-341 P
ORSER,W.S.	8711100352	50-341 S
ORSER,W.S.	8711100270	50-341 R
ORSER,W.S.	8711200121	50-341 S
ORSER,W.S.	8711300068	50-341 S
OSGOOD,S.	8711300024	70-1426
OTIS,M.D.	8711090388	NUREG
OTTO,S.M.	8711020525	50-289 S
OUELLETTE,R.W.	8711050114	50-413 P
PACKARD,G.C.	8711200020	50-255 R
PADOVAN,L.M.	8711090098*	50-275 Q
PAGE,M.	8711090021	CONTRACT
PAGE,M.	8711170203	CONTRACT
PAGE,M.	8711180075	CONTRACT
PAGE,M.	8711180077	CONTRACT
PAGE,M.	8711200358	CONTRACT
PAGE,M.	8711230104	CONTRACT
PAGE,M.	8711250034	CONTRACT
PAGE,M.	8711250258	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
PALLADINO,N.J.	8711060181*	FOIA		PETERSON,M.R.	8711020045	XPORTLIC		QUERIO,R.E.	8711190202	50-454	S
PALOMINO,F.G.	8711110077	50-322	G	PETERSON,M.R.	8711020163	XPORTLIC		QUINN,G.J.	8711030308	71-9212	
PALOMINO,F.G.	8711190013	50-322	G	PETERSON,M.R.	8711020293	XPORTLIC		QUINN,G.J.	8711030308	71-9212	
PALOMINO,F.G.	8711190060	50-322	G	PETERSON,M.R.	8711060174	XPORTLIC		RABINOWICZ,E.	8711200341	50-293	P
PALOMINO,F.G.	8711240013	50-322	G	PETERSON,M.R.	8711060201	XPORTLIC		RACO,R.J.	8711240173*	50-295	P
PALOMINO,F.G.	8711240025	50-322	G	PETERSON,M.R.	8711060207	XPORTLIC		RADER,R.M.	8711180136	FOIA	
PALUSAMY,S.S.	8711240117*	50-334	P	PETERSON,M.R.	8711060214	XPORTLIC		RAGSDALE,J.B.	8711190230*	50-327	P
PANG,A.	8711020283*	50-259	P	PETERSON,M.R.	8711060245	XPORTLIC		RAGSDALE,J.B.	8711190237*	50-327	P
PANTLE,T.	8711240208*	40-7580		PETERSON,M.R.	8711060285	XPORTLIC		RAMEY-SMITH,A.	8711030070	NUREG	
PAOLINO,R.	8711250178*	50-245	Q	PETERSON,M.R.	8711090009	XPORTLIC		RAMOS,F.	8711090033	50-458	S
PAOLINO,R.J.	8711020513*	50-277	Q	PETERSON,M.R.	8711090016	XPORTLIC		RANDALL,R.G.	8711060027	50-410	S
PAPANIC,G.	8711020420	50-29	P	PETERSON,M.R.	8711090026	XPORTLIC		RANDALL,R.G.	8711060036	50-410	S
PAPANIC,G.	8711020468	50-29	P	PETERSON,M.R.	8711090063	XPORTLIC		RANDALL,R.G.	8711130113	50-410	S
PAPANIC,G.	8711100071	50-29	P	PETERSON,M.R.	8711090107	XPORTLIC		RANDALL,R.G.	8711130166	50-410	S
PAPANIC,G.	8711170117	50-29	P	PETERSON,M.R.	8711090117	XPORTLIC		RANDALL,R.G.	8711240120	50-410	S
PAPANIC,G.	8711300144	50-29	P	PETERSON,M.R.	8711090135	XPORTLIC		RANDALL,R.G.	8711240150	50-410	S
PAPERIELLO,C.J.	8711040062	50-483	Q	PETERSON,M.R.	8711250045	XPORTLIC		RANDALL,R.G.	8711240223	50-220	S
PARECE,M.V.	8711190306*	50-302	P	PETERSON,M.R.	8711250049	XPORTLIC		RANDALL,R.G.	8711240233	50-410	S
PARECE,M.V.	8711190310*	50-302	P	PETERSON,M.R.	8711250055	XPORTLIC		RANDALL,R.G.	8711240275	50-410	S
PARIS,O.H.	8711110084	50-320	G	PETERSON,M.R.	8711250105	XPORTLIC		RANDALL,R.G.	8711250006	50-410	S
PARKEY,G.L.	8711200222	50-498	R	PETTENGILL,H.	8711200262	40-8452		RANDALL,R.G.	8711250128	50-410	S
PARKS,J.	8711050116	TOPREP		PETTENGILL,H.J.	8711030014	40-8903		RANDALL,R.G.	8711250250	50-410	S
PARTLOW,J.G.	8711020043	50-387	P	PETTENGILL,H.J.	8711030137	40-8084		RANDAZZA,J.B.	8711040033	50-389	P
PARTLOW,J.G.	8711050147	50-395	F	PETTENGILL,H.J.	8711030185	40-8622		RANDAZZO,J.A.	8711050103	50-289	S
PARTLOW,J.G.	8711090371	QA999		PETTENGILL,H.J.	8711030232	40-8905		RANDAZZO,J.A.	8711060045	50-289	S
PARTLOW,J.G.	8711160061	50-255	Q	PETTENGILL,H.J.	8711030310	40-8907		RANDAZZO,J.A.	8711060113	50-289	S
PASCIAK,W.	8711090194*	50-309	Q	PETTENGILL,H.J.	8711060210	40-8905		RANDAZZO,J.A.	8711060255	50-269	S
PASCIAK,W.	8711090198	70-1100		PETTENGILL,H.J.	8711060278	40-8752		RANDOLPH,J.G.	8711190352	40-8027	
PASCIAK,W.J.	8711000255*	50-220	Q	PETTENGILL,H.J.	8711060286*	40-8752		RANDOLPH,J.G.	8711190369*	40-8027	
PASCIAK,W.J.	8711230428*	70-820		PETTENGILL,H.J.	8711090053	40-8905		RANGE,D.M.	8711160302	40-8102	
PASCIAK,W.J.	8711300096*	70-687		PETTENGILL,H.J.	8711090357*	40-8084		RAY,H.B.	8711250010	50-361	Q
PASTIS,H.N.	8711100126	50-269	P	PETTENGILL,H.J.	8711200036	40-3453		RAYBURN,J.E.	8711170222	FOIA	
PASTIS,H.N.	8711100237	50-269	P	PETTENGILL,H.J.	8711230080	40-8905		RAZDAN,K.B.	8711060187	FOIA	
PASTIS,H.N.	8711250149	50-269	P	PETTENGILL,H.J.	8711230132	40-3453		REAVIS,J.A.	8711200283	50-413	R
PATE,R.J.	8711020351	50-113	V	PETTIJOHN,S.	8711170184*	ORG		REAVIS,J.A.	8711200378	50-269	R
PATE,R.J.	8711020500	50-344	V	PETTIJOHN,S.L.	8711040254*	ORG		REAVIS,J.A.	8711230024	50-369	R
PATE,R.J.	8711090258	50-460	Q	PFAFF,S.J.	8711170072	40-6659		REBHOLZ,R.	8711040036	FOIA	
PATE,R.J.	8711100285	50-89	V	PFAFF,S.J.	8711170156	40-6659		REBUCK,E.C.	8711240216	40-8911	
PATE,R.J.	8711110005	50-206	V	PHILIPS,J.	8711060149*	FOIA		REEVES,E.	8711250163	50-348	P
PATE,R.J.	8711170209	50-27	V	PHILLIPS,H.S.	8711200184*	50-445	Q	REEVES,E.A.	8711020028	50-348	P
PATE,R.J.	8711190118	50-361	Q	PHILLIPS,J.L.	8711030299	40-8406		REEVES,E.A.	8711100264	50-348	P
PATE,R.J.	8711190186	50-528	Q	PHILLIPS,J.L.	8711300005	40-8406		REEVES,E.A.	8711230004	50-348	P
PATEL,C.P.	8711250103	50-280	P	PHILLIPS,M.P.	8711200041*	50-254	Q	REHM,T.A.	8711020133	COMMISSION	
PATEL,N.	8711160274	40-8902		PHILLIPS,M.P.	8711300268*	50-331	Q	REHM,T.A.	8711090066	COMMISSION	
PATEL,P.C.	8711110102*	50-445	A	PHILLIPS,W.C.	8711160199	50-285	S	REHM,T.A.	8711130284	COMMISSION	
PATEL,R.B.	8711300117*	50-305	P	PICK,G.A.	8711020433*	50-313	Q	REHM,T.A.	8711250030	COMMISSION	
PATON,W.D.	8711040092	50-498	G	PIERCE,N.S.	8711040339*	50-339	P	REICH,M.	8711020296*	50-362	P
PATTERSON,C.A.	8711300062*	50-269	Q	PILANT,J.M.	8711100017	50-298	F	REICHHOLD,W.	8711300279	I&E	
PATTERSON,J.	8711090046*	50-454	Q	PIOGGIA,M.	8711190080	50-528	F	REIGEL,D.W.	8711160246*	50-155	P
PATTERSON,J.P.	8711300236*	50-331	Q	PIRTLE,G.L.	8711060279*	50-155	Q	REIGEL,D.W.	8711160260*	50-155	P
PAUL,R.A.	8711030381*	50-266	Q	PIRTLE,G.L.	8711160065*	50-255	Q	REIS,T.	8711020132*	50-285	Q
PAULK,C.	8711230295*	50-395	Q	PIRTLE,G.L.	8711240283*	50-346	Q	REITLER,E.C.	8711040339*	50-339	P
PAULK,G.L.	8711300062*	50-259	Q	PLETTNER,E.A.	8711090361*	50-298	Q	RESCHESKE,P.R.	8711300268*	50-331	Q
PAULSEN,P.C.	8711200289	50-322	H	PLETTNER,E.A.	8711230441*	50-298	Q	REYES,L.A.	8711020009	50-250	Q
PAULSON,W.A.	8711020019	50-458	E	PLIML,G.J.	8711160149	50-295	R	REYES,L.A.	8711020027*	50-250	Q
PAULSON,W.A.	8711020115	50-458	P	PLOSKI,T.	8711090046*	50-454	Q	REYES,L.A.	8711130049	50-413	Q
PAULSON,W.A.	8711100073	50-458	P	PLOSKI,T.	8711190156*	50-305	Q	REYES,L.A.	8711130087	50-425	Q
PAULSON,W.A.	8711100156	50-458	P	POLLACK,M.J.	8711100316	50-311	S	REYES,L.A.	8711130200	50-250	Q
PAULSON,W.A.	8711200068	50-458	S	POLLACK,M.J.	8711100379	50-272	S	REYES,L.A.	8711190279	50-250	Q
PAYNE,A.C.	8711030077	NUREG		POLLACK,M.J.	8711100502	50-272	S	REYES,L.A.	8711190283*	50-250	Q
PAYNE,T.	8711180064	NUREG		POLLACK,M.J.	8711170041	50-272	S	REYES,L.A.	8711230429	50-369	Q
PEACOCK,B.M.	8711190219	50-458	R	POLLACK,M.J.	8711300284	50-272	S	REYNOLDS,J.W.	8711030464*	50-155	P
PEARSON,J.R.	8711040102	50-445	G	POLMAR,S.K.	8711200318*	CONTRACT		REYNOLDS,N.S.	8711020032	50-416	Q
PEARSON,J.R.	8711170039	50-445	G	POLTRONE,R.	8711200397	40-8502		REYNOLDS,N.S.	8711230143	PR	
PEEBLES,T.A.	8711130096*	50-413	Q	PONTO,J.A.	8711100321	PR		RICE,P.D.	8711060160	50-425	S
PEEBLES,T.A.	8711130146*	50-369	Q	PORTER,E.C.	8711030255	50-271	F	RICE,P.D.	8711170224	50-424	F
PEEBLES,T.A.	8711130227*	50-269	Q	POSTELLE,P.N.	8711180033*	CONTRACT		RICHARDS,S.	8711020367	50-530	S
PELLET,J.L.	8711030128*	50-298	V	POTAPOVS,U.	8711190175*	QA999		RICHARDS,S.	8711090340	50-528	S
PELLETIER,J.	8711230166	50-271	F	POTTER,J.	8711130217	50-29	S	RICHARDS,S.	8711190126*	50-361	Q
PELLETIER,J.P.	8711050127	50-271	S	POTTER,R.J.	8711090058	71-632		RICHARDS,S.	8711190196*	50-528	Q
PELLETIER,J.P.	8711060013	50-271	S	POTTS,W.E.	8711190132	50-289	F	RICHARDS,S.A.	8711090262*	50-460	Q
PELLETIER,J.P.	8711060050	50-271	S	POTTS,W.E.	8711230111	50-289	F	RICHARDS,S.A.	8711100188*	50-528	Q
PELLETIER,J.P.	8711100481	50-271	S	POWERS,C.M.	8711250222	50-397	S	RICHARDSON,J.H.	8711160074	50-321	R
PENDLETON,C.N.	8711300130*	50-323	Q	POWERS,C.M.	8711250267	50-397	S	RICHEY,R.B.	8711130376	50-324	P
PENNINGTON,W.S.	8711120112	40-7102		POWERS,D.A.	8711030156*	50-445	A	RICHEY,R.B.	8711240248	50-324	P
PENNINGTON,W.S.	8711170208	70-1359		PRELL,J.	8711190269*	50-352	Q	RICHINGS,H.	8711180044	50-447	A
PENNINGTON,W.S.	8711230028	40-3392		PRELL,J.A.	8711300095*	70-687		RICKER,R.	8711090211	NUREG	
PENNINGTON,W.S.	8711230138	40-7102		PRENDERGAST,K.	8711130212*	50-397	Q	RIDGWAY,K.R.	8711300072*	50-150	Q
PENNINGTON,W.S.	8711250211	40-3392		PREVATTE,R.L.	8711130248*	50-395	Q	RIECH,B.G.	8711090019	50-261	F
PEREIRA,D.B.	8711030529*	50-344	Q	PUGH,C.E.	8711160022	NUREG		RIECH,B.G.	8711160299	50-261	F
PERKINS,J.	8711120005	50-443	H	PUGH,C.E.	8711230334	NUREG		RIECK,T.	8711240268	50-295	F
PERRY,N.S.	8711040177*	50-97	Q	PURI,V.K.	8711240184*	50-327	P	RIEDLINGER,B.	8711030038	I&E	
PETERS,A.	8711030283*	50-259	P	QUAY,T.R.	8711090337	50-305	P	RING,M.A.	8711060143	50-10	R
PETERS,J.F.	8711160106	50-397	F	QUERIO,R.E.	8711020312	50-454	S	RING,M.A.	8711160203*	50-237	Q
PETERS,J.P.	8711050141	50-374	S	QUERIO,R.E.	8711100301	50-455	S	RING,M.A.	8711200307*	50-373	Q
PETERS,J.P.	8711230031	50-374	S	QUERIO,R.E.	8711100326	50-455	S	RIORDAN,B.	8711100260	NUREG	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
ROACH,G.L.	8711020264	50-285	S
ROARTY,D.H.	8711020090*	50-305	P
ROBARE,D.J.	8711160246*	50-155	P
ROBARE,D.J.	8711160260*	50-155	P
ROBERTS,J.P.	8711100139	ORG	
ROBERTS,J.P.	8711100149*	ORG	
ROBERTS,K.P.	8711100421	50-293	F
ROBEY,R.A.	8711170186	50-254	R
ROBINSON,G.C.	8711160022	NUREG	
ROBINSON,K.W.	8711160046*	CONTRACT	
ROBINSON,L.	8711190228	FOIA	
ROBINSON,L.L.	8711250256*	50-275	P
RODE,J.W.	8711030489*	FOIA	
ROE,J.W.	8711030109	50-282	V
ROGERS,P.C.	8711030343	50-313	S
ROGERS,P.S.	8711040339*	50-339	P
RHODE,K.G.	8711100297*	50-269	P
ROHRER,R.J.	8711240100	50-374	S
ROMAN,D.	8711180064	NUREG	
ROVAN,J.	8711160257*	50-220	R
ROMANO,F.R.	8711040105	50-352	G
ROMANO,F.R.	8711100022	50-352	G
ROMBERG,W.D.	8711090330	50-213	H
ROMBERG,W.D.	8711090330	50-213	H
ROMBERG,W.D.	8711100354	50-423	E
ROMBERG,W.D.	8711130078	50-336	P
ROMBERG,W.D.	8711170250	50-213	F
ROMBERG,W.D.	8711240096	50-213	P
ROOD,H.	8711030379	50-361	P
ROOD,H.	8711050160	50-361	P
ROOD,H.	8711050178*	50-361	P
ROOD,H.	8711110054	50-361	F
ROOD,H.	8711190276	50-361	F
ROONEY	8711040039*	50-293	P
ROONEY,V.	8711020022*	50-293	P
ROONEY,V.L.	8711030008*	50-244	P
ROSANO,R.	8711090035	50-250	Q
ROSCHEWSKI,W.R.	8508220003*	FOIA	
ROSENTHAL,A.S.	8711170030	50-275	G
ROSENTHAL,J.E.	8711260155	50-338	P
ROSPLOCH,C.A.	8711040377*	50-271	F
ROSS,G.W.	8711190012	50-445	G
ROSS,T.M.	8711050263	50-254	F
ROSSI,C.E.	8710290234	50-3	Q
ROSSI,C.E.	8711020017	50-3	Q
ROSSI,C.E.	8711050040	50-3	Q
ROSSI,C.E.	8711090140	50-3	Q
ROSSI,C.E.	8711120027	50-3	Q
ROSSI,C.E.	8711130008	50-3	Q
ROTH,J.	8711090198	70-1100	
ROTH,J.	8711100271	70-1100	
ROTH,J.	8711230428*	70-820	
ROTH,J.	8711300038	70-371	
ROTH,J.	8711300085*	70-607	
ROTHERT,W.C.	8711040202	50-331	F
ROTHERT,W.C.	8711090124	50-331	R
ROTHERT,W.C.	8711170131	50-331	Q
ROTHERT,W.C.	8711240265	50-331	P
ROUNTREE,R.	8711090116	50-456	S
ROUSE,L.C.	8711120097	70-143	
ROUSE,L.C.	8711120110	40-8610	
ROUSE,L.C.	8711120120*	40-8610	
ROUSE,L.C.	8711170159	70-1113	
ROUSE,L.C.	8711170173*	70-1113	
ROUSE,L.C.	8711170202*	70-1113	
ROUSE,L.C.	8711230133	40-7102	
ROUSE,L.C.	8711230205	70-1068	
ROYACK,M.J.	8711090262*	50-460	Q
RUBENSTEIN,L.S.	8711040267*	50-103	P
RUBENSTEIN,L.S.	8711050163	50-601	A
RUBENSTEIN,L.S.	8711050207	TOPREP	
RUBENSTEIN,L.S.	8711160030	50-508	A
RUBENSTEIN,L.S.	8711180111	ORG	
RUBENSTEIN,L.S.	8711180114*	ORG	
RUCO,R.J.	8711240161*	50-206	P
RUDIS,M.A.	8711030502	QA999	
RUTER,G.H.	8711160122	50-305	R
RYLAND,W.H.	8711130225*	50-324	Q
RUSCHE,B.C.	8711160002*	FOIA	
RUSHMORE,J.W.	8711160151	50-220	I
RUSHWICK,J.E.	8711040073	50-445	G
RUSHWICK,J.E.	8711040083	50-445	G
RUSHWICK,J.E.	8711040095	50-445	G
RUSHWICK,J.E.	8711040107	50-445	G
RUSPI,J.	8711090211	NUREG	
RUSSELL,J.E.	8711190107*	50-206	Q
RUSSELL,J.R.	8711030257	50-259	P
RUSSELL,J.R.	8711030273*	50-259	P
RUSSELL,J.R.	8711030283*	50-259	P
RUSSELL,J.R.	8711030289*	50-259	P
RUSSELL,J.R.	8711030293*	50-259	P
RUSSELL,J.R.	8711240153	50-259	P
RUSSELL,J.R.	8711240186	50-259	P
RUSSELL,L.B.	8711040143	40-8027	
RUSSELL,W.T.	8711040371	50-271	F
RUSSELL,W.T.	8711130100	50-277	P
RUSSELL,W.T.	8711200127*	50-219	P
RUSSELL,W.T.	8711230260	50-171	P
RUSSELL,W.T.	8711250186	50-353	Q
RUSSELL,W.T.	8711250269*	50-271	F
RUTBERG,J.	8711110157*	40-8027	
RYAN,H.W.	8711040377*	50-271	F
SACKSCHEWSKY,R.	8711230001	50-87	F
SACKSCHEWSKY,R.	8711230198	50-87	P
SAILER,W.F.	8711190145	50-302	S
SALAMON,G.	8711190181	50-250	S
SALAMON,G.	8711200078	50-250	S
SAMET,K.S.	8711110139	FOIA	
SAMPSON,J.R.	8711190362	50-316	S
SANAN,R.K.	8711190044	50-445	G
SANBORN,G.	8711030148	I&E	
SANBORN,G.	8711300129	I&E	
SANDLER,M.S.	8711200220	PR	
SANDS,S.	8711050146	50-456	F
SANDS,S.P.	8711250001	50-457	A
SARGENT,P.F.	8711230089	50-443	H
SARTOR,W.M.	8711230257*	50-302	Q
SAVIGNAC,N.	8711160312	40-8698	
SAVIGNAC,N.	8711230128	40-8698	
SAWYER,W.D.	8711100270	NUREG	
SAXTON,C.H.	8711120066	50-387	R
SAYRE,D.	8711020335	50-261	S
SCACE,S.E.	8711040219	50-245	S
SCACE,S.E.	8711040219	50-245	S
SCACE,S.E.	8711160104	50-245	R
SCACE,S.E.	8711160104	50-245	R
SCACE,S.E.	8711160292	50-423	R
SCACE,S.E.	8711160292	50-423	R
SCACE,S.E.	8711170018	50-336	R
SCACE,S.E.	8711170018	50-336	R
SCACE,S.E.	8711180019	50-245	S
SCACE,S.E.	8711180019	50-245	S
SCACE,S.E.	8711200208	50-423	S
SCACE,S.E.	8711200208	50-423	S
SCACE,S.E.	8711250181	50-245	S
SCACE,S.E.	8711250181	50-245	S
SCALICE,J.A.	8711190167*	50-322	P
SCARANO,R.A.	8711020456	50-344	F
SCARANO,R.A.	8711170287	50-312	Q
SCARANO,R.A.	8711260277*	50-275	F
SCENTER,G.	8711240208*	40-7580	
SCHAEFER,D.	8711020517	50-397	S
SCHAEFER,D.	8711100072	50-312	S
SCHAEFER,D.W.	8711250266*	50-275	F
SCHAEFER,W.D.	8711040292*	50-277	P
SCHALLER,R.F.	8711300230	50-461	S
SCHERER,A.E.	8608060190*	50-20	P
SCHERER,A.E.	8711060112	NUREG	
SCHERER,A.E.	8711090027	50-368	S
SCHERER,A.E.	8711130145	NUREG	
SCHERER,A.E.	8711200214	PR	
SCHERER,A.E.	8711230315	TOPREP	
SCHEUERMAN,J.T.	8711160293	50-298	R
SCHIERMAN,S.L.	8711030018	40-8681	
SCHMELZER,P.	8711240277*	50-331	P
SCHNELL,D.F.	8711020366	50-483	P
SCHNELL,D.F.	8711030165	50-483	P
SCHNELL,D.F.	8711050245	50-483	P
SCHNELL,D.F.	8711170234	50-483	P
SCHNELL,D.F.	8711170286	50-483	P
SCHNELL,D.F.	8711230165	50-483	Q
SCHOLINGKAMP,C.	8711200165*	50-199	Q
SCHUMACHER,M.C.	8711090320*	50-295	Q
SCHUMACHER,M.C.	8711190163*	50-373	Q
SCHURTZ,G.D.	8711160311	40-8904	
SCHURTZ,G.D.	8711170062	40-8904	
SCHUSTER,M.	8711020517	50-397	S
SCHUSTER,M.	8711100072	50-312	S
SCHUSTER,M.D.	8711250274*	50-275	F
SCHUSTER,T.	8711100042*	50-455	S
SCHUSTER,T.	8711100301	50-455	S
SCHWABENBAUER	8711050107	50-400	S
SCHWABENBAUER	8711100445	50-400	S
SCHWABENBAUER	8711130172	50-400	S
SCHWABENBAUER	8711160269	50-400	S
SCHWARTZ,I.	8711030080	NUREG	
SCHWARTZ,I.	8711030219	NUREG	
SCHWEIBINZ,E.R.	8711300158*	50-409	P
SCIACCA,F.	8711100260	NUREG	
SCOTT,M.	8711130170	50-251	S
SCOTT,W.E.	8711030228*	50-266	Q
SCOVILL,V.R.	8711300018*	40-8406	
SEARS,C.F.	8711020357	50-336	Q
SEARS,C.F.	8711020357	50-336	Q
SEARS,C.F.	8711100378	50-245	Q
SEARS,C.F.	8711230094	71-9450	
SEARS,C.F.	8711230284	50-423	P
SEARS,C.F.	8711240140	50-213	F
SEARS,C.F.	8711240193	50-245	Q
SEIDLE,W.C.	8711020433*	50-313	Q
SEIDLE,W.C.	8711250243*	50-313	Q
SELLECK,K.A.	8711040162	50-443	G
SELLECK,K.A.	8711040162	50-443	G
SELLECK,K.A.	8711190018	50-443	T
SELLECK,K.A.	8711190018	50-443	T
SELMAN,M.	8711030210	50-3	F
SELMAN,M.	8711040037	50-247	Q
SELMAN,M.	8711050144	50-247	Q
SELMAN,M.	8711050275	50-247	F
SELMAN,M.	8711090263	50-247	P
SELMAN,M.	8711110006	PR	
SELMAN,M.	8711130218	50-247	P
SELMAN,M.	8711160077	50-247	P
SELMAN,M.	8711160236	50-247	S
SELMAN,M.	8711160258	50-247	Q
SELMAN,M.	8711170197	50-247	S
SELMAN,M.	8711200291	50-247	Q
SELMAN,M.R.	8711170165	50-247	Q
SERRANO,W.	8707150732*	50-352	P
SERRANO,W.	8707150732*	50-352	P
SEWELL,H.M.	8711160098*	CONTRACT	
SHACKLETON,O.C.	8711110029*	50-275	P
SHACKLETON,O.C.	8711250263*	50-275	Q
SHAFER,W.D.	8711030365	50-266	Q
SHAFER,W.D.	8711060082	50-282	F
SHAFER,W.D.	8711060119	50-409	F
SHAFER,W.D.	8711060166	50-409	Q
SHAFER,W.D.	8711060183	50-254	F
SHAFER,W.D.	8711090040	50-454	Q
SHAFER,W.D.	8711090314	50-295	Q
SHAFER,W.D.	8711160172	50-6	Q
SHAFER,W.D.	8711190142	50-373	Q
SHAFER,W.D.	8711190151	50-305	Q
SHAFER,W.D.	8711190272	50-346	F
SHAFER,W.D.	8711200248	50-155	F
SHAFER,W.D.	8711230388	50-331	Q
SHAFER,W.D.	8711300059	50-160	Q
SHAFER,W.D.	8711300170	50-483	Q
SHAFER,W.D.	8711300182*	50-483	Q
SHAFER,W.D.	8711300221	50-331	Q
SHAFER,W.D.	8711300271	50-123	Q
SHAFER,W.D.	8711300273*	50-123	Q
SHANBACKY,M.	8711040184*	50-293	Q
SHANBAKY,M.	8711240037*	50-245	Q
SHANBAKY,M.M.	8711200178*	70-1100	
SHANBAKY,M.M.	8711240179*	50-412	Q
SHANNON,W.E.	8711100368	NUREG	
SHARKEY,J.M.	8711030228*	50-266	Q
SHARP,P.R.	8711020463*	PR	
SHEEHAN,R.E.	8711050013	70-1100	
SHELL,R.H.	8711100463	50-327	Q
SHELL,R.H.	8711110026	50-327	Q
SHELTON,D.C.	8711020269	50-346	P
SHELTON,D.C.	8711030373	50-346	P
SHELTON,D.C.	8711060281	50-346	S
SHELTON,D.C.	8711090236	50-346	P
SHELTON,D.C.	8711090243*	50-346	P
SHELTON,D.C.	8711160013	50-346	P
SHELTON,D.C.	8711170259	50-346	P
SHELTON,D.C.	8711300204	50-346	Q
SHEPPARD,W.H.	8711090290*	50-483	S
SHETLER,J.R.	8711160021	50-312	P
SHEWMAKER,R.E.	8711200044*	50-327	Q
SHEWMON,P.	8711030200*	FOIA	
SHIFFER,J.D.	8711020250	50-275	F
SHIFFER,J.D.	8711020399	50-323	S
SHIFFER,J.D.	8711020438	50-323	S
SHIFFER,J.D.	8711030094	50-275	F
SHIFFER,J.D.	8711030280	50-275	F
SHIFFER,J.D.	8711030284*	50-275	F
SHIFFER,J.D.	8711060277	50-275	Q
SHIFFER,J.D.	8711090275	50-275	S
SHIFFER,J.D.	8711100279	50-275	F
SHIFFER,J.D.	8711100286*	50-275	F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
SHIFFER,J.D.	8711100367	50-275	S
SHIFFER,J.D.	8711100451	50-275	P
SHIFFER,J.D.	8711130141	50-275	P
SHIFFER,J.D	8711130321	50-275	P
SHIFFER,J.D.	8711160148	50-275	F
SHIFFER,J.D.	8711160169	50-323	S
SHIFFER,J.D.	8711160174	50-275	P
SHIFFER,J.D.	8711160181*	50-275	P
SHIFFER,J.D.	8711160206	50-275	P
SHIFFER,J.D.	8711160218	50-275	R
SHIFFER,J.D.	8711230242	50-133	P
SHIFFER,J.D.	8711230436	50-275	S
SHIFFER,J.D.	8711240205	50-275	P
SHIFFER,J.D.	8711250212	50-275	S
SHIFFER,J.D.	8711300125	50-323	Q
SHIPWAY,G.D.	8711230411	REGGD	
SHOEMAKER,C.J.	8711110041	50-443	G
SHOEMAKER,C.J.	8711110042	50-443	G
SHOEMAKER,C.J.	8711110066	50-443	G
SHOEMAKER,C.J.	8711110091	50-250	G
SHOEMAKER,C.J.	8711190014	50-275	G
SHOEMAKER,C.J.	8711190068	50-443	G
SHOEMAKER,C.J.	8711240014	50-443	G
SHOEMAKER,C.J.	8711240020	50-443	G
SHOLLY,S.C.	8711040263	50-324	P
SHOLLY,S.C.	8711240015	50-443	T
SHOLLY,S.C.	8711240027*	50-443	T
SHOLLY,S.C.	8711240027*	50-443	T
SHON,F.J.	8711040117	50-322	G
SHON,F.J.	8711110094	50-322	G
SHOOK,T.A.	8711090389	NUREG	
SHOPENN,N.M.	8711060286*	40-8752	
SHOPENN,N.M.	8711090357*	40-8084	
SHOTKIN,L.M.	8711250254*	50-322	P
SHUEY,C.	8710290090	40-8907	
SHULL,R.	8711030211	NUREG	
SHUM,E.Y.	8711120128*	40-8610	
SIACOR,E.R.	8711190084	50-361	R
SIACOR,E.R.	8711190090	50-206	R
SIEBER,J.D.	8711030292	50-334	P
SIEBER,J.D.	8711050129	50-334	F
SIEBER,J.D.	8711190292	50-334	V
SIEBER,J.D.	8711240058	50-334	P
SIEBER,J.D.	8711240108	50-334	P
SIEBER,J.D.	8711240174	50-334	P
SIEBER,J.D.	8711240178*	50-334	P
SIEBER,J.D.	8711240288	50-334	P
SIEBER,J.D.	8711240292*	50-334	P
SIEGEL,B.	8711250145	NUREG	
SIEGEL,B.A.	8711230146	PR	
SIEGEL,B.A.	8711230201*	PR	
SIEGEL,B.A.	8711230214*	PR	
SILADY,J.A.	8711130244	50-237	P
SILADY,J.A.	8711240109	50-237	E
SILADY,J.A.	8711250065	50-249	Q
SILBERG,J.E.	8711100491	FOIA	
SILK,D.	8711180035*	50-272	V
SILVER,H.	8711050251	50-302	F
SIMION,G.	8711100260	NUREG	
SIMPSOM,E.C.	8711130265	50-302	R
SIMPSON,E.C.	8711030514	50-302	P
SIMPSON,E.C.	8711040140	50-302	S
SIMPSON,E.C.	8711050023	50-302	P
SIMPSON,E.C.	8711060164	71-9216	
SIMPSON,E.C.	8711100240	50-302	S
SIMPSON,E.C.	8711100327	50-302	S
SIMPSON,E.C.	8711130136	50-302	Q
SIMPSON,E.C.	8711130293	50-302	S
SIMPSON,E.C.	8711160127	50-302	P
SIMPSON,E.C.	8711190094	50-302	S
SIMPSON,E.C.	8711200145	50-302	Q
SIMPSON,E.C.	8711230206	50-302	S
SIMPSON,E.C.	8711230417	50-302	Q
SIMPSON,E.C.	8711230442	50-302	Q
SINKULE,M.V.	8711130272*	50-425	Q
SISK,D.P.	8711020399	50-323	S
SISUL,J.J.	8711040091	40-2061	
SISUL,J.J.	8711170036	40-2061	
SJOREEN,A.	8711060294	NUREG	
SKARITKA,J.	8711030544*	50-315	P
SKINNER,P.H.	8711130227*	50-269	Q
SKOW,M.E.	8711020397*	50-267	Q
SKREINER,K.M.	8711230411	REGGD	
SLAWINSKI,W.J.	8711300276*	50-123	Q
SLOSSON,M.M.	8710220407	50-247	Q
SLOSSON,M.M.	8711030347	50-247	P
SLOSSON,M.M.	8711030442	50-247	P
SLOSSON,M.M.	8711190342	50-3	F
SLOSSON,M.M.	8711200069	50-247	P
SLOSSON,M.M.	8711240279	50-247	P
SLOSSON,M.M.	8711250038	50-247	P
SMEDLEY,R.W.	8711100492	50-255	P
SMEDLEY,R.W.	8711130060	50-255	P
SMEDLEY,R.W.	8711230372	50-255	P
SMEDLEY,R.W.	8711230410	50-255	P
SMITH,C.	8711210295*	50-395	Q
SMITH,F.J.	8711060223	NUREG	
SMITH,G.C.	8711090131*	50-289	Q
SMITH,G.W.	8711190362	50-315	S
SMITH,I.W.	8711040056	50-443	G
SMITH,I.W.	8711190029	50-320	G
SMITH,J.	8711230400	50-324	F
SMITH,J.D.	8711110117*	50-413	Q
SMITH,J.J.	8711200324	50-324	F
SMITH,M.	8711190156*	50-305	Q
SMITH,M.J.	8711100332	50-456	S
SMITH,N.P.	8711230395	REGGD	
SMITH,N.P.	8711250062*	50-266	P
SMITH,R.D.	8711030022	40-8829	
SMITH,R.D.	8711030025*	40-8829	
SMITH,R.D.	8711030229	40-8084	
SMITH,R.D.	8711030242*	40-8084	
SMITH,R.D.	8711060196	40-8907	
SMITH,R.D.	8711060205	40-8905	
SMITH,R.D.	8711060221*	40-8905	
SMITH,R.D.	8711060265	40-8913	
SMITH,R.D.	8711060275	40-8902	
SMITH,R.D.	8711060287	40-8903	
SMITH,R.D.	8711090001	40-8905	
SMITH,R.D.	8711090044	40-6659	
SMITH,R.D.	8711090056*	40-6659	
SMITH,R.D.	8711090070	40-8905	
SMITH,R.D.	8711090081*	40-8905	
SMITH,R.D.	8711090322	40-8084	
SMITH,R.D.	8711090338*	40-8084	
SMITH,R.D.	8711230085	40-8681	
SMITH,S.J.	8711300088	50-327	S
SMITH,S.J.	8711300107	50-327	S
SMITH,S.J.	8711300119	50-327	S
SMITH,S.J.	8711300185	50-327	S
SMITH,S.J.	8711300206	50-327	S
SMITH,S.J.	8711300263	50-327	S
SMITH,W.F.	8711250215*	50-382	Q
SMITH,W.G.	8711030484	50-315	S
SMITH,W.G.	8711100429	50-316	S
SMITH,W.G.	8711110149	50-316	S
SMITH,W.G.	8711130095	50-316	S
SMITH,W.G.	8711240216	50-315	P
SMUKLER,L.M.	8711170075	50-443	P
SMYTH,C.W.	8711230192	50-289	R
SNEIDER,C.S.	8711040089	50-443	G
SNELL,W.	8711090046*	50-454	Q
SNELL,W.D.	8711170090	WASTE MGT	
SNELL,W.G.	8711300236*	50-331	Q
SNOW,M.	8711170172	50-454	S
SORENSEN,C.	8711040012	50-528	S
SORENSEN,G.C.	8711030520	50-397	Q
SORENSEN,G.C.	8711050209	NUREG	
SORENSEN,G.C.	8711100324	PR	
SORENSEN,G.C.	8711200035*	50-460	A
SORGI,D.	8711020001	50-293	P
SORGI,D.	8711020118	FOIA	
SORGI,D.	8711020230	50-293	P
SORGI,D.	8711030300	50-293	P
SORGI,D.	8711030461	50-293	P
SORGI,D.	8711060298	50-293	P
SORGI,D.	8711170001	50-293	P
SORGI,D.	8711200311	50-293	P
SORGI,D.	8711250126	50-293	P
SOUDER,J.L.	8711040077*	50-443	G
SOUTHERLAND,L.	8711040178*	50-443	G
SOUTHERLAND,L.	8711040178*	50-443	G
SPANGENBERG	8711300096	50-461	S
SPANGENBERG,F.	8711020002	50-461	S
SPANGENBERG,F.	8711100130	50-461	Q
SPANGENBERG,F.	8711160270	50-461	S
SPANGENBERG,F.	8711200128	50-461	R
SPANGENBERG,F.	8711240143	50-461	S
SPANGENBERG,F.	8711250059	50-461	P
SPANGENBERG,F.	8711300230	50-461	S
SPANGENBERG,F.	8711300251	50-461	Q
SPECTER,A.	8711200166*	70-135	
SPELL,W.H.	8711130319	STATE PRO	G
SPITZBERG,D.B.	8711200306*	40-8027	
SPITZER,D.J.	8711180002	50-454	R
SPRAUL,J.G.	8711110117*	50-413	Q
SRIKANTIAH,G.	8711170063	TOPREP	
SRIKANTIAH,G.S.	8711170258*	REVIEW G	
SRIKANTIAH,G.S.	8711170262*	REVIEW G	
STAHLE,C.	8711030007	50-244	
STAKER,T.R.	8711250215*	50-382	
STANCZAK,P.	8711020273	50-456	
STANDERFER,F.R.	8711030110	50-320	
STANDERFER,F.R.	8711040199	50-320	
STANDERFER,F.R.	8711040370*	50-320	
STANDERFER,F.R.	8711100284	50-320	
STANDERFER,F.R.	8711100496	50-320	
STANDERFER,F.R.	8711160009	50-320	
STANDERFER,F.R.	8711160016	50-320	
STANDERFER,F.R.	8711160146	50-320	
STANDERFER,F.R.	8711160152*	50-320	
STANDERFER,F.R.	8711250076	50-320	
STANG,J.	8711160037	50-259	
STARKE,E.A.	8711300143	50-62	
STASEK,S.	8711090321*	50-456	
STAUTER,J.C.	8711050249*	40-6905	
STAUTER,J.C.	8711170022	40-8905	
STEAD,F.R.	8711040182	50-440	
STEFANO,J.J.	8711020211	50-341	
STEFANO,J.J.	8711030090	50-341	
STEFANO,J.J.	8711090022*	50-341	
STEFANO,J.J.	8711090339	50-341	
STEFANO,J.J.	8711100021	50-341	
STEFANO,J.J.	8711110002	50-341	
STEFANO,J.J.	8711200159	50-341	
STEFANO,J.J.	8711230066	50-341	
STEIGER,W.E.	8711190167*	50-322	
STEIGER,W.E.	8711240078	50-322	
STEIGER,W.E.	8711250252	50-322	
STEIN,S.R.	8711030228*	50-286	
STELLO,V.	8709080332	SECY	
STELLO,V.	8710010311	TOPREP	
STELLO,V.	8711030175*	50-445	
STELLO,V.	8711030492	FOIA	
STELLO,V.	8711040054	FOIA	
STELLO,V.	8711040151	40-8027	
STELLO,V.	8711040265	50-206	
STELLO,V.	8711040344	50-445	
STELLO,V.	8711050151	COMMISSIO	
STELLO,V.	8711090069	50-445	
STELLO,V.	8711100006	50-213	
STELLO,V.	8711100181	50-443	
STELLO,V.	8711100458	50-338	
STELLO,V.	8711110168*	FOIA	
STELLO,V.	8711110170*	40-8027	
STELLO,V.	8711120003	SECY	
STELLO,V.	8711170162*	FOIA	
STELLO,V.	8711200161	70-135	
STELLO,V.	8711250265	50-271	
STELLO,V.	8711250278	50-530	
STELLO,V.	8711030089*	50-341	
STEPHENS,S.	8711190305*	50-482	
STEPHENSON,J.D.	8711180120	50-302	
STERRETT,C.R.	8711100360*	50-423	
STEWART,C.W.	8711170077*	TOPREP	
STEWART,C.W.	8711170078*	TOPREP	
STEWART,C.W.	8711170086*	TOPREP	
STEWART,C.W.	8711170088*	TOPREP	
STEWART,R.C.	8711130270*	50-458	
STEWART,S.A.	8711130265	50-302	
STEWART,W.L.	8709140175	50-338	
STEWART,W.L.	8710160319	50-338	
STEWART,W.L.	8711020048	50-338	
STEWART,W.L.	8711020515	50-338	
STEWART,W.L.	8711040333	50-339	
STEWART,W.L.	8711050042	50-280	
STEWART,W.L.	8711060235	50-280	
STEWART,W.L.	8711080039	50-280	
STEWART,W.L.	8711090092	50-339	
STEWART,W.L.	8711090097	50-338	
STEWART,W.L.	8711160173	50-338	
STEWART,W.L.	8711190131	50-280	
STEWART,W.L.	8711190150	50-339	
STEWART,W.L.	8711190229	50-338	
STEWART,W.L.	8711190250	50-280	
STEWART,W.L.	8711190316	50-280	
STEWART,W.L.	8711200177	50-280	
STEWART,W.L.	8711300250	50-280	
STOFFEL,J.W.	8710060162*	50-454	
STOFFEL,J.W.	8710060162*	50-454	
STOHR,J.P.	8711020228	70-1113	
STOHR,J.P.	8711230161	50-250	
STOHR,J.P.	8711240036	50-261	
STOLZ,J.F.	8207160399	50-321	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
STOLZ,J.F.	8711030144*	50-334	P
STOLZ,J.F.	8711060138*	QA999	
STOLZ,J.F.	8711160073*	50-219	P
STOLZ,J.F.	8711200113	50-348	P
STOLZ,J.F.	8711200365*	50-334	P
STOLZ,J.F.	8711230050	50-348	P
STOLZ,J.F.	8711250104*	50-336	P
STONE,J.C.	8711030270*	QA999	
STONE,J.C.	8711040293*	QA999	
STONE,J.C.	8711060132	QA999	
STONE,J.C.	8711060147	QA999	
STONE,J.C.	8711100305	QA999	
STONE,J.C.	8711100338	QA999	
STONE,J.C.	8711100350	QA999	
STONE,J.C.	8711100359	QA999	
STONE,J.C.	8711100363	QA999	
STONE,J.C.	8711100380	QA999	
STONE,J.C.	8711120075	QA999	
STONE,J.C.	8711130009*	QA999	
STONE,J.C.	8711130013	QA999	
STONE,J.C.	8711160133	QA999	
STONE,J.C.	8711160229	QA999	
STONE,J.C.	8711160171	QA999	
STONE,J.C.	8711160162	QA999	
STONE,J.C.	8711200050	QA999	
STONE,R.H.	8711100289	PR	
STORZ,L.F.	8711100337	50-346	S
STORZ,L.F.	8711170133	50-346	R
STORZ,L.F.	8711190287	50-346	S
STORZ,L.F.	8711300132	50-346	S
STOTZ,J.C.	8711190287	50-346	S
STRASMA,J.	8711030072*	50-331	Q
STRASMA,J.	8711030075*	50-341	P
STRATFORD,R.J.	8711240304	XPORTLIC	
STRATFORD,R.J.	8711250014	XPORTLIC	
STRATFORD,R.J.	8711250135	XPORTLIC	
STROSNIDER,J.	8711050002*	50-219	Q
STROSNIDER,J.	8711090387*	50-293	Q
STROSNIDER,J.R.	8711230271*	50-353	Q
STRUCK,M.	8711110021	50-443	H
STUART,I.F.	8711030329	QA999	
STUART,I.F.	8711250204	QA999	
SUCNAK,P.	8711200163	50-483	F
SUH,G.Y.	8711300109*	50-344	Q
SUMMA,J.A.	8711040219	50-245	S
SUMMERS,J.	8711020470	50-416	S
SUMMERS,J.R.	8710050006*	50-483	R
SUMMERS,J.R.	8711170206	50-483	R
SUNDERLAND,P.R.	8711300242*	50-454	V
SUO-ANTTILA,A.	8711170043	NUREG	
SWALES,M.P.	8711040255*	CONTRACT	
SWALES,M.P.	8711160046*	CONTRACT	
SWALES,M.P.	8711180079*	CONTRACT	
SWAMY,S.A.	8711240117*	50-334	P
SWANSON,N.E.	8711060297	QA999	
SWETLAND,P.	8711030147*	50-247	Q
SWETLAND,P.D.	8711180133	50-247	P
SWIFT,J.J.	8711170175	70-1257	
SWIFT,J.J.	8711170196*	70-1113	
SWIFT,J.J.	8711230209*	70-1068	
SWISHER,K.	8711180085*	FOIA	
SWISHER,K.	8711180101*	FOIA	
SYLVESTER,E.D.	8711020064	50-324	P
SYLVESTER,E.D.	8711020196	50-324	P
SYLVESTER,E.D.	8711020204*	50-324	P
SYLVESTER,E.D.	8711100039	50-324	P
SYLVESTER,E.D.	8711160297	50-324	P
SYLVESTER,E.D.	8711200102	50-324	P
SYLVIA,B.R.	8711020069	50-341	Q
SYLVIA,B.R.	8711020349	50-341	P
SYLVIA,B.R.	8711120087	50-341	P
SYLVIA,B.R.	8711170153	50-341	Q
SYLVIA,B.R.	8711180009	50-341	P
SYLVIA,B.R.	8711230010	50-341	Q
SYLVIA,B.R.	8711240274	50-341	P
SYLVIA,B.R.	8711250016	50-341	P
SYLVIA,B.R.	8711250228	50-341	Q
SZCZEPANIEC,A.	8711130266*	50-424	Q
TAIBBI,E.	8711110061	50-322	G
TAM,P.	8711160023	50-334	P
TAM,P.S.	8711030005	50-334	H
TAM,P.S.	8711030010	50-412	H
TAM,P.S.	8711030027	50-334	H
TAM,P.S.	8711030036	50-412	H
TAM,P.S.	8711030046	50-412	H
TAM,P.S.	8711030085	50-334	H
TAM,P.S.	8711030149	50-412	H
TAM,P.S.	8711030164	50-412	E
TAM,P.S.	8711030177	50-412	H
TAM,P.S.	8711030179	50-334	H
TAM,P.S.	8711030184	50-334	H
TAM,P.S.	8711030188	50-334	H
TAM,P.S.	8711030196	50-412	H
TAM,P.S.	8711030307	50-334	H
TAM,P.S.	8711100065	50-334	P
TAM,P.S.	8711190356	50-334	Q
TAM,P.S.	8711200031	50-412	P
TAM,P.S.	8711200361	50-334	P
TAM,P.S.	8711250068	50-334	P
TATUM,J.E.	8711190326*	50-206	Q
TAYLOR,J.H.	8711030230	TOPREP	
TAYLOR,J.H.	8711090178	TOPREP	
TAYLOR,J.M.	8711060114	50-219	Q
TAYLOR,J.M.	8711060125*	50-219	Q
TAYLOR,J.M.	8711110144*	40-8027	
TAYLOR,J.M.	8711110148*	40-8027	
TAYLOR,J.W.	8711060122	50-409	P
TAYLOR,J.W.	8711060305	50-409	1
TAYLOR,J.W.	8711130133	50-409	P
TAYLOR,J.W.	8711200195	50-409	P
TAYLOR,R.G.	8711200343*	71-9860	
TEAGUE,J.E	8711170281	PT21	
TEFFT,J.G.	8711190093	50-443	S
TEMPS,R.R.	8711160063*	50-423	V
TEMUS,G.J.	8711040222	71-9070	
TENBROOK,W.K.	8711130212*	50-397	Q
TENERZ,E.	8711050170*	TOPREP	
TERAO,D.	8711020205	50-445	A
TERAO,D.	8711030498	50-445	A
TERAO,D.	8711100474	50-445	A
TERAO,D.	8711120090	50-445	A
TERAO,D.	8711190333	50-445	P
TERAO,D.	8711200026	50-445	A
TERC,N.M.	8711090160*	50-298	Q
TERC,N.M.	8711230230*	50-498	Q
TETRAULT,R.E.	8711240188	70-27	
THADANI,M.C.	8711030400	50-387	P
THADANI,M.C.	8711250260	50-388	P
THOMAS,B.N.	8711240313	50-331	S
THOMAS,C.O.	8711020114	50-213	Q
THOMAS,G.S.	8711060029	50-443	P
THOMAS,G.S.	8711100349	50-443	S
THOMAS,G.S.	8711100387	50-443	F
THOMAS,G.S.	8711160042	50-443	P
THOMAS,G.S.	8711160096	50-443	R
THOMAS,G.S.	8711190093	50-443	S
THOMAS,G.S.	8711190243	50-443	Q
THOMAS,G.S.	8711240099	50-443	F
THOMAS,J.T.	8711100368	NUREG	
THOMAS,M.	8711130266*	50-424	Q
THOMMEN,K.H.	8711240006	50-322	G
THOMPSON,D.H.	8711230014*	50-302	Q
THOMPSON,G.	8711240015	50-443	T
THOMPSON,R.D.	8711040241	CONTRACT	
THOMPSON,R.D.	8711110145*	FOIA	
THOMPSON,R.D.	8711110147*	FOIA	
THOMPSON,R.D.	8711160305*	CONTRACT	
THOMPSON,R.D.	8711180033*	CONTRACT	
THORNBURG,H.D.	8711050168*	TOPREP	
TIERNAN,J.A.	8711130058	50-317	Q
TIERNAN,J.A.	8711190159	50-317	P
TIERNAN,J.A.	8711230023	71-9216	
TIERNAN,J.A.	8711300116	50-317	P
TILLMAN,A.	8711240135*	70-27	
TKACHYK,J.W.	8711100261	NUREG	
TOCCI,G.C.	8711190025*	50-443	G
TOCCI,G.C.	8711190025*	50-443	G
TOCCI,G.C.	8711190057*	50-443	G
TOCCI,G.C.	8711190057*	50-443	G
TODD,G.A.	8711300025*	50-324	Q
TOMAN,G.J.	8711090389	NUREG	
TOMKINS,J.L.	8711100095	NUREG	
TOMLINSON,E.	8711180030	50-410	R
TORBA,R.A.	8711060287*	50-410	P
TORRE,J.G.	8711020440	50-413	S
TORRE,J.G.	8711100426	50-413	S
TORRE,J.G.	8711170110	50-413	S
TORRES,J.L.	8711200350*	71-9860	
TOSHIKAGE,M.	8711020148	XPORTLIC	
TOSHIKAGE,M.	8711020166	XPORTLIC	
TOSHIKAGE,M.	8711090272	XPORTLIC	
TOSHIKAGE,M.	8711100089	XPORTLIC	
TOURIGNY,E.G.	8711030051	50-335	P
TOURIGNY,E.G.	8711050238	50-335	P
TOURIGNY,E.G.	8711050274	50-335	P
TOURIGNY,E.G.	8711200147	50-389	P
TOURIGNY,E.G.	8711230069	50-335	P
TOWNSEND,J.D.	8711020258*	50-275	F
TOWNSEND,J.D.	8711160278	50-275	R
TOWNSEND,J.D.	8711240067	50-275	R
TOWNSEND,J.D.	8711300160	50-275	R
TRAMMELL,C.M.	8711030420	50-275	P
TRAMMELL,C.M.	8711030515	50-275	P
TRAMMELL,C.M.	8711060260*	50-275	Q
TRANE,J.T.	8711030273*	50-259	P
TRAVERS,W.	8711190133	50-320	S
TRAVERS,W.D.	8711020208	50-320	R
TRAVERS,W.D.	8711250115	50-320	P
TREVORS,G.A.	8711020481	50-298	F
TREVORS,G.A.	8711110015	50-298	F
TREVORS,G.A.	8711170141	50-298	P
TREVORS,G.A.	8711170198	50-298	P
TREVORS,G.A.	8711200354	50-298	R
TREVORS,G.A.	8711240134	50-298	P
TREVORS,G.A.	8711250221	50-298	F
TREVORS,G.A.	8711300222	50-298	Q
TRIPP,L.	8711090130	50-317	S
TRIPP,L.E.	8711040165*	50-309	Q
TRIPP,L.E.	8711060026*	50-412	Q
TRIPP,L.E.	8711230452*	50-334	Q
TUCKER,H.B.	8711020331	50-369	P
TUCKER,H.B.	8711020396	50-369	S
TUCKER,H.B.	8711020440	50-413	S
TUCKER,H.B.	8711030285	50-369	P
TUCKER,H.B.	8711030295	50-369	P
TUCKER,H.B.	8711030324	50-413	P
TUCKER,H.B.	8711050036	50-413	P
TUCKER,H.B.	8711050039	50-269	Q
TUCKER,H.B.	8711050184	REGGD	
TUCKER,H.B.	8711060160	50-369	S
TUCKER,H.B.	8711090012	50-369	S
TUCKER,H.B.	8711090125	50-269	Q
TUCKER,H.B.	8711090288	50-269	S
TUCKER,H.B.	8711100295	50-269	P
TUCKER,H.B.	8711100300	50-369	Q
TUCKER,H.B.	8711100303	50-369	Q
TUCKER,H.B.	8711100383	50-413	P
TUCKER,H.B.	8711100405	50-413	Q
TUCKER,H.B.	8711100408	50-369	S
TUCKER,H.B.	8711100426	50-413	S
TUCKER,H.B.	8711110037	50-413	F
TUCKER,H.B.	8711120079	50-269	Q
TUCKER,H.B.	8711120131	50-269	F
TUCKER,H.B.	8711160129	50-369	Q
TUCKER,H.B.	8711160190	50-269	F
TUCKER,H.B.	8711170013	50-413	S
TUCKER,H.B.	8711170089	50-269	S
TUCKER,H.B.	8711170110	50-413	S
TUCKER,H.B.	8711180166	50-413	P
TUCKER,H.B.	8711180218	50-369	S
TUCKER,H.B.	8711200283	50-413	R
TUCKER,H.B.	8711200342	50-413	Q
TUCKER,H.B.	8711200378	50-269	R
TUCKER,H.B.	8711200389	50-413	P
TUCKER,H.B.	8711230024	50-369	R
TUCKER,H.B.	8711230137	50-269	S
TUCKER,H.B.	8711230165	50-414	P
TUCKER,H.B.	8711230236	50-413	S
TUCKER,H.B.	8711230383	50-369	P
TUCKER,H.B.	8711230394	50-413	Q
TUCKER,H.B.	8711240100	50-369	P
TUCKER,H.B.	8711250054	50-370	S
TUCKER,H.B.	8711300034	50-369	Q
TUCKER,H.B.	8711300036	50-269	S
TUCKER,H.B.	8711300041	50-413	P
TUCKER,H.B.	8711300099	50-269	P
TUCKER,H.B.	8711300108	50-413	P
TUCKER,H.B.	8711300261	50-269	P
TUCKER,H.B.	8711300281	50-269	S
TUCKMAN,M.S.	8711120082*	50-269	F
TUCKMAN,M.S.	8711120132*	50-269	F
TUITE,P.	8711030139	NUREG	
TURBAK,M.S.	8711030093	50-237	Q
TURBAK,M.S.	8711090295	50-237	Q
TURI,P.L.	8711110064	50-445	G
TURINSKY,P.J.	8711160231	50-297	Q
TURNER,D.W.	8711160205	50-320	F
TURNER,R.L.	8711130181*	50-166	V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
UDY,A.C.	8710150048*	50-275 P
UDY,A.C.	8711100251*	50-269 P
ULMER,F.J.	8711170092	50-344 R
UMBEL,O.	8711160303	CONTRACT
UTHE,E.E.	8711180047	NUREG
UTLEY,E.E.	8711030445	50-261 Q
UTLEY,E.E.	8711200310	50-261 Q
VALENTI,P.J.	8711230044*	PROJ
VAN BRUNT,E.E.	8711020108	50-528 Q
VAN BRUNT,E.E.	8711030260	50-528 P
VAN BRUNT,E.E.	8711030275	50-528 P
VAN BRUNT,E.E.	8711030552	50-528 Q
VAN BRUNT,E.E.	8711040195	50-528 Q
VAN BRUNT,E.E.	8711060162	50-528 F
VAN BRUNT,E.E.	8711090167	50-530 P
VAN BRUNT,E.E.	8711120128	50-528 P
VAN BRUNT,E.E.	8711160307	50-528 P
VAN BRUNT,E.E.	8711170284	50-528 Q
VAN BRUNT,E.E.	8711170285	50-530 P
VAN BRUNT,E.E.	8711190147	50-530 Q
VAN BRUNT,E.E.	8711240247	50-528 P
VAN BRUNT,E.E.	8711240255	50-528 P
VAN BRUNT,E.E.	8711250279	50-528 F
VAN DOORN,P.K.	8711130096*	50-413 Q
VAN KESSEL,H.F.	8711020451*	50-272 Q
VAN KESSEL,H.F.	8711300275*	50-387 Q
VANDENBERG,D.	8711200020	50-255 R
VANDERVELDT,H.	8711160305*	CONTRACT
VARGA,S.A.	8711020157	50-338 P
VARGA,S.A.	8711030158	50-269 P
VARGA,S.A.	8711030224	50-286 Q
VARGA,S.A.	8711110096	50-413 Q
VARGA,S.A.	8711250067	50-338 P
VARLEY,R.A.	8711020083	50-293 F
VASSELLO,J.V.	8711200258	50-334 J
VAUGHN,G.E.	8711030268	50-498 P
VAUGHN,G.E.	8711050205	50-498 P
VAUGHN,G.E.	8711060238	50-498 S
VAUGHN,G.E.	8711170099	50-498 P
VAUGHN,G.E.	8711170179	50-498 P
VAUGHN,G.E.	8711170227	50-498 P
VAUGHN,G.E.	8711170291	50-498 P
VAUGHN,G.E.	8711200222	50-498 R
VAUGHN,G.E.	8711230374	50-498 S
VAUGHN,G.E.	8711300283	50-498 P
VELEZ,P.	8711020110	CONTRACT
VELEZ,P.	8711020244	CONTRACT
VELEZ,P.	8711180126	CONTRACT
VERNON,T.M.	8711020150*	STATE PRO G
VERRELLI,D.M.	8711130061	50-416 Q
VERRELLI,D.M.	8711130067*	50-416 Q
VERRELLI,D.M.	8711130192	50-324 Q
VERRELLI,D.M.	8711130203*	50-324 Q
VERRELLI,D.M.	8711130221	50-416 Q
VERRELLI,D.M.	8711130226	50-302 Q
VERRELLI,D.M.	8711130242	50-395 Q
VERRELLI,D.M.	8711130286	50-348 Q
VERRELLI,D.M.	8711130290*	50-348 Q
VERRELLI,D.M.	8711130310	50-416 Q
VERRELLI,D.M.	8711130362	50-348 O
VERRELLI,D.M.	8711160072	50-261 Q
VERRELLI,D.M.	8711230157	50-335 Q
VERRELLI,D.M.	8711230159*	50-335 Q
VERRELLI,D.M.	8711230226	50-348 Q
VIETTI-COOK,A.	8711250080	50-445 A
VINNOLA,A.J.	8711300242*	50-454 V
VINYARD,H.T.	8711030510	50-373 S
VIRGILIO,M.J.	8711030325*	50-255 P
VIRGILIO,M.J.	8711040277*	50-331 P
VIRGILIO,M.J.	8711100026*	50-341 P
VIRGONA,J.	8711030433*	WASTE MGT
VIRGONA,J.E.	8711030282	WASTE MGT
VISSING,G.S.	8711100197	PROJ
VISSING,G.S.	8711230034	PROJ
VISSING,G.S.	8711230095	PROJ
VISSING,G.S.	8711230135	PROJ
VITALE,P.	8711160039	CONTRACT
VOGLER,B.H.	8711040090	50-352 G
VOGLER,B.H.	8711170026	50-352 G
VOGLER,B.H.	8711170048	50-352 G
VOGLER,D.J.	8711040019*	50-293 P
VOIGT,H.H.	8711020274	50-285 P
VOIGT,H.H.	8711020274	50-285 P
VOIGT,H.H.	8711020274	50-285 P
VOIGT,H.H.	8711020283*	50-285 P
VOIGT,H.H.	8711020283*	50-285 P
VOIGT,H.H.	8711020283*	50-285 P
VOIGT,H.H.	8711190046	XPORTLIC
VOIGT,W.R.	8711190146*	PR
VOLLMER,R.H.	8711040351*	50-445 A
VOLMER,C.J.	8711160183	TOPREP
VOTH,M.H.	8711060268*	50-5 R
WACKERLY,P.	8711110154*	40-8027
WAGER,V.	8711060016	50-250 S
WAGER,V.	8711160102	50-251 S
WAGER,V.	8711170113	50-251 S
WAGER,V.B.	8711040138	50-250 S
WAGNER,D.H.	8711030424	50-266 P
WAGNER,D.H.	8711100103	50-266 P
WAGNER,D.H.	8711160049	50-266 F
WAGNER,M.	8711200029	50-237 S
WAGNER,P.C.	8711110125*	50-445 O
WAGNER,P.C.	8711250187*	50-445 Q
WAGNER,W.	8711300159	50-89 S
WAGNER,W.J.	8711190196*	50-528 Q
WALKER,H.A.	8711060184*	50-313 Q
WALKER,J.	8711240262	50-259 R
WALKER,J.G.	8711030396	50-259 S
WALKER,J.G.	8711040011	50-260 S
WALKER,J.G.	8711040192	50-259 S
WALKER,J.G.	8711100342	50-259 S
WALKER,J.G.	8711160163	50-259 S
WALKER,J.G.	8711170298	50-296 S
WALKER,J.G.	8711200385	50-296 S
WALKER,J.R.	8711030320	50-255 P
WALKER,J.R.	8711040348*	50-327 P
WALKER,J.R.	8711100401	50-327 F
WALL,K.C.	8711190103	50-213 R
WALLIN,G.A.	8711170264	50-271 R
WALTON,G.	8711250232*	50-438 Q
WAMBACH,T.V.	8711030352*	FOIA
WAMBACH,T.V.	8711050195	50-255 P
WAMPLER,T.N.	8711030384*	FOIA
WANG,A.	8711050135	50-461 P
WARD,G.N.	8711030352*	FOIA
WARD,K.D.	8711020398*	50-263 Q
WARD,K.D.	8711160115*	50-457 O
WARNICK,R.F.	8711030191	50-445 Q
WARNICK,R.F.	8711030193*	50-445 Q
WARNICK,R.F.	8711100470	50-445 Q
WARNICK,R.F.	8711110093	50-445 Q
WARNICK,R.F.	8711110100*	50-445 Q
WARNICK,R.F.	8711110119*	50-445 Q
WARNICK,R.F.	8711130267	50-445 Q
WARNICK,R.F.	8711160038	50-445 Q
WARNICK,R.F.	8711200152	50-445 Q
WARNICK,R.F.	8711200164*	50-445 Q
WARNICK,R.F.	8711240219	50-445 Q
WARNICK,R.F.	8711240230	50-445 Q
WARNICK,R.F.	8711240234*	50-445 Q
WARNICK,R.F.	8711250146	50-445 Q
WARNICK,R.F.	8711250181	50-445 Q
WARREN,L.A.	8711190329*	50-280 R
WARREN,L.A.	8711190336*	50-280 R
WASHINGTON,K.E.	8711100407	NUREG
WASHINGTON,S.L.	8711250222	50-397 S
WATFORD,P.S.	8711160160	50-374 S
WATFORD,P.S.	8711200322	50-373 S
WATHEN,T.R.	8711030249	WASTE MGT
WATLINGTON,B.	8711100260	NUREG
WATSON,J.M.	8711240147*	50-285 P
WATSON,R.A.	8711020304	50-400 S
WATSON,R.A.	8711030511	50-400 Q
WATSON,R.A.	8711050107	50-400 S
WATSON,R.A.	8711100445	50-400 S
WATSON,R.A.	8711130093	50-400 Q
WATSON,R.A.	8711130172	50-400 S
WATSON,R.A.	8711130281	50-400 S
WATSON,R.A.	8711160269	50-400 S
WATSON,R.A.	8711160015	50-400 R
WATSON,R.A.	8711230296	50-400 S
WATSON,R.A.	8711240155	50-400 F
WEADOCK,A.	8711240037*	50-245 Q
WEDDINGTON,R.E.	8711190220*	50-302 Q
WEDDINGTON,R.E.	8711300247*	50-424 Q
WEHRY,R.R.	8711100408	50-387 S
WEISMAN,R.M.	8711110046	50-271 G
WEISMAN,R.M.	8711170012	50-271 G
WEISS,A.J.	8711100129	NUREG
WEISS,D.	8711050256*	40-8905
WEISS,E.R.	8711030315	FOIA
WEISS,E.R.	8711110059	50-271 G
WEISS,E.R.	8711110059	50-271 G
WEISS,E.R.	8711200231	PR
WEISS,S.H.	8711060184*	50-313 Q
WEISS,S.H.	8711110117*	50-413 Q
WELLS,L.A.	8711250261	50-352 R
WELLS,R.D.	8711100496	50-320 S
WEN,P.C.	8711020412*	50-412 O
WENSLAWSKI,F.A.	8711060137	50-133 O
WENSLAWSKI,F.A.	8711090220	50-73 O
WENSLAWSKI,F.A.	8711130152	50-312 O
WENSLAWSKI,F.A.	8711130191	50-397 O
WENSLAWSKI,F.A.	8711190089	50-208 O
WENSLAWSKI,F.A.	8711190098*	50-206 O
WENZINGER,E.	8711040278	50-277 P
WENZINGER,E.	8711090221	50-277 U
WENZINGER,E.C.	8711030120	50-247 O
WENZINGER,E.C.	8711040169	50-97 O
WENZINGER,E.C.	8711040372	50-220 O
WENZINGER,E.C.	8711090153	50-3 P
WENZINGER,E.C.	8711090241	50-353 O
WENZINGER,E.C.	8711180059	50-220 O
WENZINGER,E.C.	8711190268	50-272 P
WENZINGER,E.C.	8711200082	50-333 O
WERT,L.D.	8711130227*	50-269 O
WESSMAN,R.H.	8711020020	50-293 P
WESSMAN,R.H.	8711030360	50-293 P
WESSMAN,R.H.	8711040038	50-293 P
WESSMAN,R.H.	8711170212	50-293 P
WESTBERG,R.A.	8711300113*	50-254 O
WESTERMAN,T.F.	8711020132*	50-285 O
WESTERMAN,T.F.	8711130108*	50-267 O
WETMILLER,R.J.	8711100368	NUREG
WETTERHAHN,M.J.	8711040098	50-352 G
WETTERHAHN,M.J.	8711040098	50-352 G
WHALEN,R.J.	8711030125	50-249 S
WHALEN,R.J.	8711230158	50-237 S
WHIPPLE,S.	8711170249	50-29 R
WHITE,J.R.	8711230409	40-2617
WHITE,J.R.	8711230422*	40-2617
WHITE,S.A.	8711040210	50-327 O
WHITEHEAD,J.L.	8711020302	50-320 F
WHITENER,H.L.	8711240033*	50-330 O
WHITMER,C.F.	8711060215	50-321 O
WHITNEY,D.D.	8711190161*	50-312 P
WHITTEMORE,J.E.	8711030128*	50-298 V
WHITTIER,G.D.	8711030069	50-309 O
WHITTIER,G.D.	8711050011	50-309 O
WHITTIER,G.D.	8711200171	50-309 O
WHITTIER,G.D.	8711200211	50-309 O
WHITTLETON,T.R.	8711060284*	CONTRACT
WICHERS,D.L.	8711050194*	40-8684
WICHERS,D.L.	8711160185	40-8502
WICHERS,D.L.	8711160266	40-8502
WICHERS,D.L.	8711170229	40-8684
WICHERS,D.L.	8711230252	40-8684
WICHERS,D.L.	8711230357	40-8684
WICHERS,D.L.	8711230399	40-8684
WICKWAR,G.	8711170066*	TOPREP
WIEDEMAN,D.	8711300197	I&E
WIESEMANN,R.A.	8711020085*	50-305 P
WIESEMANN,R.A.	8711020200*	50-601 K
WIESEMANN,R.A.	8711090377*	TOPREP
WIESEMANN,R.A.	8711100052*	TOPREP
WIESEMANN,R.A.	8711240204*	50-334 P
WIESEMANN,R.A.	8711300227*	50-301 P
WIGGINS,E.	8711090065*	CONTRACT
WIGGINS,E.J.	8711020056*	CONTRACT
WIGGINS,E.J.	8711020065*	CONTRACT
WIGGINS,E.J.	8711020145*	CONTRACT
WIGGINS,E.J.	8711020196*	CONTRACT
WIGGINS,E.J.	8711020333*	CONTRACT
WIGGINS,E.J.	8711030361*	CONTRACT
WIGGINS,E.J.	8711030401*	CONTRACT
WIGGINS,E.J.	8711030417*	CONTRACT
WIGGINS,E.J.	8711040024*	CONTRACT
WIGGINS,E.J.	8711040032*	CONTRACT
WIGGINS,E.J.	8711060145*	CONTRACT
WIGGINS,E.J.	8711060189*	CONTRACT
WIGGINS,E.J.	8711060199*	CONTRACT
WIGGINS,E.J.	8711060284*	CONTRACT
WIGGINS,E.J.	8711090014*	CONTRACT
WIGGINS,E.J.	8711090030*	CONTRACT
WIGGINS,E.J.	8711090048*	CONTRACT
WIGGINS,E.J.	8711090050*	CONTRACT
WIGGINS,E.J.	8711090059*	CONTRACT
WIGGINS,E.J.	8711090103*	CONTRACT
WIGGINS,E.J.	8711090249*	CONTRACT
WIGGINS,E.J.	8711160046*	CONTRACT
WIGGINS,E.J.	8711160052*	CONTRACT
WIGGINS,E.J.	8711160056*	CONTRACT
WIGGINS,E.J.	8711160066*	CONTRACT
WIGGINS,E.J.	8711160244	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WIGGINS,E.J.	8711160249*	CONTRACT
WIGGINS,E.J.	8711160264*	50-445 A
WIGGINS,E.J.	8711160298*	CONTRACT
WIGGINS,E.J.	8711170211*	CONTRACT
WIGGINS,E.J.	8711180079*	CONTRACT
WIGGINS,E.J.	8711180080*	CONTRACT
WIGGINS,E.J.	8711180081*	CONTRACT
WIGGINS,E.J.	8711180098*	CONTRACT
WIGGINS,E.J.	8711180104*	CONTRACT
WIGGINS,E.J.	8711180130*	CONTRACT
WIGGINS,E.J.	8711190006*	CONTRACT
WIGGINS,E.J.	8711200364*	CONTRACT
WIGGINS,E.J.	8711230032*	CONTRACT
WIGGINS,E.J.	8711230068*	CONTRACT
WIGGINS,E.J.	8711230110*	CONTRACT
WIGGINS,E.J.	8711230112*	CONTRACT
WIGGINS,E.J.	8711230234*	CONTRACT
WIGGINS,E.J.	8711230262*	CONTRACT
WIGGINS,E.J.	8711240267*	CONTRACT
WIGGINS,E.J.	8711240291*	CONTRACT
WIGGINS,E.J.	8711250036*	CONTRACT
WIGGINS,E.J.	8711250064*	CONTRACT
WIGGINS,E.J.	8711250264*	CONTRACT
WIGGINS,J.	8711090130	50-317 S
WIGGINS,J.	8711180132	50-293 S
WIGGINS,J.	8711190134	50-293 S
WIGGINS,J.	8711230267	50-412 S
WIGGINS,J.T.	8711020226	50-29 Q
WIGGINS,J.T.	8711040160	50-309 Q
WIGGINS,J.T.	8711060023	50-412 Q
WIGGINS,J.T.	8711180041	50-443 Q
WIGGINS,J.T.	8711230447	50-387 Q
WIGGINS,J.T.	8711230448	50-334 Q
WIGG'NTON,D.L.	8711020006	50-315 P
WIGG'NTON,D.L.	8711020075	50-315 F
WIGG'NTON,D.L.	8711030360	50-483 P
WIGGINTON,D.L.	8711030430	50-315 P
WIGGINTON,D.L.	8711030535	50-315 P
WIGGINTON,D.L.	8711050198	50-315 P
WIGGINTON,D.L.	8711250005	50-316 P
WIGGINTON,D.L.	8711250097	50-266 S
WILDUNG,R.E.	8711160184	NUREG
WILGUS,W.S.	8711040168	50-302 P
WILLARD,S.C.	8711040192	50-259 S
WILLARD,S.C.	8711100342	50-259 S
WILLARD,S.C.	8711200385	50-296 S
WILLIAMS,J.H.	8711090147*	50-277 Q
WILLIAMS,J.H.	8711090250*	50-353 Q
WILLIAMS,M.G.	8711020341	50-482 S
WILLIAMS,M.G.	8711020439	50-482 S
WILLIAMS,M.G.	8711030252	50-482 S
WILLIAMS,M.G.	8711040303	50-482 S
WILLIAMS,M.G.	8711060188	50-482 S
WILLIAMS,M.G.	8711090167	50-482 S
WILLIAMS,M.G.	8711170136	50-482 R
WILLIAMS,M.G.	8711190211	50-482 S
WILLIAMS,M.G.	8711200133	50-482 S
WILLIAMS,M.G.	8711200328	50-482 S
WILLIAMS,M.H.	8708270170*	50-275 Q
WILLIAMS,N.H.	8711130086	50-446 A
WILLIAMS,N.H.	8711240123	50-445 A
WILLIAMS,N.H.	8711240133	50-445 A
WILLIAMS,N.H.	8711240237	50-445 A
WILLIAMS,N.H.	8711250057	50-445 A
WILLIAMS,P.	8711030018	PROJ
WILLIAMS,R.E.	8711160298*	CONTRACT
WILLIAMS,R.O.	8711020359	50-267 S
WILLIAMS,R.O.	8711040052	50-267 P
WILLIAMS,R.O.	8711060038	50-267 S
WILLIAMS,R.O.	8711130144	50-267 H
WILLIAMS,R.O.	8711160235	50-267 S
WILLIAMS,R.O.	8711200287	50-267 R
WILLIAMS,R.O.	8711200323	50-267 F
WILLIAMS,R.O.	8711230431	50-267 F
WILLIS,R.A.	8711240155	50-400 F
WILSEY,W.B.	8711160306	50-171 P
WILSON,B.	8711020036*	50-250 Q
WILSON,B.	8711230162*	50-336 Q
WILSON,J.H.	8711020201	50-382 P
WILSON,J.H.	8711020278	50-382 P
WILSON,J.H.	8711190295	50-382 P
WILSON,K.R.	8711020494	50-302 P
WILSON,K.R.	8711030083	50-302 P
WILSON,K.R.	8711190293	50-302 P
WILSON,M.A.	8711200216	PR
WILSON,R.F.	8711180020	50-219 P
WILSON,R.F.	8711300077	50-219 P
WINK,L.J.	8711160169*	50-410 Q
WINK,L.J.	8711240003*	50-410 Q
WINK,L.J.	8711300056*	50-410 Q
WINNER,G.L.	8711230322	50-272 F
WINSLOW,T.P.	8711050190	71-4909
WINSLOW,T.P.	8711100003	70-1113
WINSLOW,T.P.	8711180017	70-1113
WINTERS,R.W.	8711050002*	50-219 Q
WISE,R.	8711020528*	50-482 Q
WISEMAN,G.R.	8711130158*	50-261 Q
WISENBURG,M.R.	8711090109	50-498 P
WISENBURG,M.R.	8711190117	50-498 P
WISENBURG,M.R.	8711250051	50-498 P
WITCHER,L.E.	8711090106*	50-271 Q
WITHERS,B.D.	8711020235	50-482 Q
WITHERS,B.D.	8711020341	50-482 S
WITHERS,B.D.	8711020439	50-482 S
WITHERS,B.D.	8711030116	50-482 S
WITHERS,B.D.	8711030252	50-482 S
WITHERS,B.D.	8711040303	50-482 S
WITHERS,B.D.	8711040320	50-482 F
WITHERS,B.D.	8711050004	50-482 V
WITHERS,B.D.	8711050074	50-482 P
WITHERS,B.D.	8711060186	50-482 S
WITHERS,B.D.	8711090167	50-482 S
WITHERS,B.D.	8711170136	50-482 R
WITHERS,B.D.	8711190067	50-482 Q
WITHERS,B.D.	8711190211	50-482 S
WITHERS,B.D.	8711200133	50-482 S
WITHERS,B.D.	8711200328	50-482 S
WITHERS,B.D.	8711200415	50-482 S
WITT,F.J.	8711240117*	50-334 P
WITTMAN,R.	8711180021	50-302 F
WITTMAN,R.	8711180024	50-302 F
WITTMAN,R.	8711180026	50-302 F
WITTMAN,R.	8711180032	50-302 F
WITTMAN,R.	8711180115	50-302 F
WITTMAN,R.	8711240137	50-302 F
WITTMAN,R.	8711250015	50-302 F
WITZIG,W.F.	8711050231	50-219 R
WOHL,M.L.	8711180095	REVIEW GR P
WOLFE,S.J.	8711040108	50-361 Q
WOLFE,S.J.	8711110084	50-320 G
WOLFE,S.J.	8711190005	50-352 G
WONG,C.	8711100368	NUREG
WOODARD,C.	8711090387*	50-293 Q
WOODARD,J.D.	8711020486	50-348 S
WOODARD,J.D.	8711130320*	50-348 V
WOODARD,J.D.	8711160101	50-348 S
WOODARD,J.D.	8711160121	50-348 S
WOODARD,J.D.	8711160134	50-348 S
WOODARD,J.D.	8711190139	50-364 S
WOODARD,J.D.	8711190233	50-364 R
WOODARD,J.D.	8711200049	50-348 S
WOODARD,J.D.	8711200103	50-348 R
WOODLAN,D.R.	8711020229	50-445 S
WOODLAN,D.R.	8711020337	50-445 S
WOODLAN,D.R.	8711020372	50-445 S
WOODLAN,D.R.	8711020401	50-445 S
WOODLAN,D.R.	8711020415	50-445 S
WOODLAN,D.R.	8711020435	50-445 S
WOODLAN,D.R.	8711020460	50-445 S
WOODLAN,D.R.	8711020473	50-445 S
WOODLAN,D.R.	8711020483	50-445 A
WOODLAN,D.R.	8711020490	50-445 S
WOODLAN,D.R.	8711030276	50-445 A
WOODLAN,D.R.	8711130110	50-445 S
WOODLAN,D.R.	8711130125	50-445 A
WOODLAN,D.R.	8711130128	50-445 Q
WOODLAN,D.R.	8711130157	50-445 F
WOODLAN,D.R.	8711130176	50-445 A
WOODLAN,D.R.	8711130245	50-445 S
WOODLAN,D.R.	8711130308	50-445 S
WOODLAN,D.R.	8711130346	50-445 S
WOODLAN,D.R.	8711160067	50-445 Q
WOODLAN,D.R.	8711160087	50-445 S
WOODLAN,D.R.	8711160287	50-445 S
WOODLAN,D.R.	8711170096	50-445 S
WOODLAN,D.R.	8711170101	50-445 S
WOODLAN,D.R.	8711170112	50-445 S
WOODLAN,D.R.	8711170170	50-445 S
WOODLAN,D.R.	8711170177	50-445 S
WOODLAN,D.R.	8711170186	50-445 S
WOODLAN,D.R.	8711170236	50-446 S
WOODLAN,D.R.	8711170275	50-445 S
WOODLAN,D.R.	8711180046	50-445 A
WOODLAN,D.R.	8711180071	50-445 A
WOODLAND,J.	8711240046	50-348 F
WOODY,C.O.	8711020374	50-250 R
WOODY,C.O.	8711020408	50-250 P
WOODY,C.O.	8711030551	50-250 Q
WOODY,C.O.	8711040120	50-250 P
WOODY,C.O.	8711040139	50-250 S
WOODY,C.O.	8711040350	50-250 Q
WOODY,C.O.	8711040355	50-335 F
WOODY,C.O.	8711060016	50-250 S
WOODY,C.O.	8711060155	50-250 Q
WOODY,C.O.	8711060289	50-335 P
WOODY,C.O.	8711060290	50-389 Q
WOODY,C.O.	8711090376	50-335 P
WOODY,C.O.	8711100307	50-250 S
WOODY,C.O.	8711100348	50-335 P
WOODY,C.O.	8711100368	50-335 S
WOODY,C.O.	8711100388	50-335 P
WOODY,C.O.	8711100489	PR
WOODY,C.O.	8711130150	50-250 P
WOODY,C.O.	8711130177	50-250 P
WOODY,C.O.	8711130184	50-335 P
WOODY,C.O.	8711130206	50-389 S
WOODY,C.O.	8711130232	50-335 Q
WOODY,C.O.	8711160102	50-251 S
WOODY,C.O.	8711160241	50-250 R
WOODY,C.O.	8711160267	50-250 F
WOODY,C.O.	8711170113	50-251 S
WOODY,C.O.	8711170217	50-250 F
WOODY,C.O.	8711170278	50-250 Q
WOODY,C.O.	8711190176	50-250 R
WOODY,C.O.	8711190181	50-250 S
WOODY,C.O.	8711190206	50-335 S
WOODY,C.O.	8711190290	50-335 F
WOODY,C.O.	8711190298	50-250 Q
WOODY,C.O.	8711200078	50-250 S
WOODY,C.O.	8711200111	50-250 Q
WOODY,C.O.	8711200180	50-335 Q
WOODY,C.O.	8711200189	50-250 P
WOODY,C.O.	8711200348	50-335 P
WOODY,C.O.	8711230358	50-389 P
WOODY,C.O.	8711230444	50-250 R
WOODY,C.O.	8711240028	50-250 R
WOODY,C.O.	8711240116	50-250 Q
WOODY,C.O.	8711240199	50-250 P
WOODY,C.O.	8711240308	50-250 F
WOODY,C.O.	8711250228	50-250 Q
WOODY,C.O.	8711300110	50-335 S
WOODY,C.O.	8711300176	50-335 F
WOODY,C.O.	8711300248	50-250 R
WOODY,C.O.	8711300254	50-250 S
WOOLDEN,D.R.	8711110155	50-445 S
WOOLDRIDGE,R.A.	8711110051	50-445 G
WOOLDRIDGE,R.A.	8711170051	50-445 G
WOOLDRIDGE,R.A.	8711170094	50-445 G
WOOLDRIDGE,R.A.	8711170094	50-445 G
WOOLDRIDGE,R.A.	8711170116	50-445 G
WOOLDRIDGE,R.A.	8711170116	50-445 G
WOOLDRIDGE,R.A.	8711190064	50-446 G
WOOLDRIDGE,R.A.	8711190064	50-445 G
WOOLRIDGE,R.A.	8711040101	50-445 G
WOOLRIDGE,R.A.	8711040101	50-445 G
WOOSLAN,D.R.	8711100372	50-445 S
WORMSLEY,J.A.	8711190230*	50-327 F
WORMSLEY,J.A.	8711190237*	50-327 F
WOS,G.F.	8711050113	71-639
WOS,G.F.	8711050123*	71-639
WOS,G.F.	8711050131*	71-639
WRIGHT,F.N.	8711190228*	50-269 G
WRIGHT,G.C.	8711090318	50-456 G
WRIGHT,G.C.	8711300211	50-454 V
YADAR,R.L.	8711110132*	50-445 A
YAGER,R.M.	8711040327*	50-201 F
YAGER,R.M.	8711040374*	50-201 F
YANDELL,L.	8711170190	50-412 S
YANDELL,L.	8711200327	50-482 S
YANDELL,L.A.	8711130287	50-72 G
YANDELL,L.A.	8711170109*	50-482 G
YANDELL,L.A.	8711230402*	50-313 G
YANDELL,L.A.	8711300097*	50-498 G
YANICHKO,S.E.	8711100376*	50-482 F
YANICHKO,S.E.	8711170248*	50-483 F
YOSHIMURA,T.	8711090010	XPORTLIC
YOSHIMURA,T.	8711090038*	XPORTLIC
YOUNG,L.	8711240208*	40-7580
YOUNG,M.A.	8711170011	50-335 G
YOUNG,M.A.	8711190020	50-445 G
YOUNG,M.A.	8711190035	50-445 G
YOUNG,M.F.	8711100095	NUREG
YOUNGBLOOD,B.J.	8711160309*	50-482 F
YOUNGBLOOD,S.	8711200241	PR

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
YOUNGBLOOD,T.H.	8711100401	50-327 F
YUANN,R.	8711230401	NUREG
YUHAS,G P.	8711060144*	50-133 Q
YUHAS,G P.	8711130156*	50-312 Q
YUHAS,G P.	8711190107*	50-206 Q
YUNG,Y.Y.	8711170252	REVIEW GR P
YUNG,Y.Y.	8711170252	REVIEW GR P
ZAHNLEUTER,R J.	8711040088	50-322 G
ZAHNLEUTER,R J.	8711170019	50-322 G
ZECH,G G	8711020066	50-259 Q
ZECH,G G.	8711130050	50-259 Q
ZECH,G G	8711130076	50-259 F
ZECH,G.G.	8711130084	50-259 Q
ZECH,G G.	8711130182	50-327 Q
ZECH,G G	8711130231	50-327 Q
ZECH,G G	8711160082	50-327 Q
ZECH,G G	8711160234	50-327 Q
ZECH,G G.	8711190137	50-390 Q
ZECH,G.G.	8711190260	50-327 Q
ZECH,G G.	8711190273	50-390 Q
ZECH,G G	8711190281	50-327 Q
ZECH,G.G.	8711230187	50-259 F
ZECH,G G	8711230425	50-259 Q
ZECH,G.G.	8711300046	50-259 Q
ZECH,G.G.	8711300054*	50-259 Q
ZECH,L.W.	8710230006	50-293 F
ZECH,L.W.	8711020060	PR
ZECH,L.W.	8711020067	PR
ZECH,L.W.	8711020130	PR
ZECH,L.W.	8711020432	PR
ZECH,L.W.	8711020450	50-322 H
ZECH,L.W.	8711040022*	50-293 P
ZECH,L.W.	8711100011	50-443 U
ZECH,L.W.	8711110104	50-443 G
ZECH,L.W.	8711200084	COMMISSION N
ZECH,L.W.	8711240269	COMMISSION N
ZECH,L.W.	8711250019	COMMISSION N
ZECH,L.W.	8711250070	COMMISSION N
ZECH,L.W.	8711250107	50-171 G
ZECH,L.W.	8711250120	COMMISSION N
ZENGER,G.H.	8711200292	PR
ZEUGIN,L.B.	8711110087	50-322 G
ZIEMIANSKI,E.	8711030309*	50-293 F
ZIMMERMAN,R.P.	8711020384	50-275 Q
ZIMMERMAN,R.P.	8711030522	50-344 Q
ZIMMERMAN,R.P.	8711060118	50-397 Q
ZIMMERMAN,R.P.	8711060120*	50-397 Q
ZIMMERMAN,R.P.	8711090093	50-275 Q
ZIMMERMAN,R.P.	8711180318	50-206 Q
ZIMMERMAN,R.P.	8711240127	50-275 Q
ZIMMERMAN,R.P.	8711240224	50-312 Q
ZIMMERMAN,R.P.	8711300105	50-344 Q
ZIMMERMAN,S R.	8711030371	50-400 P
ZIMMERMAN,S R.	8711030429	50-400 P
ZIMMERMAN,S.R.	8711060108	50-400
ZIMMERMAN,S.R.	8711060154	50-261
ZIMMERMAN,S.R.	8711060192	50-325
ZIMMERMAN,S R.	8711170119	50-324
ZIMMERMAN,S.R.	8711170126	50-400
ZIMMERMAN,S R.	8711170146	50-400
ZIMMERMAN,S.R.	8711190163	50-261
ZIMMERMAN,S.R.	8711200220	50-324
ZIMMERMAN,S.R.	8711200243	50-261
ZUPKO,J.M.	8711100298	50-311
ZUPKO,J.M.	8711100316	50-311
ZUPKO,J.M.	8711100370	50-272
ZUPKO,J.M.	8711100502	50-272
ZUPKO,J.M.	8711170041	50-272
ZUPKO,J.M.	8711300070	50-311
ZUPKO,J.M.	8711300098	50-311
ZUPKO,J.M.	8711300267	50-272
ZUPKO,J.M.	8711300284	50-272
ZWOLINSKI,J.A.	8711020064	50-327
ZWOLINSKI,J.A.	8711020184	50-327
ZWOLINSKI,J.A.	8711020190*	50-327
ZWOLINSKI,J.A.	8711030399	50-327
ZWOLINSKI,J.A.	8711030513	50-327
ZWOLINSKI,J.A.	8711050214	50-327
ZWOLINSKI,J A.	8711050219*	50-327
ZWOLINSKI,J.A.	8711100023	50-320

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ANBEX, Inc.	8711300203	NUREG	
ASEA Atom, Inc.	8711050179*	TOPREP	
Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.)	8711030352*	FOIA	
	8711100138	71-9217	
	8711100146*	71-9217	
	8711160183	TOPREP	
	8711160196*	TOPREP	
	8711190046	XPORTLIC	
Advisory Council on Historic Preservatio	8711250141	50-387	P
Air and Water Pollution Patrol	8711040105	50-352	G
	8711190022	50-352	G
Alabama Power Co.	8711020486	50-348	S
	8711030350	50-348	P
	8711030533	50-348	Q
	8711030533	50-348	Q
	8711100313	50-348	Q
	8711100512	50-348	S
	8711100512	50-348	S
	8711130261	50-348	P
	8711130261	50-348	P
	8711130320*	50-348	V
	8711160101	50-348	S
	8711160121	50-348	S
	8711160134	50-348	S
	8711180118	50-364	S
	8711180139	50-364	S
	8711180233	50-364	R
	8711200049	50-348	S
	8711200103	50-348	R
	8711200217	50-348	F
	8711230293	50-348	Q
	8711240046	50-348	F
	8711240046	50-348	F
	8711250029	50-348	F
	8711250029	50-348	F
	8711300064	50-348	Q
	8711300069	50-348	P
	8711300135	50-348	Q
	8711300224	50-364	P
Alaska, State of	8711250144*	50-171	G
Allied-Signal Corp.	8711040264	40-3392	
Altair Resources, Inc.	8711160313	40-8926	
	8711160314	40-8926	
American Nuclear Corp.	8711160308	40-4492	
American Red Cross Nassau County Chapter Mineola, NY	8711240048	50-322	G
American Welding Institute Amesbury, MA	8711160305*	CONTRACT	
	8711110047	50-443	G
	8711110047	50-443	G
	8711110065*	50-443	G
	8711110078	50-443	G
	8711110078	50-443	G
Anthony, R.L.	8711040080	50-352	G
	8711190058	50-352	G
	8711240021	50-352	G
Arizona Nuclear Power Project (formerly Arizona Public Service Co.)	8711020058	50-528	V
	8711020058	50-528	V
	8711020058	50-528	V
	8711020108	50-528	Q
	8711020108	50-528	Q
	8711020108	50-528	Q
	8711020410	50-529	S
	8711020479	50-529	S
	8711030019	50-529	S
	8711030169	50-529	S
	8711030260	50-528	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711030275	50-528	P
	8711030275	50-528	P
	8711030552	50-528	Q
	8711040001	50-528	S
	8711040105	50-528	Q
	8711040105	50-528	Q
	8711040105	50-528	Q
	8711040235	50-528	P
	8711040250	50-528	P
	8711040269	50-528	P
	8711040269	50-528	P
	8711060152	50-528	F
	8711060152	50-528	F
	8711060152	50-528	F
	8711060107	50-528	F
	8711060107	50-528	F
	8711060107	50-528	F
	8711090151	50-529	S
	8711090157	50-530	P
	8711090345	50-529	S
	8711100283	50-529	S
	8711120071	50-528	S
	8711120128	50-528	P
	8711120128	50-528	P
	8711120157	50-529	S
	8711160076	50-529	S
	8711160187	50-528	S
	8711160232	50-530	S
	8711160307	50-528	P
	8711160307	50-528	P
	8711160310*	50-528	P
	8711160310*	50-528	P
	8711170204	50-528	Q
	8711170205	50-530	P
	8711170200	50-528	R
	8711190060	50-528	F
	8711190060	50-528	F
	8711190060	50-528	F
	8711190147	50-530	Q
	8711240247	50-528	P
	8711240247	50-528	P
	8711240247	50-528	P
	8711240255	50-528	P
	8711240255	50-528	P
	8711240255	50-528	P
	8711240268*	50-528	P
	8711240268*	50-528	P
	8711240268*	50-528	P
	8711250185	50-529	S
	8711250198	50-530	S
	8711250278	50-528	F
	8711250278	50-528	F
	8711250278	50-528	F
	8711300176	50-529	S
	8711300177	50-529	S
	8711300193	50-528	S
	8711300268	50-530	S
Arizona, Univ. of, Tucson, AZ	8711100270	NUREG	
Arkansas Power & Light Co.	8711020217	50-313	F
	8711030265	50-313	P
	8711030343	50-313	S
	8711030452	50-368	P
	8711030460*	50-368	P
	8711030490	50-368	P
	8711030494*	50-368	P
	8711040343	50-368	P
	8711040346*	50-368	P
	8711050003	50-368	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711050005*	50-368	P
	8711050188	50-313	F
	8711050189	50-313	F
	8711060243	50-368	S
	8711170273*	50-313	Q
	8711180282	50-313	F
	8711200131*	50-313	Q
	8711230363*	50-313	Q
	8711230363*	50-313	Q
Arkansas, Univ. of, Fayetteville, AR	8711060199*	CONTRACT	
Army, Dept. of, Army Engineer Waterways Experiment Station	8711160066*	CONTRACT	
Atlantic Richfield Co. (ARCO)	8711160274	40-8902	
Australian Atomic Energy Commission	8711180064	NUREG	
Automatic Management Consultants, Inc.	8711180033*	CONTRACT	
BP America, Inc.	8711190004*	40-8904	
Babcock & Wilcox Co.	8711030290	TOPREP	
	8711030384*	FOIA	
	8711040354	70-27	
	8711050053	TOPREP	
	8711090178	TOPREP	
	8711090360*	TOPREP	
	8711160280	50-312	H
	8711170194	50-269	H
	8711190306*	50-302	P
	8711190310*	50-302	P
	8711200332	70-824	
	8711200366	71-9216	
	8711240188	70-27	
	8711300216*	70-135	
Backus, Meyer & Solomon	8711040106	50-443	G
	8711110088	50-443	G
	8711190007	50-443	G
	8711190007	50-443	G
	8711190011*	50-443	G
	8711190011*	50-443	G
	8711190024*	50-443	G
	8711190024*	50-443	G
	8711190038*	50-443	G
	8711190038*	50-443	G
Baltimore Gas & Electric Co.	8711090202	50-318	P
	8711090219	50-317	P
	8711090303	50-318	P
	8711130056	50-317	Q
	8711130235	50-317	S
	8711160162	50-318	S
	8711180068	50-318	P
	8711190159	50-317	P
	8711190231	50-317	F
	8711190231	50-317	F
	8711190299	50-317	F
	8711190299	50-317	F
	8711230023	71-9216	
	8711230269	50-317	R
	8711230272*	50-317	R
	8711230276*	50-317	R
	8711230276*	50-317	R
	8711300116	50-317	P
	8711300186	50-317	F
	8711300186	50-317	F
	8711300237	50-317	F
Battelle Memorial Institute, Columbus Laboratories	8711180098*	CONTRACT	
Battelle Memorial Institute, Pacific Northwest Laboratories	8709090378*	50-247	Q
	8711160184	NUREG	
	8711170077*	TOPREP	
	8711170078*	TOPREP	
	8711170086*	TOPREP	
	8711170088*	TOPREP	
Bear Creek Uranium Co.	8711030037	40-8452	
	8711160283	40-8452	
	8711170055	40-8452	
Bechtel Power Corp.	8711100289	PR	
Bishop, Cook, Purcell & Reynolds	8711020032	50-416	Q
Boston Edison Co.	8711020083	50-293	F
	8711020334	50-293	R
	8711030309*	50-293	F
	8711030457*	50-293	P
	8711030474*	50-293	P
	8711030483*	50-293	P
	8711040035*	50-293	P
	8711040061	50-293	F
	8711050119	50-293	Q
	8711050150	50-293	F
	8711060142	50-293	P
	8711060247	50-293	P
	8711090208	50-293	Q
	8711100421	50-293	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8711160012*	50-293
	8711170005*	50-293
	8711170006*	50-293
	8711170007*	50-293
	8711170008*	50-293
	8711170009*	50-293
	8711170010*	50-293
	8711170020*	50-293
	8711170032*	50-293
	8711170218	50-293
	8711180034	50-293
	8711200244	50-293
	8711230074*	50-293
	8711230109	50-293
	8711230290	50-293
	8711300133	50-293
	8711300163	50-293
Brookhaven National Laboratory	8711020296*	50-382
	8711090389	NUREG
	8711100129	NUREG
C-E Operating Plants Owners Group	8711130327	TOPREP
CRC Systems, Inc.	8711230282*	CONTRACT
	8711240291*	CONTRACT
CYGNA Energy Services	8711130086	50-445
	8711240123	50-445
	8711240123	50-445
	8711240133	50-445
	8711240133	50-445
	8711240237	50-445
	8711240237	50-445
	8711250057	50-445
	8711250057	50-445
California, Univ. of, Los Angeles, CA	8711160040	NUREG
	8711200252	PR
California, Univ. of, Santa Barbara, CA	8711090014*	CONTRACT
	8711160052*	CONTRACT
Campaign Research, Inc.	8711110111*	50-322
Canada, Govt. of	8711100368	NUREG
Canadian Commercial Corp.	8711100368	NUREG
Carlow Associates, Inc.	8711130097	TOPREP
	8711130099*	TOPREP
Carolina Power & Light Co.	8711020304	50-400
	8711020335	50-261
	8711030371	50-400
	8711030429	50-400
	8711030445	50-261
	8711030511	50-400
	8711030543	50-324
	8711040299*	50-324
	8711050107	50-400
	8711060108	50-400
	8711060154	50-261
	8711090019	50-261
	8711090351	50-261
	8711090369	50-400
	8711090375*	50-400
	8711100445	50-400
	8711130093	50-400
	8711130172	50-400
	8711130281	50-400
	8711130297	50-324
	8711130376	50-324
	8711160182	50-325
	8711160289	50-400
	8711160299	50-261
	8711170119	50-324
	8711170119	50-324
	8711170126	50-400
	8711170146	50-400
	8711180015	50-400
	8711180123	50-400
	8711180128*	50-400
	8711190163	50-261
	8711200226	50-324
	8711200226	50-324
	8711200243	50-261
	8711200243	50-261
	8711200243	50-261
	8711200310	50-261
	8711200310	50-261
	8711200310	50-261
	8711200310	50-261
	8711200310	50-261
	8711200324	50-324
	8711230296	50-400
	8711230378	50-324
	8711230387*	50-324
	8711230400	50-324
	8711230400	50-324

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711240166	50-400	F
	8711240248	50-324	P
	8711300079	50-324	F
	8711300079	50-324	F
	8711300147	50-400	P
	8711300153*	50-400	P
	8711300173	*50-324*	Q
avarsugh Tocci Associates, Inc.	8711190025*	50-443	G
	8711190057*	50-443	G
enter for Nuclear Responsibility	8711040186	50-250	G
entral Maine Medical Center, Lewiston, IE	8711100319	PR	
incinnati, Univ. of, College of edicine, Cincinnati, OH	8711100335	PR	
itizen Alert	8711160069	FOIA	
itizens Association for Sound Energy	8711040135	50-445	G
	8711190051	50-445	G
leveland Electric Illuminating Co.	8711030047	50-440	S
	8711030065*	50-440	S
	8711030082*	50-440	S
	8711040182	50-440	F
	8711040182	50-440	F
	8711050221	50-440	P
	8711100410	50-440	F
	8711100437	50-440	S
	8711160219	50-440	Q
	8711160294	50-440	P
	8711190091	50-440	R
	8711190116	50-440	S
	8711200276	50-440	Q
	8711240094	50-440	P
	8711240210	50-440	P
	8711240217*	50-440	P
	8711300256	50-440	F
leveland-Cliffs Iron Co.	8711170004	40-8714	
	8711170178	*40-8714*	
	8711170244	40-8714	
	8711230268	40-8714	
ohen & Dippell, P.C.	8711110105*	50-322	G
olorado, State of	8711020150*	STATE PRO	G
olumbia Gas Transmission Corp. (subs. o olumbia Gas Sys, Inc.)	8711090017	71-9021	
ombustion Engineering, Inc.	8608060190*	50-29	P
	8711040060	71-6294	
	8711050013	70-1100	
	8711060112	NUREG	
	8711090027	50-368	S
	8711100213*	PROJ	
	8711130145	NUREG	
	8711200214	PR	
	8711230055	71-6294	
	8711230076*	71-6294	
	8711230315	TOPREP	
ommerce, Dept. of, National Bureau of tandards	8711090103*	CONTRACT	
	8711090211	NUREG	
	8711250064*	CONTRACT	
ommonwealth Edison Co.	8711020224	50-249	Q
	8711020273	50-456	S
	8711020312	50-454	S
	8711020369	50-454	P
	8711020369	50-454	P
	8711020369	50-454	P
	8711020369	50-454	P
	8711020390	50-295	P
	8711020390	50-295	P
	8711020400*	50-295	P
	8711020400*	50-295	P
	8711020429	50-254	Q
	8711020531	50-456	S
	8711030093	50-237	Q
	8711030095	50-373	P
	8711030095	50-373	P
	8711030112	50-456	F
	8711030125	50-249	S
	8711030272	50-237	F
	8711030291	50-456	F
	8711030510	50-373	S
	8711030518	50-454	F
	8711030524	50-237	P
	8711030550	50-295	F
	8711030550	50-295	F
	8711040306	50-295	P
	8711040331	50-237	S
	8711050007	*50-295*	Q
	8711050007	50-295	Q
	8711050141	50-374	S
	8711060078	50-237	S
	8711060105	50-295	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711060168	50-454	Q
	8711060195*	50-454	Q
	8711060195*	50-454	Q
	8711060236	50-10	F
	8711060261	50-456	F
	8711090033	50-456	S
	8711090115	50-456	S
	8711090295	50-237	Q
	8711090317*	50-237	Q
	8711090326	50-373	P
	8711090352	50-456	P
	8711090352	50-456	P
	8711100042*	50-455	S
	8711100301	50-455	S
	8711100325	50-455	S
	8711100332	50-456	S
	8711100390	50-456	Q
	8711100394*	50-456	Q
	8711100443	50-374	P
	8711120064	50-254	F
	8711130003	50-10	F
	8711130003	50-10	F
	8711130101	50-373	R
	8711130244	50-237	P
	8711160147	50-456	Q
	8711160149	*50-295*	R
	8711160160	50-374	S
	8711170118	50-254	P
	8711170118	50-254	P
	8711170147*	50-254	P
	8711170147*	50-254	P
	8711170166	50-254	R
	8711170172	50-454	S
	8711170243	50-237	F
	8711170243	50-237	F
	8711170243	50-237	F
	8711170265	50-454	P
	8711170265	50-454	P
	8711170265	50-454	P
	8711170265	50-454	P
	8711170270*	50-454	P
	8711170270*	50-454	P
	8711170270*	50-454	P
	8711170270*	50-454	P
	8711170271	50-454	F
	8711170271	50-454	F
	8711170271	50-454	F
	8711170271	50-454	F
	8711170271	50-454	F
	8711170274*	50-454	F
	8711170274*	50-454	F
	8711170274*	50-454	F
	8711170274*	50-454	F
	8711170274*	50-454	F
	8711170299	50-373	P
	8711170299	50-373	P
	8711170300*	50-373	P
	8711170300*	50-373	P
	8711180002	50-454	R
	8711180002	50-454	R
	8711190125	50-237	P
	8711190125	50-237	P
	8711190192	50-456	R
	8711190202	50-454	S
	8711190214	50-456	F
	8711190219	50-456	R
	8711190249	50-237	S
	8711190311*	50-237	S
	8711200029	50-237	S
	8711200112	50-237	S
	8711200143	50-237	S
	8711200153	50-237	R
	8711200322	50-373	S
	8711230031	50-374	S
	8711230158	50-237	S
	8711240072	50-374	P
	8711240109	50-237	E
	8711240129	50-295	P
	8711240142	50-295	P
	8711240144	50-456	S
	8711240179*	50-454	K
	8711240179*	50-454	K
	8711240179*	50-454	K
	8711240179*	50-454	K
	8711240190	50-374	S
	8711240215	50-254	F
	8711240238	50-254	P
	8711240250*	50-254	P
	8711240251	50-454	F

	8711240268	50-295	F
	8711250017	50-373	P
	8711250022*	50-373	P
	8711250025	50-254	F
	8711250035	50-454	K
	8711250035	50-454	K
	8711250035	50-454	K
	8711250065	50-249	Q
	8711300083	50-254	P
	8711300093*	50-254	P
	8711300103	50-456	Q
	8711300103	50-456	Q
	8711300104	50-457	Q
	8711300269	50-10	F
Concerned Citizens for SNEC Safety	8711300060	50-146	H
Connecticut Yankee Atomic Power Co.	8711020151	50-213	P
	8711030214	50-213	P
	8711060077	50-213	F
	8711090330	50-213	H
	8711090330	50-213	H
	8711090378	50-213	S
	8711170250	50-213	F
	8711190103	50-213	R
	8711200146	50-213	P
	8711230142	50-213	P
	8711230307	50-213	P
	8711230310*	50-213	P
	8711240098	50-213	P
	8711240106*	50-213	P
	8711240140	50-213	F
	8711240285	50-213	S
Conner & Wetterhahn	8711040098	50-352	G
	8711110052	50-352	G
	8711180136	FOIA	
Conservation Foundation	8711040094	ADVCM	
Consolidated Edison Co. of New York, Inc	8711030210	50-3	F
	8711030210	50-3	F
	8711030216*	50-3	F
	8711040037	50-247	Q
	8711050144	50-247	Q
	8711050275	50-247	F
	8711090263	50-247	P
	8711110006	PR	
	8711130218	50-247	P
	8711160077	50-247	P
	8711160236	50-247	S
	8711160258	50-247	Q
	8711170137	50-247	S
	8711170165	50-247	Q
	8711200291	50-247	Q
Consumers Power Co.	8711020364	50-255	Q
	8711030234	50-255	P
	8711030250	50-255	F
	8711030456	50-155	P
	8711030456	50-155	P
	8711030464*	50-155	P
	8711030554	50-255	F
	8711060135	50-255	S
	8711090029	50-155	F
	8711090278	50-255	K
	8711090308*	50-255	K
	8711100492	50-255	P
	8711110010*	50-255	P
	8711130060	50-255	P
	8711160164	50-155	P
	8711160195*	50-155	P
	8711160224*	50-155	P
	8711170128	50-155	Q
	8711170132*	50-155	Q
	8711170160	50-255	F
	8711180027	50-255	F
	8711180038	50-255	F
	8711180042	50-255	F
	8711180056	50-255	F
	8711180083	50-255	P
	8711180087	50-255	F
	8711180124	50-255	F
	8711190325	50-155	P
	8711200020	50-255	R
	8711200181	50-255	S
	8711230372	50-255	P
	8711230410	50-255	P
	8711230415	50-255	S
	8711240138	50-255	S
	8711240170	50-155	F
	8711300134	50-255	P
	8711300137*	50-255	P
	8711300213	50-255	S
Covington & Burling	8711190077	40-2061	
Culinary Workers Union	8711120055	FOIA	
Dairyland Power Cooperative	8711060122	50-409	
	8711060305	50-409	
	8711130133	50-409	
	8711200195	50-409	
	8711200200*	50-409	
Danbury Hosp., Danbury, CT	8711110033	PR	
Detroit Edison Co.	8711020069	50-341	
	8711020348	50-341	
	8711020349	50-341	
	8711020404	50-341	
	8711020510	50-341	
	8711030466	50-341	
	8711050158	50-341	
	8711050172	50-341	
	8711060083	50-341	
	8711060165	50-341	
	8711100352	50-341	
	8711120087	50-341	
	8711170153	50-341	
	8711180009	50-341	
	8711190270	50-341	
	8711200121	50-341	
	8711230010	50-341	
	8711240274	50-341	
	8711240286*	50-341	
	8711250016	50-341	
	8711250020*	50-341	
	8711250228	50-341	
	8711300068	50-341	
Doc-Search Associates	8711030233	FOIA	
	8711030332	FOIA	
	8711130339	FOIA	
Duke Power Co.	8711250194	50-397	
	8711020331	50-369	
	8711020396	50-369	
	8711020440	50-413	
	8711030285	50-369	
	8711030295	50-369	
	8711030324	50-413	
	8711030324	50-413	
	8711030331*	50-413	
	8711030331*	50-413	
	8711030525	50-369	
	8711050036	50-413	
	8711050039	50-269	
	8711050114	50-413	
	8711050114	50-413	
	8711050164	REGGO	
	8711060180	50-369	
	8711090012	50-369	
	8711090068	50-269	
	8711090068	50-269	
	8711090125	50-269	
	8711090288	50-269	
	8711100295	50-269	
	8711100297*	50-269	
	8711100300	50-369	
	8711100303	50-369	
	8711100383	50-413	
	8711100383	50-413	
	8711100383	50-413	
	8711100405	50-413	
	8711100406	50-369	
	8711100426	50-413	
	8711110037	50-413	
	8711110037	50-413	
	8711120079	50-269	
	8711120079	50-269	
	8711120079	50-269	
	8711120082*	50-269	
	8711120082*	50-269	
	8711120082*	50-269	
	8711120131	50-269	
	8711120131	50-269	
	8711120131	50-269	
	8711120132*	50-269	
	8711120132*	50-269	
	8711120132*	50-269	
	8711160128	50-369	
	8711160190	50-269	
	8711160190	50-269	
	8711160190	50-269	
	8711160211	50-369	
	8711170013	50-413	
	8711170089	50-269	
	8711170110	50-413	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711190166	50-413	P
	8711190218	50-369	S
	8711200263	50-413	R
	8711200342	50-413	Q
	8711200342	*50-413*	*Q*
	8711200363*	50-413	Q
	8711200376	50-269	R
	8711200389	50-413	P
	8711200389	50-413	P
	*8711200391**	*50-413*	*P*
	8711200391*	50-413	P
	8711230013*	50-413	P
	8711230024	50-369	R
	8711230137	50-269	S
	8711230165	*50-414*	*P*
	8711230236	50-413	S
	8711230383	50-369	P
	8711230383	50-369	P
	8711230394	50-413	Q
	8711240100	50-369	P
	8711240100	50-369	P
	8711240104*	50-369	P
	8711240104*	50-369	P
	8711250054	50-370	S
	8711300034	50-369	Q
	8711300036	50-269	S
	8711300041	50-413	P
	8711300099	50-269	P
	8711300108	50-413	P
	8711300108	50-413	P
	8711300111*	50-413	P
	8711300111*	50-413	P
	8711300261	50-269	P
	8711300281	*50-269*	*S*
Duquesne Light Co.	8711020268	50-412	S
	8711020392	50-412	S
	8711030161	50-412	Q
	8711030292	50-334	P
	8711030311	*50-412*	*P*
	8711030519	50-412	P
	8711030546	50-412	S
	8711040137	50-334	R
	8711050129	50-334	F
	8711130307	50-412	S
	8711130341	50-334	S
	8711160114	50-412	S
	8711160167	50-412	S
	8711160207	50-412	S
	8711190109	50-412	S
	8711190198	50-412	S
	8711190292	50-334	V
	8711190292	50-334	V
	8711200088	50-412	S
	8711200258	50-334	J
	8711230229	50-412	S
	8711240058	50-334	P
	8711240108	50-334	P
	8711240174	*50-334*	*P*
	8711240178*	50-334	P
	8711240181*	50-334	P
	8711240288	50-334	P
	8711240292*	50-334	P
	*8711240294**	*50-334*	*P*
	8711300102	50-334	S
Duxbury Council of Parent-Teacher Associations, Duxbury, MA	8711050009*	50-293	F
Duxbury, MA	8711040019*	50-293	P
Dynatrek, Inc.	*8711240267**	CONTRACT	
	8711250160	NUREG	
E I. du Pont de Nemours & Co., Inc.	8711200368*	71-9860	
EG&G Idaho, Inc. (subs. of EG&G, Inc.)	8707150732*	50-352	P
	8710060162*	50-454	P
	8710060162*	50-454	P
	8710150048*	50-275	P
	8710200033*	50-269	P
	8711090336	NUREG	
	8711090388	NUREG	
	8711100261	NUREG	
	8711230401	NUREG	
EURATOM Supply Agency	8711090074	XPORTLIC	
Ebasco Services, Inc. (subs of Enserch Corp.)	8711180082*	50-445	A
Ecological Enterprises, Inc.	8711200240	PR	
Ecology/Alert	8711230084	PR	
Ed'ow International Co.	8711020084	XPORTLIC	
	8711090094	XPORTLIC	
Electric Power Research Institute	*8711170063*	*TOPREP*	
	8711170066*	TOPREP	
	8711170258*	REVIEW GR	P
	8711170262*	REVIEW GR	P
Energy, Dept. of	8711030001	WASTE MGT	
	8711030154	WASTE MGT	
	8711030262	WASTE MGT	
	8711030433*	WASTE MGT	
	8711060087	ORG	
	8711060124*	ORG	
	8711160286	WASTE MGT	
	8711190146*	PR	
	8711200314	71-9860	
	8711200350*	71-9860	
	8711230006	71-5830	
	8711230007	WASTE MGT	
	8711230011*	WASTE MGT	
	8711230044*	PROJ	
	8711230124	71-5830	
	8711230151	71-5580	
	8711230302	WASTE MGT	
	8711230312*	WASTE MGT	
Energy, Dept. of, Idaho Operations Offic	8711090051	PROJ	
	8711230041	PROJ	
Energy, Inc.	8711020056*	CONTRACT	
	8711090045*	50-260	P
Environmental Protection Agency	*8711170057*	*40-8907*	
Eugene Water & Electric Board	8711160140*	50-344	P
European Communities, Commission of	8711020182	XPORTLIC	
Everest Mineral's Corp.	8711030547	40-8857	
	8711160268	40-8857	
	8711230093	*40-8857*	
Exxon Corp.	8711160302	40-8102	
Fansteel Metals (subs. of Fansteel, Inc.	8711240195	40-7580	
	8711240203*	40-7580	
	8711240208*	40-7580	
Federal Emergency Management Agency	*8711020214**	PR	
	8711050111	50-3	F
	8711060007*	50-3	F
	8711110045	50-443	G
	8711190314	50-334	F
	8711190314	50-334	F
	8711200329	50-335	F
	8711200331*	50-335	F
	8711200375	50-250	F
	8711200381*	50-250	F
	8711230424	50-344	F
	8711250200	50-313	F
	8711250202*	50-313	F
Ferret Exploration Company of Nebraska, Inc.	8711030204	40-8829	
	8711060014	40-8943	
	8711060025*	40-8943	
	8711160227	40-8829	
Florida International Univ., Miami, FL	8711190247*	CONTRACT	
Florida Power & Light Co.	*8711020374*	*50-250*	*R*
	8711020374	50-250	R
	8711020408	50-250	P
	8711020408	50-250	P
	8711030551	50-250	Q
	8711030551	*50-250*	*Q*
	8711040120	50-250	P
	8711040120	50-250	P
	8711040125*	50-250	P
	8711040138	50-250	S
	8711040350	*50-250*	*Q*
	8711040350	50-250	Q
	8711040355	50-335	F
	8711060018	50-250	S
	8711060102	50-335	R
	8711060155	50-250	Q
	8711060155	50-250	Q
	8711060289	50-335	P
	8711060290	50-389	Q
	8711090376	50-335	P
	8711090376	50-335	P
	8711100307	50-250	S
	8711100346	50-335	P
	8711100346	50-335	P
	8711100386	50-335	S
	8711100388	50-335	P
	8711100388	50-335	P
	8711100489	PR	
	8711110066	50-335	G
	8711130150	50-250	P
	8711130177	50-250	P
	8711130184	50-335	P
	8711130201*	50-250	P
	8711130206	50-389	S
	8711130232	*50-335*	*Q*
	8711130232	50-335	Q
	8711160102	50-251	S

	8711160241	50-250	R
	8711160267	50-250	F
	8711160267	50-250	F
	8711170113	50-251	S
	8711170217	50-250	F
	8711170217	50-250	F
	8711170278	50-250	Q
	8711170278	50-250	Q
	8711190176	50-250	R
	8711190176	50-250	R
	8711190181	50-250	S
	8711190206	50-335	S
	8711190290	50-335	F
	8711190296	50-250	Q
	8711190296	50-250	Q
	8711200078	50-250	S
	8711200111	50-250	Q
	8711200180	50-335	Q
	8711200180	50-335	Q
	8711200189	50-250	P
	8711200189	50-250	P
	8711200230*	50-250	P
	8711200346	50-335	P
	8711200348*	50-335	P
	8711230358	50-389	P
	8711230373*	50-389	P
	8711230444	50-250	R
	8711240028	50-250	R
	8711240028	50-250	R
	8711240116	50-250	Q
	8711240116	50-250	Q
	8711240199	50-250	P
	8711240308	50-250	F
	8711250226	50-250	Q
	8711250226	50-250	Q
	8711300110	50-335	S
	8711300176	50-335	F
	8711300248	50-250	R
	8711300264	50-250	S
Florida Power Corp (subs. of Florida Progress Corp.)	8711020494	50-302	P
	8711020496*	50-302	P
	8711020498*	50-302	P
	8711030083	50-302	P
	8711030096*	50-302	P
	8711030514	50-302	P
	8711040140	50-302	S
	8711040168	50-302	P
	8711040171*	50-302	P
	8711050023	50-302	P
	8711060184	71-9216	
	8711100240	50-302	S
	8711100327	50-302	S
	8711130136	50-302	Q
	8711130265	50-302	R
	8711130293	50-302	S
	8711160127	50-302	P
	8711180021	50-302	F
	8711180024	50-302	F
	8711180026	50-302	F
	8711180032	50-302	F
	8711180115	50-302	F
	8711180120	50-302	F
	8711190094	50-302	S
	8711190293	50-302	P
	8711190298*	50-302	P
	8711190301*	50-302	P
	8711200145	50-302	Q
	8711230206	50-302	S
	8711230417	50-302	Q
	8711230442	50-302	Q
	8711240137	50-302	F
	8711250015	50-302	F
	8711250132	50-302	F
	8711250133	50-302	F
Franklin Institute	8711090106*	50-271	Q
	8711090389	NUREG	
Galloway & Greenberg	8711190054	XPORTLIC	
	8711190066	XPORTLIC	
General Electric Co.	8711030329	QA999	
	8711060128	XPORTLIC	
	8711060170	XPORTLIC	
	8711060190	71-4909	
	8711060273	XPORTLIC	
	8711060293	XPORTLIC	
	8711090256	XPORTLIC	
	8711100003	70-1113	
	8711100007*	70-1113	
	8711160260*	50-155	
	8711170281	PT21	
	8711180017	70-111	
	8711200251	PR	
	8711240141*	50-298	
	8711250204	QA999	
General Physics Corp.	8711240220*	50-352	
General Public Utilities Corp. - GPU Service Corp.	8711020302	50-320	
	8711020462	50-289	
	8711020525	50-289	
	8711030056	50-289	
	8711030110	50-320	
	8711040093*	50-289	
	8711040185	50-289	
	8711040196*	50-289	
	8711040199	50-320	
	8711040211*	50-320	
	8711040325	50-320	
	8711040370*	50-320	
	8711050103	50-289	
	8711050180	50-289	
	8711050231	50-219	
	8711060045	50-289	
	8711060113	50-289	
	8711060255	50-289	
	8711060256	50-289	
	8711100292	50-219	
	8711100294	50-320	
	8711100343	50-219	
	8711100496	50-320	
	8711120099	50-289	
	8711120108*	50-289	
	8711120113*	50-289	
	8711120146*	50-289	
	8711130012	50-289	
	8711130079	50-219	
	8711130127	50-289	
	8711130188	50-219	
	8711130211*	50-219	
	8711130224	50-219	
	8711160009	50-320	
	8711160016	50-320	
	8711160146	50-320	
	8711160152*	50-320	
	8711160155*	50-320	
	8711160205	50-320	
	8711160282	50-219	
	8711170044	50-320	
	8711170054*	50-320	
	8711170059*	50-320	
	8711170220	50-289	
	8711180020	50-219	
	8711180162*	50-289	
	8711190030	50-320	
	8711190132	50-289	
	8711190132	50-289	
	8711190262	50-219	
	8711190328	50-219	
	8711230111	50-289	
	8711230111	50-289	
	8711230192	50-289	
	8711230233	50-219	
	8711230248	50-289	
	8711230445	50-219	
	8711240075	50-289	
	8711250076	50-320	
	8711250081*	50-320	
	8711250231	50-219	
	8711300077	50-219	
Georgia Power Co.	8810280555	50-321	
	8710270209	50-424	
	8711020261	50-424	
	8711030212*	50-424	
	8711030508	50-424	
	8711030508	50-424	
	8711030548	50-424	
	8711030548	50-424	
	8711040133	50-425	
	8711040231	50-424	
	8711040231	50-424	
	8711060160	50-425	
	8711060215	50-321	
	8711060271	50-424	
	8711060280	50-321	
	8711090011	50-366	
	8711090037	50-321	
	8711090113	50-424	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711090266	50-321	S
	8711100179	50-424	S
	8711120137	50-366	S
	8711130052	50-425	Q
	8711130166	50-424	E
	8711130254*	50-366	P
	8711160074	50-321	R
	8711160108	50-321	P
	8711160126	50-424	S
	8711160179	50-424	S
	8711160189	50-321	F
	8711160242	50-424	S
	8711170224	50-424	F
	8711170224	50-424	F
	8711170233	50-321	S
	8711170248	50-424	F
	8711170248	50-424	F
	8711230177	50-366	S
	8711230283	50-424	F
	8711230283	50-424	F
	8711230292	50-424	P
	8711240090	50-424	P
	8711240090	50-424	P
	8711250214	50-321	F
	8711250273	50-424	F
	8711300205	50-424	P
	8711300239	50-321	F
Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.)	8711020498*	50-302	P
	8711190145	50-302	S
	8711190301*	50-302	P
Government Accountability Project	8711030079	50-445	A
	8711030126	FOIA	
	8711030506	FOIA	
	8711040034	FOIA	
	8711040239	50-206	Q
	8711040274	FOIA	
	8711040276	FOIA	
	8711040298	50-498	P
	8711090028	50-445	A
	8711090028	50-445	A
	8711090085	FOIA	
	8711100454	FOIA	
	8711110039	50-445	A
	8711160058	FOIA	
	8711160068	50-445	Q
	8711160068	50-445	Q
	8711170050	FOIA	
	8711180043	FOIA	
	8711190051	50-445	G
Gulf States Utilities Co.	8711030448	50-458	R
	8711030512*	50-458	R
	8711050035	50-458	P
	8711050061	50-458	Q
	8711090139	50-458	S
	8711090173	50-458	S
	8711090176	50-458	P
	8711090212	50-458	F
	8711090289	50-458	S
	8711100289	50-458	S
	8711100375	50-458	F
	8711100444	50-458	P
	8711100478	50-458	F
	8711100510	50-458	Q
	8711170189	50-458	S
	8711190168	50-458	S
	8711190194	50-458	R
	8711190215	50-458	P
	8711190221*	50-458	P
	8711200265	50-458	P
	8711200330	50-458	Q
	8711230451	50-458	S
	8711300131	50-458	S
	8711300229	50-458	S
	8711300267	50-458	S
Hadco & Associates, Inc.	8711060153	OA999	
Hampton, NH	8711040106	50-443	G
	8711110069*	50-443	G
	8711190037	50-443	G
Harmon & Weiss	8711040065	50-443	G
	8711110058	50-443	G
	8711110059	50-271	G
Harter Corp.	8711090030*	CONTRACT	
	8711230112*	CONTRACT	
Henry & Kelley	8711130214	FOIA	
	8711130230	FOIA	
Hinsdale, NH	8711040377*	50-271	F
Holland, Donovan, Beckett, Welch & Hermans	8711030059	PR	
House of Rep.	8711020023	50-322	H
	8711020042	PR	
	8711020047	PR	
	8711020093*	PR	
	8711020458*	50-322	H
	8711100013*	50-443	H
	8711100102*	50-443	H
	8711110164*	40-8027	
	8711110166*	40-8027	
	8711250270*	50-271	E
House of Rep., Energy & Commerce	8711020463*	PR	
Houston Lighting & Power Co.	8711020140	50-498	S
	8711030268	50-498	F
	8711050205	50-498	F
	8711060238	50-498	S
	8711090109	50-498	F
	8711100282	50-498	S
	8711170099	50-498	F
	8711170111*	50-498	F
	8711170179	50-498	F
	8711170181*	50-498	F
	8711170227	50-498	F
	8711170237*	50-498	F
	8711170291	50-498	F
	8711170294*	50-498	F
	8711180008	50-499	C
	8711190117	50-498	F
	8711190117	50-498	F
	8711200222	50-498	F
	8711230374	50-498	S
	8711250051	50-498	F
	8711300283	50-498	S
Hunton & Williams	8711040067	50-322	C
	8711040110	50-322	C
	8711170045	50-322	C
	8711240023	50-322	C
Hydrogen Control Owners Group	8711180164	TOPREP	
INTERA Technologies, Inc.	8711190001	40-8904	
	8711230080*	40-8904	
Idaho National Engineering Laboratory	8707150732*	50-352	I
	8710060162*	50-454	I
	8710150048*	50-275	
	8711100251*	50-269	
Ikard, J.	8711110160*	40-8027	
Illinois Power Co.	8711020002	50-461	S
	8711090284	50-461	
	8711090311	50-461	
	8711090316*	50-461	
	8711100130	50-461	C
	8711160270	50-461	
	8711170127	50-461	C
	8711200128	50-461	
	8711240143	50-461	
	8711250059	50-461	
	8711300098	50-461	
	8711300230	50-461	
	8711300251	50-461	C
Illinois, State of	8711040091	40-2061	
	8711170036	40-2061	
Impell Corp.	8711180051*	50-445	
	8711180082*	50-445	
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	8711020303	50-315	
	8711030034	50-315	
	8711030034	50-315	
	8711030294	50-315	
	8711030294	50-315	
	8711030375	50-315	
	8711030382*	50-315	
	8711030382*	50-315	
	8711030472	50-316	
	8711030476*	50-316	
	8711030484	50-315	
	8711030539	50-315	
	8711030544*	50-315	
	8711090253	50-315	
	8711090253	50-315	
	8711090260*	50-315	
	8711090260*	50-315	
	8711100429	50-316	S
	8711110149	50-316	S
	8711130095	50-316	
	8711130299	50-316	C
	8711170240	50-315	
	8711170240	50-315	
	8711180007	50-315	
	8711180007	50-315	
	8711190120	50-315	
	8711190382	50-316	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711230346	50-316	F
	8711240218	50-315	P
	8711240218	50-315	P
	8711240229	50-315	P
	8711240229	50-315	P
	8711250190	50-315	Q
	8711250190	50-315	Q
	8711300040	50-315	F
	8711300086	50-315	P
	8711300086	50-315	P
	8711300124	50-315	P
	8711300124	50-315	P
	8711300187	50-315	Q
	8711300187	50-315	Q
Indiana Univ. Foundation, Indianapolis, IN	8711230370*	CONTRACT	
Indiana, State of	8711160032	PR	
Innovative Technologies, Inc.	8711050168*	TOPREP	
Institute of Electrical & Electronic Engineers	8711230411	REGGD	
Interior, Dept. of, Bureau of Mines	8711060284*	CONTRACT	
Interior, Dept. of, Geological Survey	8711030287	50-274	P
	8711030288*	50-274	P
	8711040327*	50-201	P
	8711040369*	50-201	P
	8711040374*	50-201	P
	8711250225	50-274	Q
International Atomic Energy Agency	8711230036	NUREG	
International Freight Forwarders, Inc.	8711060295	70-3041	
International Technical Services, Inc.	8711030401*	CONTRACT	
Interstate Nuclear Services	8410030201*	FOIA	
	8410030207*	FOIA	
	8501090091*	FOIA	
	8501090098*	FOIA	
	8508220003*	FOIA	
	8508220004*	FOIA	
	8607300545*	FOIA	
	8607300549*	FOIA	
	8711170071*	FOIA	
Iowa Electric Light & Power Co.	8711040202	50-331	F
	8711090124	50-331	R
	8711170131	50-331	Q
	8711170185	50-331	R
	8711240265	50-331	P
	8711240277*	50-331	P
	8711240313	50-331	S
Iowa, State of	8711170116	50-331	P
	8711200209	PR	
Iowa, Univ. of, Iowa City, IA	8711100321	PR	
Irving Burton Associates, Inc.	8711040255*	CONTRACT	
J.L. Phillips Investigative Services	8711030299	40-8406	
	8711300005	40-8406	
Japan, Govt. of	8711020148	XPORTLIC	
	8711020166	XPORTLIC	
	8711090272	XPORTLIC	
	8711100089	XPORTLIC	
Joel A. Lipkin, Inc.	8711230032*	CONTRACT	
Joint Intervenors - South African Import	8711190054	XPORTLIC	
	8711190066	XPORTLIC	
Justice, Dept. of	8711020065*	CONTRACT	
	8711020145*	CONTRACT	
	8711020333*	CONTRACT	
Kelsey, B.R.	8711040086	40-2061	
	8711040169*	40-2061	
Kennecott Corp.	8711030107	40-8904	
	8711160301	40-8904	
	8711160311	40-8904	
	8711170062	40-8904	
Kenrob & Associates, Inc.	8711160046*	CONTRACT	
Kensington Associates	8711170222	FOIA	
Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.)	8711190077	40-2061	
Kerr-McGee Corp.	8711110154*	40-8027	
	8711170034*	40-8905	
Kirkpatrick & Lockhart	8711020180	PR	
	8711040088	50-322	G
	8711110077	50-322	G
	8711170019	50-322	G
	8711170025	50-322	G
	8711190013	50-322	G
	8711190027*	50-322	G
	8711190060	50-322	G
	8711240013	50-322	G
	8711240025	50-322	G
	8711030417*	CONTRACT	
	8711250003	NUREG	
	8711190054	XPORTLIC	
	8711190066	XPORTLIC	
LeBoeuf, Lamb, Leiby & MacRae	8711020274	50-285	P
	8711020274	50-285	P
	8711020283*	50-285	P
	8711190046	XPORTLIC	
Long Island Lighting Co.	8711020092*	50-322	Q
	8711040067	50-322	G
	8711040110	50-322	G
	8711100434	50-322	Q
	8711110087	50-322	G
	8711110090	50-322	G
	8711110095*	50-322	G
	8711170045	50-322	G
	8711190164	50-322	P
	8711190167*	50-322	P
	8711240023	50-322	G
	8711240066*	50-322	Q
	8711240078	50-322	S
	8711250239	50-322	P
	8711250252	50-322	S
	8711300136	50-322	J
Louisiana Power & Light Co.	8711020277	50-382	P
	8711040007	50-382	P
	8711040009*	50-382	P
	8711100265	50-382	Q
	8711100268*	50-382	Q
	8711130330	50-382	S
	8711160092	50-382	P
	8711160117	50-382	Q
	8711160142	50-382	P
	8711160171*	50-382	P
	8711160209	50-382	P
	8711160239	50-382	F
	8711190188	50-382	S
	8711190277	50-382	S
Louisiana, State of	8711130319	STATE PRO	G
MHB Technical Associates	8711040263	50-324	P
	8711240027*	50-443	F
MK-Ferguson Co.	8711030249	WASTE MGT	
	8711040301	71-9007	
	8711040305*	71-9007	
Maine Yankee Atomic Power Co.	8711030089	50-309	Q
	8711040033	50-309	P
	8711050011	50-309	Q
	8711200171	50-309	Q
	8711200211	50-309	Q
Malapai Resources Co.	8711050194*	40-8684	
	8711050197*	40-8684	
	8711160185	40-8502	
	8711160266	40-8502	
	8711170002	40-8684	
	8711170229	40-8684	
	8711230252	40-8684	
	8711230357	40-8684	
	8711230367*	40-8684	
	8711230386*	40-8684	
	8711230399	40-8684	
	8711230427*	40-8684	
Mallinckrodt Institute of Radiology at Washington University Medical Center, S	8711230146	PR	
	8711230201*	PR	
	8711230214*	PR	
Martin Marietta Energy Systems, Inc.	8711200343*	71-9860	
Maryland, State of	8711040292*	50-277	P
Maryland, Univ. of, College Park, MD	8711230068*	CONTRACT	
	8711230234*	CONTRACT	
Massachusetts Institute of Technology, Cambridge, MA	8711060145*	CONTRACT	
	8711090249*	CONTRACT	
	8711300167*	70-936	
Massachusetts, Commonwealth of	8710230013*	50-293	F
	8711020001	50-293	P
	8711020026	PR	
	8711020118	FOIA	
	8711020230	50-293	P
	8711030300	50-293	F
	8711030461	50-293	P
	8711040089	50-443	G
	8711040089	50-443	G
	8711040106	50-443	G
	8711040106	50-443	G
	8711060298	50-293	P
	8711110043	50-271	G
	8711170001	50-293	P
	8711190008	50-443	G
	8711190008	50-443	G
	8711190026*	50-443	G
	8711190026	50-443	G
	8711190026	50-443	G
	8711190037	50-443	G

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711190037	50-443	G
	8711190041*	50-443	G
	8711190041*	50-443	G
	8711190057*	50-443	G
	8711190057*	50-443	G
	8711200311	50-293	P
	8711240016	50-443	T
	8711240016	50-443	T
	8711240027*	50-443	T
	8711240027*	50-443	T
	8711250126	50-293	P
	8711100260	NUREG	
Malhtech, Inc.	8710190037	50-262	P
Minnesota Institute of Concern for Publi Health			
Missouri, Univ. of, Columbia, MO	8711020317	50-186	Q
	8711030068*	50-186	Q
	8711090090	50-186	P
	8711090059*	CONTRACT	
Mitre Corp.	8711040100	40-8794	
Molycorp, Inc. (subs. of Union Oil of California)			
	8711040201*	40-8794	
Mudge, Rose, Guthrie, Alexander & Ferdon	8711250174	50-530	P
NUS Corp.	8711030226	FOIA	
	8711110008*	50-255	P
	8711110008*	50-255	P
	8711110012*	50-255	P
	8711160015	FOIA	
	8711190061	50-312	Q
	8711190369*	50-423	P
	8711260167	50-219	P
Namco Controls	8711060297	QA099	
National Audubon Society	8711240027*	50-443	T
Neal R. Gross & Co., Inc.	8711040036	FOIA	
Nebraska Public Power District	8711020274	50-285	P
	8711020274	50-285	P
	8711020283*	50-285	P
	8711020344	50-298	P
	8711020346*	50-298	P
	8711020481	50-298	F
	8711030024	50-298	P
	8711030028*	50-298	P
	8711030402*	50-298	V
	8711090298	50-298	P
	8711090312*	50-298	P
	8711100017	50-298	F
	8711110015	50-298	F
	8711160293	50-298	R
	8711170141	50-298	P
	8711170198	50-298	P
	8711200354	50-298	R
	8711200360*	50-298	R
	8711240134	50-298	P
	8711240281	50-298	F
	8711250221	50-298	F
	8711300222	50-298	Q
Network Solutions, Inc.	8711250036*	CONTRACT	
New England Coalition on Nuclear Pollution	8711040065	50-443	G
	8711110058	50-443	G
	8711110059	50-271	G
New Hampshire, State of	8711170075	50-443	P
New Jersey, State of	8711020098*	FOIA	
New Mexico, State of	8711030012	40-8904	
	8711160200	40-8905	
	8711240216	40-8911	
New York Power Authority (formerly Power Authority of the State of New York)	8711020136	50-333	Q
	8711030426	50-333	F
	8711100276	50-286	P
	8711100323	50-333	Q
	8711100514	50-333	R
	8711160060	50-286	Q
	8711160098*	50-286	Q
	8711160112	50-333	P
	8711190111	50-286	Q
	8711190124	50-286	R
	8711190343	50-286	P
	8711200137	50-333	F
	8711240092	50-333	F
New York, State of	8711020180	PR	
	8711040088	50-322	G
	8711110077	50-322	G
	8711170019	50-322	G
	8711170025	50-322	G
	8711190013	50-322	G
	8711190060	50-322	G
	8711230152	50-322	H
	8711240005	STATE PRO	G
	8711240013	50-322	G
	8711240025	50-322	G
	8711240151	STATE PRO	G
Newburyport, MA	8711190016*	50-443	G
Newman & Holtzinger	8711110068	50-335	Q
Niagara Mohawk Power Corp.	8711040338	50-220	Q
	8711050203	50-410	P
	8711050287*	50-410	P
	8711060027	50-410	S
	8711060036	50-410	S
	8711090072*	50-263	P
	8711100353	50-220	P
	8711100404	50-410	P
	8711130034	50-220	Q
	8711130034	50-220	Q
	8711130092	50-220	F
	8711130113	50-410	S
	8711130165	50-286	S
	8711130166	50-410	S
	8711160151	50-220	-
	8711160151	50-220	-
	8711160226	50-220	Q
	8711160240	50-220	R
	8711160257*	50-220	R
	8711170192	50-410	Q
	8711160030	50-410	R
	8711180052	50-220	S
	8711190085	50-220	S
	8711190136	50-220	P
	8711190280	50-220	S
	8711190335	50-410	P
	8711230181	50-410	P
	8711240120	50-410	S
	8711240150	50-410	S
	8711240158*	50-410	P
	8711240166*	50-410	P
	8711240182	50-220	S
	8711240196	50-220	S
	8711240221	50-220	S
	8711240223	50-220	S
	8711240233	50-410	P
	8711240275	50-410	P
	8711250006	50-410	S
	8711250128	50-410	S
	8711250250	50-410	P
	8711300180	50-220	S
	8711090010	XPORTLIC	
Nissho Iwai American Corp.	8711090038*	XPORTLIC	
North Carolina State Univ., Raleigh, NC	8711160231	50-297	
North Carolina, State of	8711130238	NUREG	
Northeast Nuclear Energy Co. (subs. of Northeast Utilities)	8711020151	50-213	
	8711020313	50-245	
	8711020357	50-336	
	8711040210	50-245	
	8711050021	50-336	
	8711050025*	50-336	
	8711060200	50-423	
	8711090100	50-336	
	8711090102*	50-336	
	8711090330	50-213	
	8711090330	50-213	
	8711100354	50-423	
	8711100378	50-245	
	8711130078	50-336	
	8711160104	50-245	
	8711160292	50-423	
	8711170018	50-336	
	8711180019	50-245	
	8711190386	50-423	
	8711200077	50-423	
	8711200208	50-423	
	8711230094	71-5450	
	8711230284	50-423	
	8711230443	50-245	
	8711230443	50-245	
	8711240193	50-245	
	8711250191	50-245	
Northeast Utilities	8711020151	50-213	
	8711020313	50-245	
	8711020357	50-336	
	8711040219	50-245	
	8711050021	50-336	
	8711060200	50-423	
	8711090100	50-336	
	8711090330	50-213	
	8711090330	50-213	
	8711100354	50-423	
	8711100378	50-245	
	8711130078	50-336	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711160104	50-245	R
	8711160292	50-423	R
	8711170018	50-336	R
	8711180019	50-245	S
	8711190366	50-423	P
	8711200077	50-423	E
	8711200208	50-423	S
	8711230094	71-6450	
	8711230284	50-423	P
	8711230443	50-245	F
	8711230443	50-245	F
	8711240193	50-245	Q
	8711250191	50-245	S
Northern States Power Co.	8711060227	50-263	P
	8711060264	50-263	P
	8711060269	50-263	P
	8711060307	50-282	Q
	8711060309*	50-282	Q
	8711100275	50-282	R
	8711100369	50-263	Q
	8711100388	50-282	P
	8711100389	50-282	P
	8711100392*	50-282	P
	8711100392*	50-282	P
	8711100398*	50-282	P
	8711100398*	50-282	P
	8711100441*	50-282	P
	8711100441*	50-282	P
	8711130234	50-263	F
	8711130305*	50-263	F
	8711130305*	50-263	F
	8711160094	50-263	R
	8711170056	50-263	P
	8711170276	50-263	S
	8711300100	50-282	S
	8711300142	50-282	S
	8711300161	50-263	S
	8711300253	50-282	S
Nuclear Associates, Inc.	8711240245	PR	
	8711250048	PR	
	8711250053	PR	
Nuclear Assurance Corp.	8711030440	71-9183	
	8711030451*	71-9183	
	8711090086	71-9183	
	8711100056	71-9010	
Nuclear Awareness Network	8711190267	50-482	G
	8711190305*	50-482	G
Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.)	8711030349	70-143	
	8711030387	70-143	
	8711030527	70-143	
	8711190102	70-143	
Nuclear Information & Resource Service	8711130354	NUREG	
Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Mana	8711130194	NUREG	
Nuclear Packaging, Inc.	8711030308	71-9212	
	8711040222	71-9070	
	8711040227*	71-9070	
	8711090095	71-9200	
	8711090096*	71-9200	
Nuclear Reactor Laboratory	8711090155	50-20	Q
	8711250203	50-20	S
Nuclear Utility Backfitting & Reform Group	8711230143	PR	
Nuclear Waste Consultants, Inc.	8711160249*	CONTRACT	
Nutec, Inc.	8711200380	PROJ	
O'Donnell & Associates, Inc.	8711240147*	50-295	P
	8711240161*	50-295	P
	8711240173*	50-295	P
O'Hara & Hanlon	8711170038	FOIA	
ONLINE Computer Systems, Inc.	8711180130*	CONTRACT	
Oak Ridge National Laboratory	8711020102*	50-327	P
	8711060223	NUREG	
	8711060294	NUREG	
	8711160022	NUREG	
	8711230334	NUREG	
	8711250072	NUREG	
Ohio Citizens for Responsible Energy	8711200284	PR	
	8711200349	NUREG	
Oklahoma, Univ. of, Norman, OK	8711090065*	CONTRACT	
	8711250009	50-112	P
	8711250011*	50-112	P
Omaha Public Power District	8604160094	50-285	F
	8701140166	50-285	S
	8711020264	50-285	S
	8711020274	50-285	P
	8711020274	50-285	P
	8711020283*	50-285	P
	8711020395	50-285	P
	8711020507	50-285	
	8711030488	50-285	
	8711030500*	50-285	
	8711100348	50-285	
	8711100355	50-285	
	8711100364	50-285	
	8711100505	50-285	
	8711110025	50-285	
	8711160100	50-285	
	8711160199	50-285	
	8711170138	50-285	
	8711200148	50-285	
	8711200334	50-285	
	8711230246	50-285	
	8711230288*	50-285	
	8711230337	50-285	
	8711230376	50-285	
	8711230382	50-285	
	8711240086	50-285	
	8711240097	50-285	
	8711250229	50-285	
	8711300037	50-285	
	8711300128	50-285	
	8711300208	50-285	
Orahge County, CA	8711170292	50-206	
Oregon State Univ., Corvallis, OR	8711230379	50-243	
Organization for Economic Cooperation & Development (Paris)	8711060009	NUREG	
PacifiCorp (formerly Pacific Power & Light)	8711160140*	50-344	
Pacific Gas & Electric Co.	8711020260	50-275	
	8711020260	50-275	
	8711020268*	50-275	
	8711020268*	50-275	
	8711020399	50-323	
	8711020436	50-323	
	8711030094	50-276	
	8711030094	50-275	
	8711030280	50-275	
	8711030280	50-275	
	8711030284*	50-275	
	8711030284*	50-276	
	8711030286*	50-275	
	8711030286*	50-276	
	8711050055	50-133	
	8711060167	50-276	
	8711060167	50-275	
	8711060277	50-275	
	8711060282*	50-275	
	8711090275	50-275	
	8711090276	50-275	
	8711100279	50-275	
	8711100279	50-275	
	8711100286*	50-275	
	8711100286*	50-276	
	8711100367	50-275	
	8711100451	50-275	
	8711130141	50-275	
	8711130141	50-276	
	8711130321	50-275	
	8711130321	50-276	
	8711160148	50-276	
	8711160148	50-275	
	8711160169	50-323	
	8711160174	50-275	
	8711160181*	50-275	
	8711160186*	50-275	
	8711160206	50-275	
	8711160206	50-275	
	8711160218	50-275	
	8711160218	50-275	
	8711160220*	50-275	
	8711160276	50-275	
	8711190075*	50-275	
	8711230242	50-133	
	8711230436	50-275	
	8711240067	50-275	
	8711240067	50-275	
	8711240205	50-275	
	8711250212	50-275	
	8711300125	50-323	
	8711300130*	50-323	
	8711300160	50-276	
	8711300160	50-275	
Pacific Nuclear Systems, Inc.	8711030308	71-9212	
	8711240298	QA999	
	8711240300*	QA999	
Parameter, Inc.	8711160056*	CONTRACT	
	8711190006*	CONTRACT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Parsons Brinckerhoff Maintenance Services, Inc.	8711170211*	CONTRACT	
	8711250264*	CONTRACT	
Pathfinder Mines Corp.	8710060198	40-2259	
	8710270163*	40-2259	
	8711060004	40-2259	
Pennsylvania Power & Light Co.	8711020169	50-387	F
	8711030372	50-387	H
	8711030455	50-388	P
	8711040003	50-387	P
	8711040003	50-387	P
	8711050176	50-387	F
	8711080281	50-387	Q
	8711090319	50-387	P
	8711090319	50-387	P
	8711090366*	50-387	P
	8711100408	50-387	S
	8711120066	50-387	R
	8711120066	50-387	R
	8711120098	50-387	F
	8711170161	50-387	R
	8711170151	50-387	R
Pennsylvania State Univ., University Park, PA	*8711060258*	*50-5*	R
	8711060262*	50-5	R
	8711060268*	50-5	R
	8711240240	*50-5*	V
	8711240268*	50-5	V
Pennsylvania, Commonwealth of	8711080228*	50-277	U
	8711300013*	40-8406	
Pentucket Regional School District, MA	*8711110078**	*50-443*	G
Petrotomics Co. (formerly Getty/Petrotomics Co.)	8711170072	40-6659	
	8711170156	40-6659	
Philadelphia Electric Co.	8711020161	50-277	S
	8711030362	50-353	Q
	8711040098	50-352	G
	8711040190	50-352	S
	8711050159	50-171	S
	8711050159	*50-171*	S
	8711050159	50-171	S
	8711050175	50-171	S
	8711050175	50-171	S
	8711050175	50-171	S
	8711060116	50-277	S
	8711060237	50-277	P
	8711060241*	50-277	P
	8711060241*	50-277	P
	8711100195	50-277	P
	8711100326	50-277	P
	8711100365	50-352	P
	8711100393	50-352	P
	8711100393	50-352	P
	8711100417	50-278	S
	8711110052	50-352	G
	8711120018	50-352	R
	8711120023*	50-352	R
	8711130274	50-277	Q
	8711130274	50-277	Q
	8711160306	50-171	P
	8711160306	50-171	P
	8711160306	50-171	P
	8711170028	50-352	P
	8711180003	50-278	S
	8711190108	50-352	Q
	8711190263	50-352	S
	8711200154	50-352	S
	8711200309	50-277	R
	8711200347	50-352	P
	8711200357*	50-352	P
	8711200372*	50-352	P
	8711200387	50-352	R
	8711230173	50-352	P
	8711230219*	50-352	P
	8711230224*	50-352	F
	8711230224*	50-352	F
	8711230231*	50-352	K
	8711230231*	50-352	K
	8711230350	50-277	P
	8711230350	50-277	P
	8711230371*	50-277	P
	8711230371*	50-277	P
	8711230381*	50-277	P
	8711230381*	50-277	P
	8711230419	50-352	S
	8711240001	50-171	P
	8711240206	50-352	P
	8711250219	50-352	S
	8711250261	50-352	R
	8711300002	50-277	P
	8711300002	50-277	P
	8711300014*	50-277	P
	8711300014*	50-277	P
	8711300195	50-277	S
	8711300259	50-277	S
	8711300265	50-352	S
	8711300277	50-277	P
	8711300277	50-277	P
	8711300280*	50-277	P
	8711300280*	50-277	P
Phillips Exeter Academy, Exeter, NH	8711030059	PR	
Phoenix International	8711030361*	CONTRACT	
	8711230110*	CONTRACT	
Portland General Electric Co.	8711020332	50-344	S
	8711020343	50-344	S
	8711030266	50-344	P
	8711030290	50-344	P
	8711030365	50-344	S
	8711100309	50-344	P
	8711100413	50-344	S
	8711110161	50-344	S
	8711160138	50-344	P
	8711160140*	50-344	P
	8711160141*	50-344	P
	8711170092	50-344	R
	8711180001	50-344	P
	8711180005*	50-344	P
	8711180006*	50-344	P
	8711190086	50-344	Q
	8711190238	50-344	P
	8711190246*	50-344	P
	8711190251*	50-344	P
	8711200340	50-344	S
	8711230356	50-344	Q
	8711230364	50-344	S
	8711240029	50-344	P
	8711240171	50-344	S
	8711240192	50-344	F
	8711240297	*50-344*	S
	8711250272	50-344	Q
	8711300244	50-344	K
	8712010076*	50-344	K
Prisuta - Beckman Associates	*8711090022**	*50-341*	Q
Production House, Inc.	8711230398*	CONTRACT	
Public Citizen's Critical Mass Energy Project	8711100311	PR	
Public Service Co. of Colorado	*8711020359*	*50-267*	S
	8711020503	50-267	F
	8711040052	50-267	P
	8711050247*	50-267	S
	8711080038	*50-267*	S
	8711130144	50-267	H
	8711160236	50-267	S
	8711170205	50-267	P
	8711190082	*50-267*	J
	8711190099*	50-267	J
	8711200267	50-267	R
	8711200323	50-267	F
	8711230431	50-267	F
	8711240214	50-267	P
Public Service Co. of New Hampshire	8711040058	50-443	G
	8711040058	50-443	G
	8711040112	50-443	G
	8711040139	*50-443*	G
	8711040162	50-443	G
	8711040179*	50-443	G
	8711040179*	50-443	G
	8711060029	50-443	P
	8711060031*	50-443	P
	8711100349	50-443	S
	8711100367	50-443	F
	8711100367	50-443	F
	8711100416	50-443	P
	8711100416	50-443	P
	8711110063	50-443	G
	8711110063	50-443	G
	8711160042	50-443	P
	8711160042	50-443	P
	8711160096	50-443	R
	8711170031	50-443	G
	8711170031	50-443	G
	8711190018	50-443	T
	8711190018	50-443	T
	8711190039*	50-443	T
	8711190039*	50-443	T
	8711190047*	50-443	T
	8711190047*	50-443	T
	8711190093	50-443	S

	8711200374*	50-443	G
	8711200374*	50-443	G
	8711240043	50-443	G
	8711240099	50-443	F
	8711240183*	50-443	F
Public Service Electric & Gas Co. of New Jersey	8711020015	50-272	F
	8711020050	50-272	P
	8711020280	50-354	S
	8711020409	50-272	P
	8711020409	50-272	P
	8711020418*	50-272	P
	8711020418*	50-272	P
	8711030208	50-272	V
	8711050089	50-354	S
	8711050146	50-354	S
	8711050163	50-354	S
	8711060249	50-272	Q
	8711060249	50-272	Q
	8711090150	50-272	P
	8711090150	50-272	P
	8711100298	50-311	S
	8711100306	50-354	S
	8711100316	50-311	S
	8711100378	50-272	S
	8711100464	50-272	F
	8711100464	50-272	F
	8711100464	50-272	F
	8711100502	50-272	S
	8711110030	50-354	S
	8711160204	50-272	F
	8711160204	50-272	F
	8711160217	50-272	P
	8711160217	50-272	P
	8711160228	50-354	F
	8711160288	50-354	P
	8711170041	50-272	S
	8711190201	50-354	S
	8711200093	50-354	P
	8711200100*	50-354	P
	8711200155	50-311	P
	8711200220	50-354	R
	8711200239	50-354	R
	8711200333*	50-354	P
	8711230037	50-354	P
	8711230322	50-272	F
	8711240081	50-354	P
	8711300067	50-272	P
	8711300067	50-272	P
	8711300070	50-311	P
	8711300080*	50-272	P
	8711300080*	50-272	P
	8711300098	50-311	S
	8711300267	50-272	P
	8711300284	50-272	S
Pullman Power Products Corp. (formerly Pullman, Inc.)	8711180085*	FOIA	
	8711180099*	FOIA	
	8711180101*	FOIA	
Purdue Univ., West Lafayette, IN	8711180060	NUREG	
Questech, Inc.	8711090058	71-632	
Quivira Mining Co.	8711050246	40-8905	
	8711050249*	40-8905	
	8711170022	40-8905	
RTS Technology, Inc.	8711060276	71-642	
	8711060283*	71-642	
Rabinowitz, E.	8711200341	50-293	P
Reliance Electric Co. (subs. of Exxon Corp.)	8711200296	PR	
Resource Technical Services, Inc.	8711060291*	FOIA	
Rhode Island, State of	8711190119	50-193	P
Rochester Gas & Electric Corp.	8711030100	50-244	Q
	8711040367	50-244	F
	8711170120	50-244	F
	8711170182*	50-244	F
	8711170223*	50-244	F
	8711240119	50-244	P
	8711300033	50-244	F
	8711300235	50-244	P
	8711300246*	50-244	P
Rockwell Engineering Co., Inc.	8711030502	QA999	
Ropes & Gray	8711040058	50-443	G
	8711040075	50-271	G
	8711040082	50-271	G
	8711040097	50-445	G
	8711040097	50-446	G
	8711040112	50-443	G
	8711040139	50-443	G
	8711040146	50-445	
	8711040147	50-445	
	8711040147	50-445	
	8711040157	50-445	
	8711040157	50-445	
	8711040162	50-443	
	8711110063	50-443	
	8711110063	50-443	
	8711170016	50-445	
	8711190009	50-445	
	8711190018	50-443	
	8711200374*	50-443	
	8711200374*	50-443	
	8711240043	50-443	
SC&A, Inc.	8711100260	NUREG	
SRI International	8711180047	NUREG	
Sacramento Municipal Utility District	8711020371	50-312	
	8711020411	50-312	
	8711020475	50-312	
	8711030188	50-312	
	8711040360	50-312	
	8711050140	50-312	
	8711090163	50-312	
	8711090206	50-312	
	8711090210*	50-312	
	8711090238	50-312	
	8711090245	50-312	
	8711100059	50-312	
	8711100150	50-312	
	8711100165*	50-312	
	8711100396	50-312	
	8711130010	50-312	
	8711160021	50-312	
	8711160113	50-312	
	8711160201	50-312	
	8711160243	50-312	
	8711160262	50-312	
	8711170187	50-312	
	8711170188*	50-312	
	8711170253	50-312	
	8711170256*	50-312	
	8711180037	50-312	
	8711190086	50-312	
	8711190155	50-312	
	8711190161*	50-312	
	8711200199	50-312	
	8711230220	50-312	
	8711230432	50-312	
	8711240057	50-312	
	8711240209	50-312	
	8711240212*	50-312	
	8711250023	50-312	
Safe Energy Coalition of Michigan	8711030060	50-341	
Sandia National Laboratories	8711030077	NUREG	
	8711100095	NUREG	
	8711100407	NUREG	
	8711160040	NUREG	
	8711170043	NUREG	
	8711250143	NUREG	
Savignac, N.	8711160312	40-8698	
	8711230128	40-8698	
Saxton Nuclear Experimental Corp.	8711160150	50-146	
Science & Engineering Associates, Inc.	8711060148	NUREG	
	8711100260	NUREG	
Science Applications International Corp. (formerly Science Applications, Inc.)	8703300263*	50-395	
	8707290122	TOPREP	
	8707290126*	TOPREP	
	8708170057	TOPREP	
	8708170081*	TOPREP	
	8709040375	TOPREP	
	8709040403*	TOPREP	
	8710200440*	50-266	
	8711040024*	CONTRACT	
	8711040171*	50-302	
	8711130209	TOPREP	
	8711250143	NUREG	
Scientists & Engineers for Secure Energy	8711100290	PR	
Seacoast Anti-Pollution League	8711040106	50-443	
	8711110088	50-443	
	8711190007	50-443	
	8711190007	50-443	
	8711190011*	50-443	
	8711190011*	50-443	
	8711190024*	50-443	
	8711190024*	50-443	
	8711190037	50-443	
	8711190038*	50-443	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711190038*	50-443	G
Seismic Qualification Utility Group	8711230395	REGGD	
	8711250062*	50-266	P
Senate	8710020063	COMMISSIO	N
	8710160023	50-443	G
	8710160023	50-443	G
	8710160027*	50-443	G
	8710160027*	50-443	G
	8710160031*	50-443	G
	8710160031*	50-443	G
	8711020011	50-322	H
	8711020111	PR	
	8711100012*	50-213	H
	8711100310	PR	
	8711100377	PR	
	8711200166*	70-135	
Sequoyah Fuels Corp. (subs. of Kerr-McGe Nuclear Corp.)	8711160225	40-8768	
	8711190352	40-8027	
	8711190359*	40-8027	
	8711230144	40-8768	
	8711230153*	40-8768	
Shaines & McEachern	8711110047	50-443	G
	8711110047	50-443	G
	8711110053	50-443	G
	8711110063	50-443	G
	8711110065*	50-443	G
	8711110065*	50-443	G
	8711110069*	50-443	G
	8711110069*	50-443	G
	8711110078	50-443	G
	8711110078	50-443	G
Shaw, Pittman, Potts & Trowbridge	8711090069	50-275	O
	8711100491	FOIA	
	8711170044	50-320	G
	8711170054*	50-320	G
	8711170059*	50-320	G
	8711190030	50-320	G
Siemens Medical Systems, Inc. (subs. of Siemens Capital Corp.)	8711200379	71-551	
	8711200383*	71-551	
Small Business Administration	8711030361*	CONTRACT	
	8711030401*	CONTRACT	
	8711040265*	CONTRACT	
	8711090050*	CONTRACT	
	8711160046*	CONTRACT	
	8711180079*	CONTRACT	
	8711180081*	CONTRACT	
	8711180104*	CONTRACT	
	8711230110*	CONTRACT	
Small Business High Technology Institute	8711110138	FOIA	
Sonalysts, Inc.	8711020196*	CONTRACT	
	8711180080*	CONTRACT	
Source Production & Equipment Co., Inc.	8711200277	PR	
South Carolina Electric & Gas Co.	8711020265	50-395	S
	8711020280*	50-395	S
	8711100371	50-395	F
	8711160143	50-395	V
	8711170091	50-395	R
	8711170193	50-395	F
	8711170265	50-395	F
	8711190112	50-395	P
	8711230121	50-395	O
	8711250079	50-395	F
	8711250180	50-395	S
South Carolina, Univ. of, Columbia, SC	8711050134*	CONTRACT	
South Hampton, NH	8711240013	50-322	G
Southampton, NY	8711040086	50-322	G
	8711110077	50-322	G
	8711170019	50-322	G
	8711170025	50-322	G
	8711190013	50-322	G
	8711190060	50-322	G
	8711240006	50-322	G
	8711240025	50-322	G
Southern California Edison Co.	8711020428	50-361	Q
	8711020502	50-361	S
	8711030261	50-206	Q
	8711030321	50-206	P
	8711030328*	50-206	P
	8711030333*	50-206	P
	8711040044	50-362	S
	8711050273	50-361	S
	8711060301	50-361	P
	8711060301	50-361	P
	8711060303*	50-361	P
	8711060303*	50-361	P
	8711090217	50-361	P
	8711100271	50-206	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711100274*	50-206	S
	8711100341	50-206	P
	8711100358	50-206	S
	8711100361	50-206	S
	8711130062	50-361	S
	8711130205	50-361	S
	8711130215	50-361	S
	8711170098	50-361	S
	8711170174	50-361	S
	8711170241	50-362	S
	8711190084	50-361	R
	8711190090	50-206	R
	8711190183	50-206	P
	8711230218	50-206	P
	8711240017*	50-206	P
	8711240035	50-206	P
	8711240087	50-361	P
	8711250010	50-361	C
	8711250032	50-206	P
	8711300045	50-206	S
	8711300115	50-361	P
Southern Company Services, Inc.	8711040133	50-425	B
	8711130168	50-424	B
Southwest Research and Information Cente	8710070237*	40-8907	
	8710290090	40-8907	
Southwestern Laboratories	8711090088	OA999	
St. John's Hosp., Springfield, IL	8711200236	PR	
State, Dept. of, Bureau of Oceans & Intl Environ. & Scientific Affairs	8711240304	XPORTLIC	
	8711250014	XPORTLIC	
	8711250135	XPORTLIC	
Stone & Webster Engineering Corp.	8711030318*	50-412	
	8711050268	NUREG	
	8711200130*	50-445	A
Stone & Webster, Inc.	8711110034	PR	
	8711110102*	50-445	A
	8711110114*	50-445	A
	8711110132*	50-445	A
Suffolk County, NY	8711020180	PR	
	8711040088	50-322	G
	8711110061	50-322	G
	8711110077	50-322	G
	8711170019	50-322	G
	8711170025	50-322	G
	8711190013	50-322	G
	8711190027*	50-322	G
	8711190060	50-322	G
	8711240013	50-322	G
	8711240025	50-322	G
System Automation Corp.	8711090046*	CONTRACT	
System Energy Resources, Inc.	8711020470	50-416	
	8711030526	50-416	
	8711040109	50-416	
	8711040115*	50-416	
	8711050118	50-416	
	8711050226	50-416	
	8711100330	50-416	
	8711130085	50-416	
	8711130126	50-416	
	8711160095	50-416	
	8711160103	50-416	
	8711190148	50-416	
	8711250218	50-416	
	8711300048	50-416	
	8711300266	50-416	
TU Electric (formerly Texas Utilities Generating Co.)	8711020229	50-445	
	8711020229	50-445	
	8711020238	50-445	
	8711020337	50-445	
	8711020337	50-445	
	8711020372	50-445	
	8711020372	50-445	
	8711020401	50-445	
	8711020401	50-445	
	8711020415	50-445	
	8711020435	50-445	
	8711020435	50-445	
	8711020460	50-445	
	8711020473	50-445	
	8711020473	50-445	
	8711020483	50-445	
	8711020483	50-445	
	8711020490	50-445	
	8711020490	50-445	
	8711030276	50-445	
	8711030276	50-445	
	8711030278	50-445	
	8711030278	50-445	

8711030358	50-445	S
8711030358	50-445	S
8711030505	50-445	S
8711030505	50-445	S
8711040046	50-445	S
8711040046	50-445	S
8711040048	50-445	S
8711040048	50-445	S
8711040048	50-445	S
8711040073	50-445	G
8711040073	50-445	G
8711040083	50-445	G
8711040083	50-445	G
8711040095	50-445	G
8711040095	50-445	G
8711040097	50-445	G
8711040097	50-445	G
8711040101	50-445	G
8711040101	50-445	G
8711040102	50-445	G
8711040102	50-445	G
8711040107	50-445	G
8711040107	50-445	G
8711040113	50-445	G
8711040113	50-445	G
8711040114	50-445	G
8711040114	50-445	G
8711040144	50-445	A
8711040144	50-445	A
8711040146	50-445	G
8711040146	50-445	G
8711040147	50-445	G
8711040147	50-445	G
8711040148	50-445	Q
8711040148	50-445	Q
8711040157	50-445	G
8711040157	50-445	G
8711040194	50-445	A
8711040194	50-445	A
8711040204*	50-445	A
8711040204*	50-445	A
8711040242	50-445	A
8711040242	50-445	A
8711040247*	50-445	A
8711040247*	50-445	A
8711040358	50-445	S
8711050177	50-445	Q
8711050177	50-445	Q
8711060018	50-445	S
8711060018	50-445	S
8711060021	50-446	S
8711100372	50-445	S
8711100372	50-445	S
8711100487	50-445	S
8711100487	50-445	S
8711110064	50-445	G
8711110155	50-445	S
8711120049	50-446	S
8711120068	50-445	S
8711120068	50-445	S
8711130015	50-445	Q
8711130015	50-445	Q
8711130110	50-445	S
8711130110	50-445	S
8711130125	50-445	A
8711130125	50-445	A
8711130128	50-445	Q
8711130128	50-445	Q
8711130157	50-445	F
8711130157	50-445	F
8711130176	50-445	A
8711130176	50-445	A
8711130245	50-445	S
8711130245	50-445	S
8711130308	50-445	S
8711130308	50-445	S
8711130345	50-445	S
8711130345	50-445	S
8711160067	50-445	Q
8711160067	50-445	Q
8711160087	50-445	S
8711160087	50-445	S
8711160107	50-445	S
8711160107	50-445	S
8711160253	50-445	S
8711160253	50-445	S
8711160287	50-445	S
8711160287	50-445	S
8711170016	50-445	G
8711170016	50-445	G
8711170021	50-445	G
8711170021	50-445	G
8711170039	50-445	G
8711170039	50-445	G
8711170040	50-445	G
8711170040	50-445	G
8711170051	50-445	G
8711170051	50-445	G
8711170094	50-445	G
8711170094	50-445	G
8711170096	50-445	S
8711170101	50-445	S
8711170101	50-445	S
8711170107	50-445	Q
8711170112	50-445	S
8711170112	50-445	S
8711170116	50-445	G
8711170116	50-445	G
8711170130	50-445	S
8711170130	50-445	S
8711170142	50-445	S
8711170142	50-445	S
8711170170	50-445	S
8711170170	50-445	S
8711170177	50-445	S
8711170177	50-445	S
8711170186	50-445	S
8711170186	50-445	S
8711170236	50-446	S
8711170275	50-445	S
8711170275	50-446	S
8711170283	50-446	S
8711170283	50-446	S
8711180038	50-445	A
8711180038	50-445	A
8711180046	50-445	A
8711180046	50-445	A
8711180053*	50-445	A
8711180058*	50-445	A
8711180061*	50-445	A
8711180061*	50-445	A
8711180071	50-445	A
8711180071	50-445	A
8711190009	50-445	G
8711190009	50-445	G
8711190012	50-445	G
8711190012	50-445	G
8711190044	50-445	G
8711190044	50-445	G
8711190064	50-445	G
8711190064	50-445	G
8711190088	50-445	S
8711190088	50-445	S
8711190222	50-445	S
8711190222	50-445	S
8711200079	50-445	S
8711200079	50-445	S
8711230171	50-445	S
8711230171	50-445	S
8711230183	50-445	S
8711230183	50-445	S
8711230186	50-445	A
8711230227	50-445	S
8711230227	50-445	S
8711230270	50-445	S
8711230270	50-445	S
8711230317	50-446	S
8711230317	50-445	S
8711230438	50-445	S
8711230438	50-445	S
8711230439	50-445	S
8711230439	50-445	S
8711240010	50-445	S
8711240010	50-445	S
8711240026	50-445	S
8711240026	50-445	S
8711240064	50-445	S
8711240064	50-445	S
8711240084	50-445	S
8711240084	50-445	S
8711240128	50-445	A
8711240128	50-445	A
8711240149*	50-445	A
8711240149*	50-445	A
8711240154	50-445	A
8711240154	50-445	A
8711240156	50-445	S
8711240156	50-445	S
8711240168	50-445	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711240188	50-445	S
	8711240187	50-445	S
	8711240187	50-445	S
	8711240242	50-445	S
	8711240242	50-445	S
	8711240278	50-445	Q
	8711240278	50-445	Q
	8711240305	50-445	Q
	8711240305	50-445	Q
	8711240310	50-445	S
	8711240310	50-445	S
	8711250039	50-445	S
	8711250039	50-445	Q
	8711250040	50-445	S
	8711250040	50-445	S
	8711250073	50-445	S
	8711250073	50-445	S
	8711250139	50-445	S
	8711250139	50-445	S
	8711250183	50-445	V
	8711250183	50-445	V
	8711250195	50-445	S
	8711250195	50-445	S
	8711250209	50-445	K
	8711250209	50-445	K
	8711300058	50-445	S
	8711300058	50-445	S
	8711300074	50-445	S
	8711300074	50-445	S
	8711300112	50-445	S
	8711300112	50-445	S
	8711300120	50-445	Q
	8711300120	50-445	Q
	8711300168	50-445	S
	8711300168	50-445	S
	8711300188	50-445	A
	8711300188	50-445	A
	8711300201	50-445	Q
	8711300201	50-445	Q
	8711300234	50-445	S
	8711300234	50-445	S
	8711300243	50-445	S
	8711300243	50-445	S
	8711300249	50-445	S
	8711300249	50-445	S
, Inc.	8711060187	FOIA	
ociates, Inc.	8711180079*	CONTRACT	
	8711180081*	CONTRACT	
	8711180104*	CONTRACT	
Engineering Services	8711160264*	50-445	A
Valley Authority	8710080441	50-327	P
	8710080441	50-327	P
	8711020261	50-327	S
	8711020292	50-259	Q
	8711020292	50-259	Q
	8711020292	50-259	Q
	8711020356	50-327	S
	8711020365	50-259	R
	8711020427	50-327	P
	8711020523	50-327	Q
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030045	50-259	F
	8711030123	50-390	S
	8711030123	50-390	S
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030257	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030273*	50-259	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711030273*	50-259	P
	8711030273*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030283*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030289*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030293*	50-259	P
	8711030335	50-327	P
	8711030335	50-327	P
	8711030337	50-259	P
	8711030337	50-259	P
	8711030337	50-259	P
	8711030340*	50-259	P
	8711030340*	50-259	P
	8711030340*	50-259	P
	8711030396	50-259	S
	8711040011	50-260	S
	8711040055	50-390	Q
	8711040055	50-390	Q
	8711040189	50-259	Q
	8711040192	50-259	S
	8711040210	50-327	Q
	8711040210	50-327	Q
	8711040213	50-390	S
	8711040213	50-390	S
	8711040230*	50-259	Q
	8711040317	50-390	S
	8711040317	50-390	S
	8711040332	50-390	S
	8711040332	50-390	S
	8711040335	50-390	S
	8711040335	50-390	S
	8711040337*	50-327	P
	8711040340*	50-327	P
	8711040345*	50-327	P
	8711040348*	50-327	P
	8711040352*	50-327	P
	8711050121	REGGD	
	8711050125	50-327	R
	8711050155	50-390	S
	8711050173	50-327	Q
	8711050173	50-327	Q
	8711060156	50-259	Q
	8711060253	50-327	S
	8711100291	PR	
	8711100315	50-438	Q
	8711100315	50-438	Q
	8711100342	50-259	S
	8711100401	50-327	F
	8711100402	50-259	F
	8711100463	50-327	Q
	8711100463	50-327	Q
	8711110026	50-327	Q
	8711110026	50-327	Q
	8711130119	50-327	S
	8711160129	50-390	S
	8711160139	50-327	Q
	8711160139	50-327	Q
	8711160183	50-259	S
	8711160188	40-1341	
	8711160258	40-1341	
	8711170097	50-390	A
	8711170097	50-390	A
	8711170102	50-327	Q
	8711170102	50-327	Q
	8711170145	50-327	P

8711170145	50-327	P		8711240185*	50-259
8711170149*	50-327	P		8711240185*	50-259
8711170149*	50-327	P		8711240186	50-259
8711170154	50-327	Q		8711240186	50-259
8711170154	50-327	Q		8711240186	50-259
8711170277	50-327	S		8711240186	50-259
8711170277	50-327	S		8711240189	50-259
8711170298	50-296	S		8711240189	50-259
8711180134	50-259	F		8711240189	50-259
8711180134	50-259	F		8711240189	50-259
8711180134	50-259	F		8711240189	50-259
8711190033	50-327	S		8711240189	50-259
8711190123	50-327	F		8711240189	50-259
8711190123	50-327	F		8711240189	50-259
8711190129	50-327	P		8711240189	50-259
8711190129	50-327	P		8711240189	50-259
8711190174	50-327	P		8711240194*	50-259
8711190174	50-327	P		8711240194*	50-259
8711190207	50-327	Q		8711240194*	50-259
8711190207	50-327	Q		8711240194*	50-259
8711190223	50-327	P		8711240194*	50-259
8711190223	50-327	P		8711240194*	50-259
8711190225*	50-327	Q		8711240194*	50-259
8711190230*	50-327	P		8711240194*	50-259
8711190235*	50-327	P		8711240194*	50-259
8711190237*	50-327	P		8711240197	50-259
8711200267	50-327	S		8711240213*	50-259
8711200267	50-327	S		8711240213*	50-259
8711200315	50-328	S		8711240213*	50-259
8711200358	50-327	P		8711240213*	50-259
8711200358	50-327	P		8711240213*	50-259
8711200369*	50-327	P		8711240213*	50-259
8711200369*	50-327	P		8711240213*	50-259
8711200385	50-296	S		8711240213*	50-259
8711230193	50-327	S		8711240213*	50-259
8711230329	50-390	A		8711240225*	50-259
8711230329	50-390	A		8711240225*	50-259
8711240068	50-259	Q		8711240225*	50-259
8711240068	50-259	Q		8711240225*	50-259
8711240068	50-259	Q		8711240225*	50-259
8711240153	50-259	P		8711240225*	50-259
8711240153	50-259	P		8711240262	50-259
8711240153	50-259	P		8711250136	50-327
8711240153	50-259	P		8711250136	50-327
8711240153	50-259	P		8711250136	50-327
8711240153	50-259	P		8711250136	50-327
8711240153	50-259	P		8711250192	50-327
8711240153	50-259	P		8711250192	50-327
8711240159*	50-259	P		8711250223	50-390
8711240159*	50-259	P		8711250246	50-327
8711240159*	50-259	P		8711250246	50-327
8711240159*	50-259	P		8711300063	NUREG
8711240159*	50-259	P		8711300088	50-327
8711240159*	50-259	P		8711300091	50-259
8711240169*	50-259	P		8711300091	50-259
8711240159*	50-259	P		8711300091	50-259
8711240169*	50-259	P		8711300107	50-327
8711240159*	50-259	P		8711300119	50-327
8711240169*	50-259	P		8711300126	50-327
8711240169*	50-259	P		8711300126	50-327
8711240169*	50-259	P		8711300162	50-259
8711240169*	50-259	P		8711300162	50-259
8711240169*	50-259	P		8711300162	50-259
8711240169*	50-259	P		8711300178	50-259
8711240169*	50-259	P		8711300178	50-259
8711240169*	50-259	P		8711300178	50-259
8711240169*	50-259	P		8711300185	50-327
8711240169*	50-259	P		8711300206	50-327
8711240176*	50-259	P		8711300206	50-327
8711240176*	50-259	P		8711300260	50-327
8711240176*	50-259	P		8711300260	50-327
8711240176*	50-259	P		8711300263	50-327
8711240176*	50-259	P	Texas, State of	8711170090	WASTE MGT
8711240176*	50-259	P	Texas, Univ. of, Austin, TX	8711200382	50-602
8711240176*	50-259	P	Toledo Edison Co.	8711020289	50-346
8711240176*	50-259	P		8711030373	50-346
8711240176*	50-259	P		8711030393*	50-346
8711240176*	50-259	P		8711060281	50-346
8711240177	50-327	P		8711090236	50-346
8711240177	50-327	P		8711090243*	50-346
8711240184*	50-327	P		8711090248*	50-346
8711240185*	50-259	P		8711100337	50-346
8711240185*	50-259	P		8711160013	50-346
8711240185*	50-259	P		8711170133	50-346
8711240185*	50-259	P		8711170245	50-346
8711240185*	50-259	P		8711170259	50-346
8711240185*	50-259	P		8711190287	50-346
8711240185*	50-259	P		8711300132	50-346
8711240185*	50-259	P		8711300204	50-346

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8711130171	50-266	R
	8711160120	50-266	F
	8711160159*	50-266	F
	8711160165*	50-266	F
	8711160170*	50-266	F
	8711160176*	50-266	F
	8711170139	50-301	P
	8711170199	50-301	S
	8711180013	50-266	O
	8711180014*	50-266	Q
	8711200271	50-301	O
	8711200293	50-266	P
	8711250027	50-266	P
	8711300212	50-301	Q
	8711300219	50-301	P
	8711300233	50-301	P
Wisconsin Public Service Corp.	8711020077	50-305	P
	8711160122	50-305	R
	8711240200	50-305	F
	8711300114	50-305	P
	8711300117*	50-305	P
Wisconsin, Univ. of, Madison, WI	8711200216	PR	
Wolf Creek Nuclear Operating Corp.	8711020235	50-482	Q
	8711020341	50-482	S
	8711020439	50-482	S
	8711030116	50-482	S
	8711030252	50-482	S
	8711040303	50-482	S
	8711040320	50-482	F
	8711050004	50-482	V
	8711050074	50-482	P
	8711050079*	50-482	P
	8711060188	50-482	S
	8711090187	50-482	S
	8711100370	50-482	P
	8711170136	50-482	R
	8711190087	50-482	Q
	8711190211	50-482	S
	8711200133	50-482	S
	8711200328	50-482	S
Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels)	8711040101	50-445	G
	8711110051	50-445	G
	8711170051	50-445	G
	8711170094	50-445	G
	8711170094	50-445	G
	8711170116	50-445	G
	8711170116	50-445	G
	8711190084	50-445	G
Wos Testing Co., Inc.	8711050113	71-639	
	8711050123*	71-639	
	8711050131*	71-639	
Wyle Laboratories	8711040179*	50-443	G
Wyoming, State of	8711160210	40-1162	
	8711200397	40-8502	
	8711240201	40-8684	
Yale Univ., New Haven, CT	8711200245	PR	
Yankee Atomic Electric Co.	8711020420	50-29	P
	8711020468	50-29	P
	8711030255	50-271	F
	8711030346	50-29	F
	8711050190	NUREG	
	8711100071	50-29	P
	8711170117	50-29	P
	8711170249	50-29	R
	8711300144	50-29	P
Zenger, G.H., MD	8711200292	PR	

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
15454-N(C)-007 R01	8711200130*	50-445	A
20800 R03	8711240159*	50-259	P
21000 R03	8711240169*	50-259	P
21300 R02	8711240176*	50-259	P
22400 R02	8711240225*	50-259	P
22600 R03	8711240185*	50-259	P
23000 R03	8711240194*	50-259	P
241.3(B) R01	8711240213*	50-259	P
51-1170352-00	8711190306*	50-302	P
51-1170352-01	8711190310*	50-302	P
85-4145	8711040374*	50-201	P
85-4308	8711040327*	50-201	P
85-4309	8711040369*	50-201	P
87-10	8711190103	50-213	R
A-3837-3-9/87	8711020296*	50-382	P
ANF-1A R10	8711180196*	TOPREP	
BAW-10165A	8711090380*	TOPREP	
DOE/EA-0332	8711230011*	WASTE MGT	
DPSPU-85-124-3 S1 R2	8711200368*	71-9860	
EGG NTA-7332	8711100261*	50-269	P TAC 63605
EGG-NTA-7643	8710060162*	50-464	P GL-82-33
EGG-NTA-7765	8710200033*	50-269	P GL-83-28
EGG-NTA-7800	8710150048*	50-275	P GL-83-28
EGG-PHY-7712	8707150732*	50-352	P
ES-87-40	8711230288*	50-285	P
F-C3016	8711090106*	50-271	Q
GA-C16398 S02	8410310317*	50-528	F
GP-R-312003	8711240220*	50-352	P
I 87-01-SQN	8711040352*	50-327	P
NEDC 87-163 ATT A	8711240141*	50-298	P
NEDO-30883-A	8711160246*	50-155	P
NEDO-31399	8711160260*	50-155	P
NP-2511-CCM-A V01 R2	8711170077*	TOPREP	
NP-2511-CCM-A V02 R2	8711170078*	TOPREP	
NP-2511-CCM-A V03 R2	8711170086*	TOPREP	
NP-2511-CCMA VOL 4	8711170088*	TOPREP	
NSPNAD-8725 R00	8711100396*	50-282	P
NUREG-0020 V11 N05	8711030219	NUREG	
NUREG-0020 V11 N06	8711030080	NUREG	
NUREG-0040 V11 N03	8711090267	NUREG	
NUREG-0090 V10 N01	8711230326	NUREG	
NUREG-0304 V12 N03	8711250102	NUREG	
NUREG-0540 V09 N08	8711030216	NUREG	
NUREG-0540 V09 N09	8711230343	NUREG	
NUREG-0762 R01	8711250119	NUREG	
NUREG-0896 S07	8711100384	50-443	E
NUREG-1214 R02	8711030070	NUREG	
NUREG-1231	8711250146	NUREG	
NUREG-1286	8711030225	50-312	E
NUREG-1287	8711180085	50-530	P
NUREG/CR-2000 V06 N9	8711250072	NUREG	ORNL/NSIC-200
NUREG/CR-2331 V07 N1	8711100129	NUREG	BNL-NUREG-51454
NUREG/CR-4134 R01	8711060223	NUREG	ORNL/TM-9522
NUREG/CR-4550 V01	8711250143	NUREG	SAND86-2084
NUREG/CR-4701 V02	8711090388	NUREG	EGG-2465
NUREG/CR-4715	8711090389	NUREG	BNL-NUREG-52017
NUREG/CR-4722	8711060294	NUREG	ORNL/6314
NUREG/CR-4727	8711170043	NUREG	SAND85-1548
NUREG/CR-4735 V02	8711090211	NUREG	
NUREG/CR-4763 V02	8711100368	NUREG	
NUREG/CR-4786	8711100261	NUREG	EGG-2480
NUREG/CR-4799	8711090336	NUREG	EGG-2519
NUREG/CR-4887	8711100407	NUREG	SAND87-0562
NUREG/CR-4909	8711100095	NUREG	SAND85-0237
NUREG/CR-4930	8711160022	NUREG	ORNL-6388
NUREG/CR-4941	8711160040	NUREG	SAND87-7116
NUREG/CR-4942	8711030077	NUREG	SAND87-0760
NUREG/CR-4950 V02	8711180047	NUREG	
NUREG/CR-4968	8711030139	NUREG	
NUREG/CR-4978	8711160184	NUREG	PNL-6277
NUREG/CR-4990	8711230334	NUREG	ORNL/TM-10526
NUREG/CR-4995	8711100270	NUREG	
NUREG/CR-5010	8711230401	NUREG	EGG-2520
NUREG/CR-5011	8711250160	NUREG	
NUREG/CR-5014	8711250003	NUREG	UCRL-21177
NUREG/CR-5034	8711180060	NUREG	
NUREG/CR-5035	8711060148	NUREG	
NUREG/CR-5036	8711100260	NUREG	
NUREG/CR-5040	8711180084	NUREG	AAEC/C55
NUS-1721 R01	8711110008*	50-255	P
NUS-1729	8711110012*	50-255	P
NUSCO-162 ADD 02	8711190369*	50-423	P
SAIC-86/3097	8703300263*	50-395	P
SAIC-87/3060	8707280126*	TOPREP	
SAIC-87/3061	8709040403*	TOPREP	
SAIC-87/3068	8710200440*	50-266	P TAC 61270
SAIC-87/3069	8708170081*	TOPREP	
SAR-VEPCO-005 R01	8711080045*	50-280	P
SECY-76-545	8711160002*	FOIA	
SECY-84-417	8411090394*	FOIA	
SECY-87-047	8711170162*	FOIA	
SECY-87-219	8709080332	SECY	
SECY-87-267	8711120003	SECY	
SME-MET-87-901	8711190235*	50-327	P
STI-31 R00	8711240184*	50-327	P
TRCR 31.0 R03	8711160170*	50-266	P
VP-NOS-35	8711040339*	50-339	P
WCAP-11318 S02	8711240117*	50-334	P
WCAP-11374 R01	8711170248*	50-483	P
WCAP-11553	8711100376*	50-482	P
WCAP-11563 R01	8711030374*	50-348	P
WCAP-11618	8711240311*	TOPREP	
WCAP-11620	8711020090*	50-305	P
WCAP-11672	8711300232*	50-301	P
Y/DD-328 R01	8711200343*	71-9860	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
7908070039	8711160020	87/11/10	FOIA	
8410030192	8711170042	87/11/10	FOIA	
8410030201	8711170042	87/11/10	FOIA	
8410030207	8711170042	87/11/10	FOIA	
8410310317	8410310297	84/10/29	50-528	F
8411090394	8711060139	87/10/29	FOIA	
8501090076	8711170042	87/11/10	FOIA	
8501090091	8711170042	87/11/10	FOIA	
8501090098	8711170042	87/11/10	FOIA	
8508220001	8711170042	87/11/10	FOIA	
8508220002	8711170042	87/11/10	FOIA	
8508220003	8711170042	87/11/10	FOIA	
8508220004	8711170042	87/11/10	FOIA	
8512110154	8710050208	87/09/30	FOIA	
8607300534	8711170042	87/11/10	FOIA	
8607300545	8711170042	87/11/10	FOIA	
8607300549	8711170042	87/11/10	FOIA	
8608010296	8608010294	86/07/24	50-482	P
8608060190	8711030339	87/11/02	50-29	P
8703200064	8711110056	87/11/03	40-8027	
8705300263	8711230145	87/11/13	50-395	P
8706090216	8711180141	87/11/16	FOIA	
8706220086	8711000036	87/10/29	50-445	A
8707150732	8711300001	87/11/23	50-352	P
8707290087	8706230066	87/06/16	ORG	
8707290126	8707290122	87/07/17	TOPREP	
8708070081	8706230066	87/06/16	ORG	
8708170009	8706230066	87/06/16	ORG	
8708170081	8708170057	87/08/10	TOPREP	
8708250230	8706230066	87/06/16	ORG	
8708270050	8706230066	87/06/16	ORG	
8708270091	8706230066	87/06/16	ORG	
8708270170	8711060213	87/10/21	50-275	Q
8709030153	8706230066	87/06/16	ORG	
8709040403	8709040375	87/09/01	TOPREP	
8709090378	8710220407	87/10/14	50-247	Q
8709140180	8709140175	87/09/11	50-338	F
8710050006	8710220095	87/09/28	50-483	R
8710060162	8711200090	87/11/06	50-454	P
8710070237	8710290090	87/09/17	40-8907	
8710080027	8711090269	87/11/06	50-254	P
8710160048	8711030420	87/10/30	50-275	P
8710160027	8710160023	87/10/13	50-443	G
8710160031	8710160023	87/10/13	50-443	G
8710200033	8711100126	87/11/11	50-269	P
8710200440	8711100103	87/11/02	50-266	P
8710230013	8710230006	87/10/09	50-293	F
8710230331	8711200248	87/11/17	50-155	F
8710270163	8710060198	87/09/21	40-2259	
8710300025	8711160095	87/11/10	REVIEW GR	P
8711020022	8711020020	87/10/26	50-293	P
8711020024	8711020020	87/10/26	50-293	P
8711020027	8711020009	87/10/26	50-250	Q
8711020030	8711020028	87/10/26	50-346	P
8711020033	8711020019	87/10/26	50-458	E
8711020035	8711020028	87/10/26	50-346	P
8711020036	8711020009	87/10/26	50-250	Q
8711020038	8711020023	87/10/27	PR	
8711020051	8710300116	87/10/22	50-244	Q
8711020056	8711020053	87/10/28	CONTRACT	

ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8711020059	8711020054	87/10/27	50-324
8711020063	8711020054	87/10/27	50-324
8711020065	8711020055	87/10/28	CONTRACT
8711020071	8711020039	87/10/29	FOIA
8711020074	8711020057	87/10/23	50-413
8711020080	8711020075	87/10/22	50-316
8711020081	8711020064	87/10/23	50-327
8711020085	8711020077	87/10/26	50-305
8711020090	8711020077	87/10/26	50-305
8711020091	8711020080	87/10/23	50-395
8711020092	8711020073	87/10/26	50-322
8711020093	8711020067	87/10/21	PR
8711020097	8711020089	87/10/23	50-395
8711020098	8711020082	87/10/28	FOIA
8711020102	8711020064	87/10/23	50-327
8711020104	8711020099	87/10/26	50-245
8711020121	8711020115	87/10/26	50-458
8711020128	8711020115	87/10/26	50-458
8711020128	8711020127	87/10/27	FOIA
8711020132	8711020120	87/10/23	50-285
8711020141	8711020114	87/10/26	50-213
8711020145	8711020134	87/09/24	CONTRACT
8711020149	8711020124	87/10/22	50-339
8711020150	8710300132	87/10/27	STATE PRO
8711020164	8711020152	87/10/26	50-445
8711020158	8706230066	87/06/16	ORG
8711020160	8711020124	87/10/22	50-339
8711020165	8711020157	87/10/23	50-338
8711020190	8711020184	87/10/22	50-327
8711020194	8711020184	87/10/22	50-327
8711020196	8711020191	87/10/28	CONTRACT
8711020200	8711020192	87/10/08	50-601
8711020204	8711020198	87/10/27	50-324
8711020207	8711020201	87/10/19	50-382
8711020214	8711020180	87/10/28	PR
8711020234	8711020226	87/10/23	50-29
8711020236	8704060264	87/04/01	50-321
8711020268	8711020250	87/10/13	50-275
8711020259	8711020246	87/10/19	50-322
8711020269	8711020192	87/10/08	50-601
8711020272	8711020246	87/10/19	50-322
8711020280	8711020265	87/10/28	50-395
8711020283	8711020274	87/10/02	50-285
8711020286	8711020276	87/10/27	50-382
8711020296	8711020276	87/10/27	50-382
8711020301	8711020279	87/10/27	50-338
8711020306	8711020295	87/10/20	50-443
8711020308	8711020297	87/10/28	FOIA
8711020333	8711020326	87/09/24	CONTRACT
8711020338	8711020322	87/10/29	50-295
8711020346	8711020344	87/10/20	50-298
8711020361	8711020351	87/10/23	50-113
8711020362	8711020350	87/10/26	50-338
8711020377	8711020373	87/10/20	50-346
8711020397	8711020379	87/10/29	50-267
8711020398	8711020385	87/10/27	50-263
8711020400	8711020390	87/10/27	50-295
8711020412	8711020407	87/10/28	50-412
8711020418	8711020409	87/10/29	50-272
8711020421	8711020414	87/10/27	50-160

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711020433	8711020329	87/10/28	50-313	Q	8711030393	8711030373	87/10/27	50-346	P
8711020442	8711020437	87/10/23	50-293	P	8711030395	8711030376	87/10/30	FOIA	
8711020451	8711020441	87/10/28	50-272	Q	8711030401	8711030397	87/10/29	CONTRACT	
8711020458	8711020450	87/10/27	50-322	H	8711030402	8711030122	87/10/28	50-298	V
8711020463	8711020432	87/10/27	PR		8711030411	8711030399	87/11/02	50-327	P
8711020489	8711020476	87/10/26	50-295	Q	8711030417	8711030405	87/10/29	CONTRACT	
8711020496	8711020494	87/10/26	50-302	P	8711030432	8711030420	87/10/30	50-275	P
8711020498	8711020494	87/10/26	50-302	P	8711030433	8711030282	87/09/29	WASTE MGT	
8711020505	8711020500	87/10/23	50-344	V	8711030434	8711030425	87/10/30	71-9788	
8711020513	8711020497	87/10/28	50-277	Q	8711030446	8711030442	87/10/29	50-247	P
8711020518	8711020504	87/10/26	70-371		8711030447	8711030442	87/10/29	50-247	P
8711020529	8711020521	87/10/29	50-482	Q	8711030451	8711030440	87/10/02	71-9183	
8711030008	8711030007	87/10/27	50-244	P	8711030453	8711030423	87/10/27	50-312	P
8711030009	8711030007	87/10/27	50-244	P	8711030467	8711030392	87/10/30	50-293	P
8711030013	8711030011	87/10/29	50-313	Q	8711030460	8711030452	87/10/28	50-368	P
8711030015	8711030011	87/10/29	50-313	Q	8711030462	8711030423	87/10/27	50-312	P
8711030017	8711030016	87/10/30	PROJ		8711030464	8711030456	87/10/30	50-155	P
8711030023	8711030021	87/10/26	50-483	Q	8711030474	8711030467	87/10/30	50-293	P
8711030025	8711030022	87/10/19	40-8829		8711030476	8711030472	87/10/28	50-316	P
8711030028	8711030024	87/10/20	50-298	P	8711030483	8711030467	87/10/30	50-293	P
8711030039	8711030032	87/09/24	40-8829		8711030489	8711030088	87/10/29	FOIA	
8711030053	8711030043	87/10/29	50-301	Q	8711030494	8711030490	87/10/28	50-368	P
8711030063	8711030058	87/10/27	50-298	P	8711030496	8711030475	87/10/20	50-443	V
8711030064	8711030058	87/10/27	50-298	P	8711030500	8711030488	87/10/21	50-285	F
8711030065	8711030047	87/10/29	50-440	S	8711030512	8711030448	87/10/27	50-458	R
8711030068	8711020317	87/10/02	50-166	Q	8711030523	8711030513	87/10/30	50-327	F
8711030072	8711030068	87/10/29	50-331	Q	8711030526	8711030515	87/10/30	50-275	P
8711030075	8711030066	87/10/29	50-341	P	8711030529	8711030522	87/10/19	50-344	Q
8711030078	8711030066	87/10/29	50-341	P	8711030536	8711030516	87/10/27	50-312	P
8711030082	8711030047	87/10/29	50-440	S	8711030541	8711030516	87/10/27	50-312	P
8711030084	8711030066	87/10/29	50-341	P	8711030544	8711030539	87/10/28	50-315	P
8711030087	8711030074	87/10/22	50-255	Q	8711040009	8711040007	87/10/27	50-382	P
8711030089	8711030066	87/10/29	50-341	P	8711040010	8711040006	87/10/30	71-9022	
8711030096	8711030083	87/10/27	50-302	P	8711040019	8710280274	87/10/21	50-293	P
8711030103	8711030091	87/10/27	50-333	Q	8711040022	8710280274	87/10/21	50-293	P
8711030128	8711030122	87/10/28	50-298	V	8711040023	8711040017	87/10/30	71-9102	
8711030130	8711030088	87/10/29	50-445	A	8711040024	8711040018	87/10/29	CONTRACT	
8711030134	8711030120	87/10/28	50-247	Q	8711040032	8711040027	87/10/22	CONTRACT	
8711030135	8711030133	87/10/29	FOIA		8711040035	8711030493	87/10/30	50-293	P
8711030141	8711030088	87/10/29	50-445	A	8711040039	8711040038	87/10/29	50-293	P
8711030144	8711030132	87/10/27	50-334	P	8711040040	8711040038	87/10/29	50-293	P
8711030147	8711030120	87/10/28	50-247	Q	8711040045	8711040042	87/11/02	FOIA	
8711030150	8711030132	87/10/27	50-334	P	8711040072	8711040062	87/10/27	50-483	Q
8711030158	8711030088	87/10/29	50-445	A	8711040077	8711040056	87/10/28	50-443	G
8711030159	8711030088	87/10/29	50-445	A	8711040093	8711030056	87/10/27	50-289	P
8711030175	8711030166	87/10/30	50-445	Q	8711040111	8711040103	87/10/29	50-445	G
8711030176	8711030163	87/10/20	WASTE MGT		8711040115	8711040109	87/10/28	50-416	P
8711030193	8711030191	87/10/23	50-445	Q	8711040123	8711040118	87/10/30	71-9215	
8711030200	8711030167	87/10/30	FOIA		8711040125	8711040120	87/10/30	50-250	P
8711030212	8710270209	87/10/21	50-424	Q	8711040127	8711040118	87/10/30	71-9216	
8711030216	8711030210	87/10/15	50-3	F	8711040159	8711040086	87/10/27	40-2061	
8711030228	8711030224	87/10/21	50-286	Q	8711040165	8711040160	87/11/01	50-309	Q
8711030242	8711030229	87/10/19	40-8064		8711040171	8711040168	87/11/02	50-302	P
8711030261	8711030248	87/10/28	QA999		8711040173	8711040164	87/10/28	50-277	Q
8711030270	8711030248	87/10/28	QA998		8711040176	8711040174	87/10/28	50-293	Q
8711030273	8711030257	87/10/28	50-259	P	8711040177	8711040169	87/10/29	50-97	Q
8711030274	8711030088	87/10/29	50-445	A	8711040179	8711040162	87/10/30	50-443	G
8711030281	8711030088	87/10/29	50-445	A	8711040181	8711040164	87/10/28	50-277	Q
8711030283	8711030257	87/10/28	50-259	P	8711040183	8711040158	83/04/18	FOIA	
8711030284	8711030280	87/10/30	50-275	P	8711040184	8711040174	87/10/28	50-293	Q
8711030286	8711030280	87/10/30	50-275	P	8711040196	8711040185	87/10/27	50-289	F
8711030288	8711030287	87/10/21	50-274	P	8711040201	8711040198	87/10/21	40-8794	
8711030289	8711030257	87/10/28	50-259	P	8711040204	8711040194	87/11/02	50-445	A
8711030293	8711030257	87/10/28	50-259	P	8711040211	8711040199	87/10/26	50-320	P
8711030309	8711030304	87/10/30	50-293	F	8711040224	8711040223	87/10/28	50-289	Q
8711030313	8711030312	87/10/30	50-266	P	8711040226	8711040223	87/10/28	50-289	Q
8711030319	8711030311	87/10/26	50-412	P	8711040227	8711040222	87/10/09	71-9070	
8711030323	8711030316	87/10/23	50-312	P	8711040230	8711040189	87/06/04	50-269	Q
8711030325	8711030320	87/10/28	50-255	P	8711040244	8711040178	87/10/22	50-333	P
8711030326	8711030320	87/10/28	50-255	P	8711040247	8711040242	87/11/02	50-445	A
8711030327	8711030316	87/10/23	50-312	P	8711040250	8711040178	87/10/22	50-333	P
8711030328	8711030321	87/10/30	50-206	P	8711040254	8711040251	87/10/22	ORG	
8711030331	8711030324	87/10/28	50-413	P	8711040255	8711040241	87/10/20	CONTRACT	
8711030333	8711030321	87/10/30	50-206	P	8711040267	8711040260	87/10/27	50-193	P
8711030340	8711030337	87/10/27	50-259	P	8711040270	8711040260	87/10/27	50-193	P
8711030352	8711030339	87/11/02	FOIA		8711040277	8711040269	87/10/29	50-331	P
8711030357	8711030334	87/10/30	50-400	P	8711040283	8711040271	87/10/28	QA999	
8711030361	8711030354	87/10/29	CONTRACT		8711040285	8711040269	87/10/29	50-331	P
8711030363	8711030334	87/10/30	50-400	P	8711040292	8711040278	87/10/30	50-277	P
8711030374	8711030350	87/10/28	50-348	P	8711040293	8711040271	87/10/28	QA999	
8711030381	8711030365	87/10/28	50-266	Q	8711040299	8711040284	87/11/02	50-324	P
8711030382	8711030375	87/10/16	50-315	F	8711040305	8711040301	87/10/15	71-607	
8711030384	8711030339	87/11/02	FOIA		8711040308	8711040276	87/11/02	FOIA	
8711030386	8711030379	87/10/28	50-361	P	8711040311	8711040276	87/11/02	FOIA	
8711030388	8711030380	87/10/26	50-483	P	8711040326	8711040315	87/11/02	ORG	
8711030389	8711030360	87/10/29	50-293	P	8711040327	8711040321	87/10/01	50-201	P
8711030391	8711030360	87/10/29	50-293	P	8711040330	8711040315	87/11/02	ORG	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711040337	8710080441	87/10/02	50-327	P	8711060291	8711060203	87/11/03	FOIA	
8711040339	8711040333	87/10/28	50-339	P	8711060303	8711060301	87/11/04	50-361	P
8711040340	8710080441	87/10/02	50-327	P	8711060309	8711060307	87/10/26	50-282	Q
8711040345	8710080441	87/10/02	50-327	P	8711090006	8711090003	87/11/05	71-640	
8711040346	8711040343	87/10/30	50-368	P	8711090014	8711090007	87/11/05	CONTRACT	
8711040348	8710080441	87/10/02	50-327	P	8711090022	8711090008	87/10/23	50-341	Q
8711040349	8711040296	87/10/19	50-269	G	8711090030	8711090021	87/11/05	CONTRACT	
8711040351	8711040344	87/11/03	50-445	A	8711090038	8711090026	87/11/03	XPORTLIC	
8711040352	8710080441	87/10/02	50-327	P	8711090045	8711090039	87/11/02	50-280	P
8711040369	8711040321	87/10/01	50-201	P	8711090046	8711090040	87/11/03	50-454	Q
8711040370	8711040199	87/10/26	50-320	P	8711090048	8711090041	87/11/04	CONTRACT	
8711040374	8711040321	87/10/01	50-201	P	8711090050	8711090034	87/11/05	CONTRACT	
8711040375	*8711040368*	*87/11/02*	*50-482*	*Q*	*8711090056*	*8711090044*	*87/09/10*	*40-6659*	
8711040376	8711040372	87/10/29	50-220	Q	8711090059	8711090055	87/10/28	CONTRACT	
8711040377	8711040371	87/10/28	50-271	F	8711090065	8711090057	87/11/05	CONTRACT	
8711040378	8711040368	87/11/02	50-482	Q	8711090072	8711060227	87/10/30	50-263	P
8711040379	8711040372	87/10/29	50-220	Q	8711090073	8711090069	87/09/14	50-275	Q
8711050002	8711050001	87/10/28	50-219	Q	8711090075	8711090044	87/09/10	40-6659	
8711050005	8711050003	87/10/28	50-368	P	8711090078	8711060177	87/11/05	50-250	Q
8711050009	8711050006	87/11/02	50-293	F	8711090081	8711090070	87/09/18	40-8905	
8711050025	8711050021	87/10/30	50-336	Q	8711090083	8711090082	87/10/28	50-282	Q
8711050079	8711050074	87/10/30	50-482	P	8711090096	8711090095	87/10/12	71-9200	
8711050105	8711050098	87/10/28	50-213	Q	8711090098	8711090093	87/10/21	50-275	Q
8711050117	8711050113	87/10/14	71-639		8711090102	8711090100	87/11/02	50-336	P
8711050123	8711050113	87/10/14	71-639		8711090103	8711090099	87/09/28	CONTRACT	
8711050131	8711050113	87/10/14	71-639		8711090106	8711090105	87/11/03	50-271	Q
8711050134	*8711050133*	*87/11/03*	*CONTRACT*		*8711090112*	*8711090110*	*87/11/05*	*71-637*	
8711050168	8711050116	87/11/03	TOPREP		8711090119	8711090116	87/11/03	70-143	
8711050169	8711050160	87/10/30	50-361	P	8711090128	8711090023	87/11/05	71-578	
8711050178	8711050160	87/10/30	50-361	P	8711090131	8711090122	87/11/03	50-289	Q
8711050179	8711050116	87/11/03	TOPREP		8711090136	8711090126	87/10/30	50-528	P
8711050187	8711050182	87/11/04	71-9098		8711090142	8711090126	87/10/30	50-528	P
8711050192	8711050184	87/11/03	50-352	P	8711090147	8711090144	87/11/05	50-277	Q
8711050194	8711050186	87/10/29	40-8684		8711090149	8711090047	87/11/04	50-293	S
8711050197	8711050186	87/10/29	40-8684		8711090158	8711090152	87/10/30	50-261	Q
8711050219	8711050214	87/10/30	50-327	P	8711090160	8711090156	87/11/04	50-298	Q
8711050223	8711050220	87/10/30	50-250	P	8711090169	8711090164	87/11/06	50-461	Q
8711050225	8711050214	87/10/30	50-327	P	8711090171	8711090170	87/11/05	50-244	Q
8711050232	8711050227	87/11/03	50-312	P	8711090172	8711090164	87/11/06	50-461	Q
8711050235	8711050228	87/11/03	50-352	P	8711090174	8711090165	87/11/05	50-410	Q
8711050238	*8711050227*	*87/11/03*	*50-312*	*P*	*8711090194*	*8711090191*	*87/11/05*	*50-309*	*Q*
8711050247	8711050242	87/11/04	50-267	S	8711090210	8711090206	87/11/02	50-312	P
8711050248	8711050238	87/10/28	50-335	P	8711090228	8711090221	87/11/04	50-277	U
8711050249	8711050246	87/09/21	40-8905		8711090242	8711090231	87/11/05	50-354	Q
8711050250	8711050245	87/10/30	50-483	P	8711090243	8711090236	87/11/02	50-346	P
8711050254	8711050238	87/10/28	50-335	P	8711090244	8711090241	87/11/03	50-353	Q
8711050256	8711050246	87/09/21	40-8905		8711090248	8711090236	87/11/02	50-346	P
8711050259	8711050255	87/10/30	50-483	P	8711090249	8711090235	87/11/05	CONTRACT	
8711050277	8711050274	87/10/23	50-335	P	8711090260	8711090241	87/11/03	50-353	Q
8711050278	8711050274	87/10/23	50-335	P	8711090265	8711090239	87/11/05	50-220	Q
8711050284	8711050195	87/10/30	50-265	P	8711090280	8711090263	87/11/02	50-315	P
8711050287	8711050203	87/10/30	50-410	P	8711090282	8711090268	87/10/26	50-460	Q
8711060007	8711050111	87/10/26	50-3	F	8711090285	8711090276	87/11/04	50-483	Q
8711060025	8711060014	87/10/07	40-8943		8711090290	8711090279	87/11/04	50-483	S
8711060026	8711060023	87/11/01	50-412	Q	8711090308	8711090278	87/10/30	50-255	K
8711060031	8711060029	87/10/29	50-443	P	8711090312	8711090298	87/10/28	50-298	P
8711060110	8711060109	87/11/02	50-271	P	8711090316	8711090311	87/10/30	50-461	P
8711060120	8711060118	87/10/21	50-397	Q	8711090317	8711090295	87/09/24	50-237	Q
8711060123	8711060118	87/10/21	50-397	Q	8711090320	8711090314	87/11/04	50-295	Q
8711060124	8711060087	87/10/27	ORG		8711090321	8711090318	87/11/05	50-456	Q
8711060125	8711060114	87/11/05	50-219	Q	8711090338	8711090322	87/09/09	40-8084	
8711060138	8711060132	87/11/02	QA999		8711090348	8711090341	87/11/05	50-395	P
8711060144	*8711060137*	*87/10/23*	*50-133*	*Q*	*8711090357*	*8711090322*	*87/09/09*	*40-8084*	
8711060145	8711060131	87/11/02	CONTRACT		8711090360	8711090353	87/10/30	70-143	
8711060149	8711060139	87/10/29	FOIA		8711090361	8711090347	87/11/06	50-298	Q
8711060163	8711060160	87/11/05	71-636		8711090366	8711090319	87/11/05	50-387	P
8711060171	8711060166	87/10/30	50-409	Q	8711090375	8711090369	87/10/30	50-400	K
8711060173	8711060153	87/10/29	QA999		8711090377	8711090373	87/10/30	TOPREP	
8711060181	8711060139	87/10/29	FOIA		8711090380	8711090178	87/09/23	TOPREP	
8711060184	8711060179	87/11/05	50-313	Q	8711090387	8711090383	87/11/03	50-293	Q
8711060189	8711060182	87/11/05	CONTRACT		8711100007	8711100003	87/10/23	70-1113	
8711060195	8711060185	87/10/30	50-454	Q	8711100012	8711100006	87/11/03	50-213	H
8711060199	8711060176	87/11/05	CONTRACT		8711100013	8711100011	87/11/03	50-443	U
8711060202	8711060139	87/10/29	FOIA		8711100026	8711100021	87/11/05	50-341	P
8711060221	8711060205	87/09/21	40-8905		8711100029	8711100023	87/11/02	50-328	P
8711060222	8711060213	87/10/21	50-275	Q	8711100036	8711100033	87/11/04	50-352	P
8711060241	*8711060237*	*87/10/30*	*50-277*	*P*	*8711100040*	*8711100033*	*87/11/04*	*50-352*	*P*
8711060257	8711060252	87/11/05	71-638		8711100042	8711100325	87/10/29	50-455	S
8711060260	8711060213	87/10/21	50-275	Q	8711100052	8711090192	87/10/30	TOPREP	
8711060262	8711060258	87/10/26	50-5	R	8711100066	8711100039	87/11/05	50-324	P
8711060268	8711060258	87/10/26	50-5	R	8711100083	8711100073	87/11/02	50-458	P
8711060270	8711060266	87/10/26	50-409	Q	8711100084	8711100073	87/11/02	50-458	P
8711060279	8711060274	87/10/30	50-155	Q	8711100133	8711100126	87/11/11	50-269	P
8711060282	8711060277	87/11/02	50-275	Q	8711100146	8711100138	87/10/12	71-9217	
8711060283	8711060276	87/10/26	71-642		8711100149	8711100139	87/10/27	ORG	
8711060284	8711060220	87/11/05	CONTRACT		8711100165	8711100059	87/10/30	50-312	P
8711060288	8711060278	87/09/10	40-8752		8711100168	8711100158	87/11/02	50-458	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711100170	8711100158	87/11/02	50-458	P	8711130005	8711130004	87/11/10	QA999	
8711100175	8711100172	87/11/02	50-263	Q	8711130007	8711130004	87/11/10	QA999	
8711100188	8711090264	87/10/21	50-528	Q	8711130009	8711130004	87/11/10	QA999	
8711100192	8711100181	87/11/02	50-443	H	8711130058	8711130050	87/10/30	50-259	
8711100198	8711100190	87/10/30	50-454	P	8711130067	8711130061	87/10/27	50-416	
8711100201	8711100190	87/10/30	50-454	P	8711130072	8711130055	87/11/05	50-250	
8711100213	8711100197	87/11/03	PROJ		8711130073	8711130061	87/10/27	50-416	
8711100214	8711100207	87/11/05	50-267	Q	8711130075	8711130055	87/11/05	50-250	
8711100225	8711100183	87/11/02	50-482	P	8711130077	8711130069	87/10/28	50-369	
8711100235	8711100183	87/11/02	50-482	P	8711130096	8711130088	87/11/05	50-413	
8711100245	8711100237	87/11/04	50-269	P	8711130099	8711130097	87/08/20	TOPREP	
8711100251	8711100237	87/11/04	50-269	P	8711130102	8711130082	87/10/28	50-269	
8711100268	8711100265	87/10/15	50-382	Q	8711130108	8711130103	87/11/09	50-267	
8711100274	8711100271	87/11/06	50-206	S	8711130109	8711130106	87/11/02	50-302	
8711100286	8711100279	87/11/03	50-275	P	8711130122	8711130115	87/11/04	50-280	
8711100297	8711100295	87/11/06	50-269	P	8711130124	8711130121	87/11/09	50-462	
8711100360	8711100354	87/11/06	60-423	E	8711130142	8711130138	87/10/20	50-269	
8711100378	8711100370	87/11/04	50-482	P	8711130146	8711130137	87/11/03	50-389	
8711100392	8711100389	87/11/03	50-282	P	8711130147	8711130138	87/10/20	50-269	
8711100394	8711100390	87/10/16	50-456	Q	8711130163	8711130138	87/10/20	50-269	
8711100398	8711100389	87/11/03	50-282	P	8711130156	8711130152	87/10/29	50-312	
8711100441	8711100389	87/11/03	50-282	P	8711130158	8711130154	87/11/06	50-261	
8711100465	8711100459	87/11/05	50-369	P	8711130181	8711130169	87/11/06	50-186	
8711100468	8711100459	87/11/05	50-369	P	8711130186	8711130179	87/11/05	50-184	
8711110003	8711110002	87/11/04	50-341	P	8711130201	8711130177	87/11/04	50-250	
8711110008	8711110007	87/11/09	50-255	P	8711130203	8711130192	87/10/30	50-324	
8711110010	8711110007	87/11/09	50-255	P	8711130211	8711130224	87/11/05	50-219	
8711110012	8711110007	87/11/09	50-255	P	8711130212	8711130191	87/10/30	50-397	
8711110017	8711110011	87/11/09	50-275	P	8711130213	8711130207	87/11/04	50-247	
8711110029	8711110011	87/11/09	50-275	P	8711130216	8711130204	87/10/30	70-1151	
8711110065	8711110053	87/11/02	50-443	G	8711130225	8711130192	87/10/30	50-324	
8711110069	8711110053	87/11/02	50-443	G	8711130227	8711130222	87/10/29	50-269	
8711110075	8711110071	87/11/05	50-271	G	8711130239	8711130207	87/11/04	50-247	
8711110076	8711110057	87/11/06	50-443	G	8711130240	8711130160	87/10/29	50-366	
8711110095	8711110090	87/11/06	50-322	G	8711130243	8711130237	87/11/02	50-482	
8711110100	8711110093	87/11/05	50-445	Q	8711130246	8711130242	87/11/06	50-395	
8711110102	8711110048	87/11/09	50-445	A	8711130250	8711130228	87/10/28	50-280	
8711110105	8711110090	87/11/06	50-322	G	8711130251	8711130237	87/11/02	50-482	
8711110111	8711110090	87/11/06	50-322	G	8711130254	8711130160	87/10/29	50-366	
8711110114	8711110049	87/11/09	50-445	A	8711130263	8711130256	87/11/05	50-424	
8711110116	8711110056	87/11/03	FOIA		8711130264	8711130228	87/10/28	50-280	
8711110117	8711110096	87/11/06	50-413	Q	8711130266	8711130256	87/11/05	50-424	
8711110119	8711110093	87/11/05	50-445	Q	8711130270	8711130268	87/11/06	50-458	
8711110125	8711110093	87/11/05	50-445	Q	8711130272	8711130219	87/11/02	50-425	
8711110132	8711110049	87/11/09	50-445	A	8711130282	8711130275	87/11/06	50-321	
8711110143	8711110056	87/11/03	FOIA		8711130283	8711130280	87/11/09	50-412	
8711110144	8711110056	87/11/03	40-8027		8711130290	8711130288	87/10/28	50-348	
8711110145	8711110142	87/11/09	FOIA		8711130294	8711130288	87/10/28	50-348	
8711110146	8711110056	87/11/03	FOIA		8711130298	8711130287	87/11/10	50-72	
8711110147	8711110142	87/11/09	FOIA		8711130303	8711130286	87/11/10	FOIA	
8711110148	8711110056	87/11/03	40-8027		8711130305	8711130234	87/11/02	50-263	
8711110160	8711110056	87/11/03	40-8027		8711130309	8711130174	87/11/03	50-348	
8711110162	8711110056	87/11/03	FOIA		8711130311	8711130306	87/11/11	50-344	
8711110163	8711110056	87/11/03	40-8027		8711130313	8711130286	87/11/10	FOIA	
8711110164	8711110056	87/11/03	40-8027		8711130315	8711130306	87/11/11	50-344	
8711110156	8711110056	87/11/03	40-8027		8711130320	8711130174	87/11/03	50-348	
8711110157	8711110056	87/11/03	40-8027		8711130324	8711130304	87/10/27	50-344	
8711110158	8711110056	87/11/03	40-8027		8711130333	8711130329	87/11/05	50-269	
8711110160	8711110056	87/11/03	40-8027		8711130350	8711130331	87/10/26	50-62	
8711110161	8711110056	87/11/03	40-8027		8711130352	8711130335	87/11/06	50-369	
8711110162	8711110056	87/11/03	FOIA		8711130359	8711130355	87/11/09	50-344	
8711110163	8711110056	87/11/03	FOIA		8711130363	8711130355	87/11/09	50-344	
8711110164	8711110056	87/11/03	40-8027		8711130365	8711130357	87/11/03	50-348	
8711110165	8711110056	87/11/03	40-8027		8711160002	8711160001	87/11/12	FOIA	
8711110166	8711110056	87/11/03	40-8027		8711160005	8711160003	87/11/12	50-293	
8711110167	8711110056	87/11/03	FOIA		8711160012	8711160008	87/11/10	50-293	
8711110168	8711110056	87/11/03	FOIA		8711160033	8711160031	87/11/11	50-397	
8711110169	8711110056	87/11/03	40-8027		8711160043	8711160034	87/11/09	71-6294	
8711110170	8711110056	87/11/03	40-8027		8711160046	8711160039	87/11/05	CONTRACT	
8711120021	8711120020	87/11/03	50-317	P	8711160052	8711160051	87/11/05	CONTRACT	
8711120023	8711120018	87/11/05	50-352	R	8711160056	8711160050	87/11/05	CONTRACT	
8711120028	8711120022	87/10/30	50-254	P	8711160065	8711160061	87/11/08	50-255	
8711120031	8711120020	87/11/03	50-317	P	8711160066	8711160053	87/11/03	CONTRACT	
8711120040	8711110056	87/11/03	40-8027		8711160073	8711160070	87/11/06	50-219	
8711120057	8711120045	87/11/09	FOIA		8711160075	8711160055	87/11/12	FOIA	
8711120073	8711120065	87/11/10	FOIA		8711160079	8711160070	87/11/06	50-219	
8711120076	8711120075	87/11/10	QA999		8711160081	8711160072	87/10/27	50-261	
8711120078	8711120075	87/11/10	QA999		8711160084	8711160055	87/11/12	FOIA	
8711120082	8711120131	87/11/09	50-269	F	8711160097	8711160090	87/11/06	50-280	
8711120092	8711120080	87/11/09	FOIA		8711160098	8711160080	87/11/09	50-286	
8711120108	8711120099	87/11/09	50-289	P	8711160109	8711160105	87/10/29	50-155	
8711120113	8711120099	87/11/09	50-289	P	8711160110	8711160106	87/11/06	50-397	
8711120120	8711120110	87/11/05	40-8610		8711160115	8711160111	87/11/12	50-457	
8711120126	8711120110	87/11/05	40-8610		8711160130	8711160124	87/11/12	50-382	
8711120132	8711120131	87/11/09	50-269	F	8711160140	8711160138	87/11/09	50-344	
8711120135	8402030155	84/01/26	50-344	P	8711160141	8711160138	87/11/09	50-344	
8711120146	8711120099	87/11/09	50-289	P	8711160152	8711160146	87/11/09	50-320	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711160155	8711160146	87/11/09	50-320	P	8711180033	8711180023	87/10/30	CONTRACT	
8711160159	8711160120	87/11/10	50-266	F	8711180035	8711180029	87/11/12	50-272	V
8711160165	8711160120	87/11/10	50-266	F	8711180048	8711180041	87/11/12	50-443	Q
8711160166	8711160144	87/11/04	50-331	Q	8711180049	8711180040	87/11/09	50-219	Q
8711160170	8711160120	87/11/10	50-266	F	8711180051	8711180046	87/11/11	50-445	A
8711160171	8711160092	87/11/05	50-382	P	8711180053	8711180038	87/11/09	50-445	A
8711160176	8711160120	87/11/10	50-266	F	8711180058	8711180038	87/11/09	50-445	A
8711160178	8711160173	87/11/09	50-338	P	8711180061	8711180038	87/11/09	50-445	A
8711160181	8711160174	87/11/08	50-275	P	8711180063	8711180028	87/11/12	50-423	V
8711160186	8711160174	87/11/08	50-275	P	8711180069	8711180059	87/11/10	50-220	O
8711160188	8711160172	87/11/10	50-6	Q	8711180079	8711180076	87/11/02	CONTRACT	
8711160192	8711160177	87/11/12	50-237	Q	8711180080	8711180074	87/11/17	CONTRACT	
8711160193	8711160144	87/11/04	50-331	Q	8711180081	8711180077	87/11/17	CONTRACT	
8711160195	8711160164	87/11/09	50-155	P	8711180082	8711160071	87/11/06	50-445	A
8711160196	8711160183	87/11/10	TOPREP		8711180085	8711180076	87/11/16	FOIA	
8711160203	8711160177	87/11/12	50-237	Q	8711180098	8711180087	87/11/17	CONTRACT	
8711160220	8711160218	87/11/09	50-275	R	8711180099	8711180078	87/11/16	FOIA	
8711160224	8711160164	87/11/09	50-155	P	8711180101	8711160076	87/11/16	FOIA	
8711160238	8711160234	87/11/09	50-327	Q	8711180104	8711180102	87/11/16	CONTRACT	
8711160246	8711160164	87/11/09	50-155	P	8711180114	8711180111	87/11/16	ORG	
8711160247	8711160229	87/11/12	QA999		8711180128	8711180123	87/11/09	50-400	P
8711160249	8711160244	87/11/03	CONTRACT		8711180130	8711180126	87/11/17	CONTRACT	
8711160252	8711160245	87/11/10	50-285	Q	8711180143	8711180136	87/11/10	50-219	Q
8711160254	8711160229	87/11/12	QA999		8711180148	8711180138	87/11/10	50-219	Q
8711160257	8711160240	87/11/10	50-220	R	8711180162	8711180156	87/11/10	50-289	Q
8711160260	8711160164	87/11/09	50-155	P	8711180169	8711180165	87/11/10	50-410	Q
8711160264	8711160259	87/11/05	50-445	A	8711190004	8711190001	87/11/03	40-8904	
8711160272	8711160263	87/11/12	50-267	Q	8711190006	8711190002	87/11/17	CONTRACT	
8711160278	8711160263	87/11/12	50-267	Q	8711190011	8711190007	87/10/20	50-443	G
8711160281	8711160229	87/11/12	QA999		8711190016	8711190008	87/11/13	50-443	G
8711160290	8711160045	87/11/09	50-440	H	8711190024	8711190007	87/10/20	50-443	G
8711160298	8711160296	87/11/03	CONTRACT		8711190025	8711190008	87/11/13	50-443	G
8711160305	8711160303	87/11/10	CONTRACT		8711190027	8711190013	87/11/13	50-322	G
8711160309	8711160300	86/11/20	50-482	P	8711190037	8711190007	87/10/20	50-443	G
8711160310	8711160307	87/11/10	50-528	P	8711190039	8711190016	87/11/12	50-443	T
8711170005	8711170003	87/11/12	50-293	P	8711190041	8711190026	87/11/13	50-443	G
8711170006	8711170003	87/11/12	50-293	P	8711190047	8711190018	87/11/12	50-443	T
8711170007	8711170003	87/11/12	50-293	P	8711190055	8711190052	87/11/05	50-271	G
8711170008	8711170003	87/11/12	50-293	P	8711190056	8711190050	87/11/16	50-312	Q
8711170009	8711170003	87/11/12	50-293	Q	8711190057	8711190026	87/11/13	50-443	G
8711170010	8711170003	87/11/12	50-293	P	8711190075	8711190072	87/11/16	50-275	P
8711170020	8711170003	87/11/12	50-293	P	8711190098	8711190089	87/11/06	50-206	Q
8711170032	8711170003	87/11/12	50-293	P	8711190099	8711190092	87/11/10	50-267	J
8711170034	8711170022	87/10/13	40-8905		8711190107	8711190089	87/11/06	50-206	Q
8711170054	8711170044	87/11/06	50-320	G	8711190126	8711190118	87/11/06	50-361	Q
8711170059	8711170044	87/11/06	50-320	G	8711190146	8711190082	87/11/10	PR	
8711170061	8711170058	86/10/07	50-482	P	8711190153	8711190142	87/11/13	50-373	Q
8711170066	8711170063	87/08/25	TOPREP		8711190156	8711190151	87/11/16	50-305	Q
8711170068	8711170063	87/08/25	TOPREP		8711190161	8711190155	87/11/11	50-312	P
8711170071	8711170042	87/11/10	FOIA		8711190164	8711190164	87/11/16	50-322	P
8711170077	8711170063	87/08/25	TOPREP		8711190172	8711190170	87/11/13	50-346	Q
8711170078	8711170063	87/08/26	TOPREP		8711190175	8711190162	87/11/17	QA999	
8711170086	8711170063	87/08/25	TOPREP		8711190196	8711190166	87/11/05	50-528	Q
8711170087	8711170084	87/11/05	CONTRACT		8711190220	8711190208	87/11/16	50-302	Q
8711170088	8711170063	87/08/25	TOPREP		8711190221	8711190215	87/11/13	50 458	P
8711170108	8706230066	87/06/16	ORG		8711190225	8711190207	87/11/17	50-327	Q
8711170109	8711170095	87/11/13	50-482	Q	8711190226	8711190212	87/11/12	50-289	Q
8711170111	8711170099	87/11/12	50-498	P	8711190230	8711190223	87/11/17	50-327	P
8711170132	8711170128	87/11/13	50-155	Q	8711190235	8711190223	87/11/17	50-327	P
8711170147	8711170118	87/11/06	50-254	P	8711190237	8711190223	87/11/17	50-327	P
8711170149	8711170146	87/11/10	50-327	P	8711190246	8711190238	87/11/16	50-344	P
8711170162	8711170162	87/11/13	FOIA		8711190247	8711190244	87/09/22	CONTRACT	
8711170173	8711170159	87/11/12	70-1113		8711190251	8711190238	87/11/16	50-344	P
8711170181	8711170178	87/11/12	50-498	P	8711190258	8711190252	87/11/12	50-352	Q
8711170182	8711170120	87/11/09	50-244	F	8711190265	8711190269	87/11/10	50-312	S
8711170184	8711170183	87/11/13	ORG		8711190269	8711190252	87/11/12	50-352	Q
8711170188	8711170187	87/11/05	50-312	P	8711190274	8711190258	87/11/10	50-400	Q
8711170196	8711170159	87/11/12	70-1113		8711190283	8711190279	87/11/12	50-250	Q
8711170202	8711170159	87/11/12	70-1113		8711190285	8711190279	87/11/12	50-250	Q
8711170211	8711170203	87/11/06	CONTRACT		8711190286	8711190278	87/11/13	50-83	Q
8711170214	8711170209	87/11/02	50-27	V	8711190289	8711190281	87/11/12	50-327	Q
8711170219	8711170212	87/11/13	50-293	P	8711190298	8711190293	87/11/16	50-302	P
8711170223	8711170120	87/11/09	50-244	F	8711190301	8711190293	87/11/16	50-302	P
8711170232	8711170225	87/11/13	FOIA		8711190305	8711190267	87/11/12	50-482	G
8711170237	8711170227	87/11/12	50-498	P	8711190306	8711190293	87/11/16	50-302	P
8711170248	8711170234	87/11/10	50-483	P	8711190310	8711190293	87/11/16	50-302	P
8711170256	8711170253	87/11/06	50-312	P	8711190311	8711200143	87/11/07	50-237	S
8711170258	8711170252	87/11/09	REVIEW GR	P	8711190326	8711190318	87/11/05	50-206	Q
8711170262	8711170252	87/11/09	REVIEW GR	P	8711190329	8711190316	87/11/16	50-280	R
8711170270	8711170265	87/11/06	50-454	P	8711190336	8711190316	87/11/16	50-280	R
8711170273	8711170260	87/11/13	50-313	Q	8711190359	8711190352	87/11/13	40-8027	
8711170274	8711170271	87/11/12	50-454	F	8711190365	8711190355	87/11/09	50-374	P
8711170294	8711170291	87/11/12	50-498	P	8711190368	8711190366	87/11/13	50-423	P
8711170300	8711170299	87/11/09	50-373	P	8711190371	8711190370	87/11/09	50-237	P
8711180005	8711180001	87/11/13	50-344	P	8711200019	8711200013	87/11/06	50-387	P
8711180006	8711180001	87/11/13	50-344	P	8711200024	8711200013	87/11/06	50-387	P
8711180014	8711180013	87/11/13	50-266	Q	8711200035	8711200023	87/11/13	50-460	A

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711200041	8711200032	87/11/16	50-254	Q	8711230147	8711230145	87/11/13	50-395	F
8711200044	8711200007	87/11/06	50-327	Q	8711230153	8711230144	87/11/06	40-8768	
8711200048	8711200034	87/11/17	50-458	Q	8711230159	8711230157	87/11/17	50-335	C
8711200057	8711200051	87/11/16	50-286	P	8711230162	8711230157	87/11/17	50-335	C
8711200061	8711200051	87/11/16	50-286	P	8711230201	8711230146	87/11/13	PR	
8711200063	8711200034	87/11/17	50-458	Q	8711230209	8711230205	87/11/17	70-1068	
8711200071	8711200069	87/11/16	50-247	P	8711230211	8711230203	87/11/13	50-267	J
8711200074	8711200069	87/11/16	50-247	P	8711230214	8711230146	87/11/13	PR	
8711200080	8711200075	87/11/13	50-413	P	8711230219	8711230173	87/10/30	50-352	I
8711200083	8711200075	87/11/13	50-413	P	8711230223	8711230213	87/11/12	50-482	C
8711200091	8711200082	87/11/13	50-333	Q	8711230224	8711230173	87/10/30	50-352	J
8711200097	8711200082	87/11/13	50-333	Q	8711230230	8711230191	87/11/17	50-498	C
8711200100	8711200093	87/11/09	50-354	P	8711230231	8711230173	87/10/30	50-352	I
8711200110	8711200106	87/11/06	50-219	P	8711230234	8711230216	87/11/18	CONTRACT	
8711200114	8711200106	87/11/06	50-219	P	8711230238	8711230210	87/11/18	50-321	C
8711200116	8711200105	87/11/13	50-413	Q	8711230243	8711230222	87/11/10	50-482	I
8711200120	8711200106	87/11/06	50-219	P	8711230244	8711230225	87/11/18	50-353	E
8711200123	8711200107	87/11/13	50-416	Q	8711230250	8711230241	87/11/16	50-302	C
8711200127	8711200106	87/11/06	50-219	P	8711230253	8711230210	87/11/18	50-321	C
8711200130	8711200124	87/11/17	50-445	A	8711230254	8711230245	87/11/18	50-346	J
8711200131	8711200125	87/11/17	50-313	Q	8711230255	8711230222	87/11/10	50-482	I
8711200132	8711200106	87/11/06	50-219	P	8711230257	8711230241	87/11/16	50-302	C
8711200151	8711200147	87/11/12	50-389	P	8711230262	8711230259	87/11/13	50-395	F
8711200158	8711200152	87/11/12	50-445	Q	8711230271	8711230225	87/11/18	50-353	E
8711200164	8711200160	87/11/12	50-445	Q	8711230272	8711230269	87/11/13	50-317	I
8711200165	8711200157	87/11/13	50-199	Q	8711230275	8711230265	87/11/17	50-255	C
8711200166	8711200161	87/09/03	70-135		8711230276	8711230269	87/11/13	50-317	A
8711200173	8711200169	87/11/13	50-424	Q	8711230282	8711230278	87/11/05	CONTRACT	
8711200176	8711200166	87/11/17	70-1100		8711230287	8711230264	87/11/16	50-395	C
8711200186	8711200161	87/09/03	70-135		8711230288	8711230246	87/11/20	50-285	I
8711200196	8711200161	87/09/03	70-135		8711230295	8711230264	87/11/16	50-395	C
8711200200	8711200195	87/11/12	50-409	P	8711230297	8711230286	87/11/16	50-335	C
8711200207	8711200198	87/11/16	50-413	V	8711230301	8711230294	87/11/16	50-309	
8711200212	8711200161	87/09/03	70-135		8711230304	8711230286	87/11/18	50-335	C
8711200218	8711200161	87/09/03	70-135		8711230310	8711230307	87/11/19	50-213	
8711200224	8711200213	87/11/10	50-413	P	8711230312	8711230302	87/11/02	WASTE MGT	
8711200230	8711200199	87/11/16	50-250	P	8711230338	8711230324	87/11/19	50-369	E
8711200235	8711200161	87/09/03	70-135		8711230341	8711230331	87/11/06	50-387	I
8711200247	8711200161	87/09/03	70-135		8711230351	8711230331	87/11/06	50-387	I
8711200253	8711200161	87/09/03	70-135		8711230363	8711230342	87/11/16	50-313	C
8711200264	8711200161	87/09/03	70-135		8711230367	8711230357	87/10/30	40-8684	
8711200278	8711200272	87/11/17	50-498	Q	8711230370	8711230349	87/11/19	CONTRACT	
8711200290	8711200213	87/11/10	50-413	P	8711230371	8711230350	87/11/19	50-277	
8711200299	8711200286	87/11/17	50-373	Q	8711230373	8711230358	87/11/16	50-389	
8711200306	8711200295	87/11/16	40-8027		8711230381	8711230350	87/11/19	50-277	
8711200307	8711200286	87/11/17	50-373	Q	8711230384	8711230376	87/11/18	50-293	E
8711200312	8711170084	87/11/05	CONTRACT		8711230386	8711230367	87/10/30	40-8684	
8711200318	8711170084	87/11/05	CONTRACT		8711230387	8711230378	87/11/18	50-324	
8711200319	8711200316	87/11/13	50-261	Q	8711230392	8711230389	87/11/16	70-1113	
8711200331	8711200329	87/10/29	50-335	F	8711230398	8711230393	87/11/18	CONTRACT	
8711200333	8711230037	87/11/12	50-354	P	8711230402	8711230380	87/11/18	50-313	C
8711200343	8711200314	87/11/03	71-9860		8711230405	8711230390	87/11/18	50-255	C
8711200348	8711200346	87/11/16	50-335	P	8711230406	8711230385	87/11/17	50-387	I
8711200350	8711200314	87/11/03	71-9860		8711230408	8711230388	87/11/17	50-331	E
8711200351	8711200345	87/11/13	50-321	Q	8711230421	8711230407	87/11/18	70-143	
8711200357	8711200347	87/11/18	50-352	P	8711230422	8711230409	87/11/20	40-2917	
8711200360	8711200354	87/10/29	50-298	R	8711230427	8711230399	87/10/30	40-8684	
8711200363	8711200198	87/11/16	50-413	Q	8711230428	8711230423	87/11/18	70-820	
8711200364	8711200356	87/11/19	CONTRACT		8711230441	8711230430	87/11/18	50-298	C
8711200365	8711200361	87/11/13	50-334	P	8711230449	8711230447	87/11/18	50-387	I
8711200367	8711200361	87/11/13	50-334	P	8711230452	8711230448	87/11/17	50-334	C
8711200368	8711200314	87/11/03	71-9860		8711230453	8711230447	87/11/18	50-387	I
8711200369	8711200358	87/11/17	50-327	P	8711230455	8711230446	87/11/17	50-266	C
8711200372	8711200347	87/11/18	50-352	P	8711240003	8711240002	87/11/18	50-410	C
8711200374	8711110063	87/10/28	50-443	G	8711240017	8711240009	87/11/16	50-206	
8711200378	8711200371	87/11/18	50-269	Q	8711240019	8711240016	87/11/13	50-443	C
8711200381	8711200375	87/10/29	50-280	F	8711240027	8711240015	87/11/17	50-443	C
8711200383	8711200379	87/10/27	71-561		8711240033	8711240031	87/11/19	50-338	C
8711200391	8711200389	87/11/13	50-413	P	8711240037	8711240032	87/11/17	50-245	C
8711230009	8711230004	87/11/16	50-348	P	8711240053	8711240052	87/11/17	50-348	C
8711230011	8711230007	87/10/28	WASTE MGT		8711240060	8711240052	87/11/17	50-348	C
8711230013	8711200389	87/11/13	50-413	P	8711240068	8711240056	87/11/13	50-322	C
8711230014	8711230012	87/11/10	50-302	Q	8711240070	8711240058	87/11/12	50-334	C
8711230016	8711230004	87/11/16	50-348	P	8711240077	8711240069	87/11/18	50-338	C
8711230020	8711230017	87/11/09	50-354	P	8711240088	8711240083	87/11/17	50-293	I
8711230025	8711230017	87/11/09	50-354	P	8711240104	8711240100	87/11/19	50-369	E
8711230032	8711230029	87/11/18	CONTRACT		8711240106	8711240098	87/11/17	50-213	
8711230044	8711230041	87/10/21	PROJ		8711240117	8711240108	87/11/10	50-334	C
8711230048	8711230026	87/11/10	50-416	P	8711240131	8711240127	87/11/09	50-275	E
[illegible]	8711230055	87/10/14	71-6294		8711240135	8711240130	87/11/17	70-27	
	8711230059	87/11/19	CONTRACT		8711240139	8711240132	87/11/20	50-498	C
	8711230066	87/11/13	50-341	P	8711240141	8711240134	87/11/18	50-298	C
	8711200344	87/11/16	50-293	P	8711240147	8711240142	87/11/19	50-295	C
	8711230055	87/10/14	71-6294		8711240149	8711240128	87/11/18	50-445	C
	8711230076	87/11/12	40-8904		8711240158	8711230181	87/11/16	50-410	C
	8711230103	87/11/18	CONTRACT		8711240159	8711240153	87/11/17	50-259	
	8711230104	87/11/18	CONTRACT		8711240161	8711240142	87/11/19	50-295	C

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8711240164	8711240160	87/11/16	50-423	P	8711250247	8711250236	87/11/23	50-275	P
8711240166	8711230181	87/11/16	50-410	P	8711250251	8711250249	87/11/19	50-309	C
8711240167	8711240160	87/11/16	50-423	P	8711250253	8711250276	87/11/23	50-530	P
8711240169	*8711240153*	*87/11/17*	*50-259*	*P*	*8711250254*	*8711250239*	*87/11/20*	*50-322*	*P*
8711240173	8711240142	87/11/19	50-295	P	8711250255	8711250249	87/11/19	50-309	C
8711240176	8711240162	87/11/17	50-412	Q	8711250256	8711250236	87/11/23	50-275	P
8711240176	8711240153	87/11/17	50-259	P	8711250263	8711250236	87/11/23	50-275	C
8711240178	8711240174	87/11/12	50-334	P	8711250264	8711250258	87/11/18	CONTRACT	
8711240179	*8711250035*	*87/11/10*	*50-454*	*K*	*8711250266*	*8711250236*	*87/11/23*	*50-275*	*P*
8711240181	8711240174	87/11/12	50-334	P	8711250269	8711250265	87/11/19	50-271	P
8711240183	8711240099	87/11/19	50-443	F	8711250270	8711250265	87/11/19	50-271	P
8711240184	8711240177	87/11/20	50-327	P	8711250274	8711250236	87/11/23	50-275	P
8711240185	8711240153	87/11/17	50-259	P	8711250275	8711250272	87/11/23	50-344	Q
8711240194	8711240153	87/11/17	50-259	P	*8711250277*	*8711250236*	*87/11/23*	*50-275*	*P*
8711240203	8711240195	87/11/03	40-7580		8711250280	8711250236	87/11/23	50-275	C
8711240204	8711240108	87/11/10	50-334	P	8711300003	8711300001	87/11/23	50-352	P
8711240206	8711240195	87/11/03	40-7580		8711300009	8711260236	87/11/23	50-275	C
8711240212	8711240209	87/11/17	50-312	P	8711300011	8711300006	87/11/24	40-8406	
8711240213	8711240186	87/11/05	50-259	P	*8711300012*	*8711300006*	*87/11/24*	FOIA	
8711240217	8711240210	87/11/19	50-440	P	8711300013	8711300006	87/11/24	40-8406	
8711240220	8711240206	87/11/16	50-352	P	8711300014	8711300002	87/11/18	50-277	P
8711240225	8711240186	87/11/05	50-259	P	8711300015	8711300006	87/11/24	40-8406	
8711240226	8711240224	87/11/09	50-312	Q	8711300016	8711300006	87/11/24	40-8406	
8711240234	8711240230	87/11/20	50-445	Q	*8711300017*	*8711300006*	*87/11/24*	40-8406	
8711240235	8711240232	87/11/18	ORG		8711300018	8711300006	87/11/24	40-8406	
8711240250	8711240238	87/11/17	50-254	P	8711300021	8706230066	87/06/16	ORG	
8711240256	8711240240	87/10/21	50-6	V	8711300025	8711300022	87/11/06	50-324	C
8711240263	8711240254	87/11/18	50-272	P	8711300027	8706230066	87/06/16	ORG	
8711240266	8711240255	87/11/20	50-528	P	8711300032	8711300030	87/11/24	50-423	C
8711240267	8711240259	87/11/20	CONTRACT		8711300052	8711300042	87/11/24	50-244	C
8711240271	8711240254	87/11/16	50-272	P	8711300054	8711300046	87/11/19	50-269	C
8711240277	8711240265	87/11/13	50-331	P	8711300056	8711300051	87/11/20	50-410	C
8711240283	*8711240261*	*87/11/18*	*50-346*	*Q*	8711300062	8711300046	87/11/19	50-269	C
8711240286	8711240274	87/11/19	50-341	P	8711300071	8711300065	87/11/20	50-155	C
8711240287	8711240279	87/11/18	50-247	P	8711300072	8711300059	87/11/20	50-150	C
8711240289	8711240279	87/11/18	50-247	P	8711300080	8711300067	87/11/20	50-272	P
8711240291	8711240280	87/11/16	CONTRACT		8711300081	8711300061	87/11/25	70-687	
8711240292	*8711240288*	*87/11/12*	*50-334*	*P*	8711300093	8711300063	87/11/18	50-254	P
8711240294	8711240286	87/11/12	50-334	P	8711300095	8711300081	87/11/25	70-687	
8711240296	8711240231	87/11/23	FOIA		8711300097	8711300092	87/11/23	50-498	C
8711240300	8711240298	86/09/29	OA999		8711300101	8711300089	87/11/23	50-254	C
8711240311	8711240307	87/11/12	TOPREP		8711300109	8711300105	87/11/09	50-344	C
8711250011	*8711250009*	*87/11/19*	*50-112*	*P*	8711300111	8711300108	87/11/18	50-413	P
8711250013	8711250012	87/11/19	50-293	Q	8711300113	8711300089	87/11/23	50-254	C
8711250020	8711250016	87/11/20	50-341	P	8711300117	8711300114	87/11/20	50-305	P
8711250022	8711260017	87/11/17	50-373	P	8711300130	8711300125	87/11/23	50-323	C
8711250031	8711260134	87/11/12	50-344	F	8711300137	8711300134	87/11/25	50-255	P
8711250036	8711250034	87/11/05	CONTRACT		8711300150	8711300143	87/11/18	50-82	C
8711250046	8711260278	87/11/23	50-530	P	8711300151	8711300139	87/11/25	70-1143	
8711250060	8711250038	87/11/18	50-247	P	8711300153	8711300147	87/11/23	50-400	P
8711250062	8711260027	87/11/20	50-266	P	8711300158	8711300138	87/02/17	50-409	P
8711250063	8711250038	87/11/18	50-247	P	8711300164	8711300146	87/11/24	50-482	C
8711250064	8711250056	87/11/18	CONTRACT		8711300167	8711300154	87/11/27	70-938	
8711250081	8711250076	87/11/17	50-320	F	8711300171	8711300166	87/11/19	50-454	C
8711250104	8711250100	87/11/13	50-336	P	8711300174	8711300165	87/11/24	50-277	C
8711250106	8711250095	87/11/17	50-315	P	8711300182	8711300170	87/11/19	50-483	C
8711250108	8711250100	87/11/13	50-336	P	8711300194	8711300170	87/11/19	50-483	C
8711250112	8711250109	87/11/12	50-213	P	8711300214	8711300207	87/11/19	70-824	
8711250114	8711250109	87/11/12	50-213	P	8711300216	8711300184	87/11/27	70-135	
8711250138	8711250134	87/11/12	50-344	F	8711300218	8711300200	87/11/25	50-289	C
8711250144	8711260107	87/10/27	50-171	Q	8711300225	8711300199	87/11/19	50-424	Q
8711250148	8711250146	87/11/20	50-445	Q	8711300227	8711300219	87/11/24	50-301	P
8711250165	8711250162	87/11/20	50-219	P	8711300232	8711300219	87/11/24	50-301	P
8711250172	8711250170	87/11/19	50-245	Q	8711300236	8711300221	87/11/24	50-331	Q
8711250178	8711250170	87/11/19	50-245	Q	8711300242	8711300211	87/11/24	50-454	V
8711250184	8711250177	87/11/19	50-220	Q	8711300246	8711300235	87/11/20	50-244	P
8711250187	*8711250181*	*87/11/17*	*50-445*	*Q*	8711300247	8711300199	87/11/19	50-424	Q
8711250189	8711250186	87/11/19	50-353	Q	*8711300252*	*8711300252*	*87/11/20*	*50-305*	*Q*
8711250202	8711250200	87/11/18	50-313	F	8711300264	8711300258	87/11/24	50-331	Q
8711250206	8711250205	87/11/23	50-382	Q	8711300268	8711300258	87/11/24	50-331	Q
8711250215	8711250205	87/11/23	50-382	Q	8711300273	8711300271	87/11/24	50-123	Q
8711250232	*8711250224*	*87/11/19*	*50-438*	*Q*	8711300275	8711300270	87/11/23	50-387	Q
8711250235	8711250227	87/11/20	50-424	P	*8711300278*	*8711300271*	*87/11/24*	*50-123*	*Q*
8711250243	8711250238	87/11/20	50-313	Q	8711300280	8711300277	87/11/25	50-277	P
					8712010075	8711300244	87/11/23	50-344	K

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes to items 1 and 2.
4. NRC questions, requests for additional information, and applicant responses.
5. Correspondence and documents relating to unresolved design and construction issues.
6. Meeting announcements and summaries of meeting discussions on issues of item 5.
7. Correspondence regarding the Preliminary Safety Analysis Report (PSAR).
8. Information on laws and changes in regulations or policy that affect the status of the application (NEPA, Water Quality Improvement Act, Water Pollution Control Act, etc.).
9. Construction Permit, amendments, and correspondence relating to the construction permit.
10. Scheduling of license application submission or review.
11. Environmental review information.
12. Application for operating license.
13. General Information submitted with operating license application.
14. Amendments and changes to items 12 and 13.
15. Correspondence regarding the Final Safety Analysis Report (FSAR).
16. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
17. Reports of site visits.
18. Backup technical documents (e.g., topical reports) submitted in support of the application.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).
2. Amendments and changes to the PSAR.

3. Transmittal and acknowledgement letters.

4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are filed in Categories A, D, M, P or R.

1. Environmental Report (ER) submitted by the utility.

2. Amendments and supplements to the ER.

3. Transmittal and acknowledgement letters.

4. Information on scheduling of submittal or review of ER.

5. NRC questions, requests for additional information, and applicant responses.

6. Federal register notices citing the availability of items 1 and 2.

7. Correspondence relating to the review of ER.

8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are in categories A, C, M, P or R.

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by the NRC.

2. Supplements to the DES and FES.

3. Correspondence relating to the DES and FES.

4. Comments from other federal, state and local government agencies.

5. Transmittal and acknowledgement letters.

6. Documents related to NRC review of environmental issues or of ER obtained for purposes of writing the environmental statements.

7. Backup technical documents submitted in connection with above.

8. Federal register notice citing availability of items 1 and 2.

9. Site visits to obtain information for DES or FES.

10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other documents dealing with safety related issues are filed in categories A, P or W, depending on the phase of the licensing process.

1. Safety Evaluation Report (SER) prepared by the NRC (formerly called NRC-AEC Hazard Analysis Report).
2. Supplements to SER.
3. Correspondence relating to SER.
4. Federal register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgement letters.

F. SECURITY, MEDICAL, EMERGENCY AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Information submitted as part of the PSAR or FSAR is excluded.

1. Fire Hazard Protection Plan and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Review of Health Physics Program.
5. Correspondence relating to aforementioned plans.
6. Supplements, changes and revisions to plans.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing related documents.
2. Federal register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content or meaning for the status of the license or application are included.

1. Change of address notifications.
2. Changes in structure of organization.
3. Changes in service lists.
4. NRC requests to applicant for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports.
2. Separately submitted financial information and related correspondence.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence falls in category A or P.

1. Final Safety Analysis Report (FSAR) (formerly called Final Hazards Summary Report).
2. Amendments and changes to the FSAR.
3. Federal register notices citing availability of items 1 and 2.
4. Transmittal and acknowledgement letters.
5. Certificates of service to the FSAR.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWA) whereby applicants can carry out limited site preparation and construction prior to the granting of a construction permit.

1. Limited Work Authorizations (LWA) and amendments.
2. Correspondence pertaining to work performed under LWA s.

M. ANTITRUST REVIEW AND ANTITRUST CORRESPONDENCE

1. Document submitted as part of the applications for a construction permit and operating license entitled "Information Requested by the Attorney General for Antitrust Review"
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding related documents except for hearing transcripts, testimony and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence falls in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

1. Correspondence and letter reports relating to Advisory Committee on Reactor Safeguards (ACRS) reviews.
2. Correspondence from ACRS.
3. Announcement of ACRS meetings.
4. Transmittal and acknowledgement letters.
5. ACRS reports.
6. Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings.
7. Minutes at ACRS Subcommittee Meetings.

P OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes and related correspondence.
2. Technical specifications and changes.

3. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.

4. Federal register notices citing availability of items 1 and 2.

5. Correspondence regarding the Final Safety Analysis Report (FSAR).

6. All general technical correspondence, meeting announcements or meeting summaries relating to technical specifications, the operating license or technical issues arising after the issuance of the operating license.

7. Correspondence regarding codes (e.g., ASME), regulations, laws or changes in policy that may affect plant operation or bear on the operating license.

8. Information on the Standard Review Plan (STP).

9. Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which fall in category R).

10. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

11. Owner's group meeting announcements and reports.

12. Quality assurance information.

13. Environmental matters (technical).

14. Emergency core cooling system documents.

15. Radioactive waste information.

16. Correspondence regarding expansion of spent fuel storage pool.

17. Start-up test reports.

18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.

19. Reports of site visits.

Q. INSPECTION REPORTS; IE BULLETINS, CIRCULARS AND INFORMATION NOTICES; CIVIL PENALTIES AND RELATED CORRESPONDENCE

1. Inspection reports.

2. IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars and Information Notices.

3. Responses by applicant to IE correspondence.

4. Applicant's determination of proprietary nature of inspection reports.

5. Letters concerning areas of noncompliance.

6. Pre-service and in-service inspections and procedures.

7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (EN s).

8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in category S.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial).
2. Periodic environmental monitoring, effluent testing, or similar reports.
3. Periodic personnel exposure reports.
4. Operational Logbooks:

 Logbooks on Environmental Data
 Logbooks on Radiological Data
 Operations Log on Plant Systems Core
 Plant Status Summary Sheets.

5. Correspondence or other documents relating to the above listed items.

S. REPORTABLE OCCURRENCES, PNOs, PNSs AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable or nonroutine occurrences or events. This includes:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LER s) and follow-up correspondence (also called incident reports, abnormal occurrence reports and reportable occurrences).
2. Potential or possible reportable deficiency reports and related correspondence.
3. Personnel exposure reports.
4. Construction deficiency reports submitted under 10 CFR 50.55e.
5. Preliminary Notification of Occurrence (PNO s) and Preliminary Notification of Safeguards Events (PN s).
6. Environmental Technical Specifications violation reports and Environmental Event reports.
7. Part 21 Reports of defects and noncompliance.
8. Correspondence or other documents relating to items 1-7.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, except for antitrust matters (category N), testimony and briefings, and congressional matters (category U).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Advisory Committee on Reactor Safeguards (ACRS) meeting transcripts.
8. Corrections to above items.

This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in category H.

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.

2. Preparatory and backup documents for item 1.

3. Correspondence to and from NRC Office of Congressional Affairs, Congress and the Executive Branch on other than constituent response matters.

V. LICENSING OPERATORS AND RELATED CORRESPONDENCE

1. Operator licenses or administrative information bearing on licensing of operators.

2. NRC examination results.

3. Power plant examination summary sheet.

W. DECOMMISSIONING STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (category P) file for general technical items from the application for termination of the operating license onward.

1. Application for authority to voluntarily surrender license.

2. Application to dismantle the facility and dispose of component parts.

3. Technical documents submitted in support of items 1 and 2, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.

4. Documents relating to disposal of radioactive material and decontamination of the site.

5. Other correspondence relating to above items.

6. All documentation relating to the ongoing operation of the plan, formerly filed in category P.

X. ONSITE LOW-LEVEL WASTES STORAGE

This category contains items related to the onsite storage of low-level radioactive wastes generated onsite.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

This category contains documents with an NMSS license and/or a Docket-72 number. For installations on a reactor site, the associated Docket-50 number will also be identified.

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

 All related correspondence and reports to the above.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10CFR – Commission Meeting Records

This category contains documentation pertaining to open and closed Commission meetings. It includes:

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification of General Counsel on closed meetings.
4. Commission Determination Statements regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff requirements memoranda for open meetings; memoranda to record; record of votes of Commissioners on items under consideration at meetings.

ACRS – Advisory Committee on Reactor Safeguards

This category contains documentation pertaining to the responsibilities of the Advisory Committee on Reactor Safeguards. ACRS serves as an independent advisory committee to the Commission in safety-related areas. The committee provides advice with respect to the hazards of new or existing nuclear facilities and the adequacy of related safety standards. The documents in this category are:

1. Verbatim transcripts of ACRS subcommittee and full committee meetings relating to facility license applications and safety-related matters.
2. ACRS meeting announcements; description of meeting agendas.
3. ACRS-generated reports, memoranda and correspondence that are publicly available.
4. ACRS consultant reports, comments and related correspondence.
5. ACRS and NRC technical correspondence pertaining to safety matters under review by the Advisory Committee on Reactor Safeguards.

ADVCM -- NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees, other than the Advisory Committee on Reactor Safeguards. The documents in this category are:

1. Charters of each advisory committee.
2. Verbatim transcripts of committee meetings.

3. Meeting announcements; description of meeting agendas.

4. Committee generated reports, memoranda, and correspondence that are publicly available.

5. Committee related correspondence.

COMMISSION – NRC Commissioners

This category contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioners, including:

1. Incoming and outgoing correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures.

2. Travel vouchers, telephone logs and official appointment calendars of individual Commissioners.

3. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10CFR category. For all other staff papers with a SECY series designation prepared for Commission review, see SECY category.

CONTRACT – NRC Contracts and Modifications

This category contains documentation pertaining to AEC and NRC contracts and Interagency Agreements, including:

1. Notifications of issuance of request for proposal (RFP) and invitations for bid (IFB).

2. Solicitations (RFP or IFB) issued by the NRC.

3. Notifications of contract execution, specifying contract number, project title, contractor name, contract type, funding, and period of performance.

4. Contractual documents and contract modifications, if any.

DISCLOSURE – Financial Disclosure Information

This category contains financial disclosure information in accordance with the Ethics in Government Act of 1978.

FOIA – Freedom of Information Act Requests and Releases

This category contains requests for agency records and records released in accordance with the provisions of the Freedom of Information Act (FOIA). Documents in this category include:

1. Requests made by any member of the public (assigned an identifying number YY-NNN for last two digits of the year - numerical sequence) for NRC records made in accordance with the provisions of the Freedom of Information Act.

2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request.

3. Records or portions of records released in response to specific requests made under FOIA.

GEN TECH IS – Generic Technical Issues

This category contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the Division of Nuclear Reactor Regulation.

1. Draft reports of action plans to accomplish generic tasks in the regulatory program.
2. Correspondence with industry and internal correspondence regarding the methodologies, analyses, and programmatic and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of generic technical issues.

I&E – Inspection and Enforcement

This category contains bulletins, circulars and information notices that are issued by the Office of Inspection and Enforcement. These issuances describe particular events that occur at a facility that may require some follow-up action on the part of licensees. Also included in this category are preliminary notifications of events (PNOs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature.
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of this event.
4. Preliminary Notifications of Events (PNOs), which provide updated information of an event of safety or public interest significance.

NOTE: For letters forwarding the above issuances, utility responses to such issuances, and related correspondence, see Category Q of individual docket categories.

MISC – Public Document Room Miscellaneous

This category contains documents that do not fall into the scope of the other nondocketed categories.

NUREG – NUREG Reports and Related Correspondence

These documents are formal reports issued by the U.S. Nuclear Regulatory Commission which carry the NUREG series code and correspondence pertaining to those reports. NUREG reports are accounts of work performed either by the NRC staff or by NRC contractors.

1. These reports are normally final work products and are characterized by the following criteria:
 a. They are predecisional documents which present information to be considered in Commission licensing and policy decisions.
 b. They present the results of Commission licensing and policy decisions.
 c. They present the results of technical research conducted for the Commission.
2. Correspondence from industry, government and interested members of the public commenting on reports or requesting clarification or interpretation.
3. Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the reports.

ORG – Correspondence with Other Organizations

This category contains correspondence with professional organizations and associations; records other than Regulatory Guides that pertain to the activities of NRC's Office of Standards Development; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue. Included are:

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.

2. Correspondence between NRC's Office of Standards Development and other government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Standards Development.

4. Statements, motions, orders and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and re-analysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For Regulatory Guides and comments to Regulatory Guides issued by the NRC Office of Standards Development, see the REGGD category.

For petitions for rule makings filed by the public to amend, rescind or change an NRC regulation, see the PRM category.

PR – Proposed Rule

This category contains records dealing with NRC staff proposals to adopt, amend or repeal a Commission regulation. Proposed Rules (PRs) are normally the result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person. The documents in this category are:

1. Federal Register notices stating the terms or substance of the proposed rule or a specification of the subject and issues involved.

2. Text of the Proposed Rule (PR).

3. Comments, statements, information, opinions or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

4. Requests from the nuclear industry, organizations and other parties for written interpretations of the PR.

PRM – Petition for Rulemaking

This category contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation. Included are:

1. Petitions filed by any interested person or party to issue, amend or rescind an NRC regulation.

2. Federal Register cause notices of the filing of the petition.

3. Correspondence between NRC and the petitioner regarding the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups and others in favor of or in opposition to the PRM.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY category.

For Commission review of staff recommendations, see the 10CFR category.

PROJ – Projects–Predocket Licensing

This category contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

I. "Pre-docketed" commercial nuclear power plants

This category contains all documentation up until the time that the NRC considers the application and the Preliminary Safety Analysis Report (PSAR) is submitted by the utility for staff review. The unit is then assigned a docket number, and transferred to the Docket 50 category.

These documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket 50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the PSAR.

3. Applicant's Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility PSAR and Amendments

1. PSARs submitted by the utility.

2. Amendments and changes to the PSAR.

3. Transmittal letters.

4. Letters acknowledging receipt of the PSAR.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, *et al.* pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related material pertaining to the antitrust review.

1. Inspection reports of the applicant's quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other government technical personnel related to test reactors, critical experiments, and DOD reactors on navy ships and other sites.

PT21 – Noncompliance Reports and Related Correspondence

Deficiency reports are performed in compliance with Part 21 of Title 10 of the Code of Federal Regulations and include:

1. Reports by firms involved in the nuclear industry concerning noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA999 – Quality Assurance Inspections

This category contains inspection reports of vendors' quality assurance programs and follow-up correspondence. Each vendor facility is assigned a docket number and is part of the QA999 series.

Vendors are defined here as companies, both U.S. and foreign, that are engaged in the design or the manufacture of nuclear components for plants licensed by NRC. QA comprises all those planned and systematic actions necessary to provide adequate confidence that a structure, system or component being manufactured will perform satisfactorily once it is put in service. The controlling criteria are 10 CFR Part 50, Appendix B, vendor QA topical reports, and the PSAR and FSAR submitted by utilities for specific facilities. Documents in this category include:

1. NRC inspection reports, conducted on a quarterly or semi-annual basis, of vendor sites. Inspections may cover the design, fabrication, construction and testing of structural systems and components.
2. Notices of deviations.
3. Vendor corrective actions and other follow-up correspondence associated with the resolution of inspection findings.

REGGD – Regulatory Guides

This category contains new and revised regulatory guides issued by the Commission and related correspondence. These guides describe for the industry and the public methods acceptable to the NRC

staff for implementing specific parts of the NRC's regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents, or provide guidance to applicants. Included are:

1. Federal Register notices announcing the issuance and availability of a proposed regulatory guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment and industry codes, when applicable, that pertain to the issuance of a specific Regulatory Guide.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Standards Development, see the Organization category.

RES – Research and Technical Assistance Reports

This category contains reports, generally of an interim nature, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission. Included are:

1. Project description documents.
2. Letter reports of accomplishments and data reports; for example,
 a. model documentation reports
 b. code documentation reports
 c. code verification reports
3. Pre-test prediction reports.
4. "Quick look" reports.
5. Informal experimental data reports and post-irradiation examination analyses.
6. Conceptual design descriptions.
7. Letter reports of foreign travel and site visits by contractors.
8. Letter, monthly, quarterly, interim or annual status or progress reports on other research projects contracted for by the NRC.
9. Meeting summaries and correspondence dealing with technical matters relating to research and technical assistance contracts.
10. Staff Research Information Letters (*RILs*) transmitting the documented results from completed research programs.

NOTE: For final reports of research conducted by contractors, see also NUREG reports.

REVIEW GRP – NRC Research Review Groups

This category contains records pertaining to the activities of NRC Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in

major experiments, the validity and applicability of research results, the possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group. Documents in this category are:

1. Agendas for quarterly review group meetings.
2. Summary minutes of review group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments; presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors and other agencies.
5. Internal memoranda relating to topics under discussion.

RM – Rulemakings

This category contains records pertaining to public hearings held on proposed changes (PRs) to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration. Documents in this category include:

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of hearing board meetings.
3. Petitions, motions, testimony and statements submitted by parties to the hearings.
4. Hearing board orders and rulings.
5. Technical reports submitted as evidence in the proceeding.
6. Reports, if any, of the special board to the Commission regarding a rulemaking proceeding.

SECY – Position Papers Before the Commission

This category consists of staff papers prepared for the information or approval of the Commissioners which are assigned a SECY report series code. Included are:

1. Commission Action papers, which normally include alternatives and recommendations by the staff on a given issue and require Commission action.
2. Consent Calendar items and Policy Session items.

NOTE: For Weekly Information Reports prepared by EDO to the Commissioners providing a summary of key events and items of interest undertaken by staff and program offices, see the NRC Commissioners category.

STATE PROG – State Programs

This category contains records that pertain to the Commission's activities and interaction with State governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; (2) the Agency's role in assisting

State and local governments in planning responses to radiological emergencies; and (3) a wide range of liaison and cooperative activities regarding such functions as licensing and siting. It includes:

1. Correspondence between and among NRC Office of State Programs and State officials, mostly State liaison officers, regarding:

 a. cooperative programs in such technical areas as radiation control, emergency response planning to radiological incidents, water quality and transportation surveillance.

 b. technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas.

2. Agendas, reports and transcripts of regional workshops and training programs on current matters of policy and regulations; i.e. decommissioning and facility siting.

3. State Legislative Reports.

4. Agreement State Licensing Statistics Reports.

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects category.

TOPREP – Vendor Reports and Related Correspondence

This category contains topical reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. General vendor related correspondence that is not docket specific is also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing and safety submitted by architect, engineers and other vendors.

2. Revisions, modifications and amendments to topical reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.

4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies and design criteria.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the Docket 50 series.

WASTE MGT – Nuclear Waste Management

This category is topical in nature and contains records dealing with the activities of the NRC Division of Waste Management. Each topic has been assigned a number, with the series designated by a WM prefix. These documents deal primarily with NRC's interaction with DOE and its future role in licensing and regulating DOE facilities designed for the disposal of high-level waste in geologic repositories. This category will be enlarged later to include records dealing with low-level waste issues and tasks. The documents in this category are:

1. Meeting agenda and minutes of DOE/NRC meetings in which DOE presents information on their geological exploration program to identify sites for nuclear waste repositories.

2. Briefings by DOE on research being conducted on spent fuel storage and nuclear waste management.

3. Correspondence pertaining to NRC's advisory role in providing DOE with technical assistance in the Waste Isolation Pilot Plan (WIPP) for burial of defense wastes.

4. NRC draft staff guides for developing positions on the content and format of environmental reports for geological repositories.

WASTE RES — Waste Management Research Reports

Contains interim and final reports, and correspondence submitted to NRC by its contractors doing research on topics related to the storage of high-level radioactive waste.

1. Periodic progress reports on the status of research.

2. Trip reports of travel by NRC and contractor personnel.

3. Draft, partial or related reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors relating to technical questions or issues to be resolved.

XPORTLIC – Export and Import Licenses

This category contains records relating to the issuance of licenses to export or import nuclear facilities and materials. Included are:

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components or reactor materials.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

3. Commission letters requesting Executive Branch views.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to U.S. common defense and security.

5. Correspondence from foreign governments, international organizations, and members of the public.

6. Staff position papers (SECY series code) prepared for Commissioners review of import or export licenses.

7. Filings pursuant to hearing requests or intervention petitions, if any.

8. Hearing records and decisions.

9. Memoranda from the Office of the Secretary to the Executive Director for Operations regarding the Commission decision on issuance of a proposed license.

10. Licenses, license amendments and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see 10CFR category.

SEE INSTRUCTIONS ON THE REVERSE

Vol. 9, No. 11

1 TITLE AND SUBTITLE

Title List of Documents Made Publicly Available
November 1-30, 1987

3 LEAVE BLANK

4 DATE REPORT COMPLETED

MONTH | YEAR

2 AUTHOR(S)

6 DATE REPORT ISSUED

MONTH: January | YEAR: 1988

7 PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Division of Publications Services
Office of Administration and Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555

8 PROJECT/TASK/WORK UNIT NUMBER

9 FIN OR GRANT NUMBER

10 SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Same as 7, above.

11a TYPE OF REPORT

Monthly

b. PERIOD COVERED (Inclusive dates)

November 1-30, 1987

12 SUPPLEMENTARY NOTES

13 ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference to Principal Documents.

14 DOCUMENT ANALYSIS - a KEYWORDS/DESCRIPTORS

title list

b IDENTIFIERS/OPEN-ENDED TERMS

15 AVAILABILITY STATEMENT

Unlimited

16 SECURITY CLASSIFICATION

(This page)

Unclassified

(This report)

Unclassified

17 NUMBER OF PAGES

18 PRICE